

## Laboratories Approved for the Analysis of *Cryptosporidium* Under the Safe Drinking Water Act

**As of May 2007, EPA estimates that sufficient laboratory capacity exists for the LT2. EPA has generally postponed evaluation of additional laboratories, including commercial, county, municipal and utility laboratories, until further notice. EPA will consider evaluation of State and EPA Regional laboratories on a case-by-case basis, resources permitting, based on the role that States and EPA Regions play in the certification and approval programs for laboratories.**

The following laboratories have passed the Laboratory Quality Assurance Evaluation Program for Analysis of *Cryptosporidium* under the Safe Drinking Water Act (Lab Quality Assurance Evaluation Program), and have been granted "Approved" status. The purpose of the Lab QA Program is to identify laboratories that can reliably measure the occurrence of *Cryptosporidium* in surface water using EPA Method 1622 and/or EPA Method 1623.

The following table is sorted in alphabetical order by lab name and includes commercial, government, public water system and university laboratories.

### "Approved" *Cryptosporidium* Laboratories

Laboratory Name	Lab Street Address	Lab City	Lab State	Lab Zip Code	Lab Contact Name	Lab Contact Phone Number	Lab Contact E-Mail Address	Accepting Outside Samples Under LT2?	Provide Field Filtration Apparatus?
Accurate Environmental Labs	12036 North Pennsylvania Ave	Oklahoma City	OK	73120	Dinah Dixon	(405) 751-3132	dinah@accuratelabs.com	Yes	Yes
ACT I Research and Analytical Laboratories	316 Kelly Dr	Waco	TX	76710	Wyndi Klement	(254) 751-9823	wklement@act-i.com	Yes	No
American Water	1115 South Illinois Street	Belleville	IL	62220	Janice R. Weihe	(618) 239-0506	jweihe@amwater.com	Yes	No
Analytical Services, Inc.	130 Allen Brook Lane	Williston	VT	05495	Paul Warden	(800) 723-4432 ext. 15	pwarden@analyticalservices.com	Yes	Yes
BCS of No. Florida	4842 SW 74th Court	Miami	FL	33155	Dr. Troy Scott	(352) 317-5713	tscott@gator.net	Yes	Yes
BioVir Laboratories, Inc.	685 Stone Rd., Unit 6	Benicia	CA	94510	Dr. Richard Danielson	(800) 442-7342	red@biovir.com	Yes	Yes
Bureau of Laboratories - Tampa	3602 Spectrum Blvd.	Tampa	FL	33612	Dr. Deno Kazanis	(813) 974-8072	deno_kazanis@doh.state.fl.us	Yes	Yes
Charlotte-Mecklenburg Utilities - Laboratory Services	4222 Westmont Drive	Charlotte	NC	28217	Gina Kimble	(704) 336-2925	gkimble@ci.charlotte.nc.us	Yes-limited	No
CH Diagnostic & Consulting Service	512 5th Street	Berthoud	CO	80513	Dr. Greg Sturbaum	(970) 532-2078	gsturbaum@chdiagnostic.com	Yes	Yes
City of Grand Junction	244 26 1/4 Road	Grand Junction	CO	81503	Jo Holcomb	(970) 256-4174	joh@ci.grandjct.co.us	Yes - limited	No
City of Los Angeles DWP	555 E. Walnut Street	Pasadena	CA	91101	Marlyn Stasiak	(213) 367-8487	Marlyn.stasiak@ladwp.com	No	N/A
City of Philadelphia	1500 East Hunting Park Ave.	Philadelphia	PA	19124-4941	Kenneth Sarkis	(215) 685-1427	kenneth.sarkis@phila.gov	No	N/A
City of Phoenix Water Services Lab	2474 S. 22nd Avenue	Phoenix	AZ	85009	Phil Johnson	(602) 534-2923	philip.johnson@phoenix.gov	No	N/A

Laboratory Name	Lab Street Address	Lab City	Lab State	Lab Zip Code	Lab Contact Name	Lab Contact Phone Number	Lab Contact E-Mail Address	Accepting Outside Samples Under LT2?	Provide Field Filtration Apparatus?
City of San Diego Water Department	Water Operations Division, 5530 Kiowa Drive	La Mesa	CA	91942	Dan Silvaggio	(619) 668-3242	Dsilvaggio@sandiego.gov	Yes	No
City of Scottsdale Water Campus	8787 E. Hualapai Drive	Scottsdale	AZ	85255	Laura McCasland	(480) 312-8732	lmccasland@scottsdaleaz.gov	No	N/A
City of St. Louis Water Division	14769 Olive Blvd.	Chesterfield	MO	63017	Jim Kopp	(314) 469-1901	jkopp@stlwater.com	No	N/A
Clancy Environmental Consultants, Inc.	20 Mapleville Depot	St. Albans	VT	05478	Randi McCuin	(802) 527-2460	rmccuin@clancyenv.com	Yes	Yes
Energy Laboratories, Inc.	2393 Salt Creek Highway	Casper	WY	82601	Randy Ogden	(307) 235-0515	rogden@energylab.com	Yes	Yes
Environmental and Molecular Microbiology Laboratory at MSU	Dept Wildlife and Fisheries, Rm 3 Natural Resources	East Lansing	MI	48824	Rebecca Ives	(517) 432-8185	ivesrebe@msu.edu	Yes	Yes
Environmental Associates Ltd.	24 Oak Brook Drive	Ithaca	NY	14850	Dr. Susan Boutros	(607) 272-8902	susanboutros@eal-labs.com	Yes	Yes
Environmental Epidemiology Lab - Tufts University	Tufts University School of Medicine, 136 Harrison Avenue #4	Boston	MA	02111	Luke Ascolillo	(617) 636-2482	luke.ascolillo@tufts.edu	Yes	Yes
Environmental Science Corp.	12065 Lebanon Road	Mount Juliet	TN	37122	Claudia Zimmerman	(800) 500-1307 ext. 110	czimmerman@envsci.com	Yes	No
EPCOR Water Services QA Lab	9469 Rossdale Road	Edmonton	AB	T5K OA5	Pearl Poon	(780) 412-3526	ppoon@epcor.ca	Yes	Yes
Erie County Water Authority	1951 Hamburg Turnpike	Lackawanna	NY	14218	Raymond Dittmer	(716) 826-6230	rdittmer@ecwa.org	Yes	Yes
Georgia DNR, Environmental Protection Division	455 14th Street, NW	Atlanta	GA	30318	Viola Reynolds	(404) 206-5210	viola_reynolds@mail.dnr.state.ga.us	No	N/A
Grants Pass Water Laboratory, Inc.	558 N.E. "F" Street, Suite 1	Grants Pass	OR	97526	Doree Schaafsma	(541) 476-0733	Doree@gpwaterlab.com	Yes	No
HydroQual Laboratories, Inc.	# 3 6125 12th Street SE	Calgary	AB	T2H 2K1	Charlie Ehman	(403) 253-7121	Charles_Ehman@golder.com	Yes	Yes
Irvine Ranch Water District	3512 Michelson Drive	Irvine	CA	92612	Lars Oldewage	(949) 453-5858	oldewage@irwd.com	Yes - limited	Yes
Lab/Cor, Inc.	7619 6th Ave. NW	Seattle	WA	98117	Derk Wipprecht	(888) 522-2674	dwipprecht@labcor.net	Yes	Yes
Louisville Water Company	550 South 3rd Street	Louisville	KY	40202-1839	Roger Tucker	(502) 569-3600	rtucker@lwcky.com	No	N/A
McCoy & McCoy Laboratories, Inc.	825 Industrial Rd.	Madisonville	KY	42431	Dr. Todd Cowan	(270) 821-7375 ext. 236	tcowan@mccoylabs.com	Yes	No

Laboratory Name	Lab Street Address	Lab City	Lab State	Lab Zip Code	Lab Contact Name	Lab Contact Phone Number	Lab Contact E-Mail Address	Accepting Outside Samples Under LT2?	Provide Field Filtration Apparatus?
Metropolitan Water District of So. CA	700 Moreno Avenue	La Verne	CA	91750	Dr. Ricardo DeLeon	(909) 392-5185	ricardo_deleon@mwdh2o.com	No	N/A
Milwaukee Health Dept. - Microbiology Laboratory	841 N. Broadway, Rm 205	Milwaukee	WI	53202	Dr. Ajaib Singh	(414) 286-3526	asingh@milwaukee.gov	Yes	No
Minnesota Department of Health, Public Health Laboratory, Environmental Laboratory Section	601 Robert Street North	St. Paul	MN	55164	Chris Brueske	(651) 201-5454	chris.brueske@health.state.mn.us	No	No
Modesto Irrigation District	1008 Reservoir Rd.	Waterford	CA	95386	Claudia Hidahl	(209) 526-7608	claudiah@mid.org	No	N/A
Mohawk Valley Water Authority	1 Kennedy Plaza, Box 345	Utica	NY	13503	Connie Schreppel	(315) 792-0317	cschreppel@mvwa.us	Yes	Yes
Montgomery Water Works & Sanitary Sewer Board, Enviro Services Lab	6000 Richard E. Hanan Drive	Montgomery	AL	36108	Ms. Ginger Taylor	(334) 206-1708	gtaylor@mwwssb.com	Yes	Yes
NYC DEP Pathogen Laboratory	Ben Nesin Lab, Route 28A	Shokan	NY	12481	Lisa Blancero	(845) 657-2361	lblancero@dep.nyc.gov	No	N/A
Orange County Utility Laboratory	9124 Curry Ford Road	Orlando	FL	32825	Amy Gilliam	(407) 254-9550	Amy.Gilliam@ocfl.net	Yes - limited	Yes
Pennsylvania Department of Environmental Protection - Bureau of Laboratories	2575 Interstate Drive	Harrisburg	PA	17110	Roger Diehl	(717) 346-8669	rdiehl@state.pa.us	No	N/A
Pittsburgh Water and Sewer Authority	900 Freeport Road	Pittsburgh	PA	15238	Stanley States	(412) 782-7553	sstates@pgh20.com	Yes - limited	N/A
Puerto Rico Aqueduct and Sewer Authority	Laboratorio Central de Caguas AAA, PO Box 5789	Caguas	PR	00726	Cruz Minerva Ortiz	(787) 286-5525 ext. 2011	cruz.ortiz@acueductospr.com	Yes	No
San Francisco Public Utilities Commission	1000 El Camino Real	Millbrae	CA	94030	Jina Tin	(650) 872-5980	jtin@sfgwater.org	No	N/A
Santa Clara Valley Water District	5750 Almaden Expressway	San Jose	CA	95118-3686	James Scott	(408) 265-2607	jscott@valleywater.org	No	N/A
Scientific Methods, Inc.	12441 Beckley Street	Granger	IN	46530	Dr. Fu-chih Hsu	(574) 277-4078	fuchih@scientificmethods.com	Yes	Yes
Shaw Environmental and Infrastructure, Inc.	26 W. Martin Luther King Blvd. USEPA ML140	Cincinnati	OH	45219	Nancy Shaw	(513) 569-7996	shaw.nancy@epa.gov	No	N/A
Signature Science, LLC.	8329 North MoPac Expressway	Austin	TX	78759	Barbara Hayes	(512) 533-2000	bhayes@signaturescience.com	Yes	Yes
Southern Nevada Water System	1299 Burkholder Blvd.	Henderson	NV	89015	Charles Meyer	(702) 856-3545	chuck.meyer@lvvwd.com	No	N/A

Laboratory Name	Lab Street Address	Lab City	Lab State	Lab Zip Code	Lab Contact Name	Lab Contact Phone Number	Lab Contact E-Mail Address	Accepting Outside Samples Under LT2?	Provide Field Filtration Apparatus?
Tampa Water Dept. - QA Lab	7125 N. 30th St.	Tampa	FL	33610	John Gordy	(813) 231-5264	john.gordy@ci.tampa.fl.us	Yes	No
TestAmerica Savannah	5102 LaRoche Ave	Savannah	GA	31404	Bernard Kirkland	(912) 354-7858	bkirkland@stl-inc.com	Yes	Yes
Truckee Meadows Water Authority	1205 South 21st Street	Sparks	NV	89431	Kelli Burgess	(775) 834-8117	kburgess@tmwa.net	No	N/A
TTL, Inc.	3516 Greensboro Ave.	Tuscaloosa	AL	35401	Tammy Watts	(205) 345-0816	tdwatts@ttlinc.com	Yes	No
U.S.EPA, R10 Manchester Laboratory	7411 Beach Drive, E.	Port Orchard	WA	98366	Dr. Stephanie Harris	(360) 871-8710	harris.stephanie@epa.gov	No	N/A
Underwriters Laboratories Inc.	110 S. Hill Street	South Bend	IN	46617	Nathan Trowbridge	800-332-4345 ext. 45528	Nathan.R.Trowbridge@us.ul.com	Yes	Yes
University Hygienic Laboratory	102 Oakdale Campus H101 OH	Iowa City	IA	52242	Nancy Hall	(319) 335-4331	nhall@uhl.uiowa.edu	Yes	Yes
Utah Dept. of Health, Div. of Laboratory Services	46 N. Medical Drive	Salt Lake City	UT	84113	Dr. Sanwat Chauduri	(801) 584-8448	schaudhu@utah.gov	Yes - limited	No
Veolia	950 W. 16th Street	Indianapolis	IN	46202	Daniel Rabb	(317) 941-7126	dan.rabb@veoliawatema.com	No	N/A
WATERS Laboratory	Western Kentucky University, 1906 College Heights Blvd	Bowling Green	KY	42101	Christal Wade	(270) 745-5287	christal.wade@wku.edu	Yes	Yes
Wisconsin State Laboratory of Hygiene	2601 Agriculture Dr., Room 202	Madison	WI	53718	Sharon Kluender	(608) 224-6262	hesk@mail.slh.wisc.edu	Yes	Yes

Last Updated 5/28/2008