

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Aluminum Triethyl	2/28/95	Reported value was 7 gallons and no permit value was provided.	NOI
Benzene	11/20/87	There was an unauthorized discharge of approximately 14 pounds to the air.	NOI
Benzene	2/9/88	Reported value of 3.1 lbs was in violation of a permit limit of 2.1 lbs.	BAC1
Benzene	2/7/89	Reported value of 7.41 was in violation of the permit condition of 2.10.	BAC1
Benzene	2/8/89	Reported value of 8.0 lbs was in violation of the daily maximum of 2.1 lbs.	BAC1
Benzene	2/8/89	Reported value of 8.0 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene	5/9/90	A leak described as minor occurred.	30
Benzene	6/18/90	Discharge of 15.6 lbs was in violation of the daily maximum of 2.1 lbs.	BAC1
Benzene	4/2/91	Discharge of 2.2 lbs/day in violation of permit limit of 2.1 lbs/day.	BAC1
Benzene	8/9/91	Approximately 0.02 lbs were released into the atmosphere.	NOI
Benzene	11/20/91	Interim effluent discharge limitations were issued, pursuant to which Permittee was authorized to discharge a daily avg of 1.6 lbs/day and a daily max of 2.1 lbs/day. These interim limitations were in effect from the effective date of the Order until March 31, 1992.	BAC1
Benzene	8/14/92	10000 gals of water contaminated with benzene were released to an unspecified stormwater outfall. Estimated total quantity of benzene discharged (to air and water) was 70 lbs.	NS
Benzene	10/1/92	Reported a release of 15 to 20 gallons of water containing benzene. The amount of benzene was calculated to be 0.06 lbs.	NOI
Benzene	12/6/92	A railcar entered the plant leaking benzene. The external shell had some corrosion and there was benzene between the shell and the external tank. Because of the cold temperature, most of the benzene was solid and could be collected, but approximately 40 lbs. were released.	NOI
Benzene	12/6/92	Approximately 40 lbs. were discharged to the ground at the Vista LAB Plant.	NOI
Benzene	12/30/92	Approximately 3 gallons spilled to the ground.	NOI
Benzene	12/30/92	Reported value was 3 gallons and no permit value was provided.	NOI
Benzene	5/21/93	120 lbs. of oil containing Benzene were spilled to the ground at the benzene stripper in the ethylene unit. An estimated 12 lbs of benzene were present within the 120 lbs.	NOI
Benzene	9/16/94	Failure to sample for benzene.	2
Benzene	1/12/97	A bypass of approximately 85,000 gallons of process wastewater with 0.014 ppm Benzene occurred.	NOI

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Benzene	07/00/1990	Reported value of 3 lbs/day was in violation of the permit limit of 2.1 lbs/day.	BAC1
Benzene, Max	2/9/88	Reported value of 3.1 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	2/7/89	Reported value of 7.41 was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/12/90	Reported value of 4.190 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/12/90	Reported value of 4.19 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/12/90	Reported value of 4.19 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/12/90	Reported value of 4.19 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.530 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	6/19/90	Reported value of 2.53 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	8/2/90	Reported value of 2.93 mg/l was in violation of the permit limit of 2.1 mg/l.	BAC1
Benzene, Max	8/2/90	Reported value of 2.93 mg/l was in violation of the permit limit of 2.1 mg/l.	BAC1
Benzene, Max	8/2/90	Reported value of 2.93 mg/l was in violation of the permit limit of 2.1 mg/l.	BAC1
Benzene, Max	8/2/90	Reported value of 2.93 lbs/day was a violation of the permit limit of 2.1 lbs/day.	BAC1
Benzene, Max	4/2/91	Reported value of 2.2 lbs/day was in violation of the permit limit of 2.1 lbs/day.	4
Benzene, Max	4/2/91	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	4/2/91	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	02/00/1988	Reported value of 3.140 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	02/00/1989	Reported value of 7.41 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	02/00/1989	Reported value of 7.41 lbs/day was in violation of the permit limit of 2.1 lbs/day.	BAC1

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Benzene, Max	04/00/1991	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	04/00/1991	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	04/00/1991	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	04/00/1991	Reported value of 2.2 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	06/00/1990	Reported value of 4.19 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	06/00/1990	Reported value of 4.19 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	06/00/1990	Reported value of 4.19 was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	06/00/1990	Reported value of 4.190 lbs/day was in violation of the permit limit of 2.1 lbs/day.	BAC1
Benzene, Max	07/00/1990	Reported value of 3 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	07/00/1990	Reported value of 3 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	07/00/1990	Reported value of 3 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	08/00/1990	Reported value of 2.93 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	08/00/1990	Reported limit of 2.93 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Benzene, Max	08/00/1990	Reported value of 2.93 lbs was in violation of the permit limit of 2.1 lbs.	BAC1
Butanol	12/16/93	A spill of 700 lbs occurred.	NOI
Butyl Alcohol	7/24/90	Butyl Alcohol was spilled from a leaking railcar.	NS
Chlorinated Hydrocarbon Mixture	11/14/94	Approximately 100 gallons discharged. This mixture contained 0.0075 pounds of 1,2-dichloroethane. The ph of the water was 5.02 standard units.	54
Chlorinated Hydrocarbons	9/21/84	Approximately 374 lbs were discharged during the by-pass period of this date. No permit limit was provided.	201
Chlorinated Hydrocarbons	9/22/84	Approximately 880 lbs. were discharged during the by-pass period of this date. No permit limit was provided.	201
Chlorinated Hydrocarbons	10/17/84	During the by-pass period, 291 lbs. were discharged through this outfall. No permit limit was provided.	201
Chlorinated Hydrocarbons	1/3/85	232 lbs. were discharged between the hour of 1924 on January 3, 1985, and 0943 on January 4, 1985. 37 lbs were discharged between the hour of 2026 and 2343 on January 4, 1985. No permit limit was provided.	201
Chlorinated Hydrocarbons	2/10/85	During the bypass of this date, 74 lbs. were discharged.	201
Chlorinated Hydrocarbons	2/11/85	During the bypass of this date, 62 lbs. were discharged.	201
Chlorinated Hydrocarbons	4/26/85	Reported value was 1.77 lbs, and no permit value was indicated.	201
Chlorinated Hydrocarbons	4/26/85	Reported values were 24.4 ppm and .27 pounds, and no permit values were indicated.	NOI

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Chlorinated Hydrocarbons (as Ethylene Dichloride)	5/20/84	Grab samples of a partial by-pass which occurred on this date reflected values for this contaminant of 22 ppm and 72.2 pounds. The source document also indicated that 636 lbs of this contaminant were discharged via Outfall 201 during the by-pass. No permit limits were provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	9/21/84	Grab samples of the partial by-pass of this date reflected values for this contaminant of 194 ppm and 832 pounds. No permit limit was provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	9/22/84	Grab samples of the partial by-pass of this date reflected values for this contaminant of 222 ppm and 421 pounds. No permit limit was provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	10/17/84	Grab samples of the partial by-pass of this date reflected values for this contaminant of 159.8 ppm and 238.6 pounds. No permit limit was provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	1/3/85	Grab samples of the partial by-pass of this date reflected values for this contaminant of 370 ppm and 285 pounds. No permit limit was provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	1/4/85	Grab samples of the partial by-pass of this date reflected values for this contaminant of 186 ppm and 2.7 pounds. No permit limit was provided.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	2/10/85	Analysis of the partial by-pass of this date reflected values for this contaminant of 60 PPM and 144 Lbs.	NOI
Chlorinated Hydrocarbons (as Ethylene Dichloride)	2/11/85	Analysis of the partial by-pass of this date reflected values for this contaminant of 435 PPM and 40 Lbs.	NOI
Cobalt	1/3/91	There was an exceedance of the daily maximum permit limit of 4.14 lbs/day. The discharge value was not provided.	BAC1
Cobalt	5/26/91	32.8 lbs leaked to the ground between the Quench Column and the R201C furnace.	NOI
Cobalt	9/2/92	Reported value of 11.6 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
Cobalt	9/2/92	Reported value of 11.6 pounds per day was in violation of the permit limit of 4.14 pounds per day.	BAC1
Cobalt	9/2/92	Reported value of 11.6 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
Cobalt	03/00/1994	Reported value of 34.80 lbs/day was in violation of the daily average of 3.18 lbs/day.	1
Cobalt	03/00/1994	Reported value of 171.688 lbs/day was in violation of the daily maximum of 4.14 lbs/day.	1
Cobalt	04/00/1990	Reported value of 5.965 lbs/dy was in violation of daily maximum of 4.14 lbs/dy.	1
Cobalt	05/00/1994	Reported value of 7.661 lbs/dy was in violation of the daily maximum of 4.14 lbs/dy.	1
Cobalt	09/00/1994	Reported value of 14.37 lbs/dy was in violation of the daily maximum of 4.14 lbs/dy.	1
Cobalt	11/00/1996	Reported daily maximum value of 4.3 lbs/day was in violation of the permit limit of 4.14 lbs/day.	1
DDC ethylene dichloride	8/9/96	Reported value was 21 lbs/day in violation of the permit limit of 4.14 lbs/day.	NOI

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
DDC ethylene dichloride	8/9/96	Reported value of 21 lbs/day was in violation of the permit limit of 4.14 lbs/day.	NOI
Dichloroethane (EDC)	7/23/94	Approximately 0.124 pounds was discharged into Turtle Pond and then into Bayou Verdine.	53
EDC	10/27/85	Reported values were 46 ppm and 356.7 lbs.	NOI
EDC	10/28/85	Reported values were 79 ppm and 805.8 lbs.	NOI
EDC	10/29/85	Reported values were 80 ppm and 145 lbs.	NOI
EDC	10/29/85	Reported values were 107 ppm and 87.6 lbs.	NOI
EDC	10/30/85	Reported values were 80 ppm and 36.4 lbs.	NOI
EDC	4/20/86	Reported value was 116 ppm and 0.60 lbs.	NOI
EDC	8/30/88	Reported discharge of 17.2 lbs/day was in violation of the permit condition of 4.14 lbs/day.	BAC1
EDC	10/4/88	Reported discharge of 8.04 lbs/day was in violation of the permit condition of 4.14 lbs/day.	BAC1
EDC	10/11/88	Reported discharge of 4.90 lbs/day was in violation of the permit condition of 4.14 lbs/day.	BAC1
EDC	1/5/89	Reported discharge of 8.02 lbs/day was in violation of the permit condition of 4.14 lbs/day.	BAC1
EDC	3/7/89	Reported value of 8.73 was in violation of the permit limit of 4.14.	BAC1
EDC	3/8/89	Reported value of 8.73 lbs/day was in violation of the permit limit of 4.14 Mx.	BAC1
EDC	3/9/89	There was an unauthorized discharge of an unspecified amount. The source document indicated that Air Quality Division, Lake Charles, had the report.	NOI
EDC	5/30/89	Reported value of 8.2 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC	5/30/89	The permit Condition was 4.14 lbs./day and the EDC discharge was 8.20.	BAC1
EDC	6/27/89	Reported value of 3,000 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC	6/27/89	Reported value was 34 ppm to 54 ppm. No permit limit was provided.	BAC1
EDC	6/27/89	Reported value of 34 ppm to 54 ppm was in violation of the daily maximum permit limit of 4.14 lbs/day. Report did not give violation amount in lbs/day.	BAC1
EDC	6/30/90	A tank was being cleaned using steam, the tank developed a leak, allowing 50-100 gallons to spill.	NOI
EDC	7/3/90	A discharge of 11.2 lbs occurred.	NOI
EDC	10/5/90	Reported value of 357 lbs flowed to the Secondary Wastewater Treatment Facility.	NOI
EDC	12/25/90	Reported value of 6.9 lbs was in violation of the permit limit of 4.14 lbs/day max.	BAC1
EDC	7/13/91	Reported value of 266 lbs. was in violation of the permit limit of 202 lbs. EDC. The release began at 0700 hrs on 7-31-91 and ended at 1600 hrs. on 7-14-91. Vista Chemical Company attributed the exceedance to mechanical malfunction.	NOI

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
EDC	11/20/91	Interim effluent discharge limitations were issued, pursuant to which Permittee was authorized to discharge a daily avg of 3.18 lbs/day and a daily max of 4.14 lbs/day. These interim limitations were in effect from the effective date of the Order until December 31, 1993.	BAC1
EDC	9/2/92	Reported value of 11.6 lbs/day was in violation of permit limits of 4.14 lbs/day.	BAC1
EDC	11/16/93	Reported value of 9.73 lbs/day was in violation of the daily maximum of 4.14 lbs/day.	BAC1
EDC	11/30/93	Reported value of 4.25 lbs was in violation of the daily maximum of 4.14 lbs.	BAC1
EDC	12/6/93	Reported value of 6.204 lbs. in violation of permit limit of 4.14 lbs.	BAC1
EDC	3/30/94	Reported value of 172 pounds was in violation of daily average of 34.8 pounds per day.	BAC1
EDC	3/30/94	Approximately 172 pounds were discharged, in violation of the daily maximum discharge limit of 4.14 pounds per day.	BAC1
EDC	3/30/94	Approximately 172 pounds were discharged, in exceedance of the permit limit of 4.14 pounds per day. This discharge further caused the daily average to reach a value of 34.8 pounds per day, in exceedance of the permit limit of 3.18 pounds per day.	BAC1
EDC	3/30/94	Reported value of 172 lbs. was twice the permit limit at the West Ditch.	NOI
EDC	4/5/94	Reported value of 5.9 pounds in violation of permit limit of 4.14 pounds per day.	BAC1
EDC	5/3/94	Reported value of 7.66 pounds in violation of permit limit of 4.14 pounds per day.	BAC1
EDC	8/19/94	Reported value was 0.320 ppm, no permit value was provided.	BAC1
EDC	8/25/94	Reported value of .075 lbs. were discharged.	54
EDC	9/20/94	Reported value of 14.37 pounds in violation of permit limit of 4.14 pounds per day.	BAC1
EDC	12/3/94	Reported value was 0.07 pounds, no permit value was provided.	54
EDC	11/12/96	Reported value of 4.31 pounds was in violation of the daily maximum of 4.14 pounds.	BAC1
EDC	08/00/1988	Reported discharge of 4.2 lbs/day was in violation of the permit condition of 3.18 lbs/day.	BAC1
EDC (Avg)	08/00/1988	Reported value of 4.2 lbs/day was in violation of the permit limit of 3.18 lbs/day.	BAC1
EDC (Max)	9/21/94	Reported value of 14.37 lbs/day was in violation of permit limit of 4.14 lbs/day.	BAC1
EDC (Max)	08/00/1988	Reported value of 17.2 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC (Max)	11/00/1996	Reported value of 4.3 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
EDC, Ave.	03/00/1994	Reported value of 34.8 lb/d was in violation of the permit limit of 3.18 lb/d.	BAC1
EDC, Avg	11/30/93	Reported value of 3.46 lbs was in violation of the permit limit of 3.18 lbs.	BAC1
EDC, Avg	00/00/0000	Reported value of 4.2 was in violation of the permit limit of 3.18 mg/l.	BAC1
EDC, Avg	11/00/1993	Reported value of 3.465 lb/d was in violation of the permit limit of 3.18 lb/d.	BAC1
EDC, Avg	11/00/1993	Reported daily average of 3.46 lbs./day was in violation of the permit limit of 3.18 lbs./day.	BAC1
EDC, Avg	11/00/1993	Reported value of 3.465 lbs/day was in violation of permit limit of 3.18 lbs/day.	BAC1
EDC, Avg	12/00/1993	Reported value of 6.204 lbs/day was in violation of permit limit of 4.14 lbs/day.	BAC1
EDC, Max	8/30/88	Reported value of 17.2 was in violation of the permit limit of 4.14 mg/l.	BAC1
EDC, Max	10/4/88	Reported value of 8.04 was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	10/11/88	Reported value of 4.9 was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	1/6/89	Reported value of 8 was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	3/7/89	Reported value of 2977 lbs was in violation of the permit limit of 2521 lbs.	BAC1
EDC, Max	5/30/89	Reported value of 8.20 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	7/3/90	Reported value of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	7/3/90	Reported value of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	7/3/90	Reported limit of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	7/3/90	Reported value of 11.19 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC, Max	12/26/90	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	1/3/91	Reported value of 6.92 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC, Max	1/3/91	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	1/3/91	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	1/3/91	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	12/26/91	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	12/26/91	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
EDC, Max	9/2/92	Reported value of 11.6 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	9/2/92	Reported value of 11.6 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	11/16/93	Reported value of 9.743 lb/d was in violation of the permit limit of 4.14 lb/d.	BAC1
EDC, Max	11/16/93	Reported value of 9.73 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	11/17/93	Reported value of 9.7 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	11/30/93	Reported value of 4.25 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	12/6/93	Reported value of 6.204 lb/d was in violation of the permit limit of 4.14 lb/d.	BAC1
EDC, Max	12/6/93	Reported value of 6.204 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	3/30/94	Reported value of 172 lb/day was in violation of the permit limit of 4.14 lb/day.	BAC1
EDC, Max	4/5/94	Reported value of 5.9 lb/d was in violation of the permit limit of 4.14 lb/d.	BAC1
EDC, Max	5/3/94	Reported value of 7.6 lb/d was in violation of the permit limit of 4/14 lb/d.	BAC1
EDC, Max	11/12/96	Reported value of 4.3 lbs was in violation of the daily maximum of 4.14 lbs.	NOI
EDC, Max	01/00/1989	Reported value of 8.9 was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	01/00/1989	Reported value of 8.00 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC, Max	01/00/1991	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	01/00/1991	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	01/00/1991	Reported value of 6.92 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	03/00/1989	Reported value of 8.73 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC, Max	07/00/1990	Reported value of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	07/00/1990	Reported value of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	07/00/1990	Reported value of 11.19 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	10/00/1988	Reported value of 8.04 was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	10/00/1988	Reported value of 8.04 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
EDC, Max	11/00/1993	Reported value of 9.743 lbs/day was in violation of permit limit of 4.14 lbs/day.	BAC1

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
EDC, Max	12/00/1990	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	12/00/1990	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
EDC, Max	12/00/1990	Reported value of 6.8 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
Hexanol	12/16/93	A spill of 1,086 lbs occurred.	NOI
Lead, Total	02/00/1988	Reported value of 5.6 lbs was in violation of the permit limit of 3.18 lbs.	BAC1
Lead, Total	08/00/1988	Reported value of 4.2 was in violation of the permit limit of 3.18 lbs.	BAC1
Methyl Chloride	4/14/87	Reported value was 66 lb/day. Permit limit was reported as "no limit."	BAC1
Methyl Chloride	4/14/87	There was an unauthorized discharge of 66.83 pounds of Methyl Chloride through the complex NPDES Outfall, EPA-001 (the receiving body of water was Bayou Verdine).	BAC1
Methyl Chloride	12/6/88	There was an unauthorized discharge of 10 pounds. No permit limit provided.	NOI
Methylene Chloride	3/17/87	Reported value was 320 lbs. Permit limit was "no limit."	BAC1
Napthalene, daily max	12/26/90	Reported value of 6.8 lbs/day was in violation of the permit limit of 4.14 lbs/day.	BAC1
Napthalene, daily max	02/00/1988	Reported value of 12.48 was in violation of the permit limit of 4.14 lbs.	BAC1
Napthalene, daily max	03/00/1989	Reported value of 8.73 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
Napthalene, daily max	05/00/1989	Reported value of 8.2 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
Napthalene, daily max	08/00/1988	Reported value of 17.2 was in violation of the permit limit of 4.14 lbs.	BAC1
Napthalene, daily max	09/00/1992	Reported value of 11.6 lbs was in violation of the permit limit of 4.14 lbs.	BAC1
N-Octanol	6/21/89	An unknown amount leaked near the base of the Octanol Storage Tank FB-503B.	NOI
Phenol, Daily Avg.	01/00/1992	Reported value of <0.05 mg/l was in violation of the permit limit of 0.015 mg/l.	BAC1
Phenol, Daily Max.	1/7/91	Reported value of 0.067 lbs/day was in violation of the permit limit of 0.017 lbs/day.	BAC1
Phenol, Daily Max.	1/7/92	Reported value of 0.13 mg/l was in violation of the permit limit of 0.026 mg/l.	BAC1
Phenol, Daily Max.	01/00/1992	Reported value of <0.025 lbs/day was in violation of the permit limit of 0.010 lbs/day.	BAC1
Toluene	2/7/89	Recorded value of 1.63 was in violation of the permit condition of 0.72.	BAC1
Toluene	2/8/89	Reported value of 1.4 lbs was in violation of the daily maximum of 0.72 lbs.	BAC1
Toluene	2/8/89	Reported value of 1.4 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene	7/3/90	A discharge of 3.5 lbs occurred.	NOI

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Toluene, Avg	6/30/90	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	6/30/90	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	6/30/90	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	6/30/90	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	06/00/1990	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	06/00/1990	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	06/00/1990	Reported value of 0.401 lbs was in violation of the permit limit of 0.35 lbs.	BAC1
Toluene, Avg	06/00/1990	Reported value of .401 lbs/day was in violation of the permit limit of .35 lbs/day.	BAC1
Toluene, Avg	12/00/1989	Reported value of 1.08 lbs was in violation of the permit limit of .35 lbs.	BAC1
Toluene, Max	2/7/89	Reported value of 1.63 was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	12/26/89	Reported value of 4.13 lbs was in violation of the permit limit of .72 lbs.	BAC1
Toluene, Max	6/30/90	Reported value of 0.900 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	6/30/90	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	6/30/90	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	6/30/90	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	7/3/90	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	7/3/90	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	7/3/90	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	7/3/90	Reported value of .126 mg/l/day was in violation of the permit limit of 0.10 mg/l/day.	BAC1
Toluene, Max	7/3/90	Reported value of 3.54 lbs/day was in violation of the permit limit of 0.72 lbs/day.	BAC1
Toluene, Max	02/00/1989	Reported value of 1.63 lbs was in violation of the permit limit of .72 lbs.	BAC1
Toluene, Max	02/00/1989	Reported value of 1.63 lbs/day was in violation of the permit limit of 0.72 lbs/day.	BAC1
Toluene, Max	06/00/1990	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	06/00/1990	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1

**Table 8-3  
Sasol, Inc. (formerly CONDEA Vista)  
Enforcement History by Contaminant**

<b>CHEMICAL</b>	<b>DATE</b>	<b>VIOLATION</b>	<b>OUTFALL</b>
Toluene, Max	06/00/1990	Reported value of 0.9 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	06/00/1990	Reported value of .900 lbs/day was in violation of the permit limit of .72 lbs/day.	BAC1
Toluene, Max	07/00/1990	Reported value of 0.126 mgl was in violation of the permit limit of 0.1 mgl.	BAC1
Toluene, Max	07/00/1990	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	07/00/1990	Reported value of 0.126 mgl was in violation of the permit limit of 0.1 mgl.	BAC1
Toluene, Max	07/00/1990	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	07/00/1990	Reported value of 3.54 lbs was in violation of the permit limit of 0.72 lbs.	BAC1
Toluene, Max	07/00/1990	Reported value of 0.126 mgl was in violation of the permit limit of 0.1 mgl.	BAC1
Toluene, Max	12/00/1989	Reported value of 4.13 lbs was in violation of the permit limit of .72 lbs.	BAC1
Vanadium, Total	3/29/94	Approximately 172 lbs. were released through the 001 outfall discharge line. The daily maximum permit limit was 4.14 lbs/day. Contaminated groundwater may have infiltrated the stormwater diversion box through cracks in the floor of the box.	BAC1
Vinyl Chloride	2/20/88	There was an unauthorized discharge of approximately 10 lbs of vinyl chloride. (Source document also refers to material spilled as Ethyl Chloride.)	NOI
Vinyl Chloride	6/6/88	There was an unauthorized discharge or release of 2.9 lbs to the air.	NOI
Vinyl Chloride	9/28/88	Unauthorized discharge or release of 4.2# to the air.	NOI
Vinyl Chloride	10/6/88	There was an unauthorized discharge or release of one pound to the air.	NOI
Vinyl Chloride	5/26/91	13.2 lbs leaked to the ground between the Quench Column and the R201C furnace.	NOI
Zinc	11/20/91	Interim effluent discharge limitations were issued, pursuant to which Permittee was authorized to discharge a daily avg. of 55 lbs/day and a daily max of 125 lbs/day. Interim limitations were in effect from the effective date of the Order until May 31, 1992.	BAC1

NOI - No Outfall Identified

SUM - Combination of outfalls

Information obtained from permit files.