



EXPLOSION HAZARD FROM AMMONIUM NITRATE

The Environmental Protection Agency (EPA) is issuing this *Alert* as part of its ongoing effort to protect human health and the environment. EPA is striving to learn the causes and contributing factors associated with chemical accidents and to prevent their recurrence. Major chemical accidents cannot be prevented solely through command and control regulatory requirements but by understanding the fundamental root causes, widely disseminating the lessons learned, and integrating these lessons learned into safe operations. EPA will publish Alerts to increase awareness of possible hazards. It is important that facilities, SERCs, LEPCs, emergency responders and others review this information and take appropriate steps to minimize risk.

PROBLEM

ACCIDENTS

Ammonium nitrate primarily is used as a fertilizer; it also is widely used with additives as a blasting agent. Millions of tons of this chemical are produced annually throughout the world and handled without incident. According to literature, ammonium nitrate is a strong oxidizer and a relatively stable explosive. For the purpose of transportation, ammonium nitrate with less than 0.2 percent combustible substances and ammonium nitrate fertilizers are classified by the U.S. Department of Transportation as oxidizers. Ammonium nitrate steam at 200 pounds per square inch with more than 0.2 percent combustible substances is classified as an explosive. Ammonium nitrate can explode under certain conditions. These must include added energy (heat, shock), especially under conditions of confinement or presence of contaminants. Although ammonium nitrate generally is used safely and normally is stable and unlikely to explode accidentally, explosions of ammonium nitrate have resulted in loss of lives and destruction of property. These accidents rarely occur but when they do, they have high impacts. Many of the safe handling procedures were developed after learning from these accidents.

In a 1994 accident, ammonium nitrate solution exploded during a manufacturing process, causing a blasting agent. Millions of tons of this chemical are produced annually throughout the world and handled without incident. According to scientific literature, ammonium nitrate is a strong oxidizer and a relatively stable explosive. For the purpose of transportation, ammonium nitrate with less than 0.2 percent combustible substances and ammonium nitrate fertilizers are classified by the U.S. Department of Transportation as oxidizers. Ammonium nitrate steam at 200 pounds per square inch with more than 0.2 percent combustible substances is classified as an explosive. Ammonium nitrate can be through the nitric acid line for several hours, the ammonium nitrate exploded. These must include added energy (heat, shock), especially under conditions of confinement or presence of ammonium nitrate solution were heated to high temperatures by the steam. The compressed air and steam nitrate generally is used safely and normally is stable and unlikely to solution was highly acidic and wasH explode accidentally, accidentalH contaminated by chlorides. EPA believesH explosions of ammonium nitrate haveH the acidic conditions, bubbles, localizedH resulted in loss of lives and destructionH high temperatures, and chlorideH of property. These accidents rarely occurH contamination contributed to theH but when they do, they have highH explosion.H impacts. Many of the safe handlingH procedures were developed afterH learning from these accidents.H

CHEMICAL SAFETY

ALERT

Another explosion occurred in 1989, during the manufacture of ammonium nitrate by a high temperature process. In this case, upset conditions allowed prolonged exposure of ammonium nitrate to temperatures up to 500°F under high pressure and low pH (acidic).

Other past accidental explosions of ammonium nitrate have included some of the most destructive on record. Several of these, including two in Germany in 1921, occurred during attempts to break up large piles of solidified caked ammonium nitrate-ammonium sulfate mixtures using a blasting explosive. The blasting initiated explosions in the ammonium nitrate-ammonium sulfate mixtures. Other explosions were triggered by fires involving ammonium nitrate in confined spaces, including the 1947 explosion of two cargo ships. A fire in the hold, involving ammonium nitrate fertilizer coated with wax and stored in paper bags, caused the explosion of the first ship; the ammonium nitrate in the second ship exploded some time later, apparently as a result of a fire caused by the first explosion. As a result of such accidents and subsequent studies of the properties of ammonium nitrate, caked ammonium nitrate no longer is broken up with blasting agents, and wax coatings are no longer used for ammonium nitrate fertilizer.

Explosions of ammonium nitrate, involving relatively small quantities, have occurred during the preparation of nitrous oxide. In these cases (e.g., an explosion in 1977), the explosions of ammonium nitrate occurred as a result of excessively high temperatures and confinement during processing.

Two explosions of ammonium nitrate solutions that occurred during processing at ordnance plants during the Second World War were believed to be caused by the explosion of a small amount of ammonium nitrate in a blocked pipe, which then initiated the explosion of a larger quantity of solution.

HAZARD AWARENESS

Ammonium nitrate, in solid or molten form or in solution, is a stable compound and generally is difficult to explode.

Ammonium nitrate may explode, however, when exposed to strong shock or to high temperature under confinement. In a large quantity of ammonium nitrate, localized areas of high temperature may be sufficiently confined by the total quantity to initiate an explosion. The explosion of a small quantity of ammonium nitrate in a confined space (e.g., a pipe) may initiate the explosion of larger quantities (e.g., in an associated vessel).

Contaminants may increase the explosion hazard of ammonium nitrate. Organic materials generally will make ammonium nitrate explosions more energetic. Ammonium nitrate may be sensitized by certain inorganic contaminants, including chlorides and some metals, such as chromium, copper, cobalt, and nickel. As ammonium nitrate solution becomes more acidic, its stability decreases, and it may be more likely to explode.

Low density areas, such as bubbles, in molten ammonium nitrate or solutions, also may increase the possibility of an explosion and enhance the propagation of an explosion.

Ammonium nitrate by itself does not burn, but in contact with other combustible materials, it increases the fire hazard. It can support and intensify a fire even in the absence of air. Fires involving ammonium nitrate can release toxic nitrogen oxides and ammonia. A fire involving ammonium nitrate in an enclosed space could lead to an explosion. Closed containers may rupture violently when heated.

PROCESS SAFETY AREAS FOR HAZARD REDUCTION

Facilities should be aware of the hazards of ammonium nitrate and ensure that the conditions that may lead to an explosion are not present. Actions that may help to prevent explosions include:

- ◆ Avoid heating ammonium nitrate in a confined space (e.g., processes involving ammonium nitrate should be designed to avoid this possibility).

- ◆ Avoid localized heating of ammonium nitrate, potentially leading to development of high temperature areas.
- ◆ Ensure that ammonium nitrate is not exposed to strong shock waves from explosives.
- ◆ Avoid contamination of ammonium nitrate with combustible materials or organic substances such as oils and waxes.
- ◆ Avoid contamination of ammonium nitrate with inorganic materials that may contribute to its sensitivity to explosion, including chlorides and some metals, such as chromium, copper, cobalt, and nickel.
- ◆ Maintain the pH of ammonium nitrate solutions within the safe operating range of the process. In particular, avoid low pH (acidic) conditions.

The National Fire Protection Association (NFPA) includes information on ammonium nitrate in its publication NFPA 49— Hazardous Chemicals Data, 1994. This publication provides guidance on hazardous chemicals to emergency personnel and others.

National Fire Protection Association
1 Batterymarch Park
P.O. Box 9101
Quincy, MA 02269-9101
Phone: (617) 770-3000
Web site: <http://www.nfpa.org>

The National Safety Council has a data sheet titled "Ammonium Nitrate Fertilizer, Data Sheet I-699, Rev. 91" that discusses the health hazards, properties, and precautions for safe storage and handling of ammonium nitrate fertilizer.

National Safety Council
1121 Spring Lake Drive
Itasca, IL 60143-3201
Phone: (630) 285-1121
Web site: <http://www.nsc.org>

INFORMATION RESOURCES

Some references that contain information about the hazards of ammonium nitrate and methods of minimizing these hazards are listed below. Regulations applicable to the manufacture of or processes involving ammonium nitrate, and codes and standards that may be relevant, are also listed.

The Fertilizer Institute possesses information on various fertilizer products, including ammonium nitrate, and their uses.

The Fertilizer Institute
501 Second Street, NE
Washington, DC 20002
Phone: (202) 675-8250

General References

The following references and organizations provide information on ammonium nitrate and its hazards.

Sax's Dangerous Properties of Industrial Materials, Ninth Edition. New York: Van Nostrand Reinhold (1996).

Kirk-Othmer Encyclopedia of Chemical Technology, Fourth Edition, Volume 2. New York: John Wiley & Sons (1992).

Statutes and Regulations

Section 112(r) of the Clean Air Act focuses on prevention of chemical accidents. It imposes on facilities with regulated substances or other extremely hazardous substances a general duty to prevent and mitigate accidental releases. This general duty would apply to hazards associated with ammonium nitrate. Accident prevention activities include identifying hazards and operating a safe facility.

EPA's Risk Management Program (RMP) Rule (40 CFR 68) is intended to prevent and mitigate accidental releases of listed toxic and flammable substances. Requirements under the RMP rule include development of a hazard assessment, a prevention program, and an emergency response program. While ammonium nitrate is not a listed substance, chemicals used in the production of ammonium nitrate are included on the 112(r) list. Certain processes using ammonium nitrate may also involve listed substances.

Bureau of Alcohol, Tobacco, and Firearms
Phone: (202) 927-7777
Web site: <http://atf.treas.gov>



Codes and Standards

The Department of Transportation (DOT) regulates transportation of ammonium nitrate under its Hazardous Materials Regulations. Ammonium nitrate is listed in DOT's Hazardous Materials Table (49 CFR 172.101).

NFPA has developed a code for storage of ammonium nitrate, including mixtures containing 60 percent or more by weight of ammonium nitrate, and a code for explosives that would apply to blasting agents and explosives containing ammonium nitrate. These codes, which may be adopted into law at the state or local level, are:

Department of Transportation
Phone: (202) 366-5580 - Public Information
Web site: <http://www.dot.gov>

NFPA 490 — Storage of Ammonium Nitrate, 1993, and
NFPA 495 — Explosive Materials Code, 1996.



The Occupational Safety and Health Administration (OSHA) regulates the manufacture, keeping, storage, sale, transportation, and use of explosives and blasting agents under its Occupational Safety and Health Standards for explosives and blasting agents (29 CFR 1910.109). Blasting agents are frequently formulated with ammonium nitrate.

Accident Investigation Report

EPA investigated the ammonium nitrate explosion that occurred in 1994 and developed the following report:

OSHA's Process Safety Management Standard establishes procedures intended to protect employees by preventing or minimizing the consequences of chemical accidents involving highly hazardous chemicals (29 CFR 1910.119). Although ammonium nitrate is not covered by the PSM standard, the production or use of ammonium nitrate may involve listed chemicals in excess of thresholds. Manufacture of explosives, which may involve ammonium nitrate, also is covered by the PSM standard.

United States Environmental Protection Agency, Region 7, Emergency Response and Removal Branch, Kansas City, KS, Chemical Accident Investigation Report — Terra Industries, Inc., Nitrogen Fertilizer Facility, Port Neal, Iowa

Occupational Safety and Health Administration
Phone: (202) 219-8151 - Public Information
Web site: <http://www.osha.gov>



FOR MORE INFORMATION...R

CONTACT THE EMERGENCY PLANNING ANDH
COMMUNITY RIGHT-TO-KNOW HOTLINEH

(800) 424-9346 OR (703) 412-9810H
TDD (800) 553-7672H

MONDAY-FRIDAY, 9 AM TO 6 PM, EASTERN TIMEH



VISIT THE CEPPO HOME PAGE ON THE WORLDH
WIDE WEB AT:H

<http://www.epa.gov/swercepp/H>

NOTICER

The statements in this document are intended solely as guidance. This document does not substitute for EPA's or otherR agency regulations, nor is it a regulation itself. Site-specific application of the guidance may vary depending on process activities, and may not apply to a given situation. EPA may revoke, modify, or suspend this guidance in the future, as appropriate.R