

## **SELECTED BIBLIOGRAPHY**

Note: This section includes all references cited in the report as well as additional references that were reviewed during the preparation of this report. This bibliography is not intended to be a comprehensive list of all references available on the topic.

- Adams, J.D.; O'Mara-Adams, K.J.; Hoffmann, D. (1987) Toxic and carcinogenic agents in undiluted mainstream smoke and sidestream smoke of different types of cigarettes. *Carcinogenesis* 8(5):729-731.
- Aguayo, S.M.; Kane, M.A.; King, T.E.; Schwarz, M.I.; Grauer L.; Miller, Y.E. (1989) Increased levels of bombesin-like peptides in the lower respiratory tract of asymptomatic cigarette smokers. *J. Clin. Invest.* 84:1105-1113.
- Akiba, S.; Kato, H.; Blot, W.J. (1986) Passive smoking and lung cancer among Japanese women. *Cancer Res.* 46:4804-4807.
- Alderson, M.R.; Lee, P.N.; Wang, R. (1985) Risks of lung cancer, chronic bronchitis, ischaemic heart disease, and stroke in relation to type of cigarette smoked. *J. Epidemiol. Community Health* 39:286.
- Alfeim, I.; Randahl, T. (1984) Contribution of wood combustion to indoor air pollution as measured by mutagenicity in *Salmonella* and polycyclic aromatic hydrocarbon concentration. *Environ. Mol. Mutagen.* 6:120-121.
- American Academy of Pediatrics, Committee on Environmental Hazards. (1986) Involuntary smoking--a hazard to children. *J. Pediatr.* 77(5):755.
- Ames, B.N. (1983) Dietary carcinogens and anticarcinogens. *Science* 221:1256-1264.
- Anderson, L.J.; Parker, R.A.; Strikas, R.A.; et al. (1988) Day-care center attendance and hospitalization for lower respiratory tract illness. *Pediatrics* 82:300-308.
- Andrae, S.; Axelson, O.; Bjorksten, B.; Fredriksson, M.; Ljellman, N-IM. (1988) Symptoms of bronchial hyperreactivity and asthma in relation to environmental factors. *Arch. Dis. Child.* 63:473-478.
- Aoki, Y.; et al. (1987) Smoking and health. Elsevier Science Publishers B.V. (Biomedical Division), pp. 483-486.
- Arundel, A.; Sterling, T.; Weinkam, J. (1987) Never-smoker lung cancer risks from exposure to particulate tobacco smoke. *Environ. Intl.* 13:409-426.
- Badre, R.; Guillerm, R.; Abran, N.; Bourdin, M.; Dumas, C. (1978) Atmospheric pollution by cigarette smoking. *Ann. Pharm. Fr.* 36:443-452.
- Baker, R.R.; Proctor, C.J. (1990) The origins and properties of environmental tobacco smoke. *Environ. Int.* 16:231-245.
- Basrur, P.K.; McClure, S.; Zilkey, B. (1978) A comparison of short-term bioassay results with carcinogenicity of experimental cigarettes. In: Nieburgs, H.E., ed. *Prevention and detection of cancer, part 1, v. 2.* New York: Marcel Dekker, pp. 2041-2048.
- Bellofiore, S.; Eidelman, D.H.; Macklem, P.T.; Martin, J.G. (1989) Effects of elastase-induced emphysema on airway responsiveness to methacholine in rats. *J. Appl. Physiol.* 66:606-612.

- Benner, C.L.; Bayona, J.M.; Caka, F.M.; Tang, H.; Lewis, L.; Eatough, D.J. (1989) Chemical composition of environmental tobacco smoke. 2. Particle-phase compounds. *Environ. Sci. Technol.* 23:688-699.
- Bergman, A.B.; Wiesner, B.A. (1976) Relationship of passive cigarette smoking to sudden infant death syndrome. *Pediatrics* 58:665-668.
- Berkey, C.S.; Ware, J.H.; Dockery, D.W.; Ferris, B.G., Jr.; Speizer, F.E. (1986) Indoor air pollution and pulmonary function in preadolescent children. *Am. J. Epidemiol.* 123:250-260.
- Bernfeld, P.; Homburger, F.; Soto, E.; Pai, K.J. (1979) Cigarette smoke inhalation studies in inbred Syrian golden hamsters. *J. Natl. Cancer Inst.* 63:675-689.
- Best, E.W.R.; Josie, G.H.; Walker, C.B. (1961) A Canadian study of mortality in relation to smoking habits: A preliminary report. *Can. J. Public Health* 52:99-106.
- Bewley, B.R.; Halil, T.; Snaith, A.H. (1973) Smoking by primary schoolchildren: prevalence and associated respiratory symptoms. *Br. J. Prev. Soc. Med.* 27:150-153.
- Billick, I.H.; Baker, P.E.; Colome, S.D. (1988) Simulation of indoor nitrogen dioxide concentrations. In: Combustion processes and the quality of the indoor environment. Harper, J.P., ed. Transaction of an international conference sponsored by the Air and Waste Management Association (TR-15). Niagara Falls, NY.
- Bisgaard, H.; Dalgaard, P.; Nyboe, J. (1987) Risk factors for wheezing during infancy: a study of 5953 infants. *Acta Paediatr. Scand.* 76:719-726.
- Black, N. (1984) Surgery for glue ear--a modern epidemic? *Lancet* 1:835-837.
- Black, N. (1985) The etiology of glue ear--a case-control study. *Int. J. Pediatr. Otorhinolaryngol.* 9:121-133.
- Bland, M.; Bewley, B.R.; Pollard, V.; Banks, N.M. (1978) Effect of children's and parents' smoking on respiratory symptoms. *Arch. Dis. Child.* 53:100-105.
- Blot, W.J.; Fraumeni, J.F. (1986) Passive smoking and lung cancer. *J. Natl. Cancer Inst.* 77(5):993-999.
- Breese-Hall, C.; Hall, J.H.; Gala, C.L.; MaGill, F.B.; Leddy, J.P. (1984) Long-term prospective study in children after respiratory syncytial virus infection. *J. Pediatr.* 105:358-364.
- Breslow, N.E.; Day, N.E. (1980) Statistical methods in cancer research. v. I--The analysis of case-control studies. Lyon, France: IARC Sci. Publ. No. 32.
- Breslow, N.E.; Day, N.E. (1987) Statistical methods in cancer research. v. II--The design and analysis of cohort studies. Lyon, France: IARC Sci. Publ. No. 82.
- Britten, N. (1988) Validity of claims to lifelong nonsmoking at age 36 in a longitudinal study. *Int. J. Epidemiol.* 17(3):525-529.
- Bross, I.D.J.; Gibson, R. (1968) Risk of lung cancer in smokers who switch to filter cigarettes. *Am. J. Public Health* 58:1396-1403.
- Brown, C.C.; Chu, K. (1987) Use of multistage models to infer stage affected by carcinogenic exposure: example of lung cancer and cigarette smoking. *J. Chronic Dis.* 40(2):171A-179A.
- Browne, C.L.; Keith, C.H.; Allen, R.E. (1980) The effect of filter ventilation on the yield and composition of mainstream and sidestream smoke. *Beitr. Tabakforsch.* 10:81-90.

- Brownson, R.C.; Reif, J.S.; Keefe, T.J.; Ferguson, S.W.; Pritzl, J.A. (1987) Risk factors for adenocarcinoma of the lung. *Am. J. Epidemiol.* 125:25-34.
- Brunekreef, B.; Boleij, J.S.M. (1982) Long-term average suspended particulate concentrations in smokers' homes. *Int. Arch. Occup. Environ. Health* 50:299-302.
- Brunekreef, B.; Fischer, P.; Remijn, B.; Van der Lende, R.; Schouten, J.; Quanjer, P.H. (1985) Indoor air pollution and its effects on pulmonary function of adult nonsmoking women. III. Passive smoking and pulmonary function. *Int. J. Epidemiol.* 14:227-230.
- Brunnemann, K.D.; Hoffmann, D.; Wynder, E.L.; Gori, G.B. (1976) Chemical studies on tobacco smoke: 37. Determination of tar, nicotine, and carbon monoxide in cigarette smoke. A comparison of international smoking conditions. In: Wynder, E.L.; Hoffmann, D; Gori, G.B., eds. *Modifying the risk for the smoker: proceedings of the third world conference on smoking and health; June 1975; New York.* U.S. Department of Health, Education, and Welfare, National Cancer Institute. DHEW Pub. No. (NIH) 76-1221, pp. 441-449.
- Brunnemann, K.D.; Adams, J.D.; Ho, D.P.; Hoffmann D. (1978) The influence of tobacco smoke on indoor atmospheres. II. Volatile and tobacco-specific nitrosamines in main and sidestream smoke and their contribution to indoor pollution. In: *Proceedings of the 4th joint conference on sensing of environmental pollutants.* Washington, DC: American Chemical Society, pp. 876-880.
- Brunnemann, K.D.; Kagan, M.R.; Cox, J.E.; Hoffmann, D. (1990) Analysis of 1,3-butadiene and other selected gas-phase components in cigarette mainstream and sidestream smoke by gas chromatography--mass selective detection. *Carcinogenesis* 11(10):1863-1868.
- Brunnemann, K.D.; Cox, J.E.; Hoffmann, D. (1992) Analysis of tobacco-specific N-nitrosamines in indoor air. *Carcinogenesis* (in press).
- Buffler, P.A.; Pickle, L.W.; Mason, T.J.; Contant, C. (1984) The causes of lung cancer in Texas. In: Mizell, M.; Correa, P., eds. *Lung cancer: causes and prevention.* New York: Verlag Chemie International, pp. 83-99.
- Burchfield, C.M.; Higgins, M.W.; Keller, J.B.; Howatt, W.F.; Butler, W.J.; Higgins, I.T.T. (1986) Passive smoking in childhood: respiratory conditions and pulmonary function in Tecumseh, Michigan. *Am. Rev. Respir. Dis.* 133:966-973.
- Burney, P.G.; Britton, J.R.; Chinn, S.; et al. (1987) Descriptive epidemiology of bronchial reactivity in an adult population: results from a community study. *Thorax* 42:38-44.
- Burrows, B.; Halonen, M.; Barbee, R.A.; Lebowitz, M.D. (1981) The relationship of serum immunoglobulin E to cigarette smoking. *Am. Rev. Respir. Dis.* 124:523-525.
- Burrows, B.; Knudson, R.J.; Cline, M.G.; Lebowitz, M.D. (1988) A reexamination of risk factors for ventilatory impairment. *Am. Rev. Respir. Dis.* 138:829-836.
- Burrows, B.; Martinez, F.D.; Halonen, M.; Barbee, R.A.; Cline, M.G. (1989) Association of asthma with serum IgE levels and skin-test reactivity to allergens. *N. Engl. J. Med.* 320:271-277.
- Butler, T.L. (1988) The relationship of passive smoking to various health outcomes among Seventh-Day Adventists in California [dissertation]. Los Angeles: University of California at Los Angeles.
- Butler, W.J. (1990) Comments submitted to EPA on its draft report entitled "Health Effects of Passive Smoking: Assessment of Lung Cancer in Adults and Respiratory Disorders in Children," EPA/600/6-90/006A, May 1990.

- Butler, W.J. (1991) Supplementary information on confounding and the reported epidemiologic association between lung cancer and spousal smoking status (unpublished).
- Caddeback, J.E.; Donovan, J.R.; Burg, W.R. (1976) Occupational aspects of passive smoking. Am. Ind. Hyg. Assoc. J. 37:263-267.
- Cameron, P.; Kostin, J.S.; Oselett, B.; Stocker, R.; Tighe, G.; Winton, J.; Wolfe, J.H.; Zaks, J.M. (1969) The health of smokers' and nonsmokers' children. J. Allergy 43(6):336-341.
- Camilli, A.E.; Burrows, B.; Knudson, R.J.; Lyle, S.K.; Lebowitz, M.D. (1987) Longitudinal changes in FEV1 in adults: effects of smoking and smoking cessation. Am. Rev. Respir. Dis. 135:794-799.
- Cano, J.P.; Catalin, J.; Badre, R.; Dumas, C.; Viala, A.; Guillerme, R. (1970) Determination de la nicotine par chromatographie en phase gazeuse. II. Applications. Ann. Pharm. Fr. 28:633-640.
- Castro, A.; Monji, N. (1986) Dietary nicotine and its significance in studies on tobacco smoking. Biochem. Arch. 2:91-97.
- CDC. *See* Centers for Disease Control.
- Cederlöf, R.; Friberg, L.; Hrubec, Z.; Lorich, U. (1975) The relationship of smoking and some social covariables in mortality and cancer morbidity: a ten-year followup on a probability sample of 55,000 Swedish subjects age 18-69, parts 1 and 2. Stockholm, Sweden: Department of Environmental Hygiene, Karolinska Institute.
- Centers for Disease Control. (1989a) Chronic disease reports: mortality trends--United States, 1979-1986. MMWR 38:189-191.
- Centers for Disease Control. (1989b) Years of potential life lost before age 65--United States, 1987. MMWR 38:27-28.
- Centers for Disease Control. (1990) The Surgeon General's 1990 report on the health benefits of smoking cessation: executive summary. MMWR 39:viii-10.
- Centers for Disease Control. (1991a) Smoking-attributable mortality and years of potential life lost--United States, 1988. MMWR 40:62-71.
- Centers for Disease Control. (1991b) Cigarette smoking among adults--United States, 1988. MMWR 40:757-765.
- Centers for Disease Control (CDC). (1992a) Smoking and health in the Americas: a 1992 report of the Surgeon General, in collaboration with the Pan American Health Organization. Atlanta, GA: U.S. DHHS, Public Health Service, CDC. DHHS Publication No. (CDC) 92-8419.
- Centers for Disease Control (CDC). (1992b) Cigarette smoking among adults--United States, 1990. MMWR 41:354-355, 361-362.
- Chan, W.C.; Fung, S.C. (1982) Lung cancer in nonsmokers in Hong Kong. In: Grundmann, E., ed. Cancer campaign, v. 6, cancer epidemiology. Stuttgart, West Germany: Gustav Fischer Verlag, pp. 199-202.
- Chan, W.C.; Colbourne, M.J.; Fung, S.C.; Ho, H.C. (1979) Bronchial cancer in Hong Kong, 1976-1977. Br. J. Cancer 39:182-192.
- Chan, K.N.; Elliman, A.; Bryan, E.; Silverman, M. (1989a) Respiratory symptoms in children of low birthweight. Arch. Dis. Child. 64:1294-1304.

- Chan, K.M.; Noble-Jamieson, C.M.; Elliman, A.; Bryan, E.M.; Silverman, M. (1989b) Lung function in children of low birthweight. *Arch. Dis. Child.* 64:1284-1293.
- Chapman, R.S.; Mumford, J.L.; Harris, D.B.; Xingzhou, H.; Jiang, W.; Yang, R. (1988) The epidemiology of lung cancer in Xuan Wei, China: current progress, issues, and research strategies. *Arch. Environ. Health* 3:180-183.
- Charlton, A. (1984) Children's coughs related to parental smoking. *Br. Med. J.* 288:1647-1649.
- Chen, Y. (1989) Synergistic effect of passive smoking and artificial feeding on hospitalization for respiratory illness in early childhood. *Chest* 95:1004-1007.
- Chen, Y.; Li, W. (1986) The effect of passive smoking on children's pulmonary function in Shanghai. *Am. J. Public Health* 76:515-518.
- Chen, Y.; Li, W.; Yu, S. (1986) Influence of passive smoking on admissions for respiratory illness in early childhood. *Br. Med. J.* 293:303-306.
- Chen, M.F.; Kimisuka, G.; Wang, N.S. (1987) Human fetal lung changes associated with maternal smoking during pregnancy. *Pediatr. Pulmonol.* 3:51-58.
- Chen, Y.; Li, W.; Yu, S.; Qian, W. (1988) Chang-Ning epidemiological study of children's health: I. Passive smoking and children's respiratory diseases. *Int. J. Epidemiol.* 17:348-355.
- Chilmonczyk, B.A.; Knight, G.J.; Palomaki, G.E.; Pulkkinen, A.J.; Williams, J.; Haddow, J.E. (1990) Environmental tobacco smoke exposure during infancy. *Am. J. Public Health* 80:1205-1208.
- China Map Press. (1979) *Atlas of cancer mortality in the People's Republic of China*.
- Chortyk, O.T.; Schlotzhauer, W.S. (1989) The contribution of low-tar cigarettes to environmental tobacco smoke. *J. Anal. Toxicol.* 13:129-134.
- Clark, T.J.H.; Godfrey, S. (1983) *Asthma*. 2nd ed. Cambridge, MA: Chapman and Hall Medical.
- Claxton, L.D.; Morin, R.S.; Huges, T.J.; Lewtas, J. (1989) A genotoxic assessment of environmental tobacco smoke using bacterial bioassays. *Mutat. Res.* 222:81-99.
- Coglin, J.; Hammond, S.K.; Gann, P. (1989) Development of epidemiologic tools for measuring environmental tobacco smoke exposure. *Am. J. Epidemiol.* 130:696-704.
- Cogswell, J.J.; Mitchel, E.B.; Alexander, J. (1987) Parental smoking, breast feeding, and respiratory infection in development of allergic diseases. *Arch. Dis. Child.* 62:336-344.
- Colley, J.R.T. (1971) Respiratory disease in childhood. *Br. Med. Bull.* 27:9-14.
- Colley, J.R.T. (1974) Respiratory symptoms in children and parental smoking and phlegm production. *Br. Med. J.* 2:201-204.
- Colley, J.R.T.; Holland, W.W.; Corkhill, R.T. (1974) Influence of passive smoking and parental phlegm on pneumonia and bronchitis in early childhood. *Lancet* 2:1031-1034.
- Collier, A.M.; Goldstein, G.M.; Shrewsbury, R.P.; Zhang, C.A.; Williams, R.W. (1990) Urine cotinine elimination half-life in young children exposed to sidestream cigarette smoke. In: *Indoor air '90: proceedings of the 5th*

international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 195-200.

Collins, M.H.; Moessinger, A.C.; Kleinerman, J.; Bassi, J.; Rosso, P.; Collins, A.M.; James, L.S.; Blanc, W.A. (1985) Fetal lung hypoplasia associated with maternal smoking: a morphometric analysis. *Pediatr. Res.* 19:408-412.

Comstock, G.W.; Meyer, M.B.; Helsing, K.J.; Tockman, M.S. (1981) The respiratory effects of household exposure to tobacco smoke and gas cooking. *Am. Rev. Respir. Dis.* 124:143-148.

Corbo, G.M.; Fuciarelli, F.; Foresi, A.; De Benedetto, F. (1989) Snoring in children: association with respiratory symptoms and passive smoking. *Br. Med. J.* 299:1491-1494.

Correa, P.; Fontham, E.; Pickle, L.; Lin, Y.; Haenszel, W. (1983) Passive smoking and lung cancer. *Lancet* 2:595-597.

Correa, P.; Pickle, L.W.; Fontham, E.; Dalager, N.; Lin, Y.; Haenszel, W.; Johnson, W.D. (1984) The causes of lung cancer in Louisiana. In: Mizell, M.; Correa, P., eds. *Lung cancer: causes and prevention*. New York, NY: Verlag Chemie International, pp. 73-82.

Coultas, D.B.; Howard, C.A.; Peake, G.T.; Skipper, B.J.; Samet, J.M. (1987) Salivary cotinine levels and involuntary tobacco smoke exposure in children and adults in New Mexico. *Am. Rev. Respir. Dis.* 136:305-309.

Coultas, D.B.; Howard, C.A.; Peake, G.T.; Skipper, B.J.; Samet, J.M. (1988) Discrepancies between self-reported and validated cigarette smoking in a community survey of New Mexico Hispanics. *Am. Rev. Respir. Dis.* 137:810-814.

Coultas, D.B.; Peake, G.T.; Samet, J.M. (1989) Questionnaire assessment of lifetime and recent exposure to environmental tobacco smoke. *Am. J. Epidemiol.* 130:338-347.

Coultas, D.B.; Samet, J.M.; McCarthy, J.F.; Spengler, J.D. (1990a) A personal monitoring study to assess workplace exposure to environmental tobacco smoke. *Am. J. Public Health* 80:988-990.

Coultas, D.B.; Samet, J.M.; McCarthy, J.F.; Spengler, J.D. (1990b) Variability of measures of exposure to environmental tobacco smoke in the home. *Am. Rev. Respir. Dis.* 142:602-606.

Cummings, K.M. (1990, December 4) Statement to the U.S. Environmental Protection Agency Science Advisory Board Indoor Air Quality and Total Human Exposure Committee. Environmental Tobacco Smoke Review, Arlington, VA.

Cummings, K.M.; Markello, S.J.; Mahoney, M.C.; Marshall, J.R. (1989) Measurement of lifetime exposure to passive smoke. *Am. J. Epidemiol.* 130:122-132.

Cummings, K.M.; Markello, S.J.; Mahoney, M.C.; Bhargava, A.K.; et al. (1990) Measurement of current exposure to environmental tobacco smoke. *Arch. Environ. Health* 45:74-79.

Cutz, E.; Chan, W.; Track, N.S. (1981) Bombesin, calcitonin, and leuenkephalin immunoreactivity in endocrine cells of the human lung. *Experientia (Basel)* 37:765-767.

Dagle, G.E.; McDonald, K.E.; Smith, L.G.; Stevens, D.L., Jr. (1978) Pulmonary carcinogenesis in rats given implants of cigarette smoke condensate in beeswax pellets. *J. Natl. Cancer Inst.* 61:905-910.

Dalager, N.A.; Pickle, L.W.; Mason, T.J.; Correa, P.; Fontham, E.; Stemhagen, A.; Buffler, P.A.; Ziegler, R.G.; Fraumeni, J.F. (1986) The relation of passive smoking to lung cancer. *Cancer Res.* 46:4808-4811.

- Davies, R.F.; Day, T.D. (1969) A study of the comparative carcinogenicity of cigarette and cigar smoke condensate on mouse skin. *Br. J. Cancer* 23:363-368.
- Davis, R.A.; Stiles, M.F.; DeBethizy, J.D.; Reynolds, J.H. (1991) Dietary nicotine: a source of urinary cotinine. *Food Chem. Toxicol.* 29(12):821-827.
- Day, N.E.; Brown, C.C. (1980) Multistage models and primary prevention of cancer. *J. Natl. Cancer Inst.* 64:977-989.
- Dean, G.; Lee, P.N.; Todd, G.F.; Wicken, A.J. (1977) Report on a second retrospective study in Northeast England. Part I: Factors related to mortality from lung cancer, bronchitis, heart disease, and stroke in Cleveland County, with particular emphasis on the relative risks associated with smoking filter and plain cigarettes. Research Paper 14. London: Tobacco Research Council.
- Deaner, R.M.; Trummer, M.J. (1970) Carcinoma of the lung in women. *J. Thorac. Cardiovasc. Surg.* 59:551-554.
- DeMarini, D.M. (1983) Genotoxicity of tobacco smoke and tobacco smoke condensate. *Mutat. Res.* 114:59-89.
- Dijkstra, L.; Houthuijs, D.; Brunekreef, B.; Akkerman, I.; Boleij, J.S.M. (1990) Respiratory health effects of the indoor environment in a population of Dutch children. *Am. Rev. Respir. Dis.* 142:1172-1178.
- Dodge, R. (1982) The effects of indoor pollution on Arizona children. *Arch. Environ. Health* 37:151-155.
- Doll, R. (1971) The age distribution of cancer. Implication for models of carcinogenesis. *J.R. Stat. Soc. A.* 134:133-155.
- Doll, R.; Hill, A.B. (1964a) Mortality in relation to smoking: ten years' observations of British doctors. *Br. Med. J.* i:1399-1410.
- Doll, R.; Hill, A.B. (1964b) Mortality in relation to smoking: ten years' observations of British doctors. *Br. Med. J.* i:1460-1467.
- Doll, R.; Peto, R. (1976) Mortality in relation to smoking: 20 years' observations on male British doctors. *Br. Med. J.* ii:1525-1536.
- Doll, R.; Peto, R. (1978) Cigarette smoking and bronchial carcinoma: dose and time relationships among regular smokers and lifelong nonsmokers. *J. Epidemiol. Community Health* 32:303-313.
- Doll, R.; Hill, A.B.; Kreyberg, L. (1957) The significance of cell type in relation to the aetiology of lung cancer. *Br. J. Cancer* 11:43-48.
- Doll, R.; Gray, R.; Hafner, B.; Peto, R. (1980) Mortality in relation to smoking: 22 years' observations on female British doctors. *Br. Med. J.* i:967-971.
- Dontenwill, W.; Chevalier, H.J.; Harke, H.P.; Lafrenz, U.; Reckzeh, G.; Schneider, B. (1973) Investigations on the effects of chronic cigarette smoke inhalation in Syrian golden hamsters. *J. Natl. Cancer Inst.* 51:1781-1832.
- Dube, M.F.; Green, C.R. (1982) Methods of collection of smoke for analytical purposes. *Recent Adv. Tobacco Sci.* 8:42-102.
- Duc, T.V.; Huynh, C.K. (1989) Sidestream tobacco smoke constituents in indoor air modelled in an experimental chamber--polycyclic aromatic hydrocarbons. *Environ. Int.* 15:57-64.

- Dupont, W.D.; Plummer, W.D. (1990) Power and sample size calculations: a review and computer program. In: Controlled clinical trials, v. 11. New York: Elsevier Science Publishing Co., pp. 116-128.
- Dutau, G.; Enjaume, C.; Petrus, M.; Darcos, P.; Demeurisse, P.; Rochiccioli, P. (1981) Enquête épidémiologique sur le tabagisme passif des enfants de 0 à 6 ans. Arch. Fr. Pediatr. 38:721-725.
- Eatough, D.J.; Benner, C.; Mooney, R.L.; Batholomew, D.; Steiner, D.S.; Hansen, L.D.; Lamb, J.D.; Lewis, E.A. (1986) Gas and particle phase nicotine in environmental tobacco smoke: proceedings of 79th annual meeting of the Air Pollution Control Association; June; Minneapolis, MN. Paper 86-685.
- Eatough, D.J.; Benner, C.L.; Bayona, J.M.; Caka, H.; Tang, H.; Lewis, L.; Lamb, J.D.; Lee, M.L.; Lewis, E.A.; Hansen, L.D. (1989a) Measurement of toxic and related air pollutants. Pittsburgh, PA: Air Pollution Control Association, pp. 132-139.
- Eatough, D.J.; Benner, C.L.; Tang, H.; Landon, V.; Richards, G.; Caka, F.M.; Crawford, F.; Lewis, E.A.; Hansen, L.D.; Eatough, N.L. (1989b) The chemical composition of environmental tobacco smoke. III. Identification of conservative tracers of environmental tobacco smoke. Environ. Int. 15:19-28.
- Eatough, D.J.; Caka, F.M.; Crawford, J.; Braithwaite, S.; Hansen, L.D.; Lewis, E.A. (1990) Environmental tobacco smoke in commercial aircraft. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 311-316.
- Ehrlich, R.; Kattan, M.; Godbold, J.; Saltzberg, D.S.; Grimm, K.T.; Landrigan, P.J.; Lilienfeld, D.E. (1992) Childhood asthma and passive smoking. Urinary cotinine as a biomarker of exposure. Am. Rev. Respir. Dis. 145:594-599.
- Ekwo, E.; Weinberger, W.M.; Lachenbruch, P.A.; Humbley, W.H. (1983) Relationship of parental smoking and gas cooking to respiratory disease in children. Chest 84:662-668.
- Elliot, L.P.; Rowe, D.R. (1975) Air quality during public gatherings. J. Air Pollut. Control Assoc. 25:635-636.
- Etzel, R.A.; Greenberg, R.A.; Haley, N.J.; Loda, F.A. (1985) Urinary cotinine excretion in neonates exposed to tobacco smoke products in utero. J. Pediatr. 107:146-148.
- Etzel, R.A.; Pattishall, E.N.; Haley, N.J.; Fletcher, R.M.; Henderson, F.W. (1992) Passive smoking and middle ear effusion among children in day care. Pediatrics 90:228-232.
- Eudy, L.W.; Thorne, F.A.; Heavor, D.L.; Green, C.R.; Ingebrethsen, B.J. (1985) Studies on the vapour-phase distribution of environmental nicotine by selected trapping and detection methods. Presented at: 39th Tobacco Chemists Research Conference; October; Montreal.
- Eudy, L.W.; Thomas, F.A.; Heavner, D.L.; Green, C.R.; Ingebrethsen, B.J. (1986) Studies on the vapor-particulate phase distribution of environmental nicotine by selective trapping and detection methods: proceedings of the Air Pollution Control Association 79th annual meeting; June; pp. 2-14.
- Evans, D.; Levison, J.; Feldman, C.H.; et al. (1987) The impact of passive smoking on emergency room visits of urban children with asthma. Am. Rev. Respir. Dis. 135:567-572.
- Evans, R.; Mullally, D.I.; Wilson, R.W.; Gergen, P.J.; Rosenberg, H.M.; Grauman, T.S.; Chevarley, F.M.; Feinleib, M. (1987) National trends in the morbidity and mortality of asthma in the U.S.: prevalence, hospitalization and death from asthma over two decades: 1965-1984. Chest 91, June 1987, supplement, pp. 65S-72S.

- Federal Trade Commission. (1990) Tar, nicotine, and carbon monoxide of the smoke of 370 varieties of domestic cigarettes. Federal Trade Commission, Washington, DC.
- Feinlein, M. (1987) National trends in the morbidity and mortality of asthma in the U.S. *Chest* 91(6):655-745.
- Fergusson, D.M.; Horwood L.J.; Shannon, F.T.; Taylor, B. (1981) Paternal smoking and lower respiratory illness in the first three years of life. *J. Epidemiol. Community Health* 35:180-184.
- Ferris, B.G.; Ware, J.H.; Berkey, C.S.; Dockery, D.W.; Spiro, A.; Speizer, F.E. (1985) Effects of passive smoking on health of children. *Environ. Health Perspect.* 62:289-295.
- Feyerabend, C.; Higenbottam, T.; Russell, M.A.H. (1982) Nicotinic concentrations in urine and saliva of smokers and nonsmokers. *Br. Med. J.* 284:1002-04.
- Fielding, J.E. (1985) Smoking: health effects and control (part I). *N. Engl. J. Med.* 313:491.
- Fiore, M.C.; Novotny, T.E.; Pierce, J.P.; Hatziaudre, E.J.; Patel, K.M.; Davis, R.M. (1989) Trends in cigarette smoking in the United States: the changing influence of gender and race. *JAMA* 261:49-55.
- First, M.W. (1984) Environmental tobacco smoke measurements: retrospect and prospect. *Eur. J. Respir. Dis.* 65 (Suppl. 133):9-16.
- Fleming, D.W.; Cochi, S.L.; Hightower, A.W.; Broome, C.V. (1987) Childhood upper respiratory tract infections: to what degree is incidence affected by day-care attendance? *Pediatrics* 79:55-60.
- Floderus, B.; Cederlöf, R.; Friberg, L. (1988) Smoking and mortality: a 21-year followup based on the Swedish Twin Registry. *Int. J. Epidemiol.* 17(2):322.
- Fontham, E.T.H.; Correa, P.; Wu-Williams, A.; Reynolds, P.; Greenberg, R.S.; Buffler, P.A.; Chen, V.W.; Boyd, P.; Alterman, T.; Austin, D.F.; Liff, J.; Greenberg, S.D. (1991, November) Lung cancer in nonsmoking women: a multicenter case-control study. *Cancer Epidemiol. Biomarkers Prev.* 1(1):35-334.
- Fontham, E.T.H.; Correa, P.; Wu-Williams, A.; Reynolds, P.; Greenberg, R.S.; Buffler, P.A.; Chen, V.W.; Boyd, P.; Alterman, T.; Austin, D.F.; Liff, J.; Greenberg, S.D. (1992, May/June) Reply. *Cancer Epidemiol. Biomarkers Prev.* 1(1):333-334.
- Fraser, G.E.; Beeson, W.L.; Phillips, R.L. (1991) Diet and lung cancer in California Seventh Day Adventists. *Am. J. Epidemiol.* 133:683-693.
- Freedman, D.A.; Navidi, W. (1987a) On the multistage model for carcinogenesis. Tech. Report. No. 47, University of California.
- Freedman, D.A.; Navidi, W. (1987b) On the risk of lung cancer for ex-smokers. Tech. Report. No. 135, University of California.
- Friedman, G.D.; Petitti, D.B.; Bawol, R.D. (1983) Prevalence and correlates of passive smoking. *Am. J. Public Health* 73:401-406.
- Gaffney, M.; Altshuler, B. (1988) Examination of the role of cigarette smoke in lung carcinogenesis using multistage models. *J. Natl. Cancer Inst.* 80:925-931.
- Gairola, C. (1982) Genetic effects of fresh cigarette smoke in *Saccharomyces cerevisiae*. *Mutat. Res.* 102:123-136.

- Gao, Y.; Blot, W.J.; Zheng, W.; Ershow, A.G.; Hsu, C.W.; Levin, L.I.; Zhang, R.; Fraumeni, J.F. (1987) Lung cancer among Chinese women. *Int. J. Cancer* 40:604-609.
- Garfinkel, L. (1981) Time trends in lung cancer mortality among nonsmokers and a note on passive smoking. *J. Natl. Cancer Inst.* 6:1061-1066.
- Garfinkel, L. (1984) Passive smoking and cancer: American experience. *Prev. Med.* 13:691-697.
- Garfinkel, L. (1985) Selection, followup, and analysis in the American Cancer Society prospective studies. Presented at a workshop on the selection, followup, and analysis in prospective studies held at the Waldorf-Astoria Hotel; October 1983; New York.
- Garfinkel, L.; Silverberg, E. (1991) Lung cancer and smoking trends in the United States over the past 25 years. *Ca* 41:137-145.
- Garfinkel, L.; Stellman, S.D. (1988) Smoking and lung cancer in women: findings in a prospective study. *Cancer Res.* 48:6951-6955.
- Garfinkel, L.; Auerbach, O.; Joubert, L. (1985) Involuntary smoking and lung cancer: a case-control study. *J. Natl. Cancer Inst.* 75:463-469.
- Geller-Bernstein, B.; Kenett, R.; Weisglass, L.; Tsur, S.; Lahav, M.; Levin, S. (1987) Atopic babies with wheezy bronchitis. *Allergy* 42:85-91.
- Geng, G.; Liang, Z.H.; Zhang, G.L. (1988) On the relationship between smoking and female lung cancer. In: *Smoking and health*. Elsevier Science Publishers, pp. 483-486.
- Gerrard, J.W.; Helner, D.C.; Ko, C.G.; Mink, J.; Meyers, A.; Dosman, J.A. (1980) Immunoglobulin levels in smokers and nonsmokers. *Ann. Allergy* 44:261-262.
- Gillis, C.R.; Hole, D.J.; Hawthorne, V.M.; Boyle, P. (1984) The effect of environmental tobacco smoke in two urban communities in the west of Scotland. *Eur. J. Respir. Dis.* 133(Suppl.):121-126.
- Glantz, S.A.; Parmley, W.W. (1991) Passive smoking and heart disease. *Circulation* 83:1-12.
- Goldstein, G.M.; Collier, A.; Etzel, R.; Lewtas, J.; Haley, N. (1987) Elimination of urinary cotinine in children exposed to known levels of side-stream cigarette smoke. In: Seifert, H.; Esdorn, M.; Fischer, H.; Ruden, J.; Wegner, eds. *Indoor air '87*, v. 2. Berlin: Oraniendruck GmbH, pp. 61-67.
- Gortmaker, S.L.; Walker, D.K.; Jacobs, F.H.; Ruch-Ross, H. (1982) Parental smoking and the risk of childhood asthma. *Am. J. Public Health* 72:572-579.
- Graham, N.M.H.; Woodward, A.J.; Ryan, P.; Douglas, R.M. (1990) Acute respiratory illness in Adelaide children. II. The relationship of maternal stress, social supports, and family functioning. *Int. J. Epidemiol.* 19:937-944.
- Greenberg, R.A.; Haley, N.J.; Etzel, R.A.; Loda, F.A. (1984) Measuring the exposure of infants to tobacco smoke. *N. Engl. J. Med.* 310:1075-1078.
- Greenberg, R.A.; Bauman, K.E.; Glover, L.H.; Strecher, V.J.; Kleinbaum, D.G.; Haley, N.J.; Stedman, H.C.; Fowler, M.G.; Loda, F.A. (1989) Ecology of passive smoking by young infants. *J. Pediatr.* 114:774-780.
- Greenberg, R.A.; Bauman, K.E.; Strecher, V.J.; Keyes, L.L.; Glover, L.H.; Haley, N.J.; Stedman, H.C.; Loda, F.A. (1991) Passive smoking during the first year of life. *Am. J. Public Health* 81:850-853.

- Greenland, S. (1987) Quantitative methods in the review of epidemiologic literature. *Epidemiol. Rev.* 9:1-30.
- Grimmer, G.; Brune, H.; Dettbarn, G.; Naujack, K.-W.; Mohr, U.; Wenzel-Hartung, R. (1988) Contribution of polycyclic aromatic compounds to the carcinogenicity of sidestream smoke of cigarettes evaluated by implantation into the lungs of rats. *Cancer Lett.* 43:173-177.
- Grimsrud, D.T.; Sherman, M.H.; Sonderegger, R.C. (1982) Calculating infiltration: implications for a construction quality standard. In: Proceedings of the ASHRAE-DOE Conference on the Thermal Performance of the Exterior Envelope of Buildings II; December; Las Vegas, NV. New York: ASHRAE, pp. 422-452.
- Grot, R.A.; Clark, R.E. (1979) Air leakage characteristics and weatherization techniques for low-income housing. In: Proceedings of the ASHRAE-DOE Conference on the Thermal Performance of the Exterior Envelope of Buildings; December; Orlando, FL. New York: ASHRAE, pp. 178-194.
- Guerin, M. (1987) Formation and physicochemical nature of sidestream smoke. In: O'Neill, I.K.; Brunnemann, K.D.; Dodet, B.; Hoffmann, D., eds. Environmental carcinogens--selected methods of analysis: v. 9, passive smoking. IARC Monographs No. 81. Lyon, France: International Agency for Research on Cancer.
- Guerin, M.R.; Jenkins, R.A.; Tomkins, B.A. (1992) The chemistry of environmental tobacco smoke: composition and measurement. Chelsea, MI: Lewis Publishers.
- Gwinn, J.V.; Martinez, F.D.; Wright, A.L.; Ray, C.G.; Taussig, L.M. (1991) Etiology and symptomatology of lower respiratory illnesses (LRIs) in the first three years of life. *Am. Rev. Respir. Dis.* 143:A509.
- Haddow, J.E.; Palomaki, G.E.; Knight, G.J. (1986) Use of serum cotinine to assess the accuracy of self-reported nonsmoking. *Br. Med. J.* 293:1306.
- Haddow, J.E.; Knight, G.J.; Palomaki, G.E.; Kloza, E.M.; Wald, N.J. (1987) Cigarette consumption and serum cotinine in relation to birthweight. *Br. J. Obstet. Gynaecol.* 94:678-681.
- Haddow, J.E.; Knight, G.J.; Palomaki, G.E.; et al. (1988) Second-trimester serum cotinine levels in nonsmokers in relation to birthweight. *Am. J. Obstet. Gynecol.* 159:481-484.
- Haenszel, W.; Taeuber, K.E. (1964) Lung-cancer mortality as related to residence and smoking histories. II. White females. *J. Natl. Cancer Inst.* 32:803-838.
- Haglund, B.; Cnattingius, S. (1990) Cigarette smoking as a risk factor for sudden infant death syndrome: a population-based study. *Am. J. Public Health* 80:29-32.
- Haley, N.J.; Colosimo, S.G.; Axelrad, C.M.; Harris, R.; Sepkovic, D.W. (1989) Biochemical validation of self-reported exposure to environmental tobacco smoke. *Environ. Res.* 49:127-135.
- Halonen, M.; Barbee, R.A.; Lebowitz, M.D.; Burrows, B. (1982) An epidemiologic study of the interrelationships of total serum immunoglobulin E, allergy skin-test reactivity, and eosinophilia. *J. Allergy Clin. Immunol.* 69:221-228.
- Halonen, M.; Stern, D.; Lyle, S.; Wright, A.; Taussig, L.; Martinez, F.D. (1991) Relationship of total serum IgE levels in cord and 9-month sera of infants. *Clin. Exp. Allergy* 21:235-241.
- Hammond, E.C. (1966) Smoking in relation to the death rates of one million men and women. In: Haenszel, W., ed. Epidemiological approaches to the study of cancer and other chronic diseases. Washington, DC: National Cancer Institute Monograph No. 19, pp. 127-204.

- Hammond, E.C.; Horn, D. (1958a) Smoking and death rates: report on forty-four months of followup of 187,783 men. I. Total mortality. *JAMA* 166:1159-1172.
- Hammond, E.C.; Horn, D. (1958b) Smoking and death rates: report on forty-four months of followup of 187,783 men. II. Death rates by cause. *JAMA* 166:1294-1308.
- Hammond, S.K.; Leaderer, B.P. (1987) A diffusion monitor to measure exposure to passive smoking. *Environ. Sci. Technol.* 21:494-497.
- Hammond, E.C.; Seidman, H. (1980) Smoking and cancer in the United States. *Prev. Med.* 9: 169-173.
- Hammond, E.C.; Selikoff, I.J. (1981) Commentary: passive smoking and lung cancer with comments on two new papers. *Environ. Res.* 24:444-452.
- Hammond, S.K.; Leaderer, B.P.; Roche, A.C.; Schenker, M. (1987) Collection and analysis of nicotine as a marker for environmental tobacco smoke. *Atmos. Environ.* 21:457-462.
- Hammond, S.K.; Smith, T.J.; Woskie, S.R.; Leaderer, B.P.; Bettinger, N. (1988) Markers of exposure to diesel exhaust and cigarette smoke in railroad workers. *Am. Ind. Hyg. Assoc. J.* 49:516-522.
- Hammond, S.K.; Lewtas, J.; Mumford, J.; Henderson, J.; Henderson, F.W. (1989) Exposures to environmental tobacco smoke in homes. In: *Measurement of toxic and related air pollutants*. U.S. Environmental Protection Agency/Air and Waste Management Association international symposium. Pittsburgh, PA: Air and Waste Management Association, pp. 590-595.
- Hammond, S.K.; Gann, P.H.; Coughlin, J.; Tannenbaum, S.R.; Skipper, P.L. (1990) Tobacco smoke exposure and carcinogen-hemoglobin adducts. In: *Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate*, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 157-161.
- Hanbury, W.J. (1964) Bronchogenic carcinoma in women. *Thorax* 19:338-342.
- Hanrahan, J.P.; Tager, I.B.; Segal, M.R.; et al. (1990) Effect of prenatal smoking on infant lung function. *Am. Rev. Respir. Dis.* 141:A282.
- Hanson, B.; McGue, M.; Roitman-Johnson, B.; Segal, N.L.; Bouchard, T.J.; Blumenthal, M.N. (1991) Atopic disease and immunoglobulin E in twins reared apart and together. *Am. J. Hum. Genet.* 48:873-879.
- Harmsden, H.; Effenberger, E. (1957) Tobacco smoke in public transportation, dwellings, and work rooms. *Arch. Hyg.* 141:383-400.
- Hasselblad, V.; Humble, C.G.; Graham, M.G.; Anderson, H. (1981) Indoor environmental determinants of lung function in children. *Am. Rev. Respir. Dis.* 123:479-485.
- Hawthorne, V.M.; Fry, J.S. (1978) Smoking and health: the association between smoking behaviour, total mortality, and cardiorespiratory disease in West Central Scotland. *J. Epidemiol. Community Health* 32:260-266.
- Hawthorne, A.R.; Gammage, D.; Dudney, C.S.; Hingerty, B.E.; Schuresko, D.D.; Parzyek, D.C.; Womak, D.R.; Morris, S.A.; Westeley, R.R.; White, D.A.; Schrimsher, J.M. (1984) Air indoor quality study of forty east Tennessee homes. ORNL 5965. Oak Ridge, TN: Oak Ridge National Laboratory, pp. 134.

He, X-Z.; Chen, W.; Liu, Z-Y.; Chapman, R.S. (1991) An epidemiological study of lung cancer in Xuan Wei County, China: current progress. Case-control study on lung cancer and cooking fuel. Environ. Health Perspect. 94:9-13.

Henderson, F.W.; Reid, H.F.; Morris. R.; et al. (1989) Home air nicotine levels and urinary cotinine excretion in preschool children. Am. Rev. Respir. Dis. 140:197-201.

Higgins, C.E.; Jenkins, R.A.; Guerin, M.R. (1987) Organic vapor phase composition of sidestream and environmental tobacco smoke from cigarettes. In: Proceedings of the U.S. Environmental Protection Agency/Air Pollution Control Association symposium on measurement of toxic and related air pollutants, Research Triangle Park, NC, pp. 140-151.

Hill, A.B. (1953) Observation and experiment. N. Engl. J. Med. 248:995-1001.

Hill, A.B. (1965) The environment and disease: association or causation? Proc. R. Soc. Med. 58:295-300.

Hinds, W.C.; First, M.W. (1975) Concentrations of nicotine and tobacco smoke in public places. N. Engl. J. Med. 292:844-845.

Hinton, A.E. (1989) Surgery for otitis media with effusion in children and its relationship to parental smoking. J. Laryngol. Otol. 103:559-561.

Hirayama, T. (1967) Smoking in relation to the death rates of 265,118 men and women in Japan. Tokyo: National Cancer Center Research Institute.

Hirayama, T. (1975a) Smoking and cancer: a prospective study on cancer epidemiology based on a census population in Japan. In: Steinfeld, J.; Griffiths, W.; Ball, K.; et al., eds. Proceedings of the 3rd world conference on smoking and health, v. 2, Washington, DC: U.S. Department of Health, Education, and Welfare, pp. 65-72.

Hirayama, T. (1975b) Prospective studies on cancer epidemiology based on a census population in Japan. In: Bucalossi, P.; Veronesi, U.; Cascinelli, N., eds. Proceedings of the 11th international cancer congress; v. 3, Cancer epidemiology, environmental factors; 1974; Florence, Italy; Amsterdam: Excerpta Medica, pp. 26-35.

Hirayama, T. (1977) Epidemiology of lung cancer based on population studies. In: National Cancer Center Library, ed. Collected papers from the National Cancer Center Research Institute, v. 12. Tokyo: National Cancer Center, pp. 452-461.

Hirayama, T. (1978) Prospective studies on cancer epidemiology based on census population in Japan. In: Nieburgs, H.E., ed. Prevention and detection of cancer, v. 1, Etiology. New York: Marcel Dekker, pp. 1139-1147.

Hirayama, T. (1981a) Nonsmoking wives of heavy smokers have a higher risk of lung cancer: a study from Japan. Br. Med. J. 282:183-185.

Hirayama, T. (1981b) [Letter] Br. Med. J. 283:916-917.

Hirayama, T. (1982) Smoking and cancer in Japan. A prospective study on cancer epidemiology based on census population in Japan. Results of 13 years followup. In: Tominaga, S.; Aoki, K., eds. The UICC smoking control workshop; August 1981; Nagoya, Japan. Nagoya: University of Nagoya Press, pp. 2-8.

Hirayama, T. (1983a) Passive smoking and lung cancer. Presented at the 5th world conference on smoking and health, Winnipeg, Canada.

Hirayama, T. (1983b) Passive smoking and lung cancer: consistency of association. Lancet 2:1425-1426.

- Hirayama, T. (1984) Cancer mortality in nonsmoking women with smoking husbands based on a large-scale cohort study in Japan. *Prev. Med.* 13:680-690.
- Hirayama, T. (1985) A cohort study on cancer in Japan. In: Blot, W.J.; Hirayama, T.; Hoel, D.G., eds. *Statistical methods in cancer epidemiology*. Hiroshima: Radiation Effects Research Foundation, pp. 73-91.
- Hirayama, T. (1988) Duration of exposure as a determinant of lung cancer risk in passive smokers. *Environ. Tech. Lett.* 9:731-732.
- Hirayama, T. (1989) Dietary habits are of limited importance in influencing the lung cancer risk among Japanese females who never smoked. In: Bieva, D.J.; Courtois, Y.; Govaerts, M., eds. *Present and future of indoor air quality*. New York: Elsevier.
- Hirayama, T. (1990a) Passive smoking and cancer: the association between husbands' smoking and cancer in the lungs of nonsmoking wives. In: Kaskuga, H., ed. *Indoor air quality*. Berlin: Springer-Verlag.
- Hirayama, T. (1990b) Life-style and mortality; a large-scale census-based cohort study in Japan. In: Wahrendorf, J., ed. *Contributions to epidemiology and biostatistics*. Tokyo: Karger.
- Hoegg, U.R. (1972) Cigarette smoke in closed spaces. *Environ. Health Perspect.* 2:117-128.
- Hoffman, H.J.; Damus, K.; Hillman, L.; Krongrad, E. (1988) Risk factors for SIDS. Results of the National Institute of Child Health and Human Development SIDS Cooperative Epidemiological Study. *Ann. N.Y. Acad. Sci.* 533:13-30.
- Hoffmann, D.; Hecht, S.S. (1989) Advances in tobacco carcinogenesis. In: Cooper, C.S.; Grover, P.L., eds. *Chemical carcinogenesis and mutagenesis*. New York: Springer-Verlag, pp. 64-102.
- Hoffmann, D.; Wynder, E.L. (1971) A study of tobacco carcinogenesis. XI. Tumor initiators, tumor accelerators, and tumor-promoting activity of condensate fractions. *Cancer* 27:848-864.
- Hoffmann, D.; Haley, N.J.; Adams, J.D.; Brunnemann, K.D. (1984) Tobacco sidestream smoke. Uptake by nonsmokers. *Prev. Med.* 13:608-617.
- Hoffmann, D.; Brunnemann, K.D.; Haley, N.J. (1989) Absorption of smoke constituents by nonsmokers. In: Reducing workplace exposures to environmental tobacco smoke. EPA/HHS Manual.
- Hole, D.J.; Gillis, C.R.; Chopra, C.; Hawthorne, V.M. (1989) Passive smoking and cardiorespiratory health in a general population in the west of Scotland. *Br. Med. J.* 299:423-427.
- Hopp, R.J.; Bewtra, A.; Nair, N.M.; Townley, R.G. (1985) The effect of age on methacholine response. *J. Allergy Clin. Immunol.* 76:609-613.
- Hopp, R.J.; Townley, R.G.; Biven, R.E.; Bewtra, A.K.; Nair, N.M. (1990) The presence of airway reactivity before the development of asthma. *Am. Rev. Respir. Dis.* 141:2-8.
- Hoppenbrouwers, T.; Ceeb, M.; Arakawa, K.; Hodgman, J.E. (1981) Seasonal relationship of sudden infant death syndrome and environmental pollutants. *Am. J. Epidemiol.* 113:623-635.
- Horwood, L.J.; Fergusson, D.M.; Shannon, F.T. (1985) Social and familial factors in the development of early childhood asthma. *Pediatrics* 75:859-868.
- Hulka, B.S.; Wilcosky, T.C.; Griffith, J., eds. (1990) *Biological markers in epidemiology*. New York: Oxford Press.

- Humble, C.G.; Samat, J.M.; Pathak, D.R.; Skipper, B.J. (1985) Cigarette smoking and lung cancer in "Hispanic" whites and other whites in New Mexico. *Am. J. Public Health* 75:145-148.
- Humble, C.G.; Samet, J.M.; Pathak, D.R. (1987) Marriage to a smoker and lung cancer risk. *Am. J. Public Health* 77:598-602.
- Husgafvel-Pursiainen, K.; Sorsa, M.; Moller, M.; Benestad, C. (1986) Genotoxicity and polynuclear aromatic hydrocarbon analysis of environmental tobacco smoke samples from restaurants. *Mutagenesis* 1:287-291.
- IARC. *See* International Agency for Research on Cancer.
- Idle, J.R. (1990) Titrating exposure to tobacco smoke using cotinine--a minefield of misunderstandings. *J. Clin. Epidemiol.* 43:313-317.
- Ingebrethsen, B.J.; Sears, S.B. (1985) Particle size distribution measurements of sidestream cigarette smoke. Presented at: 39th Tobacco Chemists' Research Conference; Montreal, Quebec, Canada.
- Inoue, R.; Hirayama, T. (1988) Passive smoking and lung cancer in women. In: *Smoking and health*. Elsevier Science Publishers, pp. 283-285.
- International Agency for Research on Cancer. (1986) IARC monographs on the evaluation of the carcinogenic risk of chemicals to man. v. 38, *Tobacco smoking*. Lyon, France: World Health Organization.
- International Agency for Research on Cancer. (1987a) Environmental carcinogens--methods of analysis and exposure measurement: v. 9, *Passive smoking*. O'Neill, I.K.; Brunnemann, K.D.; Dodet, B.; Hoffmann, D. eds., Lyon, France: IARC Sci. Publ. No. 81.
- International Agency for Research on Cancer. (1987b) Cancer incidence in five continents: v. 5, Muir, C.; Waterhouse, J.; Mack, T.; Powell, J.; Whelan, S., eds. Lyon, France: IARC Sci. Pub. No. 88.
- Ishizu, Y. (1980) General equation or the estimation of indoor pollution. *Environ. Sci. Technol.* 14:1254-1257.
- Iversen, M.; Birch, L.; Lundqvist, G.R.; Elbrond, O. (1985) Middle ear effusion and the indoor environment. *Arch. Environ. Health* 40:74-79.
- Janerich, D.T.; Thompson, W.D.; Varela, L.R.; et al. (1990) Lung cancer and exposure to tobacco smoke in the household. *N. Engl. J. Med.* 323:632-636.
- Jarvis, M.J. (1987) Uptake of environmental tobacco smoke. *IARC Sci. Publ.* 81:43-58.
- Jarvis, M.J. (1989) Application of biochemical intake markers to passive smoking measurement and risk estimation. *Mutat. Res.* 222:101-110.
- Jarvis, M.J.; Russell, M.H. (1985) Passive exposure to tobacco smoke. *Br. Med. J.* 291:1646.
- Jarvis, M.J.; Russell, M.H.; Feyerabend, C. (1983) Absorption of nicotine and carbon dioxide from passive smoking under natural conditions of exposure. *Thorax* 38:829-833.
- Jarvis, M.; Tunstall-Pedoe, H.; Feyerabend, C.; Vesey, C.; Kabat, G.C.; Wynder, E.L. (1984) Lung cancer in nonsmokers. *Cancer* 53:1214-1221.

- Jarvis, M.J.; Russell, M.A.H.; Feyerabend, C.; Eiser, J.R.; Morgan, M.; Gammage, P.; Gray, E.M. (1985) Passive exposure to tobacco smoke: saliva cotinine concentrations in a representative sample of nonsmoking children. *Br. Med. J.* 291:927-929.
- Joly, O.G.; Lubin, J.H.; Caraballoso, M. (1983) Dark tobacco and lung cancer in Cuba. *J. Natl. Cancer Inst.* 70:1033-1039.
- Kabat, G.C. (1990) Epidemiologic studies of the relationship between passive smoking and lung cancer. Presented at the 1990 annual winter meeting of the Toxicology Forum in Washington, DC.
- Kabat, G.C.; Wynder, E.L. (1984) Lung cancer in nonsmokers. *Cancer* 53:1214-1221.
- Kahn, H.A. (1966) The Dorn study of smoking and mortality among U.S. veterans: report on eight and one-half years of observation. In: Haenszel, W., ed. *Epidemiological approaches to the study of cancer and other chronic diseases*. Washington, DC: National Cancer Institute Monograph No. 19, pp. 1-125.
- Kalandidi, A.; Trichopoulos, D.; Hatzakis, A.; Tzannes, S.; Saracci, R. (1987) Passive smoking and chronic obstructive lung disease. *Lancet* ii:1325-1326.
- Kalandidi, A.; Katsouyanni, K.; Voropoulou, N.; et al. (1990) Passive smoking and diet in the etiology of lung cancer among nonsmokers. *Cancer Causes Control* 1:15-21.
- Kaplan, H.S.; Tsuchitani, P.J., eds. (1978) *Cancer in China*. New York: Alan R. Liss, Inc.
- Kasuga, H.; Hasebe, A.; Osaka, F.; Matuski, H. (1979) Respiratory symptoms in school children and the role of passive smoking. *Tokai J. Exp. Clin. Med.* 4:101-104.
- Katada, H.; Mikami, R.; Konishi, M.; Koyama, Y.; Narita, N. (1988) Effect of passive smoking in lung cancer development in women in the Nara region. *Gan No Rinsho* 34(1):21-27.
- Katsouyanni, K.; Kogevinas, M.; Dontas, N.; Maisonneuve, P.; Boyle, P.; Trichopoulos, D. (1990) Mortality from malignant neoplasms in Greece 1960-1985. Greek Cancer Society, Athens, pp. 1-125 [in Greek].
- Katz, D.; Baptista, J.; Azen, S.P.; Pike, M.C. Obtaining confidence intervals for the risk ratio in cohort studies. *Biometrics* 78:469-474.
- Kauffmann, F.; Tessier, J.F.; Oriol, P. (1983) Adult passive smoking in the home environment: a risk factor for chronic airflow limitation. *Am. J. Epidemiol.* 117:269-280.
- Kauffmann, F.; Neukirch, F.; Orobaeff, M.; Marne, M.J.; Claud, J.R.; Lellouch, J. (1986) Eosinophils, smoking, and lung function: an epidemiologic survey among 912 working men. *Am. Rev. Respir. Dis.* 134:1172-1175.
- Kauffmann, F.; Dockery, D.W.; Speizer, F.E.; Ferris, B.G. (1989a) Respiratory symptoms and lung function in relation to passive smoking: a comparative study of American and French Women. *Int. J. Epidemiol.* 18:334-344.
- Kauffmann, F.; Tager, I.B.; Munoz, A.; Speizer, F.E. (1989b) Familial factors related to lung function in children aged 6-10 years: results from the PAARC epidemiologic study. *Am. J. Epidemiol.* 129:1289-1299.
- Kentner, M.; Triebig, G.; Weltle, D. (1984) The influence of passive smoking on pulmonary function: a study of 1351 office workers. *Prev. Med.* 13:656-69.

- Kleinbaum, D.G.; Kupper, L.L.; Morgenstern, H. (1982) Epidemiologic research. Belmont, CA: Lifetime Learning Publications.
- Knoth, A.; Bohn, H.; Schmidt, F. (1983) Passive smoking as a causal factor of bronchial carcinoma in female nonsmokers. *Med. Klin.* 78:66-69.
- Koo, L.C. (1988) Dietary habits and lung cancer risk among Chinese females in Hong Kong who never smoked. *Nutr. Cancer* 11:155-172.
- Koo, L.C. (1989) Environmental tobacco smoke and lung cancer: is it the smoke or the diet? In: Bieva, C.J.; Courtois, Y.; Govaerts, M., eds. Present and future of indoor air quality. Excerpta Medica. Amsterdam: Elsevier Science Publishers, pp. 65-75.
- Koo, L.C.; Ho, J.H-C.; Saw, D. (1983) Active and passive smoking among female lung cancer patients in Hong Kong. *J. Exp. Clin. Cancer Res.* 4:367-375.
- Koo, L.C.; Ho, J.H-C.; Saw, D. (1984) Is passive smoking an added risk factor for lung cancer in Chinese women? *J. Exp. Clin. Cancer Res.* 3:277-283.
- Koo, L.C.; Ho, J.H-C.; Lee, N. (1985) An analysis of some risk factors for lung cancer in Hong Kong. *Int. J. Cancer* 35:149-155.
- Koo, L.C., Ho, J.H.; Saw, D.; Ho, C.Y. (1987) Measurements of passive smoking and estimates of lung cancer risk among nonsmoking Chinese females. *Int. J. Cancer* 39:162-169.
- Koo, L.C.; Ho, J. H-C.; Rylander, R. (1988) Life-history correlates of environmental tobacco smoke: a study on nonsmoking Hong Kong Chinese wives with smoking versus nonsmoking husbands. *Soc. Sci. Med.* 26(7):751-760.
- Koutrakis, P.; Fasano, A.M.; Slater, J.L.; Spengler, J.D.; McCarthy, J.F.; Leaderer, B.P. (1989) *Atmos. Environ.* 23:2767-2773.
- Koutrakis, P.; Briggs, S.L.K.; Leaderer, B.P. (1992) Source apportionment of indoor aerosols in Suffolk and Onandaga Counties, New York. *Environ. Sci. Technol.* 26:521-527.
- Kraemer, M.J.; Richardson, M.A.; Weiss, N.S.; et al. (1983) Risk factors for persistent middle ear effusions: otitis media, catarrh, cigarette smoke exposure, and atopy. *JAMA* 249:1022-1025.
- Krall, E.A.; Valadian, I.; Dwyer, J.T.; Gardner, J. (1989) Accuracy of recalled smoking data. *Am. J. Public Health* 79:200.
- Krzyzanowski, M.; Quackenboss, J.J.; Lebowitz, M.D. (1990) Chronic respiratory effects of indoor formaldehyde exposure. *Environ. Res.* 52:117-125.
- Kuller, L.H.; Garfinkel, L.; Correa, P.; Haley, N.; Hoffmann, D.; Preston-Martin, S.; Sandler, D. (1986) Contribution of passive smoking to respiratory cancer. *Environ. Health Perspect.* 70:57-69.
- Kurihara, M.; Aoki, K.; Miller, R.W.; Muir, C.S., eds. (1989) Changing cancer patterns and topics in cancer epidemiology. New York: Plenum Press.
- Lam, W.K. (1985) A clinical and epidemiological study of carcinoma of lung in Hong Kong [doctoral thesis]. Hong Kong: University of Hong Kong.

- Lam, T.H.; Kung, I.T.M.; Wong, C.M.; Lam, W.K.; Kleeven, J.W.L.; Saw, D.; Hsu, C.; Seneviratne, S.; Lam, S.Y.; Lo, K.K.; Chan, W.C. (1987) Smoking, passive smoking, and histological types in lung cancer in Hong Kong Chinese women. *Br. J. Cancer* 6:673-678.
- Layard, M.W.; Viren, J.R. (1989) Assessing the validity of a Japanese cohort study. Elsevier Science Publishers B.V. (Biomedical Division).
- Leaderer, B.P. (1988) Measuring exposure to environmental tobacco smoke. Report prepared for the U. S. Environmental Protection Agency.
- Leaderer, B.P. (1989) Unpublished data.
- Leaderer, B. (1990) Assessing exposure to environmental tobacco smoke. *Risk Anal.* 10(1):19-26.
- Leaderer, B.P.; Cain, W.S.; Isseroff, R.; Berglund, L.G. (1984) Ventilation requirements in buildings II. Particulate matter and carbon monoxide from cigarette smoking. *Atmos. Environ.* 18:99-106.
- Leaderer, B.P.; Koutrakis, P.; Briggs, S.; Rizzuto, J. (1990) Contribution of indoor sources to residential aerosol concentrations. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 269-274.
- Leaderer, B.P.; Liou, P.J.; Spengler, J.D. (1992) Assessing exposures to inhaled complex mixtures. *Environ. Health Perspect.* (in press)
- Lebowitz, M.D. (1984) The effects of environmental tobacco smoke exposure and gas stoves on daily peak flow rates in asthmatic and nonasthmatic families. *Eur. J. Respir. Dig.* 133:190-195.
- Lebowitz, M.D.; Burrows, B. (1976) Respiratory symptoms related to smoking habits of family adults. *Chest* 69:49-50.
- Lebowitz, M.D.; Holberg, C.J. (1988) Effects of parental smoking and other risk factors on the development of pulmonary function in children and adolescents. Analysis of two longitudinal population studies. *Am. J. Epidemiol.* 128:589-597.
- Lebowitz, M.D.; Holberg, C.J.; Knudson, R.J.; Burrows, B. (1987) Longitudinal study of pulmonary function development in childhood, adolescence, and early adulthood. *Am. Rev. Respir. Dis.* 136:69-75.
- Lebowitz, M.D.; Quackenboss, J.J. (1990) The effect of environmental tobacco smoke on pulmonary function. *Int. Arch. Occup. Environ. Health (Suppl)*:147-152.
- Lebowitz, M.D.; Quackenboss, J.J.; Soczek, M.L.; Kollander, M.; Colome, S. (1989) The new standard environmental inventory questionnaire for estimation of indoor concentrations. *J. Air Pollut. Control Assoc.* 39:1411-1419.
- Lebret, E.; Boley, J.; Brumekreef, B. (1990) Environmental tobacco smoke in Dutch homes. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air, July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 263-268.
- Lee, P.N. (1986) Does breathing other people's tobacco smoke cause lung cancer? [Letter] *Br. Med. J.* 293:1503-1504.
- Lee, P.N. (1987a) Lung cancer and passive smoking: association an artifact due to misclassification of smoking habits. *Toxicol. Lett.* 35:157-162.

- Lee, P.N. (1987b) Passive smoking and lung cancer association: a result of bias? *Hum. Toxicol.* 6:517-524.
- Lee, P.N. (1988) Misclassification of smoking habits and passive smoking. Berlin: Springer.
- Lee, P.N. (1989) Passive smoking and lung cancer: fact or fiction. In: Bieva, C.J.; Courtois, Y.; Govaerts, M., eds. Present and future of indoor air quality. Excerpta Medica. Amsterdam: Elsevier Science Publishers, pp. 119-128.
- Lee, P.N. (1990) A detailed review of epidemiological evidence relating environmental tobacco smoke (ETS) to the risk of cancer, heart disease, and other causes of death in adults who have never smoked. Draft 3 of Annex A.
- Lee, P.N. (1991a) Correcting meta-analyses of the association of lung cancer in females with spouse (or household) exposure for bias due to misclassification of active smoking status. Report submitted to U.S. EPA, dated November 29, 1991.
- Lee, P.N. (1991b) An estimate of adult mortality in the United States from passive smoking. *Environ. Int.* 17:379-381.
- Lee, P.N.; Chamberlain, J.; Alderson, M.R. (1986) Relationship of passive smoking to risk of lung cancer and other smoking-associated diseases. *Br. J. Cancer* 54:97-105.
- Lee, B.L.; Benowitz, N.L.; Jacob P. (1987) Influence on tobacco abstinence on the disposition kinetics and effects of nicotine. *Clin. Pharmacol. Ther.* 41:474-479.
- Leeder, S.R.; Corkhill, R.T.; Irwig, L.M.; Holland, W.W.; Colley, J.R. (1976) Influence of family factors on the incidence of lower respiratory illness during the first year of life. *Br. J. Prev. Soc. Med.* 30:203-212.
- Lehnert, G. (1984) Roundtable discussion from symposium on medical perspectives on passive smoking. *Prev. Med.* 13:732-733.
- Lewak, N.; van den Berg, B.J.; Beckwith, J.B. (1979) Sudden infant death syndrome risk factors. *Clin. Pediatr. (Phila)* 18:404-411.
- Lewis, H.M.; Haeney, M.; Jeacock, J.; Thomas, H. (1989) Chronic cough in a hospital population: its relationship to atopy and defect in host defence. *Arch. Dis. Child.* 64:1593-1598.
- Lewtas, J.; Claxton, L.; Mumford, J.L. (1987) Human exposure to mutagens from indoor combustion sources. In: Seifert, B.; Esdorn, M.; Fischer, M.; Ruden, H.; Wegner, J., eds. Indoor air '87, v. 1. Berlin: Oraniendruck GmbH, pp. 473-477.
- Liang, Z-H; Geng, G.; et al. Effects of smoking and passive smoking on female lung cancer in Tianjin area. Tianjin, People's Republic of China: Dept. of Epidemiology, Tianjin Medical College.
- Ling, P.I.; Lofroth, G.; Lewtas, J. (1987) Mutagenic determination of passive smoking. *Toxicol. Lett.* 35:147-151.
- Liu, Z.; He, X.; Chapman, R.S. (1991) Smoking and other risk factors for lung cancer in Xuanwei, China. *Int. J. Epidemiol.* 20:26-31.
- Löfroth, G.; Zebühr, Y. (1992) Polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) in mainstream and sidestream cigarette smoke. *Bull. Environ. Contam. Toxicol.* 48:789-794.

- Löfroth, G.; Nilsson, L.; Alfeim, I. (1983) Passive smoking and urban air pollution: Salmonella/microsome mutagenicity assay of simultaneously collected indoor and outdoor particulate matter. In: Waters, M.D.; Sandhu, S.S.; Lewtas, J.; Claxton, L.; Chernoff, N.; Nesnow, S., eds. Short-term bioassays in the analysis of complex environmental mixtures, v. 3. New York: Plenum, pp. 515-525.
- Löfroth, G.; Ling, P.I.; Agurell, E. (1988) Public exposure to environmental tobacco smoke. *Mutat. Res.* 202:103-110.
- Löfroth, G.; Burtin, R.; Forehand, L.; Hammond, K.; Selia, R.; Zwiedinger, E.; Lewtas, J. (1989) Characterization of genotoxic components of environmental tobacco smoke. *Environ. Sci. Technol.* 23:610-614.
- Lossing, E.H.; Best, E.W.R.; McGregor, J.T.; Josie, G.H.; Walker, C.B.; Delaquis, F.M.; Baker, P.M.; McKenzie, A.C. (1966) A Canadian study of smoking and health. Ottawa, Canada: Department of National Health and Welfare.
- Lubin, J.H.; Blot, W.J.; Berrino, F.; Flamant, R.; Gillis, C.R.; Kunze, M.; Schmahl, D.; Visco, G. (1984) Modifying risk of developing lung cancer by changing habits of cigarette smoking. *Br. Med. J.* 288:1953-1956.
- MacDonald, E.J. (1981) [Letter] *Br. Med. J.* 283:915-916.
- Machlin, S.R.; Kleinman, J.C.; Madans, J.H. (1989) Validity of mortality analysis based on retrospective smoking information. *Stat. Med.* 8:997-1009.
- Maclare, M.; Katz, R.B.-A.; Bryant, M.S.; Skipper, P.L.; Tannenbaum, S.R. (1989) Elevated blood levels of carcinogens in passive smokers. *Am. J. Public Health* 79:1381-1384.
- Magnusson, C.G.M. (1986) Maternal smoking influences cord serum IgE and IgD levels and increases the risk for subsequent infant allergy. *J. Allergy Clin. Immunol.* 78:898-904.
- Makin, J.; Fried, P.A.; Watkinson, B. (1991) A comparison of active and passive smoking during pregnancy: long-term effects. *Neurotoxicol. Teratol.* 13:5-12.
- Malloy, M.H.; Kleinman, J.C.; Land, G.H.; Schramm, W.F. (1988) The association of maternal smoking with age and cause of infant death. *Am. J. Epidemiol.* 128:46-55.
- Mantel, N. (1963) Chi-square tests with one degree of freedom: extensions of the Mantel-Haenszel procedure. *J. Am. Stat. Assoc.* 58:690-700.
- Mantel, N.; Haenszel, W. (1959) Statistical aspects of the analysis of data from retrospective studies of disease. *J. Natl. Cancer Inst.* 22:719-748.
- Maran, A.G.D.; Wilson, J.A. (1986) Glue ear and speech development. *Br. Med. J.* 293:713-714.
- Marbury, M.C.; Hammond, S.K.; Haley, N.J. (1990) Assessing exposure to environmental tobacco smoke in epidemiological studies of acute health effects. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 189-194.
- Marchand, L.L.; Wilkens, L.R.; Hankin, J.H.; Haley, N.J. (1991) Dietary patterns of female nonsmokers with and without exposure to environmental tobacco smoke. *Cancer Causes Control* 2:11-16.
- Martin, T.R.; Bracken, M.B. (1986) Association of low birthweight with passive smoke exposure in pregnancy. *Am. J. Epidemiol.* 124:633-642.

- Martinez, F.D.; Morgan, W.J.; Wright, A.L.; Holberg, C.J.; Taussig, L.M. (1988a) Diminished lung function as a predisposing factor for wheezing lower respiratory tract illness in infants. *N. Engl. J. Med.* 319:1112-1117.
- Martinez, F.D.; Antognoni, G.; Macri, F.; Bonci, E.; Midulla, F.; De Castro, G.; Ronchetti, R. (1988b) Parental smoking enhances bronchial responsiveness in nine-year-old children. *Am. Rev. Respir. Dis.* 138:518-523.
- Martinez, F.D.; Morgan, W.J.; Wright, A.L.; Holberg, C.; Taussig L.M. (1991) Initial airway function is a risk factor for recurrent wheezing respiratory illnesses during the first three years of life. *Am. Rev. Respir. Dis.* 143:312-316.
- Martinez, F.D.; Cline, M.; Burrows, B. (1992) Increased incidence of asthma in children of smoking mothers. *Pediatrics* 89:21-26.
- Masi, M.A.; Hanley, J.A.; Ernst, P.; Becklake, M.R. (1988) Environmental exposure to tobacco smoke and lung function in young adults. *Am. Rev. Respir. Dis.* 138:296-299.
- Mattson, M.E.; Boyd, G.; Byar, D.; Brown, C.; Callahan, J.F.; Cullen, J.W.; Grenblatt, J.; Haley; Hammond, N.; J.F.; Lewtas, J.; Reeves, W. (1989) Passive smoking on commercial airline flights. *JAMA* 261:867-872.
- McConnochie, K.M.; Roghmann, K.J. (1986a) Parental smoking, presence of older sibling, and family history of asthma increase risk of bronchiolitis. *Am. J. Dis. Child.* 140:806-812.
- McConnochie, K.M.; Roghmann, K.J. (1986b) Breast feeding and maternal smoking as predictors of wheezing in children age 6 to 10 years. *Pediatr. Pulmonol.* 2:260-268.
- McRae, D.D. (1990) The physical and chemical nature of tobacco smoke. In: Recent advances in tobacco science, v. 16: Symposium of the formation and evolution of cigarette smoke. 44th Tobacco Chemists Research, Winston-Salem, NC, pp. 233-323.
- Mertsola, J.; Ruuskanen, O.; Vanto, T.; Koivikko, A.; Halonen, P. (1991) Recurrent wheezy bronchitis and viral respiratory infections. *Arch. Dis. Child.* 66:124-129.
- Meyers, D.A.; Beaty, T.H.; Freidhoff, L.R.; Marsh, D.G. (1987) Inheritance of total serum IgE (basal level) in man. *Am. J. Hum. Genet.* 41:51-62.
- Miesner, E.A.; Rudnick, S.N.; Hu, F.; Spengler, J.D.; Preller, L.; Ozkaynak, H.; Nelson, W. (1989) Particulate and nicotine sampling in public facilities and offices. *J. Air Pollut. Control Assoc.* 39:1577-1582.
- Miller, G.H. (1984) Cancer, passive smoking, and nonemployed and employed wives. *West. J. Med.* 140(4):632-635.
- Mitchell, E.A.; Scragg, R.; Stewart, A.W.; et al. (1991) Results from the first year of the New Zealand cot death study. *N.Z. Med. J.* 104:71-6.
- Moolgavkar, S.H.; Dewanji, A.; Luebeck, G. (1989) Cigarette smoking and lung cancer: reanalysis of the British doctors' data. *J. Am. Cancer Inst.* 81(6):415-420.
- Moschandreas, D.J. (1981) Exposure to pollutants and daily time budgets of people. *Bull. N.Y. Acad. Med.* 57:845-859.
- Mumford, J.L.; He, X.Z.; Chapman, R.S.; et al. (1987) Lung cancer and indoor air pollution in Xuanwei, China. *Science* 235:217-220.

- Mumford, J.L.; Lewtas, J.; Burton, R.M.; Henderson, F.W.; Forehand, L.; Allison, J.C.; Hammond, S.K. (1989) Assessing environmental tobacco smoke exposure of preschool children in homes by monitoring air particles, mutagenicity, and nicotine. In: Measurement of toxic and related air pollutants. U.S. Environmental Protection Agency/Air and Waste Management Association international symposium. Pittsburgh, PA: Air and Waste Management Association, pp. 606-610.
- Muramatsu, M.; Umemura, S.; Okada, T.; Tomita, H. (1984) Estimation of personal exposure to tobacco smoke with a newly developed nicotine personal monitor. Environ. Res. 35:218-227.
- Murray, A.B.; Morrison, B.J. (1986) The effect of cigarette smoke from the mother on bronchial responsiveness and severity of symptoms in children with asthma. J. Allergy Clin. Immunol. 77:575-581.
- Murray, A.B.; Morrison, B.J. (1988) Passive smoking and the seasonal difference of severity of asthma in children. Chest 94:701-708.
- Murray, A.B.; Morrison, B.J. (1989) Passive smoking by asthmatics: its greater effect on boys than on girls and on older than on younger children. Pediatrics 84:451-459.
- Naeye, R.L.; Ladis, B.; Drage, J.S. (1976) Sudden infant death syndrome: a prospective study. Am. J. Dis. Child. 130:1207-1210.
- Nagda, N.; Fortmann, R.; Koontz, M.; Konheim, A. (1990) Investigation of cabin air-quality aboard commercial airlines. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air. July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 245-250.
- National Institute for Occupational Safety and Health (NIOSH). (1991) Environmental tobacco smoke in the workplace: lung cancer and other health effects. Current Intelligence Bulletin 54. U.S. Department of Health and Human Services, NIOSH, Cincinnati, OH.
- National Research Council, Committee on Indoor Pollutants. (1981) Tobacco smoke. In: Indoor pollutants. Washington, DC: National Academy Press, pp. 149-168.
- National Research Council. (1986) Environmental tobacco smoke: measuring exposures and assessing health effects. Washington, DC: National Academy Press.
- National Research Council and Committee on Biological Markers. (1987) Biological markers in environmental health research. Environ. Health Perspect. 64:3-9.
- Neal, A.D.; Wadden, R.A.; Rosenberg, S. (1978) Evaluation of indoor particulate concentrations for an urban hospital. Am. Ind. Hyg. Assoc. J. 29:578-582.
- Neddenriep, D.; Martinez, F.D.; Morgan, W.J. (1990) Increased specific lung compliance in newborns whose mothers smoked during pregnancy. Am. Rev. Respir. Dis. 141:A282.
- Nelson, P.A.; Quant, F.R.; Sem, G.F. (1982) Experimental measurements of aerosol concentrations in offices. Environ. Int. 8:223-227.
- Neurath, G.B.; Dunger, M.; Krenz, O.; Orth, D.; Pein, F.G. (1988) Trans-3'-hydroxycotinine--a main metabolite in smokers. Klin. Wochenschr. 66(Suppl. 11):2-4.
- Neuspiel, D.R.; Rush, D.; Butler, N.; Golding, J.; Bijur, P.E.; Kurzon, M. (1989) Parental smoking and post-infancy wheezing in children: a prospective cohort study. Am. J. Public Health 79:168-171.

NIOSH. *See* National Institute for Occupational Safety and Health.

Nitschke, I.A.; Clarke, W.A.; Clarkin, M.E.; Traynmor, G.W.; Wadach, J.B. (1985) Indoor air quality infiltration and ventilation in residential buildings. NYSERDA #85-10. Albany, NY: New York State Energy Research and Development Authority.

NRC. *See* National Research Council.

O'Connell, E.J.; Logan, G.B. (1974) Parental smoking in childhood asthma. *Ann. Allergy* 32:142-145.

O'Connor, G.T.; Sparrow, D.; Weiss, S.T. (1989) The role of allergy and nonspecific airway hyperresponsiveness in the pathogenesis of chronic obstructive pulmonary disease. *Am. Rev. Respir. Dis.* 140:225-252.

O'Connor, G.T.; Weiss, S.T.; Tager, I.B.; Speizer, F.E. (1987) The effect of passive smoking on pulmonary function and non-specific bronchial responsiveness in a population based sample of children and young adults. *Am. Rev. Respir. Dis.* 135:800-804.

Ogden, M.W.; Maiolo, K.C.; Oldaker, G.B., III; Conrad, F.W., Jr. (1990) Evaluation of methods for estimating the contribution of ETS to respirable suspended particles. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 483-488.

Ogden, M.W.; Nystrom, C.W.; Oldaker, G.B., III; Conrad, F.W., Jr. (1989) Evaluation of a personal passive sampling device for determining exposure to nicotine in environmental tobacco smoke. In: Measurement of toxic and related air pollutants. Pittsburgh, PA: Air Pollution Control Association, pp. 552-558.

Ogston, S.A.; Florey, C. du V.; Walker, C.M. (1987) Association of infant alimentary and respiratory illness with parental smoking and other environmental factors. *J. Epidemiol. Community Health* 41:21-25.

Oldaker, G.B., III; Conrad, F.W., Jr. (1987) Estimation of the effect of environmental tobacco smoke (ETS) on air quality within aircraft cabins of commercial aircraft. *Environ. Sci. Technol.* 21:994-999.

Oldaker, G.B.; Ogden, M.W.; Maiolo, K.C.; Conner, J.M.; Conrad, F.W.; DeLuca, P.O. (1990) Results from surveys of environmental tobacco smoke in restaurants in Winston-Salem, North Carolina. In: Indoor air '90: proceedings of the 5th international conference on indoor air quality and climate, v. 2, Characteristics of indoor air; July-August. Ottawa, Ontario, Canada: Canada Mortgage and Housing Corporation, pp. 281-285.

Oldigs, M.; Jrres, R.; Magnussen, H. (1991) Acute effects of passive smoking on lung function and airway responsiveness in asthmatic children. *Pediatr. Pulmonol.* 10:123-131.

Ong, T.M.; Stewart, J.; Whong, W.Z. (1984) A simple in situ mutagenicity test for detection of mutagenic air pollutants. *Mutat. Res.* 139:177-181.

Overpeck, M.D.; Moss, A.J. (1991) Children's exposure to environmental cigarette smoke before and after birth. Advance Data from Vital and Health Statistics of the National Center for Health Statistics #202. DHHS Pub. No. (PHS) 91-1250.

Park, J.K.; Kim, I.S. (1986) Effect of family smoking on acute respiratory disease in children. *Yonsei Med. J.* 27:261-270.

Parker, G.B.; Wilfert, G.L.; Dennis, G.W. (1984) Indoor air quality and infiltration in multifamily naval housing. Annual PNWIS/APCA meeting; November; Portland, OR, pp. 1-14.

- Pattishall, E.N.; Strope, G.L.; Etzel, R.A.; Helms, R.W.; Haley, N.J.; Denny, F.W. (1985) Serum cotinine as a measure of tobacco smoke exposure in children. *Am. J. Dis. Child.* 139:1101-1104.
- Pedreira, F.A.; Guadolo, V.L.; Feroli, E.J.; Mella, G.W.; Weiss, I.P. (1985) Involuntary smoking and incidence of respiratory illness during the first year of life. *Pediatrics* 75:594-597.
- Perera, F.R.; Santella, R.M.; Brenner, D.; Poirier, M.C.; Munshi, A.A.; Fischman, H.K.; Van Ryzin, J. (1987) DNA adducts, protein adducts, and sister chromatid exchange in cigarette smokers and nonsmokers. *J. Natl. Cancer Inst.* 79:449-456.
- Pershagen, G.; Hrubec, Z.; Svensson, C. (1987) Passive smoking and lung cancer in Swedish women. *Am. J. Epidemiol.* 125(1):17-24.
- Peto, R.; Doll, R. (1984) Keynote address: the control of lung cancer. In: Mizell, M.; Correa, P., eds. *Lung cancer: causes and prevention*. New York: Verlag Chemie International, pp. 1-19.
- Phillips, R.L.; Garfinkel, L.; Kuzma, J.W.; et al. (1980a) Mortality among California Seventh-Day Adventists for selected cancer sites. *J. Natl. Cancer Inst.* 65:1097-1107.
- Phillips, R.L.; Kuzma, J.W.; Beeson, W.L.; et al. (1980b) Influence of selection versus lifestyle on risk of fatal cancer and cardiovascular disease among Seventh-Day Adventists. *Am. J. Epidemiol.* 112:296-314.
- Pierce, J.P.; Dwyer, T.; et al. (1987) Cotinine validation of self-reported smoking in commercially run community surveys. *J. Chronic Dis.* 40:689-695.
- Pierce, J.P.; Fiore, M.C.; Novotny, T.E.; Hatziandreou, E.J.; Davis, R.M. (1989) Trends in cigarette smoking in the United States. Projections to the year 2000. *JAMA* 261:61-65.
- Pimm, P.E.; Silverman, F.; Shepard, R.J. (1978) Physiological effects of acute passive exposure to cigarette smoke. *Arch. Environ. Health* 33:201-213.
- Pojer, R.; Whitfield, J.B.; Poulos, V.; Eckhard, I.F.; Richmond, R.; Hensley, W.J. (1984) Carboxyhemoglobin, cotinine, and thiocyanate assay compared for distinguishing smokers from non-smokers. *Clin. Chem.* 30:1377-1380.
- Pukander, J.; Luotonen, J.; Timonen, J.; Karma, P. (1985) Risk factors affecting the occurrence of acute otitis media among 2-3-year old urban children. *Acta Otolaryngol.* 100:260-265.
- Pullan, C.R.; Hey, E.N. (1982) Wheezing, asthma, and pulmonary dysfunction 10 years after infection with respiratory syncytial virus in infancy. *Br. Med. J.* 284:1665-1669.
- Putnam, D.L.; David, R.M.; Melhorn, J.M.; Dansie, D.R.; Stone, C.J.; Henry, C.J. (1985) Dose-responsive increase in sister-chromatid exchanges in bone-marrow cells of mice exposed nose-only to whole cigarette smoke. *Mutat. Res.* 156:181-186.
- Quant, F.R.; Nelson, P.A.; Sem, G.J. (1982) Experimental measurements of aerosol concentrations in offices. *Environ. Int.* 8(1-6):249-258.
- Rantakallio, P. (1978) Relationship of maternal smoking to morbidity and mortality of the child up to the age of five. *Acta Paediatr. Scand.* 67:621-631.

- Redline, S.; Tager, I.B.; Segal, M.R.; Gold, D.; Speizer, F.E.; Weiss, S.T. (1989) The relationship between longitudinal changes in pulmonary function and nonspecific airway responsiveness in children and young adults. *Am. Rev. Respir. Dis.* 140:179-184.
- Reed, B.D.; Lutz, L.J. (1988) Household smoking exposure--association with middle ear effusions. *Fam. Med.* 20:426-430.
- Reese, A.C.; James, I.R.; Landau, L.I.; LeSouef, P.N. (1992) Relationship between urinary cotinine levels and diagnosis in children admitted to hospital. *Am. Rev. Respir. Dis.* 146:66-70.
- Remmer, H. (1987) Passively inhaled tobacco smoke: a challenge to toxicology and preventive medicine. *Arch. Toxicol.* 61:89-104.
- Repace, J.L. (1987) Indoor concentrations of environmental tobacco smoke: models dealing with effects of ventilation and room size. In: O'Neill, I.K.; Brunnemann, K.D.; Dodet, B.; Hoffmann, D., eds. *Environmental carcinogens--selected methods of analysis*, v. 9, *Passive smoking*. Chapter 3, IARC Monographs No. 81. Lyon, France: International Agency for Research on Cancer.
- Repace, J.L. (1989) Workplace restrictions on passive smoking: justification on the basis of cancer risk. In: Harper, J.P., ed. *Transactions of an international specialty conference--Combustion processes and quality of the indoor environment*. Niagara Falls, NY, pp. 333-347.
- Repace, J.L.; Lowrey, A.H. (1980) Indoor air pollution, tobacco smoke and public health. *Science* 208:464-472.
- Repace, J.L.; Lowrey, A.H. (1982) Tobacco smoke, ventilation and indoor air quality. *Am. Soc. Heat Refrig. Air Cond. Eng. Trans.* 88:894-914.
- Repace, J.L.; Lowrey, A.H. (1985) A quantitative estimate of nonsmokers' lung cancer risk from passive smoking. *Environ. Int.* 11:3-22.
- Repace, J.L.; Lowrey, A.H. (1990) Risk assessment methodologies in passive smoking. *Risk Anal.* 10(1):27-37.
- R.J. Reynolds Tobacco Company. (1988) New cigarette prototypes that heat instead of burn tobacco. Winston-Salem, NC: R.J. Reynolds Tobacco Co.
- Riboli, E.; Preston-Martin, S.; Saracci, R.; Haley, N.J.; et al. (1990) Exposure of nonsmoking women to environmental tobacco smoke: a 10-country collaborative study. *Cancer Causes Control* 1:243-252.
- Rickert, W.S.; Kaiserman, M.J.; Collishaw, N.E. (1990) Smoking in the home environment: a controlled room study. In: *Indoor air '90: proceedings of the 5th International Conference on Indoor Air Quality and Climate*, v. 2, *Characteristics of indoor air*; July-August. Toronto, Ontario, Canada: Canada Mortgage and Housing Corporation.
- Rickert, W.S.; Robinson, J.C.; Collishaw, N.E. (1984) Yields of tar, nicotine and carbon monoxide in the sidestream smoke from 15 brands of Canadian cigarettes. *Am. J. Public Health* 74:228-231.
- Rijcken, B.; Schouten, J.P.; Weiss, S.T.; Speizer, F.E.; Van der Lende, R. (1987) The relationship of nonspecific bronchial responsiveness to respiratory symptoms in a random population sample. *Am. Rev. Respir. Dis.* 136:62-68.
- Rimington, J. (1981) The effect of filters on the incidence of lung cancer in cigarette smokers. *Environ. Res.* 24:162-166.

- Roberts, D.L. (1988) Natural tobacco flavor. *Rec. Advan. Tob. Sci.* 14:49-81.
- Robins, J.M.; Blebins, D.; Schneiderman, M. (1989) The effective number of cigarettes inhaled daily by passive smokers: are epidemiologic and dosimetric estimates consistent? *J. Haz. Mat.* 21:215-238.
- Rogot, E.; Murray, J.L. (1980) Smoking and causes of death among U.S. veterans: 16 years of observation. *Public Health Rep.* 95:213-222.
- Ronchetti, R.; Macri, F.; Ciofetta, G.; et al. (1990) Increased serum immunoglobulin E and increased prevalence of eosinophilia in 9-year-old children of smoking parents. *J. Allergy Clin. Immunol.* 86:400-407.
- Rothman, K.J. (1986) Modern epidemiology. Boston: Little, Brown and Co.
- Russell, M.A.H.; Feyerabend, C. (1975) Blood and urinary nicotine in nonsmokers. *Lancet* 1:179-181.
- Russell, M.A.H.; Jarvis, M.J.; West, R.J. (1986) Use of urinary nicotine concentrations to estimate exposure and mortality from passive smoking in non-smokers. *Br. J. Addict.* 81:275-281.
- Rylander, E.; Eriksson, M.; Freyschuss, U. (1988) Risk factors for occasional and recurrent wheezing after RSV infection in infancy. *Acta Pediatr. Scand.* 77:711-715.
- Said, G.; Zalokar, J.; Lelouch, J.; Patois, E. (1978) Parental smoking related to adenoidectomy and tonsillectomy in children. *J. Epidemiol. Community Health* 32:97-101.
- Samet, J.M.; Tager, I.B.; Speizer, F.E. (1983) The relationship between respiratory illness in childhood and chronic air-flow obstruction in adulthood. *Am. Rev. Respir. Dis.* 127:508-523.
- Sandler, D.P.; Everson, R.B.; Wilcox, A.J. (1985) Passive smoking in adulthood and cancer risk. *Am. J. Epidemiol.* 121(1):37-48.
- Saracci, R. (1989) Passive smoking and cancer risk. IARC report of a panel of experts. Prepared at the request of the European School of Oncology through the Europe Against Cancer program of the European Economic Community. Lyon, France: IARC.
- Saracci, R.; Riboli, E. (1989) Passive smoking and lung cancer: current evidence and ongoing studies at the International Agency for Research on Cancer. *Mutat. Res.* 222:117-127.
- Schelesselman, J.J. (1978) Assessing effects of confounding variables. *Am. J. Epidemiol.* 108:3-8.
- Schelesselman, J.J. (1982) Case-control studies: design, conduct, analysis. New York: Oxford University Press.
- Schenker, M.B.; Samet, J.M.; Speizer, E.F. (1983) Risk factors for childhood respiratory disease. The effect of host factors and home environment exposures. *Am. Rev. Respir. Dis.* 128:1038-1043.
- Schenker, M.B.; Samuels, S.J.; Kado, N.Y.; Hammond, S.K.; Smith, T.J.; Woskie, S.R. (1990) Markers of exposure to diesel exhaust. Research Publication Number 33. Cambridge, MA: Health Effects Institute.
- Schilling, R.S.F.; Letai, A.D.; Hui, S.L.; Beck, G.J.; Schoenberg, J.B.; Bouhuys, A. (1977) Lung function, respiratory disease, and smoking in families. *Am. J. Epidemiol.* 106:274-283.
- Schwartz, J.; Zeger, S. (1990) Passive smoking, air pollution, and acute respiratory symptoms in a diary of student nurses. *Am. Rev. Respir. Dis.* 141:62-67.

- Seely, J.E.; Zuskin, E.; Bouhuys, A. (1971) Cigarette smoking: objective evidence for lung damage in teen-agers. *Science* 172:741-743.
- Seigel, D.G.; Greenhouse, S.W. (1973) Validity in estimating relative risk in case-control studies. *J. Chronic Dis.* 26:219-226.
- Sexton, K.; Spengler, J.D.; Treitman, R.D. (1984) Personal exposure to respirable particulates: a case-study in Waterbury, Vermont. *Atmos. Environ.* 18:1385-1398.
- Sheen, S.J. (1988) Detection of nicotine in foods and plant materials. *J. Food Sci.* 53:1572-1573.
- Shephard, R.J. (1992) Respiratory irritation from ETS. *Arch. Environ. Health* 47:(2):123-130.
- Shephard, R.J.; Collis, R.; Silverman, F. (1979) "Passive" exposure of asthmatic subjects to cigarette smoke. *Environ. Res.* 20:392-402.
- Sherman, C.B.; Tosteson, T.D.; Tager, I.B.; Speizer, F.E.; Weiss, S.T. (1990) Early childhood predictors of asthma. *Am. J. Epidemiol.* 132:83-95.
- Sherrill, D.; Holberg, C.J.; Lebowitz, M.D. (1990) Differential rates of lung growth as measured longitudinally by pulmonary function in children and adolescents. *Pediatr. Pulmonol.* 8:145-154.
- Shimizu, H.; Morishita, M.; Mizuno, K.; Masuda, T.; Ogura, Y.; Santo, M.; Nishimura, M.; Kunishima, K.; Karasawa, K.; Nishiwaki, K.; Yamamoto, M.; Hisamichi, S.; Tominaga, S. (1988) A case-control study of lung cancer in nonsmoking women. *Tohoku J. Exp. Med.* 154:389-397.
- Shultz, T.M.; Novotny, T.E.; Rice, D.P. (1991) Quantifying the disease impact of cigarette smoking with SAMMEC II Software. *Public Health Rep.* 106(3):326-333.
- Sidney, S.; Caan, B.; Friedman, G. (1989) Dietary intake of carotene in nonsmokers with and without passive smoke at home. *Am. J. Epidemiol.* 129:1305-1309.
- Sims, D.G.; Downham, M.A.P.S.; Gardner, P.S.; Webb, J.K.G.; Weightman, D. (1978) Study of 8-year-old children with a history of respiratory syncytial virus bronchiolitis in infancy. *Br. Med. J.* 1:11-14.
- Sobue, T.; Suzuki, R.; Nakayama, N.; Inubuse, C.; Matsuda, M.; Doi, O.; Mori, T.; Furuse, K.; Fukuoka, M.; Yasumitsu, T.; Kuwabara, O.; Ichigaya, M.; Kurata, M.; Nakahara, K.; Endo, S.; Hattori, S. (1990) Passive smoking among nonsmoking women and the relationship between indoor air pollution and lung cancer incidence--results of a multicenter case controlled study. *Gan To Rinsho* 36(3):329-333.
- Somerville, S.M.; Rona, R.J.; Chinn, S. (1988) Passive smoking and respiratory conditions in primary school children. *J. Epidemiol. Community Health* 42:105-110.
- Sparrow, D.; O'Connor, G.; Colton, T.; Barry, C.L.; Weiss, S.T. (1987) The relationship of nonspecific bronchial responsiveness to the occurrence of respiratory symptoms and decreased levels of pulmonary function. The normative aging study. *Am. Rev. Respir. Dis.* 135:1255-1260.
- Speizer, F.E.; Ferris, B., Jr.; Bishop, Y.M.; Spengler, J. (1980) Respiratory disease rates and pulmonary function in children associated with NO exposure. *Am. Rev. Respir. Dis.* 121:3-10.
- Spengler, J.D.; Dockery, D.W.; Turner, W.A.; Wolfson, J.M.; Ferris, B.G. (1981) Long-term measurements of respirable sulphates and particles inside and outside homes. *Atmos. Environ.* 15:23-30.

- Spengler, J.D.; Treitman, R.D.; Tosteson, T.D.; Mage, D.T.; Soczek, M.L. (1985) Personal exposures to respirable particulates and implications for air pollution epidemiology. *Environ. Sci. Technol.* 19:700-707.
- Spitzer, W.O.; Lawrence, V.; Dales, R.; Hill, G.; Archer, M.C.; Clark, P.; Abenham, L.; Hardy, J.; Sampalis, J.; Pinfold, S.P.; Morgan, P.P. (1990) Links between passive smoking and disease: a best evidence synthesis. A report of the working group on passive smoking. *Clin. Invest. Med.* 13:17-42.
- Stahlman, M.T.; Gray, M.E. (1984) Ontogeny of neuroendocrine cells in human fetal lung. I. An electron microscopic study. *Lab. Invest.* 51:449-463.
- Stanton, M.F.; Miller, E.; Wrench, C.; Blackwell, R. (1972) Experimental induction of epidermoid carcinoma in the lungs of rats by cigarette smoke condensate. *J. Natl. Cancer Inst.* 49:867-877.
- Steele, R.; Langworth, J.T. (1966) The relationship of antenatal and postnatal factors to sudden unexpected death in infancy. *Can. Med. Assoc. J.* 94:1165-1171.
- Steenland, K. (1992) Passive smoking and the risk of heart disease. *JAMA* 267:94-99.
- Stellman, S.D.; Garfinkel, L. (1986) Smoking habits and tar levels in a new American Cancer Society prospective study of 1.2 million men and women. *J. Natl. Cancer Inst.* 76(6):1057-1063.
- Sterling, T.D.; Sterling, E.M. (1983) Investigations on the effect of regulating smoking on levels of indoor pollution and on the perception of health and comfort of office workers. *Eur. J. Respir. Dis.* 65 (Suppl. 133):17-32.
- Stockwell, H.G.; Candelora, E.C.; Armstrong, A.W.; Pinkham, P.A. (1991) Environmental tobacco smoke and lung cancer in never smoking women. Presented at the annual meeting abstract forum: Society for Epidemiologic Research; June; Buffalo, New York.
- Strachan, D.P. (1988) Damp housing and childhood asthma: validation of reporting of symptoms. *Br. Med. J.* 297:1223-1226.
- Strachan, D.P.; Jarvis, M.J.; Feyerabend, C. (1989) Passive smoking, salivary cotinine concentrations, and middle ear effusion in 7 year old children. *Br. Med. J.* 298:1549-1552.
- Strachan, D.P.; Jarvis, M.J.; Feyerabend, C. (1990) The relationship of salivary cotinine to respiratory symptoms, spirometry, and exercise-induced bronchospasm in seven-year-old children. *Am. Rev. Respir. Dis.* 142:147-151.
- Sun, X-W. (1992) Heating fuels and respiratory diseases in the risks of female lung cancer. [In Chinese with English abstract.] *Chung Hua Chung Liu Tsa Chih* 13(6):413-415.
- Sutton, G.C. (1980). Assortive marriage for smoking habits. *Ann. Human Biol.* 7:449-456.
- Svendsen, K.H.; Kuller, L.H.; Martin, M.J.; Ockene, J.K. (1987) Effects of passive smoking in the multiple risk intervention trial. *Am. J. Epidemiol.* 126:783-795.
- Svensson, D. (1988) Lung cancer etiology in women [dissertation]. Karolinska Institute, Stockholm, Sweden.
- Svensson, C.; Pershagen, G.; Klominek, J. (1988) Smoking and passive smoking in relation to lung cancer in women. Department of Epidemiology, National Institute of Environmental Medicine, Stockholm, Sweden.
- Svensson, C.; Pershagen, G.; Klominek, J. (1989) Smoking and passive smoking in relation to lung cancer in women. *Acta Oncol.* 28:623-629.

- Tager, I.B.; Segal, M.R.; Munoz, A.; Weiss, S.T.; Speizer, F.E. (1987) The effect of maternal smoking on the pulmonary function of children and adolescents. Analysis of data from two populations. Am. Rev. Respir. Dis. 136:1366-1370.
- Tager, I.B.; Weiss, S.T.; Munoz, A.; Rosner, B.; Speizer, F.E. (1983) Longitudinal study of the effects of maternal smoking on pulmonary function in children. N. Engl. J. Med. 309:699-703.
- Tager, I.B.; Weiss, S.T.; Rosner, B.; Speizer, F.E. (1979) Effect of parental cigarette smoking on the pulmonary function of children. Am. J. Epidemiol. 110:15-26.
- Tainio, V.M.; Savilahti, E.; Salmenpera, L.; Arjomaa, P.; Siimes, M.A.; Perheentupa, J. (1988) Risk factors for infantile recurrent otitis media: atopy but not type of feeding. Pediatr. Res. 23:509-12.
- Takasaka, T. (1990) Incidence, prevalence, and natural history of otitis media in different geographic areas and populations. Ann. Otol. Rhinol. Laryngol. 99:13-14.
- Tashkin, D.P.; Clark, V.A.; Simmons, M.; Reems, C.; Coulson, A.H.; Bourque, L.B.; Sayre, J.W.; Detels, R.; Rokaw, S. (1984) The UCLA population studies of chronic obstructive respiratory disease. VII. Relationship between parental smoking and children's lung function. Am. Rev. Respir. Dis. 129:891-897.
- Taylor, R.G.; Gross, E.; Joyce, H.; Holland, F.; Pride, N.B. (1985) Smoking, allergy, and the differential white blood cell count. Thorax 40:17-22.
- Teele, D.W.; Klein, J.O.; Rosner, B. (1989) Epidemiology of otitis media during the first seven years of life in children in greater Boston: a prospective, cohort study. J. Infect. Dis. 160: 83-94.
- Thompson, L.V.; Jenkins, R.A.; Higgins, C.E. (1989) A thermal desorption method for the determination of nicotine in indoor environments. Environ. Sci. Technol. 23:429-435.
- Toyoshima, K.; Hayashida, M.; Yasunami, J.; Takamatsu, I.; Niwa, H.; Murakoa, T. (1987) Factors influencing the prognosis of wheezy infants. J. Asthma 24:267-270.
- Trichopoulos, D. (1988) Passive smoking and lung cancer. Scand. J. Soc. Med. 16:75-79.
- Trichopoulos, D.; Kalandidi, A.; Sparros, L. (1983) Lung cancer and passive smoking: conclusion of Greek study. [Letter] Lancet 667-668.
- Trichopoulos, D.; Kalandidi, A.; Sparros, L.; MacMahon, B. (1981) Lung cancer and passive smoking. Int. J. Cancer 27:1-4.
- Tsimoyianis, G.V.; Jacobson, M.S.; Feldman, J.G.; Antonio-Santiago, M.T.; Clutario, B.C.; Nussbaum, M.; Shenker, I.R. (1987) Reduction in pulmonary function and increased frequency of cough associated with passive smoking in teenage athletes. Pediatrics 80:32-36.
- Tunstall-Pedoe, H.; Woodward, M.; Brown, C.A. (1991) Tea drinking, passive smoking, and serum cotinine in the Scottish heart health study. J. Clin. Epidemiol. 44:1411-1414.
- Turk, B.H.; Brown, J.T.; Geisling-Sobotka, K.; Froehlich, D.A.; Grimsrud, D.T.; Harrison, J.; Koonce, J.F.; Prill, R.J.; Revzan, K.L. (1987) Indoor air quality and ventilation measurements in 38 Pacific Northwest commercial buildings: final report to the Bonneville Power Administration. v. 1, Measurement results and interpretation.
- Uberla, K.; Ahlborn, W. (1987) Passive smoking and lung cancer; a reanalysis of Hirayama's data. In: Proceedings of international conference on indoor air quality. Tokyo: Council for Environment and Health, p. 41.

U.S. Bureau of the Census. (1990) Statistical abstract of the United States, 1990.

U.S. Department of Health and Human Services (U.S. DHHS). (1982) The health consequences of smoking: cancer. A report of the Surgeon General. U.S. DHHS, Public Health Service, Washington, DC.

U.S. Department of Health and Human Services. (1983) The health consequences of smoking: cardiovascular disease. A report of the Surgeon General. U.S. DHHS, Public Health Service, Office of the Assistant Secretary for Health, Office of Smoking and Health, Washington, DC. DHHS Pub. No. (PHS) 84-50204.

U.S. Department of Health and Human Services. (1984) The health consequences of smoking: chronic obstructive lung disease. A report of the Surgeon General. U.S. DHHS, Public Health Service, Office of the Assistant Secretary for Health, Office of Smoking and Health, Washington, DC. DHHS Pub. No. (PHS) 84-50205.

U.S. Department of Health and Human Services. (1986) The health consequences of involuntary smoking. A report of the Surgeon General. U.S. DHHS, Public Health Service, Office of the Assistant Secretary for Health, Office of Smoking and Health, Washington, DC. DHHS Pub. No. (PHS) 87-8398.

U.S. Department of Health and Human Services. (1989) Reducing the health consequences of smoking: 25 years of progress. A report of the Surgeon General. U.S. DHHS, Public Health Service, Washington, DC. DHHS Pub. No. (CDC) 89-8411.

U.S. Department of Health and Human Services. (1990a) The health benefits of smoking cessation. A report of the Surgeon General. U.S. DHHS, Public Health Service, Washington, DC. DHHS Pub. No. (CDC) 90-8416.

U.S. Department of Health and Human Services. (1990b) Vital and health statistics: current estimates from the national health interview survey, 1989. U.S. DHHS, Public Health Service, Washington, DC.

U.S. Department of Health, Education, and Welfare. (1964) Smoking and health. Report of the Advisory Committee to the Surgeon General of the Public Health Service, Washington, DC. PHS Pub. No. 1103.

U.S. Department of Health, Education, and Welfare. (1977) Nicotine. NIOSH manual of analytical methods, v. 3, 2nd ed. NIOSH, Cincinnati, OH. Publication No. 77-157-C.

U.S. DHEW. *See* U.S. Department of Health, Education, and Welfare.

U.S. DHHS. *See* U.S. Department of Health and Human Services.

U.S. Department of Transportation. (1971) Health aspects of smoking in transport aircraft. U.S. Department of Transportation, Washington, DC. Available from: National Technical Information Service, Springfield, VA.

U.S. Environmental Protection Agency. (1986a) Guidelines for carcinogen risk assessment. Federal Register 51:33992-34003.

U.S. Environmental Protection Agency. (1986b) Guidelines for the health risk assessment of chemical mixtures. Federal Register 51:34014-34025.

U.S. Environmental Protection Agency. (1989) Workshop report on EPA guidelines for carcinogen risk assessment: use of human evidence. Office of Research and Development, Risk Assessment Forum, Washington, DC. EPA/625/3-90/017.

U.S. Environmental Protection Agency. (1990) Health effects of passive smoking: assessment of lung cancer in adults and respiratory disorders in children. Office of Research and Development, Office of Health and Environmental Assessment, Washington, DC. External Review Draft. EPA/600/6-90/006A.

U.S. Environmental Protection Agency. (1992) Respiratory health effects of passive smoking: lung cancer and other disorders. Office of Research and Development, Office of Health and Environmental Assessment, Washington, DC. SAB Review Draft. EPA/600/6-90-006B.

U.S. EPA. See U.S. Environmental Protection Agency.

Vainio, H.; Hemminki, K.; Wilbourn, J. (1985) Data on the carcinogenicity of chemicals in the IARC Monographs programme. *Carcinogenesis* 6:1653-1665.

Varela, L.R. (1987) Assessment of the association between passive smoking and lung cancer. [doctoral dissertation]. New Haven, CT: Yale University.

Vaughan, W.M.; Hammond, S.K. (1990) Impact of designated smoking area. Policy on nicotine vapor and particle concentrations in a modern office building. *J. Air Waste Management Assoc.* 40:1012-1017.

Vedal, R.E.; Schenker, M.B.; Samet, J.M.; Speizer, F.E. (1984) Risk factors for childhood respiratory disease. *Am. Rev. Respir. Dis.* 130:187-192.

Vidic, B.; Ujevic, N.; Shabahang, M.M.; Van de Zande, F. (1989) Differentiation of interstitial cells and stromal proteins in the secondary septum of early postnatal rat: effect of maternal chronic exposure to whole cigarette smoke. *Anat. Rec.* 165:165-173.

Vincent, R.G.; Pickren, J.W.; Lane, W.W.; Bross, I.; Takita, H.; Houten, L.; Gutierrez, A.C.; Rzepka, T. (1977) The changing histopathology of lung cancer: a review of 1682 cases. *Cancer* 39:1647-1655.

Vincent, T.N.; Satterfield, J.V.; Ackerman, L.V. (1965) Carcinoma of the lung in women. *Cancer* 18:559-570.

Vutuc, C. (1984) Quantitative aspects of passive smoking and lung cancer. *Prev. Med.* 13:698-704.

Wald, N.J.; Boreham, J.; Bailey, A.; et al. (1984) Urinary cotinine as a marker of breathing other people's tobacco smoke. *Lancet* 1:230-231.

Wald, N.J.; Ritchie, C. (1984) Validation of studies on lung cancer in nonsmokers married to smokers. *Lancet* 1:1067.

Wald, N.J.; Nanchahal, K.; Thompson, S.G.; Cuckle, H.S. (1986) Does breathing other people's tobacco smoke cause lung cancer? *Br. J. Med.* 293:1217-1222.

Wall, M.; Johnson, J.; Jacob, P.; Benowitz, N. (1988) Cotinine in the serum, saliva, and urine of nonsmokers, passive smokers, and active smokers. *Am. J. Public Health* 78:699-701.

Wang, F-L. (1989) Analysis of risk factors for female lung adenocarcinoma in haerbin: indoor air pollution. [In Chinese with English abstract] *Chung Hua Yu Fang I Hsueh Tsa Chih* 23(5):270-273.

Wang, J-N.; Zhang, Y. (1990) CO and particle pollution of indoor air in Beijing and its elemental analysis. *Biomed. Environ. Sci.* 3(2):132-138.

Wang, N.S.; Chen, M.F.; Schraufnagel, D.E. (1984) The cumulative scanning electron microscopic changes in baby mouse lungs following prenatal and postnatal exposures to nicotine. *J. Pathol.* 144:89-100.

Ware, J.H.; Dockery, D.W.; Spiro, A., III.; Speizer, F.E.; Ferris, B.G., Jr. (1984) Passive smoking, gas cooking, and respiratory health of children living in six cities. *Am. Rev. Respir. Dis.* 129:366-374.

Weber, A.; Fischer, T. (1980) Passive smoking at work. *Int. Arch. Occup. Environ. Health* 47:209-221.

- Weber, A.; Fischer T.; Grandjean, A. (1979) Passive smoking in experimental and field conditions. Environ. Res. 20:205-216.
- Weir, J.M.; Dunn, J.E., Jr. (1970) Smoking and mortality: a prospective study. Cancer 25:105-112.
- Weiss, S.T.; Tager, I.B.; Speizer, F.E.; Rosner, B. (1980) Persistent wheeze: its relation to respiratory illness, cigarette smoking, and level of pulmonary function in a population sample of children. Am. Rev. Respir. Dis. 122:697-707.
- Weiss, S.T.; Tager, I.B.; Munoz, A.; Speizer, F.E. (1985) The relationship of respiratory infections in early childhood to the occurrence of increased levels of bronchial responsiveness and atopy. Am. Rev. Respir. Dis. 131:573-578.
- Weiss, W.; Boucot, K.R.; Seidman, H.; Carnahan, W.J. (1972) Risk of lung cancer according to histologic type and cigarette dosage. JAMA 222:799-801.
- Weitzman, M.; Gortmaker, S.; Klein Walker, D.; Sobol, A. (1990) Maternal smoking and childhood asthma. Pediatrics 85:505-511.
- Wells, A.J. (1988) An estimate of adult mortality in the United States from passive smoking. Environ. Int. 14:249-265.
- Wells, A.J. (1990, December 4) Smoker misclassification does not account for observed passive smoking risk for lung cancer. Submission to Indoor Air Quality and Total Human Exposure Committee, Science Advisory Board, U.S. Environmental Protection Agency, Washington, DC.
- Wells, A.J. (1991) An estimate of adult mortality in the United States from passive smoking; a response to criticism. Environ. Int. 17:382-385.
- Wells, A.J. (1992) An estimate of adult mortality in the United States from passive smoking; a further reply. Environ. Int. 18:321-325.
- White, J.R.; Froeb, H.F. (1980) Small airways dysfunction in nonsmokers chronically exposed to tobacco smoke. N. Engl. J. Med. 302:720-723.
- Whittemore, A.S. (1988) Effect of cigarette smoking in epidemiological studies of lung cancer. Stat. Med. 7:223-238.
- Wigle, D.T.; Collishaw, N.E.; Kirkbride, J.; Mao, Y. (1987) Deaths in Canada from lung cancer due to involuntary smoking. J. Can. Med. Assoc. 136:945-951.
- Willatt, D.J. (1986) Children's sore throats related to parental smoking. Clin. Otolaryngol. 11:317-321.
- Williamson, D.F.; Serdula, M.K.; Kendrick, J.S.; Binkin, N.C. (1989) Comparing the prevalence of smoking in pregnant and nonpregnant women, 1985 to 1986. JAMA 261:70-74.
- Woodward, A.; Douglas, R.M.; Graham, N.M.H.; Miles, H. (1990) Acute respiratory illness in Adelaide children: breast feeding modifies the effect of passive smoking. J. Epidemiol. Community Health 44:224-230.
- Woolcock, A.J.; Peat, J.K.; Leeder, S.R.; Blackburn, C.R.B. (1984) The development of lung function in Sydney children: effects of respiratory illness and smoking. A ten-year study. Eur. J. Resp. Dis. 65(Suppl):1-137.
- Woolcock, A.J.; Peat, J.K.; Salome, C.M.; et al. (1987) Prevalence of bronchial hyperresponsiveness and asthma in a rural adult population. Thorax 42:361-368.

- Woolf, B. (1955) On estimating the relationship between blood group and disease. *Ann. Hum. Genet.* 19:251-253.
- Wright, A.L.; Holberg, C.; Martinez, F.D.; Taussig, L.M. (1991) Relationship of parental smoking to wheezing and nonwheezing lower respiratory tract illnesses in infancy. *J. Pediatr.* 118:207-214.
- Wright, A.L.; Taussig, L.M.; Ray, C.G.; Harrison, H.R.; Holberg, C.J. (1989) The Tucson's children respiratory study. II. Lower respiratory tract illnesses in the first year of life. *Am. J. Epidemiol.* 129:1232-1246.
- Wu, A.H.; Henderson, B.E.; Pike, M.D.; Yu, M.C. (1985) Smoking and other risk factors for lung cancer in women. *J. Natl. Cancer Inst.* 74(4):747-751.
- Wu-Williams, A.H.; Samet, J.H. (1990) Environmental tobacco smoke: exposure-response relationships in epidemiologic studies. *Risk Anal.* 10:1.
- Wynder, E.L.; Gottlieb, S.; Wright, G. (1957) A study of tobacco carcinogenesis. IV. Different tobacco types. *Cancer* 10:1206-1209.
- Wynder, E.L.; Hoffmann, D. (1967) Tobacco and tobacco smoke: studies in experimental carcinogenesis. New York: Academic Press.
- Wynder, E.L.; Mabuchi, K.; Beattie, E.J., Jr. (1970) The epidemiology of lung cancer: recent trends. *JAMA* 213:2221-2228.
- Wynder, E.L.; Stellman, S.D. (1977) Comparative epidemiology of tobacco-related cancers. *Cancer Res.* 37:4608-4622.
- Xu, Z.Y.; Blot, W.J.; Xiao, H.P.; et al. (1989) Smoking, air pollution, and the high rates of lung cancer in Shenyand, China. *J. Natl. Cancer Inst.* 81:1800.
- Yarnell, J.W.; St. Leger, A.S. (1979) Respiratory illness, maternal smoking habit, and lung function in children. *Br. J. Dis. Chest* 73:230-236.
- Young, S.; LeSouef, P.N.; Reese, A.C.; Stick, S.M.; Landau, L.I. (1990) Factors predicting cough and wheeze in the first 6 months of life. *Am. Rev. Respir. Dis.* 141:A901.
- Zahm, S.H.; Cocco, P.; Blair, A. (1991) Tobacco smoking as a risk factor for colon polyps. *Am. J. Public Health* 81:846-849.
- Zetterstrom, O.; Osterman, K.; Machado, L.; Johansson, S.G.O. (1981) Another smoking hazard: raised serum IgE concentration and increased risk of occupational allergy. *Br. Med. J.* 283:1215-1217.
- Zhao, Zhen-Hua; Quan, Wen-Yi; Tian, De-Hai (1990) Urinary 1-hydroxypyrene as an indicator of human exposure to ambient polycyclic aromatic hydrocarbons in a coal-burning environment. *Sci. Total Environ.* 92:145-154.