

CHATFIELD

**TECHNICAL
CONSULTING
LIMITED**

2071 Dickson Road
Mississauga, Ontario
CANADA L5B 1Y8
Telephone: (905) 896-7611
Fax: (905) 896-1930

DRAFT

**Analytical Method
for Determination of Asbestos in
Vermiculite and Vermiculite-Containing Products**

Prepared for:

Mr. Wayne R. Toland
U.S. Environmental Protection Agency
1 Congress Street, Suite 1100
Boston, MA 02114



Dr. Eric J. Chatfield
President
Chatfield Technical Consulting Limited

DISCLAIMER

This analytical method has not been submitted for formal peer review nor has it been tested in a competent lab to determine its accuracy and precision. As a result, EPA does not endorse, recommend, or otherwise encourage its use in any way until that process is completed. This method, which is presented here in draft form only, is being provided at your request and any decision to use it for analytical purposes rests entirely at the readers/users discretion.

TABLE OF CONTENTS

1	INTRODUCTION AND BACKGROUND	1
1.1	General	1
1.2	Required Characteristics for an Analytical Method for Determination of Asbestos in Vermiculite	1
1.3	Analytical Considerations Specific to Vermiculite from Libby, Montana	2
1.4	Analytical Considerations for Vermiculite Sources Other Than Libby	3
2	PRINCIPLE OF METHOD	3
2.1	Background	3
2.2	Types of Measurement	4
3	SCOPE AND FIELD OF APPLICATION	5
3.1	Substance determined	5
3.1.1	Weight Percent Asbestos	5
3.1.2	Concentration of Respirable Fibers	6
3.2	Type of Sample	6
3.3	Range	6
3.4	Limit of Detection	6
4	DEFINITIONS	8
5	ABBREVIATIONS	12
6	EQUIPMENT AND APPARATUS	12
6.1	General	12
6.2	Sample preparation	13
6.3	Rapid Screening Method	13
6.4	Measurement of Respirable Fibers by TEM	13
7	REAGENTS	14
8	SELECTION AND PRE-TREATMENT OF SUB-SAMPLE FOR ANALYSIS ..	14
8.1	Types of Sample	14
8.2	Obtaining a Representative Sub-Sample for Analysis	15
8.3	Pre-Treatment of Sub-Samples	16
8.3.1	Background	16
8.3.2	Exfoliated Vermiculite	16
8.3.3	Potting Soil	16

8.3.4	Lawn Fertilizer	18
8.3.5	Beneficiated Crude Vermiculite Ore	18
8.3.6	Soil Samples Containing Crude Vermiculite Ore	21
8.3.7	Soil Samples Containing Exfoliated Vermiculite	21
8.3.8	Samples of insulation incorporating materials in addition to vermiculite	21
9	PROCEDURE FOR ANALYSIS	23
9.1	Introduction	23
9.2	Rapid Screening Analysis to Determine the Weight Percent of Amphibole Asbestos	24
9.2.1	General	24
9.2.2	Separation of Vermiculite from other Components by Flotation on Water	24
9.2.3	Optional Preparation of TEM Specimens From the Aqueous Suspension of Vermiculite	25
9.2.4	Density Adjustment of Heavy Liquid	25
9.2.5	Separation of Amphibole Fragments by Centrifugation in a Heavy Liquid	30
9.2.6	Stereo-Binocular Microscope Examination of the Centrifugate	37
9.3.1	Introduction	41
9.3.2	Separation of Coarse Vermiculite	42
9.3.3	Separation of Respirable Fibers by Displacement Sedimentation	42
9.3.4	Preparation of TEM Specimens From Displaced Suspension	43
9.3.5	Examination of TEM Specimens	49
9.4	Combined Procedure	49
10	DATA REPORTING	49
10.1	Rapid Screening Analysis to Determine Weight Percent of Amphibole Asbestos	49
10.2	Concentration of Respirable Fibers	50
11	ACCURACY AND PRECISION	51
12	REFERENCES	51
	APPENDIX A. RECOVERY OF HEAVY LIQUIDS FOR RE-USE	53
A.1	Background	53
A.2	Purification of Heavy Liquids by Distillation	53

