

---

## REFERENCES

- Aberg, B., Ekman, L., Falk, R., Greitx, U., Persson, G., and Snihs, J. (1969) Metabolism of Methyl Mercury ( $^{203}\text{Hg}$ ) Compounds in Man. *Arch Environ. Health* 19:453-484.
- Albro, P.W. and Fishbein, L. (1972) Intestinal Absorption of Polychlorinated Biphenyls in Rats. *Bull. Environ. Contam. Toxicology* 8:26-31.
- Agency for Toxic Substances and Disease Registry (1994a) Toxicological Profile for Chlorodibenzofurans. U.S. Department of Health & Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (1994b) Toxicological Profile for Zinc. U.S. Department of Health & Human Services, Public Health Service.
- Agency for Toxic Substances and Disease Registry (1999) Toxicological Profile for Mercury. U.S. Department of Health & Human Services, Public Health Service.
- Andelman, J.B. (1988) Total Exposure to Volatile Organic Compounds in Potable Water. In: Ram, N.; Christmen, R., Cantor, K., eds. Significance and Treatment of Volatile Organic Compounds in Water Supplies. Chelsea, MI: Lewis Publishers, Inc.
- Bettley, F.R. and O'Shea, J.A. (1975) The Absorption of Arsenic and its Relation to Carcinoma. *Brit. J. Dermatol.* 92:563-568.
- Bunge, A.L. and Cleek, R.L. (1995) A New Method for Estimating Dermal Absorption from Chemical Exposure: 2. Effect of Molecular Weight and Octanol-water Partitioning. *Pharm. Res.* 12:88-95.
- Bunge, A. L. and McDougal, J. N. (1998) Dermal Uptake. "Exposure to Contaminants in Drinking Water." Estimating Uptake through the Skin and by Inhalation. S. Olin, ed. Boca Raton, FL, CRC Press.
- Chang, L.H. (1943) The Fecal Excretion of Polycyclic Hydrocarbons Following Their Administration to the Rat. *J. Biochemistry* 151:93-99.
- Cleek, R.L. and Bunge, A.L. (1993) A New Method for Estimating Dermal Absorption from Chemical Exposure. 1. General Approach. *Pharm. Res.* 10: 497-506.
- Conklin, A.W., Skinner, S.C., Felten, T.L., and Sanders, C.L. (1982) Clearance and Distribution of Intratracheally Instilled Vanadium Compounds in the Rat. *Toxicol. Lett.* 11:199-203.
- Cuddihy, R.G. and Griffith, W.C. (1972) A Biological Model Describing Tissue Distribution and Whole-body Retention of Barium and Lanthanum in Beagle Dogs after Inhalation and Gavage. *Health Phys.* 23:621-633.
- Davidsson, L., Cederblad, A., Lonnerdal, B. and Sandstrom, B. (1989) Manganese Retention in Man: a Method for Estimating Manganese Absorption in Man. *Am. J. Clin. Nutr.* 49: 170-179.
- Donaldson, R.M. and Barreras, R.F. (1996) Intestinal Absorption of Trace Quantities of Chromium. *J. Lab. Clin. Med.* 68:484-493.

---

## REFERENCES (continued)

- Dowdy, D., McKone, T.E., and Hsieh, D.P.H. (1996) The Use of the Molecular Connectivity Index for Estimating Biotransfer Factors. *Environmental Science and Technology* 30, 984-989.
- Draper, N. R.; Smith, H. (1998) Applied Regression Analysis, 3<sup>rd</sup> edition. John Wiley & Sons. New York.
- Duff, R.M. and Kissel, J.C. (1996) Effect of Soil Loading on Dermal Absorption Efficiency from Contaminated Soils. *J. Tox. and Environ. Health* 48:93-106.
- Elakhovskaya, N.P. (1972) The Metabolism of Nickel Entering the Organism with Water. (Russian translation) *Gig Sanit* 6:20-22.
- Ewing, A.D., Kadry, A.M., and Dorough, H.W. (1985) Comparative Disposition and Elimination of Chlordane in Rats and Mice. *Toxicol. Lett.* 26:233-239.
- Farooqui, M.Y.H and Ahmed, A.E. (1982) Molecular Interaction of Acrylonitrile and Potassium Cyanide with Rat Blood. *Chem. Biol. Interact.* 38:145-159.
- Flynn, G. L. (1990) Physicochemical Determinates of Skin Absorption. In T. R. Gerrity and C. J. Henry, eds. Principles of Route-to-Route Extrapolation for Risk Assessment, Elsevier, New York p. 93-127.
- Fries, G.S. and Marrow, G.F. (1975) Retention and Excretion of 2,3,7,8 Tetrachlorodibenzo-p- Dioxin by Rats. *J. Agric. Food Chem.* 23:265-269.
- Furchner, J.E., Richmond, C.R., and Drake, G.A. (1968) Comparative Metabolism of Radionuclides in Mammals-IV. Retention of Silver-110m in the Mouse, Rat, Monkey, and Dog. *Health Phys.* 6:505-14.
- Gerity, T.R. and Henry, C.J. (1990) Principles of Route-to-Route Extrapolation for Risk Assessment. Amsterdam: Elsevier Publishing.
- Hecht, S.S., Grabowski, W., and Groth, K. (1979) Analysis of Faeces for Benzo[a]pyrene after Consumption of Charcoal-broiled Beef by Rats and Humans. *Cosmet. Toxicology* 17:223-227.
- Holmes, K.K. Jr., Shirai, J.H., Richter, K.Y., and Kissel, J. C. (1999) Field Measurement of Dermal Soil Loadings in Occupational and Recreational Activities. *Environmental Research* 80:148-157.
- Hostynek, J.J., Hinz, R.S, Lorence, C.R, and Guy, R.H. (1998) "Human Skin Penetration by Metal Compounds." In M.S. Roberts and K.A. Walters, eds. Dermal Absorption and Toxicity Assessment, Marcel Dekker, Inc., New York.
- IRIS-Integrated Risk Information System. (2000) U.S. EPA.
- Jo, W.K., Weisel, C.P., and Lioy, P.J. (1990) Chloroform Exposure and Body Burden from Showering with Chlorinated Tap Water. *Risk Analysis* 10, 575-580.
- Kasting, G.B., Smith, R.L., and Cooper, F.R. (1987) "Effect of Lipid Solubility and Molecular Size on Percutaneous Absorption." *Pharmacol Skin* 1:138-153.

---

## REFERENCES (continued)

- Kasting, G.B. and Robinson, P.J. (1993) Can We Assign an Upper Limit to Skin Permeability? *Pharm. Res* 10: 930-93.
- Keim, K.S., Holloway, C.L., and Hebsted, M. (1987) Absorption of Chromium as Affected by Wheat Bran. *Cereal Chem.* 64: 352-355.
- Keller, W. and Yeary, R. (1980) A Comparison of the Effects of Mineral Oil, Vegetable Oil, and Sodium Sulfate on the Intestinal Absorption of DDT in Rodents. *Clin. Toxicol.* 16:223-231.
- Kissel, J., Richter, K.Y., and Fenske, R.A. (1996) Field Measurement of Dermal Soil Loading Attributed to Various Activities: Implications for Exposure Assessment. *Risk Analysis* 16:115-125.
- Kissel, J., Shirai, J.H., Richter, K.Y., and Fenske, R.A. (1998) Investigation of Dermal Contact with Soil in Controlled Trials. *J. Soil Contamination* 7:737-752.
- Knopp, D. and Schiller, F. (1992) Oral and Dermal Application of 2,4-Dichlorophenoxyacetic Acid Sodium and Dimethylamine Salts to Male Rats: Investigations on Absorption and Excretion as Well as Induction of Hepatic Mixed-function Oxidase Activities. *Arch Toxicol.* 66:170-174.
- Korte, F. (1978) Ecotoxicologic Profile Analysis. *Chemosphere* 1:79-102.
- Leahy, D. E. (1990) Use of QSAR's to Predict Percutaneous Absorption. Prediction of Percutaneous Penetration, R.C. Scott, R.H. Guy and J. Hadgraft (eds.), IBC Technical Services Ltd, London, p.242-251.
- Lepow, M.L., Bruckman, L., Gillette, M., Markowitz, S., Robino, R., and Kapish, J. (1975) Investigations into Sources of Lead in the Environment of Urban Children. *Environ. Res.* 10:415-426.
- Lie, R., Thomas, R.G., and Scot, J.K. (1960) The Distribution and Excretion of Thallium<sup>204</sup> in the Rat Suggested MPCs and a Bioassay Procedure. *Health Phys.* 2: 334-340.
- Mackenzie, R.D., Anwar, R.A., Byerrum, R.U., and Hoppert, C.A. (1959) Absorption and Distribution of Cr<sup>51</sup> in the Albino Rat. *Arch. Biochem. Biophys.* 79:200-205.
- Maddy, K.T., Wang, R.G., and Winter, C.K. (1983) Dermal Exposure Monitoring of Mixers, Loaders and Applicators of Pesticides in California. Workers Health and Safety Unit, Report HS-1069. California Department of Food and Agriculture, Sacramento, California.
- Mandel, J. (1982) Use of the Singular Value Decomposition in Regression Analysis. *The American Statistician*, 36:15-24.
- Mandel, J. (1985) The Regression Analysis of Collinear Data. *Journal of Research of the National Bureau of Standards*, 90(6):465-478.
- McKone, T.E. and Howd, R.A. (1992) Estimating Dermal Uptake of Nonionic Organic Chemicals from Water and Soil: Part 1, Unified Fugacity-Based Models for Risk Assessments. *Risk Analysis*, 12, 543- 557.

---

## REFERENCES (continued)

- McKone, T.E. (1993) Linking a PBPK Model for Chloroform with Measured Breath Concentrations in Showers: Implications for Dermal Exposure Models. *Journal of Exposure Analysis and Environmental Epidemiology* 3, 339-365.
- Meerman J.H., Sterenborg, H.M., and Mulder G.J. (1983) Use of Pentachlorophenol as Long-term Inhibitor of Sulfation of Phenols and Hydroxamic Acids in the Rat In-vivo. *Biochem. Pharmacol.* 32:1587-1593.
- Muhlebach, S. (1981) Pharmacokinetics in rats of 2,4,5,2,4,5 Hexachlorobiphenyl and Unmetabolizable Lipophilic Model Compounds. *Xenobiotica* 11:249-257.
- Ohno, Y., Kawanishi, T., and Takahashi, A. (1986) Comparisons of the Toxicokinetic Parameters in Rats Determined for Low and High Dose gamma-Chlordane. *J. Toxicol. Sci.* 11:111-124.
- Pelletier, O., Ritter, L., and Somers, C.J. (1989) Disposition of 2,4-Dichlorophenoxyacetic Acid Dimethylamine by Fischer 344 Rats Dosed Orally and Dermally. *J Toxicol Environ Health* 28: 221-234.
- Piper, W.N. (1973) Excretion and Tissue Distribution of 2,3,7,8 Tetrachlorodibenzo -p-dioxin in the Rat. *Environ. Health Perspect.* 5:241-244.
- Pirot, F., Kalia, Y.N., Stinchcomb, A.L., Keating, G., Bunge, A., Guy, R.H. (1997) Characterization of the Permeability Barrier of Human Skin In-vivo. *Proc. Natl. Acad. Sci., USA* 94:1562-1567.
- Potts, R.O. and Guy, R.H. (1992) Predicting Skin Permeability. *Pharm. Res.* 9:663-669.
- Reddy, M.B., Guy, R.H., Bunge, A.L. (2000) *Does Epidermal Turnover Reduce Percutaneous Penetration?* *Pharm. Res.* 17:1414-1419.
- Reeves, A.L. (1965) The Absorption of Beryllium from the Gastrointestinal Tract. *Arch Environ. Health* 11:209-214.
- Roels, H.A., Buchet, J.P., Lauwerys, R.R., Bruaux, P., Claeys-Thoreau, F., Lafontaine, A., and Verduyn, G. (1980) Exposure to Lead by the Oral and the Pulmonary Routes of Children Living in the Vicinity of a Primary Lead Smelter. *Environ. Res.* 22:81-94.
- Rose, J.Q., Ramsey, J.C., Wentzler, T.H., Hummel, R.A., and Gehring, P.J. (1976) The Fate of 2,3,7,8 Tetrachlorodibenzo-p-dioxin Following Single and Repeated Oral Doses to the Rat. *Toxicol. Appl. Pharmacol.* 36:209-226.
- Ruoff, W. (1995) Relative Bioavailability of Manganese Ingested in Food or Water. Proceedings Workshop on the Bioavailability and Oral Toxicity of Manganese. U.S. EPA-ECAO, Cincinnati, OH.
- Sayato, Y., Nakamuro, K., Matsui, S., and Ando, M. (1980) Metabolic Fate of Chromium Compounds. I. Comparative Behavior of Chromium in Rat Administered with Na<sub>2</sub> <sup>51</sup>CrO<sub>4</sub> and <sup>51</sup>CrCl<sub>3</sub>. *J. Pharm. Dyn.* 3: 17-23.
- Tanabe, S. (1981) Absorption Efficiencies and Biological Half-life of Individuals Chlorobiphenyls in Rats Treated with Kanechlor Products. *Agric. Biol. Chem.* 45:717-726.

---

## REFERENCES (continued)

- Taylor, D.M., Bligh, P.H., and Duggan, M.H. (1962) The Absorption of Calcium, Strontium, Barium, and Radium from the Gastrointestinal Tract of the Rat. *Biochem. J.* 83:25-29.
- U.S. EPA. (1989) *Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual (Part A)*. Interim Final EPA/540/1-89/002. Washington, DC.
- U.S. EPA. (1992a) *Dermal Exposure Assessment: Principles and Applications*. Office of Health and Environmental Assessment. EPA/600/6-88/005Cc.
- U.S. EPA. (1992b) *Memorandum: Guidance on Risk Characterization for Risk Managers and Risk Assessors*. From F. Henry Habicht II, Deputy Administrator, U.S. EPA, Washington, DC.
- U.S. EPA. (1995a) *Policy for Risk Characterization*. From Carol Browner, Administrator, U.S. EPA, Washington, DC.
- U.S. EPA. (1995b) Groundwater Sampling Workshop - A Workshop Summary, Dallas, TX, November 30-December 2, 1993. EPA/600/R-94/205, NTIS PB 95-193249, 126pp.
- U.S. EPA. (1996a) Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures. Office of Research and Development and Office of Solid Waste and Emergency Response. EPA/540/S-95/504.
- U.S. EPA. (1996b) Soil Screening Guidance: Technical Background Document. EPA/540/R-95/128.
- U.S. EPA. (1997a) Exposure Factors Handbook. EPA/600/P-95/002F.
- U.S. EPA. (1997b) *Policy for Use of Probabilistic Analysis in Risk Assessment*. From Fred Hansen, Deputy Administrator, Washington, DC.
- Vecchia, B.E. (1997) "Estimating the Dermally Absorbed Dose From Chemical Exposure: Data Analysis, Parameter Estimation, and Sensitivity to Parameter Uncertainties". M.S. Thesis, Colorado School of Mines, Golden, Colorado.
- Waitz, J.A., Ober, R.E., Meisenhelder, J.E., and Thompson, P.E. (1965) Physiological Disposition of Antimony after Administration of <sup>124</sup>Sb-labeled Tartar Emetic to Rats, Mice and Monkeys, and the Effects of tris (p-aminophenyl) Carbonium Pamoate on this Distribution. *Bull. World Health Organization* 33:537-546.
- Wester, R.C., Maibach, H.I., Bucks, D.A.W., Sedik, L., Melendres, J., Laio, C.L., and DeZio, S. (1990) Percutaneous Absorption of [14C]DDT and [14C]Benzo(a)pyrene from Soil. *Fund. Appl. Toxicol.* 15:510-516.
- Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J., DeZio, S., and Wade, M. (1992a) In-vitro Percutaneous Absorption of Cadmium from Water and Soil into Human Skin. *Fund. Appl. Toxicol.* 19:1-5.
- Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J., Laio, C.L., and DeZio, S. (1992b) Percutaneous Absorption of [14C]Chlordane from Soil. *J. Toxicol. Environ. Health* 35:269-277.
- Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J., and Wade, M. (1993a) In-vivo and In-vitro Percutaneous Absorption and Skin Decontamination of Arsenic from Water and Soil. *Fund. Appl. Toxicol.* 20:336-340.

---

## REFERENCES (continued)

Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J., and Wade, M. (1993b) Percutaneous Absorption of PCBs from Soil: In-vivo Rhesus Monkey, In-vitro Human Skin, and Binding to Powered Human Stratum Corneum. *J. Toxicol. Environ. Health* 39:375-382.

Wester, R.C., Maibach, H.I., Sedik, L., Melendres, J., Wade, M., and DeZio, S. (1993c) Percutaneous Absorption of Pentachlorophenol from Soil. *Fund. Appl. Toxicology* 20: 68-71.

Wester, R.C., Melendres, J., Logan, F., Hui, X. , and Maibach, H.I. (1996) Percutaneous Absorption of 2,4-Dichlorophenoxyacetic Acid from Soil with Respect to the Soil Load and Skin Contact Time: In-vivo Absorption in Rhesus Monkey and in Vitro Absorption in Human Skin. *J. Toxicol. Environ. Health* 47:335-344.

Wilschut, A., ten Berge, W.F., Robinson, P.J. , and McKone, T.E. (1995) Estimating Skin Permeation—The Validation of Five Mathematical Skin Permeation Models. *Chemosphere* 30, 1275-1296.

Yang, J.J., Roy, T.A., Krueger, A.J., Neil, W., and Mackerer, C.R. (1989) In-vitro and In-vivo Percutaneous Absorption of Benzo[a]pyrene from Petroleum Crude-Fortified Soil in the Rat. *Bull. Environ. Toxicol.* 43:207-214.

Young, V.R., Nahapetian, A., and Janghorbani, M. (1982) Selenium Bioavailability with Reference to Human Nutrition. *Am. J. Clin. Nutr.* 35: 1076-1088.