

PUBLIC NOTICE: 06-64

NOTICE OF PROPOSED ADMINISTRATIVE PENALTY ASSESSMENTS AND OPPORTUNITY TO COMMENT

AGENCY: United States Environmental Protection Agency (EPA)
Region 2
290 Broadway
New York, NY 10007

ACTION: Notice of Proposed Administrative Penalty Assessments and Opportunity to Comment

SUMMARY: EPA is providing notice of a proposed administrative penalty assessment for alleged violations of the Clean Water Act (Act). EPA is also providing notice of opportunity to comment on the proposed penalty assessment.

Under 33 U.S.C. §1319(g), EPA is authorized to issue Orders assessing civil penalties for various violations of the Act. EPA may issue such Orders after the commencement of a Class I or Class II penalty proceeding. EPA provides Public Notice of the proposed assessment pursuant to 33 U.S.C. §1319(g)(4)(A)

Administrative civil penalty proceedings are conducted under EPA's "Consolidated Rules of Practice Governing The Administrative Assessment of Civil Penalties, Issuance of Compliance or Corrective Action Orders and the Revocation Termination or Suspension of Permits", 40 CFR Part 22. The procedures through which the public may submit written comment on a proposed administrative penalty action or participate in an administrative penalty proceeding, and the procedures by which a Respondent may request a Hearing, are set forth in the Consolidated Rules. The deadline for submitting public comment on this administrative civil penalty proceeding is thirty (30) days after issuance of this Public Notice.

On date identified below, EPA commenced the following administrative action for the assessment of administrative civil penalties: In the matter of **Jose Lopez Roig, President, Estancias de Siervas de Maria, Inc**, MSC 1006, NC-04 Box 4374, Barrio San Salvador, Caguas, Puerto Rico 00725, The Owner and Operator of a residential construction site. Docket No. CWA-02-2006-3415; Filed on August 4, 2006 with Regional Hearing Clerk Karen Maples, EPA Region 2, 290 Broadway, 16th Floor, New York, New York 10007 (212) 637-3110; Proposed Penalty: **\$97,000** for failure to obtain the required NPDES General Permit for Storm Water Discharges from Construction Activities pursuant to Sections 301 and 402 of the Act at the 19.5 acre, Estancias de Siervas de Maria, single family home construction site located at PR-931 Km. 4.3, Gurabo, PR.

FOR FURTHER INFORMATION: Persons wishing to receive a copy of EPA's Consolidated Rules, or review documents filed in these proceedings, comment upon the proposed assessments, or otherwise participate in any of the proceedings, should contact the Regional Hearing Karen

Maples, EPA Region 2, 290 Broadway, 16th Floor, New York, New York 10007 (212) 637-3110. Unless otherwise noted, the administrative record for these proceedings is located in the EPA Regional Office identified above, and the files will be open for public inspection during normal business hours. All information submitted by the Respondent is available as part of the administrative record, subject to provisions of law restricting public disclosure of confidential information.

Dated: **Dore Laposta, Director**
 Division of Enforcement and
 Compliance Assistance