

Violation and Enforcement Data								
PWSID	Contaminant Name	Violation Name	Compl Per Begin Date	Compl Per End Date	Analytical Results	MCL	Enforcement Action Type	Action Date
020000001	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2005	12/31/2025		0		
020000001	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025		0		
020000001	Chlorine	Monitoring and Reporting (DBP)	4/1/2007	6/30/2007		4		
020000001	Chlorine	Monitoring and Reporting (DBP)	7/1/2007	9/30/2007		4		
020000001	Nitrate	Monitoring, Regular	1/1/2004	12/31/2004		10		
020000001	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2004	12/31/2025		0		
020000001	Nitrate	Monitoring, Regular	1/1/2005	12/31/2005		10		
020000001	Nitrate	Monitoring, Regular	1/1/2006	12/31/2006		10		
020000001	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025		0		
020000001	Lead & Copper Rule	Follow-up and Routine LCR Tap Sampling	1/1/2006	12/31/2025		0		
020000001	Coliform (TCR)	Monitoring, Routine Major (TCR)	10/1/2008	10/31/2008		0		
020000004	Nitrate	Monitoring, Regular	1/1/2006	12/31/2006		10		
020000004	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025		0		
020000004	Chlorine	Monitoring and Reporting (DBP)	4/1/2007	6/30/2007		4		
020000004	Chlorine	Monitoring and Reporting (DBP)	7/1/2007	9/30/2007		4		
020000004	Nitrate	Monitoring, Regular	1/1/2004	12/31/2004		10		
020000004	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2004	12/31/2025		0		
020000004	Nitrate	Monitoring, Regular	1/1/2005	12/31/2005		10		
020000004	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2005	12/31/2025		0		
020000004	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025		0		
020000004	Lead & Copper Rule	Follow-up and Routine LCR Tap Sampling	1/1/2006	12/31/2025		0		
020000004	Coliform (TCR)	Monitoring, Routine Major (TCR)	10/1/2008	10/31/2008		0		
020000005	IESWTR	Single Turbidity Exceed (Enhanced SWTR)	1/1/2008	1/31/2008		0		
020000005	Coliform (TCR)	Monitoring, Routine Major (TCR)	5/1/2002	5/31/2002	0	0		
020000005	Coliform (TCR)	Monitoring, Routine Major (TCR)	11/1/2002	11/30/2002	0	0		
020000005	Nitrate	Monitoring, Regular	1/1/2008	12/31/2008		10		
020000005	Coliform (TCR)	Monitoring, Routine Major (TCR)	7/1/2002	7/31/2002	0	0		
020000005	Coliform (TCR)	Monitoring, Routine Major (TCR)	8/1/2002	8/31/2002	0	0		
020000007	Nitrate	Monitoring, Regular	1/1/2004	12/31/2004		10		
020000007	Nitrate	Monitoring, Regular	1/1/2005	12/31/2005		10		
020000007	Nitrate	Monitoring, Regular	1/1/2006	12/31/2006		10		
020000007	Coliform (TCR)	MCL, Monthly (TCR)	9/1/2005	9/30/2005		0		
020000007	Coliform (TCR)	Monitoring, Routine Major (TCR)	10/1/2008	10/31/2008		0		
020000007	Nitrate	Monitoring, Regular	1/1/2007	12/31/2007		10		
020000008	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2004	12/31/2025		0		
020000008	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2005	12/31/2025		0		
020000008	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025		0		
020000008	Coliform (TCR)	Monitoring, Routine Major (TCR)	10/1/2008	10/31/2008		0		
020000008	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025		0		
020000008	Coliform (TCR)	Monitoring, Routine Major (TCR)	1/1/2007	1/31/2007		0		
020000008	Coliform (TCR)	Monitoring, Repeat Major (TCR)	11/1/2008	11/30/2008		0		
020000012	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2004	12/31/2025		0		
020000012	Coliform (TCR)	MCL, Acute (TCR)	7/1/2005	7/31/2005		0		
020000012	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025		0		
020000012	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025		0		
020000016	Nitrate	Monitoring, Regular	1/1/2007	12/31/2007		10		
020000016	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025		0		
020000016	Total Haloacetic Acids (HAA5)	Monitoring and Reporting (DBP)	1/1/2007	12/31/2007		0		
020000016	TTHM	Monitoring and Reporting (DBP)	1/1/2007	12/31/2007		0.1		
020000016	Lead & Copper Rule	Follow-up and Routine LCR Tap Sampling	1/1/2007	7/1/2007		0	EOX	7/1/2007
020000016	Coliform (TCR)	Monitoring, Routine Major (TCR)	10/1/2008	10/31/2008		0		
020000016	Nitrate	Monitoring, Regular	1/1/2006	12/31/2006		10		

020000016	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025	0	
020000016	Chlorine	Monitoring and Reporting (DBP)	10/1/2007	12/31/2007	4	
020000016	Chlorine	Monitoring and Reporting (DBP)	4/1/2007	6/30/2007	4	
020000016	Chlorine	Monitoring and Reporting (DBP)	7/1/2007	9/30/2007	4	
020011102	Lead & Copper Rule	Follow-up and Routine LCR Tap Sampling	1/1/2006	12/31/2025	0	
020011102	Nitrate	Monitoring, Regular	1/1/2007	12/31/2007	10	
020011102	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2007	12/31/2025	0	
020011102	Alachlor ESA	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Endrin	Monitoring, Regular	1/1/2005	12/31/2007	0.002	
020011102	Simazine	Monitoring, Regular	1/1/2005	12/31/2007	0.004	
020011102	Di(2-ethylhexyl) phthalate	Monitoring, Regular	1/1/2005	12/31/2007	0.006	
020011102	Metolachlor	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Propachlor	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Heptachlor epoxide	Monitoring, Regular	1/1/2005	12/31/2007	0.0002	
020011102	Heptachlor	Monitoring, Regular	1/1/2005	12/31/2007	0.0004	
020011102	Aldrin	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Chlordane	Monitoring, Regular	1/1/2005	12/31/2007	0.002	
020011102	BHC-GAMMA	Monitoring, Regular	1/1/2005	12/31/2007	0.0002	
020011102	Chlorine	Monitoring and Reporting (DBP)	7/1/2007	9/30/2007	4	
020011102	Coliform (TCR)	MCL, Monthly (TCR)	8/1/2008	8/31/2008	0	
020011102	Nitrate	Monitoring, Regular	1/1/2004	12/31/2004	10	
020011102	Nitrate	Monitoring, Regular	1/1/2005	12/31/2005	10	
020011102	Nitrate	Monitoring, Regular	1/1/2006	12/31/2006	10	
020011102	Consumer Confidence Rule	CCR Complete Failure to Report	7/1/2006	12/31/2025	0	
020011102	Di(2-ethylhexyl) adipate	Monitoring, Regular	1/1/2005	12/31/2007	0.4	
020011102	Dieldrin	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Butachlor	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Benzo(a)pyrene	Monitoring, Regular	1/1/2005	12/31/2007	0.0002	
020011102	Metribuzin	Monitoring, Regular	1/1/2005	12/31/2007	0	
020011102	Atrazine	Monitoring, Regular	1/1/2005	12/31/2007	0.003	
020011102	HEXACHLOROBENZENE	Monitoring, Regular	1/1/2005	12/31/2007	0.001	
020011102	Chlorine	Monitoring and Reporting (DBP)	4/1/2007	6/30/2007	4	