

Appendix B  
Field Sheets

Appendix B.1  
Soil Sampling Field Sheet



U.S. Environmental Protection Agency

Region VII  
901 North 5th Street  
Kansas City, Kansas 66101

Omaha Lead Site  
Omaha, NE

Access Agreement to Perform  
Soil Sampling and Lead-Based  
Paint Assessments

**PROPERTY ACCESS** *(To be completed by property owner)*

Para recibir esta forma en español, por favor llámé el Centro De Información Público al (402) 731-3045

Black & Veatch Special Projects Corp. (BVSPC) is under contract with the U.S. Environmental Protection Agency (EPA) to assist in the determination of levels of lead and other metals in surface soils within the Omaha, Nebraska, area. Your cooperation is requested in giving BVSPC/EPA permission to access your property for the purpose of surface soil sampling and analysis in support of this study. If soil sampling indicates that the soil contains lead levels sufficiently high for the property to be eligible for cleanup, property owner grants BVSPC/EPA permission to perform a lead based paint (LBP) assessment on the exterior walls of structures located on the property. Permission to perform sampling and/or LBP assessment must be obtained from the property owner. Contact the local EPA Public Information Center at (402) 731-3045 for further information.

Printed Name of Property Owner Granting Access: \_\_\_\_\_  
*(Property Owner's Printed Name)*

\_\_\_\_\_  
*(Property Owner's Signature)*

\_\_\_\_\_  
*(Date)*

NOTE: Sampling may not be scheduled or conducted immediately upon granting access.

**PROPERTY INFORMATION**

*(To be completed by resident and/or property owner - Please Print)*

Property Address: \_\_\_\_\_  
*(CITY) (STATE) (ZIP)*

Property Owner's Name: \_\_\_\_\_

Resident's Name (If not Owner): \_\_\_\_\_

Owner's Mailing Address: \_\_\_\_\_

Owner's Telephone Number - Home: \_\_\_\_\_ Alternate: \_\_\_\_\_

Are there children under 7 years old living at this property?  Yes  No  N/A  Unknown

If yes, what is the date of birth of the youngest child? \_\_\_\_\_

Comments: \_\_\_\_\_

AUTHORITY FOR ENVIRONMENTAL RESPONSE ACTIONS

The activities to be implemented by EPA under this agreement are pursuant to Section 104 of CERCLA, 42 U.S.C. 9604. EPA's right of access to the property in Section 104(e) of CERCLA, 42 U.S.C. 9604(e) provides entry for "determining the need for response, or choosing or taking any response action under this title, or otherwise enforcing the provisions of this title."



## Omaha Lead Site Site Sketch

Exterior Paint

- Good
- Poor
- Not paint


North Arrow

**Sampling Address:** \_\_\_\_\_

Sample Number	Lead Concentration	Sample Collected	LAB	Samples Collected
RYASCPXA-	F1 _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	Firm: _____ Date: _____ Time: _____
RYBSCPXA-	F2 _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	
RYCSCPXA-	B1 _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	Samples Analyzed XRF Unit: _____ Book: _____ Date: _____ Time: _____ Staff: _____
RYDSCPXA-	B2 _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	
RDZSCPXA-	DZ _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	
RGZSCPXA-	GZ _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	
RPZSCPXA-	PZ _____ ppm	<input type="checkbox"/>	<input type="checkbox"/>	
Number of Samples = <input style="width: 40px;" type="text"/> <input style="width: 40px;" type="text"/>				

Legend: F1 = Front Left, F2 = Front Right, B1 = Back Left, B2 = Back Right DZ = Drip Zone, GZ = Garden, PZ = Play

All quadrants are as viewed from the street, facing property



Appendix B.2  
2003 Dust Sampling Field Sheet



U.S. Environmental Protection Agency Region VII

Omaha Lead Site  
Omaha, NE

Interior Dust Samples  
Remedial Investigation/  
Feasibility Study

**PROPERTY ACCESS** (to be completed by property owner)

Para recibir esta forma en español, por favor llámé Debbie Kring al 1-800-223-0425

Black & Veatch Special Projects Corp. (BVSPC) is under contract with the U.S. Environmental Protection Agency (EPA) to assist in the determination of levels of lead and other metals in surface soils within the Omaha, Nebraska area. Your cooperation is requested in giving BVSPC/EPA permission to access your property for the purpose of surface soil sampling analysis in support of this study. For further information contact Don Bahnke, EPA Project Manager, 1-913-551-7003 or Debbie Kring at the Office of External Programs, 1-800-223-0425.

**Property Access Granted By**

(Please Print Name)

(property Owner Signature)

(date)

NOTE: Granting permission DOES NOT necessarily imply your property will sampled at this time.

**AUTHORITY FOR ENVIRONMENTAL RESPONSE ACTIONS**

The activities to be implemented by EPA under this agreement are pursuant to Section 104 of CERCLA, 42 U.S.C. 9604, for "determining the need for response, or choosing or taking any response action under this title, or otherwise enforcing the provisions of this title."

**SAMPLE INFORMATION**

(to be completed by sampler - Please Print)

Residence Address:

(CITY)

(STATE)

(ZIP)

Children live at the residence: Yes No List Ages:

Sampler: Date:

**Wipe Sample**

Room: Kitchen / Breakfast Living Room Play Room Other:  
Bedroom Dining Room Office Den / Great Room / Family Room

Area of Sample Collection: (inches<sup>2</sup>) Time of Collection:

Lead Loading: (ug/ft<sup>2</sup>) Lab Result:

**Vacuum Sample #1**

Room: Kitchen / Breakfast Living Room Play Room Other:  
Bedroom Dining Room Office Den / Great Room / Family Room

Area of Sample Collection: (inches<sup>2</sup>) Total Sample time: Time of Collection:

Type of Floor Sampled: Carpet Plush Level Loop  
(Check One) Rug (Check One) Shag Multi-level Other:

-OR-

Hard Surface: Tile Concrete  
(Check One) Wood Vinyl / Laminate Brick Other:

Access Attempts: Letter sent:

First:

Second:

Third:



Last Vacuumed:

Temperature:	Humidity:	Flow Rate:	Pressure Drop:
Tare weight (container before sample):	g	Pan tare weight (pan w/o sieved sample):	g
Final weight (container and sample):	g	Final weight (pan and sample):	g
Weight of total sample:	g	Weight of sieved dust sample (fine dust):	g
Lead Loading:	( $\mu\text{g}/\text{ft}^2$ )	Lead concentration:	( $\mu\text{g}/\text{ft}^2$ ) Lab Result:

**Vacuum Sample #2**

Room:	Kitchen / Breakfast Bedroom	Living Room Dining Room	Play Room Office	Other: Den / Great Room / Family Room
Area of Sample Collection:	(inches <sup>2</sup> )	Total Sample time:	Time of Collection:	
Type of Floor Sampled: (Check One)	Carpet Rug	(Check One)	Plush Shag	Level Loop Multi-level Other:
<b>-OR-</b>				
Hard Surface: (Check One)	Wood	Tile Vinyl / Laminate	Concrete Brick	Other:

Last Vacuumed:

Temperature:	Humidity:	Flow Rate:	Pressure Drop:
Tare weight (container before sample):	g	Pan tare weight (pan w/o sieved sample):	g
Final weight (container and sample):	g	Final weight (pan and sample):	g
Weight of total sample:	g	Weight of sieved dust sample (fine dust):	g
Lead Loading:	( $\mu\text{g}/\text{ft}^2$ )	Lead concentration:	( $\mu\text{g}/\text{ft}^2$ ) Lab Result:

**Vacuum Sample #3**

Room:	Kitchen / Breakfast Bedroom	Living Room Dining Room	Play Room Office	Other: Den / Great Room / Family Room
Area of Sample Collection:	(inches <sup>2</sup> )	Total Sample time:	Time of Collection:	
Type of Floor Sampled: (Check One)	Carpet Rug	(Check One)	Plush Shag	Level Loop Multi-level Other:
<b>-OR-</b>				
Hard Surface: (Check One)	Wood	Tile Vinyl / Laminate	Concrete Brick	Other:

Last Vacuumed:

Temperature:	Humidity:	Flow Rate:	Pressure Drop:
Tare weight (container before sample):	g	Pan tare weight (pan w/o sieved sample):	g
Final weight (container and sample):	g	Final weight (pan and sample):	g
Weight of total sample:	g	Weight of sieved dust sample (fine dust):	g
Lead Loading:	( $\mu\text{g}/\text{ft}^2$ )	Lead concentration:	( $\mu\text{g}/\text{ft}^2$ ) Lab Result:



Appendix B.3  
2007 Dust Sampling Field Sheet



U.S. Environmental Protection Agency Region VII

Omaha Lead Site  
Omaha, NE

Interior Dust Samples  
Remedial Investigation/  
OU2

**PROPERTY ACCESS** *(to be completed by property owner)*

Para recibir esta forma en español, por favor llámé el Centro De Información Público al 1-402-731-3045

Black & Veatch Special Projects Corp. (BVSPC) is under contract with the U.S. Environmental Protection Agency (EPA) to assist in the determination of levels of lead and other metals in surface soils within the Omaha, Nebraska, area. Your cooperation is requested in giving BVSPC/EPA permission to access your property for the purpose of collecting indoor dust, surface soil, and potable water samples in support of this study. Contact the local EPA Public Information Center at 1-402-731-3045 for further information.

**Printed Name of Person Granting Access:**

*(Property Owner's Printed Name)*

*(Property Owner's Signature)*

*(Date)*

NOTE: Granting permission DOES NOT necessarily imply your property will be sampled at this time.

**AUTHORITY FOR ENVIRONMENTAL RESPONSE ACTIONS**

The activities to be implemented by EPA under this agreement are pursuant to Section 104 of CERCLA, 42 U.S.C. 9604. EPA's right of access to the property in Section 104(e) of CERCLA, 42 U.S.C. 9604(e), which provides entry for, "determining the need for response, or choosing or taking any response action under this title, or otherwise enforcing the provisions of this title."

**SAMPLE INFORMATION**

*(to be completed by sampling crew)*

Property Address:

Children live at the residence: Yes No List Ages: (CITY) (STATE) (ZIP)  
Sampler: Date:

**Wipe Sample #1**

Floor Window Sill Window Trough

Room: Kitchen / Breakfast Living Room Play Room Other:  
Bedroom Dining Room Office Den / Great Room / Family Room

Areas of Sample Collection: Area 1: (inches<sup>2</sup>) Area 2: (inches<sup>2</sup>) Area 3: (inches<sup>2</sup>)

Total Area of Sample Collection: (inches<sup>2</sup>) Time of Collection:

Lead Loading: (µg/ft<sup>2</sup>) Lab Result:

**Wipe Sample #2**

Floor Window Sill Window Trough

Room: Kitchen / Breakfast Living Room Play Room Other:  
Bedroom Dining Room Office Den / Great Room / Family Room

Areas of Sample Collection: Area 1: (inches<sup>2</sup>) Area 2: (inches<sup>2</sup>) Area 3: (inches<sup>2</sup>)

Total Area of Sample Collection: (inches<sup>2</sup>) Time of Collection:

Lead Loading: (µg/ft<sup>2</sup>) Lab Result:

**Wipe Sample #3**

Floor Window Sill Window Trough

Room: Kitchen / Breakfast Living Room Play Room Other:  
Bedroom Dining Room Office Den / Great Room / Family Room

Areas of Sample Collection: Area 1: (inches<sup>2</sup>) Area 2: (inches<sup>2</sup>) Area 3: (inches<sup>2</sup>)

Total Area of Sample Collection: (inches<sup>2</sup>) Time of Collection:

Lead Loading: (µg/ft<sup>2</sup>) Lab Result:



**Vacuum Sample #1** Last Vacuumed:

Room: Kitchen / Breakfast Living Room Play Room Other:  
 Bedroom Dining Room Office Den / Great Room / Family Room

Area of Sample Collection: (inches<sup>2</sup>) Total Sample time: Time of Collection:

Type of Floor Sampled: Carpet Type of Carpet: Plush Level Loop  
 (Check One) Rug (Check One) Shag Multi-level Other:

-OR-

Hard Surface: Wood Tile Concrete  
 (Check One) Vinyl / Laminate Brick Other:

Temperature: Humidity: Flow Rate: Pressure Drop:

**Vacuum Sample #2** Last Vacuumed:

Kitchen / Breakfast Living Room Play Room Other:  
 Bedroom Dining Room Office Den / Great Room / Family Room

Area of Sample Collection: (inches<sup>2</sup>) Total Sample time: Time of Collection:

Type of Floor Sampled: Carpet Type of Carpet: Plush Level Loop  
 (Check One) Rug (Check One) Shag Multi-level Other:

-OR-

Hard Surface: Wood Tile Concrete  
 (Check One) Vinyl / Laminate Brick Other:

Temperature: Humidity: Flow Rate: Pressure Drop:

**Vacuum Sample #3** Last Vacuumed:

Kitchen / Breakfast Living Room Play Room Other:  
 Bedroom Dining Room Office Den / Great Room / Family Room

Area of Sample Collection: (inches<sup>2</sup>) Total Sample time: Time of Collection:

Type of Floor Sampled: Carpet Type of Carpet: Plush Level Loop  
 (Check One) Rug (Check One) Shag Multi-level Other:

-OR-

Hard Surface: Wood Tile Concrete  
 (Check One) Vinyl / Laminate Brick Other:

Temperature: Humidity: Flow Rate: Pressure Drop:

**Composite Vacuum Sample Summary** Total Area of Sample Collection: (inches<sup>2</sup>)

Tare weight (container before sample): (g) Pan tare weight (pan w/o sieved sample): (g)

Final weight (container and sample): (g) Final weight (pan and sample): (g)

Weight of total sample: (g) Weight of sieved dust sample (fine dust): (g)

Lead Loading: (µg/ft<sup>2</sup>) Lead concentration: (µg/g) Lab Result:



Appendix B.4  
Lead-Based Paint Assessment Field Sheet



U.S. Environmental Protection Agency Region VII

Omaha Lead Site  
Omaha, NE

Access Agreement to Perform  
Lead - Based Paint Assessments

**PROPERTY ACCESS** (To Be Completed By Property Owner)

Para recibir esta forma en español, por favor llámé el Centro De Información Público al 1-402-731-3045

Black & Veatch Special Projects Corp. (BVSPC) is under contract to the U.S. Environmental Protection Agency (EPA) to assist in the determination of exterior paint condition and lead content at residential properties within the Omaha, Nebraska area. Your cooperation is requested in giving EPA and EPA contractors permission to access your property for the purpose of performing a lead-based paint assessment for structures located on your property. Access to perform the lead-based paint assessment must be obtained from the property owner. For further information contact the local EPA Public Information Center, at 402-731-3045.

**Printed Name of Property Owner Granting Access:**

(Please Print Name)

(Property Owner's Signature)

(Date)

NOTE: The Lead Based Paint assessment may not be scheduled or conducted immediately upon granting access.

**PROPERTY INFORMATION**

(To Be Completed By Resident and/or Property Owner - Please Print)

Property Address:

(CITY)

(STATE)

(ZIP)

Property Owner's Name:

Resident's Name (If Not Owner):

Owner's Mailing Address:

Owner's Telephone Number - Home:

Alternate:

Are there children under 7 years old living at this property?    Yes    No    N/A    Unknown

If yes, what is the date of birth of the youngest child:

**AUTHORITY FOR ENVIRONMENTAL RESPONSE ACTIONS**

The activities to be implemented by EPA under this agreement are pursuant to Section 104 of CERCLA, 42 U.S.C. 9604. EPA's right of access to the property in Section 104(e) of CERCLA, 42 U.S.C. 9604(e) provides entry for, "determining the need for response, or choosing or taking any response action under this title, or otherwise enforcing the provisions of this title."

(To Be Completed by EPA)

General Description of Exterior Materials:

(Type of Siding and Approximate % of Exterior Painted)

Description of Conditions Which Could Contribute To Paint Deterioration:





Address:

Phone: H:

ALT:

**Omaha Lead Site  
Site Sketch  
LBP Assessment**

North Arrow

**Plan View - Indicate number of stories and perimeter dimensions of structure**

**Indicate regions of deterioration and describe**

(Deterioration could include surfaces that are worn due to friction, checking, cracking and flaking, alligating, blistering and/or peeling)

**Omaha Lead Site  
LBP Assessment**

North Arrow

**Address:**

**Phone:** H:

ALT:

Additional Notes

Appendix B.5  
Drip Zone Width Study Field Sheet

# Omaha Lead Site Drip Zone Study

BVID: \_\_\_\_\_

In Situ Samples Analyzed	Ex Situ Samples Analyzed	Lab Samples Analyzed
XRF Unit: _____ Book: _____ Date: _____ Time: _____ Staff: _____	XRF Unit: _____ Book: _____ Date: _____ Time: _____ Staff: _____	ASR: _____ Date: _____ Samples: _____ _____

Overhang: _____					Overhang: _____			
Sample Number	In Situ Lead Concentration	Ex Situ Lead Concentration	LAB		Sample Number	In Situ Lead Concentration	Ex Situ Lead Concentration	LAB
DZ 01- -	_____	_____	<input type="checkbox"/>	0	DZ 01- -	_____	_____	<input type="checkbox"/>
DZ 02- -	_____	_____	<input type="checkbox"/>	6	DZ 02- -	_____	_____	<input type="checkbox"/>
DZ 03- -	_____	_____	<input type="checkbox"/>	12	DZ 03- -	_____	_____	<input type="checkbox"/>
DZ 04- -	_____	_____	<input type="checkbox"/>	18	DZ 04- -	_____	_____	<input type="checkbox"/>
DZ 05- -	_____	_____	<input type="checkbox"/>	24	DZ 05- -	_____	_____	<input type="checkbox"/>
DZ 06- -	_____	_____	<input type="checkbox"/>	30	DZ 06- -	_____	_____	<input type="checkbox"/>
DZ 07- -	_____	_____	<input type="checkbox"/>	36	DZ 07- -	_____	_____	<input type="checkbox"/>
DZ 08- -	_____	_____	<input type="checkbox"/>	42	DZ 08- -	_____	_____	<input type="checkbox"/>
DZ 09- -	_____	_____	<input type="checkbox"/>	48	DZ 09- -	_____	_____	<input type="checkbox"/>
DZ 10- -	_____	_____	<input type="checkbox"/>	54	DZ 10- -	_____	_____	<input type="checkbox"/>
DZ 11- -	_____	_____	<input type="checkbox"/>	60	DZ 11- -	_____	_____	<input type="checkbox"/>
DZ 12- -	_____	_____	<input type="checkbox"/>	66	DZ 12- -	_____	_____	<input type="checkbox"/>
DZ 13- -	_____	_____	<input type="checkbox"/>	72	DZ 13- -	_____	_____	<input type="checkbox"/>
DZ 14- -	_____	_____	<input type="checkbox"/>	78	DZ 14- -	_____	_____	<input type="checkbox"/>
DZ 15- -	_____	_____	<input type="checkbox"/>	84	DZ 15- -	_____	_____	<input type="checkbox"/>
DZ 16- -	_____	_____	<input type="checkbox"/>	90	DZ 16- -	_____	_____	<input type="checkbox"/>
DZ 17- -	_____	_____	<input type="checkbox"/>	96	DZ 17- -	_____	_____	<input type="checkbox"/>
DZ 18- -	_____	_____	<input type="checkbox"/>	102	DZ 18- -	_____	_____	<input type="checkbox"/>
DZ 19- -	_____	_____	<input type="checkbox"/>	108	DZ 19- -	_____	_____	<input type="checkbox"/>
DZ 20- -	_____	_____	<input type="checkbox"/>	114	DZ 20- -	_____	_____	<input type="checkbox"/>
				120				

# of Samples:

# of Samples:

BVID: \_\_\_\_\_

Owner Name: \_\_\_\_\_

**Omaha Lead Site  
Site Sketch**

Address: \_\_\_\_\_

Phone: H: \_\_\_\_\_ W: \_\_\_\_\_

Exterior Paint

Good


Poor

Not paint

North Arrow

Record the following information:

- a. Site grading and drainage (positive, away from structure or negative).
- b. Number of stories, roof overhang (measured if possible) and distance from ground to soffit;
- c. Presence of gutters, location of downspouts and drainage swales;
- d. Exterior finish (paint, vinyl siding, brick).
- e. DZ features such as presence of vegetation, mulch, bare ground, visible paint chips, etc.
- f. DZ sample ladder locations and wall orientation (N, S, E, W)
- g. Digital photos will be taken at each sampling location. Additional photos may be taken.



Appendix B.6  
LBP Recontamination Study Field Sheet



99999



U.S. Environmental Protection Agency Region VII

Omaha Lead Site  
Omaha, NE

Residential Yard Soils  
Remedial Design  
DZ Recontamination Study

**PROPERTY ACCESS** (To Be Completed By Property Owner)

Para recibir esta forma en español, por favor llámé el Centro De Información Público al 1-402-731-3045

Black & Veatch Special Projects Corp. (BVSPC) is under contract to the U.S. Environmental Protection Agency (EPA) to assist in the determination of exterior paint condition and lead content in drip zones at remediated properties within the Omaha, Nebraska area. Your cooperation is requested in giving BVSPC/EPA permission to access your property for the purpose of collecting soil samples to determine the potential for elevated soil lead levels to develop in the drip zone area of homes due to deteriorating lead based paint. For further information contact the local EPA Public Information Center, at 402-731-3045.

Printed Name of Person Granting Access: \_\_\_\_\_  
(Please Print Name)

\_\_\_\_\_  
(Property Owner's Signature)

\_\_\_\_\_  
(Date)

NOTE: Granting permission DOES NOT necessarily imply your property will be assessed at this time.

**PROPERTY INFORMATION**

(To Be Completed By Resident and/or Property Owner - Please Print)

Resident's Name: \_\_\_\_\_ Owner Occupied?  Yes  No

Resident's Address: 123 Example St. \_\_\_\_\_ OMAHA NE 68110  
(CITY) (STATE) (ZIP)

Owner's Name: \_\_\_\_\_

Owner's Address: \_\_\_\_\_

Owner's Telephone Number - Home: \_\_\_\_\_ Alternate: \_\_\_\_\_

Age of Home: \_\_\_\_\_ years Paint Condition:  < 10 ft<sup>2</sup> Deteriorated  ≥ 10 ft<sup>2</sup> Deteriorated

General Description of Exterior Materials:  
(Type of Siding and Approximate % of Exterior Painted) \_\_\_\_\_

Description of Conditions Which Could Contribute To Paint Deterioration: \_\_\_\_\_

**AUTHORITY FOR ENVIRONMENTAL RESPONSE ACTIONS**

The activities to be implemented by EPA under this agreement are pursuant to Section 104 of CERCLA, 42 U.S.C. 9604, for "determining the need for response, or choosing or taking any response action under this title, or otherwise enforcing the provisions of this title."

Access Attempts:

First: \_\_\_\_\_ Second: \_\_\_\_\_ Third: \_\_\_\_\_





In Situ Samples Analyzed	Ex Situ Samples Analyzed	Lab Samples Analyzed
XRF Unit: _____ Book: _____	XRF Unit: _____ Book: _____	ASR: _____ Date: _____
Date: _____ Time: _____	Date: _____ Time: _____	Samples: _____
Staff: _____	Staff: _____	_____

Overhang: _____				Overhang: _____			
Sample Number	In Situ Lead Concentration	Ex Situ Lead Concentration	LAB	Sample Number	In Situ Lead Concentration	Ex Situ Lead Concentration	LAB
RDZ01- -99999	_____	_____	<input type="checkbox"/>	RDZ01- -99999	_____	_____	<input type="checkbox"/>
RDZ02- -99999	_____	_____	<input type="checkbox"/>	RDZ02- -99999	_____	_____	<input type="checkbox"/>
RDZ03- -99999	_____	_____	<input type="checkbox"/>	RDZ03- -99999	_____	_____	<input type="checkbox"/>
RDZ04- -99999	_____	_____	<input type="checkbox"/>	RDZ04- -99999	_____	_____	<input type="checkbox"/>
RDZ05- -99999	_____	_____	<input type="checkbox"/>	RDZ05- -99999	_____	_____	<input type="checkbox"/>
RDZ06- -99999	_____	_____	<input type="checkbox"/>	RDZ06- -99999	_____	_____	<input type="checkbox"/>
RDZ07- -99999	_____	_____	<input type="checkbox"/>	RDZ07- -99999	_____	_____	<input type="checkbox"/>
RDZ08- -99999	_____	_____	<input type="checkbox"/>	RDZ08- -99999	_____	_____	<input type="checkbox"/>
RDZ09- -99999	_____	_____	<input type="checkbox"/>	RDZ09- -99999	_____	_____	<input type="checkbox"/>
RDZ10- -99999	_____	_____	<input type="checkbox"/>	RDZ10- -99999	_____	_____	<input type="checkbox"/>
RDZ11- -99999	_____	_____	<input type="checkbox"/>	RDZ11- -99999	_____	_____	<input type="checkbox"/>
RDZ12- -99999	_____	_____	<input type="checkbox"/>	RDZ12- -99999	_____	_____	<input type="checkbox"/>
RDZ13- -99999	_____	_____	<input type="checkbox"/>	RDZ13- -99999	_____	_____	<input type="checkbox"/>
RDZ14- -99999	_____	_____	<input type="checkbox"/>	RDZ14- -99999	_____	_____	<input type="checkbox"/>
RDZ15- -99999	_____	_____	<input type="checkbox"/>	RDZ15- -99999	_____	_____	<input type="checkbox"/>
RDZ16- -99999	_____	_____	<input type="checkbox"/>	RDZ16- -99999	_____	_____	<input type="checkbox"/>
RDZ17- -99999	_____	_____	<input type="checkbox"/>	RDZ17- -99999	_____	_____	<input type="checkbox"/>
RDZ18- -99999	_____	_____	<input type="checkbox"/>	RDZ18- -99999	_____	_____	<input type="checkbox"/>
RDZ19- -99999	_____	_____	<input type="checkbox"/>	RDZ19- -99999	_____	_____	<input type="checkbox"/>
RDZ20- -99999	_____	_____	<input type="checkbox"/>	RDZ20- -99999	_____	_____	<input type="checkbox"/>

# of Samples: <input style="width:40px;" type="text"/> <input style="width:40px;" type="text"/> <input style="width:40px;" type="text"/>	# of Samples: <input style="width:40px;" type="text"/> <input style="width:40px;" type="text"/> <input style="width:40px;" type="text"/>
--	--



99999

<p><b>Sampled Address:</b> <u>123 Example St.</u></p> <p><b>Phone:</b> _____</p>	<p><b>Omaha Lead Site Site Sketch</b></p>	<p><b>Exterior Paint</b></p> <p><input type="checkbox"/> Good</p> <p><input type="checkbox"/> Poor</p> <p><input type="checkbox"/> Not paint</p>	<p><b>North Arrow</b></p>
--	---	--	---------------------------

- a. Site grading and drainage (positive [away from structure] or negative).
- b. Number of stories, roof overhang (measured if possible) and distance from ground to soffit.
- c. Presence of gutters, location of downspouts and drainage swales.
- d. Exterior finish.
- e. Paint condition and XRF results.
- f. DZ features such as presence of vegetation, mulch, bare ground, visible paint chips, etc.
- g. DZ sample locations and wall orientation (N, S, E, W).
- h. Digital photos will be taken at each DZ sampling location. Additional photos may be taken.
- i. Other observations that could impact the potential for elevated soil lead concentrations in drip zones to develop.

A large grid area for drawing a site sketch, consisting of a 15x15 grid of squares defined by dashed lines.