

WYOMING ANNUAL COMPLIANCE REPORT FOR CALENDAR YEAR 2013

I. Introduction

Section 1414(c)(3)(A)(1) of the amended Safe Drinking Water Act (SDWA) requires the U.S. Environmental Protection Agency (EPA) to prepare and make available to the public an annual report on violations of the National Primary Drinking Water Regulations by public water systems (PWSs) in the State of Wyoming each year. This report includes violations pertaining to: 1) maximum contaminant levels, 2) maximum residual disinfectant levels, 3) treatment requirements, 4) monitoring requirements determined to be significant by the Administrator, and 5) significant consumer confidence report requirements.

EPA Region 8 has primary enforcement authority in the State of Wyoming and thus prepared this annual compliance report. This report is intended to summarize and identify PWSs in the State of Wyoming that have been identified as having violations in categories 1- 5 above during the calendar year 2013. The source of the information contained in this report is EPA's SDWIS-Fed database.

II. The Drinking Water Program: An Overview

The EPA established the Public Water System Supervision (PWSS) Program under the authority of the 1974 Safe Drinking Water Act (SDWA). Under the SDWA and the 1986 Amendments, EPA sets national limits on contaminant levels in drinking water to ensure that the water is safe for human consumption. These limits are known as Maximum Contaminant Levels (MCLs) and Maximum Residual Disinfectant Levels (MRDLs). For some regulations, EPA establishes treatment techniques (TT) in lieu of an MCL to control unacceptable levels of contaminants in water. For example, treatment techniques have been established for viruses, some bacteria, and turbidity. The Agency also regulates how often public water systems monitor their water for contaminants and report the monitoring results to the states or EPA. Generally, the larger the population served by the water system, the more frequent the monitoring and reporting (M/R) requirements. In addition, EPA requires PWSs to monitor for unregulated contaminants to provide data for future regulatory development. Finally, EPA requires PWSs to notify their consumers when they have violated these regulations. The 1996 Amendments to the SDWA require consumer notification to include a clear and understandable explanation of the nature of the violation, its potential adverse health effects, steps that the PWS is undertaking to correct the violation and the possibility of alternative water supplies during the violation. The SDWA applies to the 50 states, the District of Columbia, Indian Lands, Puerto Rico, the Virgin Islands, American Samoa, Guam, and the Commonwealth of the Northern Mariana Islands.

The SDWA allows states and territories to seek EPA approval to administer their own PWSS Programs. The authority to run a PWSS Program is called primacy. For a state to receive primacy, EPA must determine that the state meets certain requirements laid out in the SDWA and the regulations, including the adoption of drinking water regulations that are at least as stringent as the Federal regulations and a demonstration that they can enforce the program requirements. Of the 56 states and territories, all but Wyoming and the District

of Columbia have primacy. The EPA Regional Offices administer the PWSS Programs within these two jurisdictions.

III. Public Water System

A Public Water System (PWS) is defined as a system that provides water via piping or other constructed conveyances for human consumption to at least 15 service connections or serves an average of at least 25 people for at least 60 days each year. There are three types of PWSs. PWSs can be community (such as towns), nontransient noncommunity (such as schools or factories on independent water sources), or transient noncommunity systems (such as rest stops or parks). For this report, the use of the acronym "PWS" means systems of all types unless specified in greater detail.

IV. Variances and Exemptions

During calendar year 2013, EPA Region 8 did not allow variances or exemptions for Wyoming public water systems.

V. Monitoring

A PWS is required to monitor and verify that the levels of contaminants present in the water do not exceed the MCL. If a PWS fails to have its water tested as required or fails to report test results correctly to the primacy agency, a monitoring violation occurs. For this report, significant monitoring violations are generally defined as any significant monitoring violation that occurred during the calendar year of the report. A significant monitoring violation, with rare exception, occurs when no samples were taken or no results were reported during a compliance period.

VI. Consumer Notification

Every Community Water System is required to deliver to its customers an annual Consumer Confidence Report. This report is to include some educational material, and will provide information on the source water, the levels of any detected contaminants, and compliance with drinking water regulations. For this report, a significant consumer notification violation occurred if a community water system completely failed to provide its customers the required annual report.

VII. Obtaining a Copy of the 2013 Public Water Systems Report

As required by the Safe Drinking Water Act, EPA Region 8 has made the 2013 Public Water Systems report available to the public for the State of Wyoming. Interested individuals can obtain a copy of the 2013 Annual Public Water Systems Report for the State of Wyoming by accessing:

Website: <http://www2.epa.gov/region8/wyoming-drinking-water-program>

Telephone: 303-312-6312 or 800-227-8917

E-Mail: r8eisc@epa.gov

Contact Name: EPA Region 8's Environmental Information Service Center

VIII. Violations Tables

The seven appendices in this report contain information on the State of Wyoming's water systems with significant violations in 2013.

The appendices are sorted by: 1) rule and 2) facility name.

- Appendix A - Monitoring and reporting violations for the Total Coliform Rule (TCR)
- Appendix B - Total Coliform Rule maximum contaminant level (MCL) violations
- Appendix C - Surface Water Treatment Rule (SWTR) violations
- Appendix D - Disinfection Byproducts Rule (DBP) violations
- Appendix E - Chemical contaminants (inorganic contaminants or IOC's, volatile organic contaminants or VOC's, synthetic organic contaminants or SOC's, nitrate or NO₃, and radiological contaminants or Rads) violations
- Appendix F - Lead and Copper Rule (LCR) violations
- Appendix G - Ground Water Rule (GWR) violations
- Appendix H - Consumer Confidence Report (CCR) violations

IX. Findings and Conclusions

Bacteriological Contaminants

- There were a total of 74 major monitoring/reporting violations of the Total Coliform Rule (TCR) by 50 public water systems out of a total of approximately 802 public water systems in the State of Wyoming (see Appendix A).
- There were a total of 44 monthly maximum contaminant level (MCL) violations of the Total Coliform Rule by 33 public water systems. There was also 1 acute maximum contaminant level (MCL) violation of the Total Coliform Rule at 1 public water system (see Appendix B).

Surface Water Treatment Rules

- There were 5 treatment technique violations of the Surface Water Treatment Rule (SWTR) by 5 public water systems (see Appendix C).
- There were 2 major monitoring/reporting violations of the Surface Water Treatment Rule by 2 systems and 2 minor monitoring/reporting violations by 2 systems (see Appendix C).

Disinfection Byproducts

- There were 8 monitoring/reporting violations for disinfection byproducts (DBP) by 7 public water systems (see Appendix D).

Chemical Contaminants (IOC's, VOC's, SOC's, NO₃, and Rads)

- There were 43 monitoring/reporting violations for chemical contaminants (IOC's, VOC's, SOC's, NO₃, and Rads) by 36 public water systems (see Appendix E). Twenty nine of these monitoring/reporting violations were for nitrate.

- There were 12 maximum contaminant level violations by 6 water systems (see Appendix E).

Lead and Copper Rule

- There were 2 monitoring/reporting violations for the lead and copper rule (LCR) by 2 public water systems (see Appendix F).

Ground Water Rule

- There were 10 monitoring/reporting violations for the Ground Water Rule (GWR) by 10 public water systems (see Appendix G).
- There were 6 treatment technique violations for the GWR by 4 public water systems (see Appendix G).

Consumer Confidence Report

- There were 6 public water systems that failed to submit their Consumer Confidence Reports (CCR) for calendar year 2012 during 2013 (see Appendix H).

X. 2013 Annual Compliance Report Summary

- A total of 215 SDWA major rule violations were committed by 141 public water systems in the State of Wyoming, during calendar year 2013.

2013 SDWA VIOLATIONS SUMMARY TABLE		
Rule	Violation	Number of Violations
Total Coliform Rule (TCR)	Failure to Monitor or Report (M/R)	74
	Max Contaminant Level (MCL)	44
	Acute Max Contaminant Level	1
Surface Water Treatment Rule (SWTR)	M/R SWTR	4
	Treatment Technique	5
	Failure to address significant deficiencies	0
Disinfection Byproducts Rule (DBP)	Maximum Residual Disinfectant Level	0
	M/R DBP	8
	Max Contaminant Level	0
Chemicals (VOCs, SOCs, IOCs, Nitrate, and Radionuclides)	Failure to Monitor or Report (M/R)	43
	MCL	12
Lead and Copper Rule (LCR)	Follow up or Routine Tap M/R	2
	Initial Tap Sampling	0
Ground Water Rule	Treatment Technique	6
	Failure to Monitor or Report (M/R)	10
Consumer Confidence Report (CCR)	Failure to Report	6
Total Number of PWS Rule Violations		215
Total number of PWSs with violations		141

WYOMING 2013 COMPLIANCE REPORT

Violation Category	MCL		Acute MCL		Treatment Techniques		Significant Monitoring/Reporting		Maximum Residual Disinfectant Level	
	Total Violations	Systems in Violation	Total Violations	Systems in Violation	Total Violations	Systems in Violation	Total Violations	Systems in Violation	Total Violations	Systems in Violation
Total Coliform Rule	44	33	1	1			74	50		
Surface Water Treatment Rule					5	5	4	4		
Disinfection Byproduct Rule							8	7		
Chemical Contaminant Group	12	6					43	36		
Lead and Copper Rule							2	2		
Ground Water Rule					6	4	10	10		
Consumer Confidence Report							6	6		

XI. General Information on the Inventory of Public Water Systems in the State of Wyoming

There were 802 public water systems in the State of Wyoming in 2013.

- The numbers, sizes, and types of public water systems in the State of Wyoming in the calendar year 2013 are as follows:

	<3,300	3,301 - 50,000	>50,000
Community	295	21	2
Non-Community	384	2	0
NTNC	98	0	0

- The percentage of public water systems that are of each size and type in the State of Wyoming in the calendar year 2013 are as follows:

	<3,300	3,301 - 50,000	>50,000
Percentage (%)	96.9	2.9	0.2

	Community	Non-Community	NTNC
Percentage (%)	39.7	48.1	12.2

- The total number of customers served by public water systems in the State of Wyoming in the calendar year 2013 was 556,258.
- The sources of the State of Wyoming drinking water are surface water, ground water, ground water under the influence of surface water, purchased surface water, and purchased ground water.
- 82.4% of the public water systems in the State of Wyoming in the calendar year 2013 were in compliance for federal drinking water regulations.

APPENDIX A

**CALENDAR YEAR 2013
TCR MONITORING AND REPORTING VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation
WY5601659	ALCO STORE #415	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601658	ALL SEASONS RV PARK	TCR	6/30/2013	Monitoring, Repeat Major (TCR)
WY5601654	ARCTIC OILFIELD SERVICES	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601634	BRIDGER COAL COMPANY-ADMIN	TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	10/31/2013	Monitoring, Routine Major (TCR)
WY5680258	BRIDGER-TETON NF BIG PINEY ADMIN SITE	TCR	6/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5680211	BRIDGER-TETON NF BUFFALO WORK	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5601477	BRYAN'S PLACE	TCR	3/31/2013	Monitoring, Routine Major (TCR)
		TCR	6/30/2013	Monitoring, Routine Major (TCR)
		TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5601611	BUCKINGHORSE STEAK HOUSE AND LOUNGE	TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600435	BUFFALO VALLEY WATER DISTRICT	TCR	10/31/2013	Monitoring, Routine Major (TCR)
WY5601462	BURLINGTON RESOURCES	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600896	CAMP CREEK INN	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5600091	CLEARVIEW IMPROVEMENT SERVICE	TCR	2/28/2013	Monitoring, Routine Major (TCR)
		TCR	3/31/2013	Monitoring, Routine Major (TCR)
		TCR	8/31/2013	Monitoring, Routine Major (TCR)
		TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601484	ELK VIEW INN	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600547	GOOSE EGG INN	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600186	HARTVILLE, TOWN OF	TCR	2/28/2013	Monitoring, Routine Major (TCR)
		TCR	5/31/2013	Monitoring, Routine Major (TCR)
		TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600502	HEART SIX GUEST RANCH	TCR	9/30/2013	Monitoring, Routine Major (TCR)

WY5601532	HOBACK STORES	TCR	3/31/2013	Monitoring, Routine Major (TCR)
		TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601600	HR CAMP FOUNDATION	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600520	JACKSON HOLE CAMPGROUND	TCR	3/31/2013	Monitoring, Routine Major (TCR)
		TCR	6/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601496	JUBY'S MOBILE HOME PARK	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600373	KEYHOLE RESORT/MARINA	TCR	9/30/2013	Monitoring, Repeat Major (TCR)
WY5601577	KINNEAR STORE	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601558	KNAPP'S WYCOLO LODGE	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601494	LAKEVIEW IMPROVEMENT & SERVICE DISTRICT	TCR	8/31/2013	Monitoring, Routine Major (TCR)
WY5600741	LAZY L AND B RANCH	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5601175	LEWIS MOBILE HOME PARK	TCR	5/31/2013	Monitoring, Routine Major (TCR)
		TCR	6/30/2013	Monitoring, Routine Major (TCR)
		TCR	7/31/2013	Monitoring, Routine Major (TCR)
		TCR	8/31/2013	Monitoring, Routine Major (TCR)
WY5600031	LOVELL, TOWN OF	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5600223	MARBLETON, TOWN OF	TCR	7/31/2013	Monitoring, Routine Major (TCR)
WY5600979	MEDICINE LODGE ST HIST SITE	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5601105	MINERS GRUBSTAKE, LLC	TCR	3/31/2013	Monitoring, Routine Major (TCR)
WY5600221	MOUNTAIN VILLAGE PARK INCORPORATED	TCR	8/31/2013	Monitoring, Routine Major (TCR)
		TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600677	NATRONA COUNTY PARKS-ALCOVA	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600093	POINT OF ROCKS MERCANTILE	TCR	5/31/2013	Monitoring, Routine Major (TCR)
WY5601258	PUB PLACE	TCR	10/31/2013	Monitoring, Routine Major (TCR)
WY5601656	RIATA RANCH EVENT CENTER	TCR	6/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601135	ROBERTOS CAFE	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600096	ROCK SPRINGS/GREEN RIVER KOA	TCR	8/31/2013	Monitoring, Routine Major (TCR)
WY5680237	SHOSHONE NF BEARTOOTH LAKE CG	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5680236	SHOSHONE NF-FOX CREEK CG	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5601628	SLEEPING GIANT SKI AREA	TCR	3/31/2013	Monitoring, Routine Major (TCR)
WY5601525	STATELINE STATION	TCR	3/31/2013	Monitoring, Routine Major (TCR)

WY5601637	SUBLETTE COUNTY ROAD AND BRIDGE	TCR	9/30/2013	Monitoring, Routine Major (TCR)
WY5600749	SWEETWATER COUNTY AIRPORT	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600682	TETON RANGE RESORT	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601648	THE CANYON INN	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601587	THE STATION	TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600684	VIRGINIAN LODGE	TCR	6/30/2013	Monitoring, Routine Major (TCR)
WY5601492	WHITETAIL CREEK OUTFITTERS	TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5600307	WOODS LANDING RESORT	TCR	12/31/2013	Monitoring, Routine Major (TCR)
WY5601660	WYOMING MEDIUM CORRECTIONAL INSTITUTION	TCR	4/30/2013	Monitoring, Routine Major (TCR)
		TCR	5/31/2013	Monitoring, Routine Major (TCR)
		TCR	9/30/2013	Monitoring, Routine Major (TCR)
		TCR	11/30/2013	Monitoring, Routine Major (TCR)

APPENDIX B

**CALENDAR YEAR 2013
TCR MAXIMUM CONTAMINANT LEVEL (MCL) VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation Type
WY5601658	ALL SEASONS RV PARK	TCR	6/30/2013	MCL, Monthly (TCR)
WY5600266	AVALON MOBILE MANOR	TCR	7/31/2013	MCL, Monthly (TCR)
		TCR	8/31/2013	MCL, Monthly (TCR)
WY5600258	BALD MOUNTAIN TRAILER COURT	TCR	8/31/2013	MCL, Monthly (TCR)
WY5601019	BEAR RIVER REGIONAL JOINT POWERS	TCR	10/31/2013	MCL, Monthly (TCR)
WY5601193	BIG VALLEY & CROSSED ARROWS IMP DIST	TCR	6/30/2013	MCL, Monthly (TCR)
		TCR	7/31/2013	MCL, Monthly (TCR)
		TCR	9/30/2013	MCL, Monthly (TCR)
		TCR	10/31/2013	MCL, Monthly (TCR)
WY5680010	BLACK HILLS NF-COOK LAKE CG	TCR	9/30/2013	MCL, Monthly (TCR)
WY5600135	BLACK HILLS POWER, INC	TCR	3/31/2013	MCL, Monthly (TCR)
WY5680207	BRIDGER-TETON NF ATHERTON CR	TCR	9/30/2013	MCL, Monthly (TCR)
WY5601232	CENTENNIAL WATER AND SEWER	TCR	6/30/2013	MCL, Monthly (TCR)
WY5601450	COOPER SUB MOBILE HOME PARK	TCR	7/31/2013	MCL, Monthly (TCR)
		TCR	8/31/2013	MCL, Monthly (TCR)
WY5600111	EDEN SALOON	TCR	12/31/2013	MCL, Monthly (TCR)
WY5600017	EDGERTON, TOWN OF	TCR	8/31/2013	MCL, Monthly (TCR)
		TCR	9/30/2013	MCL, Monthly (TCR)
		TCR	10/31/2013	MCL, Monthly (TCR)
WY5600215	EVANS MOBILE HOME COURT	TCR	5/31/2013	MCL, Monthly (TCR)
		TCR	9/30/2013	MCL, Monthly (TCR)
WY5601099	EXXON MOBIL --LABARGE SW DIVISION	TCR	9/30/2013	MCL, Monthly (TCR)
WY5600774	GARDENS NORTH HOMEOWNERS ASSN	TCR	10/31/2013	MCL, Monthly (TCR)
WY5600020	GRANGER, TOWN OF	TCR	10/31/2013	MCL, Monthly (TCR)

WY5601397	GREATER SMOOT W&S DISTRICT	TCR	8/31/2013	MCL, Monthly (TCR)
		TCR	9/30/2013	MCL, Monthly (TCR)
WY5680177	GUERNSEY ST PARK HEADQUARTERS	TCR	9/30/2013	MCL, Monthly (TCR)
WY5600026	HULETT, TOWN OF	TCR	7/31/2013	MCL, Monthly (TCR)
WY5600740	LITTLE BEAR INN	TCR	7/31/2013	MCL, Monthly (TCR)
WY5600903	NORA'S FISH CREEK INN	TCR	6/30/2013	MCL, Monthly (TCR)
WY5600191	PINE HAVEN, TOWN OF	TCR	7/31/2013	MCL, Monthly (TCR)
WY5600093	POINT OF ROCKS MERCANTILE	TCR	6/30/2013	MCL, Monthly (TCR)
WY5600052	SHERIDAN, CITY OF	TCR	12/31/2013	MCL, Monthly (TCR)
WY5600055	SUNDANCE, CITY OF	TCR	8/31/2013	MCL, Monthly (TCR)
		TCR	9/30/2013	MCL, Monthly (TCR)
WY5600078	SUNSET GRILL	TCR	6/30/2013	MCL, Monthly (TCR)
WY5600159	THAYNE, TOWN OF	TCR	7/31/2013	MCL, Monthly (TCR)
WY5600785	THE DEN	TCR	9/30/2013	MCL, Monthly (TCR)
WY5600793	TRAVEL CENTERS OF AMERICA/FT. BRIDGER	TCR	11/30/2013	MCL, Monthly (TCR)
		TCR	12/31/2013	MCL, Monthly (TCR)
WY5600993	US NAVAL RES#3-DEPT OF ENERGY	TCR	6/30/2013	MCL, Acute (TCR)
WY5601042	WY DOT-DIVERSION DAM RA	TCR	12/31/2013	MCL, Monthly (TCR)
WY5600921	WY DOT-MERIDEN REST AREA	TCR	3/31/2013	MCL, Monthly (TCR)
WY5600825	WY DOT-WAGONHOUND REST AREA	TCR	3/31/2013	MCL, Monthly (TCR)
WY5680079	YELLOWSTONE NP LAKE VILLAGE	TCR	8/31/2013	MCL, Monthly (TCR)

APPENDIX C

**CALENDAR YEAR 2013
SWTR VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation Type
WY5600685	CAMP WYOBA AND LIONS CLUB	SWTR	6/30/2013	Monitoring, Turbidity Major (LT1 ESWTR)
WY5600636	TATA CHEMICALS (SODA ASH) PARTNERS	SWTR	7/31/2013	Treatment Technique
WY5600685	CAMP WYOBA AND LIONS CLUB	SWTR	7/31/2013	Monitoring, Turbidity Major (LT1 ESWTR)
WY5600009	CENTRAL WY REG WATER SYS JPB	SWTR	9/30/2013	Monitoring of Treatment Minor (SWTR-Filter)
WY5600041	PINEDALE MUNICIPAL WATER SYSTEM	SWTR	10/31/2013	Treatment Technique
		SWTR	10/31/2013	Monitoring of Treatment Minor (SWTR-Filter)
WY5600291	DAVE JOHNSTON POWER PLANT	SWTR	10/31/2013	Single Turbidity Exceed (LT1 ESWTR)
WY5600724	TETON SHADOWS HOME OWNERS ASSN	SWTR	-	Failure to Filter (SWTR)
WY5600443	CROSSED SABRES GUEST RANCH	SWTR	-	Failure to Filter (SWTR)

APPENDIX D

**CALENDAR YEAR 2013
DBP MONITORING AND REPORTING, MRDL AND MCL VIOLATIONS
STATE OF WYOMING
APPENDIX E**

PWS ID	Facility Name	Rule	Violation End Date	Violation Type
WY5600029	LARAMIE, CITY OF	DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5601619	WEST WINDS	DBP	3/31/2013	Monitoring and Reporting (DBP)
		DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5601608	DESERT TRAILS MHC	DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5600091	CLEARVIEW IMPROVEMENT SERVICE	DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5601173	PIONEER MOBILE HOME PARK	DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5600176	LANDER, CITY OF	DBP	12/31/2013	Monitoring and Reporting (DBP)
WY5601176	SKYLINE VILLAGE MOBILE HOME PK	DBP	12/31/2013	Monitoring and Reporting (DBP)

APPENDIX E

CALENDAR YEAR 2013 CHEMICAL (Nitrates, IOC'S, SOC'S, VOC'S, and Radionuclides) MONITORING AND REPORTING AND MCL VIOLATIONS STATE OF WYOMING

PWS ID	PWS Name	Rule	Violation End Date	Violation Type
WY5600179	A & J MOBILE HOME PARK	NO3	12/31/2013	Monitoring, Regular
WY5600983	ABSAROKA RANCH	NO3	12/31/2013	Monitoring, Regular
WY5600002	AFTON, BOARD OF PUB UTIL	VOC	12/31/2013	Monitoring, Regular
WY5600189	ALBIN, TOWN OF	NO3	12/31/2013	Monitoring, Regular
WY5601081	BROKEN ARROW RANCH	NO3	12/31/2013	Monitoring, Regular
WY5601611	BUCKINGHORSE STEAK HOUSE AND LOUNGE	NO3	12/31/2013	Monitoring, Regular
WY5600188	BURNS BD. OF PUBLIC UTILITIES	Rads	12/31/2013	MCL, Single Sample
WY5601570	COUNTRY BURGERS	NO3	12/31/2013	Monitoring, Regular
WY5601661	DENBURY ONSHORE OFFICE/HOUSING	SOC	6/30/2013	Monitoring, Regular
WY5600021	EVERGREEN PARK LLC.	Rads	12/31/2013	Monitoring, Regular
WY5600112	FARSON MHC	IOC	12/31/2013	Monitoring, Regular
		VOC	12/31/2013	Monitoring, Regular
WY5600185	FORT LARAMIE, TOWN OF	Rads	12/31/2013	Monitoring, Regular
WY5600547	GOOSE EGG INN	NO3	12/31/2013	Monitoring, Regular
WY5601146	GRANITE CANYON QUARRY	NO3	12/31/2013	MCL, Average
WY5600160	GROVER WATER & SEWER DISTRICT	NO3	12/31/2013	Monitoring, Regular
WY5600263	HIDE-A-WAY MOBILE VILLAGE AND RV PARK	Rads	12/31/2013	Monitoring, Regular
WY5601532	HOBACK STORES	NO3	3/31/2013	Monitoring, Regular
		NO3	12/31/2013	Monitoring, Regular
WY5601441	HUDSON GAS, GRILL & GOODS	NO3	12/31/2013	Monitoring, Regular
WY5600209	HYATTVILLE SERVICE & IMPROVEMENT DIST	NO3	12/31/2013	Monitoring, Regular
		IOC	12/31/2013	Monitoring, Regular
		SOC	12/31/2013	Monitoring, Regular
		VOC	12/31/2013	Monitoring, Regular
WY5600520	JACKSON HOLE CAMPGROUND	NO3	12/31/2013	Monitoring, Regular
WY5601663	JOHNSON COUNTY MOOSE LODGE #2675	NO3	12/31/2013	Monitoring, Regular

WY5601518	LEMASTER ENTERPRISES	NO3	12/31/2013	Monitoring, Regular
		VOC	12/31/2013	Monitoring, Regular
WY5600032	LUSK, TOWN OF	Rads	12/31/2013	MCL, Average
WY5600110	MANVILLE, TOWN OF	Rads	3/31/2013	MCL, Average
		Rads	6/30/2013	MCL, Average
		Rads	9/30/2013	MCL, Average
		Rads	12/31/2013	MCL, Average
WY5600223	MARBLETON, TOWN OF	NO3	12/31/2013	Monitoring, Regular
WY5601327	MOUNTAIN CEMENT COMPANY	NO3	12/31/2013	Monitoring, Regular
WY5600552	PARKMAN BAR	NO3	12/31/2013	Monitoring, Regular
WY5600039	PAVILLION, TOWN OF	NO3	12/31/2013	Monitoring, Regular
WY5601500	POWER RESOURCES INC/SMITH RANCH	IOC	6/30/2013	MCL, Average
		IOC	9/30/2013	MCL, Average
		IOC	12/31/2013	MCL, Average
WY5601594	PROFESSIONAL CATERING SOLUTIONS	NO3	12/31/2013	Monitoring, Regular
WY5601501	RAZOR CITY SKATELAND	NO3	12/31/2013	Monitoring, Regular
WY5600377	ROBERTS TRAILER PARK	NO3	12/31/2013	Monitoring, Regular
WY5600300	SAND CREEK TRADING POST	NO3	12/31/2013	Monitoring, Regular
WY5601653	SIGMA-ALDRICH RTC	SOC	3/31/2013	Monitoring, Regular
		VOC	3/31/2013	Monitoring, Regular
WY5600832	SOUTHFORK ESTATES	Rads	3/31/2013	MCL, Average
		Rads	6/30/2013	MCL, Average
WY5601160	SWEETWATER CO.PIONEER TRAIL PK	NO3	12/31/2013	Monitoring, Regular
WY5601495	TREASURE MOUNTAIN SCOUT CAMP	NO3	12/31/2013	Monitoring, Regular
WY5601362	UNION PARK	NO3	12/31/2013	Monitoring, Regular
WY5601499	VALLEY VIEW MUTUAL WATER COMPANY	NO3	12/31/2013	Monitoring, Regular
WY5600861	WARM SPRINGS WATER DISTRICT	IOC	12/31/2013	Monitoring, Regular
WY5600779	WINCHESTER HILLS	Rads	12/31/2013	Monitoring, Regular
WY5601430	WY TRANS DEPT TORRINGTON	NO3	12/31/2013	Monitoring, Regular

APPENDIX F

**CALENDAR YEAR 2013
LEAD AND COPPER MONITORING AND REPORTING VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation
WY5600041	PINEDALE MUNICIPAL WATER SYSTEM	LCR	12/31/2013	Follow-up or routine tap M/R
WY5601653	SIGMA-ALDRICH RTC	LCR	12/31/2013	Follow-up or routine tap M/R

APPENDIX G

**CALENDAR YEAR 2013
GWR MONITORING AND REPORTING VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation Type
WY5600002	AFTON, BOARD OF PUB UTIL	GWR	6/6/2013	Monitoring, Source Water (GWR)
WY5600480	ARROWHEAD LODGE WYOMING, LLC	GWR	5/27/2013	Failure To Address Deficiency
WY5600180	B&K MOBILE HOME PARK	GWR	NA	Monitoring, Source Water (GWR)
WY5600111	EDEN SALOON	GWR	NA	Monitoring, Source Water (GWR)
WY5600157	ETNA WATER & SEWER DISTRICT	GWR	12/23/2013	Monitoring, Source Water (GWR)
WY5601397	GREATER SMOOT W&S DISTRICT	GWR	NA	Monitoring, Source Water (GWR)
WY5601491	HILLIARD	GWR	NA	Monitoring, Source Water (GWR)
WY5600520	JACKSON HOLE CAMPGROUND	GWR	NA	Failure to Consult with EPA
WY5600373	KEYHOLE RESORT/MARINA	GWR	NA	Monitoring, Source Water (GWR)
WY5680254	MEDICINE BOW NF LAKE OWEN CG	GWR	NA	Monitoring, Source Water (GWR)
WY5600559	MITCH'S CAFE	GWR	NA	Monitoring, Source Water (GWR)
WY5600043	NORTH END WATER USERS	GWR	8/15/2013	Monitoring, Source Water (GWR)
WY5600786	RIVERMEADOWS WATER DISTRICT	GWR	NA	Failure To Address Deficiency
		GWR	11/12/2013	Failure to Consult with EPA
WY5601588	SNOW KING RESORT	GWR	11/23/2013	Failure To Address Deficiency
		GWR	NA	Failure to Consult with EPA

APPENDIX H

**CALENDAR YEAR 2013
CONSUMER CONFIDENCE REPORT FAILURE TO REPORT VIOLATIONS
STATE OF WYOMING**

PWS ID	Facility Name	Rule	Violation End Date	Violation Type
WY5600091	CLEARVIEW IMPROVEMENT SERVICE	CCR	NA	Complete Failure to Report
WY5600209	HYATTVILLE SERVICE & IMPROVEMENT DIST	CCR	NA	Complete Failure to Report
WY5601518	LEMASTER ENTERPRISES	CCR	NA	Complete Failure to Report
WY5601175	LEWIS MOBILE HOME PARK	CCR	NA	Complete Failure to Report
WY5600221	MOUNTAIN VILLAGE PARK INCORPORATED	CCR	NA	Complete Failure to Report
WY5600786	RIVERMEADOWS WATER DISTRICT	CCR	NA	Complete Failure to Report