FIFRA SCIENTIFIC ADVISORY PANEL (SAP)

OPEN MEETING

SEPTEMBER 9 - 10, 2004

FUMIGANT BYSTANDER EXPOSURE MODEL REVIEW:
SOIL FUMIGANT EXPOSURE ASSESSMENT SYSTEM (SOFEA)
USING TELONE AS A CASE STUDY

THURSDAY, SEPTEMBER 9, 2004

VOLUME I OF II

Located at: Holiday Inn - National Airport
2650 Jefferson Davis Highway
Arlington, VA 22202

Reported by: Frances M. Freeman, Stenographer

1 **C O N T E N T S**

2

3 Proceedings.....Page 3

1 DR. HEERINGA: Good morning, everyone. My name
2 is Steve Heeringa. I'm the Chair for our two-day meeting.
3 I would like to welcome you to this meeting of the FIFRA
4 Scientific Advisory Panel on the topic of the Fumigant
5 Bystander Exposure Model Review, this time focusing on
6 SOil Fumigant Exposure Assessment System, SOFEA, using
7 Telone as a case study.
8 I would like to welcome everybody here for this
9 two-day meeting. A number of you have participated in
10 similar sessions held in late August. I would like to at
11 this point, before we begin the general proceedings, to
12 introduce the members of the panel. I would like to begin
13 on my right with Dr. Stuart Handwerger.
14 DR. HANDWERGER: I'm Stuart Handwerger, I'm in
15 molecular and cellular endocrinology from the Departments
16 of Pediatrics and Cell Biology at the University of
17 Cincinnati College of Medicine. My major interests, far
18 removed from the topic of this meeting, is the molecular
19 mechanisms involved in fetal growth and development.
20 DR. ARYA: I am Pal Arya, Professor of
21 Meteorology at North Carolina State University. My

1 interests are primarily in air pollution, meteorology,
2 micrometeorology, dispersion, short-range dispersion of
3 pollutants.
4 DR. SPICER: My name is Tom Spicer. I am
5 Professor and Head of Chemical Engineering at the
6 University of Arkansas. My research interest is in near
7 term atmospheric dispersion.
8 DR. HANNA: I am Adel Hanna. I am a Research
9 Professor at the University of North Carolina at Chapel
10 Hill. My area of interest is air quality and
11 meteorological modeling and analysis.
12 DR. MACDONALD: Peter Macdonald, Professor of
13 Mathematics and Statistics at McMaster University in
14 Canada, with general expertise in applied statistics.
15 DR. SHOKES: Fred Shokes, with Virginia Tech at
16 the Tidewater Agricultural Research and Extension Center.
17 I am the director there and a plant pathologist. I have
18 a background in working with soil-borne pathogens.
19 DR. BARTLETT: Paul Bartlett, Queens College,
20 City University of New York, my interest is air transport
21 modeling, measurements, environmental fate, primarily

1 semivolatiles.

2 DR. GOUVEIA: Frank Gouveia, at Lawrence

3 Livermore Lab. I'm a meteorologist mainly focused in

4 dispersion meteorology, sampling studies and monitoring

5 studies.

6 DR. COHEN: Mark Cohen, NOAA Air Resources

7 Laboratory, in Silver Spring. I'm an atmospheric

8 scientist working on large-scale models. I'm trying to

9 determine source receptor relationships. I've worked on

10 dioxin, atrazine and, now, mercury.

11 DR. POTTER: Tom Potter, USDA/ARS, Southeast

12 Watershed Laboratory in Tifton, Georgia. I'm a Research

13 Chemist. I'm working primarily on pesticide fate and

14 transport at watershed scales in assessing exposures to

15 pesticide active ingredients.

16 DR. WINEGAR: I'm Eric Winegar, Principal in

17 Applied Measurement Science. My field is primarily

18 monitoring measurement of airborne pollutants, analytical

19 chemistry and exposure assessment.

20 DR. OU: Li-Tse Ou, I'm a soil microbiologist

21 with the University of Florida. My special area is

1 biodegradation of organic chemicals, including pesticides.
2 DR. MAJEWSKI: I'm Mike Majewski. I'm with the
3 US Geological Survey. I'm a Research Chemist. I have a
4 background in measuring volatilization source terms from
5 treated fields, and my interests are in the atmospheric
6 transport and fate of organic contaminants.
7 DR. YATES: I'm Scott Yates. I'm a Soil
8 Physicist with USDA/Agricultural Research Service in
9 Riverside, California, where I am the Interim Research
10 Leader of the Soil Physics and Pesticide Research Unit.
11 My area of interest is fate and transport of
12 pesticides in soils and volatilization into the
13 atmosphere.
14 DR. MAXWELL: Good morning, I'm Dave Maxwell
15 with the National Park Services Air Resources Division in
16 Denver, Colorado. My interest and background are in air
17 quality meteorology, particularly pertaining to air
18 quality modeling, air permitting and analyzing air quality
19 monitoring data.
20 DR. HEERINGA: Thank you to the panel members.
21 Again, I'm Steve Heeringa, University of Michigan,

1 Institute for Social Research. I am a Biostatistician
2 specializing in research design for population based
3 studies.
4 I claim no special expertise for this session,
5 but I will try to Chair it and make sure that the
6 expertise that is present here is brought to bear to the
7 problems at hand.
8 With that, I would like to introduce Joe Bailey
9 who is the Designated Federal Official for the two-day
10 meeting on the SOFEA model.
11 DR. BAILEY: Thank you, Dr. Heeringa. Good
12 morning to everyone. I want to welcome you here and
13 particularly welcome you to Washington's hot, humid
14 weather. I hope you enjoy the few days you are here.
15 I am the Designated Federal Official for this
16 particular FIFRA Scientific Advisory Panel meeting. As
17 you know, this meeting will review the Soil Fumigant
18 Exposure Assessment System or SOFEA, which uses Telone as
19 a case study.
20 I want to thank Dr. Heeringa for agreeing to
21 serve as Chair of this meeting. I want to thank both the

1 members of the panel and the public for taking the time to
2 attend the meeting today and tomorrow. We appreciate the
3 time and effort the panel members have spent preparing for
4 the meeting, considering everyone's busy schedule.
5 By way of background, the FIFRA SAP is a Federal
6 Advisory Committee that provides independent scientific
7 peer review and advice to the Agency on pesticides and
8 pesticide related issues regarding the impact of proposed
9 regulatory actions on human health and the environment.
10 The SAP only provides advice and recommendations
11 to the Agency. All decisionmaking and implementation
12 authority remains with the Agency.
13 As the DFO for the meeting, I serve as a liaison
14 between the Panel and the Agency and am responsible to
15 ensure that all provisions of the Federal Advisory
16 committee Act are met.
17 As the Designated Federal Official, critical
18 responsibility is to work with appropriate Agency
19 officials to ensure that all appropriate ethic regulations
20 are satisfied. And in that capacity, panel members are
21 briefed with provisions of the federal conflict of

1 interest laws.

2 Also, each participant on the Panel has filed a

3 standard government financial disclosure report. I, along

4 with our Deputy Ethics Officer for the Office of

5 Prevention Pesticides and Toxic Substances and in

6 consultation with the Office of General Counsel, have

7 reviewed these reports to ensure that all ethic

8 requirements are met.

9 Because this is a public meeting, we are

10 allowing an opportunity for public comment. I would like

11 to remind any public commentors who have not preregistered

12 to make a comment with us to limit your comments to five

13 minutes.

14 And if anyone does want to make public comments

15 today, please either let me or one of the other members on

16 the Scientific Advisory Panel staff know.

17 There is a public docket for this meeting. All

18 background materials, questions posed to the Panel by the

19 Agency and other related documents are available in that

20 docket. Slides of today's presentations will be added to

21 the docket shortly and should be available within the next

1 few days.

2 Also, background documents are available on our

3 website. And both the docket and website contact

4 information should be found on copies of the agenda that

5 are available today.

6 After this meeting is concluded, the SAP will

7 prepare a report as a response to the questions posed by

8 the Agency considering all background materials,

9 presentations and public comments.

10 This report serves as meeting minutes and we

11 anticipate that they will be completed in about eight

12 weeks after this meeting.

13 Again, I wish to thank the Panel for their

14 participation and I'm looking forward to the discussion in

15 today's meeting. Thank you.

16 DR. HEERINGA: Thank you very much, Joe. At

17 this point I would like to make a comment that there are

18 three members who are scheduled to be part of this panel

19 for the next two days who were not able to make it.

20 Steve Roberts and Ken Portier of the University of

21 Florida are dealing with the aftermath of hurricane

1 Frances, no power and flooded laboratories. We also heard
2 due to an individual emergency that Dan Baker of Shell
3 Global Solutions will not be here.
4 But I think, having worked with this Panel, we
5 have a good, broad range of overlapping expertise. While
6 we'll miss them in these next two days, I think we can
7 adequately address the questions that are being presented
8 to us.
9 At this point, then, I would like to open the
10 meeting by welcoming Mr. Joseph Merenda, who is the
11 Director of the Office of Science Coordination and Policy
12 at the EPA. Good morning, Joe.
13 MR. MERENDA: Good morning, Steve. It's a great
14 pleasure on my part to be able to welcome all of you on
15 the panel as well as the members of the public on behalf
16 of the U.S. Environmental Protection Agency to these two
17 days of discussions on the SOFEA model.
18 The Agency's commitment to using the best
19 available science in its risk assessments is strong.
20 A major part of that process is this sort of
21 open public advisory panel meeting in which we seek to get

1 the views of experts on some of the critical issues that
2 our programs in this case, the office of pesticide
3 programs, are facing in carrying out our legal
4 responsibilities under federal statutes.
5 I know that it is a significant investment on
6 the part of each of you, not only to attend these
7 meetings, but to do the preparation and then the follow-up
8 in preparing the report. I simply want to thank you on
9 behalf of the Agency for providing this public service and
10 wish you well in your discussions today and tomorrow.
11 I will be with you for this morning.
12 Unfortunately, for other scheduled reasons I have to step
13 out for this afternoon, but I wish you well. Thank you.
14 DR. HEERINGA: Thank you very much, Joe. At
15 this point I would also like to introduce for an
16 introduction and some opening remarks, Dr. Randy Perfetti,
17 who is of the Office of Pesticides Program.
18 DR. PERFETTI: On behalf of Jim Jones, the
19 Director of Pesticides Program, and myself, I would like
20 to very much welcome this panel and thank you very much
21 for all your efforts in reviewing this model as well as

1 the previous two models.

2 I want you to know that we appreciate the

3 Scientific Advisory Panel's work with us over the last

4 eight years with regards to the implementation of the Food

5 Quality Protection Act.

6 As we all know, soil fumigants are a high

7 benefit chemicals for American agriculture. We're looking

8 at the risk and benefits of soil fumigants as a group to

9 ensure we make the decisions with respect to protecting

10 the public health and the environment.

11 The model presented today, as well as the ones

12 presented at the last meetings on this topic, are intended

13 to predict exposures to people residing or working in the

14 vicinity of fields treated with fumigants.

15 After these reviews -- actually later, in early

16 in 2005, we will publish a comparative risk assessment for

17 soil fumigants, which is intended -- which we intend to

18 give serious consideration to the recommendation of this

19 and previous panels.

20 Our goal is to use the best science available as

21 we move towards decisions on the regulation of these

1 important chemicals in late 2005.

2 To my right are Dr. Bruce Johnson of the

3 California Department of Pesticide Regulation and Jeff

4 Dawson of the Office of Pesticide Programs. They will be

5 making some opening presentation.

6 The California DPR -- we have calibrated

7 extensively with California DPR on the review of all three

8 of these models. With respect to the models, again, there

9 have been three different models.

10 There was in late August a review of PERFUM, the

11 Probabilistic Exposure and Risk model for FUMigants.

12 There was review of the FEMS, the Fumigant Emissions

13 Modeling System.

14 Today we're going to ask that the Panel consider

15 SOFEA, the SOil Fumigant Exposure Assessment system.

16 Again, I'm looking forward and we all are looking forward

17 to a great deal of active discussion and a great deal of

18 excellent advice from this panel.

19 Again, I want to thank you all very much. Dr.

20 Heeringa.

21 DR. HEERINGA: Dr. Perfetti, thank you very much

1 and welcome to Mr. Dawson and Dr. Johnson from California
2 Department of Pesticide Regulation.
3 At this point in time, I think we will begin our
4 introductory presentation. I believe Jeff Dawson is
5 scheduled to give that.
6 MR. DAWSON: Thank you, Dr. Heeringa. I
7 appreciate being here again.
8 What I would like to do over the next 15 minutes
9 or so is just provide a primer, basically, for today's
10 discussion. And what I will be talking about is giving a
11 little bit more introduction and background information.
12 We'll talk a little bit about our current risk
13 assessment approach. So it will be easy for you all to
14 compare with what SOFEA gives us that is different than
15 our current approach.
16 We'll briefly talk about the SOFEA system,
17 because you are going to hear a lot more details about
18 that system shortly after I'm finished and then just
19 briefly introduce the charge questions that we'll be
20 considering later today and tomorrow.
21 Basically, the background information will touch

1 on the different modeling approaches we're considering,
2 the case studies we're going to look at today, the purpose
3 of this particular model and our goals for today.
4 So as Dr. Perfetti just indicated, this is our
5 third session where we're reviewing different models to
6 evaluate exposures from soil fumigant use. Today we're
7 talking about the SOil Fumigant Exposure Assessment
8 system.
9 I'm here with my colleague, Bruce Johnson from
10 the California DPR. You will be hearing from three
11 individuals from Dow AgroSciences, which is the developer
12 of this model, after I'm done.
13 Those individuals are Bruce Houtman, Steve Cryer
14 and Ian van Wesenbeeck. I hope I got that correct.
15 Today we're going to be illustrating how the
16 SOFEA model works through a series of case studies.
17 Again, it is the SOil Fumigant Exposure Assessment system.
18 We're using 1,3-dichloropropene monitoring data as the
19 basis. That is commonly known as Telone.
20 The different case studies we are going to be
21 looking at today -- these are in the various background

1 information, I believe the Panel received in preparation
2 for this meeting, are considering California tree and vine
3 uses and then various crops over six different states was
4 another case study that was prepared.
5 Then we're also looking at diverse agricultural
6 practices in five different crops. They include crops in
7 the tree and vine, field, nursery areas, strawberries, and
8 then post plant vine type of use.
9 So what is the real purpose of this model; what
10 does it give us that will help us in comparison to our
11 current approach? It really provides a distributional --
12 or could provide a distributional estimate of bystander
13 exposure for fumigant use.
14 We're particularly interested in how it can
15 assist us in characterizing exposures of risk, especially
16 at the higher ends of exposure.
17 It is also going to potentially allow us to
18 better characterize uncertainty and variability.
19 Our goal in the evaluation of the model is
20 illustrated by these five points: first and foremost,
21 the scientific validity of the methodology, how

1 transparent this system is, the data requirements you need
2 to actually run the system, a big one for us is how can we
3 use this system, for example, and apply it to different
4 areas of the country where fumigant use might differ or
5 conditions might differ, as well as how portable is this
6 methodology for using it with other series of soil
7 fumigants.
8 As Dr. Perfetti indicated we're currently in the
9 process of doing a comparative risk assessments for the
10 six major soil fumigant chemicals.
11 So now I'll just briefly touch on what we're
12 doing in our current approach. So it will be a good
13 comparative basis for the rest of today and tomorrow's
14 discussion.
15 Basically, what we're doing is we're using the
16 ISC or the Industrial Source Complex short-term model. As
17 many of you know, this is a standard tool developed by the
18 Office of Air, and it is routinely used in their
19 regulatory programs.
20 What it is -- it provides a steady state
21 Gaussian plume approach for looking at off-site movement

1 of airborne residues. It can consider point sources such
2 as smoke stacks, linear sources such as emissions from
3 roadways and area sources, for example, and this is the
4 case we're looking at today, are treated farm fields.
5 It's also worth noting that Department of
6 Pesticide Regulation is also using this model as a basis
7 for its approach.
8 Basically, what we're doing in our current
9 approach -- I'm going to walk through in the next couple
10 slides the different major factors that we use as the
11 basis for our assessment.
12 The first one is field size and geometry. We'll
13 probably hear more about how size and shape of field
14 affects the results. But what we're doing are fields from
15 1 to 40 acres in size. We're using a square field.
16 We are using varied atmospheric conditions with
17 wind speeds up to 10 miles per hour and varied stability
18 in the atmosphere from class B to D. Basically, a typical
19 day from relatively calm to relatively unstable.
20 DPR, I guess in this case for their assessments
21 for this particular chemical, used actual meteorological

1 data in many of their cases. We also have monitoring data
2 that reflect different application equipment and what I
3 call control technologies or ways to reduce emissions.
4 The application equipment we considered in the
5 monitoring data included drip irrigation and application
6 by shank injection. And then ways to control emissions
7 that were included in the data were soil rollers that
8 compact soil after it has been treated, the use of tarps
9 and also the use of a raised bed approach.
10 From these data we calculated field emission
11 rates or flux rates. And the flux rates we determined
12 we're using 24 hour averages, range from 8 to 91 and the
13 units are micrograms per square meter per second emitted.
14 And we calculated these flux rates for the various
15 combinations of monitoring data that we had.
16 What we saw in the trend and data that we had
17 were that drip irrigation was the lowest emitter when it
18 was buried. And the highest emitter was shank injection
19 with the flat fume type of application approach.
20 Then there are other conditions in ISC that are
21 what I would call more generic in nature. We use rural

1 conditions. We treat the source as an area source, and we
2 use the release height of zero meters to simulate the farm
3 field.
4 This slide just basically illustrates the kind
5 of output that we get from ISC. The treated field is
6 there on the left, our square treated field.
7 Basically, what we do is we indicate that the
8 wind direction is in one direction, 100 percent of the
9 time for the amount of time that we're calculating air
10 concentrations downwind. And what we do is we use ISC to
11 calculate air concentrations at different receptor points
12 downwind. These are just examples of the different
13 distances that we would calculate.
14 This is just a table of what the output of the
15 model might look like. In your charge document that we
16 prepared, this is just an excerpt from that example table
17 that's in there. So in this example, what you see is a
18 one acre square field with an emission ratio of .19, which
19 is I believe the highest flux rate that we used.
20 In the second column you see the different
21 distances downwind. And the rest of the columns there are

1 just the air concentrations under varied meteorological
2 conditions. And as you move across the table, you can see
3 that as the atmosphere becomes less stable and wind speed
4 goes up the air concentrations goes down, as you would
5 expect.
6 Then what we do with these is we calculate our
7 risk estimates, which are called margins of exposures,
8 MOEs, and we basically divide these exposure
9 concentrations into some threshold level that we call the
10 ATC or human equivalent concentration.
11 Again, I'll briefly just touch on the SOFEA
12 model. You will hear more about it in a few minutes.
13 Basically, the SOFEA model is also based on the
14 Industrial Use Source Complex Short-term Model. It uses
15 emissions rates based on monitoring data and historical
16 meteorological data from various sources.
17 It can calculate air concentrations downwind
18 from specific treated fields. Also, it can consider
19 multiple applications within an airshed. You will hear
20 more about that concept.
21 The critical design elements are that it can

1 look at source locations based on land use data, for
2 example, the concept of ag-capable land. It can also
3 incorporate variability in emissions and atmospheric
4 conditions. And it does allow for the evaluation of
5 uncertainty and variability throughout the modeling
6 process.
7 So just some examples of the different inputs
8 that have been used in these case studies by the SOFEA
9 developers. Airsheds have been used, and that is
10 basically a region that is considered in the modeling.
11 Basically, what they have done is used at a
12 minimum 9 township grids. A township is a concept that's
13 used in California. It is a 6 by 6 mile area established
14 through the Ag Commissioners, I believe. So they use that
15 township grid system as the basis for their modeling.
16 They have used various meteorological data
17 sources such as from the SCRAM, that's the Center for
18 Regulatory Air Models that is operated basically through
19 the EPA Office of Air. They have also considered CIMIS
20 data, which is a weather network in California that is
21 really focused in on irrigation management in California.

1 They have looked at varied application methods
2 and different emission controls like we have. They have
3 also calculated their emissions using the aerodynamic flux
4 method, because they have direct monitoring data from
5 their studies and they have used our pesticide root zone
6 model as an approach for adjusting those for different
7 conditions and different application methods. Again, we'll
8 hear more about that.
9 This is just an example of how land use is
10 incorporated or townships are incorporated into the SOFEA
11 model. Essentially, you can see there on the graph where
12 those might be the areas where you would pick to do your
13 simulation.
14 This is an example of flux estimate from one of
15 the monitoring studies. You can see over time that --
16 over the first few days after application that flux rates
17 are higher. And as time passes, the chemical dissipates
18 and the amount coming off the treated field is lower, out
19 to 14 days.
20 And then this is just an example of the kind of
21 output that you could get from SOFEA. This is the 9 by 9

1 township grid output.

2 The graph there on the left is the -- it shows

3 population density. And the graph on the right shows the

4 emissions. And you can see that your chemical's used away

5 -- from the area where there is a high population, you can

6 see the emissions coming off in different areas of the

7 region that's been modeled.

8 So rather than read the charge questions at this

9 point, we'll read the specific charge questions as we get

10 to that point of the meeting. But basically, I just

11 wanted to talk about -- we're going to focus on three

12 different areas.

13 The first one is the documentation of the

14 modeling system. The second is the overall design, the

15 inputs required to use the system. The third is the

16 results and how they are presented.

17 So thank you very much.

18 DR. HEERINGA: Thank you very much, Mr. Dawson.

19 At this point, do any of the panel members have

20 questions, clarification for Mr. Dawson?

21 Not seeing any, I think we would like to begin

1 with the main presentation for the morning. And I would
2 like to -- maybe, Mr. Dawson, if you would be willing to
3 introduce the presenters.
4 One thing I would like to ask is that I think it
5 is very valuable with a lot of material to find a place
6 somewhere in your presentation to stop and entertain
7 questions and maybe I would leave that up to you to decide
8 when that would be.
9 Just think conveniently maybe about two stopping
10 points in the presentation. One of them might be at the
11 break. But I think it helps maybe after you have gone for
12 20 minutes or so to have a chance for clarification
13 questions.
14 But I'll leave that up to you as to when to call
15 that break. Dr. Arya?
16 DR. ARYA: I think in the document given to us,
17 it seems to me, but it was not clear from your
18 presentation here that in your current approach you used
19 the fixed wind speed, wind direction and stability for a
20 24 hour period.
21 Is that right?

1 MR. DAWSON: That's correct.

2 DR. ARYA: Because my understanding is that

3 Industrial Source Complex Model, the dispersion curves are

4 really for one hour, averaging times or even actually less

5 than that. It might be kind of inappropriate to use that

6 for 24 hour average.

7 DR. HEERINGA: I think this is a question that

8 we'll get into in considerable depth as we address. Mr.

9 Dawson, if you wanted to --

10 MR. DAWSON: Exactly, the evolution from that is

11 exactly why we're here, to consider the ways to move ahead

12 from that. We recognize that there are issues with the

13 way we're doing it now.

14 DR. HEERINGA: Thank you very much.

15 MR. DAWSON: What I would like to do now is

16 introduce three individuals from Dow AgroSciences. I hope

17 we said that correctly. Dr. Steve Cryer, I believe, will

18 have the lead for the presentation from Dow. Dr. Ian van

19 Wesenbeeck and Bruce Houtman will also address certain

20 parts of the presentation.

21 They have been intimately involved in conceptual

1 design and implementation of this modeling system over
2 several years and also have been involved in the
3 development of the monitoring data and dealing with the
4 regulatory issues as well.
5 So thank you very much. Dr. Cryer?
6 I stand corrected. Bruce Houtman will start the
7 presentation. Thank you.
8 MR. HOUTMAN: Good morning. My name is Bruce
9 Houtman. I am a Product Registration Manager at Dow
10 AgroSciences for our fumigants business.
11 My job is very simple. I have got about five or
12 six introductory slides, at which point I will turn the
13 presentation over to Dr. van Wesenbeeck and Dr. Cryer who
14 will go through the heart of the matter for SOFEA.
15 I did want to start with a few introductory slides to
16 give a little bit more background on the development of
17 SOFEA, how it has been used and frankly for what product
18 it has been used for. As a case study,
19 1,3-dichloropropene you will hear a lot about today. I
20 just want to give a little background on that particular
21 product.

1 In general, soil fumigants are used widely in
2 this country to control soilborne nematodes, soil diseases
3 and weeds. There are a variety of soil fumigants out
4 there. Again, the one we'll use as our case study here is
5 1,3-dichloropropene.
6 One thing that all fumigants have in common is
7 that they are used at fairly high use rates, they are
8 mobile, volatile, they lead to post fumigation air
9 concentrations following the fumigation, which can lead to
10 inhalation exposure potential for individuals that reside
11 near these fields. We'll call these bystanders.
12 The difficulty or the challenge is to have a
13 technology or build a tool which can assess these air
14 concentrations, their air distribution both in time and
15 space and predict exposures that might occur and
16 accommodate both the conditions of the use of the product,
17 as well as the weather conditions that result in the
18 dissipation or distribution of those air concentrations
19 and of course understanding the manner in which these
20 products are being used.
21 Although recently named SOFEA, this tool has

1 been in development since the early 1990s. In 1990, the
2 state of California took regulatory action against 1,3-
3 dichloropropene, I'll call it 1,3-D, which resulted in
4 Dow, our company at the time, Dow Elanco (ph), Dow to
5 really embark on a comprehensive program to assess field
6 volatility of this product and then in turn develop a tool
7 to understand the resulting distribution of air
8 concentrations that occur following the use of this
9 product.
10 This model, as with others, is based on ISCST,
11 now version 3. When it was originally developed it was
12 version 1 at that time. The transition and the
13 development of SOFEA has bridged across the different
14 versions.
15 SOFEA, as it is currently called, is presently
16 being used for regulatory decisionmaking by Cal-DPR for
17 this particular molecule. And two features of the
18 regulatory framework for this product in the state of
19 California referred to as permit conditions include annual
20 township allocations for this product, which manage the
21 amount of product used per unit time, per unit area to

1 manage long term exposure and risk. Also, these permit
2 conditions include requirements for buffer zones as well.
3 The other background associated with SOFEA, just
4 to give you a little bit of a feature, and, again, the
5 detail of this particular tool will be covered in great
6 detail by both Dr. Cryer and Dr. van Wesenbeeck, SOFEA can
7 be used to assess anywhere from single fields up to
8 regional assessments of air concentrations.
9 In terms of time, the time averaging component
10 can describe air concentrations ranging from 24 hour time
11 weighted averages all the way to averaging periods which
12 can include a lifetime. It accommodates
13 field volatility inputs, which describe, of course, the
14 source strength. It can use long-term real weather
15 inputs, actual product use information, which includes,
16 again, for individual fields the manner in which the
17 product is applied to that field, but also the seasonality
18 of use, the distribution of uses so that regional
19 assessments of air concentrations can be described.
20 And of course, buffer zones or exclusion zones
21 can be part of that input to define the air concentrations

1 considered in the exposure assessment.

2 Of course this produces a distribution of air

3 concentrations, which allows both an understanding of

4 exposure potential averaging over periods of time and

5 looking over distributions or averaging of air

6 concentrations over spaces as well.

7 A little bit about the development of this tool

8 starting from left to right. Again, you will see some of

9 this information later, but the foundation really is to

10 assess the field volatility or the atmospheric emissions

11 of a soil fumigant following application.

12 By doing individual field studies, you can

13 understand for that field at what point does what fraction

14 of the material volatilize from the soil and become

15 available for off-site movement.

16 You can take that understanding of source

17 strength and then model what the resulting air

18 concentrations are off site. If that's the field, you can

19 then model given these inputs what air concentrations

20 occur downwind.

21 Now, with SOFEA, you can take these individual

1 fields, couple them with other fields over both time and
2 space, and you can understand air concentration
3 distributions for entire regions.
4 Jeff Dawson earlier described townships as being
5 an area of land mass over which air concentrations can be
6 understood.
7 Townships are six miles by six miles. What this
8 represents is actually an area in Kern County, California
9 with eight townships where a lot of carrot production
10 occurs.
11 If you take individual fields and input based on
12 the source strength understanding per field and permit in
13 the assessment for uses to occur over a season or over a
14 year, over multiple years, you can by combining sources
15 understand the air concentration distribution over entire
16 regions.
17 Now taking that one step further, it is very
18 difficult to see, I understand, the color points represent
19 the townships in the state of California where soil
20 fumigants are being used.
21 By understanding product use density, modeling

1 the resulting air concentrations that occur from the
2 product uses that occur in regions, you can understand
3 over entire areas of the state of California, in this case
4 where soil fumigant uses occur, what the air
5 concentrations are and in turn get some understanding of
6 exposure and risk potential.
7 A little bit about 1,3-D, again, the case study
8 involves this material. I wanted to go over some of the
9 specific properties, physical properties, vapor pressure
10 boiling point. Typical use rates are 150 to 250 kilograms
11 per hectare. There are rates that are lower. There are
12 rates that are higher. But most uses occur within that
13 range.
14 The common product use scenarios, in fact the
15 ones that will be used in the case studies, include
16 subsoil injection at depths 12 to 24 inches with or
17 without tarping. The product -- 1,3-dichloropropene, the
18 trade name or product name is Telone II, that is 1,3-
19 dichloropropene.
20 In addition to subsoil injection, there are
21 formulations of 1,3-dichloropropene which are drip

1 irrigation applied both under surface-tarped or subsurface
2 or buried drip circumstances. 1,3-dichloropropene plus an
3 emulsifier is the product Telone EC.
4 Maybe you will see Telone EC referred to as
5 well. That is Telone II applied through drip irrigation
6 systems.
7 This is another slide on 1,3-D, field
8 volatility losses. A number of field volatility studies
9 have been conducted for this product.
10 Nominally, mass loss percentages range from 25
11 to 40 percent. There are circumstances where they are
12 less. There are circumstances when they are more. But
13 again, the nominal range of mass loss percentages ranges
14 from 25 to 40 percent over a period of, nominally, 14
15 days.
16 Depending on some circumstances, that can be
17 shorter, that can be longer. But the emission period is
18 generally assumed to be a 14 day period.
19 The U.S. Registration status, this product has
20 been in use since 1954. It has gone through and completed
21 the U.S. EPA re-registration process in 1998. It most

1 recently went through some additional bystander exposure
2 and risk refinement where the U.S. EPA reviewed the most
3 recent data, the best available data, and made conclusions
4 in 2003, most notably in this case for the prescription of
5 a buffer zone of 100 feet from treated fields.
6 With that -- just a little bit about the risk
7 assessment process for fumigants, which is a little bit
8 different than the risk assessment process for other types
9 of agricultural chemical products.
10 The exposure -- the two components of exposure
11 assessment, including exposure scenario, assumptions about
12 breathing weight, body weights, mobility is coupled with
13 air concentration estimates. This is the output of these
14 air dispersion models, is air concentrations estimates
15 coupled with assumptions about exposure conditions lead to
16 an understanding of exposure assessment, of course,
17 coupled with toxicity permits assessment of risk.
18 It is inhalation driven risk assessments for
19 fumigants primarily. Those come from air concentration
20 estimates from air dispersion models like we're
21 describing.

1 With that, I will turn things over to Dr. van
2 Wesenbeeck, who will go into the aspects of field
3 volatility and environmental fate research that has gone
4 on. This might be a time for questions.
5 DR. HEERINGA: Very quickly, does anybody on the
6 panel have questions for Mr. Houtman at this point. Dr.
7 Winegar?
8 DR. WINEGAR: Not really a question per se. I
9 was wondering if the presenters could stand back a little
10 bit for those of us on this side?
11 (Pause.)
12 DR. VAN WESENBEECK: I feel a bit like I'm at a
13 political convention and Bruce Houtman and I are the warm-
14 up acts for the feature presentation who is going to be
15 Steve Cryer, who is going to talk about the guts of the
16 model. Steve really was the main person behind all the
17 development and hard-core programming that went into it.
18 I'm going to talk about some other important
19 aspects in terms of inputs to the model.
20 First, I'll briefly give a little overview of
21 the phys/chem properties. Bruce touched on them briefly.

1 1,3-D is actually approximately a 50/50 mixture of
2 cis/trans isomers. It has a molecular weight of 111 grams
3 per mol. It is a liquid at ambient temperature. The
4 cis/trans isomers do have slightly different vapor
5 pressures and solubilities, as you can see here.
6 This is how a grower receives 1,3-D in the field
7 for those who aren't familiar. They are 110 gallon
8 pressure cylinders, it's actually known as pigs in the
9 grower community. They have quick connectors on them to
10 allow growers to hook them up to their equipment with
11 minimizing any leakage of Telone.
12 Briefly, some of the environmental fate
13 properties of 1,3-D. It hydrolyzes fairly quickly at 30
14 degrees C, about three days, a three day half-life
15 increasing to 51 days at 10 degrees C. So in warm
16 climates we expect fairly rapid hydrolysis.
17 Aerobic soil metabolism studies in the
18 laboratory have shown half-lifes ranging from 5 to 30 days
19 at 25 degree C with a mode of 11 days. Anaerobic soil
20 metabolism in the lab, half-lives of 3 to 11 days at 25 C.
21

1 For 1,3-D, that does volatilize into the
2 atmosphere. There is the reaction with hydroxyl
3 radicals. That is a half-life ranging from 7 to 12 hours
4 for the cis and transisomers, respectively, based on the
5 work by Tozon (ph).
6 Moving on then to the field work that Dow
7 AgroSciences has conducted since the early 90s as Bruce
8 indicated, obviously, for any sort of off-site air
9 dispersion modeling the flux profiles are really critical
10 input in terms of what is volatilizing off the field under
11 various use conditions and climatic conditions.
12 Dow AgroSciences has conducted eight field
13 studies designed to calculate flux losses for 1,3-D. Four
14 of those are in California, one in Texas, one in
15 Wisconsin, one in Georgia and one in Florida.
16 We have used direct methods, so basically, the
17 aerodynamic method to determine flux. I'll get into more
18 detail on that in a few slides. Another direct method we
19 have used is flux chambers, based on technology we
20 transferred from Dr. Yates' lab in Riverside.
21 Most of the studies we have conducted also have

1 off-site monitoring which we can then use to both check
2 our flux profile by using the ISCST model or addressing
3 that back-calculation techniques which we have done for
4 some of our sites.
5 We do prefer the aerodynamic method as a direct
6 measurement. Again, that's the one we have used or we
7 have chosen to use for SOFEA for California conditions.
8 However, SOFEA could take any flux profile as a
9 reference flux, whether it is generated by the aerodynamic
10 method or some other direct method like a flux chamber,
11 back-calculated flux profiles or numerically or
12 empirically generated.
13 Moving on to the aerodynamic method, I'll talk
14 about that. Then I'll also talk about the dynamic flux
15 chamber method and then show examples of those from three
16 field studies, two conducted in California that were used
17 to develop the reference flux inputs for SOFEA.
18 One, was a drip study using Telone EC or
19 in-line. The other was a shank injection study in
20 Salinas. Also, I'll talk about a drip flux study
21 conducted in Georgia also using in-line. That's an

1 interesting comparison of the flux chamber and aerodynamic
2 methods of developing flux profiles.
3 And then I'll look a little bit at a comparison
4 of modeled and observed off-site concentrations.
5 Typical field instrumentation for the flux
6 studies that we conduct typically were on an eight plus
7 acre plot. We need to have -- or eight acres is
8 recommended as a minimum in order to have an adequate
9 fetch distance.
10 You want to allow distance for the boundary
11 layer to develop. The rule of thumb for that is about 100
12 times the distance of the highest air sampler, which in
13 our case is one and a half meters. We like to have about
14 150 meters of fetch distance around the sampling mass. So
15 typically, we're at least eight acres. Often we're at 10
16 or more acres.
17 Air samples are collected at the center of the
18 plot at heights of 15, 33, 50, 90 and 150 centimeters. We
19 use charcoal tubes to sorb 1,3-D. The tubes have a front
20 and back portion, which allow us to test for breakthrough.
21 We want to make sure we're not getting any 1,3-D

1 breakthrough as we suck air through that sampling tube.
2 So by having a back portion of the tube we can analyze
3 that separately. If there is Telone in there, then we
4 know we may have had breakthrough.
5 But typically we test a random selection of the
6 high-end samples, and it is usually not an issue.
7 The plot will also have anemometers and thermal
8 couples to measure temperature at 33, 50, 90 and 150
9 centimeters in the center of the plot as well. I'll show
10 some pictures of that in a minute. Most of our recent
11 studies we have placed off-site samplers at 100, 300 feet.
12 Some of the earlier studies in California also had
13 samplers at 800 feet.
14 Typically we collect three samples per day, a
15 morning period, an afternoon period usually centered
16 around solar noon, and then a nighttime period. So
17 typically a 6/6/12 hour sampling interval. That's
18 collected then from each of the on-site samplers from the
19 center mast and also from the off-site samplers.
20 In some studies we have taken soil gas
21 measurements as well. Typically more from an efficacy

1 perspective or to look at lateral movement distribution of
2 the Telone within the soil.
3 We also have a weather station on site as well,
4 which basically is a standard weather station with tip and
5 bucket rain gauge, windspeed direction, relative humidity,
6 et cetera, that we use as input for ISCST modeling when
7 we're attempting to predict off-site concentrations.
8 The picture of an actual field study, this is in
9 near Douglas, Georgia. It is a melon field. The grower
10 has bedded up these rows here and pulled a polyethylene
11 tarp over them.
12 This sort of line you see here is the drip
13 tubing underneath the tarp. This is going to be a drip
14 irrigation application occurring here. This is the center
15 sampling mast in the middle of our plot. You can sort of
16 see the sampling tubes and personal pumps here, which draw
17 air through the charcoal tubes.
18 This is the thermal couple stack here and the
19 anemometer stack here, which again, are critical inputs
20 for the aerodynamic method. This picture here shows the
21 weather station that we have on-site as well.

1 This is a close-up of the flux mast again
2 showing the various heights that we measure. You can see
3 the personal sampling pump here that draws air through the
4 charcoal tube through this piece of tubing, and the
5 charcoal is at the desired height here.
6 Once the samples are collected, they are
7 immediately frozen in the field. And then they are
8 shipped frozen overnight to a laboratory for analysis.
9 The 1,3-D is extracted from the charcoal using a
10 mixture of solvents and then analyzed by gas
11 chromatography. The LOD for most of our studies has been
12 .03 micrograms per tube and .01 micrograms per tube for
13 LOQ.
14 As I mentioned earlier, we do check for
15 breakthrough. We have also, for every one of our studies,
16 conducted a fairly significant number of travel and
17 storage spikes to ensure the integrity of the samples
18 during shipping and storage.
19 I just wanted to touch briefly on application
20 rate verification too. For soil dissipation studies, this
21 has always been really critical, what is that time zero

1 recovery. For a volatile soil fumigant, it is more
2 difficult to go in and take soil samples when it is
3 shanked in or dripped in as a line source.
4 What we do is we verify the application rate
5 simply by taking the mass of 1,3-D applied on the field,
6 which we do under GLB conditions with a calibrated scale,
7 et cetera, and the surveyed area of the field.
8 In the case of drip studies we also take water
9 samples from the drip tubes to verify what the 1,3-D
10 concentration and space and time and ensure we have
11 uniformity in the irrigation water.
12 Moving on to a brief overview of the aerodynamic
13 method, this method has been studied a fair bit over the
14 last few decades, in some cases by folks here on the SAP.
15 And we basically followed the modified form of the
16 Thornthwaite-Holzman equation, which is described in
17 detail by Majewski, et al., in their 1991 paper.
18 This accounts for non-stable conditions via
19 stability correction factors on the Richardson Gradient.
20 That's based on the log-law of the wind speed profile for
21 boundary layer development.

1 This is just an example of what some air
2 concentrations look like at the center mast in a field
3 volatility study. Here is our five heights, the 15, 30,
4 50, 90 and 150. You can see a logarithmic decline in
5 concentrations. When you do the natural log of those, you
6 get a fairly straight line. That's done for each time
7 period then.
8 This is what the modified form of the
9 Thornthwaite-Holzman equation looks like. It is a
10 gradient method where P is the vertical pesticide flux, K
11 is the von Karman's constant which is related to roughness
12 or friction at the surface, delta C is the difference of
13 average air concentrations of the analyte measured at our
14 flux mast at two heights and delta U is the difference of
15 the average horizontal wind speed at those heights.
16 These are the correction factors for unstable
17 conditions that allow us to use that equation when we
18 don't have -- or when conditions are not stable. I'll
19 just flip over this, but it is in the handouts that we
20 have if people want to look at these equations in more
21 detail.

1 And this is just then the equation, ultimately,
2 that we can program into a spreadsheet application where
3 we dump in our final concentrations at the various
4 sampling heights, the wind speeds, the temperatures, et
5 cetera. Then it's a fairly straightforward spreadsheet
6 application to come up with flux for each time period.
7 This is scenario number one, then, for our field
8 studies that I'm going to talk about. This is the
9 California Drip Flux Study. This was conducted by Jim
10 Knuteson at Dow AgroSciences.
11 The study was conducted in the San Joaquin
12 Valley of California. The product was in-line, which is a
13 mixture of Telone or 1,3-D and chloropicrin, about
14 two-thirds, one-third. It was applied at 19 and a half
15 gallons per hectare to bedded soil. The beds were tarped
16 with a Hytibar VIF film. The furrows were not tarped.
17 It was a 9.4 acre field. Again, samples were
18 collected with our typical 6/6/12 hour interval. The soil
19 type there had 1.3 to 1.5 percent organic matter. The
20 application was made on October 2, 1998.
21 This is a survey map of the study site. The

1 center mast would have been located approximately here.
2 This is an access roadway that split the irrigation system
3 in half. But the irrigation lines ran this way and the
4 beds ran that way. Here are the off-site samplers of 100
5 and 300 feet in the four cardinal directions off the plot.
6 The prevailing wind direction at this site
7 is along this axis here.
8 This is just a picture from the field of an in-
9 line pig hooked up to an irrigation system. This is a
10 nitrogen tank which is used to pad the cylinder as the
11 1,3-D moves out of it.
12 Here again is the line going through a flow
13 meter so we can tweak the flow to get the right
14 concentration and irrigation water that we desire and then
15 flowing into the irrigation header.
16 Here is the results from that study, the bottom
17 line, really, which is the flux profile is calculated
18 using the aerodynamic method. On this axis here we have
19 1,3-D flux in units of milligrams per meter square hour,
20 which are the units we need to input into ISCST.
21 This line is the cumulative mass loss here. In

1 this study we came up to about 29 percent total mass loss
2 over a period of three weeks that we monitored at the
3 study.
4 The purple points here is the daytime flux. And
5 the lighter pale blue points are the nighttime flux. So
6 we have higher flux, as expected, during the daytime
7 periods and lower at night.
8 The aerodynamic flux profile measured in this
9 study was then used directly as an input into the ISCST
10 model using the actual weather data measured with the on-
11 site weather station to predict what the off-site
12 concentrations were at the 100 and 300 foot receptors that
13 I showed you in the earlier slide.
14 So this is just a check really of the system.
15 We're not doing any back-calculation here at this point.
16 We're just running the model with the flux profile that we
17 actually measured directly at the site using the
18 aerodynamic method and then seeing what the model is
19 predicting.
20 So this is for the 100 foot southwest off-plot
21 receptor. And generally you see the model doesn't do too

1 bad. It underpredicts by a factor of three or so here.
2 It missed the timing of this peak here. But generally,
3 this is one of the better predictions that we have gotten
4 at this site.
5 Here is the 300 foot receptor in the same
6 direction. We calculated then what the -- we did a back-
7 calculation of the flux here as well just using the method
8 that previous presenters have used by doing linear
9 regression at each receptor location at each time point.
10 And we see that there is a reasonable match here
11 between the back- calculated flux and the aerodynamic flux
12 predictions.
13 This is just a correlation then between the
14 aerodynamic flux rate plotted on the Y axis and the back-
15 calculated flux rate plotted on the X axis.
16 So the take home here really is that field
17 experiments can be designed so that the aerodynamic flux
18 calculations can be verified using air dispersion
19 modeling.
20 We feel that back-calculation is not quite as
21 good as the aerodynamic estimate because of the need for

1 accurate wind data and the model hourly time step, which
2 increases some uncertainty in the model prediction or in
3 the back-calculation prediction.
4 Moving on to flux chamber measurements, and at
5 this point we're not actually using a flux chamber
6 generated flux profile as an input to SOFEA, but we're
7 throwing it out here as a possibility of another direct
8 measurement of flux that might be useful and probably
9 would generate data in a more cost-effective manner than a
10 full-blown aerodynamic flux field study.
11 The flux chamber, the dynamic flux chamber
12 methodology has been used extensively for measuring carbon
13 dioxide, NO2 and other gases in agriculture. It has been
14 examined by a number of -- closed flux chambers have been
15 also examined by a number of researches and this
16 methodology was transferred to us by Dr. Yates' group.
17 I apologize for saying UC Riverside. I realize
18 it is the USDA lab.
19 So although flux chambers have been extensively
20 compared to closed chambers in model predictions there is
21 not a lot of data out there comparing flux chambers to the

1 aerodynamic method.

2 This is what our version of the flux chambers

3 look like. They have a 40 by 40 centimeter base. They

4 are eight centimeters tall. There is an inlet and outlet

5 fan to draw air through the flux chamber. And that's set

6 at 20 liters per minute. Then there is also pumps that

7 draw air through the sampling tubes.

8 In this study here we were monitoring for

9 chloropicrin and 1,3-D. We had different flow rates here

10 for the different compounds based on the LOD we were

11 trying to get in the tube.

12 The airflow, sample flow, temperature and

13 pressure are monitored every 15 minutes by a data logger

14 that's contained in the unit that sits on top of the flux

15 chamber here. It is just a battery that powers

16 everything. I'll show a picture next.

17 This is what the inside of the flux chamber

18 looks like. This is a Campbell Scientific Data Logger.

19 Here is the SKC sampling pump, this is the same type of

20 pump we have on the center mast in the aerodynamic method

21 studies that draws air through the sample tubes.

1 We can put in one day's worth of sample tubes in
2 there. There is a solenoid valve that switches from one
3 tube to the next every 6 and then at 12 hours. At the end
4 of the day someone can come out, switch out that array of
5 sample tubes and plug in a new set. Then ship them off to
6 the lab for analysis.
7 The flux chamber material balance is given by
8 this fairly straightforward equation here where Q is the
9 airflow rate through the chamber. A is the enclosed
10 surface area. And C in and C out are the concentrations
11 over the interval T.
12 Some of the assumptions for the flux chamber
13 method are steady state, constant airflow, uniformed gas
14 flux or the gas flux is uniformly constant over the
15 sampling interval, that there is a well mixed air stream.
16 There has been fair work done by Dr. Wang and others that
17 have studied that, the mixing of the air stream. It seems
18 fairly uniform for this design of flux chamber. And also
19 that diffusion flux is greater than advection flux.
20 This is another field picture showing how the
21 flux chambers are placed on the field in the case of

1 tarped bedded agriculture. This is a drip study, again,
2 in Georgia. The irrigation lines are underneath this
3 polyethylene tarp.
4 For this study we installed five flux chambers
5 in the field. Two are in furrow areas like this. Two are
6 on tarped beds. One was on a bare bed with the tarp
7 removed. We were just trying to look at the effect of the
8 tarp.
9 So scenario number two, then, is the Georgia
10 drip flux study, which is where we compare the aerodynamic
11 and flux chamber methods. Again, in-line, which was the
12 1,3-D chloropicrin combination.
13 It was applied on December 6, 1999 on a 10.4
14 acre field near Douglas, Georgia. It was a sandy loam
15 soil with very low organic matter. It was a 25 gallon per
16 acre broadcast equivalent rate. That is the rate in the
17 bed area.
18 If you start accounting for the furrow, then the
19 rate was down at about 10 gallons per acre. The field and
20 analytical methodology was similar to the last study I
21 described.

1 This is just a plot of 1,3-D flux, here again,
2 in milligrams per meter square per hour on the vertical
3 access. And the orange line is the aerodynamic method and
4 the purple line is the flux chamber method.
5 If you integrate these curves and come up with a
6 cumulative mass loss, you get 29.2 percent for 1,3-D for
7 the aerodynamic method and 20.4 percent for the flux
8 method. The other thing to note here is the
9 wider variations from daytime to nighttime periods in the
10 aerodynamic method. That seems to be damped out in the
11 flux chamber method. That could be due to some insulation
12 qualities of the flux chamber itself. So just an artifact
13 of that but something to consider.
14 Similarly, for chloropicrin, we get 12.8 percent
15 mass loss with the aerodynamic method and 14.8 percent for
16 the flux chamber method. Again, we get wider diurnal
17 variations showing up in the aerodynamic method.
18 So the take home message here is that the
19 aerodynamic method and flux chamber methods, at least in
20 the Georgia situation, provided fairly similar results.
21 And they provide decent mass loss profiles for air

1 dispersion modeling.

2 Again, one of the advantages of the flux chamber
3 method is that it is easier to replicate in a
4 cost-effective manner and would allow one to quickly and
5 relatively inexpensively evaluate different fumigant
6 management strategies, different types of tarp versus no
7 tarp or drip versus non-drip, et cetera.

8 So the last field scenario I'm going to talk
9 about in terms of generating flux profiles for SOFEA is
10 the California shank study. This is one of three
11 conducted in California in the early 90s by Jim Knuteson.

12 This one was in Salinas, California. It was a
13 10 acre field application on September 25th at a rate of
14 12 gallons per acre of Telone II, with off-site samplers,
15 eight of them in the four cardinal directions, again at
16 100 and 800 feet. Samples, again, were collected again on
17 a 6/6/12 hour interval for 14 days this.

18 This is the study that ultimately results in the
19 flux profile that is used in the SOFEA model for
20 California conditions for shank injections.

21 This is the bottom-line result of that study.

1 Flux here micrograms per meter squared per hour. This is
2 the -- you can see the flux starting at about period four
3 or five, really after period four, which is day two,
4 peaking at about day three or four and then slowly
5 declining over the remaining two weeks of the study. The
6 total mass loss here when you work it out is 26 percent.
7 This is a summary of 1,3-D mass loss of the
8 eight field studies that I referred to earlier that Dow
9 AgroSciences has conducted for 1,3-D over the past decade
10 or so.
11 There was an early shank study conducted in the
12 Imperial Valley which had an 11 percent mass loss using
13 the aerodynamic method.
14 This study should probably have an asterisk
15 beside it because since it was the first study they
16 conducted, they were unsure how long to monitor and
17 possibly the entire flux profile wasn't collected there.
18 They stopped monitoring after eight days.
19 Subsequently all these studies have had at least
20 14 days to 21 days of monitoring.
21 So this is the Salinas shank study I just talked

about, 26 percent. Another shank study in the early 90s in the San Joaquin Valley, 25 percent. This is the drip study I talked about in California with the 29 percent mass loss where we also looked at chloropicrin, since that was a Telone chloropicrin mixture. We had nine percent chloropicrin mass loss.

This is the Georgia drip study that I talked about earlier. And we had 29 percent mass loss, which is obviously very consistent with the San Joaquin drip study as well. This is where we had comparative 21 percent mass loss for the flux chamber method.

In that study also, we measured chloropicrin and we had 13 and 15 percent mass loss between comparing the aerodynamic and flux chamber method.

We conducted a buried drip. This was 5 inch buried drip with no tarp study in Rio Grande City, Texas that resulted in a 46 percent mass loss according to the aerodynamic method.

And then other geographic regions, south Florida, Immokalee, this was a shank bed study. This resulted in a 40 percent mass loss. And then a cold

1 climate prospective groundwater study we conducted in
2 Steven's Point, Wisconsin, which was a shank application,
3 resulted in 22 percent mass loss.
4 We have a fairly good range of geographical
5 coverage of flux profiles as determined by the aerodynamic
6 method. As Bruce pointed out earlier they range from and
7 20 to about 40 percent.
8 This is really an iteration of what I just said.
9 I just got ahead of myself.
10 One of the other important model inputs for
11 SOFEA is product use. In SOFEA, we can generate
12 probability distributions, things like field size,
13 application data, application rate, et cetera, and vary
14 those according to actual measured probability
15 distributions to get at the uncertainty.
16 For the California situation, we have an
17 excellent resource there through CDMS, which is California
18 Data Management System. They collect and collate 1,3-D
19 use information from the California Pesticide Use Records
20 or PUR database.
21 Once it is in CDMS, it is proprietary Dow

1 AgroScience's information. For areas outside of
2 California, this information may be collected by growers
3 groups or through the commercial side of the business
4 selling the product.
5 And this information also includes the 1,3-D
6 product used, whether it was Telone II or in-line, which
7 is the 1,3-D chloropicrin mixture and also the pest and
8 the crop type.
9 This is just a sample of the spreadsheet from
10 CDMS. It comes in Excel. It is a bit of an eye chart,
11 but basically, it contains all the information we need to
12 generate probability density functions for the model
13 input.
14 For example, the date the application was
15 completed, the name of the township it was in, the
16 section. Every township in California is subdivided into
17 36, one square mile sections.
18 So we're starting to collect that data more now
19 in the last few years. Some of the earlier CDMS data
20 doesn't have section data.
21 Steve will describe later within the SOFEA model

1 we can also specify use into specific sections based on
2 historical use data. So that will give us some more
3 representative characterization of exposure within a
4 township.
5 So it also includes, again, field size and
6 acres, the rate that was used, total pounds of AI. It
7 includes an application factor, which is a unique
8 situation to California at this point. And Steve will
9 cover that a little bit in his discussion of the model,
10 again, the method of injection, whether it was injected at
11 12 inches or deeper than 18 inches and so forth and the
12 crop and the product.
13 So this is an excellent source of information
14 for building the probability distributions that we use to
15 drive the actual agronomic practices within the SOFEA
16 model.
17 I think this is where I turn it over to Steve.
18 It might be a good break for questions.
19 DR. HEERINGA: Thank you, Dr. van Wesenbeeck. I
20 guess I would like to use this opportunity for questions
21 at this point on the material that Dr. van Wesenbeeck has

1 presented.

2 DR. SHOKES: Fred Shokes. I'm just curious.

3 You show certain losses on that. What happens to the rest

4 of 1,3-D? What do you think is occurring with that, that

5 you are not measuring?

6 DR. VAN WESENBEECK: The slide I showed with the

7 summary of the aerobic soil metabolism studies, we do get

8 a fairly rapid metabolism of it, an average of about 11

9 days or so faster in warmer soils, for example.

10 We also get hydrolysis in the water phase and

11 potentially some mobility.

12 DR. HEERINGA: Dr. Arya.

13 DR. ARYA: Regarding your chamber method, some

14 people think, of course, that putting a chamber, closed

15 chamber, you are modifying the environment greatly. You

16 don't have what is occurring in the open atmosphere with

17 the changing winds and changing stability, changing

18 turbulence.

19 That might be reason, of course, that you don't

20 get that diurnal variation, strong diurnal variation you

21 show through this aerodynamic method.

1 The flux chamber method sort of gives you very
2 smooth variation of the flux and of course much lower.
3 Some people including my colleague, Dr. Nijad (ph), at
4 North Carolina State University, tried a dynamic chamber
5 method where you have a stirrer which you create
6 turbulence within the chamber.
7 And I believe you don't have -- you basically
8 don't have any mixing in the chamber. Do you employ any?
9 DR. VAN WESENBEECK: There are vanes that split
10 the airflow and move it across uniformly across the
11 chamber. I'm not sure that that necessarily generates
12 turbulence. I believe it would maintain more the laminar
13 flow situation.
14 DR. ARYA: But there is another kind of chamber
15 they call dynamic chamber where they use a stirrer to
16 create turbulence condition within the chamber to kind of
17 try to mimic what is in the open atmosphere, and that
18 gives you somewhat larger diurnal variability.
19 You still don't simulate the full conditions of
20 the atmosphere, it is still disturbing the conditions.
21 DR. VAN WESENBEECK: That is a good point. It

1 is agreed in somewhat of an artificial system where you
2 have a uniform airflow, not varying wind speeds, you get a
3 damping effect because of the insulation properties of the
4 flux chamber itself.
5 We actually had thermal couples inside there.
6 We looked at the diurnal fluctuations in temperature
7 inside the chamber versus outside. There is a lag phase
8 and that type of thing.
9 But these are things that as the methodology
10 develops maybe could be improved. But I think it still
11 gives a relatively good comparison between application
12 techniques or something, because you are standardizing the
13 method.
14 DR. ARYA: I think your aerodynamic approach
15 seems very good. You are using three or four different
16 levels and resolving the gradients very well. That's, of
17 course, more labor intensive effort, I am sure.
18 DR. HEERINGA: Thank you. Dr. Majewski?
19 DR. MAJEWSKI: In your field studies, you use 6
20 and 12 hour sampling periods. I think these are, well, in
21 my opinion, these are fairly long and would tend to dampen

1 out the effects of the atmospheric stability during the
2 terms and in effect underestimate the actual fluxes.
3 Do you have any idea or have you looked at this
4 to look at the results from shorter periods versus these
5 long periods? How did you decide on the 6 and 12 hour
6 sampling periods?
7 DR. VAN WESENBEECK: I believe that was based on
8 early work done in the 90s. I'm not aware that we have
9 looked at shorter time intervals to look at the effect of
10 atmospheric stability on the aerodynamic flux estimation.
11 It is probably driven largely by logistics and
12 cost. I'm open to suggestions, though, on going to a
13 shorter time period if needed.
14 When we look at the comparison between the
15 aerodynamic -- predictions of off-site concentrations
16 using the aerodynamic flux profile using ISCST, it comes
17 out not too bad. So I'm assuming it is a reasonable
18 estimation of flux.
19 DR. HEERINGA: Dr. Yates.
20 DR. YATES: I have a couple of questions.
21 First, for the chloropicrin, did you use a charcoal

1 sampling tube or did you use some other?

2 DR. VAN WESENBEECK: No, it is a tube called an

3 XAD4. I can't remember offhand what the exact material

4 is. I can look that up for you, but it is the sort of

5 material we use especially for chloropicrin.

6 DR. YATES: The other question deals with the

7 flux chambers again. Did you leave those on the field

8 continuously during the experiment? Because I notice you

9 had an automatic sampling system so you didn't really have

10 to go out into the field.

11 I guess what I was wondering was if you ever

12 moved them, like if you put it in the furrow on the soil.

13 Periodically, did you move them to a different location?

14 DR. VAN WESENBEECK: No, in this case we left

15 them in place for the duration of the experiment.

16 We spent a fair bit of effort trying to get a

17 good feel between the soil and the base of the flux

18 chamber. So we didn't want to disrupt that.

19 DR. YATES: I know for putting them on a tarp,

20 the issue of changing what is happening in the soil is

21 less affected when you have a tarp because it is already

1 affecting the soil surface anyway.

2 But when you put it over soil, you affect

3 evaporation and a variety of other things. So I was

4 curious.

5 You also had pressure transducers, I guess,

6 inside the chamber?

7 DR. VAN WESENBEECK: Yes.

8 DR. YATES: Did you observe any increase in

9 pressure?

10 DR. VAN WESENBEECK: There were fluctuations in

11 pressure. We tried to -- when we initially set them out

12 there, we balanced the inlet and outlet to try and match

13 the pressure in the chamber with atmospheric pressure so

14 that there is no pressure differential.

15 We do monitor that on the data logger as well in

16 15 minute intervals. You do see fluctuations as you get

17 wind gusts and that type of thing.

18 DR. YATES: One other question, with the

19 aerodynamic, I have looked at comparisons of variety of

20 ways of estimating the flux, the aerodynamic theoretical

21 profile shape integrated horizontal flux.

1 One thing I have noticed is that at night a lot
2 of times with the aerodynamic method you will get a very
3 near zero flux value that is not shown by the other ways
4 of estimating the flux.
5 I'm wondering if that isn't due to the stability
6 correction term where it is not -- the flux is really
7 higher than what the aerodynamic method tells you, because
8 the stability correction isn't matching what is really
9 happening in the atmosphere.
10 That could probably also happen on the other
11 side for unstable conditions. But I would suspect that at
12 least at night when you see those very low values that
13 probably the flux is higher, which, of course, would lead
14 to a higher total emission, not greatly higher, but at
15 least a little bit. Anyway, that's just more of a
16 comment.
17 DR. VAN WESENBEECK: I know in some of the early
18 work, Dr. Knuteson worked on this, he did compare
19 theoretical profile shape and the aerodynamic method. I
20 would have to go back, we can look at that data to see if
21 that was the case, but ultimately we went with the

1 aerodynamic method.

2 DR. HEERINGA: Thank you. Dr. Cohen, Dr.

3 Macdonald and then Dr. Arya again.

4 DR. COHEN: One follow-up to Dr. Arya's

5 question. With the flux chamber, did you ever investigate

6 the effect of flow rate through the chamber on the

7 measured fluxes, estimated fluxes? Because that would

8 sort of get at some of this question of you are not really

9 measuring the real -- the system.

10 DR. VAN WESENBEECK: We base the flow rate just

11 on literature data, other researchers, and that seemed

12 like the value that was used at 20 liters per minute. We

13 didn't look at the impact of changing that.

14 DR. COHEN: When you showed the flux profiles

15 that you have measured and you say you used those as

16 inputs to the SOFEA model, do you apply those inputs as

17 step functions, like for the six hour periods, or did you

18 use the line that you showed between the points?

19 DR. VAN WESENBEECK: No, they are step functions

20 really based on the time period. So they are input into

21 SOFEA as 6/6/12, 6/6/12 and that's the flux during that

1 entire period.

2 DR. COHEN: Then finally, I don't expect you to

3 tell me what the information is, but what is the nature of

4 the proprietary Dow AgroSciences information that you say

5 is used as input to the model? Can you give us an idea of

6 just what sorts of things?

7 DR. VAN WESENBEECK: What is proprietary about

8 it is the fact that CDMS is a company we pay, and they

9 collect it for us and put it in a nice format we can work

10 with. But they actually obtain the data from publicly

11 available information which is the PUR data I was

12 referring to, the California Pesticide Use Records.

13 DR. COHEN: Okay. Thank you.

14 DR. HEERINGA: Dr. Macdonald and then Dr. Arya.

15 DR. ARYA: Regarding the sampling interval, I

16 think six hour, does that imply that you also have six

17 hour averaging or you took samples at six hour interval,

18 but averaging time was different, one hour, or half an

19 hour?

20 DR. VAN WESENBEECK: Right, that's an integrated

21 sample for six hours. We draw air through the charcoal

1 tube sampler for a period of 6 hours and then 6 hours and
2 then 12 hours. And then we extract all that 1,3-D that's
3 on the tube. Does that answer your question?
4 DR. ARYA: Yes. Did you use the same sampling
5 for weights and temperatures, those were averaged for six
6 hours too? DR. VAN WESENBEECK: Can you
7 repeat the question, please?
8 DR. ARYA: Did you use the same six hour
9 averaging time or sampling time for winds and temperatures
10 at different levels?
11 DR. VAN WESENBEECK: Yes. We used the same
12 sampling period for each of the different heights on the
13 flux mast and, yes, throughout the course of the study.
14 DR. ARYA: Because as Dr. Majewski implied
15 earlier, some of the flux profiles relations you are using
16 like piece of M, they were developed for one hour
17 samples, not long samples.
18 I think you are averaging over six hours. You
19 are averaging conditions, highly variable stability
20 conditions, and I don't know if these empirical functions
21 you are using -- they seem to be somewhat kind of

1 unconventional too, from what I have seen in
2 micrometeorological literature. But they have been
3 developed more for one hour sampling periods.
4 DR. HEERINGA: Dr. Macdonald.
5 DR. MACDONALD: I'm new to pesticide
6 applications. I have a couple of naive questions. The
7 first one, I'm quite surprised at how high these loss
8 rates are.
9 Is there an effort in the industry to say get
10 loss rates uniformly down below 10 percent or something
11 like that?
12 DR. VAN WESENBEECK: I think that most
13 manufacturers do want to put into place management
14 practices that do minimize mass loss. We're in the
15 process of doing that for 1,3-D by looking at drip
16 irrigation applications and using different kinds of tarp,
17 et cetera.
18 I don't think that there is a magic number
19 industry-wide that is sort of a standard. Because
20 ultimately it is going to be based on meeting some
21 exposure and risk standard. But there is also the

1 accuracy perspective.

2 It is to the benefit of companies and growers to

3 try and maintain that in the soil as long as possible, of

4 course, to get the concentration time needed to control

5 pests.

6 DR. MACDONALD: Presumably, that's one thing

7 that is going to come out of this study. Once we have an

8 impression of the risk, incorporate that in with the cost

9 benefit analysis of the cost of lowering the loss rates.

10 The other question, the formulas you have used

11 here are all deterministic. Are those stochasticized in

12 any way when they go into SOFEA?

13 DR. VAN WESENBEECK: Not directly. That is a

14 possibility. Steve will touch on that further when he

15 starts talking about the model. We put in the discrete

16 values for the flux profile. For example, for Salinas,

17 California, at 6/6/12 hour intervals. It uses those

18 values.

19 Now, we do adjust it for seasonality. In the

20 case of California, which is at this point just an

21 arbitrary multiplication factor, for summertime

1 applications we increase it to 40 percent. It is also
2 varied depending on the depth of application. And there
3 is various ways to do that as well.
4 But we're not stochastically varying the mass
5 loss at every given time point that we measured if that's
6 what you are asking. It would be possible to include that
7 in.
8 DR. HEERINGA: Dr. Bartlett, Dr. Majewski and
9 Dr. Hanna.
10 DR. BARTLETT: I would like to follow up on what
11 Dr. Majewski said about 6/6 and 12 measuring periods.
12 When you said that you compared it with back-calculation
13 methods for emissions, was the measurements also 6/6 and
14 12 in the periphery?
15 DR. VAN WESENBEECK: Yes, they were. The off-
16 site measurements were also made at the same sampling
17 intervals the center mast used for their Knapp (ph)
18 methods, so we're basically back-calculating with those
19 off-sites measuring the same intervals using ISCST.
20 DR. BARTLETT: As far as your experience goes
21 with emissions, the different studies, the studies you are

1 presenting now, what about the variation in periods? I
2 notice there is kind of a delay, I'm sure depending on
3 method of application of the peak, the peaks, basically,
4 in the diurnal period to period -- and you have variations
5 from 20-some to 40 percent.
6 But I notice when you apply the SOFEA model, for
7 California using one particular study, and so I'm just
8 wondering about the issue of variation of emissions
9 whether that's appropriate or not or why you are using one
10 study to do that or not using a variety of profiles since
11 you are varying a lot of other factors.
12 DR. VAN WESENBEECK: Using the model for
13 California situations and with input from DPR, we decided
14 the Salinas profile was the best one to use at this time.
15 Now ultimately, it really is to the previous
16 question too, we could vary that stochastically if we
17 wanted to or take other flux profiles that were generated
18 from California.
19 We do have the one in Imperial, the one in San
20 Joaquin or others that have been generated by whatever
21 amount.

1 DR. BARTLETT: A follow-up. What about the
2 variations differences due to soil moisture, soil
3 temperature, soil type, the different factors have been
4 found in modeling as far as -- from your studies do you
5 have enough information to start making adjustments on
6 those basis or -- I notice you have seasonality factors.
7 Is there a way you could do that more continuously using
8 temperature, other MET values?
9 Like at this point it seems like your inputs to
10 the system are independent of running ISC. This leads to
11 the question of coupling the emission modeling with a run
12 of the MET data or done independently and then it could
13 also be done in -- it depends on the approach of
14 programming. There is different ways to couple that.
15 DR. VAN WESENBEECK: Yes, the flux experiments,
16 of course, wherever we conducted them, California,
17 Georgia, Wisconsin are basically one sample and time and
18 space under those given conditions, whatever the moisture
19 conditions, the temperature conditions were.
20 We haven't looked or tried to do any sort of
21 correlation analysis yet anyways with all the different

1 studies we have in terms of what the impact of soil
2 moisture was or temperature or anything.
3 But we have done some modeling with PRZM, and
4 Steve Cryer modified PRZM to handle the boundary condition
5 more appropriately for estimating flux.
6 And that does allow you then to vary moisture
7 and temperature and that type of thing to get a flux
8 estimate. But that again would be a model predicted flux.
9 But those could be potentially verified with field
10 studies, though.
11 DR. BARTLETT: I just have one last clarifying
12 question from Dr. Arya's question and your response. The
13 MET data is hourly. When you run ISC, you are running ISC
14 with hourly MET data, but then basically kind of six hours
15 straight of certain emissions. But the MET data itself is
16 running in ISC, it has hourly data and I presume time
17 steps appropriate to what you are looking for.
18 DR. VAN WESENBEECK: That's correct. ISCST runs
19 with an hourly time step and then it just uses the same
20 flux for a six hour period and then moves to the next flux
21 for the next six hour period and so forth.

1 So that's right.

2 DR. HEERINGA: Thank you. Dr. Majewski then Dr.
3 Hanna and then Dr. Potter.

4 DR. MAJEWSKI: I have one comment and one
5 question. The comment is on the way the aerodynamic
6 method describes atmospheric stability.

7 I haven't kept up on the literature for the last
8 several years, but I know a lot of effort has gone into
9 describing stability correction terms during unstable
10 conditions. And not much has gone into describing the
11 stability correction terms during the stable conditions.

12 So it would be my guess that the uncertainty
13 with the flux estimates during the stable conditions would
14 be a lot higher than during the day during the unstable
15 conditions.

16 Then my question is you did two field studies in
17 California. One was 8 days and then the other one was for
18 18.

19 DR. VAN WESENBEECK: There were three shank
20 studies in California. But yes, I presented two of them
21 here, one drip, one shank.

1 DR. MAJEWSKI: I was looking at the graph you
2 showed on the cumulative losses. And it looks like the
3 loss profile for the eight-day study is significantly
4 different than the other profiles.
5 I was wondering if you could comment on why you
6 think that is.
7 DR. VAN WESENBEECK: I'm not sure which -- was
8 it a --
9 DR. MAJEWSKI: It is the summary of field
10 studies. It has the map of the U.S. And then it has the
11 four plots.
12 DR. VAN WESENBEECK: You are talking about the
13 bottom one?
14 DR. MAJEWSKI: Yes. See how -- it looks like
15 you have most of the emissions occurring early on in the
16 three top studies and then the eight-day study is kind of
17 a slow increase.
18 DR. VAN WESENBEECK: I believe that was the
19 first study conducted. That was the one where I was
20 indicating that they didn't carry the study on long enough
21 really to catch the full emission pattern.

1 But we would have to go back and look at whether
2 there was a specific soil type issue there that resulted
3 in the delay in the flux.
4 But basically, if the soil is really sealed well
5 that flux profile can be delayed for several days before
6 you hit a peak.
7 DR. MAJEWSKI: Right. But it just looks like
8 the trend is very different from the loss trends of the
9 other ones.
10 DR. VAN WESENBEECK: Also keep in mind that the
11 first, let's see, the purple line is a drip study, and we
12 tend to see the material coming out a bit faster in that
13 case.
14 And in Florida here, there is a situation where
15 it is an extremely sandy soil. It is like 98 percent
16 sand, half a percent organic matter. So we also see
17 fairly rapid emission there.
18 I'm fairly certain if we actually looked at in
19 detail the differences would probably be explained by soil
20 type differences between the various studies.
21 DR. MAJEWSKI: Thanks.

1 DR. HEERINGA: Dr. Hanna.

2 DR. HANNA: Again, my question is concerning

3 preparing the link between emission fluxes and ISCST3.

4 Were there any trial to impose a kind of

5 temporal variation of the emission profile based for an

6 hourly basis time inputs to the ISCST3 or just used the

7 six hour, the same value all the time?

8 DR. VAN WESENBEECK: We just used the same value

9 for the entire time step that we measured in the field.

10 So for six hours. We haven't done any sensitivity

11 analysis on that at this point.

12 DR. HANNA: The other question is directed again

13 to the aerodynamic method. You mentioned the log-law.

14 Has that been verified with certain observations? Because

15 the log-law for wind speed sometimes shows some

16 inconsistencies.

17 It is applied as kind of algorithm to be used

18 but not necessarily representative to what's the actual

19 cases in the atmosphere.

20 DR. VAN WESENBEECK: Since we measured that,

21 like the wind speed and temperature, the concentration, we

1 have that all on the spreadsheet, we do an automatic
2 linear regression on those. We can flag situations where
3 there is deviation from that log-law. And then either not
4 use that data point or deal with it in some other way.
5 DR. HANNA: Thank you.
6 DR. HEERINGA: Dr. Potter.
7 DR. POTTER: Did you measure soil moisture in
8 any of these studies?
9 DR. VAN WESENBEECK: Yes.
10 DR. POTTER: So you had monitoring data. Would
11 that possibly be an explanation of the difference in flux
12 rate, say, for the California studies?
13 DR. VAN WESENBEECK: That's a possibility as
14 well. Antecedent moisture content of course is going to
15 be related to soil texture somewhat as well. That is a
16 factor. That will affect the flux rate for sure.
17 DR. POTTER: A follow-up to that. Coming from
18 the humid southeast, I know it is hard to find a few days
19 without rain. So I'm wondering if you add rain or any
20 other form of precipitation during your studies and, if
21 so, how did that impact the flux measurements?

1 DR. VAN WESENBEECK: Yes, I know from the three
2 that I conducted personally, for example, the Georgia
3 drip, we did have a small amount of rain there, but just
4 on the order of a few millimeters.
5 So it wasn't long enough duration over a six-
6 hour sampling period that we noticed any real effect there
7 on the flux.
8 I think if you had hurricane Frances coming
9 through or something during the study, you would probably
10 see a damping of flux during that period.
11 But most of our studies, at least the ones that
12 I'm aware of, we didn't have significant rainfall.
13 DR. POTTER: I think, in general, that would be
14 an important variable relative to estimate in flux. I
15 obviously have an opinion in that area, and I wanted to
16 just come out and say it. It is certainly something that
17 needs to be taken into account in estimating flux.
18 DR. VAN WESENBEECK: Okay.
19 DR. HEERINGA: Thank you, Dr. Potter. Dr. Yates
20 and then Dr. Spicer, Dr. Winegar and then Dr. Cohen.
21 DR. YATES: It is pretty clear that there are a

1 lot of things that affect the flux of fumigants from soil.
2 I was kind of wondering what your thinking is on whether
3 you get lower emissions -- for example, in the
4 introductory remark, I guess they show a slide where they
5 have field emissions and then it says the emissions from
6 drip buried is less than drip raised beds, less than shank
7 injected in beds and then shank injected flat fume.
8 If you look at your data for California, it
9 looks like it doesn't really matter. The emission rate is
10 about the same for all the different method. And I have
11 heard a lot of people say they think drip might be a way
12 to reduce emissions.
13 I am wondering what are your thoughts on that.
14 DR. VAN WESENBEECK: I'm not sure which study,
15 first of all, that the EPA -- or which studies the EPA
16 based their evaluation on.
17 I think that as far as your question on drip,
18 there is competing factors, I think, that typically drip
19 is applied at the surface or just a couple of inches down.
20 So that inherently would suggest you get more mass loss.
21 However, usually we have a tarp over that, which is going

1 to reduce mass loss.

2 So possibly it is a wash in the end, but I think

3 we're still learning a lot about how to manage that

4 system. The fact also that it is with the water and

5 allows it to move down into the soil, though, could also

6 end up reducing the potential mass loss there by keeping

7 it in the water phase longer.

8 DR. YATES: But do you think that it may just

9 change the sort of temporal behavior of the flux, and in

10 the end when you look at cumulative losses it may be

11 somewhat similar?

12 Unless of course you are in a -- this would be

13 say given a not so reactive soil system. If the soil is

14 highly reactive, if you can keep it in there a little bit

15 longer, that might be enough to do it.

16 But for like California soils where the organic

17 material is pretty low, I wonder if it isn't going to

18 maybe change the characteristic of the flux but not

19 necessarily the total emissions.

20 DR. VAN WESENBEECK: Certainly our data so far

21 suggests that it is fairly similar. I mean, we have 29

1 percent cumulative mass loss at both the Georgia and
2 California site, which is within the range of what we
3 found in the shank studies as well, and probably within
4 the error bounds around the method.
5 DR. HEERINGA: Dr. Spicer.
6 DR. SPICER: Yes, you used 6/6 and 12 hour
7 concentration sampling times. What are the time averages
8 of interest as far as human exposure and that sort of
9 thing? Are they hours, 12 hours, lifetime?
10 DR. VAN WESENBEECK: That's going to actually be
11 molecule specific, really. But for the case of 1,3-D in
12 California, specifically, the endpoint has typically been
13 at chronic exposure endpoint where we're looking at annual
14 average concentration.
15 We're looking at a much larger time period
16 really than even 6/6 or 12 hours.
17 DR. SPICER: You have measured concentrations at
18 five elevations, 15, 33, 50, 90 and 150 centimeters. Why
19 did you choose to use the 33 and 90 centimeters when
20 determining the flux?
21 DR. VAN WESENBEECK: That was -- we measure five

1 points in order to get a good estimate of the regression
2 and determine that the log-law is working.
3 The 33 and 90 choice I believe, now this is
4 before I started doing these studies, was based on just
5 previous work in the literature and guidance from experts.
6 DR. SPICER: Did you look at any sensitivity as
7 to whether the flux changed significantly depending upon
8 the levels that you chose?
9 DR. VAN WESENBEECK: No. We didn't do that.
10 DR. SPICER: On the MET data, you indicated
11 earlier that there were -- you found deviations from the
12 log-law. Were those deviations, did you notice them
13 occurring correlated with anything in particular?
14 DR. VAN WESENBEECK: Sometimes very high wind
15 speed conditions, I have noticed that a few times.
16 But actually, it doesn't occur that often. We
17 have very few points, really, that we get a regression, R
18 squared less than .95 or something.
19 DR. SPICER: And you are talking about a log-law
20 that takes into account the stability functions in the law
21 itself?

1 DR. VAN WESENBEECK: No, this is just a plot of
2 wind speed or concentration as a function of height.
3 DR. SPICER: Not including the stability
4 functions in the wind speed profile, then?
5 DR. VAN WESENBEECK: No.
6 DR. HEERINGA: Dr. Winegar.
7 DR. WINEGAR: You might have already addressed
8 this somewhat, but in following up a little bit from the
9 previous question with regards to the aerodynamic method
10 and periods of high stability.
11 I'm looking at these two plots of the
12 aerodynamic to flux chamber comparison for 1,3-D and
13 chloropicrin. And there is a number of zero -- it looked
14 like pretty close to zero emissions, zero flux. I'm
15 wondering how real zero flux really is.
16 Because the chamber method doesn't show as many
17 zeros, but the aerodynamic does.
18 So I have to start wondering whether that zero is real. I
19 was wondering if you could comment on how you deal with
20 that.
21 DR. VAN WESENBEECK: Well, we don't deal with it

1 per se. I mean, that's the -- they are not actually
2 zeros. They are probably some measured value that's just
3 very low, and we followed the methodology and that's the
4 number we get. So we use that. DR. WINEGAR:
5 Do you feel that's real then?
6 DR. VAN WESENBEECK: I feel it is the best
7 estimate we can get, given the field methodology we have
8 chosen. Perhaps there are alternate methodology or
9 different time periods, you know, at some point we could
10 evaluate that might take into account some of those high
11 stability time periods or something.
12 But given the consistency we have had with our
13 various field studies -- and again, because for 1,3-D we
14 are mainly interested in the annual average exposure, that
15 whether the value is zero or 0.1 or 0.2 is probably less
16 critical than what the peak concentrations are. Certainly
17 it would be true from an acute exposure as well.
18 DR. WINEGAR: In the previous models we were
19 focusing on a 24 hour kind of thing. Are you saying for
20 1,3-D we're -- the period of interest for risk is
21 annualized and so the integrated value is more important?

1 DR. VAN WESENBEECK: Right. Yes, for chronic
2 risk. Now obviously, acute risk is being evaluated too,
3 and the model will generate 24 hour values. But again,
4 that would be integrated over at least three time periods.
5 So some of that, perhaps, lack of certainty
6 surrounding the very low flux periods would be less
7 important from a risk perspective.
8 DR. HEERINGA: Mr. Dawson, did you have a
9 comment related to this specific topic?
10 MR. DAWSON: Just to follow-up on this
11 discussion and the comments Dr. Spicer raised,just for
12 some perspective, we're interested in using this model as
13 with the previous cases for trying to assess various
14 durations of exposure.
15 So in the particular case study presented here,
16 the historical interest has indeed been over longer
17 periods of exposure duration as indicated.
18 But we're also interested in applying this
19 methodology for shorter term, let's say, 24 hours and
20 less, potentially, exposure durations depending upon the
21 chemical. And even in this case we're also currently

1 interested in looking at shorter term exposure.
2 So just for some clarity there from our
3 perspective.
4 DR. HEERINGA: Thank you very much. Dr. Cohen,
5 next question.
6 DR. COHEN: Do you have any idea how much of the
7 1,3-D ends up on the tarp and what happened to the tarps
8 after they are used in the field and then what happens to
9 the 1,3-D on the tarps? Are the tarps used again? Are
10 they burned?
11 DR. VAN WESENBEECK: I know in some cropping
12 practices in the Southeast they will run two crops through
13 a tarp system. So they will tarp, fumigate or fumigate,
14 tarp and then plant crop and then harvest and then plant
15 again into the existing tarp.
16 As far as tarp disposal, I'm not familiar, to be
17 honest, what the practices with that are. I don't believe
18 we have done any measurements of residual 1,3-D
19 concentrations on the tarp.
20 DR. HEERINGA: Dr. Ou.
21 DR. OU: I just have one question.

1 When you determine the 1,3-D flux loss, did you
2 break down to a cis isomer and trans isomer and how much
3 loss from the two individual isomers?
4 DR. VAN WESENBEECK: We do analyze or quantify
5 the isomers individually. So we could estimate a separate
6 mass loss for the cis and for the trans. But we always
7 add them together. For exposure and risk assessments,
8 they are added together.
9 We could calculate that data. I have looked at
10 it. You do see slightly more rapid mass loss for the cis
11 than the trans. That makes sense based on the slightly
12 higher volatility or the vapor pressure of the cis isomer.
13 DR. HEERINGA: Dr. Arya and then Winegar.
14 DR. ARYA: Well, my comments have to do with
15 some of the questions on the log- law and your answers.
16 In your description of the aerodynamic method, you
17 describe here stability corrections. And the stability
18 corrections, you know, piece of M, piece of C, these are
19 the dimensionless concentration gradient or dimensionless
20 wind gradient and concentration gradients.
21 The fact that they are different from one

1 implies that the wind profile and concentration profile
2 differ from the log-law under different stability
3 conditions. So you are actually correcting for the
4 stability. But this also implies that log-
5 law does not apply under all the stability. It applies
6 strictly under neutral conditions.
7 DR. VAN WESENBEECK: Maybe I misunderstood the
8 previous question. But you are right. We do apply the
9 stability correction factors when we ultimately calculate
10 the flux.
11 I understood the question as, if I just plot the
12 raw concentration values versus height, does that follow a
13 log-law.
14 DR. ARYA: You should not force a log-law.
15 Stability is quite different from neutral. Because your
16 correction practice implies that you are actually taking
17 the log different from the log-law.
18 DR. HEERINGA: On that specific question, Dr.
19 Spicer, and then we'll go to Dr. Winegar.
20 DR. SPICER: What I was trying to ask was if you
21 use the velocity profiles that are measured, then do you

1 use directly the log-law, or is it the log-law that has
2 the stability functions included in it which modify the
3 logarithmic behavior there.
4 That's what I was trying to ask for the velocity
5 profile.
6 DR. VAN WESENBEECK: I'm going to have to check
7 on how exactly that is calculated within the spreadsheet.
8 We can look at it later.
9 DR. HEERINGA: I think that's a perfect way to
10 approach that. If there is a question we can get back to
11 it.
12 I would like to turn to Dr. Winegar for a
13 question and then Dr. Majewski and then we're going to
14 move to a break, I think.
15 DR. WINEGAR: Referring back to the discussion
16 about the 24 hour period, I notice on the Salinas Valley
17 flux pattern, the first four periods are pretty low, and
18 then it spikes up. And then it shows the diurnal pattern.
19 I think you might have addressed this somewhat.
20 I just wanted you to clarify why for that first day,
21 essentially, it is such a low flux, and then it just

1 jumps. Is that because of the timing of the application
2 or --
3 It seems to be at odds with what we have seen
4 with some of the other chemicals and some of the other
5 application methods.
6 DR. VAN WESENBEECK: I think largely that's
7 probably an indication that there was a good soil sealing
8 conducted after the shank application was made, that the
9 knife traces were well closed and sealed.
10 So it is just the time it takes for the 1,3-D to
11 diffuse through the soil to the surface versus escaping
12 out through the cracks.
13 So I think that's the result of that delay. And
14 that time period will be different for a much higher vapor
15 pressure compound than 1,3-D, would come out a lot faster.
16 DR. WINEGAR: Did I understand you correctly
17 that you have determined that this flux profile is
18 representative -- you've chosen to use that for different
19 areas across California. Is that correct?
20 DR. VAN WESENBEECK: Yes. It was partly chosen
21 from a regulatory perspective, because it represented the

1 highest mass loss that we observed in the three studies in
2 California. So there was an element of conservatism built
3 in there.
4 So we had 26 percent mass loss there and 25
5 percent in the other study and then 11 percent.
6 So we picked that study. And then it gets
7 scaled up, as I pointed out earlier, for summertime
8 applications to 40 percent mass loss.
9 DR. WINEGAR: But you're referring to the
10 overall integrated mass loss as comparing one region
11 versus the other. When I see this other plot that shows
12 the percent applied over time, those are quite a bit
13 different curves, particularly at the early time periods.
14 So I'm wondering about this first 24 hours that
15 we're talking about with the risk factor with these
16 different emission rates how that comes together. I'm not
17 quite understanding how you can apply that one profile
18 across the board.
19 DR. VAN WESENBEECK: Well, as far as 24 hour
20 exposures, the model will put out a moving average of 24
21 hour exposures. So in the case of 1,3-D, we would just

1 have that peak 24 hour exposure. Then in this case,
2 maybe, for the second or third day after application, but
3 that's a realistic representation of the way 1,3-D
4 typically volatilizes out of the field, is that there is a
5 delay after application if there has been a good sealing
6 conducted.
7 DR. WINEGAR: I have to wonder if the first 24
8 hours is not the best period to look at, then, if the peak
9 comes a little bit later.
10 DR. VAN WESENBEECK: The model generates data
11 that would allow the user to evaluate any 24 hour time
12 period after application and pick the one that they want
13 to use for the purpose of their risk assessment.
14 DR. WINEGAR: I guess that's something for EPA
15 to decide on their procedures.
16 DR. HEERINGA: I would like to offer Dr.
17 Majewski a chance for a final question before our break.
18 We'll obviously have a chance to come back to
19 these issues throughout our two-day meeting. I don't want
20 to cut anybody off, but I think I'll keep us on schedule.
21 DR. MAJEWSKI: I don't have a question. I just

1 have a point of clarification on the way the aerodynamic
2 method is used and the wind speed profiles and
3 concentration profiles that are used.
4 Granted, the log-law only applies during neutral
5 atmospheric stability conditions. And classically, the
6 way I have used the aerodynamic method to estimate fluxes
7 are I plot up the wind speed with height, draw the best
8 fit line through there, take the tangents at the points
9 that -- the measurements points at 33 and 90, which is
10 estimating the flux through the flux plane at 50
11 centimeters.
12 So actually we're measuring the flux through the
13 plane at 50 centimeters above the surface. So, often when
14 you look at the resulting wind speed and air concentration
15 plots, they are often nearly logged linear. But they
16 don't have to be. And the way the values
17 that are taken off that plot and used in the equation are
18 the best fit line, draw the tangent at that point and then
19 calculate the value there.
20 So I guess you don't really need to take into
21 account the atmospheric stability corrections during those

1 times.

2 DR. HEERINGA: Thank you, everyone, Dr. Van

3 Wesenbeeck, for the presentation, the first part of this

4 two-part presentation and the Panel for their questions.

5 Again, as I mentioned, we'll have ample time to

6 revisit these issues if they are not clear. If there are

7 any points that come up as a result of this discussion,

8 I'm sure that Dr. van Wesenbeeck will have a chance to

9 present that information.

10 So at this point in time, I would like to call

11 for a break. I show 11:44. Let's take a 15 minute break

12 and resume at 11 a.m.

13 (Thereupon, a brief break was taken.)

14 DR. HEERINGA: Time is available for public

15 comment, most likely after lunch today, probably 1:30 or 2

16 o'clock.

17 If you would like to be scheduled for a public

18 comment, please see the Designated Federal Official, Joe

19 Bailey, to my left here.

20 At this point I think we would like to continue

21 with the second part of the presentation.

1 I think Dr. Stephen Cryer of Dow AgroSciences is
2 going to do the overview of the SOFEA model. Dr. Cryer.
3 DR. CRYER: Good morning. What you saw earlier
4 is some of the research that goes into predicting or some
5 of the inputs that are required by this model. But those
6 are not unique by any means.
7 I just want to point out the flux that you
8 provide is up to you. If you have got a better technique,
9 you want to use a numerical generated flux profile, again,
10 you can incorporate that with SOFEA.
11 We just felt that at this stage, when you use a
12 numerical model, you have typically hundreds of inputs.
13 And they all have variability associated with them so you
14 can run it and get different results all over the map from
15 even a deterministic model.
16 We felt at this time that field profiles are
17 more relevant to real world predictions or estimates of
18 flux. And that's why we chose to use field measured
19 values. But again, you are not limited to using those in
20 this modeling system.
21 I just want to give a quick overview of the

1 philosophy, at least since I've been with the company, of
2 field scale research. Really, it is a combination of a
3 bunch of things.
4 You have field and laboratory studies which you
5 heard earlier. Now we want to go out and mimic the world.
6 We do know there are databases out there, different
7 models that we can use.
8 And then, ultimately, we have to be able to
9 present that in a certain way that people can understand.
10 And that's where the GIS component comes in.
11 So really, when I say from lab to universe,
12 that's what we do. We try to take into account all the
13 different avenues that we have available to us and not
14 just focus on one aspect.
15 So what is SOFEA? If you strip away all the
16 fancy graphics and stuff, it is really an input file
17 generator for the ISCST model. It is not rocket science
18 here. We're just generating an input file for a specific
19 numerical model.
20 Again, you can probably easily modify this and
21 dump out an input file for any model that has an input

1 file structure and an output file structure. So that
2 framework is there. But we have added to that as making
3 that specific for the agronomic community.
4 You will see that as we go through there. It is
5 a combination of Microsoft Excel, which is what most
6 people use as the spreadsheet. And we also use a third-
7 party software package, Crystal Ball Pro, and that gives
8 us the stochastic component for the various inputs
9 parameters.
10 That is a very easy program to use. Some of you
11 might have already tried that.
12 So, just an overview of the inputs that get fed
13 into SOFEA. You can see those here. I say the GIS
14 information is optional. So if you don't have
15 that capability, you could still run this system by just
16 using default to say everything is ag capable land. It is
17 all flat. I have uniform population densities or whatever
18 the case might be. I'll give an example of that a little
19 bit later.
20 But the outputs, you have got the receptor grid.
21 So you have concentrations at various points in your

1 simulation domain. So you can plot up these air
2 concentration curves in terms of exceedence percentile.
3 Or you can get contour plats. You know exactly the
4 concentration at a specific spatial location.
5 So it allows you to present the data in a
6 variety of different ways.
7 Again, the selection of the modeling system,
8 ISCST3, we have heard a lot about this. I'm just going to
9 skim over this really quickly. But the bottom line it is
10 an hourly time step model, but you can output hourly
11 information if you want.
12 In our case we typically focus on 24 hour onward
13 through the year. Subchronic values, which I'll talk
14 about later on, that, again, is user specified. If you
15 want like a 15 day average you can specify that and get
16 that.
17 Again, ISCST3 sensitive inputs, I mean, it's
18 pretty clear. Meteorology drives the movement under the
19 mass and also the flux of the source coming off the field.
20 So you really have to get those two things right.
21 What was talked about earlier by Dr. van

1 Wesenbeeck, he covered the source term and how we get an
2 estimate of what is coming off the field so we can further
3 propagate that in the dispersion modeling.
4 You want to generate a system that is specific
5 like I mentioned to the agronomic community to present
6 transport. Again, for those unfamiliar with Gaussian
7 plume it is very straightforward.
8 In our case we have an area source of zero
9 height. And the mass is just convected and dispersed
10 given your meteorological conditions.
11 So I have kind of listed these in order of the
12 sensitivity. Your flux profiles are big. We heard
13 earlier about field measurements. Again, like I mentioned
14 when I first started, you can also put numerically
15 generated flux patterns in there if you so choose.
16 And this is a way you can get at the regional
17 variability. If you say my flux profile for this location
18 in California is not representative of this other
19 location, then just simulate it and put it in. You can
20 look at the results that way.
21 Again, it needs meteorological conditions. You

1 need fumigant product use inputs.

2 Again, if you are looking at a spatial

3 concentration dependence, you have to know where the mass

4 is applied, you have to know how it is applied, when it is

5 applied, et cetera, and of course some of the

6 environmental fate properties of your molecule.

7 For source strength we have two flux files that

8 we are using, one for shank and one for drip. That's what

9 we call our reference flux files.

10 And here is an example of what we're using, one

11 for drip and one for shank. These were presented earlier.

12 Again, these were the highest field flux rates that were

13 observed. That's why they were chosen. Again, you are

14 not limited to choosing. You can choose whatever profile

15 that you want.

16 I want to just mention you can also estimate

17 fluxes numerically or empirically. A lot of different

18 methods that have been done from empirical, the one

19 dimensional modeling, the two and three dimensional

20 modeling.

21 The Riverside group at USDA has some 2 and 3-D

1 models. You can if you want to look at effects of
2 rainfall after an application or different soil textures
3 or soil properties, you can have that ability to use these
4 different models and simulate those flux patterns.
5 These are just some of the sensitive parameters
6 that I have found when I used the PRZM model in terms of
7 soil properties and stuff. But some of the biggest that
8 turned up in that analysis were the incorporation depth
9 and a lot of the properties that were related to
10 temperature.
11 So if we can adequately cover incorporation
12 depth and somehow how the temperature dependence on flux,
13 we can at least capture two of the most sensitive
14 parameters from a deterministic soil transport standpoint.
15 And this was a graph from a publication last
16 year where we looked at a USDA model and also a modified
17 version of U.S. EPA model. So I modeled PRZM3 and have
18 seen how well that compared to some of the field flux
19 profiles that was generated from our field group. You
20 see, they are not bad.
21 So again, if you want to see numerically

1 generated data, you have that option.

2 On our last bullet here, you need to bridge

3 science and regulatory constraints. A lot of regulatory

4 scientists don't have the ability to take a three

5 dimensional model that doesn't have a GUI interface, for

6 example.

7 And you have a very unique input file structure.

8 It is very difficult to get that input file set up to run

9 correctly, and when it bombs you may not have the

10 expertise to find out why it failed.

11 So we have to make something that is relatively

12 comprehensive, but yet we can give it to other people who

13 may not have a strong scientific background in numerical

14 modeling and be able to run it and also get reasonable

15 results.

16 That is really what we're after. We're trying

17 to couple those two together. There might be better ways

18 of doing it, but this is one of those compromising ways

19 where we can try to keep everybody on the same page and

20 happy.

21 I mentioned our references fluxes that were

1 used. This modeling system uses those and then it scales
2 them accordingly in this linear fashion. You see from
3 this equation, the F R of I, that is a scale flux rate
4 that was observed from the field studies that was divided
5 by the application rate.
6 So we numerically sample from a probability
7 density function application rate. That way you can at
8 least account for, if you double the application, you are
9 going to double the mass coming off the field, for
10 example.
11 But it also is updated by those last two terms,
12 those S terms. Those are based on the depth of the
13 incorporation and the time of the year that that
14 application went out.
15 California DPR, they have a two-temperature,
16 what are called discontinuous regime for that one factor.
17 What I show here that for a certain time window, the
18 summer period you would scale your reference flux up by
19 1.6X.
20 That is directly to account for temperature
21 dependence. It is going to be warmer, obviously, in the

1 summertime. Physical, chemical properties, diffusion
2 coefficients, Henry's law, constance, those are all strong
3 functions of temperature.
4 So it makes sense that you are going to get more
5 flux loss in hot times than other times. The sinusoidal
6 curve, that is something that I looked at fairly recently.
7 If you want to get a smooth distribution or a smooth
8 function over the year, that's something you can look at.
9 That pretty much follows the temperature
10 dependence of air temperatures even though this is based
11 on a soil model.
12 Now I want to look at flux loss scaled by
13 incorporation depth. Because all applications aren't made
14 at the same depth. At times you have different practices
15 that farmers use, for example. So you need to account for
16 one person might inject at 12 inches. One might go 24
17 inches, et cetera.
18 So we just -- SOFEA has the capability of
19 assuming a linear incorporation scaling or an exponential
20 incorporation scaling where we artificially assume that if
21 you applied everything on the surface you are going to get

1 100 percent volatility loss. So that point is artificial.
2 There was some work from the USDA Riverside lab
3 were they actually looked at 1,3-D and the effect of
4 incorporation depth, again on the lab scale, that's what I
5 show on the points here. And you see, to me, they clearly
6 don't really follow a linear scale. It is more
7 exponential.
8 But what is incorporated into SOFEA you can
9 either assume that it is exponential, decay with depth,
10 that scaling factor or we can do what California
11 Department of Pesticide Regulations has recommended to us.
12 And that was we have a field reference trial,
13 which I have given by this magenta dot, so that the
14 cumulative loss is scaled accordingly linearly until you
15 get to that incorporation depth at which point it stays
16 constant from that point forward.
17 If you had measured 25 percent mass loss at 18
18 inches, that if you incorporated any deeper you would
19 still get 25 percent mass loss.
20 This is my halfway slide, but we probably don't
21 need this now because we're right after the break. This

1 is just to show you there is more than corn in Indiana.
2 Once you get you get above corn line, about ten feet high,
3 you can get up to nice mountains and stuff like this.
4 Hopefully nobody is from Indiana here. I'm
5 pulling your leg. It is actually --
6 DR. HEERINGA: Some of us have been there,
7 though.
8 DR. CRYER: You know this is not Indiana. This
9 is what I wish Indiana looked like. This is actually a
10 shot from Alaska.
11 Where do we get our meteorological information?
12 That was pointed out by Jeff earlier in his EPA
13 presentation. There are two sources for some of the
14 results that we're going to present.
15 One is the SCRAM data, which is the EPA website.
16 All that information has been QA, QC'd. So that is
17 probably a good source to go to, National Weather Service
18 data. And also in California, we have got the CIMIS data.
19 That's where we have actually specific information for
20 agronomic regions in California.
21 But ultimately, mainly what you do is generate a

1 weather library. So that weather library can come from
2 historical information. If you want to use a weather
3 generation program that can give you hourly output like
4 what ISCST3 uses, you are more than welcome.
5 I have used weather generator programs to
6 generate libraries of like 500 years of yearly values, for
7 example. But here let's say you have 15 years of
8 historical information, 1985 to 2000, what you would do in
9 SOFEA is assign a uniform distribution to that.
10 So each year has an equal probability of being
11 selected when you run a simulation.
12 I did not load my little graphic here,
13 unfortunately, but what we have here is -- I want to show
14 you that we have a single field. You are coupling the
15 variability of the flux loss in addition to the
16 variability of the wind speed.
17 So this is actually using a numerically
18 generated flux loss pattern coupling it with wind for 10
19 days, and you would see how that plume changes and
20 diminishes in intensity given by the color, if I had
21 loaded the file.

1 But it gives you an indication that you can use
2 something like this, I think, to design a field study,
3 especially, if you want to learn where the predominant
4 wind directions are, where you need to put your monitoring
5 equipment, et cetera.
6 I want to talk a little bit now about going to
7 multiple source terms in an air shed or a township. We
8 don't know the orientation or the spatial relationship
9 between the field edge and where a person might be
10 residing.
11 We know it is going to be -- downwind air
12 concentrations are going to be driven by wind speed and
13 direction. So you can have this person, this little girl
14 that's on the edge of a field, and you say how big does my
15 buffer have to be before I'm not going to have an effect
16 on that person.
17 And you can run a simulation. And you can say,
18 well, it has to be X, Y or X feet or meters. That's for a
19 single field. In reality, you get these areas
20 like in California or Florida where it is high, dense
21 agriculture where everybody, all your neighbors are

1 treating fields and stuff, you have got multiple sources
2 you are going to have to consider.
3 Because now you might have an additional
4 exposure due to these other sources that may or may not be
5 coming on at the same time over the time frame that you
6 are interested in.
7 But you really have to account for those.
8 That's what SOFEA tries to do for you in an easy fashion.
9 So we're looking at now instead of using ISCST
10 on a single field, we're looking at a whole air shed. Now
11 you have multiple source terms that are turning off and on
12 at different times depending on when the farmer made an
13 application.
14 The source strengths are varied depending on the
15 time of the year and how deep you incorporated it, et
16 cetera. You can look at a single township like I have
17 over here on the left. Now you can start looking at what
18 are the effects when you have multiple surrounding
19 townships.
20 Now you are getting a drift component, so to
21 speak. Let's just say you are only interested in that

1 center township that's red, you still may have an exposure
2 effect from neighboring fields that are even outside of
3 that township which is six miles away.
4 That's what SOFEA is doing for you. If you want
5 to look at a single field, you can. But like I said
6 earlier, a single field is not an island unto itself. You
7 really have to account for lots of different fields that
8 might be in the area that you are simulating.
9 In California, the amount of 1,3-D mass, it is
10 limited by a township allocation. So you can only use so
11 much mass per township. Once you exceed that limit then
12 you can't sell or use any more 1,3-D in that particular
13 township.
14 So this was to look at the effect of multiple
15 townships between what I call zero and five and what that
16 effect of drift from neighboring source terms might be.
17 So a zero township, that would be like that
18 center red one. You have no additional sources outside
19 that red square. Then you might have one surrounding
20 township, so it would be that central three by three, two
21 surrounding townships would be the four by four, et

1 cetera.

2 So these are the results of this. This is what

3 was published a few years ago. But what it shows you is

4 that a single -- even if you look at multiple sources in a

5 single township, you are not capturing all the potential

6 exposure. You have to look at surrounding townships.

7 And there is a big jump between the zero

8 township versus one township on all sides or a three by

9 three. And it is less dramatic as you increase the number

10 of bordering townships, like you think it would,

11 typically.

12 When you have drift it kind of decays off in an

13 exponential fashion. So you get to a certain

14 point were you don't have to go to really large air sheds.

15 That's what I kind of summarize here. You are not

16 gaining a whole lot when you start going to like a seven

17 by seven or nine by nine township simulation domain at the

18 expense of -- you are really increasing your CPU time.

19 SOFEA has a capability to look at what I call a

20 23 by 23 township simulation to show you how big that is.

21 I just give you a reference on this. The receptors are

1 only placed in that central three by three are the orange
2 -- the red on this graphic. But you can have source terms
3 that are way outside that if you know where they are and
4 you have that information.
5 What we see from that, it clearly indicates the
6 surrounding townships can and do have an impact both on
7 24-hour concentrations and chronic concentrations. It is
8 more dramatic for chronic, but it is still important
9 except at the really upper high percentiles even for the
10 24-hour air concentration values.
11 This was just a slide that showed me where the
12 top one percent of the highest air concentrations were in
13 a particular township. This had a lot of source terms
14 around it. But really they are close to the treated
15 field, like you would expect obviously. Your highest air
16 concentrations are going to be near the source terms even
17 for chronic.
18 So SOFEA -- I kind of list some of the
19 constraints here. We want a system that had to run on
20 PCs, again, so we can give to people who have PCs and they
21 can run it. Some of that earlier work was

1 done on some Unix systems which are really great from a
2 scientific and a programming standpoint.
3 But not everybody has access to Unix machines or
4 super computers and stuff. So this is a system again that
5 we compromised to make it available that most people would
6 be able to use.
7 Again, it was developed to address acute all the
8 way up through chronic air concentrations. Again, it
9 depends on who is using it and what they want to focus on.
10 One of the initial reasons why this was
11 developed was because 1,3-D had a township allocation.
12 But you can look at some of these townships, and some of
13 those townships are bordering oceans. They may have a
14 mountain range through the middle and stuff.
15 So really we wanted to say if we're going to put
16 or do simulations, we want to make sure that we're
17 simulating regions that have high ag use. That is how the
18 system was initially thought of and began the development
19 process.
20 So we were fortunate enough to have some
21 foresight to saying we want to make this versatile enough

1 to handle various crops. Different crops have different
2 agronomic practices, different application equipment,
3 different times of the year depending on what crop is
4 growing.
5 So the system can break crops up into five
6 unique crop types. And these are just headers. By no
7 means, tree and vine, if you put input parameters that are
8 appropriate for a kumquat, then tree and vine would be a
9 kumquat crop, for example.
10 But these are the crops that were high use crops
11 for 1,3-D and for most fumigants, for that matter. For
12 each crop you get assigned probability density functions
13 that would mimic that agronomic practice so the
14 application date could be a PDF for tree and vine and be a
15 different PDF for field crops, et cetera, for all the
16 inputs that you can change.
17 I list those here, field size, type of
18 applications, drip or shank, if it has a tarp present or
19 not, even the time the applications is made, the hour of
20 the day an application is made.
21 Where do the source terms get placed? This is,

1 again, back to that point. You don't want to get a
2 township and artificially place it in the ocean, which is
3 conceivable if you don't take into account land cover.
4 And that's what we did. That's where the GIS
5 portion comes in. There is a lot of public domain GIS
6 databases out there now that everybody has access to. So
7 let's take advantage of this and use it so we can refine
8 the simulation procedure.
9 So we have digital elevation, we have population
10 density information from the 2000 Census. We also have
11 land cover information. So from that you can generate a
12 graphic like I have done on the right here where water is
13 blue and I have a mountain range that's -- not the
14 magenta, but the other purplish color, and the magenta
15 color, that is an urban area, a city. So the ag capable
16 land is the light yellow color.
17 So now we at least know where the fields should
18 be placed if we're going to run a regional simulation.
19 You have to put them where the fields are.
20 This model is what I call a spreadsheet model.
21 It is pretty intense. If you ever are unfortunate enough

1 to go into the code, there are lots of lines of code.
2 Again, like I mentioned, it's conceptually very simple
3 what we're doing.
4 We're generating an input file for ISCST,
5 running it in an automated process and then summarizing
6 the output and doing it over and over and over again.
7 But it is based on Microsoft Excel. The Crystal
8 Ball component comes in. And those are some of the
9 graphics you would get with Crystal Ball on the right in
10 terms of assigning probability density functions where you
11 could set any cell in Excel. Instead of making it single
12 valued, now you can set it as a probability density
13 function. It's a very easy thing to do.
14 There is a worksheet in there, I wanted to point
15 that out, for crop cover. You can get information from
16 GIS sources or if you just have a hard copy map in front
17 of you, you can get a pretty good estimate on where the
18 mountains are, where the city is and stuff.
19 So there is a worksheet in there. You type in a
20 zero, one, two, three for ag land, mountains, et cetera.
21 It can generate like this graphic on the right for you or

1 you can get a data dump from the GIS system.
2 If you don't want to type in stuff by hand or
3 don't have a GIS guru or somebody that can help you with
4 this, there are buttons that link to macros. You can say
5 just make everything ag capable. Make the elevation all
6 flat. Give me all zeros for elevation, et cetera.
7 So here is how our sources place and now we know
8 where the ag-capable land is. I've got basically an
9 iterative loop like 100,000 iterations.
10 It will pick a southwest corner of a field
11 randomly in ag capable land and you also would sample your
12 PDF so it knows the field size. So given that southwest
13 corner, given this field size, can that field fit. I
14 can't have it overlapping the ocean, for example. So it
15 checks it. If it can't fit in that location, it will grab
16 another random sample, now will it fit.
17 It does that up to 100,000 times. That was
18 probably overkill. I showed 50,000 and 100,000
19 iterations for just randomly picking an X, Y location. It
20 pretty much covers the whole, in this case it is a
21 township.

1 We also have the capability. Again, we have
2 historical use records on a lot of fumigants that say they
3 are used in various locations at really high uses. You
4 might have a county, for example, that's all ag-capable,
5 but all use is focused on a central area.
6 So you have the capability of saying I want to
7 make sure that all my treated fields are concentrated in a
8 various area. Again, we use the section base which is one
9 mile by one mile square. And the concept of township and
10 section is not unique to California. That's surveyed for
11 all of the country.
12 California uses it to their advantage. That's
13 how they can track things and summarize things. But you
14 can get township overlays, GIS overlays for all of the
15 country.
16 So any way, that graphic on the right shows that
17 you would specify basically the probability of a section
18 within a township, a receiving field. So if I specified
19 100 percent in section number one, all my fields would
20 try to be placed in that section.
21 You can see the outcome of that. These

1 artificial looking squares, those are basically sections I
2 had picked and said those are the sections that are going
3 to receive fields. That's why you get that high dense
4 usage.
5 I want to point out each one of those fields has
6 an associated probability density function for it in terms
7 of rate, date, timing, size of the field, et cetera. And
8 all those are unique per the five different crops that you
9 can specify.
10 It is all different colors on here, on this
11 particular graphic represent a different type of crop.
12 And I can also or you can also assume random
13 placement. This is an example. If you assume random
14 placement in a township, they are more spread out. They
15 are not concentrated in a specific area, your fields or
16 source terms.
17 One thing we found out early on, if a user
18 specified section waiting, he could artificially say all
19 the fields have to go in one or two sections. If you have
20 lots of mass that you are saying you are going to apply to
21 this particular air shed, they may not all fit in those

1 two sections.

2 So where do you put them in they don't all fit?

3 That's what we call the spill-over algorithm. You have

4 to put them somewhere. We typically -- in the graphic I

5 have here, that would be like a township section. Those

6 little squares in there are actually fields.

7 And then say your next iteration you say I have

8 a large field I need to place in there somewhere like I

9 have in the legend there, that's not going to fit. So in

10 that case, if it doesn't fit then it will go on the spill-

11 over algorithm.

12 But the next time it comes through the loop, it

13 says okay, now I have a little field. It is still going

14 to try to place it in this section here. And the little

15 field will fit in this particular example, et cetera.

16 So that spill-over algorithm is not initiated

17 all the time. It is only initiated when a field won't

18 fit. So you're still trying to pack that section with as

19 many fields as you can possible fit if that's what the

20 ultimate goal is.

21 The details of the spill-over section is in one

1 of those preparation papers that was on the website. I'm
2 not going into the details too much here, just a kind of
3 glossy overview.
4 Let's say you specified section number eight is
5 where you want all your fields. So you want section eight
6 filled up with fields. Then you have an equal likely
7 probability of spilling over to surrounding sections.
8 That's how that would work.
9 If all the surrounding sections filled up then
10 it would just randomly place fields within any ag-capable
11 land from that point forward.
12 Let's say you specified section 8 and 20 as
13 both having a 50 percent probability of receiving a field.
14 So now the spill over effect would wait -- you still
15 would try to get your fields in section 8 and 20 first.
16 And then it would go over to 18. Seventeen and 16 would
17 be the next highest probability, then by the ones that are
18 in that lighter yellow scale.
19 This is my only slide I have with an equation on
20 it. Usually, when you put an equation on, you have to
21 apologize. This is just a purely empirical -- this is an

1 objective function.

2 When you look at putting fields on a discrete

3 basis, saying I have a 5 acre field, a 15 acre field, et

4 cetera, we have some constraints in there. The inputs

5 that the user specifies, he would specify the crop

6 percentage. I have 20 percent acreage of strawberries, 50

7 percent of tree and vine, et cetera. You have a

8 constraint in there.

9 We have a -- upfront you don't know how many

10 fields to select. That (inaudible) is unknown in here.

11 That's just the number of fields for different, various

12 crops. So the term on the right, that A times R, that's

13 the application rate times the field area. That's just a

14 mass term.

15 So you have the township allocation that you

16 specify as an input and then the total mass that is

17 applied to that township. You want that to be zero,

18 obviously. On the other side it would be the same thing.

19 But now it is just crop percentage. We just have areas

20 of the various crops divided by the total area.

21 Then you compare that to what you specified as

1 inputs. This had to be done just from the standpoint that
2 we're not working in the continuous field size, we're
3 working in just discrete sizes when you sample from a PDF.
4 And the reason that it is run is you put a
5 constraint in there, I'm interested in a township cap of
6 this much, you want to make sure that every simulation you
7 have exactly that much.
8 So we run through this optimization procedure
9 where it tries to optimize those constraints. In a way it
10 stretches or shrinks the fields. So once it says I need
11 eight and tree and vine fields, six strawberry fields, and
12 those are all different sizes depending on what it sampled
13 through the PDF, now it stretches those or shrinks those
14 in such a way that it still optimizes your constraints,
15 but still meets those constraints. Hopefully, that made
16 sense.
17 It is constraining. You can only stretch or
18 shrink a field by 20 percent. If you get a big field you
19 are going to wind up with a big field. You are not
20 stretching a little field to a big field or a big field to
21 a little field.

1 Again, this is solely to meet the input
2 parameter constraints that you as a user would supply.
3 Another thing we needed to look at was field re-treatment.
4 Obviously, a lot of the farmers use a product year in
5 year out. Fumigants are typically used on high priced
6 commodity crops. So the farmers usually can afford that.
7 If you are looking at chronic air concentrations
8 or even acute concentrations they are going to occur near
9 those treated fields. If that same field is getting
10 treated year in year out, that's where the highest air
11 concentrations are going to occur. And that is what you
12 want to know.
13 So we had to program that functionality in
14 there. That's a user specified input now. Through data
15 mining, and Bruce Johnson at CDPR did some data mining on
16 methylbromide information, he said roughly that field re-
17 treatment was about 50 percent. So next year about 50
18 percent of the farmers are going to retreat with that same
19 product.
20 And how that works is the first year of
21 simulation you place your fields in ag-capable land. And

1 then the second year of simulation if you specified 50
2 percent field re-treatment it would just randomly sample
3 50 percent of the fields from year one and would use those
4 fields and be retreated again the following year, et
5 cetera. And then it would do the same procedure for year
6 two.
7 So you specify at 100 percent field re-
8 treatment, then you could have the same fields getting
9 retreated every year throughout the rest of your
10 simulation.
11 Why did we choose square fields? That is where I
12 say why not. I mean, really, what sizes and shapes should
13 you use. We do have information about field sizes and
14 shapes. I just wanted to point out that even if you know
15 the field geometry you really still have to couple that
16 with the spatial orientation.
17 I give an example here that these particular
18 fields, a square and a rectangle, given the predominant
19 wind direction they are going to yield similar results.
20 You go to another extreme and now you see it is
21 very highly dependent on orientation. I was thinking in

1 hindsight, I would probably -- to account for that, I
2 probably should have used circular fields instead of
3 square or rectangles. It doesn't matter which way the
4 wind is coming. You always have the same fetch length.
5 I'll also say that we don't break up large
6 fields in a series of smaller fields. Larger fields will
7 give you higher downwind air concentrations.
8 The reason we don't break it up is because it is
9 still a possibility. If you have a farmer that can afford
10 to hire somebody to commercially apply this, they can have
11 two or three rigs going simultaneously. So you can have a
12 single field, large field treated in one day.
13 If you know that a field is broken up, then you
14 can indirectly assume that too by instead of having a
15 large field in your probability density function, break it
16 up into two equal size smaller fields. So you still have
17 that capability.
18 I show a validation using SOFEA against some
19 Kern ARB, Air Resources Board in California, monitoring
20 data. They have been monitoring soil fumigants for a
21 number of years. We're going to look at the 24 hour air

1 concentrations over a monitoring window, which is about
2 two months.
3 I call it a pseudo validation because pseudo --
4 we knew where the air monitoring locations were, but we
5 didn't know the proximity of the treated fields to those
6 air monitoring locations. So we just used SOFEA saying
7 let's place fields in ag-capable land and see how well we
8 do.
9 Also, we didn't have the meteorological data
10 specific for this particular, Merced County. I got it --
11 it was Kern County. So we used neighboring weather
12 information from Merced County.
13 So the little orange arrow, that is the
14 monitoring window of the ARB. I show the history on
15 there. That is the application dates for that year or two
16 years of monitoring that for 1,3-D. You can see ideally
17 it would have been nice if California monitored the entire
18 year because applications are made throughout the entire
19 year.
20 So what I did, I just focused on that time
21 window from two months in the summer, whatever happened to

1 be, and that's what I ran the simulation for. So I could
2 compare the simulated air concentrations to what ARB
3 measured.
4 Also, you can break it up into crop type. Like
5 I said, we have the capability of simulating up to five
6 different crop types. So I looked at what the crops are
7 the that were grown in that area.
8 I broke it down into -- over the monitoring
9 window, really, it came down to like three crops. I
10 specified three crops. I developed probability density
11 functions for those three crops. I used those in SOFEA
12 with the appropriate met conditions. This is what we came
13 up with.
14 So this -- I'm was quite pleased when I saw
15 this. So this is a 24-hour daily value air concentration
16 over like a 60-day time window. I repeated this for 10
17 years of simulation. So that's what the magenta line is.
18 Ten years of simulation over that same 60-day day
19 monitoring window was what ARB did.
20 You see the ARB data for that monitoring time
21 frame. Again, it is on a log linear scale, but I was

1 quite impressed with how well we came.

2 When you think about it, you should get pretty

3 close because you know how much mass is applied in the

4 area, roughly where it is going to be applied in the ag

5 land and the proximity to these monitoring locations.

6 If you didn't get pretty close, then there would

7 be more reason for concern.

8 We also made this program have the capability of

9 looking at forecasting into the future, because management

10 practices change over time. Farmers change their

11 practices over time. Urban sprawl takes place taking land

12 out of potential ag production, et cetera.

13 In the case of soil fumigants, if methylbromide

14 is going away, then, obviously, some fumigants are going

15 to have to replace methylbromide. You might have a

16 fumigant that might increase in use down the road once

17 methylbromide goes away.

18 This program has the ability of what I call five

19 loops. You can have five loops of whatever duration that

20 you want. In this case I say let's run a 25 year

21 simulation. Each one of these loops will have five years

1 each.

2 So you can specify different inputs now for each

3 one of these loops. So if you know that you want

4 different management practices in loop number three, you

5 would specify that. So it will simulate different

6 practices until it got to loop three, and then it would

7 specify what you want it to look at.

8 For example, you are taking out land because of

9 urban sprawl or you are going to require everybody to use

10 a certain type of tarp, for example, to cover your field.

11 You can simulate that in one of these loops.

12 You can go like from present day and anticipate

13 what the future might hold or from a regulatory standpoint

14 you can say what if I specify these different best

15 management practices over time what is going to be the

16 ultimate result from that.

17 It is a way to use a kind of as a predictive

18 tool to know what might be the consequence of different

19 practices that you might propose or specify.

20 I'll give you an example of how you can use it

21 with some temporal and spatial management practices. If

1 you look at the bottom graphic, really what we'll focus on
2 is you can actually alter how fields are treated.
3 Say, for example, from year one to year two, say
4 the light colored blue is areas of high use, let's say the
5 following year you can switch it. That can be a
6 regulatory constraint, if you used it one year, you can't
7 use it the following year, et cetera.
8 You can kind of see, like I mentioned earlier,
9 your highest air concentrations are going to be in your
10 high use regions. So on the magenta, your highest air
11 concentrations are going to be within that orange dots of
12 receptors.
13 So if you switch that around, say, okay, the
14 following year we're going to make those high use regions
15 somewhere else, over time, like over a life time of
16 exposure, you can get something that would look like what
17 I have here.
18 Looking at that top graphic that doesn't have
19 the color there, that just shows that those receptors --
20 if you always went to the same high use regions year in
21 year out, you are going to have an extremely high lifetime

1 average for these receptors here, here and here, because
2 they are getting hit year in, year out with a high
3 concentration value.
4 If you were living there, for example, it is
5 going to be by far the highest exposure anybody is going
6 to have.
7 Let's say you break it now into two different
8 regions of high use. Like I mentioned, you alternate from
9 year to year, you might have higher concentrations there
10 that first year of use. Your second year you have a drift
11 component that is a small fraction. Then the following
12 year again that same receptor will get a high value and
13 then a low value.
14 This is a way you can do some temporal
15 management practices, again, with the forecasting
16 capability of SOFEA.
17 I have been kind of focusing on some of the guts
18 and how SOFEA can be used. We have developed specifically
19 for chronic exposure assessments, but we do have an acute
20 exposure assessment also.
21 You specify as a user the receptor densities.

1 So you can make it really coarse or really fine. The more
2 receptors you have, the longer it is going to take ISCST
3 to run and the more memory you are going to need, et
4 cetera. So there is probably a happy compromise.
5 For this example, I specified a receptor density
6 of 600 feet. I placed my field and I say I want a field
7 with a 100 foot buffer.
8 This is where we use a modified version of
9 ISCST3, which is modified for California Department of
10 Pesticide Regulations where any receptors over a field or
11 within a user specified buffer would be turned off over a
12 time window which is typically like a reentry time period,
13 which most registrants have.
14 You treat a field, you have to wait seven days
15 before you can go back on top of that field.
16 So in those particular cases, then those
17 receptors aren't used. So you can specify up front in
18 SOFEA if you were unfortunate enough to make a really
19 coarse grid density and you specify -- let's say I want a
20 100 foot buffer and you are going to get results, without
21 looking at your data specifically, you would say I have

1 air concentrations for 100 foot buffer.

2 But what might happen then is what you have

3 here, your closest receptor that's on, so to speak, might

4 be 300 feet away.

5 So you might actually be getting air

6 concentrations at 300 even though you are thinking you are

7 getting it at 100 because you specified 100 foot buffer.

8 Did that make sense to everybody?

9 The way to get around that obviously is to

10 increase the receptor density. But at that same time when

11 you do that, your simulation is going to take longer to

12 run.

13 The alternative is what about putting like rings

14 of receptors around. Let's put receptors around all of

15 our fields that are like 100 foot buffer, 200 foot, like

16 what I have in this example here. You can say that

17 particular receptor is 300 feet from my field.

18 But the problem comes in when you have multiple

19 source terms. Now, let's say you have another source that

20 is only 100 feet away. So now you are trying to say -- so

21 you might get like a really high air concentration at 300

1 feet away. It is not due to that middle source. It is
2 due to a neighboring source that's a lot closer than you
3 know of.
4 So now we have the capability. As a user, you
5 would specify I want to look at 10 buffer setbacks. I
6 want to make sure that if you specify 100 foot buffer, I
7 want to make sure that it is 100 feet from any field in
8 your simulation domain.
9 This is a nice feature to look at acute
10 exposures. Now you are placing receptors at high density
11 areas around all your treated fields. So you don't have a
12 single treated field. You might have 30 or 40 fields in a
13 given township where you would have something like this.
14 So you specify the buffer setback and also the
15 spacing along the equal buffer perimeter of each receptor
16 along that spacing. You don't even have to think about
17 it. It generates nice curves for you.
18 Again, there is a trade off with this method,
19 also. Again, you could specify really close receptor
20 distances from each other at various buffers, but then the
21 number of receptors increases. And I kind of at least

1 illustrate that here.

2 But even if you look at the really coarse grid

3 on the top left, that's still adequate to capture a plume

4 leaving a field, for example.

5 But again, this is a trade off. I haven't on

6 the example software that you guys have, I didn't put this

7 in yet because I want to make it to a way that a user

8 won't arbitrarily specify a small grid and come up with

9 500,000 receptors and wonder why it is not running on his

10 machine.

11 So it is kind of a trade off again. When you

12 start giving away software, you don't know who is going to

13 be using. So you have to put some air trapping and stuff

14 in there to make sure things like that don't happen.

15 Again, this will be available. It is available

16 now. If you want, I'll give it to you now. But if not,

17 you can wait until it formally gets loaded on the EPA

18 website.

19 This gives me an example of high use density

20 during a short time window, extreme worst-case. This is

21 going to be some simulation results.

1 This is at 1,3-D township allocation. These are
2 the fields that were selected. I put them all in and
3 tried to get them close together. And I specified five
4 buffer setback distances, which you can see on here.
5 So this program, this would be a really hard
6 thing to generate by hand. So obviously, it is nice to
7 have something that does this for you automatically. So
8 now you account for 100, if you specified 100 foot buffer,
9 you are going to get all the air concentration at 100 feet
10 from every single field in your simulation. Again, those
11 buffer setbacks, that's user specified.
12 Here is an example of some results. Obviously,
13 the closer into the field you are, the higher air
14 concentrations you are going to have. This could be
15 useful to both registrants and the regulatory bodies. If
16 they have to specify setbacks, then they can use something
17 like this to aid them in their decisionmaking process.
18 Again, these are 24 hour max receptor
19 concentrations. So each one of those receptors that were
20 on like a 100 buffer perimeter, even though you might have
21 simulated a year's worth of data, it would pick the

1 highest 24-hour value.

2 So they might not have all occurred on the same

3 day, but from an acute standpoint, that's what you are

4 interested in. You want to know what was the highest

5 value on a given day.

6 Here I give an example of how we use this from a

7 chronic exposure standpoint. We use the GIS information

8 to generate a simulation domain where we place our fields

9 like this. You also specify uniform grid density. What I

10 have as overlay here.

11 So your output results now, you know exactly the

12 locations where your receptors are, locations where people

13 are, population densities, mountains, et cetera. So if

14 you're -- I'll show this example.

15 You could be estimating air concentrations over

16 water bodies or sailors or urban areas or a hiker in the

17 mountains, because now you know what those predicted air

18 concentrations are and also the land cover type.

19 I show this example with about 400 receptors of

20 simulations that Dr. van Wesenbeeck ran, typically in a

21 three by three township domain. There is about 12,000

1 receptors. So if I try to draw 12,000 lines on here it
2 would just be one dark image.
3 So when you have a uniform grid, you can take
4 each receptor in that grid. You have an air concentration
5 associated with that. Now you can plot it up in terms of
6 like an exceedence concentration curve for chronic,
7 subchronic, acute. Whatever you are interested in.
8 And now because you have data that's unique at
9 different locations, now you can start looking at
10 mobility and population-based risk assessment.
11 This is an example of how you could do that.
12 Again, that graphic on the left, that shows the urban
13 areas. Actually, all that magenta and different locations
14 are urban areas. And the dots on that graph are the
15 southwest corner of a treated field.
16 So it is clear on this case that most of your
17 applications are made in rural areas. So if you really
18 wanted to do a true population based risk assessment, you
19 have the capability of doing it with something like this
20 or even a mobility assessment. People can live in the
21 city and go work in that rural region and go back to the

1 city, et cetera.

2 Now I'm going to say we're taking a small step

3 backwards. I'm going to show you how we have used this

4 for some chronic assessment. That is where I'm going to

5 let Dr. van Wesenbeeck take over this portion.

6 DR. HEERINGA: Thank you very much, Dr. Cryer.

7 I think at this point we'll let Dr. van Wesenbeeck

8 continue with the presentation and we'll open it up to

9 comments on both components of this second half of the

10 presentation.

11 DR. VAN WESENBEECK: I'll just have a few slides

12 and then I'll be turning it back over to Steve.

13 With the California Department of Pesticide

14 Regulations Risk Assessment, which is a probabilistic risk

15 assessment, they make several assumptions in there. And

16 one of the assumptions is that people live within and

17 reside and work and spend their entire life within a

18 single township area.

19 And so the way that assessment has been

20 conducted in the past is that the probability distribution

21 of annual average concentrations that a person may be

1 exposed to in that township are sampled using the At Risk
2 program, which is similar to Crystal Ball, just a
3 different software.
4 And then it is assumed that a person spends a
5 certain amount of time, for example, in their house, eight
6 hours a day, and they are exposed to a certain
7 concentration off that distribution. Then there is also
8 probabilistic weight and breathing rate and other
9 parameters that affect the risk assessment.
10 What we have done is we have translated that
11 program into Crystal Ball as well, although it is not part
12 of SOFEA right now, but the data from SOFEA can be run
13 through this assessment.
14 We have also looked at alternate mobility
15 assumptions where residents could live within and move and
16 spend their entire lives within a three by three township
17 domain, for example, and combinations of those.
18 So when they live in the central township but
19 move around within a three township area, which we feel
20 are still fairly conservative assessments in terms of
21 exposure and risk, because we're assuming no one is ever

1 leaving that three township area, let alone California or
2 anything.
3 For those assessments, then we assume
4 probability distributions. We generate probability
5 distributions from the CDMS data that I referred to
6 earlier. And within the SOFEA shell, you can do a custom
7 distribution, if you have actual data.
8 You would select this or if you wanted to
9 generate a theoretical probability distribution, you can
10 generate a normal or any of these choices here.
11 Again, that would apply to any of the product
12 use parameters like application rate, field size,
13 application date, et cetera.
14 And in our case, we actually have data. So we
15 use the actual data to generate our probability
16 distributions. Then these are some examples here for
17 Merced township. So this is a probability density
18 function of actual field sizes in hectares in Merced.
19 Also application date. You can see there is
20 very bimodal timing of application. We get very few
21 applications in the middle of summer, but there is a peak

1 in the fall and there is a peak in the spring time.
2 Again, Merced is largely sweet potato, probably
3 80 or 90 percent of the use in Merced is on sweet potato.
4 So we see this really defined application timing. We may
5 also find in different townships, in different crops, you
6 can split these out by crop type if you wanted to.
7 Injection depth, this is again based on actual
8 data. The bulk of applications were made at 18 inches.
9 This is 46 centimeters here, 18 inches or deeper. About
10 10 percent of the applications are made at 12 inches. So
11 the model shell then will select application depths
12 according to this distribution.
13 And again, similarly for application rate. We
14 see a big spike here, which is probably the most typical
15 application rate for sweet potatoes and then there are
16 some other crops thrown in there as well.
17 This is an example of the results coming up. We
18 simulated a five by five township domain for Merced. So
19 the central township of interest here is one which there
20 is a very high amount of sweet potatoes grown and a fair
21 bit of 1,3-D used.

1 And the application or the township allocation
2 here is set at two, which is twice the existing township
3 allocation of 90,250 pounds. So basically, this township
4 is allowed to now have 180,500 pounds of 1,3-D applied.
5 Similarly, for these other surrounding townships
6 here, this is based on actual historical use data over the
7 last three to five years, I chose the highest amount of
8 1,3-D that was used in these surrounding townships over
9 the past three years.
10 So in this case, typically we're only applying
11 about half the township allocation. These three townships
12 here have no 1,3-D use. And then similarly in the outer
13 five by five townships we have the maximum use that was
14 observed over the last three years.
15 A similar situation in Kern, where we had one
16 township that had a very high requirement for 1,3-D use.
17 So we were asking for permission to be able to -- or
18 trying to justify increasing that use to twice the
19 existing township allocation. And again, with actual use
20 and surrounding townships.
21 So we run the model then, I believe these were

1 15 year simulations. So we have 1,3-D concentration here.
2 This is annual average concentration. And we got
3 distributions for the various scenarios.
4 This is, the brown line is Merced with all nine townships.
5 So, basically, it is a distribution of the concentration
6 at each receptor in all nine of those townships.
7 So that would be about 11,766 receptors, I believe.
8 And we're comparing this here to the DPR
9 distribution that was used in their 1997 risk assessment,
10 the black line here.
11 Similarly, here, if we look at just the center
12 township only, so if we were going to run a risk
13 assessment where we assumed that individuals' mobility was
14 limited to just that center township, we would use these
15 distributions here for the risk assessment.
16 And as I said earlier, we could use a
17 combination of these or just one or the other.
18 I just wanted to talk a little bit about how
19 long to run a simulation to ensure that we get an answer
20 that's meaningful within certain error bounds. We haven't
21 evaluated this really rigorously from a statistical sense.

1 But I think Dr. Johnson from DPR is maybe having someone
2 look at this independently. It probably does need some
3 more evaluation.
4 I ran SOFEA for a 50 year simulation for a high
5 use township in Ventura, California. I broke that into --
6 each year was an independent run. So I had 50 one-year
7 runs and then I broke that into five 10-year runs and 10
8 five-year runs. And I looked at the
9 coefficient of variation at various percentiles. I also
10 looked at a moving average of the 50th and 95th
11 percentile, annual average 1,3-D concentrations. It is
12 just a different way to look at it.
13 We haven't examined acute concentrations yet in
14 terms of how long to run the model to get a certain
15 confidence at a given percentile.
16 This is the moving averages here. So basically,
17 run it for one year, then get an annual average. Run it
18 another year, calculate a new annual average over those
19 two years. Then run it a third year, calculate a new
20 annual average over those three years, et cetera, all the
21 way out to 50 years.

1 You see that as you do that at the 95th
2 percentile, the concentration eventually starts to
3 plateau. And it is decreasing and then reaching a
4 plateau. At the 50th percentile, it comes down and seems
5 to plateau earlier.
6 And again, I think this needs some further
7 evaluation and explanations as to why this is different
8 for the different percentiles.
9 Possibly that at the 50th percentile you get
10 less variability in concentrations than at the high end
11 percentiles where the concentrations are driven by
12 proximity to treated field. So you tend to get some
13 higher concentrations and more variation.
14 If I plot the coefficient variation at the 95th
15 percentile values in this case, the yellow or greenish
16 line here is the 50 year -- 50 one-year runs. So I take
17 the 95th percentile concentration of each of those 50
18 distributions and calculate the coefficient of variation.
19 And it sort of spikes up at both ends of the
20 distribution, but at the 95th percentile, it is around 10
21 percent.

1 If you do five 10-year runs or 10 five-year runs
2 and then calculate the annual average concentration and do
3 the CV of the 95th percentile, it comes down a little bit
4 to five or six percent. But it looks like we're not
5 gaining a lot by going beyond sets of 10-year runs.
6 So the bottom line here, again, this needs
7 further evaluation to determine the appropriate method of
8 determining the length of simulation. We haven't really
9 gotten a statistician on this yet. It has just sort of
10 been ad hoc evaluation and visual inspection of the
11 results.
12 Obviously, the simulation length looks like it
13 may need to vary depending on the percentile of interest
14 for chronic assessment, whether it is 50th percentile or
15 95th percentile, and also may vary depending on whether
16 annual average or 24-hour concentrations are needed. So
17 that needs to be evaluated still.
18 I'm going to turn it back over to Steve here.
19 There are just a few slides left, I think.
20 DR. CRYER: There are just a few summary slides
21 left, it is almost lunchtime. Just bear with me. I

1 wanted to go to -- at least where did we go from here.
2 What we will talk about now has nothing to do with SOFEA,
3 but I think it can address some directions on further
4 model development. I wanted to present that here.
5 There are databases out there now based on
6 aerial photography where they have been digitized by some
7 unlucky person or persons that do exist. California is
8 one of those location that has this type of information.
9 This would fully address the spatial
10 relationship to wind direction and stuff. If you know,
11 okay, these are the polygons for the fields. The
12 information that we -- there are other states that have
13 this information too.
14 Probably 20 years from now everybody will have
15 it. Indiana -- there are probably three or four other
16 states that probably have information down to this level.
17 But unfortunately, what we don't have is, we
18 know where the fields are in California for this example.
19 But we don't know did that farmer on that field make an
20 application of this X, Y, Z product. And when did he do
21 it, et cetera.

1 We have a database that tells us when an
2 application was made. We know the general region. But we
3 don't know the exact detail of which field that was in.
4 But this is the type approach if you wanted to
5 go from a more deterministic standpoint to get to this
6 detail -- soil databases out there too. Run a numerical
7 model to generate a deterministic flux estimate for that
8 soil type, et cetera, and run it, simulate it, that's how
9 you would do that type of simulation.
10 It is not beyond current capability by any
11 means. We have done similar assessments to this level for
12 surface water, run off and stuff. But it is outside the
13 limits of what SOFEA does and probably what most people
14 that I'm aware of have been doing. I just wanted to point
15 that out, that it is doable.
16 I don't feel you need to probably go to this
17 detail at least at the level that we're discussing from a
18 regulatory standpoint, but in the future that's something
19 that could be considered.
20 So the benefits of SOFEA have multiple
21 stakeholders all wanting different things. You can kind

1 of read through that and see what they are. So you can
2 impose different constraints and do the "what if"
3 scenarios and see what might happen.
4 That's really the benefit as I see it. Not only
5 can you simulate existing conditions, you can look at what
6 might happen in the future. Obviously, if we all knew
7 what would happen in the future we wouldn't be where we
8 are today. But at least you can take educated guesses and
9 see what that might look like.
10 In summary of the capability, it automates a
11 very complex process for developing inputs, executing and
12 summarizing necessary inputs. Again, ISCST3 -- any model
13 that has an input output file structure can be used,
14 basically. You just have to instead of writing a file for
15 ISCST3, you would write a file for your model of choice.
16 So that is just a certain subroutine in the code.
17 But the other capability, different crops can be
18 simulated. What you might find is that you may not have
19 to make broad claims about certain management practices.
20 You may only be needing them for a specific crop like
21 strawberries, for example.

1 So you can say, strawberries, these are what you
2 are going to be imposed on from a management practice.
3 But you don't need those management practices for another
4 type of crop. So you have that capability now, because we
5 keep that crop type separate.
6 So you can look at it and say where are my
7 highest air concentrations coming from, they are coming
8 from tree and vine, whatever that crop may be.
9 You can look at heterogeneous variable township
10 use. That is what Ian showed on the five by five with all
11 those different numbers in there. You might have a high
12 use township, but neighbor to that you might not have use
13 at all. So you can account for all that variability.
14 You can incorporate GIS if you have the
15 inclination to, and we have. It is very straightforward.
16 Again, forecasting is possible. The system was
17 written entirely in VBA, which is the programming language
18 of all the Microsoft products.
19 So not only -- since we wrote it in VBA, then
20 you have that capability if you wanted to generate
21 graphics in Word or whatever or use a functionality that

1 already exists in Excel when you are analyzing data.
2 There is only one module that wasn't written,
3 that was written in FORTRAN, an Optimization code, that
4 the VBA calls. So all of this stuff is transparent to the
5 user. I just wanted to point that out. That was written
6 in FORTRAN because VBA couldn't handle the programming
7 that was necessary.
8 I tried it for a long time, beat my head against
9 the wall. It turned out to be just a known error of
10 Microsoft that they don't tell the world about, because
11 not too many people find out about it.
12 But anyway, it is useful the way it stands now.
13 There is -- I want to mention there is a FORTRAN program
14 that has to reside in your bin directory. I think it has
15 a solid framework for easy expansion of functionality.
16 Again, that may be covered on our later discussion. I
17 have ideas on that too.
18 So in conclusion, scientific innovation coupled
19 with realistic assumptions allows for refinement of soil
20 fumigant exposure, at least above a level that was never
21 before possible.

1 That is the end of our presentation.

2 DR. HEERINGA: Thank you, Dr. Cryer and Dr. van

3 Wesenbeeck, for your presentation.

4 It is 15 minutes after 12. I would like to sort

5 of give the Panel and the audience a sense of what I would

6 look at in timing. What I would like to do is maybe

7 entertain about 15 minutes of questions now from panel

8 members related to the second part of this presentation.

9 Then we'll break for lunch, return, and I think

10 we have some additional time for questions, including

11 other general questions of clarification from the morning

12 presentation, before we turn to public comment period and

13 then also to the actual discussion of the charge

14 questions.

15 At this point, are there any questions of

16 clarification for Dr. Cryer?

17 Dr. Potter and then Dr. Yates.

18 DR. POTTER: I have a question for Ian regarding the

19 simulations that you did looking at the -- comparing 50

20 year and one year sampling stuff. How did you treat the

21 weather in those simulations? Did you have one 50 year

1 record that you sampled from?

2 DR. VAN WESENBEECK: No. We used a five-year

3 weather record from CIMIS for Merced, sorry, for Ventura

4 in that 50-year simulation. So it randomly chooses one of

5 those five year weather records for each year of

6 simulation. It wasn't a 50 year continuous record.

7 DR. HEERINGA: Dr. Yates.

8 DR. YATES: In the last couple assessment models

9 that we looked at, they tended to be focused more on near

10 field assessments. And there were some comments by panel

11 members about whether reactions in the atmosphere should

12 be included in the assessment or not.

13 They decided, I think the committee pretty much

14 felt due to the short travel distances it wasn't really

15 appropriate or necessary, maybe is a better way to say it.

16 But in here you are now looking at much larger scales.

17 And I was wondering if you planned to include

18 photodegradation or some kind of reaction with hydroxy

19 radicals or something into the assessment, whether you

20 have the capability and whether you have looked into that

21 yet.

1 DR. CRYER: ISCST allows you to assume like a
2 pseudo half-life degradation. If you want to lump
3 everything together irregardless of the mechanism, you can
4 do that. We do that or can do that.
5 DR. YATES: It is an input in SOFEA right now?
6 DR. CRYER: Yes.
7 DR. HEERINGA: Dr. Cohen.
8 DR. COHEN: When these pesticides are applied,
9 are they always applied at the same time of the day. And
10 I would imagine in some cases you would want to apply it
11 later in the day so it would stay in the ground longer? I
12 don't know.
13 I'm wondering if there is a variation in that,
14 that would be another factor, I guess a variability in
15 these emission fluxes.
16 DR. CRYER: SOFEA has a capability. You can
17 specify the hour of the day an application is made, but a
18 lot of times we don't have that detail like in the
19 pesticide use records.
20 So if you can talk to ag commissioners or
21 something that might give you a feel for what time of the

1 day that you should choose, again, that can be a PDF also.
2 DR. COHEN: But are the emissions fluxes that
3 are being used based on your measurements, are those
4 adjusted, then, based on the time of day that has been
5 chosen?
6 DR. CRYER: No, they are not. So at this stage
7 you probably should stick with roughly the time frame that
8 the emission fluxes were generated.
9 DR. COHEN: One other question, when you are
10 varying these various application parameters, you are
11 assuming they are all independent from one another.
12 I'm just wondering though if some things like
13 application depth and application rate and crop types, it
14 seems like they may not be completely independent. There
15 may be some patterns that people use.
16 DR. CRYER: You can probably get some of that
17 information from data mining the data. But, yes, you can
18 specify cross-correlations with Crystal Ball if you know
19 what they are and take the effort to find them.
20 DR. HEERINGA: Dr. Macdonald.
21 DR. MACDONALD: I have a number of issues which

1 I think I will wait until after lunch to raise. I was
2 just wondering if we could get a clear printed copy of the
3 presentation, because the most interesting slides were
4 done with some animation and they have all printed
5 superimposed as well as some cases where the access labels
6 get lost in the background.
7 DR. CRYER: I suppose we can run to Kinkos or
8 something.
9 DR. HEERINGA: Another option I might suggest,
10 and I don't know if everybody would want that, but would
11 it be possible just to share the presentation in Power
12 Point and view it on your PC?
13 Is that sufficient or should we try to -- I
14 think that would save everybody a lot of work. I think
15 that's the way Peter would want it. So if you would be
16 willing to do that, I think that might make it easier than
17 --
18 Any other questions at this point from panel
19 members. Dr. Hanna, I'm sorry.
20 DR. HANNA: I have a question about the multiple
21 townships results when use zero, 1, 2, 3, 4. It looks at

1 the highest percentiles, the number of townships, zero,
2 one, two are very close, especially, for 24 hours. It is
3 a little bit different for the annual, but it is still
4 close.
5 But my question, even for the highest
6 percentiles, isn't that dependent on the application
7 process even if the zero township has less applications
8 than township at number three or two, that might change
9 the results that we are seeing.
10 Do you see it this way or am I missing
11 something?
12 DR. CRYER: That particular simulation, they had
13 the same field size and number of fields within each
14 surrounding township randomly placed.
15 DR. HANNA: In reality, is this a true
16 assumption?
17 DR. CRYER: Well, of course not. That's why we
18 went to something like this were now you know the ag-
19 capable land. Because your neighboring township might be
20 an ocean, for example, so you can't be placing your fields
21 there.

1 That was a simulation that was done three or
2 four years ago. So now we further that to let's place
3 fields where they need to be placed.
4 DR. HEERINGA: I would like to go back just to
5 clarify for the Panel, because I know it was an important
6 issue in the two previous meetings. That was the question
7 about the sequencing of the flux measurements, the flux
8 distribution.
9 You initiate that -- again, for chronic
10 exposures it is less of an issue because you are rolling
11 it over time. But for the sort of more acute exposure
12 scenarios, it might become -- you assume that the time of
13 day start for those off-gassing distributions is some
14 fixed time during the day or is it just the time at which
15 it was actually applied in the test?
16 DR. CRYER: It is user specified. But getting
17 to your point, you don't want to specify it too far off
18 from when the flux measurements are --
19 DR. HEERINGA: So you have a time zero and the
20 user can say that that's 7 in the morning or 8 a.m.?
21 DR. CRYER: Yes.

1 DR. HEERINGA: Thank you for that clarification.
2 Any other questions?
3 Dr. Arya.
4 DR. ARYA: Following up on the same, I think in
5 that profile of the flux, it seems to me the peak seems to
6 be two or three days after application.
7 So for acute exposure, if you want to consider
8 the maximum concentration you really have to base on the
9 peak rather than when you applied.
10 DR. CRYER: The model is summarizing the 24-hour
11 max. That might have came three days after your
12 application or whenever. It doesn't care when it
13 happened. That was just max concentration over the entire
14 year simulation.
15 DR. ARYA: Another question, when you say acute
16 exposure, of course, you have 24-hour average. But I
17 would think that acute exposure will be due to hourly
18 average. Hourly average maximums would be much higher.
19 DR. CRYER: Sure. That's where you get back to
20 what you are comparing it to. You typically are comparing
21 it to 24-hour tox value where they dose the animal for 24

1 hours at a constant concentration. So usually you don't
2 have that detail.
3 DR. HEERINGA: Dr. Spicer.
4 DR. SPICER: I just had one small question. The
5 spill-over algorithm, how often is that actually invoked?
6 DR. CRYER: It is only invoked if you specify
7 I'm going to have section weighting. Then it would only
8 be invoked if that section fills up.
9 DR. SPICER: So maybe in one percent of the
10 cases or 10 or --
11 DR. CRYER: I don't think we have ever really
12 seen it. Occasionally, we get a few fields that spill
13 over.
14 But it gets back down to if you know -- and we
15 do know, given the California Pesticide Use Records, where
16 the high use areas are, they are concentrated in various
17 areas, but then are typically not a single section. They
18 are a few sections clustered together.
19 DR. HEERINGA: Dr. Bartlett.
20 DR. BARTLETT: This question is kind of for
21 future development and also the possibility of applying

1 this to the 24-hour exposure, other chemicals.
2 Some things I have read in your papers, one
3 element of the probability analysis that disturbs me a
4 little bit is the concept of what you call directional
5 averaging as far as the probability of exposure in
6 proximity to the field which is used for the buffer zones.
7 Because when -- and part of it is the
8 communication problem, which is if somebody is 100 feet
9 away and yet with predominant winds in a certain area with
10 a valley or something like that, they may think, oh, I'm
11 safe, it is 100 feet, it will never happen to me here,
12 when we know from the modeling, we have output that there
13 may be a predominance that from the southerly, south
14 direction it might be 200 feet.
15 So with that kind of question in mind, I was
16 noticing when you do your analysis of townships that you
17 have something, if I'm right, is under certain scenarios
18 you have an idea of probability or frequencies of
19 exceedences in certain townships and certain areas.
20 So it seems to me it would be possible with
21 higher resolution of grid size around a field to have

1 probability of exceedences at different distances from the
2 field, which would give you a better idea of what is the
3 exposure possibilities.
4 In other words, we have exposure possibilities
5 we're losing with directional averaging. You have that
6 wealth of data that gets lost.
7 DR. CRYER: You are kind of mixing a couple of
8 those papers up.
9 The one paper where we did the PRZM modeling,
10 that's where we had directional averaging, that was for
11 subchronic assessment. That was based on what some of the
12 guidance that EPA had done in one of our risk assessments.
13 That is how they did it based on monitoring information.
14 So we are trying to be consistent with what they
15 had. Stopped using modeling information.
16 In terms of SOFEA, you don't get that. You get
17 the exact concentration at a certain receptor.
18 What I showed in one of the last graphics, it
19 was labeled probably acute exposure, those exceedence
20 curves were for every receptor at the maximum
21 concentration at every receptor at a certain setback

1 distance regardless of where it was around the field. Do
2 you follow?
3 DR. BARTLETT: Maybe you could clarify that for
4 me, then. When you set a buffer zone of 100 feet and you
5 say it has -- when you use this model for the chronic --
6 not the chronic, but the acute exposure, the 24 hour --
7 maybe I'm wrong. You didn't use this model for developing
8 the
9 24-hour acute or not?
10 I notice from your history you said you changed
11 your buffer zone in the last few years or something like
12 that.
13 DR. CRYER: Right. That solely wasn't based on
14 the use of SOFEA model changing the buffer zone. That was
15 more based on field measurements.
16 But your question is if you want to get what are
17 the air concentrations at 100 foot buffer, you have that
18 summarized for you.
19 At every receptor that's 100 feet away from a
20 field, you have that 24-hour max concentration. You have
21 the whole gamut from the upwind versus the one that's 100

1 feet away from the biggest field that's surrounded by a
2 bunch of other fields' contribution.
3 DR. HEERINGA: Dr. Arya and then Dr. Cohen.
4 DR. ARYA: Regarding this 100-foot buffer, I
5 would like to point out that ISCST, like any Gaussian
6 model do have limitations of how close to a source your
7 concentration, calculated concentrations are realistic.
8 And generally, Gaussian models are not
9 recommended to be applied that close to a source, you
10 know, less than 100 meters, actually. Even the dispersion
11 coefficients originally, Pasquel, Gifford developed, those
12 were never given below or less than 100 meters distance
13 from the source.
14 Another limitation of course was the largest
15 distance those dispersion coefficients are applicable to.
16 And the developers of these coefficients are based on
17 experiments, they have always recommended they should not
18 be used beyond 50 kilometer.
19 So your large domain simulation, you might be
20 using those coefficients in excess of 200 kilometers, or
21 200, 300 kilometers. So you're using the capability or

1 using the model beyond what is expected to apply.

2 MR. HOUTMAN: Just a comment about that. That

3 concern was the reason that each of the field volatilities

4 we did using the aerodynamic method, we did set up

5 off-site air samples in each of the cardinal directions at

6 100 meters, sometimes 300 meters, sometimes 800 meters so

7 we could, by measurement of air concentration, compare our

8 ability to predict using ISCST at those near field

9 distances.

10 DR. HEERINGA: Thank you, Mr. Houtman. Dr.

11 Cohen, I believe you had a question.

12 DR. COHEN: Just a follow-up on Dr. Bartlett's

13 question and also I think it was Dr. Spicer's question too

14 about the hour question.

15 In some way, you are getting the directional

16 averaging by having a 24-hour average, because it is very

17 rare that you would have the wind blowing right toward

18 this one receptor point for the whole 24 hours.

19 I mean, essentially, there could be a situation

20 where, though, that does actually happen, and that

21 happened two days after the chemical was applied. So you

1 are not necessarily capturing the extreme tails of the
2 distribution.
3 I mean, there could be a situation, sort of the
4 perfect storm of exposure where somebody just gets nailed,
5 because they just happened to be downwind when the wind
6 happened to blow for 24 hours in that direction, et
7 cetera, et cetera.
8 DR. CRYER: I misunderstood Dr. Bartlett's
9 question. I'm sorry for that. You are right. That 24-
10 hour max value is based on 24 hourly values that are
11 averaged for that whole day to give you that single max
12 value.
13 So you are right. You could have one hour where
14 you had a really high peak and the next so many hours you
15 did not.
16 MR. HOUTMAN: But it is a 24-hour time weighted
17 average at a single location.
18 DR. HEERINGA: At this point in time, I will
19 provide an opportunity for questions that occur to panel
20 members as they are thinking about this or also points
21 that the presenters or the EPA may have come to mind

1 before we open the general question, the directed question
2 session.
3 But it is just at 12:30 at this point. I would
4 like to suggest that we break for lunch for one hour. Is
5 one hour adequate? I'm going to poll the panel members
6 here.
7 A difficulty in this location is that if you go
8 off-site, an hour is probably not -- unless you go to the
9 golden arches. But if you are going farther than that, an
10 hour has not proved to be adequate.
11 If everyone is comfortable with an hour today,
12 I would like to do that to stay relatively on schedule.
13 We would return for our period of public comment. At this
14 point in time I'm not aware that there are any scheduled
15 public commentors.
16 If anybody is again interested, you have the
17 opportunity, and speak to the Designated Federal Official,
18 Joe Bailey, to my left here.
19 Let's break now and return at 1:30 or 1:35 to
20 resume our session.
21 Thank you very much.

1 (Thereupon, a lunch break was taken.)

2 DR. HEERINGA: I want to welcome everyone back

3 to the afternoon session of the first day of our two-day

4 meeting on the Fumigant Bystander Exposure Model Review,

5 this time focusing on the SOil Fumigant Exposure

6 Assessment System, SOFEA, using Telone as a case study.

7 At this point in our agenda, we are scheduled to

8 have public comment. I'm not aware --

9 DR. CRYER: Are we going to have more

10 discussion?

11 DR. HEERINGA: I would like to do that after the

12 public comment period, before the questions if we could,

13 yes. There will be a chance for additional questions from

14 the panel to the presenters or to the EPA before we

15 actually launch into the formal directed questions.

16 At this point, we would have a period of public

17 comments scheduled. No one has presented for public

18 comment. So one more time we would open it up if someone

19 is interested in a five minute public comment.

20 I'm not seeing any interest, I will note for the

21 record, that we have received written comments from the

1 California Rural Legal Assistance Foundation and Farm
2 Worker Justice Fund. These will be posted to the docket
3 for this meeting, if you would like to read that.
4 Members of the Panel have received a photocopy.
5 I think to clarify too for members of the panel, there
6 was a request to have the detail of this morning's
7 presentation broken out with some of the animation
8 overlays.
9 I think due to technical issues, the way we'll
10 handle that is to provide a CD copy of the Power Point
11 presentation to view on your computer. That makes it most
12 accessible.
13 I guess we still can't break it out in the print
14 format. That will be supplied to the panel members who
15 are interested on a CD format. We thank the Dow
16 Agricultural Sciences presenters for sharing that with us.
17 At this point in time since we have no public
18 comment, official public comment other than written
19 comments that have been submitted, I would like to close
20 the period of public comment and return before we go to
21 the directed questions that have been posed by the EPA

1 Agency to the panel members, to ask the panel members if
2 there are any additional questions that were not covered.
3 Any questions of fact or information, points of
4 confusion, expansion that we would like to bring up from
5 this morning? I'll begin with Dr. Winegar and then Dr.
6 Majewski.
7 DR. WINEGAR: Yes. It is probably just a minor
8 point. But you cite the use of the Pesticide Use Reports
9 as part of the input. And maybe Bruce, Dr. Johnson, can
10 have some response to this also.
11 I have had some personal experience in reviewing
12 some of the reports that come in and it seemed to be a
13 fairly high error rate from what I have seen. I'm
14 wondering if there has been some effort to estimate how
15 accurate that whole system is.
16 Do you have a feel for that? I understand not a
17 lot of other states or maybe no other states have this
18 type of reporting system in place. So it is probably the
19 best we have. But I'm just wondering if you have a feel
20 for the quality of that information. DR.
21 JOHNSON: Yes. We have the same concern that you have on

1 the quality of that data. I don't know if there are any
2 studies which directly get at the question you asked,
3 which is what percentage of errors do you have.
4 That's pretty labor intensive and time consuming
5 to really work that out the way you are supposed to work
6 it out. What we have, though, is some internal efforts to
7 develop algorithms that check for obviously wrong values.
8 So there has been -- there is QC in that way.
9 And QC in that when we find obviously wrong values, then a
10 report goes back to the county ag commissioners that are
11 involved, and they hopefully send us back the correct
12 information when they get it.
13 So there is some lag time involved in that
14 process. But we do look at and try to screen out the
15 obviously wrong errors.
16 DR. VAN WESENBEECK: From the 1,3-D perspective,
17 specifically, I found out that typically the uses is maxed
18 at the maximum allowable township allocation, which is
19 90,250 pounds, except in cases where there have been
20 allowances made for higher use.
21 So it doesn't appear that there is errors that

1 cause it to go way out of whack. I think if something is
2 found, then it is corrected. But I haven't found anything
3 that seems really unusual.
4 DR. HEERINGA: Dr. Majewski and then Dr. Cohen.
5 DR. MAJEWSKI: I have a question on how you use
6 the actual field flux data.
7 In California, for the shank application, you
8 have got one field study in Salinas that you are using.
9 Is that it? Do you have plans for other field studies to
10 -- I don't know, get some kind of uncertainty on the per
11 period flux values?
12 It just seems that you are using one set of
13 flux data and one flux profile, you know, over the 18 day
14 period for all your simulations regardless of where in
15 California the simulation is targeted. Is that correct?
16 DR. VAN WESENBEECK: Yes. That is correct. But
17 the flux profile is scaled based on use so that the
18 pattern, shape of the pattern will be the same, but the
19 actual amount of flux will increase or decrease based on
20 the use rate relative to the rate that the study was
21 conducted at in the field. And then it is also

1 scaled, as Steve showed, based on depth of application and
2 timing. At this point we're not incorporating any
3 additional uncertainty around each of the individual flux
4 estimates at a given time point.
5 DR. MAJEWSKI: Well, I guess I feel a little
6 uncomfortable with the daily flux pattern.
7 You are using the same pattern across the board.
8 And it has been my experience that fluxes vary. You do
9 the same application in the same area, you won't get the
10 exact same emission pattern.
11 And with your other field experiments, does the
12 emission pattern, daily emission pattern look the same or
13 am I just totally off-base and you are just looking at the
14 total 24-hour cumulative loss.
15 MR. HOUTMAN: Again, the use of the model, the
16 inputs for source strength or flux will be chemical
17 dependent. In the case of 1,3-D, the two flux profiles
18 selected, one to represent shank treatment, the other to
19 represent drip irrigation, were selected because they have
20 what appears to be a typical profile.
21 And again, in the case of 1,3-D specifically, to

1 this point, the regulatory issue at hand aren't exposure
2 durations shorter than annual average air concentration.
3 So what is more important for a chronic toxin is
4 the sheer mass loss as opposed to an acute toxin where,
5 yes, you would probably be more concerned about individual
6 days.
7 But again, the profile for a shank treatment
8 under the current conditions of use in California and
9 other places is peak emissions occur on some day other
10 than day one. Day two or day three is what is common.
11 So that profile is meant to represent really the
12 emission profile. Then as Dr. Van Wesenbeeck mentioned it
13 is altered based on application rate and depth and other
14 things. It is meant to be symbolic of the emission
15 profile, one for shank and one for drip irrigation.
16 DR. MAJEWSKI: Right. Yes. You say it is
17 typical. But you get one study each, right?
18 MR. HOUTMAN: No. We have -- I forget the exact
19 number, but Ian listed the number of different field
20 volatility flux aerodynamic studies we have done. I think
21 the total is eight.

1 DR. MAJEWSKI: Yes, but they are four in
2 California and they are different allocation methods,
3 though.
4 MR. HOUTMAN: Correct.
5 DR. MAJEWSKI: So, basically, for shank you have
6 two field studies, am I right? DR. VAN
7 WESENBEECK: We have three in California and one in
8 Wisconsin. And then we have a shank bedded application in
9 Florida. So your drip applications --
10 DR. MAJEWSKI: So you are using -- and according
11 to the articles that we had to review, the major use areas
12 are California, Washington state, Florida and North
13 Carolina or somewhere around there?
14 DR. VAN WESENBEECK: Correct.
15 DR. MAJEWSKI: And you have a -- so are you
16 using the Salinas flux data across the board or are you --
17 will there be studies -- you have one in Florida. Right?
18 DR. VAN WESENBEECK: Ultimately, if we can need
19 to do some modeling in Florida, specifically, we would use
20 the Florida flux profile. Or as you suggest, possibly
21 trying to get at the uncertainty, we could use an average

1 profile with a coefficient of variation around each sample
2 point.
3 Those are all possibilities we could examine for
4 the future. But we don't have a flux profile for every
5 single region were Telone is sold in the U.S.
6 DR. HEERINGA: Dr. Cohen.
7 DR. COHEN: I wonder if you could just summarize
8 for us, just to clarify exactly which things are being
9 stochastically varied.
10 I have a list I have been generating. But I'm
11 not sure I have everything. I guess it is thing like the
12 weather, application rates, the field location and size,
13 application depth.
14 What about the application date, like July 13th?
15 Is that being stochastically varied too?
16 DR. VAN WESENBEECK: Yes.
17 DR. COHEN: Did I miss anything on the things
18 that are being varied?
19 DR. VAN WESENBEECK: Application date,
20 application rate, application depth, field size, type of
21 application, shank or drip, depth of the application,

1 whether there is tarp or no tarp on the drip application,
2 all those can be varied according to actually measured
3 distributions based on use data.
4 Yes, and field location. I didn't mention that.
5 DR. HEERINGA: Dr. Yates.
6 DR. YATES: To continue on a little bit with
7 what Dr. Majewski said, one of the problems I see with
8 trying to use one flux history and applying it in multiple
9 places without having a stochastic component on it is that
10 the flux is affected by the atmospheric stability.
11 And so in a sense, that flux history or that
12 sequence is also kind of related to the history of the
13 atmospheric stability in the atmosphere during that time
14 period.
15 So then if you go and take meteorological data
16 which has a completely different record of atmospheric
17 stability, you are comparing maybe fluxes that occurred
18 under, say, stable conditions in one case with now in your
19 meteorological history you are saying is unstable
20 atmosphere.
21 It seems like it would be better to try to get

1 some kind of -- to make the flux stochastic so you don't
2 have this kind of inconsistency between the flux and what
3 your meteorological conditions might be from the
4 meteorological data.
5 DR. HEERINGA: Dr. Spicer has a question.
6 DR. SPICER: Actually, I think it was answered.
7 DR. HEERINGA: Dr. Potter and then Dr. --
8 DR. POTTER: Going back to the weather and
9 treating that stochastically, I'm wondering whether that
10 is impacted by the length of your data record and whether
11 you have -- you know, how you deal with that issue?
12 DR. VAN WESENBEECK: I'm not sure I follow the
13 question.
14 DR. POTTER: If you have five years of weather
15 and you are treating them all equally and you have one
16 drought year in that five years, that's a one in 25 year
17 event, if you follow the flavor of what I'm getting at, it
18 seems like you would be oversampling or have a potential
19 for oversampling an unusual year.
20 So you get into some kind of problem, I think,
21 with having a relatively short data record for weather and

1 sampling that stochastically, particularly when you are
2 using a uniform distribution.
3 Obviously, it is a problem of trying to come up
4 with a good data record. I don't know if you have kind of
5 struggled with that issue a little bit.
6 DR. VAN WESENBEECK: We started with that as a
7 starting point. Since it was data that DPR had used, I
8 believe for some methylbromide modeling, there are five
9 year CIMIS weather records, and they have been Q C'd. So
10 we took those as a starting point. But we
11 agree that the longer the weather record the better.
12 DR. HEERINGA: Dr. Potter, are you concerned in
13 your question that by taking an entire year of actual data
14 you have essentially represented a one year observation
15 as opposed to sort of a more random weather pattern that
16 might occur in the future? A prolonged drought would
17 clearly --
18 DR. POTTER: Kind of both, but in terms of
19 looking at annualized weather, typically, from a
20 simulation perspective, we would like to have a 50-year
21 record as opposed to a five year record to sample from in

1 order to -- if we were going to treat that stochastically
2 in terms of giving each year an equal probability.
3 So that would be my concern in terms of bias,
4 introducing a bias into the weather record that is not
5 reflected in the actual long term record.
6 DR. HEERINGA: Thank you. I guess we'll have a
7 chance to answer this in our response questions too.
8 MR. HOUTMAN: Just a comment about that, each
9 emission event is a 14-day event. By randomizing the day
10 of application against the five years of weather, you can
11 then simulate discrete 14-day events over the types of
12 weather that vary within an individual year.
13 I don't know if that makes sense or not. But
14 you can then look at a wider range of variability in those
15 emissions by looking at different application dates as
16 well.
17 DR. HEERINGA: Dr. Arya.
18 DR. ARYA: Again, clarifying the same question
19 of stochastic representation of weather, so basically
20 stochastic (inaudible) comes in the selection of the
21 weather year, not in terms of weather variable. You are

1 not selecting those stochastically.

2 DR. VAN WESENBEECK: That's correct. It is the

3 weather year. But also the weather day within the year.

4 So you really have 5 times 365 individual days when

5 applications could take place within that year, which I

6 think is what --

7 DR. ARYA: But you are still using the actual

8 data?

9 DR. VAN WESENBEECK: It is actual data.

10 DR. ARYA: Again, the question of if you have

11 the five years and none of those five years really

12 experienced extreme drought or extreme wetness, so

13 basically you will be kind of excluding those conditions

14 and not considering longer record.

15 DR. VAN WESENBEECK: True. Although it is

16 probably more wind speed and direction that are going to

17 have a large impact on the model results rather than say

18 rainfall or, you know, drought or whatever in this case.

19 DR. HEERINGA: Mr. Bartlett.

20 DR. BARTLETT: It seems to me that -- I'm not

21 sure of the crops that well and the usage, but typically,

1 there is strong seasonal patterns of planting and use.
2 So I'm not sure how much of it is an issue with
3 the applications that you are dealing with. But I'm more
4 familiar with other areas where they plant in very short
5 periods in each region.
6 So I was wondering if you thought about adding
7 some structure to the sampling of the weather and at least
8 for quality control to see if that affects your results.
9 DR. VAN WESENBEECK: Well, as I showed in a
10 couple of the slides, we do have probability distributions
11 of the actual application timing. And we can break that
12 out by crop type.
13 You are right. Sweet potatoes are typically
14 fall, like October, applications. Other crops, tobacco
15 might be an April application. So we have the actual
16 dates that those applications were made based on the
17 Pesticide Use Reporting.
18 And those dates then go into a probability
19 distribution function and we sample from those. So that
20 application timing is inherently taken into account and
21 then matched with the appropriate weather at that time of

1 year.

2 DR. HEERINGA: Dr. Macdonald.

3 DR. MACDONALD: I have two issues here. One,

4 looking at this pseudo-validation, Page 47, first of all,

5 when you presented that, I missed why it was called

6 pseudo. I would like to hear that explained again.

7 Also, you are presenting there a 10-year

8 simulation average against what appears to be one year of

9 measurements. The 10-year simulation average is a very

10 smooth curve which doesn't agree very well at the high

11 end.

12 Would it be possible to see that graph with the

13 simulations done a year at a time so they are more

14 comparable with the measurements? And it would give me a

15 better sense as to how the variability in the model is

16 showing up in simulations.

17 That's the first question.

18 DR. CRYER: I called it a pseudo-validation for

19 two reasons, both are addressed in your question.

20 The first was because we knew where the ag-

21 capable land was, but we didn't know the exact field

1 location in relationship to the monitoring location. So
2 we had to make an assumption. We just put them in ag-
3 capable land.
4 We might have put them in the wrong place, in
5 the right place, we don't know. That's why we did 10 years
6 of simulation. Because every year they got put in
7 different places. That's why we included 10 years of
8 data. Ideally -- also the weather, we didn't have site-
9 specific weather for that location.
10 If we did, we would have used it. We didn't
11 have that available to us. So we used neighboring weather
12 from the next county over. And ideally, if we had that
13 weather information, and we knew where the fields were,
14 then it would be what I would call a validation.
15 It would show only that 60 days that they
16 monitored, only that 60 days of modeling over that same
17 time period using the exact weather that occurred during
18 the 60 days.
19 We used next best thing. We approximated the
20 inputs as best we could to mimic that scenario.
21 DR. MACDONALD: That makes sense, but I would

1 also like to see how much the simulation does vary from
2 year to year, because of the stochastic elements just to
3 see how much spread there is and does that spread include
4 the observed.
5 DR. CRYER: Sure. That's easily -- I have the
6 data probably on my computer. You can see it tonight.
7 DR. MACDONALD: The other issue I wanted to
8 raise at this point is past panels have been quite
9 definite that Excel should not be used for random number
10 generation.
11 Does Crystal Ball use its own algorithms for
12 generating random numbers, if so, do you have any idea as
13 to what, are there any sort of open code or are they
14 properly documented and validated?
15 DR. CRYER: We use the built-in random generator
16 in Excel. I didn't test it rigorously. We kind of saw it
17 on my graph of 100,000 field placement locations and
18 50,000 over a township.
19 I could not see any clear clustering on that.
20 It looked pretty random to me. So I think it's adequate
21 for what we're doing here.

1 DR. MACDONALD: Yeah, well, if you are
2 generating standard normals in Excel every 30,000 do you
3 get a wonky value like minus 9.5? It depends on what
4 version of Excel you have.
5 But we went through this in detail with panels a
6 few years ago. And the EPA came up quite strongly saying
7 that they shouldn't be using Excel random number
8 generator.
9 DR. CRYER: If that's a recommendation, that's a
10 trivial matter just to put a subroutine for that.
11 DR. HEERINGA: We'll address that, Dr. Cryer, in
12 the response to the questions and also make sure we have
13 citations to some of the previous reports of other panels
14 that have covered that issue included in the minutes of
15 the report.
16 Dr. Winegar.
17 DR. WINEGAR: I have a couple questions and
18 comments in regards to some of the scaling and some of the
19 flux measurements and such. It all goes under a general
20 term, something that is dear to me as a monitoring kind of
21 guy, and that is representativeness. Other

1 people have raised the question about essentially the
2 representativeness of a single flux profile for different
3 locations around a state or different regions, et cetera.
4 And again, that enters into my mind from my
5 personal experience of doing monitoring in central valley
6 areas in California versus the coastal areas, for example.
7 And you talk about a scaling factor for temperature
8 between summer and winter, for example, that factor of
9 1.6.
10 And I think about what is general temperature
11 regimes you get even within one season between a central
12 valley and a coastal area. And that may be 1.6. You
13 know, Kern County versus Watsonville, Monterey County or
14 something, quite a bit different even within a season, it
15 seems to me.
16 So in general, I just have a concern about the
17 representativeness of a single flux profile.
18 And then secondarily, the number of scaling
19 factors that are available to adjust for different
20 situations.
21 It seems like there is a lot of personal

1 judgment that has to go into that that essentially could
2 allow you to tweak it and make it fit when it may not be
3 actually based on physical parameters, you know, for
4 example the temperature issue and such.
5 I was wondering if you had any comment on that.
6 DR. CRYER: I can at least put my two bits in.
7 Even if you use a deterministic model, you still have to
8 use user judgment on what are the appropriate input
9 parameters to get it right.
10 What you are saying, it is a good point.
11 Ideally, in an ideal world, we would like to have field
12 trials all over every place we can put them. And then we
13 have a good idea about that variability. We don't have
14 that.
15 So we have to do the next best thing as
16 scientists. We have to say what do we think is
17 appropriate. Our assumptions could be bogus. They could
18 be okay.
19 That's something we as scientists have to come
20 to decisions on. But there are other alternatives. And
21 the other alternative at this point is deterministic

1 modeling.

2 Dr. Yates can tell us a lot more about what his

3 group has been doing with that. But even then, like I

4 said, there is still a lot of user judgment in picking the

5 inputs for that, too, if you want to tweak it.

6 So from that standpoint it might be better to

7 start with something that represents at least a single

8 scenario real world conditions of what you see and then go

9 from there.

10 DR. HEERINGA: Mr. Gouveia.

11 MR. GOUVEIA: I see here that you have

12 randomized the location of the fields. You found a way to

13 mine your data set for random field size and field

14 locations. And you have randomized field locations.

15 Is there a way to mine the data set so that you

16 can get an idea of how juxtaposed the fields are? My

17 experience in the central valley and Monterey County is

18 that a lot of these fields are juxtaposed. They are very

19 close to each other.

20 Alternatively, is there a simulation that would

21 group all the fields together in the extreme case in a

1 single township and group them all together for a worst
2 case scenario?
3 DR. CRYER: There is like two parts to that
4 question, I think.
5 If you remember on my slide with the no SOFEA,
6 you can get to that effect. You know the polygons, you
7 know where the fields are located. But what we don't know
8 at this time, like I mentioned, is we don't know which
9 field got treated in that given area. It might have been
10 more than one, et cetera.
11 If we had all the information then, yes, we
12 probably could develop a system, to answer your question.
13 SOFEA cannot directly put everything back to
14 back on fields. What it can do is when you specify that
15 section weighting it will try its best to put as many as
16 it can in a certain region.
17 So you are going to get pretty close to having
18 them on top of each other. But it is not going to be
19 exactly like butted up against each other for every field
20 in the scenario.
21 DR. HEERINGA: Thank you. Dr. Maxwell.

1 DR. MAXWELL: I have two questions. How
2 accurate is SOFEA from the standard plus or minus factor
3 of two from reality of air quality models? The second
4 question is, has any of the input data been run with other
5 EPA models like AERMOD?
6 DR. VAN WESENBEECK: I think the pseudo-
7 validation that Steve showed indicates that the annual
8 average concentrations were getting fall within the same
9 percentile distribution as the ARB monitoring data.
10 So I can't say 2X, plus or minus 2X or not, but
11 they are within the range of what happens in reality. I
12 think that's the best we can answer that question at this
13 point.
14 And no, we haven't compared it with AERMOD at
15 this point.
16 DR. HEERINGA: Dr. Cohen.
17 DR. COHEN: Just to follow up on that.
18 In the pseudo-evaluation that you did and then
19 also in some additional data that you presented later
20 toward the end of your presentation, in both cases it
21 seemed like the model was underpredicting at the high end

1 of exposure, that you were at the extreme high levels of
2 concentration where the probability of exceedence was low.
3 You tended to be at the wrong side of the curve
4 at that point. Do you have any feeling for why you are
5 underpredicting those high levels of exposure relative to
6 the measurements?
7 Essentially, they measured some high values that
8 you are not able to get.
9 DR. CRYER: I wish I could answer your question.
10 We probably could answer that better if we had the
11 proximity of fields to the monitoring and also the actual
12 weather. So now it could be related to a
13 bunch of different things. And I can't say what it's
14 related to.
15 DR. HEERINGA: Dr. Macdonald.
16 DR. MACDONALD: It is not clear to me. Is this
17 one picture an isolated example or are we finding this
18 consistently?
19 DR. CRYER: There is not a whole lot monitoring
20 data to compare it to. This is one of the sets that we
21 did have or that's at least publicly available.

1 I also did the same thing for the previous year.
2 We have two years. I only showed this one. But they are
3 representative. They both look more or less the same.
4 Again, you are going to need a whole lot of
5 data sets to compare this to before you start making
6 estimates on, are you overpredicting or underpredicting.
7 All I can say is from an engineering standpoint we're well
8 within an order of magnitude, obviously.
9 DR. VAN WESENBEECK: Another comment on this is
10 that in all the modeling we have had done so far where we
11 have had field measurements, the model has ultimately at
12 the very highest percentile, certainly at the one
13 hundredth percentile, predicted higher concentrations than
14 we have ever measured.
15 In the tree and vine study or simulation
16 exercise that was conducted, we had higher concentrations
17 modeled than have ever been measured. But still within an
18 order of magnitude.
19 DR. HEERINGA: Dr. Winegar.
20 DR. WINEGAR: This may be a suggestion in terms
21 of the pseudo-validation, I know there is lots of

1 methylbromide monitoring data particularly over the last
2 few years. And in conjunction with that, a lot of usage
3 data has been compiled.
4 So you wouldn't have to start from zero
5 essentially in terms of testing out the whole scenario for
6 different areas.
7 There is Monterey, there is several years of
8 Monterey, Watsonville area. There are several years of
9 data there, as is down in Camarillo, Oxnard. Just a
10 suggestion possibly an area to look into.
11 MR. HOUTMAN: Just what we would need, though,
12 is an understanding of the flux inputs for methylbromide,
13 which we would suggest vary quite differently than what
14 1,3-D is. We would need that information as well.
15 DR. WINEGAR: I believe DPR has tons of that
16 kind of data. We were talking about 30-some odd flux
17 studies that DPR has developed over the years. It seems
18 to me there is an abundance of flux information available
19 also.
20 Is that a good assessment, Bruce?
21 MR. JOHNSON: There is lots of flux data. There is also a

1 question of you would not have the CDMS data set in this
2 case with methylbromide.
3 So you would have to make guesses about what
4 application technique was being used on some particular
5 crop. You wouldn't know that from the PUR. So there
6 would be some guesswork involved in trying to link the
7 actual flux profiles to the applications that you found in
8 the PUR.
9 DR. WINEGAR: Just a thought, you know, a
10 possible avenue to look into to add into validation
11 efforts.
12 DR. HEERINGA: It is definitely something to
13 think about including in a potential response to question
14 number eight, to the directed questions.
15 At this point are there any additional general
16 questions of clarification for the presenters or for the
17 EPA?
18 DR. CRYER: I just have a response back to Dr.
19 Macdonald. Bruce Johnson jogged my memory back on the
20 random number generator.
21 Crystal Ball uses its own random number

1 generator when it samples from its PDF. So I'm not sure
2 exactly what it uses. I used just the generic Excel one
3 only specifically to place fields within the township.
4 DR. HEERINGA: Thank you very much, Dr. Cryer.
5 At this point, if we have no additional
6 questions from the Panel, I'm going to turn to Jeff Dawson
7 and ask if he has any points that he would like to raise
8 before we enter into the directed questions.
9 MR. DAWSON: No, I think we're fine. Thank you.
10 DR. HEERINGA: If everybody is ready, I guess I
11 would like to begin our discussion of the directed
12 questions. And I think following the pattern of the last
13 two sessions on the PERFUM and FEMS model, typically this
14 will involve presentation by a lead discussant followed by
15 associate discussants and other members of the panel.
16 And I think it has been instructive and
17 productive to allow a little bit of additional exchange in
18 the context of that with the EPA and in this case the Dow
19 AgroSciences scientists as well.
20 So we'll focus on responses to the directed
21 questions from the panel members, but we won't completely

1 restrict it to that. If you have a rejoinder information
2 to offer in the context of the question discussion, just
3 please state your name into the mic and we'll hear you
4 then.
5 At this point, Mr. Dawson, if you would read the
6 first question into the record, please.
7 MR. DAWSON: Question one, it is focused on
8 documentation. The background information presented to
9 the SAP panel by SOFEA developers provides both user
10 guidance, a technical overview of the system, and a series
11 of case studies.
12 Part A, please comment on the detail and clarity
13 of these documents.
14 Part B, are the descriptions of the specific
15 model components accurate?
16 Part C, do the algorithms in the annotated code
17 perform the functions as defined in this document?
18 Part D, please discuss any difficulties
19 encountered with respect to loading the software and
20 evaluating the system including the presented case
21 studies.

1 DR. HEERINGA: Thank you very much. Our lead
2 discussant on our first discussion is Dr. Scott Yates.
3 DR. YATES: The SOFEA model conducts exposure
4 assessment using an Excel spreadsheet. The spreadsheet
5 contains 17 worksheets for inputs and output. It uses a
6 proprietary Excel based software package, Crystal Ball, to
7 conduct the Monte Carlo analysis.
8 The documentation clearly states that you have
9 to install Crystal Ball prior to operating SOFEA to make
10 it work correctly, which is true.
11 There is one worksheet that is used to define
12 most of the input and output probability density functions
13 and other model parameters. And several are used then to
14 include spatial and temporal information for GIS analysis
15 of the assessment. Four of the worksheets give primary
16 output results.
17 One thing that would have been nice but wasn't
18 included, there was no real graphical output provided.
19 Everything was columns of data, which of course could then
20 be cut and pasted into some other contouring program or
21 some other program to create figures.

1 But given that Excel has that capability, it
2 would have been nice to have a few graphs of certain
3 information right in the spreadsheet.
4 So then I have some specific things I'll go
5 through question by question. In terms of the clarity, in
6 general, I thought the documents were clear, provided
7 sufficient detail to load and use SOFEA.
8 There are several different documents. There is
9 users document and an install document and a programming
10 document.
11 The programming manual gives a good description of -- that
12 would be required for a user to make modifications to
13 SOFEA.
14 But one of the things that leads me to think
15 that there could be a lot of adaptations of SOFEA, and I
16 don't know if that would cause problems in terms of which
17 version is being used.
18 Although, I thought about that some. And it
19 seems to me that ISC, if they give out the source code,
20 people could go in and make changes and you would get all
21 these permutations on that as well. I think when you give

1 somebody the flexibility of changing things, you never
2 know what is going to happen.
3 So in a way you could look at that as a
4 potential weakness, but you could also look at it as a
5 strength. So that if you decided you needed to do some
6 modification for some reason, you have the capability of
7 doing it.
8 In terms of -- in the documentation, for the
9 user's manual, they go through spreadsheet by spreadsheet.
10 One of the spreadsheets, the forecast spreadsheet was not
11 -- there wasn't really any information on it, which I
12 assume was a problem with the PDF in printing it out.
13 I assume that there was -- there was these large
14 areas with no text. And I just assumed it was some kind
15 of a printer error. But it made it hard to -- it wasn't
16 complete from that standpoint, the documentation.
17 Also, there is in the spreadsheet some minor
18 things like there are some referencing errors, addressing
19 errors so that you get the pound sign and REF in one of
20 the spreadsheets. But that's something easy to fix.
21 There are comment fields used to provide

1 information about some of the cells in the spreadsheet.
2 The comment fields -- I don't know if they are produced by
3 Crystal Ball or if the authors included them.
4 If Crystal Ball puts them in there so that you
5 know what the, say, the mean of the probability
6 distribution and the range or the standard deviation,
7 that's pretty neat. If you have to go in there and do
8 that manually, that would be not so convenient.
9 There is a potential for data to be entered in
10 more than one place. And then the data being summed,
11 which would end up being an error, in a sense.
12 There are some comments that say to be careful
13 not to do that. But that kind of -- that could be a
14 problem for someone who is not very familiar with the
15 system. They may end up adding two things together that
16 shouldn't be.
17 In one place it should be zero and the other
18 place it should have a value. But if you have put values
19 in both place then they will be added together. Maybe
20 there is some way that the program could watch for that
21 occurring and not allow it to happen or at least bring up

1 some kind of a warning message.

2 My first -- when I first started working with

3 it, it seemed that having all the data exposed to the

4 viewer or to the user, it seemed kind of overwhelming.

5 And at first I kind of thought that I didn't like the idea

6 of the Excel spreadsheet being the interface.

7 But I'm starting to think that maybe it is good

8 in a sense, because when you are doing "what if" types

9 analyses, it seems like having the data available allows

10 you the flexibility of being able to do "what if" type

11 forecasting.

12 Figure 11, the programming manual I thought was

13 kind of confusing. They have some graphs, A, B and C that

14 relate to some graphs that are below, but I couldn't quite

15 make the connection in what that all meant.

16 Then, this is kind of a small point, the part

17 where you talk about how fields are handled during

18 overflow conditions. I understood it better after

19 listening to the presentation today. But from the

20 document it was kind of -- I kind of got the general idea,

21 but it if it was written a little bit more clearly, I

1 think it would have been helpful.

2 One thing that might be useful would be a little

3 more description on how the program works, kind of like a

4 flow chart that shows how execution, you know, the steps

5 in the execution process, because there is some looping

6 that is going on.

7 It is not clear to me what the steps for the

8 evaluation process, what steps are occurring and in what

9 order. And maybe having a little bit of description on

10 Crystal Ball, since it is so important to the program.

11 The things that are essential, the way I would

12 look at it, I guess, is that the basic manipulations that

13 you have to go through to add the Monte Carlo flexibility

14 into SOFEA, some of those basic things.

15 It might be nice to have a list of what you have

16 to do and -- for example, one thing that I didn't really

17 have time since I was able to get a trial version for, I

18 think, it is like a seven day, and I didn't have time to

19 be able to really fiddle around with it.

20 But I didn't see how you could take a cell

21 that's just a standard Excel cell and create a probability

1 distribution in that cell. And then how you make it
2 operate -- it is probably pretty simple once you know how
3 to do it.
4 So if you had some description in there, written
5 description, I would have been able to see that without
6 having to try to do it myself.
7 For part B, are specific model components
8 accurate? I guess there is a number of things with data
9 integrity. The fact that the spreadsheets are there for
10 the user, there is a potential -- I have this problem when
11 I use Excel spreadsheets that often times I go in and
12 inadvertently change something which affects other places.
13 It gives me kind of this uncomfortable feeling
14 of using Excel for things like this. Maybe it would be
15 possible that cells that the user should not interact with
16 should be locked so that they can't. In
17 that way it would be more like a traditional application
18 where you have input fields that the user can enter data
19 and then you get output. But everything in between is
20 kind of restricted from the user making modifications.
21 You could do the same thing just by locking the

1 cells, I think, in the spreadsheet. And then if you
2 wanted to give the flexibility to unlock cells.
3 In terms of describing the model components,
4 there really wasn't any information given on ISCST3, but
5 there were references given in the documentation to point
6 the user to where that information is. And I think that's
7 probably appropriate.
8 The same is true for Crystal Ball. Like I say,
9 a few brief description of some of the things that Crystal
10 Ball does might be useful, but I don't think including a
11 significant level of written material would be the thing
12 to do.
13 Some of the scaling factors that we have already
14 talked about this a little bit, scaling the flux with
15 depth is kind of a rough way to obtain that kind of
16 information.
17 But I guess when you look at some of the
18 simplifying assumptions in some of the other parts of the
19 model, like using a steady state Gaussian plume model,
20 there are some assumptions that go there. I don't know.
21 Maybe this is in line with other components to the system.

1 The same is true for tarps. Tarps are strongly
2 temperature dependent. So the temperature in the area
3 where a fumigation occurs would strongly affect that.
4 And the way that you obtain the tarp -- you have
5 come up with a 64 percent emission value for when tarps
6 are present.
7 I have a little routine that calculates total
8 emissions from shank injection with a tarp and you can
9 vary the injection depth in the soil degradation
10 coefficient. It is kind of an analytical solution.
11 But when did I this using parameters that are
12 appropriate for 1,3-D with maybe the exception of the soil
13 degradation, I found that if you have the injection at the
14 surface, you get 100 percent emission without a tarp,
15 which is sort of obvious.
16 But when you have a tarp present, you would get
17 91 percent emissions if the degradation rate was somewhat
18 low. And if you increase the degradation rate a lot, you
19 would get down to 76 percent. But 64 percent seemed a
20 little bit -- I couldn't do that with any kind of
21 reasonable numbers.

1 And one of the problems with -- these kind of
2 empirical approaches too is that, I know you guys are very
3 capable of making judgments on this, and when you see the
4 output from a study, you recognize all the simplifying
5 assumption that go into it. But it concerns
6 me a little bit when this model becomes available to
7 others, and they just kind of blindly go forth using these
8 things and not really thinking about the consequences or
9 the assumption that go into these.
10 People could create assessments that are not
11 very meaningful and not really understand how these
12 factors affect the output. So that's a concern of mine.
13 The same goes with the temporal scaling of the
14 1.6 factor. We already talked about that. There might be
15 some more mechanistic ways of doing all this that might be
16 a little bit better.
17 There is a detailed list of subroutines, and I
18 think that would be really helpful for someone who wants
19 to modify the program. I was pleased to see that. And
20 also it would be helpful for air checking and debugging.
21 The third part, C, do the algorithms in the code

1 perform the functions as defined in the document? In
2 general, they seemed to. If you accept the assumptions for
3 some of these simplifying things, as far as I could tell,
4 all the functions are properly incorporated into the
5 program.
6 I did get some error messages, which I'll get to
7 in the final one, that make me wonder a little bit about
8 problems in the algorithm. Although I'm starting to think
9 that might be my computer.
10 I think that you need to include an itemized
11 list of the modification that were made to ISCST3. I
12 think in one of the previous panels, I forget which one
13 now, but there were some modifications made.
14 They were pretty trivial, but it is kind of nice
15 to see a list of what was changed so you can see okay they
16 didn't really change anything of substance and then maybe
17 have some demonstration that the form of ISCST3 that you
18 have performs appropriately.
19 Then there are some potential performance issues
20 with -- I guess Crystal Ball won't work with Windows '95
21 or Excel '95. And there may be just some incompatibility

1 problems in the future when Windows changes, they always
2 change something that you have to wonder why they did it.
3 Excell seems to do the same thing. Then you
4 have SOFEA, which uses that Visual Basic and then Crystal
5 Ball. You have a lot of different things that are trying
6 to coexist, and when new versions come out, they may do
7 something that causes things not to work the way they did
8 in the previous versions.
9 I don't know how that's going to be handled, but
10 it's a potential problem.
11 And then for the last question, any difficulties
12 in loading the software and evaluating the system.
13 Crystal Ball is an expensive program. But I was able to
14 get a trial version so I could do the testing.
15 I found I tried to use SOFEA without installing
16 Crystal Ball to see what would happen. And I found that
17 some of the buttons, the ones that in the GIS part that if
18 you want to make everything ag-capable or go back to what
19 is in the GIS spreadsheets, some of those buttons don't
20 work when Crystal Ball isn't installed, which is kind of
21 surprising. But when I put it in they started working.

1 Since it was very clear in the documentation
2 that you need to have this to make the system work, that's
3 not a criticism or anything. That's just me seeing what
4 would happen if I didn't do what I was told to do.
5 I did have problems running SOFEA. I was
6 running it on a Dell laptop with a 800 megahertz
7 microprocessor, probably 256 megabytes of memory. I kept
8 getting this error message from Crystal Ball saying unable
9 to complete the operation due to an unexpected error.
10 I would get three of them on each yearly loop.
11 I got the error message, but it seemed like everything was
12 fine and then would continue going on.
13 But then whenever there was a change in the
14 year, you know you sampled over, I think, in the tests we
15 had there were three years, no, two years were going to be
16 sampled.
17 The first one was 1996, and then, at least in
18 the case I had, the next one was 1999, and for some reason
19 the file that is produced as input to ISC had some 1999
20 and then the data files were 1996.
21 And I have talked to others now since being at

the meeting. Other people had it work fine. The only thing I can think of is that my computer may be not fast enough. And maybe, I don't know if this is true, this is kind of speculation, but I have worked a little bit with Visual Basic and it -- with FORTRAN it is kind of a linear process that is occurring and Visual Basic jumps around in the program depending on where execution is needed.

And I have had some programs where I tried to print output files that are then read back in. There is kind of a timing problem on a slow computer. It doesn't finish doing one thing before it jumps to do something else.

The only thing I could figure is that must have been happening on my computer, because other people pushed the run button and it just worked fine. So, I don't know. Computers, they are interesting.

But anyway, I did have some difficulty. But when I restricted the PDF so that only one year would be sampled, then it worked fine. That's partly why I think it was just my computer.

1 Again, I think that my thinking is changing on
2 the use of the Excel interface, the idea of a "what if"
3 scenario requires flexibility and this clearly gives it to
4 the person.
5 And so my initial thought was that it would have
6 been better to use some kind of a graphical interface that
7 uses FORTRAN or Visual Basic and not a spreadsheet. But I
8 have kind of changed my thinking on that.
9 And seeing the things that you showed in the
10 presentation this morning has kind of made me think when
11 you want to do something to see what happens and you need
12 flexibility to change things that aren't built into some
13 kind of a, say, Visual Basic program, you wouldn't be able
14 to do it in this case, you can.
15 So I think the idea of the Excel interfaces is
16 kind of growing on me.
17 And then, again, just there should probably be
18 some kind of graphical output in the spreadsheet. That
19 would help at least in terms of being able -- for example,
20 if you had some graphs in the spreadsheet that we could
21 compare to the users file, a user would know if it is

1 working properly on their machine.

2 That's it.

3 DR. HEERINGA: Thank you very much Dr. Yates.

4 At this point I would like to turn to the first of our

5 associate discussants. That's Eric Winegar.

6 DR. WINEGAR: Dr. Yates covered everything very

7 extensively and many of my comments he covered as well.

8 But I do have a couple other things to add.

9 In general, I thought the documentation was

10 thorough. I think I started reading at the wrong place by

11 reading the background papers first and trying to

12 understand everything that went into that, particularly

13 things like the soil models and that kind of thing.

14 That kind of threw me for a bit. But when I got

15 into the actual documentation of SOFEA itself, it became

16 much more clear.

17 In general, the overall comment that I would

18 make would be that the documentation is good in terms of

19 presenting kind of a functional description of what should

20 be done for a narrow set of situations.

21 It seems -- and I think it is good that you had

1 a user manual and then a programmer's manual where you
2 could go into some of the details of a particular
3 function. For my relatively superficial
4 evaluation, it seems that some advice on how to really put
5 it all together to make a user -- is kind of like user's
6 notes. I did see in the appendixes you had some kind of
7 user's notes. Here is a trick to make things work better.
8
9 There is a lot of flexibility, which I think is
10 good, a lot of opportunity to put in judgment, which you
11 made the comment, Dr. Cryer, earlier about judgment
12 factors. And I agree that those -- you do need to have
13 that flexibility put in there.
14 I would recommend that you put in other -- your
15 judgment advice on how to make things work well in terms
16 of how to put the whole program together and all the
17 different modules so that the output makes sense.
18 In particular, one of the things that I
19 personally find useful is -- and Dr. Yates touched on it
20 also, is a graphical output.
21 If you get a nonsensical output, even though

1 your inputs, you look them over and think they make sense,
2 it is really hard to glean that from a big table of
3 numbers. But a graphical output can be much more useful
4 there.
5 So either something through Excel or some way
6 so an interface into a contour program like Surfer,
7 whatever, a GIS sort of thing I think would be pretty
8 useful. Particularly as it is being used by users to
9 start developing buffer zones and the like.
10 Real life is more complicated than the square fields that
11 tend to be started with, at least, in a lot of models. So
12 the graphical output is pretty useful in viewing what is
13 going on there.
14 One other comment with regards to the
15 documentation on the clarity and kind of this user's notes
16 kind of concept is, I notice in Section three, all the PDF
17 parameter inputs. That's relatively -- I think in
18 particular there, there seems to be a lot of judgment that
19 would go into that.
20 So advice from those who have actually run this
21 many times, what works and what are some good starting

1 points and how one would go to select different options in
2 these kind of inputs. I think that would be pretty
3 useful.
4 With regards to question B, the description of
5 the -- are the descriptions of the model components
6 accurate? They appear to be to me.
7 Questions C and D, I can't comment on too much.
8 I think it was a combination of trying to make things
9 work on the road and a wimpy laptop. I wasn't able to
10 really get it all together. I'll reserve comment for that
11 later perhaps.
12 That's it. Thank you.
13 DR. HEERINGA: Thank you very much.
14 The next discussant is Paul Bartlett.
15 DR. BARTLETT: The detail and the clarity of the
16 documents, part A, I felt that the user's manual was very
17 clear and coincided with Excel spreadsheet. And the notes
18 on the Excel spreadsheet were very helpful in themselves.
19 I thought there was good documentation in the program
20 itself.
21 The comment I have in general on the clarity and

1 detail of the user and programming model is more the
2 overview, the introduction, why are you doing this in the
3 first place.
4 I also read the articles first and that's why I
5 had a little confusion, because some of the articles were
6 generated by field measurements and not SOFEA. And I
7 didn't realize that.
8 But even if I hadn't I think it would be good to
9 have a longer introduction of what it is capable of, what
10 it does, what you can do with it, what are some of the
11 common uses.
12 I think if you go by what you can input without
13 knowing the model in detail and having familiarity with
14 other models that make use of terrain and Maizo scale, you
15 may think you are accounting for a lot of these factors in
16 ways that you weren't.
17 For instance I know the model isn't using the
18 terrain for roughness surface at this point, though it
19 gives it the flexibility that if AERMOD or something else
20 is used that could be incorporated, from what I
21 understand.

1 So that should be clear that it has flexibility
2 built in. As far as I know, the land covers right now
3 just to be used for ag versus non-ag or maybe potential
4 ag. I can see that. I like the "what if," that in
5 certain areas you can do projections of changes in land
6 use patterns with that information.
7 Again, the graphic component, if you had a
8 graphic component with a numbered system, it makes it
9 clear what people are doing so you don't make mistakes and
10 put an ocean where an ocean doesn't belong or something
11 like that, looking at numbers and that kind of thing.
12 Overall, I really liked -- well, it is very
13 peculiar for me to see an Excel spreadsheet used in this
14 manner. I'm very comfortable with using the standard data
15 files and FORTRAN and other programs.
16 But I understand that we're somewhat
17 anachronistic in this area and that it is about time that
18 we have an interface that we don't have to spend months
19 training graduate students in on how to do it correctly.
20 So a lot of my problems using the Excel sheet at
21 first is getting used to that as a format. But I still do

1 have what is talked about before, is quality control
2 questions, because I'm not sure if you have written those
3 into the routine so the program will generate errors. But
4 I'm much more comfortable with having models that have
5 numerous error and warning type routines in case something
6 goes wrong.
7 Because when you look at an Excel spreadsheet,
8 you are not always aware of what number might have just
9 changed or you have a letter where you should have had a
10 number or things like that, that errors might happen that
11 didn't happen before.
12 So I guess the quality control issue.
13 I wasn't able to check the codes with what they
14 were supposed to do. I presume that they do. I'm not as
15 familiar with Visual Basic as FORTRAN.
16 Crystal Ball, I guess I'm not sure exactly how
17 it fits in here, but I'll put it in the difficulties
18 encountered section first. Because I tried to get Crystal
19 Ball to work and I had trouble with my evaluation version.
20 The local authorization code didn't come
21 through and apparently their power went out and their

1 server went down. I was on the phone with them a lot.
2 Eventually they got everything working.
3 But the concern I have with Crystal Ball more is
4 -- and I guess with using Excel in general is transparency
5 of knowing what it is doing what and what its limitations
6 are. We just had an earlier discussion on
7 seed random. I think there is a question on how the
8 random seed is planted with one year versus multiple years
9 and other things like that.
10 I would like to know a little more about that
11 within your manuals, instead of just referring to it, like
12 why did you use Crystal Ball. Could I get by using some
13 other Monte Carlo type routines.
14 As far as the use of the model, the cost of the
15 model is going to be a barrier. Like at universities like
16 where I'm at, if you are not -- you have to make a pretty
17 strong case for buying software. And if it's not going to
18 be used a lot, it is harder to do that.
19 I realize there is an aversion to FORTRAN, but
20 if there is other ways to do a module that's more open
21 source or something like that.

1 But as far as the time of building such a model,
2 I realize this is much easier to use a component like
3 that. But I'm concerned about that being a barrier and
4 depending on a commercial vendor for that.
5 So I actually didn't have any trouble with the
6 software at all running. And that's why I was concerned
7 they were in error. I was afraid there was an error in
8 warning codes. But it worked fine.
9 But I used it to on a 2.6 gigahertz computer
10 which is very fast with 500 megahertz RAM, which you
11 recommended -- megahertz, I had a half a meg RAM and it
12 ran fine. I think 14 minutes CPU time. That was pretty
13 smooth.
14 DR. HEERINGA: Thank you very much, Paul.
15 The next discussant in the sequence is Mark
16 Cohen.
17 DR. COHEN: I don't have that much to add over
18 what has been said already. I would just like to just add
19 a little bit regarding the quality control issue.
20 What struck me, for example, was one of the
21 comments you made earlier in the presentations regarding

1 if you were going to do the buffer analysis. But then you
2 picked a receptor grid size that was too large, you might
3 make the analysis invalid. And I'm just wondering -- I
4 was looking in the user's manual for a warning to that
5 effect.
6 But even better, I didn't find it. It may be
7 there, but I didn't see it in the user's manual.
8 But even better would be in the program itself,
9 that for certain key mistakes like that -- and I know we
10 all have this problem, you can't make it completely able
11 to not be screwed up, but you should maybe think about
12 trying to screw it up.
13 Imagine that you were really making mistakes and
14 didn't know what you were doing and go in and try to make
15 some of the worst mistakes that you could possibly make
16 and if you haven't already put some kind of error message
17 in, then maybe try to do that.
18 In FORTRAN programs we can do that fairly easily
19 because you can test the input.
20 If it's not a date, you write not a date, it
21 should be a date. I don't know if you have that same

1 ability within the structure of the program or not. But
2 that would be the only thing I would add.
3 DR. HEERINGA: Dr. Potter, do you have --
4 DR. POTTER: First, I would like to commend the
5 authors of the program for what is obviously completing a
6 very ambitious effort, and one that I think is really
7 neat. I was thoroughly impressed with the
8 application using Excel as the interface for the air
9 modeling program and found no problem installing it and
10 running it and having fun playing with it, although I'm
11 not sure how much time I will have to continue doing that.
12 So in general, the software, excellent, great
13 job. I think it has a potential to be a really
14 outstanding contribution to the field.
15 I'll turn my attention to the documentation,
16 because I think that's the main part of the question here.
17 I say that I was a little bit disappointed with
18 some of the detail in clarity in the user's manual. I
19 thought it could benefit from some good hard-core editing
20 and some organization that would make it a lot more
21 readable and easy to access.

1 Something that I think Scott mentioned, building
2 in some execution flow charts so we can kind of get a
3 sense of what is going on when. And really have, you
4 know, go into the thing with a good overview.
5 One of my peeves -- I spent a good time digging
6 trying to find out what your distribution assumptions were
7 for your agronomic parameters. Finally, having gone back
8 into Crystal Ball, I realized that you can make custom
9 distributions for things like depth or whatever.
10 But it took me a good while to find that. I
11 spent about an hour, a hour and a half digging away, not
12 being intimately familiar with Crystal Ball. That would
13 be one example.
14 Again, if you had simply said, here are the
15 distribution, guys, and this is what we did, we selected a
16 custom distribution -- those are clarity issues.
17 You had some problems in terms of citing for
18 your appendices. Perhaps those have been pointed out to
19 you already or you may have picked them or up or will in
20 your next generation.
21 You need to look at all your citations for your

1 appendices, because I think there is a numbering sequence
2 problem there that, again, I think can be quickly taken
3 care of.
4 Finally, in terms clarity, I think a lot of the
5 things that Ian said earlier in his presentation, some of
6 the flavor of that could have been imbedded into this
7 document. I think I would have had a somewhat
8 easier time accessing it in terms of understanding your
9 technical approach to setting your flux parameter.
10 Obviously, it is a key part of the effort. And
11 I think building something into the user's manual
12 explaining what your approach was and, of course,
13 identifying what the alternatives are, which are numeric
14 modeling or some kind of simulation effort, I think would
15 really, I guess, kind of clear away some of the debris and
16 make things a lot clearer.
17 But in general, I thought it was an excellent
18 product. And obviously it has been produced probably
19 under very severe deadlines. I noticed the date August on
20 the cover of the manual. So I'm assuming you were working
21 on it until just a short time ago. So we're looking

1 forward to the updated versions and seeing the product as
2 it matures further.
3 DR. HEERINGA: Thank you very much, Dr. Potter,
4 and to the rest of the scheduled discussants. I want to
5 thank Dr. Yates for leading off with such a thorough
6 review. I think it has been a good discussion at this
7 point.
8 I would also like to open it up at this point to
9 any of the panel members or any of the prior discussants
10 who would like to make additional comments at this point.
11 Not seeing any, I turn to Mr. Dawson to maybe
12 just go systematically through to see that we have covered
13 these questions and see if you have any further questions
14 or need an elaboration on any of these points.
15 MR. DAWSON: No, I think we're fine on all four
16 points that were raised in the question. Thank you.
17 DR. HEERINGA: Dr. Cryer, Dr. Van Wesenbeeck,
18 are you fairly satisfied with the --
19 DR. CRYER: I think we agree. We had like a
20 two-week not deadline, but a two-week time interval to
21 write those up. By far, none of us even had a chance to

1 do our own editing. I'm sure there is a lot of verbiage
2 that shouldn't be in there.
3 Hopefully, you got the gist of how to use the
4 model enough to where you could use it. We'll, obviously,
5 refine those in the near future.
6 DR. HEERINGA: Thank you very much. Okay. At
7 this point I would like to move right on to question
8 number two, if we could.
9 Mr. Dawson, if you would read it into the
10 record, please.
11 MR. DAWSON: Question 2, which is focused on
12 system design and input. In the background documents, a
13 series of detailed individual processes and components
14 included in SOFEA are presented. The key processes
15 include, (1) incorporation of ISCST3 into SOFEA, (2)
16 probabilistic scaling of flux rates, (3) defining source
17 placement within an air shed, (4) development of receptor
18 grids within air sheds; and (5) generation of probability
19 distribution functions based on use patterns and
20 application parameters.
21 Part A of the question, please comment on these

1 proposed processes, the nature of the components included
2 in SOFEA and the data needed to generate an analysis using
3 SOFEA.
4 Part B of the question, are there any other
5 potential critical sources of data or methodologies that
6 should be considered?
7 DR. HEERINGA: Our lead discussant for this
8 question is Dr. Hanna.
9 DR. HANNA: In looking at this question, I think
10 we have seen some of the comments relevant to the question
11 in general. But I'll be a little bit specific about
12 certain aspects that I feel more experienced with.
13 Particularly, related to the ISCST model used or
14 inclusion in SOFEA, I think the adaptation for the case
15 study may be a little bit need to be tuned towards ISCST
16 capabilities in general.
17 By that, for example, we know that the ISCST
18 uses the one-hour inputs for different parameters,
19 meteorological and emission parameter or flux parameter in
20 this case.
21 The most important, in my opinion, is to get the

1 flux parameter in the current application to have an
2 average over six-hour or so is to get it -- even impose
3 some temporal pattern.
4 We have done that for some of the larger scale
5 modeling applications for emissions, is to find a temporal
6 pattern that can be more representative of the emission
7 flux on an hourly basis so that can be including the
8 ISCST.
9 For the scaling of the flux itself, and before I
10 move to the scaling, also the limits for the ISCST is the
11 distance closer to the source. That should be very much
12 considered because, as Dr. Arya mentioned, the dispersion
13 formula has certain limitation when you get very closer to
14 the source. Below 100 meter we have to look and be very
15 careful about assessment related to that.
16 For the scaling issue, we have seen the scaling
17 related to the depth and related to the times of the year
18 in terms of temperature. And that's also -- that's good
19 in my opinion.
20 However, I think that also was already
21 mentioned, the flux could be altered by the type of the

1 conditions of the atmosphere, the stability of the
2 atmosphere, which is not included in the process of when
3 we choose the stochastic kind of approach of choosing the
4 flux from a certain distribution.
5 The scaling itself that's a key input, not the
6 scaling, the flux, that's a key input to the ISCST3.
7 The worst weather on the ISCST3 model and the
8 emission which is the flux are the key input to the model
9 itself.
10 Generally, this approach, as I see it, we are
11 looking at how the -- in a way I look at the SOFEA
12 application as it was presented as really is very good in
13 addressing the uncertainty in general, the range that we
14 can have. It is not deterministic as already was
15 explained to us. But again, in cases of extreme
16 conditions, you may need to be more specific about certain
17 locations, about certain weather type and about certain
18 situations and so on.
19 So I think the application is very good even
20 with the five year, which already can be missing certain
21 kinds of events or distribution but still very good to

1 look at really what is the range that we can be looking
2 at, either in the chronic or in the acute application as
3 it was presented.
4 But if we are missing certain high values at the
5 end of the spectrum by using SOFEA, that's really
6 affected. Because that's exactly the value that we want
7 to be concerned with.
8 So I would say that maybe there are certain, at
9 least, (inaudible) or tuning related to this kind of
10 actual condition should be added or maybe added as a kind
11 of case studies in what has been discussed.
12 The receptor grids as was described, again,
13 unless we are using less than hundred meters, it seems
14 adequate for this presentation as we have had.
15 And also I like the generation of the
16 probability distribution. That's an excellent way really
17 to include all ranges of the uncertainty and variability,
18 which is very important in what we are doing.
19 But still I think we would need more cases
20 specific kind of application. Especially, if we are using
21 only five years to generate this kind of stochastic input

1 values to the SOFEA.

2 I think I'll stop there.

3 DR. HEERINGA: Thank you very much, Dr. Hanna.

4 At this point in time I have a second discussant for this

5 particular question, Dr. Tom Spicer.

6 DR. SPICER: Thank you.

7 The first comment I had was with regard to the

8 scaling of the flux rates. And if I understood correctly,

9 and I may not have understood correctly, but in addition

10 to the parameters such as the depth and the application

11 type and those sorts of things, they are being treated as

12 stochastic variables, then the amount is treated as

13 stochastic variable as well. Is that correct?

14 DR. VAN WESENBEECK: Yes.

15 DR. SPICER: That seems kind of troublesome to

16 me, because, as was pointed out earlier, the one thing you

17 can be certain is that for a township you are going to be

18 applying the maximum amount that's available.

19 So it seems that on average, if you have a

20 normal distribution, then on average you would expect the

21 mass balance to close. But I think that, because the

1 constraints associated with regulations, I think you know
2 the total amount that's going to be applied.
3 So the point is that may not be the best way to take that
4 sort of stochastic nature into account. There may be
5 other things.
6 For example, it also seems to ignore the fact
7 that if you are using, and the model does have this
8 flexibility, if you are using either the experimental
9 values or a soil based model, then it seems that with
10 either of those two approaches that there are some
11 uncertainties associated with either one of those that
12 would be more appropriate to take into account as opposed
13 to simply saying I'm varying the amount that I actually
14 applied.
15 For example, in the experimental case, you are
16 looking at issues of what is the uncertainties in the
17 measurements. In the soil based model, you are looking at
18 issues of what parameters are uncertain in the model.
19 So to me, there are two different things as far
20 as flavor is concerned that simply varying the rate in a
21 stochastic fashion, the rate at which it is applied, does

1 not seem appropriate and seems to be almost inappropriate
2 depending on whichever measure you are trying to use.
3 In fact, other parameters may be more random as
4 has been discussed, the effect of wind speed and stability
5 and those sorts of things.
6 The second thing that I had a question about or
7 an issue about was this source placement within an
8 airshed, this item number three.
9 And I don't know, I mean, when I see the word
10 airshed, I normally think in terms of the topography how
11 in a general terrain the wind field is going to go, how it
12 is going to be affected by terrain and those sorts of
13 things.
14 To me, the airshed idea is different than the
15 township idea. The township idea is more just simply you
16 are mapping off these six mile squares so that you can
17 have some way of controlling the application of Telone.
18 And so to me, it is almost like you are
19 comparing apples and oranges here in terms of defining the
20 source placement. Because you are not necessarily
21 considering the airshed, you are considering townships as

1 opposed to the airsheds.

2 The townships may -- sorry, the airsheds may

3 lead to issues associated with topography generated flow

4 fields, in fact, it can get you into the issue associated

5 with drainage flows and those sorts of things, under

6 certain circumstances.

7 So those seem to be almost apples and oranges.

8 Although, I can understand why you took the approach

9 associated with the township.

10 I asked the question earlier about the spill-

11 over algorithm. Apparently, although it is not used very

12 often, it may very well be used in locations that are

13 critical in the sense that it looks to me like the effect

14 of the algorithm would be that, if you run out of a place

15 to put a field in a given township, that what the program

16 does is it kicks that field into the next township, in

17 essence.

18 Is that correct?

19 DR. VAN WESENBEECK: Let me clarify that. The

20 spill-over algorithm relates to sections, not townships.

21 So there is 36, one-mile squared sections within a

1 township. And typically, where we found it has
2 kicked in, and you are right, it isn't very often at all,
3 is in places where historically there hasn't been actually
4 a lot of 1,3-D use.
5 So historically, you may only have two sections
6 out of those 36 within the township that had any use. So
7 each may have .5 in there. So 50 percent of the use goes
8 into one section, 50 percent in the other.
9 But there may have only been 1,000 pounds of Telone
10 applied historically. But then we're doing a "what if"
11 scenario. What if this township goes up to the maximum
12 allowable use.
13 And then we're still using that section
14 weighting, so it is going to try and stick that maximum
15 allowable township use into those two sections. That's
16 when the spill-over has kicked in. That's just been due
17 to the absence of historical data, really.
18 DR. SPICER: Maybe this is not an issue, then.
19 But it seems like that what may end up happening is that
20 you may end up actually taking use out of a section and
21 putting it in another, in essence, distributing the same

1 amount of material over a larger area, which would reduce
2 the impact, reduce the predicted impact and those sorts of
3 things.
4 That's all I'm suggesting, is that although it
5 may not be invoked very often, it may be that because of
6 when it is invoked it may be underpredicting the effect
7 associated with the exposure in that area.
8 And so that's the only thing that I saw that
9 might be difficult to associate with that.
10 With regard to the receptor grid development it
11 seems you have taken two approaches. One of them is
12 associated with the acute exposure and the other is
13 associated with the chronic exposure.
14 With the acute exposure, you are basically
15 drawing these bands 100 feet, 200 feet, et cetera. I
16 don't see anything immediately that is an issue with that.
17 But with the chronic exposure, what you seem to
18 be doing is placing the receptors in uniform grid over a
19 larger area.
20 What strikes me about that is that, whereas for
21 the acute exposure, what you are doing is you are actually

1 putting a band about a field, and you are trying to indeed
2 capture where the exposure might be large, by choosing an
3 uniformly distributed receptor grid, you are first off
4 ignoring, you're ignoring the physical locations of where
5 the chemical starts out, that is its application points.
6 And furthermore, you are ignoring the position
7 of where the population actually is. So it seems to be
8 that, by spreading these receptors uniformly, that you
9 have almost ignored either one or both parts of the
10 problem that are important.
11 Now, I don't know exactly how to address that,
12 but it just might be something to consider, is some way of
13 redistributing the receptors associated with the chronic
14 assessment.
15 I think the acute assessment is perfectly
16 reasonable. But the chronic assessment just seems to be
17 more of a problem that a uniform grid may not be
18 appropriate for. It is just simply a question at this
19 point.
20 With regard to the PDF and use patterns, this
21 approach does indeed seem promising, although it is

1 troublesome to learn that the PUR data is not very pure as
2 it were.
3 I applaud you for trying to do that as far as
4 that is concerned. Those are the bulk of my comments as
5 well.
6 DR. HEERINGA: Thank you very much Dr. Spicer.
7 Dr. Macdonald.
8 DR. MACDONALD: I don't have a lot to add here,
9 but I do note that the critical parts of the model are
10 based on deterministic relationships.
11 If these are really subject to random
12 perturbations that aren't included in the model, the
13 outputs will not reflect the real variability and may
14 underestimate the higher quantiles of exposure.
15 I'm not an expert in these processes, but I
16 certainly would like some assurance when deterministic
17 relationships go in that the variability about those
18 relationships is not important.
19 DR. HEERINGA: Thank you very much. I think
20 some of these issues are going to come back again in
21 question three when we discuss the flux.

1 So I'm sure we'll have plenty of attention paid
2 to that.
3 Are there any additional comments from other
4 members of the panel who are not scheduled as a primary or
5 an associate discussant? Dr. Arya.
6 DR. ARYA: I would like to basically propose
7 that, while this term was mentioned airshed, probably
8 derived from watershed, where watershed is more clearly
9 defined, the area in which the water from, you know, where
10 the water is kind of confined to a tributary or river.
11 But air does not follow those kinds of rules.
12 So probably instead of airshed we should use the
13 model domain. How did you define the model domain? It
14 should be based on probably the capability of the model
15 ISCST we are using.
16 And again, as mentioned, one of the limitations
17 is that you should not, one should not use the model more
18 than 50 kilometer away from the source or maybe in some
19 cases they are extended to 100. But it is never
20 recommended beyond that, you know.
21 So I would say that you sort of confine your

1 model domain keeping that in mind, so long as you are
2 using this ISCST or even AERMOD, which are kind of based
3 on almost same short-range type of dispersion ideas.
4 I think I had another question about the
5 receptor, placement of receptor, for example. When you
6 have, of course, receptors on a uniform grids, some of the
7 receptors will lie, of course, in the treated fields.
8 And they don't --
9 DR. VAN WESENBEECK: They are excluded.
10 DR. ARYA: Somewhere I read they are excluded
11 only for seven days, but after seven days they are, even
12 though there may be emission after seven days.
13 Because according to your emission model, the
14 emissions, you know, last up to 14 days, at least.
15 DR. VAN WESENBEECK: Right. But the reentry on
16 the label is seven days so people could be walking over
17 that field. So it is representative of people moving
18 about the township. That's one location they could
19 potentially be.
20 DR. ARYA: Thanks for clarifying that.
21 DR. HEERINGA: Just to be clear after a seven

1 day period in the model, the receptors on fields are
2 reactivated and incorporated.
3 DR. VAN WESENBEECK: Yes. And the user can
4 specify that time period depending on the specific
5 molecule on the label.
6 DR. HEERINGA: Thank you. Dr. Potter.
7 DR. POTTER: Yes, I just had one thought about
8 the receptor placement. That came after I looked at work
9 that Jim Seiber had published a few years ago. I think I
10 know a few guys cited it.
11 But when they looked at some of their monitoring
12 data for methylbromide, they used the same model too, they
13 used flux terms and dispersed the chemical using this
14 ISCST, or whatever the acronym is called, model.
15 They had some good success and bad. Sort of
16 fell in-between. Sometimes it was underpredicting,
17 sometimes it was overpredicting. A lot depended on the
18 flux. So obviously, we'll get to that in the next
19 question.
20 But one of the things that at least would turn
21 the light on in terms of their data is that they get

1 particularly higher concentrations in the monitoring data
2 at higher elevation when they had fields that were pushed
3 up against the mountains or something like that in the
4 airshed that they were working in.
5 In terms of receptor placement, I think
6 obviously topography, maybe not in the scenario we're
7 talking about, is important. But certainly it will be
8 in other areas where topography will play a very important
9 role in terms of potential for exposure.
10 DR. HEERINGA: Any other questions at this point
11 or comments?
12 Just go back, I guess if we could, before we
13 move on review the elements of this question. One of them
14 was the incorporation of ISCST3 into SOFEA. And I think
15 that -- I haven't heard any serious concerns about that.
16 There was a mention earlier about documenting
17 the small modifications in the actual programming code
18 that had been made. Probabilistic scaling of flux rates,
19 any additional comments on that aspect of this question?
20 Source placement, we have had a fair amount of
21 discussion on this. But that obviously becomes a little

1 more complicated with the multi-source aerial perspective
2 of this model.
3 Receptor grids with an airshed is kind of a
4 continuation of that same issue in terms of not just
5 single source but multi-source. Any additional comments?
6 And then, finally, the generation of the probability
7 distribution functions on use patterns and application
8 rates.
9 MR. HOUTMAN: I just wanted to make a comment
10 about the receptor grid in the spacing of those receptors.
11 The attempt is to determine a mathematical
12 average of the air concentrations across the townships or
13 understand the distribution of air concentrations across
14 sections and then permit people under different exposure
15 scenarios and mobility assumptions and then move amongst
16 those receptors.
17 But the equal spacing and the designation of
18 them uniformly across an area is just for the
19 determination of air concentration distribution. And then
20 the exposure component then is laid on top of that with
21 mobility assumptions and other things.

1 The other thing about airshed versus townships
2 is townships were selected for their administrative
3 convenience in their uniform sizes. We mentioned earlier
4 there are township allocation limits, amount used per
5 year.
6 Well, counties are irregularly shaped and
7 airsheds are irregularly shaped. Townships were something
8 that is of standard sizing, of a size that permitted it to
9 be a good candidate in order to regulate product use
10 densities. That's why townships were selected.
11 DR. HEERINGA: Thank you for that clarification.
12 Just a follow-up with regard to your receptor sites.
13 When it comes to risk assessment, you actually
14 move people to the receptor. You don't have to have the
15 receptor find the person. You sort of essentially lay out
16 a life style, a mobility pattern, within that area that
17 associates individuals or populations with receptors then?
18 MR. HOUTMAN: Correct. The receptors are only
19 to define air concentrations and then population mobility
20 and location is then interfaced with that.
21 DR. HEERINGA: Dr. Cohen.

1 DR. COHEN: There is just one comment about the
2 insertion of the ISCST3 model in this type of application.
3 If you have a situation where the wind is
4 blowing fairly slow and you do your hourly calculation, it
5 sort of assumes that the material is dispersed over the
6 entire gaussian plume domain.
7 And then the next hour -- what would happen in
8 reality if the wind changed direction and that same
9 material started getting blown back and maybe hit a
10 receptor again?
11 You would miss that, I think, in your using the
12 model the way you are using it. Because the next hour,
13 the wind direction would just be somewhere else and the
14 material's just going to be off in that plume.
15 But actually what happened -- it could be that
16 somebody could get hit on the way out and then on the way
17 back if the wind were to change direction like that.
18 I'm not sure if that's very clear.
19 DR. CRYER: We tried to address that a little
20 bit earlier. I forgot who it was, maybe Mr. Bartlett, but
21 you are right. That can happen. You can track that in

1 ISCST3, and you are going to lose it when you get a 24-
2 hour value.
3 But again, the details of the tox information
4 that we're ultimately using to compare this to we don't
5 have one-hour exposures. Typically they dose a rat for 24
6 hours.
7 So you really have to come up with it would make
8 sense to use a 24-hour average value for your exposure
9 prediction in that case. When we get that information in
10 the point where they are dosing rats for an hour, then,
11 yes, we have to go to that detail.
12 DR. COHEN: But this approach isn't really even
13 getting the correct 24-hour average, though, in the
14 situation of the wind diversion direction. Because the
15 plume is just moved to a whole other vector each hour.
16 One hour it is going in this direction and you
17 have concentrations out and the receptor's downwind of the
18 plume. The next hour, if the wind changes by 30 degrees
19 or something, you are getting a whole other vector of
20 concentrations.
21 See, if the next hour the wind changes direction

1 180 degrees, the model is just going to assume that you
2 are going to get concentrations out going the other way on
3 the other side of where the first hour was.
4 But in reality what is going to happen is that
5 high concentration that existed maybe in that first hour
6 is just going to come right back and the people are going
7 to breath it again.
8 You are missing that. It is not just that you
9 are just averaging it. It is more than that. You are
10 actually moving the plume back to the center line -- to
11 the emissions point and shooting it off the other
12 direction.
13 DR. CRYER: Obviously, all those scenarios can
14 potentially be feasible. I don't know how often that
15 would occur.
16 If you have a plume that moves out and it is
17 over the top of that receptor for that hour, it is going
18 to log that concentration.
19 Say it never moves again, never disperses, then
20 for the next 23 hours it is going to record that same
21 concentration. So for 24 hours you are going to have a

1 higher concentration than if it moved.

2 Do you see what I'm saying?

3 Again, it gets back to, sure, a system like this

4 can give you those details if you want to get down to the

5 hour basis, but, really, what are you going to do with

6 that information when you have it. That's really where

7 I'm coming from.

8 DR. HEERINGA: Dr. Gouveia and Dr. Arya.

9 DR. ARYA: I just wanted to comment on the same.

10 I think that's an excellent comment, basically, on the

11 limitation of any of the analytical dispersion models,

12 Gaussian model, ISC included.

13 And these models treat basically one hour of the

14 emission and transport and dispersion. But they do not

15 follow really how it is connected to the next hour, you

16 know the material that went in the previous hour. It is

17 not being followed in the next hour.

18 In the numerical models, like these reasonable

19 models, even short-range, numerical models, the air

20 quality included in there, they can do that. Because they

21 are kind of continuous in time. And they treat all the

1 receptor points really as a function of time.
2 So they will have in them the material following
3 in and out that occurs.
4 But ISC will not be, I think, by its very nature is not
5 able to handle that.
6 DR. HEERINGA: Dr. Gouveia.
7 DR. GOUVEIA: I would support what Dr. Arya
8 said. The next stage, next level of modeling that would
9 handle what Dr. Cohen is suggesting is a mass consistent
10 model, MATHU (ph), particle and cell modeling that's done
11 at our facility at ARAK (ph). But it is not for
12 regulatory use and not for -- it takes several
13 meteorologists to run correctly.
14 But ISC is still the standard workhorse for this
15 type of modeling. The limitations -- there are
16 limitations because it is straight line. It is
17 analytical. But it is something that everybody uses
18 because it has a wide range of uses.
19 DR. HEERINGA: Given those comments, but with
20 general consensus with regard to the ISCST3 model is that
21 its use is appropriate in this recognizing the limitations

1 or do we think there are -- DR. GOUVEIA:
2 We have to be aware of all the limitations, and there is
3 many of ISC. We'll probably talk about more of them in --
4 I think it is question four coming up. And Dr. Arya
5 pointed out a few.
6 The 100 meter limitation on very near field
7 dispersion is -- the science is just not there to
8 correctly handle it. There is another feature.
9 DR. HEERINGA: Thank you very much.
10 DR. BARTLETT: Just one comment on that. It
11 does seem like what is brought up is an underestimate of
12 concentration, this phenomenon. We haven't talked on
13 these panels before about this broad use of the Gaussian
14 plume model with multiple sources in a larger area.
15 So we really do need to know how significant
16 that underestimation might be for these instances of wind
17 shifts and one hour time periods.
18 DR. HEERINGA: Dr. Spicer.
19 DR. SPICER: I agree with that. In addition to
20 the issue associated with modeling, you also have exactly
21 the issue associated with wind field and having a

1 consistent wind field picture, which is exactly what MATHU
2 (ph) and ADPICK (ph) can do as far as that is concerned.
3 The other question that I was suggesting
4 associated with the regular receptor placement, and I
5 think this goes back to the general application of the
6 modeling.
7 It is kind of an independent question than the
8 test case itself that we're talking about. I think that -
9 - as I said earlier, the idea of using the regular
10 receptor grid around the field and using ISCST3 does give
11 you a reasonable estimate of the acute exposure.
12 And I was simply questioning whether the regular
13 placement of the receptors was going to give you the long-
14 term exposure. I mean, another way you could think about
15 it is you could choose your receptor grid based on the
16 predicted value. Suppose that you chose a
17 predicted value based on the maximum value at your
18 exclusion distance, so that you chose a receptor, instead
19 of at the regular grid location, you chose, at your
20 exclusion zone distance, you chose that position as your
21 receptor.

1 Then I would be willing to bet that the model
2 predictions would generate much higher concentrations.
3 Because you would be choosing receptors which you would be
4 basically interpolating your population movement
5 associated with. They would have higher concentrations
6 than just a grid that was distributed regularly across the
7 terrain. That's one of the reasons why I think
8 that this regular distribution of receptors for the long-
9 term exposure may not be conservative.
10 DR. HEERINGA: Dr. Cohen.
11 DR. COHEN: A final comment from --at least,
12 from me on this point. There was a study I found where
13 they compared the ISC model runs with runs of CALPUFF,
14 which is sort of a puff dispersion model similar to the
15 one that Dr. Gouveia mentioned.
16 And they did find, in fact, that the ISC model
17 did underpredict the concentrations because of these types
18 of situations. There were conditions that they ran where
19 you got much higher maximum with the CALPUFF model because
20 of this treatment of -- the pollutant isn't just lost
21 after each hour. That it can stay in the same place and

1 keep building up.

2 So there is some quantitative information in

3 this report about the levels of underprediction or

4 overprediction. But you probably have to do a bit more to

5 quantify this more. But I think it is real.

6 DR. HEERINGA: At this point I would like to

7 turn to Mr. Dawson, see whether he feels we have covered

8 this question and its components, whether there is

9 anything at this point you would like to ask about.

10 MR. DAWSON: I actually had a number of

11 clarifications, if you could bear with me.

12 I guess I'll start with the simplest first.

13 Following up from Dr. Arya's comment about the workable, I

14 guess what I classify as workable ranges of ISC.

15 So I guess the minimum working range it seems

16 like is 100 meters or so and that's based on the nature of

17 the dispersion coefficients used in the calculation. Is

18 that correct?

19 DR. ARYA: Well, that, also the fact that in

20 general that usually these Gaussian-based models are not

21 applicable very close to the source because they don't

1 include any upstream dispersion.

2 According to Gaussian model, your concentration

3 is zero just a short distance or even slight distance

4 upwind. In reality because of diffusion and turbulence,

5 there is always upstream air concentrations too.

6 Material disperses upstream also to some extent.

7 MR. DAWSON: And then the maximum workable range

8 you were saying was 15 or 50?

9 DR. ARYA: Fifty. That comes from the ISCST,

10 they use the Pasquel Gifford dispersion curves. And those

11 were developed from experimental data, which really the

12 range was limited to 50 kilometers.

13 MR. DAWSON: As far as the -- there is a lot of

14 discussion here about one hour versus 24 hours. We're

15 concerned about the basic methodology. Because, for

16 example, for most of the -- the previous cases we

17 presented, it was 24-hour issues that we were talking

18 about.

19 But we do have some of these other cases where

20 the threshold value is really based on one hour of

21 exposure. So we're also potentially interested in

1 durations as low as one hour. We understand that's the
2 lowest you can go with ISCST.
3 As we go further into the discussion, if we
4 could carry that concept along, as well as the chronic, up
5 to the chronic levels of durations of exposure, that would
6 be great for you guys to consider.
7 DR. HEERINGA: I was going to reinforce that
8 point too. Question seven specifically addresses that
9 issue of length of exposure. The case study here, of
10 course, relates to chronic exposure on a one year average.
11 I think, clearly, as we get into this discussion
12 the focus will be on the generalizability of SOFEA to the
13 acute situations and shorter term exposure. I think all
14 of the panel members have that in mind.
15 We'll definitely collect that response in
16 response to number seven too.
17 MR. DAWSON: And even down to one hour. Because
18 we didn't -- I think in the previous sessions we were
19 talking about 24 hours. I guess the one hour didn't come
20 up as much.
21 On the third one, I would like to follow up with

1 Dr. Spicer's comment. I think it was his first comment
2 about the stochastic scaling for application rate versus
3 total mass, if I'm saying that correctly.
4 And in this particular case for this chemical,
5 there is a township cap, but in cases where we would
6 potentially generically apply this methodology where there
7 is no township cap, so you don't have a potential
8 limitation on the total mass applied, how would that
9 impact your comment or your thoughts about that process?
10 DR. SPICER: What I was trying to say was that
11 including the stochastic nature in the rate at which you
12 apply the material seems to me that you are applying that
13 variation in exactly the wrong place.
14 And based on what Dr. Macdonald said earlier, if
15 you have a deterministic model and you don't include the
16 uncertainty properly, then you can improperly predict
17 details of the distribution. So his point is well taken
18 in that regard.
19 All I'm suggesting is that one of the few things
20 that the farmer may very well know is how much he
21 distributed during the course of the day.

1 So that just seems to me to be the wrong way to
2 include that variability, that there are other more
3 appropriate ways to do it even if you do -- whether you
4 have a cap or not.
5 MR. DAWSON: We were talking here on the
6 receptor grid issue. It is still somewhat unclear to us
7 the implications of -- that there is a clear message
8 especially on the placement of the receptor grids and the
9 longer duration exposure scenario.
10 So I don't know how to ask for it except for is
11 there any more kind of clarification that could be added
12 with regards to that issue?
13 DR. HEERINGA: Specifically, are you asking
14 about why -- I think there was a statement here to the
15 effect that the uniform allocation of receptor grids over
16 the sort of the estimation space might lead to an
17 underestimation of the distributional concentrations. Is
18 there somebody who would like to address that?
19 DR. SPICER: I'll try again.
20 All I was trying to suggest was that if you
21 looked at the acute exposure, what you are doing is you're

1 drawing a band about your field that may be, for the sake
2 of example, 100 meters away.
3 Let's say that's what your exclusion zone is
4 after you apply it. You have a receptor location at that
5 point. You predict the exposure at that receptor. All
6 I'm suggesting is that the concentration at that receptor
7 would tend to be higher than a receptor that was on a
8 uniform spatial grid simply because it is located near
9 where the material was put out.
10 And so if you have a series of those receptors
11 that are located near the fields where you have got
12 applications, then you would end up having, it looks to me
13 like -- because you are choosing the receptors in those
14 locations, you would end up with a larger concentration.
15 Now if you have a uniform grid and you have
16 random fields placed throughout, then some of the
17 receptors are obviously going to be excluded because of
18 the exclusion zones.
19 Other receptors are not necessarily going to be
20 located near fields. And so there is a way that you could
21 actually choose the location of the receptors which would

1 increase the amount of exposure that's being predicted.
2 MR. DAWSON: So in essence, if I'm interpreting
3 this correctly, you are suggesting a weighted receptor
4 grid to the source approach?
5 DR. SPICER: Exactly.
6 MR. DAWSON: I guess, I'm sorry -- the last
7 clarification was at the end there was a lot of discussion
8 about what seems to be the overall applicability or
9 implications of using ISCST versus other potential
10 modeling approaches, including ones that address more or
11 less a mass balance type of approach.
12 I guess a couple clarifications in there. One,
13 is it appropriate. I mean, is this the most appropriate
14 thing to do compared with the other potential models that
15 are out there.
16 And I guess we'll get to this as well in some of
17 the later discussion, but what are the implications or
18 what are the inherent biases in there as far as
19 overestimation or underestimation of exposure because of
20 the use of ISC.
21 DR. HEERINGA: Would a member of the panel would

1 like to address this issue, the appropriateness of ISC
2 relative to alternatives? I guess feasible alternatives
3 for the purpose of this point. Dr. Spicer?
4 DR. SPICER: I think that as far as acute
5 hazards are concerned, that ISCST3 is probably a
6 reasonable choice for this because of its track record and
7 those sorts of things. And it has not been challenged.
8 The difference that we have in this situation is this idea
9 of chronic exposure.
10 I think what has been pointed out earlier in
11 terms of using either other sorts of models like CALPUFF,
12 for example, that model might indeed have an advantage
13 over a longer term.
14 Now, of course the problem that you get into is
15 that you can take -- what you have now as far as weather
16 data is concerned, you have this stochastic weather data
17 at one particular location.
18 I mean, that's an issue as to how well the
19 weather data would fit in terms of applying it to many
20 locations.
21 So it is uncertain.

1 DR. HEERINGA: Dr. Cohen.

2 DR. COHEN: Just to add to Dr. Spicer. I'm not
3 sure I would agree with you, Dr. Spicer, in terms of that
4 it is okay for the acute but -- excuse me, okay for the
5 acute but not okay for the chronic. I think some of the
6 same problems we have been talking about occurred for the
7 acute as well.

8 The problem I raised earlier that we talked
9 about, the problem of the wind shifting direction and the
10 calms and things like that affect your acute
11 concentrations as well. So I think it affects both.

12 DR. SPICER: Certainly. For the record I agree
13 with you completely. In fact, the calms and things like
14 the effects of topography that I was talking about earlier
15 may be the most important things and neither of those were
16 taken into account with ISC.

17 MR. DAWSON: Just one final clarification on the
18 very near field, less than 100 meters type of scenarios.
19 What are the potential implications there in applying ISC
20 for lack of a better tool, for example?

21 DR. HEERINGA: Dr. Arya.

1 DR. ARYA: I think you will consider that only
2 if there is a limit, there is existing buffer zone less
3 than 100 meter. If that is allowed then, you may probably
4 want to determine concentrations less than that.
5 But I think the closer to the source you are,
6 the higher the concentration you are going to get. But
7 whether this model ISC or any Gaussian model is really
8 capable of doing that, that's questionable.
9 MR. DAWSON: As a follow-up to that, do you
10 believe, let's say, for example, at 50 meters you may over
11 or underpredict exposure with the ISC?
12 DR. ARYA: Well, you know, one thing is that
13 maybe the dispersion coefficient that are used in ISC may
14 not be applicable at short distances. At short distances
15 actually rate of dispersion is faster than usually that's
16 used in ISC.
17 So on that point of view, ISC might be giving
18 more conservative estimate actually.
19 DR. HEERINGA: Dr. Winegar.
20 DR. WINEGAR: There was a paper in the Air and
21 Waste Management Journal in April of 2004 by ARB people

1 and UC Riverside, I believe. Yes, where they did a near -
2 - called Near Field Dispersion Modeling for Regulatory
3 Applications, and they released a tracer from a trailer
4 and then did sampling less than 100 yards downwind.
5 And they got pretty good agreement actually in
6 that short term as long as they included some factors
7 related to the meandering of the wind direction in that
8 short distance between the source and the receptors.
9 So anyway, I can include this reference in my
10 comments so that you can look at that and that might be
11 useful to think about.
12 MR. DAWSON: That would be great. Thank you.
13 DR. HEERINGA: Since you have a copy of your
14 journal, I wonder, would you be willing to loan it to the
15 Megatech folks? We'll have copies made for people. There
16 is no use to wait for the reference. That's great. I'm
17 sure people have it. But we may as well make copies for
18 people to look at that.
19 DR. HOUTMAN: Did they use ISCST to predict
20 those near field --
21 DR. WINEGAR: They did some modification. I

1 don't remember exactly what, how they did it. I think
2 they actually modified some of the dispersion
3 coefficients.
4 Frankly, I just kind of scanned through it.
5 And I don't remember all the details, but they basically -
6 - ISC was the basis for it and they did some small
7 tweaking, but I can't really say what.
8 DR. HEERINGA: We'll try to have copies of that
9 available by tomorrow morning so people can look at it.
10 Any other, Mr. Dawson, any additional
11 clarifications?
12 MR. DAWSON: No, I think that will do us. Thank
13 you.
14 DR. HEERINGA: I'm sure we can revisit some of
15 these. We'll have a general session at the end for
16 anything that we have managed to miss on our first pass
17 through the questions.
18 At this point in time, I would like in terms of
19 our agenda to move on this afternoon yet to address
20 question three. But I think all of us are due a 15 minute
21 break. So I would like to ask maybe if we could all

1 convene back here at five minutes of 4?

2 (Thereupon, a break was taken.)

3 DR. HEERINGA: Let's resume for the final part

4 of our first afternoon session on the SOFEA model using

5 Telone as a case study. We are in the question,

6 direct question period, and we are up to question Number

7 3. If I could ask Mr. Dawson to read question Number 3

8 into the record, please.

9 MR. DAWSON: Question 3. The determination of

10 appropriate flux and emission rates is critical to the

11 proper use of the SOFEA model as these values define the

12 source of fumigants in the air that can lead to exposures.

13 Upon its review of how flux rates can be

14 calculated, the Agency has identified a number of

15 questions it would like the panel to consider.

16 In SOFEA, measured flux rates specific to the

17 conditions at the time of the monitoring studies used are

18 adjusted based on incorporation depth and seasonal

19 differences to account for varying application conditions.

20 Emissions of 1,3-D are sensitive to soil

21 temperature and incorporation depth. Incorporation depth

1 is addressed using the EPA model PRZM3 and also the USDA
2 model CHAIN-2D. Scaling factors were used to address
3 temperature differences.
4 Part A, what, if any, refinements are needed for
5 this process including the manner in which flux values
6 were directly monitored and calculated using the
7 aerodynamic flux approach?
8 Part B, SOFEA can easily be modified to
9 probabilistically vary flux rate for each application
10 based on variability in field flux measurements. For
11 example, application method or temperature, or model
12 generated flux. Please comment on these potential
13 modifications.
14 Part C, How appropriate is it to use a flux or
15 emission factor from a single monitoring study, or small
16 number of studies, and apply it to different situations
17 such as for the same crop in a different region of the
18 country?
19 Part D, Please comment on SOFEA's capability to
20 adequately consider multiple, linked application events on
21 an airshed basis as well as single source scenarios.

1 And finally, subpart E, does SOFEA appropriately
2 address situations where data are missing?
3 DR. HEERINGA: Thank you very much, Mr. Dawson.
4 Dr. Majewski is the lead discussant on this particular
5 question.
6 DR. MAJEWSKI: What, if any, refinements are
7 needed in the aerodynamic flux approach?
8 Well, as I mentioned earlier, I haven't kept up
9 with the literature on what is being done to fine tune the
10 atmospheric stability descriptions. I was wondering if
11 you had, because all the papers I'm familiar with are at
12 least 10 years old.
13 That would be one suggestion, is have any
14 improvements in atmospheric stability correction terms
15 been published? Has there been any work on that?
16 And then the second is the sampling, the actual
17 sampling period. As I mentioned earlier, I think the 6/6/
18 and 12 approach is pretty coarse.
19 For example, if you sample from 6 a.m. to noon
20 and from noon to 6 p.m. and 6 p.m. to 6 a.m., you are
21 including unstable conditions with stable conditions and

1 you're kind of attenuating the stability influence on the
2 actual fluxes, plus you only have three data points per
3 day.
4 I think you are missing the variability in the
5 fluxes that are occurring that typically are increased
6 from sun up to noon and then decrease afterwards,
7 depending on soil moisture, of course, and temperature in
8 that area of the country.
9 I like the fact that you are using measured flux
10 values. And the fact that you have incorporated PRZM or
11 the CHAIN2-D models as an additional potential source of a
12 flux term, is I think the way to go.
13 Although I'm not that familiar with these two
14 models, I'm sure the panel members can comment more on
15 that. I think the CHAIN2-D is probably more appropriate
16 than the PRZMs.
17 Moving on to B, SOFEA can be easily modified to
18 probabilistically vary flux rates. Comment on this
19 potential modification.
20 It seems that the only real adjustments to the
21 flux term is based on application depth and temperature.

1 And I guess application rate as well. And that's probably
2 the primary components that affect the actual flux.
3 But I still feel a little uncomfortable just
4 using the scaling factors based on one or two field
5 studies in California for the California studies.
6 For the other studies I'll address those in part
7 C. But the fluxes have to be adjusted according to
8 different times of the year, application rates and
9 whatnot. And I just feel a little uncomfortable on that
10 the user selected scaling factors.
11 And then moving on to C. How appropriate is it
12 to use flux emission factors from a single monitoring
13 study and apply it to different situations for the same
14 crop in different regions of the country.
15 I don't think this is appropriate at all. There
16 is a lot of environmental factors that affect
17 volatilization fluxes. And you are using
18 data from one or two studies that are conducted in one or
19 two areas of a country and trying to apply these emission
20 values in other regions of the country where the soil
21 situation is different, soil moisture, organic carbon,

1 rainfall, humidity, temperature, air temperatures, things
2 like that.
3 All these factors go into what affects the
4 volatilization flux. And all these factors are taken into
5 account when you measure, when you do your field
6 experiment. And then you take these results and put it
7 someplace else where the environment is significantly
8 different.
9 I think there is an inherent error someplace in
10 there that is not being accounted for in transposing the
11 basic flux values to other parts of the country.
12 Then SOFEA's capability to adequately consider
13 multiple linked application events on an airshed basis as
14 well as single source scenarios.
15 I think it does a good job at least from my
16 limited modeling experience, based on what I have read,
17 the documents you provided for us for this panel. And in
18 places like California where the pesticide use data is
19 pretty extensive, I think it works.
20 But how applicable is this to other parts of the
21 country where -- like Florida or Washington where they

1 don't have as extensive a pesticide use database. I think
2 you may run into problems with that.
3 And then does SOFEA appropriately address
4 situations where data are missing. I couldn't find much
5 on this in the documentation. So I'll have to defer to my
6 other panel members here on that issue.
7 DR. HEERINGA: Thank you very much. At this
8 point associate discussant, the first is Dr. Ou.
9 DR. OU: My comment will be very general, not
10 cover all the question. And to begin with, I would like
11 to point out that the many study of chemical have
12 different chemical, physical property, biological property
13 and toxicological property.
14 And cis 1,3-D and trans 1,3-D are no exception.
15 Personally, I consider cis and trans 1,3-D are
16 two different chemicals. You may not agree with me.
17 Anyway, I have on and off interest in this chemical for
18 more than 20 years. In Florida's sandy soil, the
19 degradation rate in live soil and sterile soil seemed to
20 be about the same. As a microbiologist, I was very
21 puzzled why they are the same.

1 Since one's with the microorganism and the other
2 have dead microorganism, and degradation are the same.
3 And I realized, also McCall's publication, chemical
4 hydrolysis in water. I realized the (inaudible)
5 biodegradation in soils, chemical hydrolysis. Can I have
6 first slide?
7 Where the cis and the trans have been degraded,
8 you know, separated into corresponding cis and trans-3-
9 chloroallyl alcohol. And the non-enhanced soil is
10 transported away (ph) by the chemical. In the data, I
11 found out if I am correct, a soil from a site just have
12 been repeat treated with 1,3-D and the one that -- also
13 (inaudible) soil actually faster than sterile soil. Of
14 course that we know idea of enhanced degradation.
15 Also trans 1,3-D has been degraded faster than
16 cis 1,3-D. Also hydrolysis through -- cis and trans
17 chloroallyl alcohol have not been degraded, just been the
18 biological correspondent of cis and trans-3-chloroallyl
19 alcohol in addenda, become organic S in (inaudible) and
20 water.
21 My point is, of course, have been published,

1 enhanced degradation of 1,3 for more than 10 years. First
2 provide the scientist and then (inaudible).
3 I'm curious about this, I do not get any
4 (inaudible) about chloroallyl alcohol whatsoever except on
5 biodegradation since I publish (inaudible) about
6 biodegradation on chloroallyl alcohol.
7 But I could not find anything about physical
8 chemical property and toxicology properties.
9 Can I have the second slide, also shown by Dr.
10 Wesenbeeck, but area 40 degrees and a half-life, just a
11 chemical hydrolysis 40 degrees, half life only .8 days.
12 And I point out this because under Florida
13 condition you have the field has been covered with the
14 plastic and the plastic temperature can get to 45 degrees.
15 And the sandy soil can be around 40 degrees. So the
16 chemical hydrolysis under this situation may be measured
17 (ph) due to degradation and, of course, can go to the
18 chloroallyl alcohol.
19 Since nobody know about the physicochemical
20 property, how volatile the chloroallyl alcohol, nobody
21 knows, except I wonder the similar chemical, it is called

1 2 chloropropene-1-ol, which is similar to the alcohol. It
2 have a boiling point 133 degrees. So it could be somewhat
3 volatile, not as volatile as 1,3-D.
4 In a sense, we don't know anything about -- I
5 don't know about chloroallyl alcohol. Since I don't have
6 an idea about chloroallyl alcohol, I don't know about
7 volatility on 3-chloroallyl alcohol. So I don't know
8 contribution of toxicity exposure. I don't know.
9 Anyway, the other thing I want to point out --
10 can I have the third slide.
11 The enhanced that showed in the Florida sandy
12 soil about cis, how cis and the trans is about the same.
13 But enhanced soil, trans degraded faster than cis.
14 But in a situation, chance being that trans 1,3-
15 D been degrade faster. And also Dr. Wesenbeeck mentioned
16 that cis 1,3-D is more volatile that trans.
17 We find that after injection, 1,3 soil. Cis 1,3
18 always faster come out once volatilized. Usually, one to
19 five hours after injection and it ended one, two, three
20 hours after that. Trans 1,3-D had been volatilized.
21 And in the enhanced soil trans degrade faster.

1 So the vapor in the air would remain at cis -- we find in
2 the non enhanced soil, biodegradation about in the first
3 twenty hours, about 1.5 3 ratio. So we are initially the
4 most there would is a 1:3 into atmosphere. But in
5 enhanced soil it would be much more. We have not
6 determined the enhanced soil, so I have no idea. But I
7 consider it would be -- the ratio would be higher in the
8 enhanced soil.
9 The other point -- can I have the fourth slide?
10 I don't have any idea about -- since I'm not a
11 toxicologist, I don't have any idea about the toxicity,
12 human equivalent toxicity for the cis 1,3-D and trans 1,3-
13 D, I don't know. Except that I know the cis 1,3-D is much
14 more toxic to a nematode.
15 In fact, the scientist favor the use of cis 1,3-
16 D alone for the control of the nematode. Because they
17 consider the trans 1,3-D useless.
18 So the question is if the cis 1,3-D is more
19 toxic than trans 1,3-D, you have to take into account the
20 toxicological factors. If cis 1,3-D is more
21 toxic than trans 1,3-D, then you have to take into account

1 the toxicity difference rather than just take around --
2 cis 1,3-D and trans 1,3-D together as one, because we are
3 considering exposure.
4 And if two chemicals have a different toxicity,
5 you have to consider the different toxicity rather than
6 consider it as just one chemical.
7 And of course you enhance degradation effects
8 the flux. You have more flux for the cis 1,3-D than trans
9 1,3-D. That's my point.
10 And the toxicity is unknown. So for me -- I
11 know some people maybe know the toxicity. So that's my
12 comment.
13 DR. VAN WESENBEECK: Just at least in partial
14 response to some of those comments.
15 You are you correct cis 1,3-D does come off a
16 bit sooner. We see that in the field studies too. But we
17 do of course collect all the vapor in one tube but then we
18 analyze separately for cis and trans.
19 But we never see a factor of three or anything
20 like that difference. It's usually just a few percent,
21 and the other point is I think tox studies are conducted

1 on the mixture.

2 So that would inherently be taken into account

3 in terms of the tox endpoints.

4 DR. OU: The only soil we have dealt with this

5 is in Florida sandy soil, we found that after four days.

6 We also take soil sample up to 19 centimeter depth and

7 determine a 1:3 ratio. After four days, we expect not

8 much 1,3-D in the soil. We don't expect it to continue to

9 volatilize.

10 So in the Florida -- in the sandy soil, we're up

11 to four days with that assumption covered with the

12 (inaudible) permeable or cover with the P or no cover

13 after four days not much were (ph) come out from the soil.

14 DR. HEERINGA: I think we can -- certainly, the

15 slides that Dr. Ou has presented, that material will be

16 incorporated in the response.

17 And I guess if we'll have an opportunity if you

18 want to think about it some more, talk to him to respond

19 tomorrow. But as I gather, the point here is

20 that as soil types differ, the cis/trans isomers have

21 different behaviors, but your point is that you are

1 measuring toxicity and haven't really observed
2 differential, extremely differential off-gassing rates for
3 the two isomers.
4 Let me move on at this point to our next
5 discussant, which is Dr. Winegar.
6 DR. WINEGAR: In question 3, Part A, refers to
7 the refinements in the process for determination of flux
8 using the aerodynamic flux approach.
9 We have talked about the different methods for
10 looking at flux or getting flux data. This is the third
11 time around for most of us here. And I think there is a
12 pretty good agreement that the aerodynamic method is
13 probably the best way to go about doing that.
14 So I agree with that assessment. Some other
15 things, though, in terms of potential enhancements to that
16 method that might be able to fill in some of the data gaps
17 or refinements, I guess, is more like it would be possibly
18 to use enhanced meteorological data collection such as
19 sonic anemometers, which have potentially a lower
20 threshold level for determining wind speed and can get a
21 higher frequency of turbulence data.

1 I know research grade sonic anemometers that can
2 collect on the order of 200 hertz, but they are like 8,000
3 dollars each, which is costly. I don't know whether
4 that's in the cards to be able to be used in the future.
5 But there are also reasonably priced sonic
6 anemometers that do less but are still good in terms of
7 the threshold, and such. It's something to consider in
8 terms of any future studies that might be undertaken to
9 flesh out some of the additional data that might be needed
10 for a validation of the model.
11 I wasn't able to go down the road to UC Davis to
12 retrieve this reference, but I have seen reference to an
13 ASTM standard for validation of air dispersion models. I
14 don't know if anybody has seen that.
15 I had no idea about the content of this
16 procedure, but I will see if I can dig this up and at
17 least incorporate it by reference into the comments. And
18 hopefully, I'll be able to get a hard copy myself and be
19 able to summarize maybe some of the steps.
20 But this is something you might want to think
21 about in terms of some of the validation steps in going

1 further with the model and using the flux and comparing it
2 to some of the model values and such.
3 And again, I had referred to before the break,
4 about this short-term or short distance modification to
5 ISC from the AWMA Journal, and that has been distributed
6 to everybody.
7 I can't really comment on it very much other
8 than people have looked at that question at least
9 recently, and I'm sure in the past to some degree also,
10 and it looks like there might be ways to deal with some of
11 that short distance issues, some of the limitation that
12 are cited in regards to ISC and spatial issues there.
13 I had a comment, but first a question about the
14 use of the PRZM3 model in determining flux. Could you
15 clarify for me how that is used in SOFEA? Is that a
16 substitute or is that an option to use to determine flux
17 if you don't have direct data from the aerodynamic method?
18 I also saw reference that that's in relationship
19 to the depth of the shank injections. So that's not clear
20 to me how the input comes in.
21 DR. CRYER: To answer your question yes and no.

1 Yes, we did use two different deterministic models, PRZM3
2 and CHAIN2-D, but that was specifically to look at the
3 incorporation depth. Is it really linear depth or is it
4 more exponential decay? And both of
5 those verified yes, it was more the exponential than
6 linear. That's why that option is in SOFEA. You can
7 either assume linear or you can assume exponential
8 decrease with depth for that depth scaling factor.
9 The other thing we used it for not CHAIN2-D, but
10 PRZM3, in this case, was for the maximum flux loss at the
11 surface if you had a tarp.
12 Because we modified PRZM3 for the appropriate
13 boundary conditions that Wang had proposed a few years
14 ago, when you had tarps, in essence, a mass transfer
15 resistance at the surface.
16 So using PRZM, in that case it came up with a
17 value of I think 64 percent mass loss. That is an input
18 to the model, meaning you can change it if you know of a
19 better value or better way of estimating that. It sounds
20 like Dr. Yates has a better method of estimating that
21 difference.

1 But anyway, that's how those models were used.
2 But yes, you can use a model like CHAIN2-D to give you
3 hourly flux measurements and use that in lieu of field
4 measurements if you so desire.
5 DR. WINEGAR: I'm not into the soil modeling
6 thing. Are these models used extensively? Is it a pretty
7 common application of these kind of things?
8 DR. CRYER: They are used very extensively by --
9 I know Dr. Yates' group and people that came from his
10 group. Dr. Wang at University of Minnesota, or wherever.
11 I don't know if that's right. So yes and no.
12 No, they are not widespread used. They are really more
13 research models. They are solving, governing Richard's
14 equation and mass transport equations. They are
15 physically based like most deterministic models. You need
16 a lot of parameters to feed into them.
17 A lot of times you don't have the luxury of
18 having measured values to put in there. So you have to
19 make some assumptions or guesses as to what are
20 appropriate inputs.
21 DR. WINEGAR: One of the things in one your

1 papers that struck me in relation to the PRZM model is
2 there is a parameter, script E. I don't know, there is
3 probably some other term. But it is basically defined as
4 a phase adjustment factor account for phase mismatch.
5 And I see for polyethylene film it is plus one,
6 and for Hytibar film it is minus one, which is quite a
7 difference in terms of it's not -- those two materials
8 aren't that much different to make one positive and one
9 negative. I mean, to my naive view of this.
10 I'm trying to put this in context of that overall model
11 since it is a 1-D model, one dimensional model. And I'm
12 trying to understand how that relates to reality and I see
13 this type of a parameter that goes in there.
14 Can you enlighten me on that?
15 DR. CRYER: I can tell you what little I know
16 about that. That was the proposal of this empirical
17 relationship for the mass trans of resistance boundary,
18 basically, they are like a thickness of the boundary layer
19 at the soil surface.
20 That's what Dr. Yates or Dong Wang proposed.
21 I'm not sure how they came up with that other than it

1 probably fit data very well. Maybe they can give more
2 details.
3 DR. HEERINGA: Dr. Yates, you are on the spot.
4 DR. YATES: It has been a while since I have
5 looked at that paper.
6 We looked at two different films. We looked at
7 Hytibar and high-density polyethylene. It seems to me as,
8 I remember it, that the peak flux for the high density
9 polyethylene occurred during the day and the peak flux for
10 the Hytibar occurred during the night.
11 So I have a feeling that the plus, minus one has
12 to do with the fact that one peak happened during the day
13 and one happened at night. Although, right now without
14 having looked at that for many years, I can't see why it
15 would be plus one, minus one in terms of shifting the
16 phase.
17 But I have a feeling that's what it is.
18 DR. WINEGAR: Well, without spending the rest of
19 the day plowing through that, we'll just move on and
20 assume that that's -- the data you show here seems to show
21 it fits the emissions. I was trying to put that in

1 context with everything else.

2 Question B, in regards to varying the flux rate

3 probabilistically, I think that is a good thing to be able

4 to do that, obviously. It is capability that is well

5 worth implementing, obviously.

6 I would suggest some documentation on the ranges

7 of input into the model that might be useful in terms of

8 just guidance for potential users.

9 The question regarding the single monitoring

10 study or small number of studies, I agree with what

11 everyone else has said in regards to caveats of using.

12 And I have said this myself, using one study to apply

13 across the board.

14 And I keep coming back to the figure title

15 summary of field studies that shows the percent of applied

16 volatilized over days after treatment. It is on page 25

17 of the handout.

18 The Imperial California shank data, which is the

19 bottom curve, if I'm interpreting the order of the curves

20 correctly without seeing it in color -- let me ask you

21 first, I kind of inferred from your comments that you

1 don't just put a lot of weight on that, because you are
2 saying because it didn't go out to the full extent of the
3 rest of the other studies -- this is valid data,
4 obviously, or you wouldn't present it. Is that a
5 reasonable interpretation?
6 DR. VAN WESENBEECK: Yes. I think the quality
7 of that study was fine. It was the first aerodynamic flux
8 study that the company did in 1991.
9 And I think the only problem with that study is
10 that it didn't carry on enough. So we don't use it, we
11 don't ever assume just 11 percent mass loss, which is what
12 the cumulative mass loss there was.
13 But I think the fact that there was a delayed
14 flux from the surface is probably real. I think it is
15 reasonable quality data probably just due to the soil type
16 and the degree of soil sealing that occurred there.
17 DR. WINEGAR: In that event I assumed that you
18 had confidence in that data, otherwise you wouldn't have
19 shown it. I compare that to the third line, which is the
20 California, Salinas shank data, which has a substantially
21 different curve.

1 So I just keep looking at that and thinking this
2 is just an example of how even within California and the
3 same type of application method you have substantially
4 different flux curves over time.
5 And so notwithstanding some of the other work
6 that suggests that you're -- the use of that one general
7 flux profile is useful in many situations, I look at that
8 and think -- and think also with the general
9 representativeness question that I cited earlier, that
10 indeed additional flux profiles are needed in order to
11 apply it to different locations.
12 And we have talked extensively in our past
13 sessions also about the representativeness of different
14 areas using localized meteorological data.
15 So my comment is that I think you would need to
16 flesh out again with additional validation data, field
17 data for different locations in order to be able to apply
18 this to different regions around the country and even
19 within a state such as California.
20 Can you explain any reason why these two curves
21 really would be considered equivalent, the California,

1 Salinas versus Imperial?

2 DR. VAN WESENBEECK: I don't think we're

3 assuming really that they are equivalent. They are two

4 different points or estimates of flux and time. And the

5 reason the Salinas study was selected is because it gave

6 the highest mass loss. So that was used as a worst case

7 scenario from a modeling perspective.

8 DR. WINEGAR: You were trying to be

9 conservative.

10 I think that's a reasonable conservative

11 approach to take. But, again, my feeling is that each

12 region should be represented in some way directly, instead

13 of doing a general over conservative approach.

14 Question D, in regards to the multiple, linked

15 application events.

16 I think, again, flexibility to be able to do

17 more than one location is very useful and a powerful

18 capability of the model. So I applaud you for taking the

19 effort to do that.

20 I do need to clarify a little bit.

21 Is the general way of including multiple

1 applications in an airshed, is that only available via a
2 randomized type of approach like you discussed in the
3 presentation? Or is there the possibility to put in
4 specific locations if you have that data?
5 DR. CRYER: No, it randomly selects the
6 locations, again, based on ag-capable. But you can put
7 them in if you know roughly the area that fields are
8 located in, for whatever reason, then you specify that
9 section weighting in a one mile by one mile grid. So you
10 just stick them all there.
11 To get to what you are talking about, that was
12 again like the next generation of modeling where we have
13 to use some aerial photography that's been digitized.
14 DR. WINEGAR: I personally have located through
15 the use of Pesticide Use Reports approximate locations for
16 lots of -- for one season's worth of methylbromide
17 applications in one general area. And so it -- with a
18 modicum of work it is possible to do that without having
19 to resort to fancy GIS type of things.
20 Part E, in terms of missing data, I wasn't
21 really able to discern whether there was any special

1 routines within the spreadsheet to deal with missing data.
2 I know that since it incorporates ISC that there
3 are procedures within ISC to deal with missing data or
4 actually the need to have complete MET data sets, for
5 example, in order to proceed.
6 Is there any part of the documentation that I
7 missed in that regard, or can you comment in regards to,
8 specifically, missing data, how the spreadsheet models in
9 particular address missing data?
10 DR. VAN WESENBEECK: Basically, it needs to have
11 numbers there or it won't run. So you have to -- it comes
12 with a default set of numbers, but as you point out, the
13 MET file needs to be complete or you will generate an
14 error within the ISCST.
15 There is no real other opportunities for missing
16 data, that I can think of, that wouldn't generate the
17 program to crash.
18 DR. WINEGAR: Did I understand you correctly in
19 regards to different options for including some of the
20 more specialized data, for example, the agronomic data and
21 such? As I understood you in your presentation, and

1 correct me if I'm wrong, that type of data is considered
2 optional, some of the land use data, that type of thing.
3 Is that right?
4 DR. VAN WESENBEECK: Yes.
5 DR. WINEGAR: Those are my comments. Thank you.
6 DR. HEERINGA: Thank you very much. At this
7 point I would like to see if any other members of the
8 panel have comments. And we do. Mr. Gouveia, do you want
9 to begin?
10 DR. GOUVEIA: I want to make two quick comments
11 on the aerodynamic method. I would agree with Dr. Winegar
12 about the use of sonic anemometers for -- especially for
13 the low wind cases, it is much better anemometry.
14 There are also available manufactured 3-D anemometers
15 with thermal couples that I don't know if I can name
16 particular vendors, but there are several vendors that
17 make these for agricultural use and flux measurements.
18 About the short-term analysis of the pesticide
19 in the air, there are IR spectrometers that do measure
20 absorption of any aerodynamic, any constituent in the air
21 as long as you know what the absorption is in IR range.

1 It may or may not be appropriate for these kind
2 of flux measurements. But things are available for a
3 shorter time averaging and measurements of volatiles in
4 the air.
5 DR. HEERINGA: Dr. Cohen.
6 DR. COHEN: Regarding question subpart D,
7 regarding the multiple, linked application events, I just
8 want to commend the model developers on doing such a
9 comprehensive study.
10 Generally, when you look at these sorts of
11 situations and in my experience looking at individual
12 facilities, individual power plants or incinerators, often
13 from a regulatory and from a modeling point of view we're
14 considering just one facility.
15 But in reality of course the receptors are being
16 exposed to all sorts of facilities.
17 And this is one of the first times I have seen
18 somebody try to account for this and to say, well, there
19 is going to be a lot of fields and somebody could be
20 getting hit by plumes from all over.
21 So I would urge California and the EPA and other

1 regulatory bodies to wherever possible to consider this
2 type of approach sort of cumulative impact.
3 It is not whether somebody is going to be
4 exposed to too much pesticide from one field. The
5 question is, if you have an agricultural system where this
6 stuff is being used everywhere, what are the exposure
7 routes. You are asking the right question. You are
8 trying to answer the right question. I just
9 wanted to commend you for that.
10 DR. HEERINGA: Dr. Arya.
11 DR. ARYA: I would like to make some comments
12 and suggestion on the aerodynamic method of determining
13 flux.
14 Being a micrometeorologist myself, I, of course,
15 am familiar with the literature, probably the best direct
16 method of measuring flux is eddy correlation method.
17 That requires fast response measurements of both
18 velocity fluctuations and concentration fluctuations
19 better than one hertz, like sonic anemometers can measure
20 velocity fluctuations that eddy correlation method is used
21 for measuring heat flux, water vapor flux, because the

1 sensor's available for measuring temperature, water vapor,
2 humidity -- but a fast response instrument.
3 But it may not be practical for chemicals for
4 which you may not have sensor which can measure very fast
5 response concentration fluctuations.
6 So in the absence, of course, of that eddy
7 correlation method, aerodynamic method of course is the
8 best available practical method on that point of view.
9 But typically aerodynamic method is also used for
10 estimating heat flux, water vapor flux and so on.
11 But typically, averaging time implied in the
12 usual method, the method is usually based on those
13 equations given in the presentation, and those really are
14 based on the so-called Monin-Obhukov theory in which you
15 have the similarity dependent functions of dimensionless
16 velocity gradient or dimensionless concentration gradient.
17 But the empirically estimated functions of those
18 are really based on hourly average data. And so in that
19 sense, really aerodynamic method is really applicable to
20 hourly average, estimating hourly average fluxes while the
21 six-hour samples become too large.

1 You cannot use the same similarity functions to
2 empirically determine for six-hour averaging time.
3 If you are interested in six-hour long average,
4 you determine one hour flux is and then average over six
5 hours, rather than using the six hourly average gradients
6 of temperature and concentrations and so on.
7 So I would suggest that in the use of this
8 aerodynamic method an attempt should be made to measure
9 actually hourly average concentration gradients even
10 though you may not have samples every hour.
11 Even though samples may be five or six every
12 day, they should be kind of hourly average rather than
13 over six hour averages so on.
14 In terms of application or modified in how this
15 flux may be modified for different temperature and so on,
16 I would suggest instead of using temperature, stability --
17 fluxes, they depend strongly on the stability, rather than
18 just temperature. Temperature is not a right measure.
19 The stability depends both on the temperature
20 gradient and also the winds, wind speed. So you get very
21 strongly unstable or stable condition under weak wind

1 condition. That way fluxes can be very different during
2 the daytime and nighttime in convective conditions and
3 stable nighttime conditions.
4 So it is really the stability. Like in those
5 equations there is a Cherchin (ph) number, the Cherchin
6 number is the dimensionless measure of stability. So one
7 can hopefully relate the flux to the Cherchin number if
8 there is some empirical relationship how flux varies with
9 the Cherchin number and use that kind of empirical
10 relationship to account for that difference in the
11 stability, rather than just the temperature.
12 Temperature is really, you know, the same
13 temperature you can have stable condition during
14 nighttime. You can have unstable conditions and fluxes
15 will be quite different.
16 Those are the two comments I wanted to make.
17 DR. VAN WESENBEECK: Can I give a response?
18 DR. HEERINGA: Absolutely.
19 DR. VAN WESENBEECK: I would like to just
20 address Dr. Arya's comments just now, which really echo
21 Dr. Majewski's comments as well regarding the 6/6/12

1 sampling interval possibly being too coarse and missing
2 stability periods.
3 A colleague just jogged my memory that we -- in
4 some of the early studies in California we did some four-
5 hour sampling throughout a day. So six four-hour periods
6 and did a comparison between that and the 6/ 6/12 and came
7 out with fairly similar estimates of aerodynamic flux for
8 that particular study.
9 And also I wanted to address the ability of the
10 model to predict near field concentrations; that's been
11 questioned somewhat within 100 meters.
12 I would like to just point to the figure on Page
13 17 of the handout for those who have it where -- and this
14 is a study in California, a drip flux study, where we took
15 the aerodynamic flux profile and ran it through ISCST with
16 the actual weather data at the site.
17 And we come up with, as you can see, fairly
18 reasonable predictions, certainly within an order of
19 magnitude, if not within 2X or 1 and a half X in most
20 case. Sometimes it is a bit higher, sometimes a bit
21 lower. These are for receptors at 100 and

1 300 feet. We do have a number of other which I haven't
2 reported here which also indicate fairly good model
3 predictions based on aerodynamic flux.
4 So I think some of that idea that we can't
5 predict near field may be a result of older versions of
6 ISCST where there are known over or underpredictions, I
7 can't recall, but in general it seems to be doing a fairly
8 good job in quite a few of our field studies.
9 DR. HEERINGA: Dr. Yates.
10 DR. YATES: I have a quick question. It kind of goes with
11 what you are saying. This kind of rule of thumb on ISC
12 that you can't use it within 100, is it 100 meters or
13 feet? One hundred meters.
14 Is that applicable to the point source or would
15 an aerial source be the same? Would that have the same
16 kind of limitation to it?
17 DR. ARYA: The aerial source, the way it is
18 handled is basically considered to be a bunch of point
19 sources.
20 So whatever -- you know, even though the
21 dispersion curves in this model are derived based on

1 diffusion experiments from point sources, but line and
2 area sources are modeled as kind of strings (ph) on the
3 point sources, kind of divided in a line or area.
4 DR. YATES: So that means if you have a field
5 that is 100 meters by 100 meters, then, theoretically,
6 even at the boundary of the field you might get a
7 reasonable comparison between ISC, because you have 100
8 meters of fetch from the upwind edge of the field.
9 DR. ARYA: Yes, but from the down end it is too
10 close.
11 DR. YATES: Well, it is just a thought.
12 DR. HEERINGA: But for a 40 acre field --
13 DR. VAN WESENBEECK: I think also with the area
14 source you have the lateral variability that may get
15 damped out as well due to variations in wind within 100
16 meters of the edge of the field. So that may have an
17 effect of improving the ability of the model as well.
18 DR. ARYA: If I can make a comment on this
19 handout on near field dispersion model. We got this
20 paper, this paper by -- well, they don't use ISCST. They
21 have their own model.

1 But basically, the dispersion parameter, sigma Y
2 and sigma Z described by equation 13 in near field they
3 are based on Taylor's statistical theory, you know, 1921
4 paper, classical paper.
5 In fact, it is understood that near the source
6 that Taylor's dispersion theory is better applicable than
7 some of the empirical curves, which are based on that
8 average and really were not taken very close to the
9 source.
10 So this simple model here is based on this sigma
11 Y and sigma Z are simply proportioned to the distance from
12 the source. But again, this will be applicable to a point
13 source only to the extent this point source is very, very,
14 small source.
15 When the point source becomes a somewhat large
16 area, then you cannot apply this too close to the source
17 either.
18 DR. HEERINGA: For the record, Dr. Arya is
19 referring to the Isakov, et. al., paper which is in Air
20 and Waste Management volume 54. I think it is April,
21 2004.

1 Any other -- Dr. Yates.

2 DR. YATES: Just another comment on the scale

3 factors.

4 It seems like the scale factors might be

5 somewhat appropriate for looking at cumulative flux as a

6 way to scale it. But for the period flux, which would be

7 more important for acute exposures, I don't know that that

8 sort of an approach would be the best.

9 But the other thing, too, in terms of looking at

10 a scale factor where you have one for the depth of

11 application is one of the ways that you scale the flux, it

12 would seem like at some point it would be better to try to

13 look at soil degradation as the scaling factor.

14 Because in terms of cumulative flux, if you

15 don't have any soil degradation then you are going to get

16 100 percent emissions at some point in time. It is --

17 degradation is really what is controlling how much of the

18 material is available to be volatilized into the air.

19 And the depth of application affects

20 volatilization only by increasing residence time. So

21 increases the time in which degradation can occur. So

1 really, it would seem like a more appropriate way to do
2 the scaling would be to include soil degradation into it.
3 So basically, it would have two factors, soil
4 degradation and then depth of application. But to forget
5 about the degradation altogether, your scale factor works
6 for your model parameters that you use. But if
7 you are going to try to apply this in a different location
8 where those parameters are no longer appropriate, it won't
9 give the correct kind of behavior.
10 But basically, in a sense, what that really is
11 saying is that at some point it would be more accurate to
12 move toward some more mechanistic approach for obtaining
13 this kind of information.
14 DR. HEERINGA: Dr. Potter.
15 DR. POTTER: I just had one comment about the
16 stochastic approach to handling flux. I think you got
17 halfway there. And I think I have heard a number of
18 people talk about a lot of the issues around that, looking
19 at depth variable, application rate variable.
20 But the reality is we don't have a grip on the
21 variability and the uncertainty associated with flux

1 because of the fact that you have a single flux profile.
2 And so this stochastic treatment that we're
3 looking at is kind of a sort of --maybe it is a pseudo-
4 stochastic handling to draw upon the pseudo-validation
5 concept that you expressed earlier.
6 You know, no doubt, you know, it appears that
7 you have identified an emission curve, which is
8 appropriately conservative.
9 And certainly that from a regulatory perspective is
10 reassuring. But does it actually treat flux
11 stochastically? I don't think so.
12 DR. HEERINGA: Dr. Spicer.
13 DR. SPICER: Yes. You did refer to this one
14 particular figure. I believe you said it was on Page 17
15 of the handout where you compared the aerodynamic flux
16 method and the back flux method. Is that the only -- you
17 have more comparisons than that?
18 MR. HOUTMAN: Just to clarify, it is not a
19 comparison of measured versus back-calculated. It is a
20 measure versus modeled.
21 We measured air concentrations, and then using

1 aerodynamic, the results of that predicted at that same
2 point and compared the measured versus modeled.
3 DR. HEERINGA: There are two graphs on Page 17.
4 I think you were referring to the top of the two which
5 compares the model versus the actual measurements.
6 DR. SPICER: I'm sorry. I was actually looking
7 at the next figure. The one that had the --
8 MR. HOUTMAN: That's back-calculated.
9 DR. SPICER: Is that the single comparison that
10 you have between the back- calculated and the aerodynamic?
11 DR. VAN WESENBEECK: We have gone through the
12 back-calculation exercise on most of our flux studies.
13 And this is an example where it actually came out pretty
14 nicely. There are other examples where it is not as good.
15 DR. SPICER: Well, I guess -- of course, I have
16 problems with both approaches. And I guess the problem
17 that I can end up having is exactly associated with
18 something I believe has already been discussed.
19 And that is that even if you reduce the
20 averaging times down to four hours as opposed to the 6 or
21 12, I think that there are meteorological conditions that

1 you can be missing, which will affect the flux.

2 So the problem is that if we knew, for example,

3 that these studies involved exactly the same amount of

4 material, then -- and I guess for this one particular one

5 they may under these circumstances.

6 But the problem is that you can just miss a lot

7 of detail associated with the MET conditions that you are

8 not capturing when you use these longer averaging times.

9 That seems to be the point regardless of whether

10 the methods compare favorably or not.

11 DR. HEERINGA: Dr. Arya.

12 DR. ARYA: As a point of clarification with

13 regard to this comparison, in this case you mentioned a

14 specific monitoring location. Now, is that just downwind

15 of a particular field apply?

16 DR. HEERINGA: The top figure on Page 17?

17 DR. VAN WESENBEECK: Yes. There were eight

18 receptors around that field at 100 and 300 feet from each

19 side of the field for cardinal directions.

20 DR. ARYA: So you are actually using the

21 emission, measured emission at that one particular field?

1 DR. VAN WESENBEECK: Correct.

2 DR. HEERINGA: Dr. Yates.

3 DR. YATES: Just a point of clarification also.

4 You are saying that the Salinas Valley study was

5 the worst case because the cumulative loss was the

6 highest?

7 MR. HOUTMAN: Yes.

8 DR. YATES: It would seem to me if you are

9 interested in acute exposure, that you might want to look

10 at the study that has the higher period flux. And it

11 doesn't necessarily follow that the higher cumulative loss

12 would be the higher period -- would have the highest

13 period flux in it.

14 And I notice in one of your other studies you

15 had higher values. I can't find it now, but you had -- I

16 think it was almost 50 percent higher, I think is what I

17 remember, period flux, although the cumulative flux was a

18 little bit lower.

19 Now, of course the timing is important too. It

20 has to occur at a time where meteorological conditions

21 produce a high exposure at the receptor.

1 But I guess the point is that to me cumulative
2 flux may not necessarily tell you that is the worst case.
3 It seems like it is more complicated than that.
4 MR. HOUTMAN: I think to reinforce what you are
5 saying, the cumulative mass loss is important for chronic
6 or long term exposures as a contributor to overall
7 exposure.
8 But you are right. It is 24 hour or shorter
9 periods of time in mass loss during that time interval.
10 That's more important for acute.
11 DR. YATES: So most of the discussion, then,
12 from your perspective has been for chronic exposure?
13 MR. HOUTMAN: Yes, one of the hallmark
14 regulatory features of 1,3-D is its chronic exposure in
15 risk as opposed to acute, which I think makes it different
16 maybe than some of the other soil fumigants being
17 evaluated.
18 DR. YATES: To me it is always acute.
19 MR. HOUTMAN: Not always.
20 DR. HEERINGA: I have been holding this
21 question. I wanted to make sure, maybe stimulate a little

1 more discussion in the Panel.

2 I think this issue of chronic versus acute, it

3 certainly comes to play when we're thinking about

4 introducing variability, sort of, potential variability

5 into these temporal flux distributions.

6 And I think one question we need to ask, and

7 maybe it would be beneficial for the EPA, and that is if

8 it really is a chronic endpoint that we're trying to

9 evaluate, do we want to add variability to the integrated

10 off-gassing or do we want to add variability to the time

11 specific points in that process? That process

12 lasts four or five, eight days. You aren't adding

13 variability except through the depth and the injection

14 depths, et cetera, to the sort of cumulative off-gassing

15 from a treatment.

16 You just -- when you do that, you just scale the

17 profile up and down as I understand it. So you change the

18 -- add variability to the integration.

19 Other models that have focussed on acute have

20 literally added stochastic variability to each off-gassing

21 or each hourly flux measurement based on some draw from

1 the 5th to the 95th percentile. And that's been
2 estimated different ways.
3 I just throw this out to the Panel as to --
4 first, of all this problem comes up in statistics. Do you
5 compute the aggregates and then add the variability or do
6 you add the variability to the components and then
7 aggregate?
8 They will produce different answers in some
9 cases.
10 With respect to the acute versus chronic
11 outcomes, and we'll get to the acute in Question 7, but do
12 individual Panel members in terms of recommendations here
13 think that they should be migrating toward adding
14 variability to sort of time specific flux measurements
15 from that flux profile?
16 Or would it be sufficient in terms of the
17 chronic outcomes to add variability to the integrated
18 total flux over the release period?
19 DR. GOUVEIA: I just have a quick comment. It
20 really matters how things are correlated. High flux comes
21 during -- if high flux comes during times with great

1 instability, well, then the higher flux value is going to
2 be dispersed faster.
3 So you have confounding parameters, confounding
4 variables. It is hard to understand before you actually
5 do the calculations how it is going to work out.
6 There is probably other correlations by knowing
7 hour by hour values, hour by hour specific values. There
8 is probably other correlations in the mix.
9 DR. HEERINGA: Thank you.
10 I know it is late in the afternoon. I would
11 like to ask one more question maybe to stimulate a little
12 more discussion on this.
13 Clearly, we put people on all of these
14 probabilistic exposure modeling exercises. There is not
15 enough observational data to ever derive parameters and
16 distributions the way we would really like to see them.
17 In this case, we have single studies. And
18 often, if we have multiple studies they involve
19 dramatically different application or soil type issues.
20 Clearly, what we need to do in terms of focusing
21 this for ultimate risk assessment purposes is to capture

1 ranges of potential variability without being overly
2 conservative in a specific localized applications.
3 Are there any suggestions as to the type of
4 approach to take there? Clearly, we would probably like
5 to see replications 2, 3, 4 or multiple on any given
6 method and location. That would give us some stability on
7 sort of intra-locality variability.
8 But this larger issue, I don't think -- it is
9 probably impractical to recommend any time somebody is
10 going to move into a different area to do eight new field
11 studies and average results.
12 DR. WINEGAR: In regards to your first question
13 you posed a minutes ago about whether we vary the point by
14 point or the cumulative, I can't really cite the whole
15 pile of technical justifications.
16 But to me, it just seems like the point to point
17 variability more represents the physicality of the
18 situation, which, as I view modeling, the further you get
19 away from an actual -- the physical situation, the more
20 you are going to run into problems.
21 Then it just becomes a mathematical exercise.

1 So even though it may introduce -- I suspect it
2 would introduce more complications to the whole scenario
3 to deal with the point to point variability or variability
4 of each flux point.
5 I believe that would be the more appropriate way
6 to go.
7 DR. HEERINGA: I accept that argument.
8 Anybody else have thoughts on that matter? Dr.
9 Majewski.
10 DR. MAJEWSKI: I may have just gotten one of
11 those ideas. But it seems to me that you have a single
12 flux study that you are basing your model runs on.
13 And then you are varying the injection depth and
14 so you scale the flux, the cumulative flux profile, or the
15 temperature and you add another scaling factor. And those
16 are all important considerations.
17 But also, I think, ultimately, what we should
18 strive for is to understanding what is driving that flux
19 value. We have all the meteorological information. Have
20 you looked at that, other than temperature like Dr. Arya
21 said, look at the stability for that six-hour periods.

1 And then I don't know if you can calculate
2 stability from CIMIS data, but look at that in the other
3 areas and see if you can use that in your estimation or
4 trans location of the flux data.
5 Does that make any sense? No? Yes?
6 DR. HEERINGA: Dr. Van Wesenbeeck? You are under
7 no obligation to answer.
8 DR. CRYER: I just want to make a comment to
9 that. To me, I think what we really need to do, I'm not
10 proposing we do it, but I'm saying the scientific
11 community, we have -- like the USDA has models that are
12 physically based.
13 We have good data sets now for flux. And last
14 time, at the last SAP I know Dr. Yates mentioned boundary
15 condition, now they have a boundary condition that
16 proposes the use of stability class.
17 Let's make use of that, and see how well it does
18 against the data sets that we have and then you can use
19 that to extrapolate other regions or other soil types or
20 whatever the case may be.
21 In that case, then it comes down to negotiations

1 with the regulatory bodies or whatever, what are
2 characteristic regions in agronomic communities, what
3 types of soils do we need to simulate.
4 Because we're still going to be limited to time.
5 It takes time to do all this stuff. That was just my
6 recommendation.
7 DR. WINEGAR: You mentioned -- the second
8 question that you just posed a minute ago in regards to
9 basically estimates of variability of the flux, overall
10 flux measurements, was that the gist of what you were
11 asking?
12 DR. HEERINGA: Yes.
13 DR. WINEGAR: I wanted to pose the question,
14 perhaps, a way to arrive at that is to look again to the
15 body of methylbromide studies, flux studies that have been
16 done, some of which have been the aerodynamic variety.
17 It is kind of a cross-species kind of thing
18 here, but it is the same technique. I just recall that
19 I'm asked personally in a lot of the studies that I
20 undertake, you do one or two -- collect one or two samples
21 and everyone wants to know what is the error bounds around

1 that.

2 Obviously, you don't have enough to really do

3 decent statistics on it. But you basically are familiar

4 with the technique and can look at other similar studies

5 and derive some type of estimate at least.

6 So that might be something to consider along

7 those lines.

8 DR. HEERINGA: That's a good suggestion, in

9 fact, as I say in the absence of true observational data

10 and multiple replications for any given compound or any

11 given set of application methods to look at these others,

12 we certainly don't want to substitute necessarily the sort

13 of basic profile for the compound.

14 But variability at certain flux rates, you might

15 postulate a model of variability related to the flux rate

16 itself. And from what I have seen in the last

17 few sessions, none (ph) of these have quite similar

18 profiles with regard to the number of days of off-gassing

19 and the shape of that profile. Some of them are delayed

20 more. Some are more instantaneous.

21 But even just from a simulation standpoint,

1 we'll get to that in Question 8, it might be valuable to
2 just look at a model of the relationship between the flux
3 rate and the variance of that rate and do some sampling,
4 stochastic sampling, in that within time periods.
5 Dr. Cohen.
6 DR. COHEN: I think another key issue that has
7 been touched on many times today is this 24 hour averaging
8 question.
9 I think you could change your model around
10 fairly easily to also output one hour averages or two hour
11 averages or two-hour averages. I think -- we have heard
12 from Mr. Dawson that there may be some concern about the
13 acute levels.
14 Frankly, we probably don't know enough about the
15 toxicology of these compounds to know should we be
16 concerned about a one hour exposure or a two hour exposure
17 or is it simply the long term exposure.
18 By putting in your model this ability to output
19 these shorter term exposures, if we find out later on that
20 one hour or two hours of a really high exposure can
21 trigger some event of some sort, then we have that

1 information.

2 Right now you are not -- you are sort of like

3 not giving it to people even to consider.

4 DR. HEERINGA: At this point, it is late in the

5 afternoon. We have another day or greater part of a day

6 ahead of us tomorrow. Unless there are anymore comments

7 that the panel members would like to offer at this point,

8 I would like to draw the afternoon session to a close.

9 Before I do that, I would like to turn to our

10 Designated Federal Official, Joe Bailey, to see if he has

11 any comments or any follow up.

12 MR. BAILEY: I don't think so.

13 DR. HEERINGA: I think that what I would like to

14 do is to ask the members of the panel to meet in our

15 break-out room just to discuss plans for the preparation

16 of our written comments on our first three responses and

17 plans for tomorrow.

18 For everyone else here, we thank you for your

19 attendance today. We'll plan to reconvene our meeting

20 with the second day of our two-day session tomorrow

21 morning at 8:30 a.m. in this room. Have a good evening

everyone.

- - -

[Whereupon, at 5:15 p.m., the meeting recessed.]

-oo0oo-

1 CERTIFICATE OF STENOTYPE REPORTER

2 I, Frances M. Freeman, Stenotype Reporter, do
3 hereby certify that the foregoing proceedings were
4 reported by me in stenotypy, transcribed under my
5 direction and are a verbatim record of the proceedings
6 had.
7
8 _____
9 FRANCES M. FREEMAN

I N V O I C E

FRANCES M. FREEMAN

TODAY'S DATE: 100504

DATE TAKEN: 090904

CASE NAME: fifra

DEPONENTS:

TOTAL: -- PAGES: 396 plus sitting fee

ATTORNEY TAKING DEPO:

COPY SALES To: Mr.

DELIVERY: 10

COMPRESSED:

DISK:

E-MAIL: no

EXHIBITS: none

TRIAL DATE:

SIGNATURE: