STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-08-1972**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.3333**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.87**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.11**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000945301**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000114938**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.15**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1972**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.40**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.30**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**1.78**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.37**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**25.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1325**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.4401**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.10**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.86**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000398745**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000484831**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.38**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.14**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-12-1973**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.6666**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**4.80**	**L**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.03**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.13**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000352625**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000428753**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.03**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.63**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.02**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**235.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**250.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.5714**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.70**		
00400	**PH (STANDARD UNITS)**	**7.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.30**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.07**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000395001**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000480278**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**210.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.31**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-27-1975**	Start Time:	**1250**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**165.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.1052**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.58**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.27**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00425987**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00517953**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.17**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**22.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.29**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.01**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.20**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**800.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**91.954**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.60**		
00403	**PH, LAB, STANDARD UNITS SU**	**5.80**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.82**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.11**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000346433**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000421224**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.19**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**510.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.16**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**4 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**170.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**6.17284**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.10**		
00400	**PH (STANDARD UNITS)**	**5.50**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.16**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000171033**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000207957**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.40**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.39**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-15-1980**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**380.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.4736**	**$**	
00400	**PH (STANDARD UNITS)**	**7.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**810.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**140.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**5.78571**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1980**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**420.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**140.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.2608**	**$**	
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**560.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**9.33333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**290.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**158.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.6956**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.33333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-17-1980**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**225.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.2222**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.68**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**80.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.75**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**310.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**142.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.5185**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.673**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.613**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.06**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000837867**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000101875**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.673**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.476**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**14.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-25-1980**	Start Time:	**845**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.90**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**4.87805**	**$**	
00400	**PH (STANDARD UNITS)**	**5.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**12000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**490.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.28571**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-22-1980**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**-30.00**	**M**	
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**235.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**4.87805**	**$**	
00400	**PH (STANDARD UNITS)**	**5.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.42**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**12000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**230.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.565217**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-22-1980**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**290.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**4.70588**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.54**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**260.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.692308**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**500.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**27.5862**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.82**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.281**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.17**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000213548**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000259651**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.25**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.031**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.561**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.205**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**240.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**9200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.026087**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-05-1981**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**10.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**400.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.5663**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.94**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**36.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.60**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-23-1981**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**5.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**290.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**43.1579**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.52**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**18.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.80**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-16-1981**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.40**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**330.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**566.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.8723**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**6.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**193.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**461.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.8181**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.775**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.576**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.139**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000543301**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000660594**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.715**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.06**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.401**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.312**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**5.17**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**0.91**		
32230	**CHLOROPHYLL A (MG/L)**	**0.002**		
32231	**CHLOROPHYLL B (MG/L)**	**0.001**		
32232	**CHLOROPHYLL C (MG/L)**	**0.003**		
32234	**CHLOROPHYLL, TOTAL (A+B+C) (MG/L)**	**0.006**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-27-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**6.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**670.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**0.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.72**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**260.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0384615**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**136.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**5.94**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.083**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.023**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000174611**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000212308**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.063**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.453**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.312**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**360.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**490.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.285714**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1981**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**134.50**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.21**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**850.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**3600.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.236111**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-26-1981**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**168.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.20**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.29**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**200.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**400.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**		**4.10**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**		**3.20**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**		**0.10**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**		**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORRI**		**4.20**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**		**1.50**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**		**1.48**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-26-1981**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-22-1982**	Start Time:	**1014**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**150.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**290.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**43.9024**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.23**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**210.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.142857**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-26-1982**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**372.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**47.7777**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.80**		
00480	**SALINITY - PARTS PER THOUSAND**		**1.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.35**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**3600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**540.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**3200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.16875**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**60.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**62.70**		
00300	**OXYGEN, DISSOLVED MG/L**	**2.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.7692**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.935**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.913**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.022**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000170939**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000207844**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.935**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.328**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.286**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**7.10**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**230.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.17**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**2.96**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**5.17**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**3.26**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.33**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.434783**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**08-03-1982**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**91.20**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**32.9114**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.30**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.16**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**120.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**470.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.255319**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**10-12-1982**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**100.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**78.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**2.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**28.0488**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.13**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**90.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**650.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.138462**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-16-1982**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**185.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.096**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.069**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000176084**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000214099**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.069**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.027**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.201**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.156**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.22**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**11-16-1982**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.99**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.33**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**0.45**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORRI**	**2.44**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**1.09**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.38**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.60**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**500.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**260.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**101.176**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.50**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**22.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**1200.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**2900.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**		**3.04**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**		**3.44**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**		**0.13**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORRI**	**3.17**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**0.00**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.90**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.413793**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**01-31-1983**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**260.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.32**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.111**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.024**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000202534**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000246259**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.064**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.047**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.225**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-31-1983**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.176**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**133.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.0869**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.014**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.014**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000820948**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000998182**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.014**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.236**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.20**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.14**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**186.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**190.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.6341**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.958**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.958**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000025154**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000305845**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.958**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.193**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.158**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**130.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.153846**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1983**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**127.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**23.6842**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.17**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**900.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**710.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.2676**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-01-1983**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**108.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**2.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**28.0488**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.30**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**		**21.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.16**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**430.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**8700.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.0494253**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1983**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**23.8095**	**$**	
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.344**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00866666**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1983**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**43.2146**	**$**	
00400	**PH (STANDARD UNITS)**	**6.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.04**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.34**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**39.80**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**48.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1983**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-02-1983**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**161.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.1739**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**59.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.133333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**136.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.3684**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**54.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.927**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.86**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000360052**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000437783**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.891**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.036**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.353**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.211**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2000.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**22000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0909091**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1250**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**95.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.3671**	**$**	
00400	**PH (STANDARD UNITS)**	**6.90**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.79**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.78**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.80**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**23.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**72.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1250**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**145.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**194.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.2941**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.045**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.025**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000564266**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000686086**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.045**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.271**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**80.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.125**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-07-1984**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**320.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**246.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.3478**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00909091**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-09-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.5719**	**$**	
00400	**PH (STANDARD UNITS)**	**6.60**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**121.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.68**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.40**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**44.80**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**8.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-11-1984**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.8758**	**$**	
00400	**PH (STANDARD UNITS)**	**7.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.07**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.59**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.80**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**26.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**190.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**0.00**		

Start Date:	**10-01-1984**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.024**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-17-1984**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.037**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1985**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**440.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**535.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.977**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**4700.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00212766**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**500.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**579.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.979**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.979**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.979**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.513**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.475**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-15-1985**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**320.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**394.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**55.5556**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**180.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.0555556**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**250.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**25.9259**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.598**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.598**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.598**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.687**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.672**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**800.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.025**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**10-07-1985**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**217.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**17.2414**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**5.70**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.25**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**11-06-1985**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**200.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.1739**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.05**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**01-08-1986**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**256.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.4227**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.66**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10000.00**	**L**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.006**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**276.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.8298**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.72**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.952**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.846**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000317559**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000386117**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.866**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.086**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.386**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**24000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1800.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**2100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.857143**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**04-16-1986**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**264.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.0588**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**399.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**28.2051**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.78**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.752**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.673**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.079**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00029275**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000355951**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.752**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.628**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**380.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.552632**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1986**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**170.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**217.00**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.32**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1800.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**110.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.181818**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**224.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**39.5061**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.87**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**340.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.235294**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**360.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**281.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.4444**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.91**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.963**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.915**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000568436**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000691156**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.935**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.028**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.332**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.258**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**130.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0769231**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**01-28-1987**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**233.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.69**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**275.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.6383**	**$**	
00400	**PH (STANDARD UNITS)**	**6.73**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.68**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.008**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.988**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000324942**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000395094**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.008**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.175**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.169**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**350.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.114286**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**253.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**45.977**	**$**	
00400	**PH (STANDARD UNITS)**		**6.48**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.62**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
01027	**CADMIUM, TOTAL (UG/L AS CD)**		**0.005**	**K**	
01042	**COPPER, TOTAL (UG/L AS CU)**		**0.01**		
01045	**IRON, TOTAL (UG/L AS FE)**		**0.20**		
01051	**LEAD, TOTAL (UG/L AS PB)**		**0.015**	**K**	
01067	**NICKEL, TOTAL (UG/L AS NI)**		**0.04**	**K**	
01092	**ZINC, TOTAL (UG/L AS ZN)**		**0.02**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**510.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.25**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**04-29-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**300.00**	**J**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**174.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.8823**	**$**	
00400	**PH (STANDARD UNITS)**	**6.67**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.63**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**205.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**12.1951**	**$**	
00400	**PH (STANDARD UNITS)**	**6.46**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.41**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.20**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.18**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000288741**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000351077**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.559**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.52**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**190.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**261.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.9873**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.64**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.634**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.521**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.113**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000293468**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000356825**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.634**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.376**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.35**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.35**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**107.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**29.1139**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.36**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.911**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.845**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000540657**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000065738**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.886**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.025**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.302**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.272**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**220.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**340.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.235294**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-14-1987**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.4348**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.53**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**430.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.16279**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**219.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.8421**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.47**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.781**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.713**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000340323**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000413795**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.754**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.027**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.161**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.157**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**220.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0454545**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**01-25-1988**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**207.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.3404**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.88**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.837**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.764**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.061**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000139879**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000170077**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.825**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1988**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.222**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.198**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**350.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.342857**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1988**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**237.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.9574**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.55**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**218.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**36.3636**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.47**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.888**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.857**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000344641**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000419045**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.888**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.245**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.203**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**110.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.27273**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**05-25-1988**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**320.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**316.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**11.9048**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.44**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**260.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**190.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**900.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.211111**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**6.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**166.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**11.4943**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.63**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**240.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.291667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**218.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**17.3913**	**$**	
00400	**PH (STANDARD UNITS)**	**7.01**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.52**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.149**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.068**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.081**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000269294**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000327432**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.149**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.302**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.257**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**250.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.16**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**262.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.4828**	**$**	
00400	**PH (STANDARD UNITS)**	**6.85**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.153**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.85**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.291**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000832143**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00101179**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.141**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.299**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.261**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**02-01-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**317.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.1111**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.64**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**395.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.4828**	**$**	
00400	**PH (STANDARD UNITS)**	**6.64**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.57**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.857**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.693**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000723882**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000880162**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.734**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.123**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.361**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.282**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**430.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0232558**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-05-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**386.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.5294**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**280.00**	**J**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BIO**

Start Date:	**05-10-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**490.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**511.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.8048**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.12**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**262.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.4828**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.85**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.153**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.897**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000641433**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000779912**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.141**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.299**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.261**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**317.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.1111**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.64**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.927**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.072**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000110072**	**$**	**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000133836**	**$**	**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**395.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.4828**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.57**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.64**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.857**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.828**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.13**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000195419**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000237608**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.734**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.123**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.361**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.282**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**430.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0232558**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-05-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.20**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**386.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.40**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.5294**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.621**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.113**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000773184**	**$**	**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000940108**	**$**	**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**280.00**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-10-1989**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**490.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**511.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.10**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.8048**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.12**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-17-1989**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**320.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**242.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**36.8421**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.52**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.76**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.52**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.44**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000152957**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00018598**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-17-1989**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.52**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.47**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.47**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.80**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-02-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**35.8024**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.57**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-18-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**206.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.8642**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.68**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**68000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**260.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**358.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**14.4444**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.47**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.28**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.25**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.03**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000321702**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000391155**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.28**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.18**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.14**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**2500.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.04**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**580.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**413.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**23.5294**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.75**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.76**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.45**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.38**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00017086**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000207747**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.45**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.20**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0833333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-28-1990**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**407.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**92.9411**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.95**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.75**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**385.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.2592**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.64**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.19**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.20**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.13**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.05**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00114126**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00138765**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.19**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.40**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.26**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1300.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**130.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.30**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**350.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.00**	**K**	**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**0.00**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.93**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.79**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.38**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.31**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.05**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000279662**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000340039**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.37**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.45**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.40**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-06-1990**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**4.20**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**186.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**12.6582**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.92**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.51**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1400.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.07692**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-17-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**209.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**10.1266**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.70**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.23**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.21**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.40**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.20**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-17-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**22000.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00454545**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-24-1990**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**230.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**213.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**26.1905**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.62**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1991**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**326.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.0909**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.02**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.91**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-17-1991**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**398.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**14.6341**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.65**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.66**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-01-1991**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**120.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**150.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.5185**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.42**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.43**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.27**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.26**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.28**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.416667**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**208.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**6.17284**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.49**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.56**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.37**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.18**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000298562**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000363018**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.56**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.85**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.34**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1000.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**900.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.11111**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-23-1991**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**306.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.0588**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.75**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.82**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**02-26-1992**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**530.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.70**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.6818**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.12**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3800.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**370.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.308333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**17.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**580.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**592.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.40**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.3684**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.55**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.89**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.03**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.92**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.09**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000897968**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000109183**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.01**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.08**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.14**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.166667**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1992**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**690.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**769.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**38.4615**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.30**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.14**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.34**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.99**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.33**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00414555**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00504054**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1992**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.32**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.02**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.01**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**70.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.142857**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030008**	Station Alias:	
Station Name:	**N FK MYAKKA R BFR ENTRS UP MYK L SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 18min. 5sec. N**	Longitude:	**82deg. 15min. 14sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-26-1992**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**173.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.7848**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.53**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2700.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**550.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.727273**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-08-1972**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**220.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**64.5641**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.80**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**2.08**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.10**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.13**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 46sec. N**		Longitude: **82deg. 9min. 16sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1972**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.0454**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.52**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.15**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000686761**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000835026**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.19**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.25**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.14**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.7872**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.20**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.86**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.13**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000877254**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000106664**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.05**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.23**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.09**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-12-1973**	Start Time:	**1350**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**11.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**154.667**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**4.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.70**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.16**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.09**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00371912**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00452204**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.69**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.11**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1405**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**250.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**360.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.381**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.80**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.13**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000759768**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000923795**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County:	**Manatee**
Latitude: **27deg. 20min. 46sec. N**		Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1405**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.19**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR** **SOUTH-EAST** **PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**750.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.9655**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		
00400	**PH (STANDARD UNITS)**	**5.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**5.80**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.77**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.10**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000123619**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000150307**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**9.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**172.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR** **SOUTH-EAST** **PEACE**		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 46sec. N**		Longitude: **82deg. 9min. 16sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.16**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.0975**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.50**		
00400	**PH (STANDARD UNITS)**	**5.70**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.92**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000252778**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000030735**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.29**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.25**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-03-1989**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**41.9805**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.80**		
00400	**PH (STANDARD UNITS)**	**6.75**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.07**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.25**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.70**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**31.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**	**B**	
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 46sec. N**		Longitude: **82deg. 9min. 16sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-04-1990**	Start Time:	**1011**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**2.00**	**L**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**280.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.3264**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00400	**PH (STANDARD UNITS)**	**7.20**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.56**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.12**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**89.90**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-04-1990**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.6499**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.80**		
00400	**PH (STANDARD UNITS)**	**6.20**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.59**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.11**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**128.70**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-10-1990**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**215.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**48.7875**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.80**		
00400	**PH (STANDARD UNITS)**	**6.40**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.80**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.24**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.80**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**56.90**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**624.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030009**	Station Alias:	
Station Name:	**MYAK R SR 70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 46sec. N**	Longitude:	**82deg. 9min. 16sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-05-1997**	Start Time:	**1118**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.60**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**	**K**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**	**L**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**20.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**534.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**91.7811**	**$**	
00400	**PH (STANDARD UNITS)**	**7.40**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.015**	**U**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000191113**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000232373**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.70**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.026**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.33**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**220.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-08-1972**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.2657**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**4.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.09**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000587378**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000714188**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.12**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.29**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.14**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1972**	Start Time:	**1435**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**		**220.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.90**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.10**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**5.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.76**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.18**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.24**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**15.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1435**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.4876**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**5.80**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.84**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.14**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000349818**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000042534**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.04**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.07**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-12-1973**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**32.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.5946**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.30**	**L**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.27**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.15**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000866025**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00105299**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.78**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.13**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1425**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**230.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**150.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6666**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.40**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.70**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.72**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000469903**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.03**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00057135**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.93**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.21**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.70**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**290.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**600.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**100.00**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		
00400	**PH (STANDARD UNITS)**	**5.30**		
00403	**PH, LAB, STANDARD UNITS SU**	**5.70**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.70**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000082589**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000100419**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**13.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**	**K**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**142.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**28.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.18**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1410**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**230.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**90.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6666**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**	**5.60**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.14**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000207939**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000252831**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.29**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.27**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 21min. 57sec. N**		Longitude: **82deg. 8min. 58sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1983**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**		**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**175.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**54.878**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.54**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**80.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6721**	**$**	
00400	**PH (STANDARD UNITS)**	**6.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.67**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.34**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.30**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**19.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**58.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-26-1984**	Start Time:	**1019**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**180.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**60.8695**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-09-1984**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**185.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**46.7457**	**$**	
00400	**PH (STANDARD UNITS)**	**6.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.85**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.40**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**50.20**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**44.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-09-1984**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-26-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**375.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**87.3563**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.00**	**$**	
00400	**PH (STANDARD UNITS)**	**7.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.04**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.56**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.80**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**32.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**452.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030011**	Station Alias:	
Station Name:	**MYAKKA R AT WAUCHULA RD BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 58sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-17-1984**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**115.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**67.8571**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.60**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 27min. 34sec. N**		Longitude: **82deg. 6min. 39sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1500**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.18**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.42**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.12**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000598118**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000727246**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.14**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 27min. 34sec. N**	Longitude:	**82deg. 6min. 39sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1500**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**215.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**340.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.3181**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.30**		
00400	**PH (STANDARD UNITS)**	**7.10**		
00403	**PH, LAB, STANDARD UNITS SU**	**8.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.95**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000475389**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000578022**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.09**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**790.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 27min. 34sec. N**	Longitude:	**82deg. 6min. 39sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1500**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**590.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.46**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 27min. 34sec. N**		Longitude: **82deg. 6min. 39sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**700.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.1176**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.80**		
00400	**PH (STANDARD UNITS)**	**5.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.06**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.10**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000333432**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000405417**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.35**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 27min. 34sec. N**		Longitude: **82deg. 6min. 39sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**	**K**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**370.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.33**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 27min. 34sec. N**		Longitude: **82deg. 6min. 39sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.2683**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**	**5.90**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.42**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.20**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000100138**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000121757**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.38**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 27min. 34sec. N**		Longitude: **82deg. 6min. 39sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1983**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**110.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**46.3455**	**$**	
00400	**PH (STANDARD UNITS)**	**6.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.70**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.86**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.42**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.90**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**18.40**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**192.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030012**	Station Alias:	
Station Name:	**MYAKKA R AT SR 64 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 27min. 34sec. N**	Longitude:	**82deg. 6min. 39sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1983**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1975**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**129.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.5569**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.90**		
00400	**PH (STANDARD UNITS)**	**3.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.58**		
00520	**RESIDUE, VOLATILE FILTRABLE (MG/L)**	**106.00**		
00525	**RESIDUE, FIXED FILTRABLE (MG/L)**	**48.00**		
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**154.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1975**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**250.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**110.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**3.50**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**39.7727**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.70**		
00340	**COD, .25N K2CR2O7**	**MG/L**	**85.20**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.10**		
00500	**RESIDUE, TOTAL (MG/L)**		**144.00**		
00505	**RESIDUE, TOTAL VOLATILE (MG/L)**		**76.00**		
00510	**RESIDUE, TOTAL FIXED (MG/L)**		**68.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**2500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**560.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**440.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1975**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.194**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.27273**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1975**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**60.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**98.8505**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**140.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**70.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.208**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**2.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-29-1976**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**790.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**23.913**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.73**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-23-1976**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**700.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**5.83333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-16-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**530.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.1463**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.28**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**280.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.142857**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**835**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**290.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**305.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**26.8293**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.22**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.56**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.451**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.109**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000898039**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00109192**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.56**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**835**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.426**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1300.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**10.8333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 11min. 36sec. N**		Longitude: **82deg. 8min. 42sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-25-1980**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.20**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**221.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**223.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**33.3333**	**$**	
00400	**PH (STANDARD UNITS)**	**6.30**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2000.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**540.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.7037**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-22-1980**	Start Time:	**840**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.9523**	**$**	
00400	**PH (STANDARD UNITS)**	**6.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.95**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**230.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.53333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-22-1980**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**420.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.4545**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.53**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**420.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**210.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**690.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**29.5454**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.66**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.566**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.445**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.06**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00101329**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00123205**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.505**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.061**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.536**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**	County: **Sarasota**		
Latitude: **27deg. 11min. 36sec. N**	Longitude: **82deg. 8min. 42sec. W**		
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.215**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-05-1981**	Start Time:	**820**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**8.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**650.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.2269**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.83**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**910.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**290.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.93333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-23-1981**	Start Time:	**815**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**490.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.14**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**40.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-16-1981**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**330.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**230.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**581.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.2631**	**$**	
00400	**PH (STANDARD UNITS)**	**7.10**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**7.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.40**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**205.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**651.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**29.3478**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.90**		
00400	**PH (STANDARD UNITS)**	**7.60**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.997**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.868**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.129**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00169738**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00206383**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.997**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.426**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.332**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**7.07**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**0.71**		
32230	**CHLOROPHYLL A (MG/L)**	**0.002**		
32231	**CHLOROPHYLL B (MG/L)**	**0.001**		
32232	**CHLOROPHYLL C (MG/L)**	**0.002**		
32234	**CHLOROPHYLL, TOTAL (A+B+C) (MG/L)**	**0.005**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-27-1981**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**14.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**840.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.0909**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.86**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**910.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**91.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**9.10**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-01-1981**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.60**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**110.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**27.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**134.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**881.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**840.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.55**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.882**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.782**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00049964**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000607508**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.852**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.03**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-01-1981**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.604**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.249**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**820.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**520.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**440.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.18182**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**124.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.35**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.194**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.043**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000757691**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000921269**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.113**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.081**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.654**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.563**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1400.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.357143**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1981**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**600.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**133.60**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**850.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**4000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.2125**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-26-1981**	Start Time:	**910**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**250.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**250.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.70**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.30**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.55**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**220.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**1000.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**		**8.40**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**		**6.36**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**		**2.60**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**		**1.70**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORRI**		**12.70**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**		**3.60**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**		**1.45**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.22**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-02-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**810.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**745.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**8.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.932**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.905**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.027**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000735007**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000893688**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.932**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-02-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.06**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.92**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**910.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**170.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.45**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.07**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.25**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**2.70**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**2.30**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.22**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**5.35294**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-22-1982**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**150.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**3.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**225.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**390.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**87.6543**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.50**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.69**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**60.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.166667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 11min. 36sec. N**		Longitude: **82deg. 8min. 42sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-26-1982**	Start Time:	**840**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**6.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**344.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**67.3913**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.40**		
00480	**SALINITY - PARTS PER THOUSAND**		**1.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.67**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**520.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**2100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.247619**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**74.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**66.20**		
00300	**OXYGEN, DISSOLVED MG/L**	**2.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**28.2051**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.177**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.137**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000310799**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000377898**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.177**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.485**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.367**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**3.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.02**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**8.35**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**6.87**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.23**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**8.58**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**2.22**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.53**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.70**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-03-1982**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**82.30**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**62.0253**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.19**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**350.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**550.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.636364**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1982**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**102.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**4.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**52.3809**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.30**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.19**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**590.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-16-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**175.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.318**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.253**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000516614**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000628146**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.273**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.045**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.314**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-16-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.236**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.39**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.09**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.60**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.66**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.23**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**2.98**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**0.83**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.46**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.111111**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**460.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**523.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**9.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**108.046**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.504**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.434**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000806701**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000098086**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.434**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 11min. 36sec. N**		Longitude: **82deg. 8min. 42sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.07**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.249**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.138**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.68**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**280.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**520.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.09**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**0.00**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**1.14**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**5.23**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**12.16**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**0.76**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.538462**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**109.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**90.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.262**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.262**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000139899**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000170102**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.262**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.288**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.254**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.18**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2500.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**270.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**9.25926**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**258.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**263.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**98.8235**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.134**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.134**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00017806**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000216501**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.134**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.317**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.299**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.53**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**130.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.38461**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1983**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**41.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.0253**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.17**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**250.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.52**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-01-1983**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**86.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**89.2857**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.50**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**		**15.30**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**170.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**35000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.00485714**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1983**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**61.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**36.7816**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.00**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000810278**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000985209**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.142**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**17.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.16**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1983**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1900.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**33000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0575758**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-02-1983**	Start Time:	**855**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**198.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.6956**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**52.30**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.44**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.10**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**14.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**85.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.7938**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**46.30**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.314**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.247**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000322144**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000391691**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.278**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.036**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.314**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.126**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.27**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**13000.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**57000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.22807**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**204.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.4314**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.649**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.589**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.03**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00008464**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000102913**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.619**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.036**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.261**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**260.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.538462**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-07-1984**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**320.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**285.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.1739**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.05**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**201.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**71.5909**	**$**	
00400	**PH (STANDARD UNITS)**	**6.90**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.974**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.908**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.03**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000895642**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0001089**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.938**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.036**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.458**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.15**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-11-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.025**		

Start Date:	**10-01-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.024**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-17-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-11-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**790.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1023.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.52**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.272**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.272**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.272**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-11-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.05**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**140.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1985**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1030.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1137.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6667**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1000.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.02**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**45.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1060.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1089.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.1818**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.50**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.42**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.389**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000364502**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000443195**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.42**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.144**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.091**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.90**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-15-1985**	Start Time:	**840**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1250.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1387.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.619**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.50**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**440.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.25**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**480.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**530.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.238**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.215**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.01**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000369559**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000449344**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.225**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.013**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.354**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.351**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**900.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.133333**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-07-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**620.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**612.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.0115**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.32**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-06-1985**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**680.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**803.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.1489**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.08**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**900.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1000.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.6923**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.65**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.786**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.786**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.786**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.232**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**170.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.882353**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-08-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**203.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**790.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0379747**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**670.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1071.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**90.2174**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.52**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.206**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.181**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.181**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.025**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.332**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.142**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**8100.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**5200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.55769**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1986**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1330.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.7011**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.50**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**70.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.57143**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**45.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1270.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1540.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.7895**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.55**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.478**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.458**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000456494**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000555046**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.478**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.118**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.049**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1986**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**280.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**359.00**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.61**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**5000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**140.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**320.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.4375**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1986**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**540.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**553.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.5365**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.25**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**250.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.84**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**480.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**555.00**	**M**	
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.7826**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.49**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.75**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.736**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.736**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.014**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.291**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.198**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.666667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-28-1987**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**392.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**91.3461**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.01**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.70**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**4.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**560.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**627.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.5979**	**$**	
00400	**PH (STANDARD UNITS)**	**7.29**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.26**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.755**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.654**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.051**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0002583**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000314065**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.705**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.05**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.233**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.199**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**250.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.08333**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**9.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**390.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**429.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**79.5455**	**$**	
00400	**PH (STANDARD UNITS)**		**6.99**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.10**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
01027	**CADMIUM, TOTAL (UG/L AS CD)**		**0.005**	**K**	
01042	**COPPER, TOTAL (UG/L AS CU)**		**0.01**		
01045	**IRON, TOTAL (UG/L AS FE)**		**1.14**		
01051	**LEAD, TOTAL (UG/L AS PB)**		**0.015**	**K**	
01067	**NICKEL, TOTAL (UG/L AS NI)**		**0.04**	**K**	
01092	**ZINC, TOTAL (UG/L AS ZN)**		**0.02**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**70.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.14286**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-29-1987**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**13.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**730.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**685.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.6551**	**$**	
00400	**PH (STANDARD UNITS)**	**7.38**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**6.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**7.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**480.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**544.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.9047**	**$**	
00400	**PH (STANDARD UNITS)**	**7.18**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.753**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.099**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.081**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000568075**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.011**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000690717**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.18**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.573**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.16**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.60**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**520.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**627.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.6203**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.17**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.761**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.173**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.113**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000953746**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00115965**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.286**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.475**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.139**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.06**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.40**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-29-1987**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**4.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**450.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**467.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.4177**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**910.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.83333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**217.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.5696**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.44**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.569**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.351**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.071**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000116479**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.03**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000141626**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.422**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**1.147**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.363**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.302**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**560.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.125**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-14-1987**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**370.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**376.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.6522**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.74**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**490.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.408163**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-18-1987**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**399.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.1149**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.98**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3400.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**2900.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.17241**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**470.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**458.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**91.5789**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.23**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.146**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.672**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0001949**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000236977**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.713**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.433**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.161**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.138**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**80.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.75**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1988**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**290.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**314.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.8421**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.88**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.681**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.898**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.051**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000112724**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000137061**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.949**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.732**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1988**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.303**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.227**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**350.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.91667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1988**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**430.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**439.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**87.6289**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.25**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**540.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**647.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**81.1111**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.35**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.807**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.776**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000241206**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00029328**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.807**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.184**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.132**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**40.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.25**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-25-1988**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**710.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**800.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**61.1764**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.53**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**470.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.70**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-27-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**200.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.5789**	**$**	
00400	**PH (STANDARD UNITS)**	**6.97**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.263**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.188**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000245154**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000298081**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.228**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.035**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-27-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.727**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.398**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**360.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.60**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-03-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**237.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.317**	**$**	
00400	**PH (STANDARD UNITS)**	**6.63**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1988**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**6.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**268.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.2195**	**$**	
00400	**PH (STANDARD UNITS)**	**6.39**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.82**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.905**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.534**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.245**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000301133**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000366145**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1988**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.779**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.126**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.587**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.427**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1200.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.40**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1988**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**4.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**750.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**747.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**76.1363**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.61**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**620.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**250.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**2.48**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**9.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**540.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**577.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.7777**	**$**	
00400	**PH (STANDARD UNITS)**	**6.87**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.98**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.47**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.16**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.091**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000235952**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000286892**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.251**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**1.219**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.302**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.198**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**670.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**340.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.97059**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**600.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**671.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.00**	**$**	
00400	**PH (STANDARD UNITS)**	**6.54**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.61**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.369**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.828**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.13**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000157927**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000192022**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.958**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.411**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.199**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.141**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-01-1989**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**680.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**734.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.6595**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.52**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**110.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.90909**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**730.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**770.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.1609**	**$**	
00400	**PH (STANDARD UNITS)**	**6.76**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.22**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.591**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.621**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.113**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000262824**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000319566**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.734**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.857**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.361**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.272**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**240.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.625**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-05-1989**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**950.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1023.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7727**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.58**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-10-1989**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**780.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**952.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.4138**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.62**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**470.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**23.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**600.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**671.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.00**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.61**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.54**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.369**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.958**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.411**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.199**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.141**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**680.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**734.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.6595**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.52**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**110.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.90909**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**730.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**770.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.1609**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.22**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.76**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.591**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.734**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.857**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.361**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.272**		**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**240.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.625**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-05-1989**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.20**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**950.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1023.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7727**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.58**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-10-1989**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**780.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**952.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.4138**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.62**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**470.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**23.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-17-1989**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**660.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**723.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.40**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.6962**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.97**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.37**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.43**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.30**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000374197**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.03**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000454982**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.37**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-17-1989**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**1.05**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.28**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.27**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**510.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.588235**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-02-1989**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**460.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**466.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.5365**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-18-1989**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**430.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**438.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**71.4286**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.21**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**650.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**710.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.8889**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.41**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.19**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.15**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.09**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000832208**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00101187**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.24**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.95**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.28**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.23**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**790.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**831.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.8182**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.39**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.44**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.08**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.04**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000379535**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000461473**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.08**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.22**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.50**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-28-1990**	Start Time:	**840**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1200.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1273.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.8889**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.69**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.67**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1530.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1084.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**29.4118**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.43**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.54**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**1.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.07**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.99**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.07**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000808699**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000983289**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.06**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.46**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.21**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**170.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.529412**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**760.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**849.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**49.3827**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.36**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.58**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.23**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.07**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.06**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000753751**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000916479**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.13**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.09**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.24**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-06-1990**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.30**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**370.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**377.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**27.1605**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.10**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.91**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.153846**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-17-1990**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**5.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**266.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**48.7805**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.02**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.63**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.04**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.48**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.15**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.45**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.75**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-17-1990**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.166667**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-24-1990**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**333.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.5882**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.07**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1991**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1000.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**917.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.2608**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.14**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.51**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**800.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.60**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-17-1991**	Start Time:	**840**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1030.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1068.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.0229**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.74**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.31**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.50**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.666667**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**120.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**106.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**46.9135**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.32**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.39**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.70**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.50**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.19**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.20**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5000.00**	**J**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.272727**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**353.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.5365**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.32**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.54**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.41**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.10**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00107096**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00130217**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.52**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.89**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.38**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**700.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**800.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.875**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-23-1991**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**600.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**559.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.8889**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.47**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.45**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-26-1992**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**760.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.4444**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.86**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**330.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**440.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.75**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**550.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**631.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.6666**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.13**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.55**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.47**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.29**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.16**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000752977**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000915537**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.45**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.12**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.08**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030013**	Station Alias:	
Station Name:	**BIG SLOUGH AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 36sec. N**	Longitude:	**82deg. 8min. 42sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-26-1992**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**14.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**275.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.1645**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.98**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**520.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**440.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.18182**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-12-1966**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.30**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.40**		**A**

Start Date:	**01-27-1967**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.28**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**34.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1967**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.50**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.0258**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.30**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.81**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**396.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**35.40**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-31-1967**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.7949**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**4.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**412.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**45.30**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**1.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-05-1967**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**110.195**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**7.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**167.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**61.20**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-29-1967**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**32.1136**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.90**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**329.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**46.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-28-1967**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**32.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.60**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.3783**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**4.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**3.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**261.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**31.20**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.30**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-24-1967**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**0.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**0.00**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**2.20**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**249.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.90**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-28-1967**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**14.8184**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**5.70**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**184.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**24.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-27-1967**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.8993**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.60**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**163.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.70**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**1.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-01-1967**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.254**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**394.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**29.10**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**1.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-29-1967**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**13.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.3743**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.40**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.70**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**3.60**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**34.10**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**1.10**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1968**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**10.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**100.023**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.70**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**506.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**22.70**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**1.30**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.60**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-19-1968**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**7.70**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.50**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**353.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**39.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.90**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**1.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-22-1968**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**5.40**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.30**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**7.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**371.10**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**35.13**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**1.10**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**1.10**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-20-1968**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.40**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**	**K**	**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**163.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.17**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.70**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**8.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-04-1968**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.50**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.20**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**	**K**	**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**62.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.32**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.30**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**5.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-12-1968**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**13.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**7.80**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**91.5297**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**180.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**21.33**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-11-1969**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.10**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.0115**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**25.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.43**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.28**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.96**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-05-1969**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.10**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**1.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**16.4605**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**277.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**28.93**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.61**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**3.04**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1969**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.70**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.2423**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**135.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.29**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.27**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**2.10**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-05-1970**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**9.70**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.3239**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.90**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**114.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**25.03**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.37**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1970**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.9803**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**	**L**	**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**95.24**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.70**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.32**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**1.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1970**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**0.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**6.09806**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**79.87**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.44**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.12**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**5.12**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1970**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.30**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.5438**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**89.10**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**36.64**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.52**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**1.78**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1971**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**25.301**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**2.18**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**102.10**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**58.63**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.57**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-02-1971**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.10**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**49.3764**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.65**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**91.72**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.74**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-01-1971**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.10**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.3427**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.45**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.98**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**19.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.30**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1972**	Start Time:	**845**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.60**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.8934**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**60.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**28.40**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**1.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-08-1972**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**8.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**5.50**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**14.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**183.628**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**9.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**231.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**44.90**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1972**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.30**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**0.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**7.40861**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00403	**PH, LAB, STANDARD UNITS SU**	**6.30**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.70**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.52**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**56.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.40**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030021**	Station Alias:	
Station Name:	**BIG SLOUGH NR MANATEE COUNTY LINE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 12min. 39sec. N**	Longitude:	**82deg. 7min. 20sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1972**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**25.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**0.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.754**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**109.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.20**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.31**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.96**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1966**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.28**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.32**		

Start Date:	**01-25-1967**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.34**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.64**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**19.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.20**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**17.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**97.9497**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.30**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**74.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.40**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.20**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.40**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**112.657**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**7.60**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.10**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**76.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-05-1967**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**29.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**121.812**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**5.00**		
00400	**PH (STANDARD UNITS)**		**8.20**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.20**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**80.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**14.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.90**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**75.9573**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**8.50**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.90**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**42.60**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.30**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-28-1967**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**32.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.40**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**51.3513**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.30**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**42.40**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**8.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**41.7766**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**29.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.70**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.30**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1967**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**96.3064**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.40**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**43.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-27-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**21.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**5.90**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**56.6726**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**47.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.70**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-10-1967**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**5.90**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**97.7119**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.30**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**70.90**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.80**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-29-1967**	Start Time:	**1315**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**37.30**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**92.4011**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**8.30**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**52.30**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-01-1968**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**17.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.80**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**77.329**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.80**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**66.20**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.80**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.40**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.40**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-29-1968**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**10.70**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.40**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.20**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**63.50**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.40**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.90**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-22-1968**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**8.60**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.40**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**64.70**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.89**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.60**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.30**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-20-1968**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.90**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.80**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.50**	**K**	
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**21.90**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.76**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.40**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.50**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-04-1968**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**4.90**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.10**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**20.50**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**8.66**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.30**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**1.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1968**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**13.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**5.40**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**10.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**98.1254**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**52.90**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.94**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.30**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.90**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-11-1969**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**14.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**64.4349**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**93.50**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**19.19**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.33**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**2.62**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-05-1969**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.40**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**12.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**155.717**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**71.40**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**13.35**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.24**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.94**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-03-1969**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.20**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.55**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**26.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.07**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.25**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.94**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-05-1970**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**14.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**34.80**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**74.0449**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.94**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**19.11**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**9.06**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.17**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-04-1970**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**19.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.40**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**84.0521**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.94**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**18.73**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.84**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-03-1970**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**36.5893**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**		**6.30**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**39.40**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.09**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.10**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.96**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-03-1970**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**24.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**4.60**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**11.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**135.308**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**		**7.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**61.30**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.09**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.12**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.98**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1971**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.80**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**120.272**	**$**	
00400	**PH (STANDARD UNITS)**		**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.98**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**51.68**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**15.16**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.24**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-02-1971**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**32.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**5.80**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**110.811**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.40**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.96**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**29.91**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.78**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.24**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-01-1971**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.10**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.061**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**5.50**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.45**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.22**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**91.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1972**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.80**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.1658**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**20.70**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.20**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**3.86**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-08-1972**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**9.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**6.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**65.4837**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.94**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**48.90**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.10**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.26**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1972**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**23.4592**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**5.70**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.16**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**11.30**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.25**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.60**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-03-1972**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**0.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.804**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**49.40**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-01-1973**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**95.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1400.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.049**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**5.70**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**29.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.96**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-01-1973**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**790.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.0279**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**224.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**114.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.29**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.98**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.20**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1973**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**700.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.90**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.90**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**207.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.70**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.26**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.98**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.40**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1973**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.2336**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**59.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.30**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.29**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-07-1974**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**150.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.4782**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**48.40**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.41**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-05-1974**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**175.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.3006**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**57.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.98**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-04-1974**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**157.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**9.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**98.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**42.3118**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**20.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.16**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-04-1974**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**337.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**190.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**9.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.1203**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**59.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.82**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.80**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1975**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**133.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.2434**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.98**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**42.10**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.44**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.40**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-05-1975**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**280.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.7432**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.22**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**65.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**40.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.63**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.35**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-09-1975**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**7.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**115.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**1.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.2249**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**2.40**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**51.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.50**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.37**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.75**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-03-1975**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.0084**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.44**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**22.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.45**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.55**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-04-1976**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**90.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**12.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**258.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.679**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**70.70**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.88**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.70**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-09-1976**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**268.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.8282**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.24**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**99.40**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**5.10**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.45**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-15-1976**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**164.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.7692**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.70**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**107.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.49**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**1.44**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-08-1976**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**337.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**122.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**61.8671**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.44**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**151.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**18.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.26**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.52**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-09-1977**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**182.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.538**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.36**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**64.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.47**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-08-1977**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**205.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**64.6454**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**5.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.46**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**106.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.90**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.21**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.56**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1977**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**284.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**2.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**38.1579**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.72**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**35.40**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.88**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-08-1977**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**11.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**45.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**205.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**76.5895**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.40**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**74.60**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.16**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.79**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1978**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**18.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**157.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**128.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**64.2169**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.50**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.48**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**36.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.16**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.52**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-08-1978**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**45.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**1100.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**62.8379**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		
00400	**PH (STANDARD UNITS)**		**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**		**5.90**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.62**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**460.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**27.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.43**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.18**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-07-1978**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**175.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**110.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.7613**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.68**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**80.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1978**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**270.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**70.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**720.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**72.4471**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**7.00**		
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.82**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**324.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**50.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.30**		
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.44**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-08-1979**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**144.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.0114**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**	**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**	**1.80**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.14**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.30**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-07-1979**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**29.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**135.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**170.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**79.4978**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.70**		
00400	**PH (STANDARD UNITS)**		**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**		**5.50**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.14**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**42.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**13.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.19**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.28**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1979**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**195.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**132.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**41.778**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.70**		
00400	**PH (STANDARD UNITS)**	**6.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.21**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**21.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.417**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1979**	Start Time:	**1315**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**12.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**400.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**79.8002**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.50**		
00400	**PH (STANDARD UNITS)**		**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.11**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**118.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.20**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.248**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1980**	Start Time:	**835**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**145.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**65.0104**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.80**		
00400	**PH (STANDARD UNITS)**		**6.70**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.13**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**51.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**16.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.15**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.0779999**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 42sec. N**		Longitude: **82deg. 10min. 3sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-04-1980**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**210.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**56.4785**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.70**		
00400	**PH (STANDARD UNITS)**		**6.80**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**90.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**15.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.17**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.274**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-04-1980**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**18.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**410.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**77.9228**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.80**		
00400	**PH (STANDARD UNITS)**		**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.028**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**188.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**38.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.22**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.203**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-05-1981**	Start Time:	**1236**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**21.80**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**225.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**300.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**65.9241**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.90**		
00400	**PH (STANDARD UNITS)**		**6.99**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.13**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**116.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**25.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.24**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.243**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-04-1981**	Start Time:	**1144**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**450.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.7017**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		
00400	**PH (STANDARD UNITS)**	**7.13**		
00480	**SALINITY - PARTS PER THOUSAND**	**4.50**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.045**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**186.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.31**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.357**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-03-1981**	Start Time:	**1017**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**67.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**126.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**30.384**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**		**6.55**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.11**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**40.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**14.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.14**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.533**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-03-1981**	Start Time:	**1142**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**570.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.0132**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**	**7.53**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.102**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**96.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.31**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.192**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-11-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**395.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**74.7722**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.60**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.89**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.638**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**76.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**50.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.27**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.376**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-03-1982**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**140.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**34.15**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.80**		
00400	**PH (STANDARD UNITS)**		**6.75**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.155**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**54.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.17**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.181**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 42sec. N**		Longitude: **82deg. 10min. 3sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-02-1982**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**179.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.7985**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00400	**PH (STANDARD UNITS)**	**6.77**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.15**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**84.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.12**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.277**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-03-1983**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**211.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.0204**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.70**		
00400	**PH (STANDARD UNITS)**	**6.60**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.019**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**36.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.233**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 42sec. N**		Longitude: **82deg. 10min. 3sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**65.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**960.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**68.306**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.50**		
00400	**PH (STANDARD UNITS)**		**7.45**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.081**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**98.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**20.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.54**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.172**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1983**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**3.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.2432**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.95**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.057**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**58.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.30**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.467**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-08-1983**	Start Time:	**1103**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**15.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**345.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**74.5222**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.10**		
00400	**PH (STANDARD UNITS)**		**7.21**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.11**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**182.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.22**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.297**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1984**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**80.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**283.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**57.6649**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.40**		
00400	**PH (STANDARD UNITS)**		**7.22**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.107**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**142.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**33.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.23**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.464**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-07-1985**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**655.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**88.65**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**6.81**		
00480	**SALINITY - PARTS PER THOUSAND**		**3.20**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.079**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**334.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**17.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.22**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.39**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-06-1985**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**67.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**4.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**60.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**218.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**37.1882**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**3.40**		
00400	**PH (STANDARD UNITS)**		**6.80**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.005**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**164.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**23.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.47**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.841**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1985**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**204.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**28.0529**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.10**		
00400	**PH (STANDARD UNITS)**		**6.21**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.067**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**92.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**15.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.26**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**367.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.2436**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.20**		
00400	**PH (STANDARD UNITS)**	**7.60**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.121**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**94.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.502**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1986**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**420.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**8.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**88.3384**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**		**7.40**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**172.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**48.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.21**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.229**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-19-1986**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.20**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**135.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**30.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**380.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**34.5303**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.30**		
00400	**PH (STANDARD UNITS)**		**7.28**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.086**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**176.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**20.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.34**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.762**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 42sec. N**		Longitude: **82deg. 10min. 3sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-04-1986**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**165.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**243.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**80.8712**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.60**		
00400	**PH (STANDARD UNITS)**		**6.97**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.042**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**116.00**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**26.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.20**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.469**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-05-1987**	Start Time:	**1229**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**60.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**260.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.3805**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		
00400	**PH (STANDARD UNITS)**	**7.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.009**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**150.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**22.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.196**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R SR 70 SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-02-1987**	Start Time:	**1118**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**178.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.5709**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.005**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**220.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**40.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.32**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.213**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-12-1966**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.28**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.32**		**A**

Start Date:	**01-25-1967**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.34**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.64**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**19.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.20**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**9.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.9497**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.30**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**74.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.40**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-31-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**9.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**112.657**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.10**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**76.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-05-1967**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**9.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**121.812**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.20**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.20**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**80.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-29-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.9573**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.90**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**42.60**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.30**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-28-1967**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**32.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.3513**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.30**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**42.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-24-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**41.7766**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**29.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.70**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.30**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-28-1967**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**96.3064**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**43.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.60**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 20min. 42sec. N**		Longitude: **82deg. 10min. 3sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-27-1967**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.6726**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**47.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.60**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-10-1967**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.90**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.7119**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.30**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**70.90**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-29-1967**	Start Time:	**1315**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**37.30**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**92.4011**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.30**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.60**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1968**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.329**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**66.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.80**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-29-1968**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**10.70**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.40**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.20**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**63.50**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.40**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-22-1968**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**8.60**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.40**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**64.70**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.89**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.60**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.30**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-20-1968**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.90**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.80**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**	**K**	**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**21.90**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.76**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.40**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.50**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-04-1968**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**4.90**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.10**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**20.50**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**8.66**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.30**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**1.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-12-1968**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**10.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**98.1254**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.90**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.94**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.30**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-11-1969**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.4349**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**93.50**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.19**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.33**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**2.62**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-05-1969**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**12.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**155.717**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**71.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.35**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.94**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1969**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.20**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.55**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**26.50**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.07**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.25**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.94**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-05-1970**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**34.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.0449**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.94**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**19.11**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.06**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.17**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-04-1970**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.40**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.0521**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.94**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**18.73**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.84**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-03-1970**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**36.5893**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.30**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**39.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.09**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.10**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.96**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1970**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.60**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**11.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**135.308**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**61.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.09**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.12**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.98**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1971**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**9.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**120.272**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.98**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**51.68**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.16**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-02-1971**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**32.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**110.811**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.40**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**29.91**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.78**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-01-1971**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.10**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.061**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**5.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.45**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.22**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**91.50**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1972**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.80**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.1658**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**20.70**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.20**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**3.86**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-08-1972**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**9.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**		**6.00**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**65.4837**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**0.94**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**48.90**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.10**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.26**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1972**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**3.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**		**120.00**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**23.4592**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00403	**PH, LAB, STANDARD UNITS**	**SU**	**5.70**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**		**1.16**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**11.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**10.60**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.25**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.60**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1972**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**0.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.804**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**49.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-01-1973**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**95.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1400.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.049**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**5.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**29.60**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.26**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.96**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1973**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**790.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.0279**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**224.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**114.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.29**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.98**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1973**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**		**90.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**700.00**		**A**
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.90**		**A**
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**		**6.90**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**		**207.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**11.70**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.26**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.98**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**		**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-06-1973**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.2336**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**59.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.30**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.29**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-07-1974**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**150.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.4782**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**48.40**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.41**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-05-1974**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**175.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.3006**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**57.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.98**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-04-1974**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**157.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**9.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**98.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**42.3118**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**20.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.16**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.50**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-04-1974**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**337.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**190.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**9.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.1203**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**59.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.82**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.80**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1975**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**133.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.2434**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.98**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**42.10**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.44**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.40**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-05-1975**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**280.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.7432**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.22**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**65.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**40.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.63**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.35**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-09-1975**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**7.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**115.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**1.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.2249**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**2.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**51.60**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.50**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.37**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.75**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1975**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.30**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.0084**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.44**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**22.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.45**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.55**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-04-1976**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**90.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**12.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**258.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.679**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.96**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**70.70**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.50**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.88**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-09-1976**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**268.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.8282**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.24**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**99.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.50**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**5.10**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.45**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-15-1976**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**164.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.7692**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.70**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**107.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.49**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**1.44**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-08-1976**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**337.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.10**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**122.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**61.8671**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.44**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**151.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.52**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1977**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**182.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.538**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.36**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**64.80**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.50**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.47**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-08-1977**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**205.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.6454**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**5.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.46**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**106.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.90**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.56**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-08-1977**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.40**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**284.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**38.1579**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**1.72**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**35.40**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.88**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-08-1977**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**11.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**45.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**205.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.5895**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.40**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**74.60**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.79**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-02-1978**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**157.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**128.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.2169**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.48**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**36.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.50**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.52**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-08-1978**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.10**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**45.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1100.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.8379**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**5.90**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.62**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**460.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**27.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.43**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.18**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-07-1978**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.10**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**175.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**110.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.7613**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.68**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**80.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-05-1978**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**720.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.4471**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00660	**PHOSPHATE, ORTHO (MG/L AS PO4)**	**0.82**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**324.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**50.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.30**		**A**
71850	**NITRATE NITROGEN,TOTAL (MG/L AS NO3)**	**0.44**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-08-1979**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**144.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.0114**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**1.80**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.14**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-07-1979**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.4978**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.70**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**5.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.14**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**42.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.28**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1979**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**195.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**132.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**41.778**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.70**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.21**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**21.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.417**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-06-1979**	Start Time:	**1315**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**12.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**400.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.8002**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.11**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**118.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.248**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1980**	Start Time:	**835**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**145.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.0104**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.80**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.13**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**51.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.0779999**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-04-1980**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**210.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.4785**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.70**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**90.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.274**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-04-1980**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**410.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.9228**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.80**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.028**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**188.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**38.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.203**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-05-1981**	Start Time:	**1236**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.80**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**300.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.9241**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.90**		**A**
00400	**PH (STANDARD UNITS)**	**6.99**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.13**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**116.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**25.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.243**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-04-1981**	Start Time:	**1144**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**450.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.7017**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**7.13**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**4.50**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.045**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**186.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.31**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.357**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1981**	Start Time:	**1017**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**210.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**126.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.384**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.55**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.11**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**40.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.533**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-03-1981**	Start Time:	**1142**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**570.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**6.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.0132**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**7.53**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.102**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**96.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.31**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.192**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-11-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**395.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.7722**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.60**		**A**
00403	**PH, LAB, STANDARD UNITS SU**	**7.89**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.638**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**76.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**50.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.27**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.376**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-03-1982**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**140.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.15**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.80**		**A**
00400	**PH (STANDARD UNITS)**	**6.75**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.155**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**54.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.181**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-02-1982**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**179.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.7985**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.77**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.15**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**84.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.12**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.277**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-03-1983**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**211.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.0204**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.70**		**A**
00400	**PH (STANDARD UNITS)**	**6.60**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.019**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**52.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**36.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.233**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-02-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**960.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.306**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.45**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.081**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**98.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.54**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.172**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-08-1983**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**3.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.2432**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.95**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.057**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**58.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.30**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.467**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-08-1983**	Start Time:	**1103**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.80**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**345.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.5222**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.10**		**A**
00400	**PH (STANDARD UNITS)**	**7.21**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.11**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**182.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.297**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1984**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.40**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**283.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**4.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.6649**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**7.22**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.107**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**142.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**33.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.464**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-07-1985**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**655.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.65**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.81**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**3.20**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.079**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**334.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.39**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-06-1985**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**218.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.1882**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**3.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.005**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**164.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.47**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.841**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-19-1985**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.30**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**204.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**28.0529**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.10**		**A**
00400	**PH (STANDARD UNITS)**	**6.21**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.067**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**92.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.50**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-05-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**367.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.2436**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.20**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.121**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**94.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.502**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1986**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**420.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.3384**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**172.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**48.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.229**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-19-1986**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.20**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**30.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**380.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**2.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.5303**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**7.28**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.086**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**176.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.34**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.762**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-04-1986**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**165.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**243.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**7.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.8712**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.60**		**A**
00400	**PH (STANDARD UNITS)**	**6.97**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.042**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**116.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**26.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.469**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-05-1987**	Start Time:	**1229**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**60.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**260.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.3805**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.30**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.009**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**150.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**22.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.196**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030100**	Station Alias:	
Station Name:	**WN-17 MYAKKA R AT SR70 BR SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 42sec. N**	Longitude:	**82deg. 10min. 3sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1987**	Start Time:	**1118**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**0.40**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**178.00**		**A**
00300	**OXYGEN, DISSOLVED MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.5709**	**$**	**A**
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.80**		**A**
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.005**		**A**
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**220.00**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**40.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.32**		**A**
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.213**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-15-1977**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**23.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-26-1977**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**19.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-17-1977**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6050.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-21-1977**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**560.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-19-1977**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-23-1978**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-20-1978**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**40000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-20-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-17-1978**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**95.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-15-1978**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**49000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-19-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**370.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-24-1978**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-21-1978**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**25000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**175.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-27-1978**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**28000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**605.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-16-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21650.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-20-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-18-1978**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**24550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-22-1979**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6050.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**230.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-19-1979**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-19-1979**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**22400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**154.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-23-1979**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**30.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9050.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**79.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-21-1979**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**47000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-18-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**29000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**430.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-16-1979**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-20-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1979**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1979**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-19-1979**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**30000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**365.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-17-1979**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-23-1980**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**84500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1610.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-18-1980**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**10.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**155.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-17-1980**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**27500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**25500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**192.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-19-1980**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**12000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-16-1980**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**375.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-23-1980**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**6.56**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**28000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**607.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-18-1980**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.45**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9650.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**330.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1980**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.11**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**450.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1980**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.23**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1980**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-13-1981**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**5.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**245.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-16-1981**	Start Time:	**1108**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**6.48**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-16-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.30**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.69**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4250.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**540.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-20-1981**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**950.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-18-1981**	Start Time:	**1128**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-15-1981**	Start Time:	**1059**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.85**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**240.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-20-1981**	Start Time:	**1117**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**6.82**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-17-1981**	Start Time:	**1043**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.53**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.55**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1981**	Start Time:	**1036**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.65**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-23-1981**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.05**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**410.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-21-1981**	Start Time:	**1102**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**9.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.28**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1982**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.84**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-15-1982**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00400	**PH (STANDARD UNITS)**	**7.54**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1950.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**480.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-15-1982**	Start Time:	**1024**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.76**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14050.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-19-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		
00400	**PH (STANDARD UNITS)**	**7.05**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**72500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-17-1982**	Start Time:	**1154**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.81**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**315.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-21-1982**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.21**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-26-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.35**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-16-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.10**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-21-1982**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.24**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**670.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-18-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**5.93**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-22-1982**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.38**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-20-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**6.46**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-20-1984**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**145.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.76**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-21-1984**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**7.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-16-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		
00400	**PH (STANDARD UNITS)**	**6.72**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**290.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**125.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1984**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**	**K**	
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**	**B**	
00400	**PH (STANDARD UNITS)**	**6.50**	**K**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**	**B**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-21-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**6.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.68**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**365.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-18-1985**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.60**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.58**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-18-1985**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.10**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**25.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-15-1985**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**6.98**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**385.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-17-1985**	Start Time:	**1027**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.60**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.46**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**56450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-15-1985**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.30**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-19-1985**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.31**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-23-1985**	Start Time:	**944**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.80**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.81**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-21-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.60**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.32**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-13-1985**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**115.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**655.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-20-1986**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1986**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.15**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-17-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**330.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.40**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-19-1986**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**7.14**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-16-1986**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.40**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**7.02**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-21-1986**	Start Time:	**845**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.23**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1986**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**480.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-24-1986**	Start Time:	**1305**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.60**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**7.09**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**510.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-23-1986**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.80**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.26**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**360.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-20-1987**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.10**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.07**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-05-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.30**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.84**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-09-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.10**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.86**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1500.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MYAKKA RIVER MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-07-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.30**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**75.00**		
00400	**PH (STANDARD UNITS)**	**6.88**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-15-1977**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**23.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-26-1977**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**19.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-17-1977**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6050.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-21-1977**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**560.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-19-1977**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-23-1978**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1978**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**40000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-20-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-17-1978**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**95.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-15-1978**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**49000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-19-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**370.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-24-1978**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-21-1978**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**25000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**175.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-27-1978**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**28000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**605.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-16-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21650.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-20-1978**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-18-1978**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**24550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-22-1979**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6050.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**230.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-19-1979**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-19-1979**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**22400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**154.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-23-1979**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**30.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9050.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**79.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1979**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**47000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-18-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**29000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**430.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-16-1979**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-20-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1979**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-15-1979**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-19-1979**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**30000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**365.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1979**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-23-1980**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**84500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1610.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-18-1980**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**10.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**155.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1980**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**27500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-21-1980**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**25500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**192.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-19-1980**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**12000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-16-1980**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**375.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-23-1980**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.56**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**28000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**607.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-18-1980**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.45**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9650.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**330.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1980**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.11**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**450.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-20-1980**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.23**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-17-1980**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-15-1980**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-13-1981**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**5.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**245.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-16-1981**	Start Time:	**1108**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.48**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.30**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.69**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4250.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**540.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1981**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**950.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1981**	Start Time:	**1128**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-15-1981**	Start Time:	**1059**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.85**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**240.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-20-1981**	Start Time:	**1117**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.82**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-17-1981**	Start Time:	**1043**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.53**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-28-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.55**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-19-1981**	Start Time:	**1036**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.65**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-23-1981**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.05**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**410.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-21-1981**	Start Time:	**1102**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**9.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.28**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-25-1982**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.84**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-15-1982**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.54**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1950.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**480.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-15-1982**	Start Time:	**1024**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.76**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14050.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-19-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.05**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**72500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-17-1982**	Start Time:	**1154**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.81**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**315.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-21-1982**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.21**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-26-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.35**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-16-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.10**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-21-1982**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.24**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**670.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-18-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**5.93**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-22-1982**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.38**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-20-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.46**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1984**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**145.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-16-1984**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.76**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1984**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-16-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.72**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**290.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**125.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-15-1984**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**	**K**	**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**	**B**	**A**
00400	**PH (STANDARD UNITS)**	**6.50**	**K**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**	**B**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-21-1985**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**6.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.68**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**365.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-18-1985**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.60**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.58**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-18-1985**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.10**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**25.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-15-1985**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.90**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.98**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**385.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-17-1985**	Start Time:	**1027**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.60**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.46**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**56450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-15-1985**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.30**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-19-1985**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.90**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.31**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1985**	Start Time:	**944**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.80**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.81**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-21-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.60**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.32**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-13-1985**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**115.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-16-1985**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**655.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-20-1986**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-17-1986**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.15**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**330.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-21-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.40**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-19-1986**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.14**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-16-1986**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.40**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.02**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1986**	Start Time:	**845**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.23**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-20-1986**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**480.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-24-1986**	Start Time:	**1305**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.60**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.09**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**510.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-23-1986**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.80**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.26**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**360.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-20-1987**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.10**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.07**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-05-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.30**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.84**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.10**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.86**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1500.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030268**	Station Alias:	
Station Name:	**MC-8 MYAKKA RIVER AT MYAKKA CITY ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 54sec. N**	Longitude:	**82deg. 8min. 59sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-07-1987**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.30**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**75.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.88**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-08-1972**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**31.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**33.3333**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.50**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**2.02**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.01**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**16.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1972**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.40**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.09**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.28**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**20.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.3569**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.85**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.15**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000187659**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000228173**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.03**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.32**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.16**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-12-1973**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.0904**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.10**	**L**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.92**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.11**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000819018**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000995837**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.78**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.13**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-01-1974**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**2.20**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**360.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**86.3636**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.66**		
00500	**RESIDUE, TOTAL (MG/L)**		**198.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.30**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-03-1974**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.30**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**420.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.0476**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**8.41**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**231.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-10-1974**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.50**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**400.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**112.658**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.96**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**220.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**9.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-29-1974**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.30**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**2.35294**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**72.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0545455**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**3.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**225.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**290.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.6818**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00400	**PH (STANDARD UNITS)**	**6.90**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.20**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.19**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000688791**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000837494**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.09**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.28**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-19-1974**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**210.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.6363**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.12**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**116.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.38**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.33**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1974**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**140.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.1649**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.19**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**77.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**610.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.245902**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1975**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**200.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**87.7777**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.71**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.314**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.02**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**		**0.471**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.297**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.048**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-06-1975**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**60.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**3600.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**120.253**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**4.04**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1980.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.0739999**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.027**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-27-1975**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**5.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1000.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.2785**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**5.00**		
00400	**PH (STANDARD UNITS)**	**8.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**8.70**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.60**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.25**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.046601**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0566617**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.10**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**74.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.37**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-27-1975**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.03**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**19.5402**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.40**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.81**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.01**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.24**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**	**K**	
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.23**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-27-1976**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**190.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**95.7894**	**$**	
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**550.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-29-1976**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**185.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**103.797**	**$**	
00400	**PH (STANDARD UNITS)**	**5.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**18.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.555556**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-23-1976**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**45.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**40.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.125**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**4 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**110.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**1.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**20.9876**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		
00400	**PH (STANDARD UNITS)**	**5.50**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.92**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.09**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000192412**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000233952**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.33**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1976**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**1.19048**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.00**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.46**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.08**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**33.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-15-1976**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**21.7391**	**$**	
00400	**PH (STANDARD UNITS)**	**6.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-27-1976**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.50**	**$**	
00400	**PH (STANDARD UNITS)**	**7.10**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.166667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-18-1977**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**6.09756**	**$**	
00400	**PH (STANDARD UNITS)**	**5.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3800.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.80**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-15-1977**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**110.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**10.9756**	**$**	
00400	**PH (STANDARD UNITS)**	**7.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.65**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-24-1978**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**41.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.49**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**10.60**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.368**	**K**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.481**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.877**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.0779999**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**250.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-24-1978**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.055**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.64**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-04-1978**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**140.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.4091**	**$**	
00400	**PH (STANDARD UNITS)**	**6.60**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.46**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**21.20**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.036**	**K**	
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.725**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.073**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000132875**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000161561**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-04-1978**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.228**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.798**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**110.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**18.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.286**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.555556**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-28-1978**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**85.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**3.84615**	**$**	
00400	**PH (STANDARD UNITS)**	**6.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**250.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.40**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-30-1978**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6666**	**$**	
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**600.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**480.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.25**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-04-1978**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.70**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**342.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**16900.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.05**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.9285**	**$**	
00400	**PH (STANDARD UNITS)**	**8.78**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**360.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**55.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.27273**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1979**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**330.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**362.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**329.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.22**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.7843**	**$**	
00400	**PH (STANDARD UNITS)**	**8.29**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**270.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.80**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-12-1979**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**340.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**130.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.0384**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00335	**COD, .025N K2CR2O7 MG/L**	**54.80**		
00400	**PH (STANDARD UNITS)**	**7.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.56**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**15.50**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.165**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.062**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.057**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000713961**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-12-1979**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000868098**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.036**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.119**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.339**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**592.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.304**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-27-1979**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**300.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.00**	**$**	
00400	**PH (STANDARD UNITS)**	**7.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**910.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.66667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-23-1979**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.3181**	**$**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**70.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.42857**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-08-1979**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**125.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**225.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**250.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.00**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.40**		
00335	**COD, .025N K2CR2O7**	**MG/L**	**47.00**		
00400	**PH (STANDARD UNITS)**		**6.60**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.84**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**39.40**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**		**212.00**		
00520	**RESIDUE, VOLATILE FILTRABLE (MG/L)**		**98.00**		
00525	**RESIDUE, FIXED FILTRABLE (MG/L)**		**114.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**		**0.683**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.623**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**		**0.027**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-08-1979**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.027**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.54**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**96.50**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**75.60**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**30.20**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**313.136**	**$**	
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.519**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-31-1979**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**420.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**115.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.7368**	**$**	
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**220.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.590909**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-30-1979**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.56**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**250.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**		**380.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**118.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**53.4091**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.30**		
00335	**COD, .025N K2CR2O7**	**MG/L**	**65.20**		
00400	**PH (STANDARD UNITS)**		**6.30**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.59**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**23.53**		
00600	**NITROGEN, TOTAL (MG/L AS N)**		**3.94**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**3.82**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-30-1979**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.08**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000601568**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000731441**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**3.90**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.04**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.296**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.242**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**		
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**127.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.11111**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-15-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**350.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**380.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**310.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**81.5217**	**$**	
00400	**PH (STANDARD UNITS)**	**7.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.17**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**41000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**9700.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**97.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1980**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**450.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.3333**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**720.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**110.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**6.54545**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1980**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**450.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.2353**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.95**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**270.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.0574**	**$**	
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-17-1980**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**220.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**11.3924**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**3.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**850**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**310.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**220.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.037**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.48**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.445**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.385**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.06**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00098883**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00120231**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.445**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-22-1980**	Start Time:	**850**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.15**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-25-1980**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.10**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**241.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**216.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.5185**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-22-1980**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**-10.00**	**M**	
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**4.87805**	**$**	
00400	**PH (STANDARD UNITS)**	**5.90**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.62**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**64.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.711111**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-22-1980**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**2.29885**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.42**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**0.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.66**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.101**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.97**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.121**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000186778**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000227102**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.091**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.51**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.283**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.008**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-05-1981**	Start Time:	**850**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**10.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**11.5044**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.72**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**27.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.70**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-16-1981**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.70**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**330.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**201.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**283.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.3333**	**$**	
00400	**PH (STANDARD UNITS)**	**6.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**82.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**475.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.3908**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.20**		
00400	**PH (STANDARD UNITS)**	**6.80**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.119**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.81**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.289**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000736828**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000895903**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.099**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1981**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.526**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.432**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**9.21**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.51**		
32230	**CHLOROPHYLL A (MG/L)**	**0.046**		
32231	**CHLOROPHYLL B (MG/L)**	**0.006**		
32232	**CHLOROPHYLL C (MG/L)**	**0.00**		
32234	**CHLOROPHYLL, TOTAL (A+B+C) (MG/L)**	**0.052**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-27-1981**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**452.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**8.33333**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.81**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**640.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-01-1981**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.20**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**110.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**147.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**518.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.762**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.752**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.00**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.752**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.654**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.507**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-01-1981**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**27.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.054**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**350.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**176.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.51**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.855**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.795**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000694673**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000844646**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.835**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.503**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.442**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-24-1981**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**450.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0888889**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1981**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**114.00**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.30**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**360.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**600.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.0166667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-26-1981**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**151.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**5.50**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.60**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.28**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**40.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**		**8.10**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**		**6.73**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**		**1.10**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**		**0.30**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORRI**		**9.50**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**		**2.20**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**		**1.53**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.25**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-02-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**371.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.7894**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.60**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.209**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.186**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.023**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000320307**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000389458**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.209**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-02-1982**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.59**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.24**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**32.46**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**30.71**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**5.43**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.27**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**39.16**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**2.32**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.65**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-22-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**150.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**390.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**40.2439**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.26**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**50.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-26-1982**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**240.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**4.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**48.2758**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**		**1.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.32**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**240.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**660.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.363636**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**56.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**59.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**1.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**15.1899**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**5.70**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.249**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.213**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.036**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000107647**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000130887**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.249**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-22-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.168**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.143**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**8.20**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.17**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.63**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**4.54**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**4.63**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**0.00**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.74**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.666667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-03-1982**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**93.10**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**15.3846**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.14**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**30.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**370.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.081081**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1982**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**175.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**59.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**39.2857**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.10**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.11**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-16-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**174.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.02**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.00**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000278899**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000339111**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.02**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.157**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-16-1982**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.118**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.21**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**14.23**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**12.28**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**2.51**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.65**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**17.39**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**3.05**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.56**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**300.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**8.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**98.8235**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.594**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.594**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000897258**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000109097**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.594**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-06-1982**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.166**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.096**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.27**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**990.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**57.93**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**40.65**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**13.98**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		
32216	**CHLOROPHYLL,TOTAL UG/L TRICHROMATIC UNCORR**	**71.91**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. M**	**29.00**		
32219	**PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER A**	**1.41**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.010101**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-31-1983**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**279.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**355.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**9.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**104.21**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.05**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.231**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.231**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000629376**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000765253**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.231**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.174**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-31-1983**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.12**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**86.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**59.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.1111**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.848**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.848**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000915562**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000111322**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.848**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.04**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.02**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.08**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.533333**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**5.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**144.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**123.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.9506**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.545**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.545**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000849999**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000103351**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.545**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-03-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.257**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.205**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1700.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.83333**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1983**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**207.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.6315**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.19**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**240.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-01-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**90.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**88.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**6.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**78.481**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.60**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**		**19.90**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**		**0.15**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**28000.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**0.00357143**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1983**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**77.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**29.7619**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000480624**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000584386**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS**	**0.243**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**22.70**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.14**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-19-1983**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**6100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0245902**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-02-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**142.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.913**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**76.00**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.23**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.10**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**178.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.6595**	**$**	
00335	**COD, .025N K2CR2O7 MG/L**	**42.10**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.046**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.046**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000955288**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000116153**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.046**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-12-1983**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.177**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.147**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**420.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**2300.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.182609**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.5946**	**$**	
00400	**PH (STANDARD UNITS)**	**6.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.80**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.44**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**11.30**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**5.80**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.70**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1984**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**12.70**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**		**22.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.19**		
01042	**COPPER, TOTAL (UG/L AS CU)**		**50.00**	**K**	
01045	**IRON, TOTAL (UG/L AS FE)**		**416.00**		
01051	**LEAD, TOTAL (UG/L AS PB)**		**100.00**	**K**	
01067	**NICKEL, TOTAL (UG/L AS NI)**		**79.00**		
01092	**ZINC, TOTAL (UG/L AS ZN)**		**30.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**56.00**		
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**		**0.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**52.1005**	**$**	
71900	**MERCURY, TOTAL (UG/L AS HG)**		**0.50**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**165.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**186.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.9381**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.793**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.773**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000103639**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000126013**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.793**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-06-1984**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.281**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-07-1984**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**320.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**272.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.7777**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.10**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-09-1984**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.9759**	**$**	
00400	**PH (STANDARD UNITS)**	**6.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.14**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.58**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.30**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**47.70**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**12.00**	**B**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-09-1984**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**7.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**192.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.6363**	**$**	
00400	**PH (STANDARD UNITS)**	**7.10**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.20**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.98**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000188865**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000229639**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.02**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.488**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.05**	**$**	

Start Date:	**06-11-1984**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**31.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**60.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**230.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**81.3333**	**$**	
00400	**PH (STANDARD UNITS)**		**7.40**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.20**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**		**0.93**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.43**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**13.70**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**		**44.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.25**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**28.00**	**B**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1984**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**11.00**		

Start Date:	**12-17-1984**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-11-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**450.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**366.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.5979**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.51**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.449**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.165**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.118**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000987814**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.072**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00120107**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.283**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-11-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.166**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.469**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.40**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1985**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**501.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**48.8636**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.025**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**431.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.4444**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.339**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.288**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.051**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000444729**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000540741**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.339**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-01-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.779**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.697**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-15-1985**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**570.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**648.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**46.8354**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.60**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1000.00**	**L**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.01**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**121.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.4878**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.623**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.465**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.133**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000173232**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000210631**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.598**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-16-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.025**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.562**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.532**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1800.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0111111**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-07-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**175.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**177.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.5238**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.50**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**3700.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0054054**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-06-1985**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**234.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.7872**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.05**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**10.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**252.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.2941**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.49**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.471**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.44**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000213626**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000259746**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.471**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.238**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.232**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**80.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.125**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-08-1986**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**248.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**98.969**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.38**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**2500.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.004**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**140.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**287.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.4444**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.43**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.007**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.997**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.01**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000933675**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000113525**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.007**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-10-1986**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.332**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.284**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.10**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1986**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**350.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.5714**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**438.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**8.06**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.613**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.593**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00139088**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00169115**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.613**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-02-1986**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.148**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**1.135**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-09-1986**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**130.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**330.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**389.00**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.94**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1800.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1986**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**185.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.9873**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.65**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**180.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0555556**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**248.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.4444**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.22**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.222**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.174**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000115643**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000140609**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.194**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.028**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.332**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.258**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-28-1987**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**225.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**71.5686**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.91**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**228.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.5319**	**$**	
00400	**PH (STANDARD UNITS)**	**6.98**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.96**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.021**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.988**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000576949**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000701507**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.008**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1987**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.013**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.213**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.199**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.08**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**160.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.75**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**202.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**5.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**66.6666**	**$**	
00400	**PH (STANDARD UNITS)**		**6.67**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.82**		
00480	**SALINITY - PARTS PER THOUSAND**		**0.00**		
01027	**CADMIUM, TOTAL (UG/L AS CD)**		**0.005**	**K**	
01042	**COPPER, TOTAL (UG/L AS CU)**		**0.01**		
01045	**IRON, TOTAL (UG/L AS FE)**		**0.20**		
01051	**LEAD, TOTAL (UG/L AS PB)**		**0.015**	**K**	
01067	**NICKEL, TOTAL (UG/L AS NI)**		**0.04**	**K**	
01092	**ZINC, TOTAL (UG/L AS ZN)**		**0.02**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-25-1987**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**40.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.25**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-29-1987**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.7058**	**$**	
00400	**PH (STANDARD UNITS)**	**6.62**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.63**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**215.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**49.3827**	**$**	
00400	**PH (STANDARD UNITS)**	**6.53**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.59**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.017**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.997**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000036367**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000442183**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-26-1987**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.017**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.26**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.116667**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**214.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**38.4615**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.77**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.238**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.204**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.021**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000760559**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000924756**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.225**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-29-1987**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.013**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.277**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.24**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.10**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-29-1987**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**130.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**136.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**21.0526**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.40**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**110.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**120.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**25.3165**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.53**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.134**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.093**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000799077**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000097159**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.134**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-08-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.242**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.231**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**490.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.163265**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-14-1987**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**164.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**35.1064**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.53**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**170.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**170.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-18-1987**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**227.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.647**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.68**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2900.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**220.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.272727**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**202.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**37.8947**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.65**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.788**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.733**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000514833**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000062598**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.774**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-14-1987**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.014**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.281**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.226**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**240.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0416667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1988**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**212.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.3404**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.90**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.94**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.888**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000960339**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000116767**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.928**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1988**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.262**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.247**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**470.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0212766**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-02-1988**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**239.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.3684**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.45**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**270.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.037037**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**186.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.0909**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.44**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.988**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.968**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000207527**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000025233**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.988**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-11-1988**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.327**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.304**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**450.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0222222**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-25-1988**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**246.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.1904**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.89**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-27-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**200.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.6666**	**$**	
00400	**PH (STANDARD UNITS)**	**7.21**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.519**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.479**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000453174**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00055101**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.519**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-27-1988**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.789**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.467**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.40**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-03-1988**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**7.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**216.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**2.53164**	**$**	
00400	**PH (STANDARD UNITS)**	**6.47**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**18000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**580.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**900.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.644444**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**103.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.8642**	**$**	
00400	**PH (STANDARD UNITS)**	**6.36**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.44**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.287**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.172**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.102**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000125484**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000152575**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**09-06-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.274**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.013**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.446**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.438**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**400.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.25**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-12-1988**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**130.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**136.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.9885**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.71**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**130.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0769231**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.5747**	**$**	
00400	**PH (STANDARD UNITS)**	**6.87**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.03**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.645**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.213**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.182**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000544885**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.04**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000662521**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.395**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-07-1988**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.25**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.423**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.396**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**130.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0769231**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**243.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.3103**	**$**	
00400	**PH (STANDARD UNITS)**	**6.95**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.32**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.214**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.101**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000143871**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000174932**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1989**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.141**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.073**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.398**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.372**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-01-1989**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6667**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**326.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.8571**	**$**	
00400	**PH (STANDARD UNITS)**	**7.09**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.25**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.714**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.673**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.041**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000234098**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000284638**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-06-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.714**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.221**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1200.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00833333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-05-1989**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**368.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.3529**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.27**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-10-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**422.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.4146**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**7.05**		
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**	**J**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**243.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.3103**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.32**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.95**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.214**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.703**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.031**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000259854**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000315954**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-03-1989**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.141**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.073**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.398**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.372**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6667**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.00**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**50.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**326.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.8571**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.25**		**D**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.09**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.714**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.714**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.221**		**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-06-1989**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**1200.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.00833333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-05-1989**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**368.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.00**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.3529**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.27**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.101**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.04**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000321094**	**$**	**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000390416**	**$**	**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-10-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**55.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**422.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.4146**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.05**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG** **SOUTH-EAST** **PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-17-1989**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**260.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**223.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**25.00**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.32**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.68**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.82**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.70**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.12**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000165608**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000201361**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-17-1989**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.82**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.59**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.52**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**240.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.291667**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG** **SOUTH-EAST** **PEACE**		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-02-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**182.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.6456**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.74**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-18-1989**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**178.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**27.1605**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.93**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**46000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**260.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**352.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.9091**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.96**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.21**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.12**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.08**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000274074**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000333244**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-08-1990**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.21**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG** **SOUTH-EAST** **PEACE**		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**360.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**377.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.2528**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.83**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**8.12**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.40**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.32**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.05**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00132603**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0016123**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1990**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.37**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.03**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.20**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.18**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-28-1990**	Start Time:	**910**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**400.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**410.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**104.762**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**8.27**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.97**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**440.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**464.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**59.7561**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**8.11**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.37**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.06**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.03**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.03**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0017969**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00218483**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-07-1990**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.06**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.14**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.13**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**30.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**360.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**386.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**25.00**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.87**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.69**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.59**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.09**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000453966**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000551973**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.68**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-25-1990**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.32**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-06-1990**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**19.2308**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.04**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.77**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**500.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.20**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-17-1990**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**172.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.10**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**26.9231**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.85**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.58**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.57**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.56**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.35**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-17-1990**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-24-1990**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**175.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**169.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**22.619**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.64**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**200.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG** **SOUTH-EAST** **PEACE**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-02-1991**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**266.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.3218**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.95**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.10**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**300.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-17-1991**	Start Time:	**910**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**390.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**402.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.90**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**11.1111**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.70**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.72**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**600.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.166667**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**120.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**130.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**161.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.30**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**16.6667**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.61**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.51**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.10**		**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**K**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**275.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.70**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**8.86076**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.65**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.76**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.63**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.12**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000308076**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000374587**	**$**	**D**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.76**		**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1991**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**2.21**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.34**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**700.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**100.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**7.00**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-23-1991**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**253.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**33.3333**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.85**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.89**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**900.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.333333**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-26-1992**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**240.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**480.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.80**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.8181**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.74**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**580.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.103448**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG** **SOUTH-EAST** **PEACE**		
State: **Florida**		County: **Sarasota**	
Latitude: **27deg. 14min. 5sec. N**		Longitude: **82deg. 18min. 43sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**340.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**520.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**535.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.3191**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**6.76**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.03**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.84**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.64**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.13**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000226285**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.04**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000275138**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1992**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.77**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.07**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.76**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.09**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3100.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.111111**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1992**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**D**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**700.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**772.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.50**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.3038**	**$**	**D**
00400	**PH (STANDARD UNITS)**	**7.13**		**D**
00403	**PH, LAB, STANDARD UNITS SU**	**7.12**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.25**		**D**
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.87**		**D**
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**	**0.37**		**D**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00295004**	**$**	**D**
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		**D**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00358692**	**$**	**D**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1992**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.24**		**D**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		**D**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.12**		**D**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.07**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**270.00**		**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.111111**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLSARA**	Organization Name:	**SARASOTA CNY RESOURCE**
Station ID:	**25030404**	Station Alias:	
Station Name:	**MYAKKA R AT SR 72 BRDG SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 5sec. N**	Longitude:	**82deg. 18min. 43sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-26-1992**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**D**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**D**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.40**		**D**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**220.00**		**D**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		**D**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**151.00**		**D**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.40**		**D**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**30.3797**	**$**	**D**
00403	**PH, LAB, STANDARD UNITS SU**	**6.82**		**D**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**D**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**	**J**	**D**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**J**	**D**
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**90.00**	**J**	**D**
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.111111**	**$**	**D**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-08-1972**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**32.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**2.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**32.4324**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**2.40**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**1.92**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.01**		
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**13.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.40**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-05-1972**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**		**0.09**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.09**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.28**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.16**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-02-1973**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.00**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.3569**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.40**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.60**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.92**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.22**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000346385**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000421167**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.29**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.16**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-12-1973**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**101.303**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**6.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.11**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.11**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00162212**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00197232**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.65**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.07**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**215.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**335.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7727**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.90**		
00400	**PH (STANDARD UNITS)**	**6.80**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.30**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**2.25**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.10**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000298711**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000363199**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.70**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-04-1974**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.18**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-27-1975**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**6.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**430.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.9629**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**7.00**		
00400	**PH (STANDARD UNITS)**	**7.60**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.36**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00943697**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0114743**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.10**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.15**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**92.00**		
00950	**FLUORIDE, DISSOLVED (MG/L AS F)**	**0.40**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.01**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-03-1975**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.50**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1100.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**1.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**18.1818**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.10**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.76**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.28**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.24**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-30-1976**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**4 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**0.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**110.00**		
00400	**PH (STANDARD UNITS)**	**5.60**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.92**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.10**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000353933**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000430343**	**$**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.29**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-30-1979**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**45.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**0.67**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**200.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**		**340.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**150.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**53.4091**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.50**		
00335	**COD, .025N K2CR2O7**	**MG/L**	**53.60**		
00400	**PH (STANDARD UNITS)**		**6.10**		
00600	**NITROGEN, TOTAL (MG/L AS N)**		**1.785**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**1.719**		
00608	**NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)**		**0.066**		
00612	**AMMONIA, UNIONZED**	**(MG/L AS N)**	**0.0000313246**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**10-30-1979**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000380873**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.785**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.328**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.221**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**120.00**		
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**149.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.833333**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-15-1980**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**355.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**370.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**340.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**315.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.5957**	**$**	
00400	**PH (STANDARD UNITS)**	**7.50**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.23**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**13000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3200.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**320.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-15-1980**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**130.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**400.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**315.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.1739**	**$**	
00400	**PH (STANDARD UNITS)**	**7.70**		
00403	**PH, LAB, STANDARD UNITS SU**	**7.31**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**14000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1700.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**170.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1980**	Start Time:	**920**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**6.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**430.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.1111**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.62**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**650.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**110.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**5.90909**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1980**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**210.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**5.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**430.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**230.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**48.8889**	**$**	
00400	**PH (STANDARD UNITS)**	**6.20**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.64**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**700.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**150.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**4.66667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1980**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**360.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**175.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**220.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.1724**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.82**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**10.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**03-31-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**360.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**210.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.0229**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.81**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**20.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.50**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**845**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**270.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.2222**	**$**	
00400	**PH (STANDARD UNITS)**	**6.30**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.81**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**70.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.142857**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**300.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**	**280.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**270.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.2222**	**$**	
00400	**PH (STANDARD UNITS)**	**6.30**		
00403	**PH, LAB, STANDARD UNITS SU**	**6.76**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**60.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.166667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-17-1980**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**27.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**0.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**		**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**80.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**220.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**3.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**39.5061**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**1000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**10.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**		**10.00**	**K**	
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**		**1.00**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030405**	Station Alias:	
Station Name:	**MYAKKA R BRDG ON STATE PARK ROAD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 14min. 43sec. N**	Longitude:	**82deg. 18min. 28sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-03-1983**	Start Time:	**1001**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8066.00**		
01034	**CHROMIUM, TOTAL (UG/L AS CR)**	**10.00**	**U**	
01055	**MANGANESE, TOTAL (UG/L AS MN)**	**10.00**	**K**	
01105	**ALUMINUM, TOTAL (UG/L AS AL)**	**500.00**	**U**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**06-10-1974**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**1.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.20**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**185.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**1.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**21.519**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.42**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**102.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**320.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.46875**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1974**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**4.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**180.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**5.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.00**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.96**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**99.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**800.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**9200.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.0869565**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-25-1975**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.50**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**160.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.3684**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.61**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**0.17**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.738**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.0829999**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**180.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.444444**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**01-27-1976**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**83.1579**	**$**	
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**45.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.66667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**11-15-1976**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**110.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**54.4444**	**$**	
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**270.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**550.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**0.490909**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**07-10-1977**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**2.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**165.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**5.95238**	**$**	
00400	**PH (STANDARD UNITS)**	**5.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**900.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**380.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**2.36842**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**08-15-1977**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**90.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**42.6829**	**$**	
00400	**PH (STANDARD UNITS)**	**7.90**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**12000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**900.00**		
31679	**FECAL STREPTOCOCCI,MF M-ENTEROCOCCUS AGAR,3**	**740.00**		
82028	**RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCC**	**1.21622**	**$**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-12-1979**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**13.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**360.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**1.75**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**175.00**		
00090	**OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)**		**370.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**170.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**200.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**7.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**67.9245**	**$**	
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**0.90**		
00335	**COD, .025N K2CR2O7**	**MG/L**	**51.70**		
00400	**PH (STANDARD UNITS)**		**7.30**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.79**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**21.80**		
00600	**NITROGEN, TOTAL (MG/L AS N)**		**1.06**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.983**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**02-12-1979**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.036**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000174138**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.009**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000211733**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.032**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.019**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.237**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**78.90**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**21.10**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**6.40**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**79.0418**	**$**	
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.194**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-08-1979**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8074.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**		**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**		**180.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**65.00**		
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**		**590.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**6.60**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.40**		
00335	**COD, .025N K2CR2O7**	**MG/L**	**25.60**		
00400	**PH (STANDARD UNITS)**		**7.10**		
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.34**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**65.50**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**		**484.00**		
00520	**RESIDUE, VOLATILE FILTRABLE (MG/L)**		**136.00**		
00525	**RESIDUE, FIXED FILTRABLE (MG/L)**		**348.00**		
00600	**NITROGEN, TOTAL (MG/L AS N)**		**0.694**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**		**0.271**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**		**0.022**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030407**	Station Alias:	
Station Name:	**CLAY GULLY AT SR780 BRIDGE SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 47sec. N**	Longitude:	**82deg. 15min. 12sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BIO**		

Start Date:	**05-08-1979**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.003**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.398**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.293**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.385**		
00900	**HARDNESS, TOTAL (MG/L AS CACO3)**	**296.50**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**88.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**18.30**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**296.843**	**$**	
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.361**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**09-19-1975**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
83500	**SAMPLE, AREA**	**SQUARE CENTIMETERS**	**10000.00**		

Start Date:	**09-23-1975**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**26.75**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**		**1.00**		
00077	**TRANSPARENCY, SECCHI DISC (INCHES)**		**216.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**280.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**1.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**18.5185**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**6.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**07-26-1978**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**70.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**0.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**7.31707**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.20**		
00605	**NITROGEN, ORGANIC, TOTAL (MG/L AS N)**	**1.46**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.10**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000998509**	**$**	
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000121408**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.00**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.56**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.00**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.48**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**07-26-1978**	Start Time:	**1031**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8066.00**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**30.40**		

Start Date:	**07-26-1978**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8083.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8083.00**		
82246	**NATURAL SUBSTRATE,DIVERSITY INDEX**	**1.167**		
82250	**NATURAL SUBSTRATE - NUMBER OF SPECIES**	**3.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**07-26-1978**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
83500	**SAMPLE, AREA**	**SQUARE CENTIMETERS**	**10000.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**07-05-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8052.00**		
00070	**TURBIDITY, (JACKSON CANDLE UNITS)**	**2.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00300	**OXYGEN, DISSOLVED MG/L**	**4.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.8947**	**$**	
00403	**PH, LAB, STANDARD UNITS SU**	**6.96**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0003637**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000442219**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.44**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**07-05-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8083.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**	**8083.00**		
82246	**NATURAL SUBSTRATE,DIVERSITY INDEX**	**2.339**		
82250	**NATURAL SUBSTRATE - NUMBER OF SPECIES**	**13.00**		
82256	**BIOTIC INDEX BI INDEX**	**3.00**		
82257	**BIOTIC INDEX (SPECIES) INDEX**	**18.00**		

Start Date:	**07-05-1979**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
83500	**SAMPLE, AREA SQUARE CENTIMETERS**	**10000.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**09-08-1980**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8052.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8052.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**		**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**		**160.00**		
00300	**OXYGEN, DISSOLVED**	**MG/L**	**0.50**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**6.57895**	**$**	
00403	**PH, LAB, STANDARD UNITS**	**SU**	**7.25**		
00615	**NITRITE NITROGEN, TOTAL (MG/L AS N)**		**0.006**	**K**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**		**0.06**	**K**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**		**1.47**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**		**0.066**	**K**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**		**0.62**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**		**16.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030414**	Station Alias:	
Station Name:	**UPPER MYAKKA LAKE-.7 MILES NE OF SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 16min. 20sec. N**	Longitude:	**82deg. 16min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/LAKE/BIO**		

Start Date:	**09-08-1980**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**		**8083.00**		
00028	**CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPE**		**8083.00**		
82246	**NATURAL SUBSTRATE,DIVERSITY INDEX**		**1.00**		
82250	**NATURAL SUBSTRATE - NUMBER OF SPECIES**		**6.00**		
82256	**BIOTIC INDEX BI**	**INDEX**	**3.00**		
82257	**BIOTIC INDEX (SPECIES)**	**INDEX**	**18.00**		

Start Date:	**09-08-1980**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
83500	**SAMPLE, AREA**	**SQUARE CENTIMETERS**	**10000.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-15-1977**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**865.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-26-1977**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-17-1977**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**27.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-21-1977**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2650.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-19-1977**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**24000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**395.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-23-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**205.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-20-1978**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2100.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-20-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-17-1978**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-15-1978**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7950.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-19-1978**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**12.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-24-1978**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**125.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-21-1978**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-27-1978**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**215.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-16-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-20-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-18-1978**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-22-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**265.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-19-1979**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-19-1979**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**11.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-23-1979**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-21-1979**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-18-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-16-1979**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-20-1979**	Start Time:	**1210**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1979**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**95000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**290.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 17min. 25sec. N**		Longitude: **82deg. 14min. 44sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1979**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15970.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**77.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-19-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**8.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-17-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**55.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-23-1980**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10630.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**285.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-18-1980**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**135.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-17-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**13.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1980**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**12.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8333.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**97.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-19-1980**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.70**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2250.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-16-1980**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**78.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-23-1980**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**75.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-18-1980**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.76**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1980**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**163.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1980**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-17-1980**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**73.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 17min. 25sec. N**		Longitude: **82deg. 14min. 44sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-15-1980**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.80**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**7.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-13-1981**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**6.75**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-16-1981**	Start Time:	**1127**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**6.85**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1250.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-16-1981**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-20-1981**	Start Time:	**1225**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.98**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7650.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-18-1981**	Start Time:	**1158**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**7.24**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-15-1981**	Start Time:	**1126**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.82**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**55.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-20-1981**	Start Time:	**1138**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		
00400	**PH (STANDARD UNITS)**	**7.35**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1100.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-17-1981**	Start Time:	**1104**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**6.58**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-28-1981**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.74**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1950.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-19-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.31**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-23-1981**	Start Time:	**1114**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.45**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-21-1981**	Start Time:	**1252**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.62**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-25-1982**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**6.95**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-15-1982**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00400	**PH (STANDARD UNITS)**	**7.27**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-15-1982**	Start Time:	**1047**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.35**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-19-1982**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		
00400	**PH (STANDARD UNITS)**	**7.01**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**13900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-17-1982**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.34**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-21-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-26-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.31**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-16-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**850.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-21-1982**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**6.47**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-18-1982**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.29**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**265.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-22-1982**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.33**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**75.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-20-1982**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.29**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-18-1983**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**11.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.39**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-21-1983**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.48**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-21-1983**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**6.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-18-1983**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**6.41**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-16-1983**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**6.67**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-20-1983**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.45**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-25-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.63**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State: **Florida**		County: **Manatee**	
Latitude: **27deg. 17min. 25sec. N**		Longitude: **82deg. 14min. 44sec. W**	
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-15-1983**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.55**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-26-1983**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-17-1983**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.58**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1150.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**280.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-21-1983**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**7.02**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-19-1983**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		
00400	**PH (STANDARD UNITS)**	**6.43**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-23-1984**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-16-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**7.07**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-21-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**7.38**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-16-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		
00400	**PH (STANDARD UNITS)**	**6.50**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-24-1984**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.21**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-15-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**	**K**	
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**	**B**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-21-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**7.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.56**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-18-1985**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.99**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-18-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**25.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**6.93**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-15-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.20**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**6.56**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-17-1985**	Start Time:	**1057**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.20**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**6.85**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-15-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.70**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.93**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**08-19-1985**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.47**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**195.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**09-23-1985**	Start Time:	**1001**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.20**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.04**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-21-1985**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.30**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.21**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-13-1985**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-16-1985**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		
00400	**PH (STANDARD UNITS)**	**7.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**215.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-20-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		
00400	**PH (STANDARD UNITS)**	**7.40**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**695.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-17-1986**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.80**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.46**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-17-1986**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.60**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2450.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-21-1986**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.10**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**6.88**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**05-19-1986**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.30**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		
00400	**PH (STANDARD UNITS)**	**7.57**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**06-16-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		
00400	**PH (STANDARD UNITS)**	**7.32**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1250.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**07-21-1986**	Start Time:	**902**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**6.98**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**10-20-1986**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**850.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**11-24-1986**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.10**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		
00400	**PH (STANDARD UNITS)**	**7.25**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**12-23-1986**	Start Time:	**1009**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.10**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		
00400	**PH (STANDARD UNITS)**	**7.31**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**01-20-1987**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.70**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		
00400	**PH (STANDARD UNITS)**	**7.16**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**02-05-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.90**		
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		
00400	**PH (STANDARD UNITS)**	**7.20**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11000.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**510.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD**		
	SOUTH-EAST		
	PEACE		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**03-09-1987**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.10**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		
00400	**PH (STANDARD UNITS)**	**6.97**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1850.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/MUN/AMBNT/STREAM/BIO**		

Start Date:	**04-07-1987**	Start Time:	**1037**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.60**		
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**75.00**		
00400	**PH (STANDARD UNITS)**	**6.93**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**120.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-15-1977**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**865.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-26-1977**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-17-1977**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**27.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-21-1977**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2650.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-19-1977**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**24000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**395.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-23-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**205.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-20-1978**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2100.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-20-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-17-1978**	Start Time:	**1125**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-15-1978**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7950.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-19-1978**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**12.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-24-1978**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**125.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-21-1978**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-27-1978**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**215.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-16-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**21500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-20-1978**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-18-1978**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-22-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**265.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-19-1979**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**22.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-19-1979**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**11.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-23-1979**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1979**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**17000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-18-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-16-1979**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-20-1979**	Start Time:	**1210**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1979**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**95000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**290.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-15-1979**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**15970.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**77.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-19-1979**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**9300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**8.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1979**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**55.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-23-1980**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**10630.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**285.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-18-1980**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**135.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1980**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**13.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-21-1980**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**12.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8333.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**97.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-19-1980**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2250.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-16-1980**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**78.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-23-1980**	Start Time:	**1155**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**8150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**75.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-18-1980**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.76**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1980**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**163.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-20-1980**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-17-1980**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**73.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-15-1980**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**7.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-13-1981**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**6.75**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-16-1981**	Start Time:	**1127**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.85**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1250.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**165.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1981**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1981**	Start Time:	**1225**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.98**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7650.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1981**	Start Time:	**1158**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**20.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.24**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-15-1981**	Start Time:	**1126**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.82**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**55.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-20-1981**	Start Time:	**1138**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**202.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.35**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**16000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1100.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-17-1981**	Start Time:	**1104**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.58**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-28-1981**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.74**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1950.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-19-1981**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.31**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-23-1981**	Start Time:	**1114**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.45**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-21-1981**	Start Time:	**1252**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.62**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**6100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-25-1982**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.95**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-15-1982**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.27**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-15-1982**	Start Time:	**1047**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.35**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-19-1982**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.01**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**13900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-17-1982**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.34**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**85.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-21-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-26-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.31**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-16-1982**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**850.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-21-1982**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.47**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**400.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-18-1982**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.29**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**800.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**265.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-22-1982**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.33**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**75.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-20-1982**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.29**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-18-1983**	Start Time:	**940**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**11.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.39**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**105.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-21-1983**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.48**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-21-1983**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-18-1983**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**4.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.41**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-16-1983**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.67**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-20-1983**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**6.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.45**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-25-1983**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.63**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-15-1983**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.55**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-26-1983**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-17-1983**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.58**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1150.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**280.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-21-1983**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.02**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**185.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-19-1983**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**0.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.43**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-23-1984**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-16-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.07**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.38**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-16-1984**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**112.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1984**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.21**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-15-1984**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**	**K**	**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**	**B**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-21-1985**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**7.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**15.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.56**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-18-1985**	Start Time:	**950**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.99**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-18-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**25.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.93**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-15-1985**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.20**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.56**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-17-1985**	Start Time:	**1057**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.20**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.85**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-15-1985**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.70**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.93**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-19-1985**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.50**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.47**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3500.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**195.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1985**	Start Time:	**1001**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.20**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.04**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-21-1985**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.30**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.21**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-13-1985**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-16-1985**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**7.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**360.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**215.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-20-1986**	Start Time:	**1015**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**315.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1350.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**695.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-17-1986**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.80**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.46**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**70.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1986**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**3.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2450.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**150.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-21-1986**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.10**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.88**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**300.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-19-1986**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.30**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**225.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.57**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-16-1986**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.90**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**180.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.32**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1250.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1986**	Start Time:	**902**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.90**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.98**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**200.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-20-1986**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**850.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-24-1986**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.10**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**45.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**	**K**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-23-1986**	Start Time:	**1009**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.10**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**90.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.31**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-20-1987**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.70**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**10.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**67.50**		**A**
00400	**PH (STANDARD UNITS)**	**7.16**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-05-1987**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.90**		**A**
00027	**CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APP**	**8072.00**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**135.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**11000.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**510.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1987**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.10**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**8.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**270.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.97**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4100.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1850.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**25030420**	Station Alias:	
Station Name:	**MC-10 MYAKKA R AT CLAY GULLY RD SOUTH-EAST PEACE**		
State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-07-1987**	Start Time:	**1037**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.60**		**A**
00035	**WIND VELOCITY (MILES PER HOUR)**	**5.00**		**A**
00036	**WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKW**	**75.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.93**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**120.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**09-22-1992**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.30**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**277.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.45**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.4705**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**0.30**	**A**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.40**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**30.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.80**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.022**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000343122**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000417199**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.74**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.06**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**	**A**	
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**58.00**	**J**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**350.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**09-22-1992**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**190.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.20**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**03-17-1993**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.70**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**11.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**65.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.74**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.4131**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.00**		
00406	**PH, FIELD, STANDARD UNITS SU**	**6.41**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**17.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.056**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000041409**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000503488**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.80**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.044**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.18**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**36.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**03-17-1993**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**60.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**156.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.00**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**08-11-1993**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**34.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**200.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.80**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**45.2428**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**K**	
00406	**PH, FIELD, STANDARD UNITS SU**	**5.93**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**34.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.06**	**J**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000289669**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000352206**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.71**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.10**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**47.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**08-11-1993**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**	**J**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.00**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**02-02-1994**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**2.46 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.30**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.75**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**158.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.20**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.5979**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.83**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.025**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000471238**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000572973**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.69**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.05**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**43.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**02-02-1994**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**		**76.00**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**	**K**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**29.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**		**1.00**	**K**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**64.00**	**J**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**		**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**08-03-1994**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**.82 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.90**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.40**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**156.00**	**D**	
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.79**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.6173**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.72**	**D**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.034**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000107552**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000130771**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.91**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.082**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.35**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**32.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**08-03-1994**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**		**270.00**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**	**K**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**21.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**		**1.00**	**K**	
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**160.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**200.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**		**3.40**	**S**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**02-15-1995**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**		**100.00**		
00310	**BOD, 5 DAY, 20 DEG C**	**MG/L**	**1.00**	**K**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**		**29.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**		**1.00**	**K**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**		**1.20**	**S**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**02-15-1995**	Start Time:	**1235**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.60**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**223.00**	**D**	
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.0527**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.60**	**D**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000305822**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000371846**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.61**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.04**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.24**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**63.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**10-10-1995**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.10**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**280.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**120.00**	**D**	
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.67**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.1516**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**U**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.35**	**D**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**15.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**	**U**	
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.80**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**23.00**		
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**980.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**420.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.40**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**01-10-1996**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**9.97**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**98.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**242.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.33**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.5795**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**U**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.49**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**20.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.027**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000154564**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000187932**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.67**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.039**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.19**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**59.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**01-10-1996**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**290.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**322.00**	**A**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.50**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**04-09-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.90**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.7744**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**U**	
00402	**SPECIFIC CONDUCTANCE,NON-TEMPERATURE CORR.U**	**62.00**	**D**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.37**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**32.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.037**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000318993**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000387861**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.69**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.068**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**52.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**04-09-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**600.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1120.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**07-17-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.01**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**	**L**	
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**212.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.34**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.9317**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.54**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000452177**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000549797**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.89**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.055**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.38**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**55.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**01-28-1997**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.51**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**56.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**272.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.47**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.4004**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**1.30**		
00406	**PH, FIELD, STANDARD UNITS SU**	**6.88**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**44.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.015**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000347318**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000422301**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.47**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.013**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**66.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**01-28-1997**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**183.00**	**A**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.80**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**06-04-1997**	Start Time:	**1043**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.30**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.40**	**L**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**272.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.65**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.4551**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**U**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.58**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**39.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.054**	**A**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000103046**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000125292**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.63**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.063**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.32**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**55.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**06-04-1997**	Start Time:	**1043**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1580.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**J**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**0.70**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**		

Start Date:	**08-04-1997**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.65**	**D**	
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**	**L**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**245.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**238.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.15**	**D**	
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.0095**	**$**	
00310	**BOD, 5 DAY, 20 DEG C MG/L**	**2.00**	**U**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.69**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**20.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**10.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.029**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000841422**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000102308**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.15**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.33**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**36.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLA**	Organization Name:	**FLORIDA DEPT ENV PROTECTN**
Station ID:	**25030600**	Station Alias:	**TP2**
Station Name:	**MYAKKA R. BASIN/MYAKKA CITY/FRESHWATER SITE**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 22sec. N**	Longitude:	**82deg. 8min. 29sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM/BACK/BIO/ECOREG/SHRLN**

Start Date:	**08-04-1997**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**316.00**	**J**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**485.00**	**A**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.30**	**S**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-09-1997**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.83**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.281**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.80**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**196.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**200.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.79**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**87.9105**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.88**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**19.60**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.052**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000114425**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000139128**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.80**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.076**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-09-1997**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.34**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.30**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**15.60**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.50**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.65**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.80**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**48.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.12**		**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**170.00**		**A**
01082	**STRONTIUM, TOTAL (UG/L AS SR)**	**797.00**		**A**
01105	**ALUMINUM, TOTAL (UG/L AS AL)**	**151.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**550.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**69.8382**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**158.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1998**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.24**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.6091**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**122.10**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.32**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.4697**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.70**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**11.10**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.019**	**M**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000307172**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000373488**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.73**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.029**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1998**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.39**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.30**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**10.10**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.68**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.30**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.20**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.40**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**26.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**44.4919**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**110.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1335**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.95**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.281**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.60**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.13**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.4984**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.53**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**19.90**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.055**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000675076**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000820819**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.63**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.075**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1335**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.25**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.24**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**14.20**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**6.63**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.64**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.35**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**42.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**260.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**62.7597**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**119.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.68**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.3124**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**286.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**270.00**	**A**	**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.33**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.3657**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.18**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**M**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000083271**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000101248**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.79**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.004**	**U**	**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.18**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**14.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**26.90**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**11.00**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.90**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.88**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**78.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**170.00**	**A**	**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**36.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**80.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**20.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**112.467**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**186.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.03**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.6248**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.40**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**289.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**310.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.9689**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.41**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.07**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000126001**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000153203**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.068**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.62**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.57**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**29.70**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**13.30**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.50**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.33**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**110.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**21.60**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**610.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**128.93**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**237.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1998**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.64**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.9215**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.40**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**171.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**180.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.92**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.7457**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.21**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**13.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.034**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000350811**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000426548**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.90**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.024**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1998**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.38**	**A**	**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.44**	**J**	**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**17.60**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.68**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.57**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.88**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.40**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**53.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**75.5734**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**135.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.90**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1992**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.74**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.3048**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**585.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.44**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**107.273**	**$**	
00400	**PH (STANDARD UNITS)**	**7.73**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.3048**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1992**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**31.70**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.13**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**0.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-13-1992**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**41.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.16**	**A**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.093**	**A**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.48**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**24.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1992**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**4 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.10**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**2.40**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**245.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.61**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.3544**	**$**	
00400	**PH (STANDARD UNITS)**	**6.76**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-29-1992**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**3.7 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**43.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.042**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.86**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.038**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**21.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-29-1992**	Start Time:	**1310**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.72**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.10**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.96**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**206.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.97**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.3589**	**$**	
00400	**PH (STANDARD UNITS)**	**6.94**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-14-1992**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.59**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.75**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**377.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**11.58**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**119.381**	**$**	
00400	**PH (STANDARD UNITS)**	**8.08**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.55**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-14-1992**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**3.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.40**	**Q**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.58**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.035**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.20**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**36.20**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**18.20**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**21.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**33.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**46.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**165.339**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1993**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.20**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.20**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**321.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.02**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.6274**	**$**	
00400	**PH (STANDARD UNITS)**	**5.57**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1993**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**6.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**17.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.025**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.64**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.098**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.17**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**25.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**13.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**79.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**380.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**119.766**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-14-1993**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**46.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.74**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.24**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**33.50**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**16.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**22.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**140.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.30**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**152.42**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-14-1993**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.92**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**393.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.93**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**49.7468**	**$**	
00400	**PH (STANDARD UNITS)**	**6.88**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**3.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.50**		

Start Date:	**08-25-1993**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**3.61 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.76**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.64**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**113.684**	**$**	
00400	**PH (STANDARD UNITS)**	**7.59**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-25-1993**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**7.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**34.30**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.021**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.84**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.16**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**21.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**27.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**12.80**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**82.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**250.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**120.129**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-10-1994**	Start Time:	**1515**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.62**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.25**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**338.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.98**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.3332**	**$**	
00400	**PH (STANDARD UNITS)**	**7.03**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.12**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.016**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000101001**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000122807**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.54**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.235**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.328**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.188**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-10-1994**	Start Time:	**1515**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.37**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**37.30**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**14.20**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.50**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**106.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**34.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**151.614**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**277.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-28-1994**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**31.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.032**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.059**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.30**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.292**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.25**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.98**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**40.42**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**18.10**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.76**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**5.09**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**136.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.28**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**46.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-28-1994**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**175.464**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**323.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-28-1994**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.82**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**384.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.58**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**93.5802**	**$**	
00400	**PH (STANDARD UNITS)**	**6.97**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-29-1994**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.8077**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.08**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.45**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.053**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.475**	**Q**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**24.19**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**26.59**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**26.59**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**10.28**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**10.28**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.44**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.44**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**59.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-29-1994**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.254**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**24.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**108.728**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**208.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.387**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-22-1994**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.202**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.036**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.89**	**Q**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.04**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.095**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**25.42**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**23.64**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**23.64**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**9.48**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.48**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.61**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.61**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.54**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.54**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**51.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-22-1994**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**47.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**98.0677**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**181.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.29**	**A**	

Start Date:	**07-11-1995**	Start Time:	**1025**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**2.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.044**	**T**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-18-1995**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**28.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.076**	**I**	
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**500.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.64**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.72**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.90**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.75**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**143.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.85**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.1841**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.60**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.1429**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.029**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000842388**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000102425**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.508**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.87**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**14.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**14.00**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**5.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.60**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**4.60**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.30**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**23.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**190.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**58.4306**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**133.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1996**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.20**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.20**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**335.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.93**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.1252**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.95**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.5165**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.215**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000825186**	**$**	
00614	**NITRITE NITROGEN, TOTAL, 30 DAY, (MG/L AS N)**	**0.013**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00100334**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.246**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.33**	**I**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1996**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.19**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.12**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**39.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**15.30**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**9.20**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**105.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1700.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**160.388**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**244.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-13-1996**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.22**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.24**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**442.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**442.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**11.19**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**107.614**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.22**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**27.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.3939**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.016**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000680505**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000827419**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.63**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-13-1996**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.18**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**14.28**	**Q**	
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**48.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**22.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**148.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**230.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**68.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**210.452**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**294.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1996**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.45**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.56**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**393.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.88**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**96.1116**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.05**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**30.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.3918**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.026**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000182049**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.001**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000221352**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.091**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.75**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-24-1996**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.27**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.99**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**57.89**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**57.89**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**18.40**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**18.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.61**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.61**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.70**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.70**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**119.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.169**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**800.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**220.322**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**276.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1996**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**66.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.5306**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.034**	**I**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.031**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.362**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**71.69**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**15.60**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.50**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**16.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**83.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.346**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**5100.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-02-1996**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2700.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**243.251**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**253.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.347**		

Start Date:	**12-02-1996**	Start Time:	**1201**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-06-1996**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**19.45**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**		**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**		**1.50**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**		**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**5.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**59.5744**	**$**	
00406	**PH, FIELD, STANDARD UNITS**	**SU**	**6.96**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1997**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.38**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.60**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**478.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.86**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.60**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.03**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**35.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**2.3163**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.109**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000352724**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000428874**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.014**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.214**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1997**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**13.86**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**69.50**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**22.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**9.70**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**22.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**163.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**250.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**265.784**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**361.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.122**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1997**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.39**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.96**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.40**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**629.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.04**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.617**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.79**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**47.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.6458**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.031**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000722372**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000878326**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**935**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.233**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.19**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**73.80**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**28.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**13.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.10**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**20.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**229.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.278**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1000.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**301.229**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**435.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.193**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1997**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.88**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.96**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**428.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.33**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**92.7848**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.08**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**43.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.6842**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.043**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000355958**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000432806**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.039**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.76**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.434**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1997**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.14**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**62.50**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**17.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.50**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**20.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**121.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.245**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**800.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**226.48**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**317.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.395**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-22-1997**	Start Time:	**1405**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.78**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.92**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**329.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.67**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.6923**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.71**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**29.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.2222**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.037**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000139677**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.014**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000169833**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.057**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1997**	Start Time:	**1405**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.415**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.28**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**43.10**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**13.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.20**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**7.40**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**15.30**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**88.30**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1400.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**163.214**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**239.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.341**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1997**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.65**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.3124**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**343.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.04**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.5679**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.75**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**29.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.71**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.047**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000167838**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000204073**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.018**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.40**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.248**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0018**	Station Alias:	
Station Name:	**MYAKKA R - CLAY GULLY AB BRIDGE ON 780**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 45sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1997**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.50**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**71.30**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**16.30**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.74**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**13.80**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**101.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.233**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**760.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**0.10**	**U**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**245.159**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**1290.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.22**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.70**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-09-1997**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.31**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.281**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.50**	**D**	**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**	**D**	**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**167.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**170.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.91**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.5581**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.91**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.50**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.021**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000476082**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000578863**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.81**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.05**	**M**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-09-1997**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.20**	**A**	**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.18**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**11.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**13.30**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**6.50**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.25**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.51**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**31.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**304.00**		**A**
01082	**STRONTIUM, TOTAL (UG/L AS SR)**	**232.00**		**A**
01105	**ALUMINUM, TOTAL (UG/L AS AL)**	**258.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**350.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**59.9771**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**142.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1998**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.79**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.2653**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.30**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**124.30**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.63**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.665**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.11**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**13.10**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**9.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.016**	**M**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000641385**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000779854**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.76**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.035**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1998**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.15**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**10.20**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.92**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**5.50**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.35**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**6.40**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**29.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1800.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1500.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**45.7299**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**107.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.08**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.9372**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.30**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**240.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**76.0076**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.49**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**28.90**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.036**	**A**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000326572**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000397075**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.56**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.026**	**A**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-16-1998**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.16**	**A**	**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.12**	**A**	**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**20.20**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.76**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.20**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.23**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**69.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**270.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**90.631**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**169.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.08**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.2967**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.10**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**182.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**180.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.15**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.5296**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.85**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.016**	**M**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000520146**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000063244**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.37**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.10**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.27**	**A**	**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.23**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**		**7.20**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**		**13.20**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**		**6.89**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**		**7.10**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**		**3.55**		**A**
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**13.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**		**32.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.10**	**U**	**A**
01045	**IRON, TOTAL (UG/L AS FE)**		**115.00**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**		**33.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**		**550.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**60.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**61.3334**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**		**119.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**1.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.12**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.9686**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.75**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**169.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.83**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**58.9024**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.01**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1240.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**190.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.03**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**	**A**	**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.033**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.36**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.37**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**30.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**16.60**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.46**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.80**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**54.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**11.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**72.1704**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**172.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1998**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.05**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.2967**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.30**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**97.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**110.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.89**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**71.8335**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.04**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**11.60**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.025**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000167393**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000203532**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.021**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1998**	Start Time:	**1105**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.30**	**J**	**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**29.00**	**A**	**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**7.44**	**J**	**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**3.20**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**3.37**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.10**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**6.00**	**A**	**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**28.00**	**A**	**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1600.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**31.7552**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**119.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1992**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.39**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**11.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.61**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**280.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.30**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.7368**	**$**	
00400	**PH (STANDARD UNITS)**	**7.12**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**23.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.03**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000138522**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000168428**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.38**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.022**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.09**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**25.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1992**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**60.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.61**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1992**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.07**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**17.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.61**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**257.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.14**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**13.5714**	**$**	
00400	**PH (STANDARD UNITS)**	**6.58**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**34.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.072**	**A**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000155777**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000189407**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.0779999**	**A**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.83**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**28.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-13-1992**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**82.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.61**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-29-1992**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.27**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**264.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.67**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**20.3658**	**$**	
00400	**PH (STANDARD UNITS)**	**6.50**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-29-1992**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**2.7 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**41.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.042**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.74**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.035**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.23**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**62.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-04-1993**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**12.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**40.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**20.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.047**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.90**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.085**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**60.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**84.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-04-1993**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.42**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**276.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.11**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.6739**	**$**	
00400	**PH (STANDARD UNITS)**	**6.70**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-11-1995**	Start Time:	**1210**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.063**		

Start Date:	**08-18-1995**	Start Time:	**1450**
End Date:		End Time:	**0**
Sample Depth:	**3.61 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**21.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.027**	**T**	
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1800.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1450**
End Date:		End Time:	**0**
Sample Depth:	**3.61 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.02**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.52**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**138.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.22**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.4491**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.44**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.7294**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.059**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00010608**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000128982**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.72**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.252**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.35**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**14.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1450**
End Date:		End Time:	**0**
Sample Depth:	**3.61 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**14.00**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.10**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**5.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.70**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**6.70**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**1.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.40**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**26.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**310.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**55.9598**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**132.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1996**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**24.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.7629**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.024**	**I**	
00614	**NITRITE NITROGEN, TOTAL, 30 DAY, (MG/L AS N)**	**0.007**	**T**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.045**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.235**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.94**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**24.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.90**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**9.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**61.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2300.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1996**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**100.696**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**198.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-02-1996**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.80**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.16**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**231.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.79**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.3333**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.44**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-13-1996**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.35**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**253.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.10**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**0.926067**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.79**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**32.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.37**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.019**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000026092**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000317251**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.099**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.49**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.212**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-13-1996**	Start Time:	**955**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.96**	**Q**	
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**30.20**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**10.80**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**62.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**270.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**68.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**119.884**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**183.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-12-1996**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00406	**PH, FIELD, STANDARD UNITS**	**SU**	**6.53**		

Start Date:	**06-12-1996**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.5918**		
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**163.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-12-1996**	Start Time:	**1001**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.025**	**I**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1996**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.66**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**381.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.55**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**53.5359**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.53**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**34.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.0102**	**T**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0739999**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000129154**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.002**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000157037**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.88**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.85**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-24-1996**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.225**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.25**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**49.93**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**49.93**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**14.21**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**14.21**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.89**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**12.89**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**15.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**15.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**110.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**800.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**183.192**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**256.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.94**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.20**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**386.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.19**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.413**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.51**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**32.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.2083**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.005**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000637291**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.001**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000774876**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.152**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.71**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.298**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**3.94 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**11.92**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**65.15**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**16.60**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.20**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**16.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**124.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.242**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**4200.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**3900.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**231.038**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**278.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.273**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1997**	Start Time:	**1325**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.48**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.40**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**327.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.26**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.60**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.78**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**37.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.0908999**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.034**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000624246**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000759015**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.024**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.76**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1997**	Start Time:	**1325**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.299**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**9.96**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**42.14**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**12.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.40**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**17.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**78.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**240.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**110.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**156.699**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**226.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.194**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.90**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1997**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**43.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.42**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.025**	**I**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.007**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.83**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.457**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**10.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**37.11**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.90**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**13.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**42.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.30**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**300.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**0.01**	**U**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**131.373**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**161.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.408**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1997**	Start Time:	**1135**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.27**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.24**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.40**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**237.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.64**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**17.4468**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.56**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-21-1997**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.08**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.92**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.90**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**175.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**252.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.13**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**48.5882**	**$**	
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**27.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.0612**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.049**		
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.109**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.08**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.307**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.28**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**27.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-21-1997**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.40**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.50**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**15.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**54.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.255**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**5900.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**105.305**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**213.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.305**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-22-1997**	Start Time:	**1525**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.48**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.20**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**143.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.66**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.5308**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**5.91**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**11.00**	**I**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.4898**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.029**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000159088**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.012**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000193434**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.013**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1997**	Start Time:	**1525**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.355**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**34.22**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**16.80**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**4.90**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.90**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.40**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**10.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**24.60**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1900.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**210.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**62.1277**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**144.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.294**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1997**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.71**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.6248**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**191.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.45**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**17.2619**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.43**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**35.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.3265**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0689999**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000103099**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000125357**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.02**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.45**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0021**	Station Alias:	
Station Name:	**MYAKKA R - ABOVE OGLEBY CK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 25min. 37sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1997**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.329**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**10.80**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**32.50**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**7.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.15**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**11.50**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**30.50**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.214**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**112.037**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**1046.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.30**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1992**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.80**	**A**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**	**A**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**32.30**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1992**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.75**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.45**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**329.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.12**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**63.0928**	**$**	
00400	**PH (STANDARD UNITS)**	**7.10**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.017**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000664037**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000807397**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.71**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.30**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**700.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.45**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1992**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.86**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**210.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**342.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.0476**	**$**	
00400	**PH (STANDARD UNITS)**	**6.65**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.04**	**A**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000100146**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000121767**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.033**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.64**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**27.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1992**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**46.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-29-1992**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**0 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.024**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.36**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**22.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**32.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-29-1992**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.21**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.30**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**380.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.31**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**40.3658**	**$**	
00400	**PH (STANDARD UNITS)**	**6.50**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**8.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**25.8125**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.034**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.77**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.834**	**Q**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.87**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**75.20**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**75.20**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**22.38**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**22.38**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.60**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**10.60**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**5.88**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.88**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**25.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**154.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0022**	Station Alias:	
Station Name:	**MYAKKA R - WINGATE CK AB BRIDGE ON SR 64**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 26min. 22sec. N**	Longitude:	**82deg. 8min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.38**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**140.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**279.935**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**443.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.602**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-14-1992**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**11.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**114.00**	**Q**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0969999**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.99**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.21**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.42**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**44.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**52.30**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**3.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.70**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**7.50**	**U**	
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1300.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**143.359**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-14-1992**	Start Time:	**915**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.22**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**311.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.27**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**81.0784**	**$**	
00400	**PH (STANDARD UNITS)**	**7.38**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1993**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.46**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**111.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.46**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.5979**	**$**	
00400	**PH (STANDARD UNITS)**	**4.17**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**3.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**3.20**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**A**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.03**	**T**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**5.60**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**1.90**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.40**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**7.50**	**U**	
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**420.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**21.8074**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-14-1993**	Start Time:	**850**
End Date:		End Time:	**0**
Sample Depth:	**.2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**9.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**223.00**	**A**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.084**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.60**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.023**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.51**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**13.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**84.20**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**3.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.20**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**11.60**	**A**	
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.40**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**224.249**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-14-1993**	Start Time:	**850**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.11**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.04**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.25**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**493.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.96**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.9523**	**$**	
00400	**PH (STANDARD UNITS)**	**7.09**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.25**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-25-1993**	Start Time:	**855**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.92**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.20**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.10**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**526.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.74**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.00**	**$**	
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.10**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**13.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**200.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.089**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.80**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.055**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.45**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**89.10**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.60**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**15.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**	**A**	
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**29.00**	**A**	
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.36**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**241.425**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-28-1994**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**7.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**92.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**7.85**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.062**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.34**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.663**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.965**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.938**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.44**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**34.80**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**6.70**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**14.30**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**5.66**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**23.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**15.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.38**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**540.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**02-28-1994**	Start Time:	**830**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**114.486**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**224.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1994**	Start Time:	**1600**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.98**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**5.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**426.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.81**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**104.913**	**$**	
00400	**PH (STANDARD UNITS)**	**7.43**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**147.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.802**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.012**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000180279**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000219199**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.006**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.385**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.538**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1994**	Start Time:	**1600**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.51**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**119.00**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**4.30**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**15.99**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**0.304**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**32.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**20.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**1320.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**314.85**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**279.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.10**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-25-1994**	Start Time:	**1515**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.18**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.06**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**173.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.29**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**110.625**	**$**	
00400	**PH (STANDARD UNITS)**	**6.75**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**177.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.889**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.016**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000515474**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000062676**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.711**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.439**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.436**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-25-1994**	Start Time:	**1515**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**13.99**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**103.80**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.27**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**15.30**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**0.48**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**28.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**35.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.42**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**94.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**280.89**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**373.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-23-1994**	Start Time:	**1530**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**3.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.3118**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.038**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**	**Q**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.356**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**21.51**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**37.05**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**37.05**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**2.97**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**2.97**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.62**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.62**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**0.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**11.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-23-1994**	Start Time:	**1530**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.203**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**104.744**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**334.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.204**	**Q**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-30-1994**	Start Time:	**1630**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.5636**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.032**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.963**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.007**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.04**	**Q**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**29.48**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**9.82**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**9.82**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**1.49**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**1.49**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.96**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**6.96**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**0.10**	**I**	
00937	**POTASSIUM, TOTAL MG/L AS K)**	**0.10**	**I**	
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.20**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**1.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-30-1994**	Start Time:	**1630**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.12**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**168.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**30.6563**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**84.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.036**	**I**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-12-1998**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.53**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**58.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.06**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.1234**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.14**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.8861**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.76**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000871604**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000105978**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.089**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.0779999**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**28.10**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.87**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-12-1998**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**U**	
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**U**	
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**1.00**	**U**	
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.60**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.30**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-05-1998**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.53**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**175.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**91.20**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**74.4444**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.48**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**7.087**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.20**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.032**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000397407**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000483204**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.0739999**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.0829999**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.042**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**5.64**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-05-1998**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**4.89**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**7.18**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**3.96**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**7.50**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-08-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**126.40**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.42**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.4444**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.92**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.74**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.16**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.064**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000222754**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000270845**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.026**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.088**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.079**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**22.90**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**2.06**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**1.90**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0062**	Station Alias:	
Station Name:	**DEER PRAIRIE CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 5min. 55sec. N**	Longitude:	**82deg. 16min. 17sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-08-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**3.90**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**1.36**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.40**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-14-1992**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**2.4 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**20.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**21.90**	**Q**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.28**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.80**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.046**	**T**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**7.20**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**30.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**15.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**21.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**110.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**	**A**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**200.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**139.563**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-14-1992**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.63**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**348.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.49**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.4313**	**$**	
00400	**PH (STANDARD UNITS)**	**7.37**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.75**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.79**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.14**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.39**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.20**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**295.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.48**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.8041**	**$**	
00400	**PH (STANDARD UNITS)**	**6.44**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**6.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**9.30**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**22.50**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**12.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.70**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**21.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**62.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**105.598**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-14-1993**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.39**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.75**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**308.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.26**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**27.9012**	**$**	
00400	**PH (STANDARD UNITS)**	**5.90**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.75**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-14-1993**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**7.70**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.51**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.11**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.10**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**8.90**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**20.40**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**12.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.20**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.30**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**22.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**130.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**490.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**102.414**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**3.2 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.20**		

Start Date:	**08-25-1993**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.53**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.17**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.1025**	**$**	
00400	**PH (STANDARD UNITS)**	**6.16**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0063**	Station Alias:	
Station Name:	**LONG CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 24min. 18sec. N**	Longitude:	**82deg. 7min. 57sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1400**
End Date:		End Time:	**0**
Sample Depth:	**6.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**7.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.58**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.41**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.082**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**14.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**15.20**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**9.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**55.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**480.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**77.0754**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-14-1992**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**1.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**11.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**202.00**	**Q**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**7.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.045**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.16**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.13**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**14.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**59.90**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**13.20**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**61.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**66.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**37.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**1.05**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**180.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**203.928**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-14-1992**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.89**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**621.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.93**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**79.30**	**$**	
00400	**PH (STANDARD UNITS)**	**7.89**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1993**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**246.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.07**		
00400	**PH (STANDARD UNITS)**	**6.26**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.20**	**A**	
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**11.10**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.26**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**24.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**17.80**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**8.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.10**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**66.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**	**A**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**76.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**80.2731**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-14-1993**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**18.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**65.60**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**18.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.38**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.10**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**26.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**19.30**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.30**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**17.40**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**31.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**15.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.62**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**600.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**78.2534**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-14-1993**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.20**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**253.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.87**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**10.6098**	**$**	
00400	**PH (STANDARD UNITS)**	**6.55**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1205**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.71**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**73.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.15**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**40.3846**	**$**	
00400	**PH (STANDARD UNITS)**	**6.01**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Start Date:	**08-25-1993**	Start Time:	**1205**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-25-1993**	Start Time:	**1205**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**100.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**6.90**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**74.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.15**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.14**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.34**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**7.60**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**6.60**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**2.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.10**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.30**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**7.30**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**36000.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**24.7162**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-10-1994**	Start Time:	**1615**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.62**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**85.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**567.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.47**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**103.32**	**$**	
00400	**PH (STANDARD UNITS)**	**7.34**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.377**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.003**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000038413**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000467059**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.88**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.009**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.163**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.063**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-10-1994**	Start Time:	**1615**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.10**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**67.10**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**0.27**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**12.70**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.80**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**27.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**215.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**75.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**168.66**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**447.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-28-1994**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.55**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.10**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.65**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**490.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.25**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.5439**	**$**	
00400	**PH (STANDARD UNITS)**	**6.89**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**33.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.693**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.001**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000395821**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000481275**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.962**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.005**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.136**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.117**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-28-1994**	Start Time:	**945**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.73**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**55.36**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**30.10**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**19.20**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**5.74**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**21.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**184.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.33**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**62.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**262.186**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**409.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.65**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1830**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.2727**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.058**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.33**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.021**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.217**	**Q**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**31.47**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**31.43**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**31.43**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**11.97**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**11.97**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**10.79**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**10.79**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**3.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**58.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1830**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.323**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**658.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**127.773**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**240.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.171**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-22-1994**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**500.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**32.4167**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.033**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.38**	**Q**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.003**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.437**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**39.12**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**13.71**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**13.71**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.31**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**5.31**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.36**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.36**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**2.98**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.98**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**16.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-22-1994**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**172.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**56.1004**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**166.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.233**	**A**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-22-1994**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**5.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.0417**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.035**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.13**	**Q**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**1.678**	**Q**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.01**	**T**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.71**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**17.11**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**17.11**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**6.26**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**6.26**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.69**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**6.69**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.33**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.33**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**15.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0064**	Station Alias:	
Station Name:	**MUD LAKE SLOUGH ABOVE BIG SLOUGH CANAL**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 11min. 33sec. N**	Longitude:	**82deg. 9min. 18sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-22-1994**	Start Time:	**1005**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**68.5023**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**149.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.402**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-14-1992**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**3.28 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.37**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.30**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**325.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**10.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**104.902**	**$**	
00400	**PH (STANDARD UNITS)**	**7.65**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.25**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-14-1992**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**3.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**4.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.40**	**Q**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.035**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.69**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.099**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.12**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**27.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**15.20**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**89.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.12**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**131.76**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1993**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.67**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.40**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**345.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.84**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.2062**	**$**	
00400	**PH (STANDARD UNITS)**	**5.64**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**4.9 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.65**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**23.80**	**A**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.63**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.049**	**T**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**27.10**	**A**	
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**15.00**	**A**	
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.00**	**A**	
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.10**	**A**	
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**17.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**70.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**129.439**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-14-1993**	Start Time:	**1152**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**45.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.071**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.061**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.23**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**34.80**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**18.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.70**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.60**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**19.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**140.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**	**A**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**380.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**162.667**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-14-1993**	Start Time:	**1152**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.33**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**409.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.31**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.5555**	**$**	
00400	**PH (STANDARD UNITS)**	**6.81**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**2.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.60**		

Start Date:	**08-25-1993**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.39**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**268.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.36**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.5063**	**$**	
00400	**PH (STANDARD UNITS)**	**6.56**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**4.9 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**30.30**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**	**U**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.77**	**A**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.02**	**U**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.17**	**A**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**21.60**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**10.80**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.20**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**64.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**560.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**98.4095**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-10-1994**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.04**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.40**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**334.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.5187**	**$**	
00400	**PH (STANDARD UNITS)**	**6.77**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**34.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.316**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.003**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000869446**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000105715**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.55**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.005**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.319**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.188**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-10-1994**	Start Time:	**1430**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.41**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**27.90**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**14.60**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.80**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.78**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**104.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**260.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**129.789**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**272.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-28-1994**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.93**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.40**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**514.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.97**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**86.0664**	**$**	
00400	**PH (STANDARD UNITS)**	**6.71**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**27.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.796**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.001**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000332197**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000403916**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.858**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.014**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.291**		
00678	**PHOSPHORUS,HYDROLYZABLE + ORTHO,TOT,AUTOAN/**	**0.26**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-28-1994**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.19**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**53.24**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**26.00**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**11.60**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.02**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**200.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**129.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**240.008**	**$**	
70301	**SOLIDS, DISSOLVED-SUM OF CONSTITUENTS (MG/L)**	**388.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-29-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.871**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.026**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.34**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.004**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.547**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**24.30**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**26.84**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**26.84**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**10.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**10.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.46**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**8.46**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.89**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.89**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**58.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-29-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**204.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**111.082**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**230.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.429**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-22-1994**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**225.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.449**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.012**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.85**	**Q**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.06**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**24.80**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**18.77**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**18.77**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**8.08**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**8.08**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.90**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**7.90**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**3.02**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.02**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.90**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**36.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0066**	Station Alias:	
Station Name:	**MYAKKA RIVER ABOVE OWEN CREEK**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 57sec. N**	Longitude:	**82deg. 8min. 55sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-22-1994**	Start Time:	**1215**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**36.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**80.1421**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**164.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.21**	**A**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0067**	Station Alias:	
Station Name:	**OWEN CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 5sec. N**	Longitude:	**82deg. 6min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.11**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**716.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.40**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**46.3158**	**$**	
00400	**PH (STANDARD UNITS)**	**5.66**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0067**	Station Alias:	
Station Name:	**OWEN CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 5sec. N**	Longitude:	**82deg. 6min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1993**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**9.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**	**A**	
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**43.80**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**10.00**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.071**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.57**	**A**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.037**	**T**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.19**	**A**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**9.30**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**74.80**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**34.90**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**20.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**250.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.37**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2000.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**330.494**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0067**	Station Alias:	
Station Name:	**OWEN CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 5sec. N**	Longitude:	**82deg. 6min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**30.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**		**0.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**809.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**2.62**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**34.4736**	**$**	
00400	**PH (STANDARD UNITS)**		**6.33**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**0.50**		

Start Date:	**08-25-1993**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0067**	Station Alias:	
Station Name:	**OWEN CREEK ABOVE MYAKKA RIVER**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 21min. 5sec. N**	Longitude:	**82deg. 6min. 45sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-25-1993**	Start Time:	**1345**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**32.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**30.30**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**8.00**	**A**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.032**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.88**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**1.90**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.49**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**12.00**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**98.40**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**39.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.10**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**12.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**360.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.32**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**68000.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**408.365**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-09-1997**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**15.96**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.2967**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.95**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.30**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**196.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**200.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.81**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.1086**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.86**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**15.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.085**	**A**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000180394**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000219339**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.77**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.055**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-09-1997**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.28**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**15.30**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.61**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.60**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.95**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**48.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.11**		**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**100.00**		**A**
01082	**STRONTIUM, TOTAL (UG/L AS SR)**	**857.00**		**A**
01105	**ALUMINUM, TOTAL (UG/L AS AL)**	**106.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**670.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**69.5421**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**142.00**	**A**	**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.12**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**3.9372**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.00**	**A**	**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**	**A**	**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**117.10**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**120.00**	**A**	**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.71**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.181**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.92**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**11.10**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.00**	**A**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.071**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000188604**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000229322**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.81**	**A**	**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.057**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.41**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.35**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**	**A**	**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**9.15**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.32**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.20**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.30**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.10**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**22.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1000.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**40.6373**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**116.00**	**A**	**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.25**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.9843**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**179.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**180.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.41**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.0071**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.48**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**19.90**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.079**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000822216**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000999725**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.052**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.22**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1150**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.18**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**14.90**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**7.13**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.44**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.36**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**9.70**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**46.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**420.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**160.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**66.5666**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**121.00**	**A**	**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.55**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.6405**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.85**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**280.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**270.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.58**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.2517**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.04**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.031**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00019924**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000242254**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.83**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.006**	**M**	**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.32**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.27**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**25.90**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**12.00**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.60**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.61**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**10.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**73.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**53.00**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**42.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**110.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**114.088**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**186.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1250**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.17**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.2653**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.20**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**309.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**330.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.54**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**31.362**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.22**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.093**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000101887**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000123883**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.047**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.67**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.63**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-21-1998**	Start Time:	**1250**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**21.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**31.40**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**14.10**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.10**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.82**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**13.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**110.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**29.40**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**920.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**130.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**136.47**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**262.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1998**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.40**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**5.9058**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.70**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**144.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**150.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**42.6863**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.09**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**14.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.073**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000562001**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000683331**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.021**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1998**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.46**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.50**	**J**	**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**25.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**14.70**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**6.25**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.05**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.35**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**8.20**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**39.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.11**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**62.4434**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**126.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**3.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-11-1995**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**43.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.032**	**I**	

Start Date:	**08-18-1995**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**29.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.049**	**T**	
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**950.00**		

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.14**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**4.00**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**145.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.79**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.9781**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.50**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.7021**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.045**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000100372**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000122041**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.97**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.466**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.18**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**16.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-18-1995**	Start Time:	**1415**
End Date:		End Time:	**0**
Sample Depth:	**4.26 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**16.00**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.40**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**5.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**4.70**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**4.70**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.10**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**7.10**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**23.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**230.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**62.1892**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**132.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-02-1996**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.36**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**3.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.00**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**345.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.7881**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.55**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**26.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.106**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00016423**	**$**	
00614	**NITRITE NITROGEN, TOTAL, 30 DAY, (MG/L AS N)**	**0.015**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000199685**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.143**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.40**	**I**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-02-1996**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.618**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.91**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**39.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**18.00**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**10.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**10.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**107.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**2600.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**171.507**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**274.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.90**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-13-1996**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**13.23**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.56**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**85.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**430.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.48**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.0133**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.73**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**28.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.5638**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.024**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000307175**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000373491**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.029**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.25**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-13-1996**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**2.62 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.159**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**49.85**	**Q**	
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**47.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**22.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**12.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.90**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**16.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**144.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.15**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**130.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**72.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**207.955**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**296.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-12-1996**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**351.00**		

Start Date:	**06-12-1996**	Start Time:	**1046**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-24-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.66**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.24**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.90**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.84**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.6267**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.58**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**36.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.1789**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.071**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000149231**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.001**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000181448**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.121**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.89**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.284**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-24-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.90**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**52.22**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**52.22**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**17.04**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**17.04**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.09**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**9.09**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**6.90**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.90**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**105.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.182**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**2100.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**520.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**200.564**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**264.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-02-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.70**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.40**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**6.80**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**386.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.63**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**73.6666**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.85**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**40.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**2.4021**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.015**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000441385**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.002**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000536676**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.048**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.10**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-02-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.442**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.06**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**61.74**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**17.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**9.70**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**19.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**109.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.231**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**2600.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**750.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**227.053**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**278.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.427**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1997**	Start Time:	**1225**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.16**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.70**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.50**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**492.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.45**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**99.4736**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.17**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**35.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.0816**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.119**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000605824**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000736615**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.173**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1997**	Start Time:	**1225**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.292**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**13.51**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**73.41**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**24.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**11.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**11.00**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**25.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**176.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**400.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**120.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**282.136**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**377.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.201**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-02-1997**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.77**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**596.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.36**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**80.00**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.12**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**51.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**3.2472**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.017**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000868429**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000105591**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.96**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.31**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**15.88**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**71.20**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**28.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**13.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**7.30**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**198.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.268**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**340.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**293.502**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**418.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.262**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.90**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-21-1997**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.92**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.28**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**440.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.39**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.5432**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.79**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**43.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.001**	**I**	
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.03**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000119653**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000145485**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.045**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.82**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.411**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-21-1997**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**		**19.36**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**		**56.40**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**		**17.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**		**10.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**		**9.50**		
00941	**CHLORIDE, DISSOLVED IN WATER**	**MG/L**	**20.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**		**126.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.237**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**		**1100.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**400.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**213.719**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**		**342.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.385**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**0.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-22-1997**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.27**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.88**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**354.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.91**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**49.4936**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.40**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**25.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.3535**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000357705**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.011**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000434931**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1997**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**2.95 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.339**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**22.75**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**47.40**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**14.70**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**9.80**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.40**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**15.90**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**102.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**4500.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**500.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**178.892**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**239.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.289**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-23-1997**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.39**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**2.2967**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**1.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**352.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.36**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.3658**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.70**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**37.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.0833**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0689999**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000215741**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000262317**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.025**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.84**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1997**	Start Time:	**1045**
End Date:		End Time:	**0**
Sample Depth:	**2.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.266**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.20**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**71.40**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**17.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.62**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**14.60**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**98.40**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.238**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1300.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**90.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**248.703**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**2141.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.24**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-08-1998**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.49**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**133.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**0.22**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**2.78481**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.23**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.14**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.93**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.012**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000147409**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000179233**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.01**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.663**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.502**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**28.10**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**6.06**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-08-1998**	Start Time:	**1340**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.96**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.68**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**1.00**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**3.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-04-1998**	Start Time:	**1046**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**		**23.61**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**		**1.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**		**201.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**		**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE**	**MG/L**	**3.80**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**		**44.7058**	**$**	
00406	**PH, FIELD, STANDARD UNITS**	**SU**	**6.70**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**2.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-07-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.80**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**261.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.63**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7126**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.95**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.1333**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.41**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.048**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000209641**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0002549**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.05**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.32**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.292**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**20.20**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**3.78**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0088**	Station Alias:	
Station Name:	**MYAKKA RV. @ SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 39sec. N**	Longitude:	**82deg. 9min. 24sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-07-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.52**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.71**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**2.70**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**2.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1998**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.30**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**15.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**10.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.035**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.95**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.11**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.37**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.29**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**17.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**10.50**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.46**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**5.40**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.24**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**21.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-27-1998**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**44.5848**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**121.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1998**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.11**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.9843**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.50**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**123.80**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**130.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**67.0179**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.72**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**13.10**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**10.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.035**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000586764**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000713441**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.11**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1998**	Start Time:	**1145**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.36**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.25**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**9.99**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**4.24**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**5.00**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.13**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**11.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**21.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**U**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1500.00**	**D**	**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**300.00**	**D**	**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**42.4053**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**94.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-16-1998**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.87**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.6562**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**5.50**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**234.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**230.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.58**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.4058**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.41**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**33.80**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.064**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000639016**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000776974**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.78**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.16**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.25**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-16-1998**	Start Time:	**1445**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.23**		**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**18.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**21.50**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**8.65**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**8.72**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.01**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**18.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**48.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**280.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**40.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**89.3062**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**150.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-18-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.80**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.3281**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**2.10**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1655.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**1500.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.24**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.5153**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**7.83**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.064**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0026702**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00324667**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**	**A**	**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.011**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.18**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.13**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-18-1998**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**9.10**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**171.00**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**81.80**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**54.00**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**3.81**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**150.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**540.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**1.00**		**A**
01045	**IRON, TOTAL (UG/L AS FE)**	**190.00**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**165.00**	**A**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**20.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**10.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**763.839**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**1100.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1998**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.04**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.6562**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**6.10**	**A**	**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**586.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**560.00**	**A**	**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.23**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.5896**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.69**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**U**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.084**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00026857**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000326552**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.50**	**J**	**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.66**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.44**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.42**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1998**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**23.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**58.80**	**A**	**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**24.80**	**A**	**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**13.90**	**A**	**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**9.80**	**A**	**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**34.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**180.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.45**		**A**
29801	**ALKALINITY,WATR,DISS.,FIX END PT,LAB,AS CACO3,MC**	**53.90**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**248.95**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**410.00**	**A**	**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1998**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.91**		**A**
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.6405**		**A**
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**4.70**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**300.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**282.00**		**A**
00095	**SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)**	**280.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.89**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**35.6843**	**$**	**A**
00406	**PH, FIELD, STANDARD UNITS SU**	**6.04**		**A**
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**13.70**		**A**
00480	**SALINITY - PARTS PER THOUSAND**	**0.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.00**	**A**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.048**	**A**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000341326**	**$**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000415014**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.30**		**A**
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.60**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.38**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLGW**	Organization Name:	**FLA DEPT OF ENV**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-23-1998**	Start Time:	**925**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.38**	**J**	**A**
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**27.00**		**A**
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**29.40**		**A**
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**11.80**		**A**
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.86**		**A**
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.09**		**A**
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**15.00**		**A**
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**95.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.17**	**A**	**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2700.00**		**A**
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**100.00**		**A**
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**122.004**	**$**	**A**
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**222.00**		**A**
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**1.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-10-1995**	Start Time:	**900**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**92.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.37**		

Start Date:	**08-18-1995**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**33.00**		
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.108**	**I**	
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**430.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-18-1995**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.28**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.28**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**6.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**250.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**198.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.17**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.7923**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.58**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.825**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.182**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00049257**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000598912**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.21**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.526**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**25.31**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**21.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-18-1995**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**21.00**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**8.10**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**8.10**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**7.30**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**7.30**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**2.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**2.50**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**14.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**34.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.28**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**30.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**85.7928**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**180.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.80**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-21-1995**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.54**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.64**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.30**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1145.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.3183**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.39**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**7.9848**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.148**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000951871**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00115737**	**$**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.55**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.016**	**I**	
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**9.43**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**164.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**79.00**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**25.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**6.70**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-21-1995**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**29.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**		**487.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.45**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**734.83**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**		**900.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**0.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-08-1996**	Start Time:	**1315**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.90**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**66.00**		
00614	**NITRITE NITROGEN, TOTAL, 30 DAY, (MG/L AS N)**	**0.014**	**I**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.068**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**290.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-13-1996**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**14.67**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.32**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**11.56**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**113.36**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.55**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**77.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.5208**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.008**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000074888**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000910555**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.018**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.40**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.167**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-13-1996**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**11.03**	**Q**	
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**167.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**72.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**17.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.00**		
00940	**CHLORIDE,TOTAL IN WATER MG/L**	**24.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**	**526.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.70**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**20.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**44.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**713.495**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**850.00**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-12-1996**	Start Time:	**1330**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.20**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.32**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.10**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**85.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**524.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.47**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**107.215**	**$**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-25-1996**	Start Time:	**1000**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.69**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.32**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.10**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**484.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**77.647**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.11**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.10**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-25-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**2.30**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**125.00**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**64.00**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.50**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.064**		
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.002**	**T**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.057**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.283**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.30**		
00915	**CALCIUM, DISSOLVED (MG/L AS CA)**	**60.07**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**60.07**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**22.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**22.00**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**14.80**		
00930	**SODIUM, DISSOLVED (MG/L AS NA)**	**14.80**		
00935	**POTASSIUM, DISSOLVED (MG/L AS K)**	**4.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**4.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-25-1996**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.33 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00940	**CHLORIDE,TOTAL IN WATER**	**MG/L**	**29.00**		
00945	**SULFATE, TOTAL (MG/L AS SO4)**		**130.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.484**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**		**550.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**100.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**240.591**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**		**341.00**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-11-1996**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.30**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.28**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.70**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1196.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.60**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.69**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**96.90**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.74**		
00410	**ALKALINITY, TOTAL (MG/L AS CACO3)**	**84.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.32**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.019**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000309332**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000376114**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.003**	**T**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.19**	**I**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-11-1996**	Start Time:	**1245**
End Date:		End Time:	**0**
Sample Depth:	**1.31 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.136**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**10.39**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**177.00**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**66.50**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**13.70**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**8.40**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**25.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**522.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.683**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**170.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**50.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**715.816**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**947.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.114**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1997**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.65**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.60**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**1.00**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.60**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1242.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.70**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.62**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**101.263**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.65**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**73.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.5361**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.005**	**T**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000733053**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**	**U**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000891312**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.017**	**I**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**3.63**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-27-1997**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**1.97 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.084**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**8.33**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**168.80**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**54.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**16.10**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**10.50**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**28.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**670.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.78**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**320.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**80.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**645.512**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**1123.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.047**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UN**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**103.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**1.06**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.026**	**I**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.001**	**T**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.39**	**I**	
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.21**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**9.70**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**294.70**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**	**55.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**17.30**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.70**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**29.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**801.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**1.02**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1200.00**	**Q**	

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**460.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**964.002**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**1304.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.174**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-02-1997**	Start Time:	**930**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**18.76**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**20.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.00**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.18**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**97.6595**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.47**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-21-1997**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.48**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.96**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**0.70**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.50**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**748.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.40**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.94**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**85.679**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.04**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**97.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**0.08**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.036**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000264589**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000321712**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.30**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.98**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.28**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-21-1997**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**.98 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name		Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**		**21.57**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**		**128.90**		
00927	**MAGNESIUM, TOTAL (MG/L AS MG)**		**30.30**		
00929	**SODIUM, TOTAL (MG/L AS NA)**		**16.00**		
00937	**POTASSIUM, TOTAL MG/L AS K)**		**7.00**		
00941	**CHLORIDE, DISSOLVED IN WATER**	**MG/L**	**34.00**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**		**241.00**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**		**0.519**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**		**1300.00**	**Q**	
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**		**210.00**	**Q**	
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**		**446.638**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**		**527.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**		**0.25**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**		**0.50**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1997**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.98**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**1.60**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**4.10**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**175.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**157.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.10**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.20**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**40.5063**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.16**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**15.00**	**I**	
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.6462**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.032**	**I**	
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000323051**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.011**	**I**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000392794**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.01**	**U**	
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-22-1997**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**1.64 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.394**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**26.59**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**19.60**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**5.60**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**6.60**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**1.90**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**11.50**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**29.40**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**1100.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**72.002**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**147.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.324**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.90**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-20-1997**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.64**		
00068	**DEPTH, MAXIMUM, OF SAMPLE (FEET)**	**0.6562**		
00076	**TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UI**	**5.20**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**496.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.97**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.7608**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.96**		
00425	**ALKALINITY, BICARBONATE (MG/L AS CACO3)**	**91.00**		
00515	**RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L**	**5.675**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.233**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000816972**	**$**	
00613	**NITRITE NITROGEN, DISSOLVED (MG/L AS N)**	**0.004**	**T**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000993349**	**$**	
00620	**NITRATE NITROGEN, TOTAL (MG/L AS N)**	**0.174**		
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.20**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.422**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-20-1997**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**.66 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**19.70**		
00916	**CALCIUM, TOTAL (MG/L AS CA)**	**50.20**		
00925	**MAGNESIUM, DISSOLVED (MG/L AS MG)**	**22.40**		
00929	**SODIUM, TOTAL (MG/L AS NA)**	**14.50**		
00937	**POTASSIUM, TOTAL MG/L AS K)**	**5.50**		
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**31.90**		
00946	**SULFATE, DISSOLVED (MG/L AS SO4)**	**96.10**		
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.617**		
31503	**COLIFORM,TOT,MEMBR FILTER,DELAYED,M-ENDO ME**	**700.00**		
31616	**FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C**	**220.00**		
46570	**HARDNESS, CA MG CALCULATED (MG/L AS CACO3)**	**217.593**	**$**	
70300	**RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L**	**324.00**		
70507	**PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P**	**0.34**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.40**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-08-1998**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.18**		
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.40**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**500.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**324.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.20**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.23**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**39.8765**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**6.51**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.8571**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**2.10**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.235**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000501825**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000610165**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.012**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.675**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.355**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**35.70**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**7.98**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-08-1998**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**1.6 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**3.86**		
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**4.92**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**2.96**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**10.50**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.60**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**11-04-1998**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.56**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**671.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.30**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.96**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.5057**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.40**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.36**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**1.20**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.061**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000722068**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000877956**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.133**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.325**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.266**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**16.10**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**2.49**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**2.92**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**11-04-1998**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**.3 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**5.16**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**1.46**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**4.20**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.20**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-07-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.66**		
00080	**COLOR (PLATINUM-COBALT UNITS)**	**85.00**		
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**849.00**		
00096	**SALINITY AT 25 DEGREES C (MG/ML)**	**0.40**		
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.21**		
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.5681**	**$**	
00406	**PH, FIELD, STANDARD UNITS SU**	**7.54**		
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.08**		
00600	**NITROGEN, TOTAL (MG/L AS N)**	**0.35**		
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.028**		
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000427291**	**$**	
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000519539**	**$**	
00630	**NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)**	**0.046**		
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.239**		
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.225**		
00680	**CARBON, TOTAL ORGANIC (MG/L AS C)**	**13.90**		
32211	**CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID.**	**1.24**		
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**2.76**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLSWFD**	Organization Name:	**SW FLORDIA WATER**
Station ID:	**FLO0089**	Station Alias:	
Station Name:	**MYAKKA RIVER @ SR 72**		

State:	**Florida**	County:	**Sarasota**
Latitude:	**27deg. 0min. 0sec. N**	Longitude:	**82deg. 5min. 50sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**12-07-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**.5 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**4.32**		
32218	**PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. MI**	**2.30**		
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		
82903	**DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE M**	**0.30**		

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**370.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.00**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.90**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**3.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000618557**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.088**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000752097**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.05**	**K**	**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.096**		**A**
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**16.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**5.71**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.489**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**10.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**104.00**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.90**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000184665**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.072**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000224533**	**$**	**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.073**		**A**
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**20.00**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.60**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.168**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**510.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**81.1764**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.10**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.40**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.072**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.065**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.35**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.87**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.153**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**510.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**95.2941**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.80**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.047**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.051**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.10**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.50**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.228**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**420.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**69.0476**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**4.10**		**A**
00400	**PH (STANDARD UNITS)**	**6.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**8.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000565508**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.003**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000687595**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.83**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.01**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.10**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.90**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.246**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**460.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.1463**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000380374**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.04**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000462494**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.66**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.051**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.093**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**7.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.50**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.28**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.156**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.82**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.171**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.13**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**2.90**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.378**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**6.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**420.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.80**		**A**
00400	**PH (STANDARD UNITS)**	**8.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.50**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.012**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**2.90**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**3270.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.5555**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.364**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.37**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**	**K**	**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-01-1989**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**10.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**107.216**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.10**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.057**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.057**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.252**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**45.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.80**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.021**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.79**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.043**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.233**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**02-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00078	**TRANSPARENCY, SECCHI DISC (METERS)**	**0.90**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**40.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**420.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**8.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.04**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.66**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.051**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.30**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.80**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.40**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.093**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**7.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.068**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.70**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.0739999**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.483**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**94.1176**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.10**		**A**
00400	**PH (STANDARD UNITS)**	**8.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00251029**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.119**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00305223**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.40**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.119**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**350.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.181**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000257644**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.119**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000313267**	**$**	**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.19**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**102.60**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**66.6667**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.20**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.80**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000168646**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**	**K**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000205055**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.70**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.10**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**14.50**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.582**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.50**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-01-1990**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**190.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.70**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.291**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.97**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.312**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**7.40**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**77.40**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.295**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**7.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-01-1990**	Start Time:	**1006**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**595.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.9545**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.20**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.20**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.119**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.137**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1600.00**	**L**	**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**9.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-01-1990**	Start Time:	**1006**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1990**	Start Time:	**1008**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.2222**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.80**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**8.80**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**4.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00013294**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.073**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00016164**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.0829999**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.196**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1600.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**21.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1990**	Start Time:	**1008**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**31.70**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**50.40**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**109.40**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**0.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-28-1991**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**343.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.0909**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.90**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000057334**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.082**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000697118**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.60**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.0969999**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.182**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**500.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.10**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-28-1991**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**124.10**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.298**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**0.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-25-1991**	Start Time:	**959**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**80.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**428.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.9411**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000837123**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.07**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000101785**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.01**	**K**	**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.073**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.60**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**4.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-25-1991**	Start Time:	**959**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**6.80**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**7.50**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.283**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**0.80**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-29-1991**	Start Time:	**1036**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**330.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**78.481**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.20**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**3.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000553023**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.101**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000672415**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.104**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**900.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-29-1991**	Start Time:	**1036**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**2.00**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**3.70**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**0.00**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**62.20**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.30**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1991**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**900.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**11.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**144.737**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**8.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00138133**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.087**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00167954**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.673**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.089**		**A**
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**10.00**	**K**	**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.48**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.41**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-01-1991**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.06**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.17**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**2.14**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.48**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.368**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.10**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**170.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**70.7317**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.80**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.02**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000384376**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.105**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000467359**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.54**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.12**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.40**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**66.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-01-1991**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.493**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.90**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-01-1991**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**400.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**290.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.3846**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.10**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.018**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00010662**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.025**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000129639**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.16**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.025**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.20**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**158.90**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-01-1991**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.154**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-23-1991**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**110.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**342.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**84.1463**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**4.20**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000955841**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.138**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00011622**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.18**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.143**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**0.30**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-23-1991**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**0.00**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**78.40**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.21**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.90**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-18-1991**	Start Time:	**1157**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**22.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**491.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**93.1818**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**7.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000113746**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.064**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000138303**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.92**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.067**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.29**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.30**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**0.40**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-18-1991**	Start Time:	**1157**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**0.00**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**18.00**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.239**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1991**	Start Time:	**1420**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**12.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**508.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.9259**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**7.70**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.20**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000107624**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.137**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000130859**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.81**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.139**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.72**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**0.27**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-17-1991**	Start Time:	**1420**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**29.90**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.231**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-07-1992**	Start Time:	**800**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**440.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.7319**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.20**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**5.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000993609**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.082**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000120812**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.86**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.84**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-07-1992**	Start Time:	**800**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**43.20**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.26**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-30-1992**	Start Time:	**1136**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**19.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**590.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**10.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**110.638**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.90**		**A**
00400	**PH (STANDARD UNITS)**	**7.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000226971**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.07**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000275971**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.87**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.07**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.327**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**16.87**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**26.29**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-30-1992**	Start Time:	**1136**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**42.28**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**35.24**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.15**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**4.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1992**	Start Time:	**1255**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**590.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**10.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**121.951**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.60**		**A**
00400	**PH (STANDARD UNITS)**	**8.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000880035**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.158**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00107003**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.64**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.16**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.284**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**34.36**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**55.86**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1992**	Start Time:	**1255**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**87.32**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.155**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1992**	Start Time:	**730**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.20**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.60**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.0739999**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.41**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.0779999**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.241**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.00**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**2.21**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.43**		**A**
32223	**CHLOROPHYLL A MG/M2 SPECTROPHOTOMETRIC COR**	**2.67**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.69**		**A**
70305	**SALINITY BASED ON CONDUCTIVITY**	**1.60**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.201**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-15-1992**	Start Time:	**730**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**480.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.60**		**A**
00400	**PH (STANDARD UNITS)**	**7.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.332**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.86**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.337**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.391**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.224**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-27-1992**	Start Time:	**800**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.217**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.638**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.22**		**A**
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**10.00**	**K**	**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.39**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.59**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.69**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.82**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**0.85**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.139**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-15-1992**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.803**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.10**	**K**	**A**
00941	**CHLORIDE, DISSOLVED IN WATER MG/L**	**10.00**	**K**	**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.256**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.07**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**4.17**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.143**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**6.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-09-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**30.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-12-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**205.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.20**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.49**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.97**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**	**K**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.14**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.13**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.213**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.44**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.20**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.20**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**1.21**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-13-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**369.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.50**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.40**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.07**		**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.46**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.10**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.28**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.11**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.80**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.86**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.22**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-20-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**235.00**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.20**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.91**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.20**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**7.61**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.66**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**2.86**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**6.36**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.45**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-07-1993**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**9.70**		**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.80**		**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.80**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**2.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.08**		**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.65**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.08**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.24**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**0.33**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.51**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**114.49**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.10**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-14-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**450.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**87.00**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.40**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.00**	**K**	**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000117089**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.01**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000142367**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.38**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.01**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.29**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-14-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.16**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-26-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**300.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**11.00**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**7.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000249308**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000303132**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.91**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.11**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.88**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.13**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**0.79**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**0.58**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**100.55**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.24**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-26-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**6.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**65.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**345.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.00**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**5.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**3.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.07**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000041686**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.04**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000506856**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.16**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.05**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**13.16**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-28-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.06**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-12-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**70.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**280.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.9494**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.03**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000413279**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.11**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000502502**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.35**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.12**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.26**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.70**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**9.42**		**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**3.80**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**13.51**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-12-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.12**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**4.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-23-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**34.4828**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**5.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**10.80**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**3.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000155622**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.17**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000189219**	**$**	**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.17**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.27**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**13.46**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**23.66**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-23-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.37**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**6.00**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-06-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**180.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.5609**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**4.00**		**A**
00400	**PH (STANDARD UNITS)**	**5.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**0.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000483451**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.21**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000587823**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.30**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.22**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**1.00**	**K**	**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-06-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**13.63**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**29.16**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.47**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**9.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-25-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**210.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**89.1304**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.90**		**A**
00400	**PH (STANDARD UNITS)**	**5.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.20**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**4.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00000157672**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.22**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00000191712**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.91**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.23**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**1.00**	**K**	**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**0.59**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-25-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**15.05**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**78.34**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.30**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-30-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**290.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7059**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**7.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.60**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.09**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00290488**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.07**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00353201**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.74**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.07**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.58**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTE**	**8.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**11-30-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**28.49**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**2.94**		**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.44**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-13-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**20.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**90.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**285.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**71.7391**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.60**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.80**		**A**
00535	**RESIDUE, VOLATILE NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**K**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000123711**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.29**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000150419**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.89**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.29**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.10**		**A**
32212	**CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTEI**	**6.37**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**12-13-1994**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**.1 feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32214	**CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTE**	**24.26**		**A**
32224	**PHEOPHYTIN A MG/M2 SPECTROPHOTOMETRIC ACID M**	**1.00**	**K**	**A**
70505	**PHOSPHATE,TOTAL,COLORIMETRIC METHOD (MG/L AS**	**0.42**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.70**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-13-1996**	Start Time:	**800**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**370.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**75.862**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.10**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.017**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000104689**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.06**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00012729**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.791**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.064**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.497**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.311**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**13000.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**2600.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-13-1996**	Start Time:	**800**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**500.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.77**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-17-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**28.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**450.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.40**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**55.6962**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**7.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0829999**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000910824**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.09**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00110746**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.662**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.088**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.565**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.426**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.29**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1100.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**100.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-17-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**9.98**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-06-1996**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**16.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**1012.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**88.00**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**14.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.055**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000255483**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.09**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00031064**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.61**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.086**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.339**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.124**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.65**		**A**
31612	**COLIFORM, FECAL 10/ML**	**600.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**11.13**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-06-1996**	Start Time:	**1200**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.90**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**09-03-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**31.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**50.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**310.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**52.00**	**$**	**A**
00400	**PH (STANDARD UNITS)**	**6.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000341243**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000414914**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.01**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.096**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.342**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.382**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3050.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**60.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**09-03-1996**	Start Time:	**1130**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**40.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.65**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.90**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-09-1996**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**26.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**250.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**1.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**14.6341**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**4.10**		**A**
00400	**PH (STANDARD UNITS)**	**6.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.223**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000340567**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.10**	**U**	**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000414092**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.24**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.23**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.418**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.18**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2450.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**115.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-09-1996**	Start Time:	**1010**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**415.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**3.60**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-17-1997**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**60.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**510.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.3529**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.20**		**A**
00400	**PH (STANDARD UNITS)**	**7.20**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000830855**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.04**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000101023**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.669**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.037**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.375**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.26**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.28**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**135.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-17-1997**	Start Time:	**1230**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**15.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**35.00**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.40**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-03-1997**	Start Time:	**1305**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**371.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.60**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**60.5263**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000634136**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.14**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000771039**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.15**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.141**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.652**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.573**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**400.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-03-1997**	Start Time:	**1305**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**61.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**19.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.99**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.30**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**07-07-1997**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**180.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**305.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**2.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**24.6913**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.20**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.017**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0000350357**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.34**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000425996**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.52**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.352**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.775**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.664**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**5000.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-07-1997**	Start Time:	**1035**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**3.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**135.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.20**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.50**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-21-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**210.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**82.4742**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.80**		**A**
00400	**PH (STANDARD UNITS)**	**7.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.291**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0028914**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.18**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00351563**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.05**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.182**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.394**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.376**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**670.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-21-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**240.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**100.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**0.34**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-17-1998**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**160.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**91.1111**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.357**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.00095714**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.52**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00116378**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.38**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.531**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.346**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.303**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**1.00**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4450.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**02-17-1998**	Start Time:	**1320**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**2200.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**1400.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.96**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**4.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**03-31-1998**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**220.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**36.4706**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.60**		**A**
00400	**PH (STANDARD UNITS)**	**6.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000013261**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.16**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.0000161239**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.25**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.164**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.16**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.357**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**385.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-31-1998**	Start Time:	**1020**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**95.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**173.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**6.89**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1998**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**255.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**47.0588**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.90**		**A**
00400	**PH (STANDARD UNITS)**	**6.50**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.0739999**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000123498**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.17**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00015016**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.37**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.174**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.364**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.349**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1900.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-20-1998**	Start Time:	**1040**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**30.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**285.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**10.38**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**4.80**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-04-1998**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**140.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**150.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.50**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.7059**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**13.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.091**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000240461**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.11**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000292374**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.06**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.107**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.225**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.289**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**7000.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**05-04-1998**	Start Time:	**1140**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**10.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**600.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**13.24**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**10.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-15-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**425.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.20**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**68.421**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**6.50**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**8.80**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.151**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000761599**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.16**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000926021**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.28**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.159**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.691**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.578**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.25**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**225.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-15-1998**	Start Time:	**1030**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**175.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**19.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**29.11**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.50**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-17-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**160.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**230.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**51.282**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**6.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.40**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.088**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000165507**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.08**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000201238**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.04**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.091**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.269**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.258**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3400.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-17-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**1900.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**3800.00**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.20**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-19-1998**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**235.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**56.4706**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.60**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.061**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000202784**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.05**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000246564**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.16**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.054**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.363**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.355**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.21**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1850.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-19-1998**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**180.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**225.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**7.60**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-03-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**240.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**44.7058**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.129**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000270912**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.09**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000329399**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.64**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.094**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.077**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.978**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1250.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR-1**	Station Alias:	
Station Name:	**MYAKKA RIVER AT CLAY GULLEY ROAD**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 17min. 25sec. N**	Longitude:	**82deg. 14min. 44sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**11-03-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**95.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**300.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**8.30**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**06-03-1997**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**384.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**7.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**90.1234**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**0.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.01**	**U**	**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000128626**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.12**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000156395**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.756**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.129**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.434**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.397**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.24**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1700.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-03-1997**	Start Time:	**1240**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**280.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**36.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.24**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-07-1997**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**27.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**420.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.00**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**61.7284**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.60**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.412**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.0016907**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.18**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00205571**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.53**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.196**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.603**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.531**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4500.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**07-07-1997**	Start Time:	**1110**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**600.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**275.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.40**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**5.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**01-21-1998**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**17.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**210.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**370.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**90.7216**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.30**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.378**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000950506**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.15**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00115571**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.764**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.161**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.36**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.315**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.16**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**4000.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**01-21-1998**	Start Time:	**1120**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**770.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**125.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.76**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.70**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-17-1998**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**21.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**8.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**96.6666**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**6.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.084**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000225209**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.11**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.00027383**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.0779999**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.109**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.133**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.10**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**27000.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**13600.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**02-17-1998**	Start Time:	**1300**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**6300.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.78**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**7.20**		**A**

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-31-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**24.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**140.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.30**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**62.3529**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**4.90**		**A**
00400	**PH (STANDARD UNITS)**	**6.60**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.05**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000105005**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.17**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000127674**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**2.45**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.174**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**1.21**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.37**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.14**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**950.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**03-31-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**92.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**365.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**5.02**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**04-20-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**100.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**325.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.1428**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.90**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**3.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.053**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000150315**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.20**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000182766**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.90**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.205**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.252**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.284**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1200.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**04-20-1998**	Start Time:	**1100**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**50.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**210.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.31**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-04-1998**	Start Time:	**1205**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**120.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**100.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**6.10**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**72.619**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**1.70**		**A**
00400	**PH (STANDARD UNITS)**	**6.90**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.00**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.067**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000300662**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.16**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000365573**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.911**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.163**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.251**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.25**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.20**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**750.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**05-04-1998**	Start Time:	**1205**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**105.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**180.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**2.27**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**2.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-15-1998**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**30.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**150.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**410.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**64.4736**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**5.00**		**A**
00400	**PH (STANDARD UNITS)**	**7.00**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.049**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000390539**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.11**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000474853**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**0.866**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.111**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.422**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**70.00**		**A**
31612	**COLIFORM, FECAL 10/ML**	**70.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**06-15-1998**	Start Time:	**1055**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**26.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**9.37**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.30**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**08-17-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**29.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**200.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**270.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**3.90**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**50.00**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**3.40**		**A**
00400	**PH (STANDARD UNITS)**	**6.30**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**1.20**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.102**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000152441**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.08**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000185351**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.63**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.0829999**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.391**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.359**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.23**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**2250.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**08-17-1998**	Start Time:	**1115**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**295.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**285.00**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.60**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**10-19-1998**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**25.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**260.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**4.80**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**57.1428**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**2.00**		**A**
00400	**PH (STANDARD UNITS)**	**6.80**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**4.40**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.072**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000256885**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.12**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000312344**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.17**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.125**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.368**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.355**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.19**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**1150.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**
Hydrologic Unit Code (HUC):	**03100102**		
Station Type Indicator Description:	**Surface Water**		
Legacy STORET Station Type:	**/TYPA/AMBNT/STREAM**		

Start Date:	**10-19-1998**	Start Time:	
End Date:		End Time:	
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**80.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**285.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**4.30**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**3.10**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**11-03-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
00010	**TEMPERATURE, WATER (DEGREES CENTIGRADE)**	**23.00**		**A**
00080	**COLOR (PLATINUM-COBALT UNITS)**	**240.00**		**A**
00094	**SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)**	**235.00**		**A**
00299	**OXYGEN ,DISSOLVED, ANALYSIS BY PROBE MG/L**	**5.70**		**A**
00301	**OXYGEN, DISSOLVED, PERCENT OF SATURATION**	**65.5172**	**$**	**A**
00311	**BOD, DISSOLVED, 5 DAY MG/L**	**0.60**		**A**
00400	**PH (STANDARD UNITS)**	**6.70**		**A**
00530	**RESIDUE, TOTAL NONFILTRABLE (MG/L)**	**2.60**		**A**
00610	**NITROGEN, AMMONIA, TOTAL (MG/L AS N)**	**0.101**		**A**
00612	**AMMONIA, UNIONZED (MG/L AS N)**	**0.000248535**	**$**	**A**
00618	**NITRATE NITROGEN, DISSOLVED (MG/L AS N)**	**0.09**		**A**
00619	**AMMONIA, UNIONIZED (CALC FR TEMP-PH-NH4) (MG/L**	**0.000302192**	**$**	**A**
00625	**NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)**	**1.00**		**A**
00631	**NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)**	**0.095**		**A**
00665	**PHOSPHORUS, TOTAL (MG/L AS P)**	**0.315**		**A**
00671	**PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L A**	**0.294**		**A**
00951	**FLUORIDE, TOTAL (MG/L AS F)**	**0.22**		**A**
31501	**COLIFORM,TOT,MEMBRANE FILTER,IMMED.M-ENDO M**	**3000.00**		**A**

Date Created: Apr 02, 2003

STORET LDC - Detailed Data Report

Organization Code:	**21FLMANA**	Organization Name:	**ENVIRONMENTAL**
Station ID:	**MR2**	Station Alias:	
Station Name:	**Myakka R. at SR 70**		

State:	**Florida**	County:	**Manatee**
Latitude:	**27deg. 20min. 34sec. N**	Longitude:	**82deg. 9min. 25sec. W**

Hydrologic Unit Code (HUC): **03100102**

Station Type Indicator Description: **Surface Water**

Legacy STORET Station Type: **/TYPA/AMBNT/STREAM**

Start Date:	**11-03-1998**	Start Time:	**1050**
End Date:		End Time:	**0**
Sample Depth:	**feet**	Effluent Monitoring Code:	
UMK:		Replicate Number:	
Composite Method Code:		Pipe ID:	
Composite/Grab Number:			
Primary/Secondary Activity Category:			

Parameter Code	Parameter Long Name	Result Value	Remark Code	Composite Statistic Code
31612	**COLIFORM, FECAL 10/ML**	**2300.00**		**A**
31680	**FECAL STREPTCOCCI,MF-KF BROTH,35C,4BH #/100 ML**	**2650.00**		**A**
32210	**CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTE**	**8.50**		**A**
82079	**TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, N**	**1.70**		**A**

Date Created: Apr 02, 2003