



STL

SITE: BCX Tank
BREAK: 2.2
OTHER: v.4

E-MAILED
08/17/04

Fax message

To: Jeff Brown

From: Zuzie Franco

Company: WBS

Customer Service

954-431-4550 Extension: 111

Fax: _____

zfranco@stl-inc.com

Date: 08/17/04

Email: _____

Pages: 70

Subject: SUB #4/8-135

This message contains information intended only for the use of the person named above. It may also be confidential and/or privileged. If you are not the intended recipient of this message you are hereby notified that you must not disseminate, copy or take any action in reliance on it. If you have received this message in error please contact STL Miami at 954-431-4550. The views expressed in this fax are not necessarily those of the company STL.



WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 1
 August 17, 2004
 Submission # 408000135
 Order # 64101
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-106 (54188)
 Collected: 07/01/04 16:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/05/2004	08/05/2004	MT
8260B TCLP: VOA (602) Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	42.3	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Benzene	13.2	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Toluene	130	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Ethylbenzene	31.7	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
m & p Xylene	125	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
o- Xylene	68.5	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Total Xylene	194	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	82.25	%					
SURROGATE: Toluene-D8	102.00	%					
SURROGATE: Bromofluorobenzene	93.60	%					
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 2
 August 17, 2004
 Submission # 408000135
 Order # 64101
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-106 (54188)
 Collected: 07/01/04 16:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 3
 August 17, 2004
 Submission # 408000135
 Order # 64101
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-106 (54188)
 Collected: 07/01/04 16:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,2-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Tetrachloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619


Page 4
 August 17, 2004
 Submission # 408000135
 Order # 64101
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-106 (54188)
 Collected: 07/01/04 16:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
4-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/05/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	82.25	%					
SURROGATE: Toluene-D8	102.00	%					
SURROGATE: Bromofluorobenzene	93.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 5
 August 17, 2004
 Submission # 408000135
 Order # 64106
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-109@20' (54192)
 Collected: 07/01/04 19:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/05/2004	08/05/2004	MT
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 6
 August 17, 2004
 Submission # 408000135
 Order # 64106
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-109@20' (54192)
 Collected: 07/01/04 19:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Tetrachloroethene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 7
 August 17, 2004
 Submission # 408000135
 Order # 64106
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-109@20' (54192)
 Collected: 07/01/04 19:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/05/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	86.00	%					
SURROGATE: Toluene-D8	103.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619


Page 8
 August 17, 2004
 Submission # 408000135
 Order # 64106
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-109@20' (54192)
 Collected: 07/01/04 19:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	110.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 9
 August 17, 2004
 Submission # 408000135
 Order # 64109
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@25' (54194)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Halogens, Total	BDL	mg/Kg	5050/9252A	2.0	08/07/2004	08/07/2004	RG
TCLP Extraction Procedure	FL=1		1311 Extraction		08/09/2004	08/09/2004	NJB
Selenium, TCLP	BDL	mg/L	1311/6010	0.50	08/09/2004	08/11/2004	RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/07/2004	08/07/2004	MT
8260B TCLP: VOA (602) Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Benzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Toluene	16.9	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Ethylbenzene	19.2	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
m & p Xylene	96.9	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
o- Xylene	67.6	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Total Xylene	165	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
SURROGATE: Diethyl ether	101.25	%					
SURROGATE: Toluene-D8	99.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 10
 August 17, 2004
 Submission # 408000135
 Order # 64109
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@25' (54194)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	114.40	%					
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Chloromethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Bromomethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Chloroethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Chloroform	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 11
 August 17, 2004
 Submission # 408000135
 Order # 64109
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@25' (54194)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Tetrachloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 12
 August 17, 2004
 Submission # 408000135
 Order # 64109
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@25' (54194)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/13/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/13/2004	SKL
SURROGATE: Diethyl ether	101.25	%					
SURROGATE: Toluene-D8	99.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 13
 August 17, 2004
 Submission # 408000135
 Order # 64109
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@25' (54194)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	114.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 14
 August 17, 2004
 Submission # 408000135
 Order # 64112
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-2@30' (54195)
 Collected: 07/01/04 16:40
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/07/2004	08/07/2004	MT
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 15
 August 17, 2004
 Submission # 408000135
 Order # 64112
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-2@30' (54195)
 Collected: 07/01/04 16:40
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chloroform	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Tetrachloroethene	38.6	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 16
 August 17, 2004
 Submission # 408000135
 Order # 64112
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-2@30' (54195)
 Collected: 07/01/04 16:40
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	91.00	%					
SURROGATE: Toluene-D8	101.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 17
 August 17, 2004
 Submission # 408000135
 Order # 64112
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-2@30' (54195)
 Collected: 07/01/04 16:40
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	99.20	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 18
 August 17, 2004
 Submission # 408000135
 Order # 64113
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-107@35' (54196)
 Collected: 07/01/04 17:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	HA
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 19
 August 17, 2004
 Submission # 408000135
 Order # 64113
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-107@35' (54196)
 Collected: 07/01/04 17:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Tetrachloroethene	15.1	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 20
 August 17, 2004
 Submission # 408000135
 Order # 64113
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-107@35' (54196)
 Collected: 07/01/04 17:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromobenzene	BDL	ug/L	1311/8260H	1.000	08/08/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260H	1.000	08/08/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260H	1.000	08/08/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	89.00	%					
SURROGATE: Toluene-D8	99.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 21
 August 17, 2004
 Submission # 408000135
 Order # 64113
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-107@35' (54196)
 Collected: 07/01/04 17:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	96.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 22
 August 17, 2004
 Submission # 408000135
 Order # 64115
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@3' (54197)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	HA
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 23
 August 17, 2004
 Submission # 408000135
 Order # 64115
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@3' (54197)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chloroform	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Tetrachloroethene	20.5	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 24
 August 17, 2004
 Submission # 408000135
 Order # 64115
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@3' (54197)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	87.25	%					
SURROGATE: Toluene-D8	100.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619


Page 25
 August 17, 2004
 Submission # 408000135
 Order # 64115
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-10@3' (54197)
 Collected: 07/01/04 18:20
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	98.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 26
 August 17, 2004
 Submission # 408000135
 Order # 64116
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-12@30' (54198)
 Collected: 07/01/04 20:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	HA
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 27
 August 17, 2004
 Submission # 408000135
 Order # 64116
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-12@30'(54198)
 Collected: 07/01/04 20:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chloroform	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Tetrachloroethene	5.20	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260E	1.000	08/08/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 28
 August 17, 2004
 Submission # 408000135
 Order # 64116
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-12@30'(54198)
 Collected: 07/01/04 20:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/08/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	91.75	%					
SURROGATE: Toluene-D8	96.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619


Page 29
 August 17, 2004
 Submission # 408000135
 Order # 64116
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-12@30'(54198)
 Collected: 07/01/04 20:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	106.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 30
 August 17, 2004
 Submission # 408000135
 Order # 64118
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-17 (53959)
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Barium, TCLP	BDL	mg/L	1311/6010B	0.50	08/08/2004	08/09/2004	MG/RP
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/06/2004	08/06/2004	HA
8260B TCLP: VOA (602) Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	191	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Benzene	117	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Toluene	640	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Ethylbenzene	108	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
m & p Xylene	387	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
o- Xylene	205	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Total Xylene	592	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 31
 August 17, 2004
 Submission # 408000135
 Order # 64118
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-17 (53959)
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Diethyl ether	88.00	%					
SURROGATE: Toluene-D8	104.50	%					
SURROGATE: Bromofluorobenzene	92.80	%					
8260B TCLP: VOH {601} Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 32
 August 17, 2004
 Submission # 408000135
 Order # 64118
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-17 (53959)
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Tetrachloroethene	27.5	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 33
 August 17, 2004
 Submission # 408000135
 Order # 64118
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-17 (53959)
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/06/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	88.00	%					
SURROGATE: Toluene-D8	104.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 34
 August 17, 2004
 Submission # 408000135
 Order # 64118
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-17 (53959)
 Collected: 06/30/04 15:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	92.80	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 35
 August 17, 2004
 Submission # 408000135
 Order # 64119
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-15@30' (53960)
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/07/2004	08/07/2004	MT
8260B TCLP: VOA {602} Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	105	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Benzene	28.6	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Toluene	269	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Ethylbenzene	54.1	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
m & p Xylene	197	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
o- Xylene	111	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Total Xylene	308	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	87.25	%					
SURROGATE: Toluene-D8	100.00	%					
SURROGATE: Bromofluorobenzene	96.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 36
 August 17, 2004
 Submission # 408000135
 Order # 64119
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-15@30' (53960)
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 37
 August 17, 2004
 Submission # 408000135
 Order # 64119
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-15@30' (53960)
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Tetrachloroethene	18.6	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/07/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 38
 August 17, 2004
 Submission # 408000135
 Order # 64119
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-15@30' (53960)
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,2,3-Trichloropropane	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/07/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	87.25	%					
SURROGATE: Toluene-D8	100.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 39
 August 17, 2004
 Submission # 408000135
 Order # 64119
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-15@30' (53960)
 Collected: 06/30/04 18:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	96.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 40
 August 17, 2004
 Submission # 408000135
 Order # 64121
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-100 (53961)
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Halogens, Total	32740	mg/Kg	5050/9252A	2.0	08/07/2004	08/07/2004	RG
TCLP Extraction Procedure	FL=1		1311 Extraction		08/09/2004	08/09/2004	NJB
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/09/2004	08/11/2004	RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/09/2004	08/11/2004	RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/10/2004	08/10/2004	HA
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 41
 August 17, 2004
 Submission # 408000135
 Order # 64121
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-100 (53961)
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chloroform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Tetrachloroethene	10.3	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 42
 August 17, 2004
 Submission # 408000135
 Order # 64121
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-100 (53961)
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Chlorobenzene	BDL	ug/L	1311/8260H	1.000	08/10/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	90.25	%					
SURROGATE: Toluene-D8	106.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 43
 August 17, 2004
 Submission # 408000135
 Order # 64121
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-100 (53961)
 Collected: 07/01/04 08:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	98.40	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 44
 August 17, 2004
 Submission # 408000135
 Order # 64122
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Releg 04/07-100 & 137

Sample I.D.: BCX-13@25' (53962)
 Collected: 07/01/04 09:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field


Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 45
 August 17, 2004
 Submission # 408000135
 Order # 64124
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-14@10' (53963)
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/09/2004	08/09/2004	MR
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 46
 August 17, 2004
 Submission # 408000135
 Order # 64124
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-14@10' (53963)
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Tetrachloroethene	11.1	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 47
 August 17, 2004
 Submission # 408000135
 Order # 64124
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-14@10' (53963)
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260E	1.000	08/09/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	100.50	%					
SURROGATE: Toluene-D8	99.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 48
 August 17, 2004
 Submission # 408000135
 Order # 64124
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-14@10' (53963)
 Collected: 07/01/04 11:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	104.00	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 49
 August 17, 2004
 Submission # 408000135
 Order # 64126
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-101 (53964)
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/09/2004	08/09/2004	MR
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 50
 August 17, 2004
 Submission # 408000135
 Order # 64126
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-101 (53964)
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromochloromethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Tetrachloroethene	96.0	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/826013	1.000	08/09/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 51
 August 17, 2004
 Submission # 408000135
 Order # 64126
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-101 (53964)
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/09/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	76.50	%					
SURROGATE: Toluene-D8	95.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 52
 August 17, 2004
 Submission # 408000135
 Order # 64126
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-101 (S3964)
 Collected: 07/01/04 11:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	99.20	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 53
 August 17, 2004
 Submission # 408000135
 Order # 64127
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@30' (53965)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Barium, TCLP	BDL	mg/L	1311/6010B	0.50	08/08/2004	08/09/2004	MG/RP
Cadmium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/10/2004	08/10/2004	HA
8260B TCLP: VOA (602) Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	284	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Benzene	120	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Toluene	495	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Ethylbenzene	40.4	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
m & p Xylene	159	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
o- Xylene	101	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Total Xylene	260	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 54
 August 17, 2004
 Submission # 408000135
 Order # 64127
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@30' (53965)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Diethyl ether	99.50	%					
SURROGATE: Toluene-D8	106.50	%					
SURROGATE: Bromofluorobenzene	101.60	%					
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 55
 August 17, 2004
 Submission # 408000135
 Order # 64127
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@30' (53965)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Tetrachloroethene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260E	1.000	08/10/2004	08/13/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 56
 August 17, 2004
 Submission # 408000135
 Order # 64127
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@30' (53965)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNIT'S	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/13/2004	SKL
SURROGATE: Diethyl ether	99.50	%					
SURROGATE: Toluene-D8	106.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 57
 August 17, 2004
 Submission # 408000135
 Order # 64127
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@30' (53965)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	101.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 58
 August 17, 2004
 Submission # 408000135
 Order # 64128
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@1' (53966)
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/10/2004	08/10/2004	HA
8260B TCLP: VOA (602) Compounds by GC/MS			MEDF	1			
Methyl-tert-butyl-ether	48.7	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Benzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Toluene	21.2	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Ethylbenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
m & p Xylene	12.9	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
o- Xylene	8.20	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Total Xylene	21.1	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
SURROGATE: Diethyl ether	123.75	%					
SURROGATE: Toluene-D8	97.00	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 59
 August 17, 2004
 Submission # 408000135
 Order # 64128
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@1' (53966)
 Collected: 07/01/04 14:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	161.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***

Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field

Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***

***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.

Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836

*Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.

For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 60
 August 17, 2004
 Submission # 408000135
 Order # 64129
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-105@25' (53967)
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Chromium, TCLP	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
6010 TCLP Lead	BDL	mg/L	1311/6010	0.50	08/08/2004	08/09/2004	MG/RP
TCLP Extraction Procedure	FL=1		1311 Extraction		08/10/2004	08/10/2004	HA
8260B TCLP: VOA {602} Compounds by GC/MS			MEDP	1			
Methyl-tert-butyl-ether	474	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Benzene	173	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Toluene	899	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Ethylbenzene	112	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
m & p Xylene	379	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
o- Xylene	196	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Total Xylene	575	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
SURROGATE: Diethyl ether	80.50	%					
SURROGATE: Toluene-D8	107.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 61
 August 17, 2004
 Submission # 408000135
 Order # 64129
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-105@25' (53967)
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	111.20	%					
8260B TCLP: VOH (601) Volatile Organics by GC			MEDF	1			
Dichlorodifluoromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Vinyl Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Bromomethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Trichlorofluoromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Methylene Chloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
2,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chloroform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Bromochloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1,1-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 62
 August 17, 2004
 Submission # 408000135
 Order # 64129
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-105@25' (53967)
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Carbon Tetrachloride	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Tetrachloroethene	13.2	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Bromoform	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 63
 August 17, 2004
 Submission # 408000135
 Order # 64129
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Releg 04/07-100 & 137

Sample I.D.: BCX-105@25' (53967)
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	1.000	08/10/2004	08/16/2004	SKL
SURROGATE: Diethyl ether	80.50	%					
SURROGATE: Toluene-D8	107.50	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 64
 August 17, 2004
 Submission # 408000135
 Order # 64129
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-105@25' (53967)
 Collected: 07/01/04 14:55
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	111.20	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 65
 August 17, 2004
 Submission # 408000135
 Order # 64130
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-102@3' (53968)
 Collected: 07/01/04 13:00
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
TCLP Extraction Procedure	FL=1		1311 Extraction		08/08/2004	08/08/2004	CDE
Mercury, TCLP (Cold Vapor AA)	BDL	mg/L	1311/7470A	0.0002(I)	08/08/2004	08/09/2004	MG

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion, the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process" coded by (01).Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries,please contact the representative who signed this report, or the QA department.


 Project Manager

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 66
 August 17, 2004
 Submission # 408000135
 Order # 64131
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@23' (53969)
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Halogens, Total	BDL	mg/kg	5050/9252A	2.0	08/07/2004	08/07/2004	RG
TCLP Extraction Procedure	FL=1		1311 Extraction		08/06/2004	08/06/2004	HA
8260B TCLP: VOH {601} Volatile Organics by GC			MEDF	20			
Dichlorodifluoromethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Chloromethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Vinyl Chloride	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Bromomethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Chloroethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Trichlorofluoromethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1-Dichloroethene	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Methylene Chloride	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Trans-1,2-Dichloroethene	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1-Dichloroethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
2,2-Dichloropropane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
cis-1,2-Dichloroethene	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Chloroform	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Bromochloromethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1,1-Trichloroethane	BDL	ug/l.	1311/8260B	20.000	08/06/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 67
 August 17, 2004
 Submission # 408000135
 Order # 64131
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@23' (53969)
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
1,1-Dichloropropene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Carbon Tetrachloride	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2-Dichloroethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Trichloroethene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2-Dichloropropane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Bromodichloromethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
2-Chloroethylvinyl Ether	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Dibromomethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
cis-1,3-Dichloropropene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Trans-1,3-Dichloropropene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1,2-Trichloroethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,3-Dichloropropane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Tetrachloroethene	200	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Dibromochloromethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2-Dibromoethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Chlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Bromobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1,1,2-Tetrachloroethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619

Page 68
 August 17, 2004
 Submission # 408000135
 Order # 64131
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@23' (53969)
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
Bromoform	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,1,2,2-Tetrachloroethane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2,3-Trichloropropane	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
2-Chlorotoluene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
4-Chlorotoluene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,3-Dichlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,4-Dichlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2-Dichlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2,4-Trichlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
Hexachlorobutadiene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
1,2,3-Trichlorobenzene	BDL	ug/L	1311/8260B	20.000	08/06/2004	08/12/2004	SKL
SURROGATE: Diethyl ether	97.63	%					
SURROGATE: Toluene-D8	98.75	%					

WESTIN000091
 Jeff Brown
 WRS Infrastructure & Env-TAMPA
 221 Hobbs Street, #108
 Tampa, FL 33619


Page 69
 August 17, 2004
 Submission # 408000135
 Order # 64131
 FDEP CompQAP# 990102
 FL-DOH Certification# E86349,E86616

Site Location/Project
 BCX-Jacksonville
 Relog 04/07-100 & 137

Sample I.D.: BCX-104@23' (53969)
 Collected: 07/01/04 14:30
 Received: 07/02/04 10:00
 Collected by: Bernardo Paduani

PARAMETER	RESULT	UNITS	METHOD	DETECTION LIMIT-RQL	DATE EXT.	DATE ANALY.	ANALYST
SURROGATE: Bromofluorobenzene	107.60	%					

BDL: Indicates Analyte is Below Detection LimitMEDF: Matrix Effect Dilution Factor***
 Work Subcontracted to Outside Labs Denoted by HRS Cert ID in Analyst Field
 Qualifier following result conforms to FAC 62-160 Table 7**Unless otherwise noted, mg/Kg denotes wet weight***
 ***62-770: If the MDL using the most sensitive and currently available technology is higher than a specific criterion,
 the PQL shall be used.
 Certs:FL=E86349, AL=41180,CT=PH0217, MD.=#271, MA.=#M-FL535,PR=FL00535 SC=96023,TN=TN02836
 *Tests results meet all the requirements of NELAC, unless identified as "certification in-process"
 coded by (01). Tests coded (02) we are not currently seeking certification by NELAC for.
 For any inquiries, please contact the representative who signed this report, or the QA department.


 Project Manager