



# Pesticide Site Use Patterns for Terrestrial Food

*May 2014*

Pesticide site use patterns\*: (TERFOO)=Terrestrial food, Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ABIU	X												99 NO GROUP NAME
ACEROLA	X												99 NO GROUP NAME
AFRICAN HORNED CUCUMBER	X												99 NO GROUP NAME
AGRIMONY	X												99 NO GROUP NAME
AIRPOTATO	X												99 NO GROUP NAME
AKEE APPLE	X												99 NO GROUP NAME
ALLSPICE	X										X		19 HERBS AND SPICES GROUP
ALMOND	X		X						X				14 NUT, TREE, GROUP
ALMOND, TROPICAL	X												14 NUT, TREE, GROUP
AMARANTH, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, GRAIN, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, LEAFY	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
AMBARELLA	X								X				99 NO GROUP NAME
ANGELICA	X					X			X				19 HERBS AND SPICES GROUP
ANISE HYSSOP	X												19 HERBS AND SPICES GROUP
ANISE, SEED	X										X		19 HERBS AND SPICES GROUP
ANISE, STAR	X												19 HERBS AND SPICES GROUP
ANNATTO	X								X				19 HERBS AND SPICES GROUP
ANNATTO, SEED	X								X				19 HERBS AND SPICES GROUP
APPLE	X		X						X				11 FRUIT, POME, GROUP
APPLE, JUICE	X												11 FRUIT, POME, GROUP
APPLEMINT	X								X				99 NO GROUP NAME
APPLEMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
APRICOT	X		X						X				12 FRUIT, STONE, GROUP
ARONIA BERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
ARRACACHA	X												01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ARROWHEAD	X												99 NO GROUP NAME
ARROWHEAD, CORM	X												99 NO GROUP NAME
ARROWROOT	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARROWROOT, POLYNESIAN	X												99 NO GROUP NAME
ARTICHOKE, CHINESE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARTICHOKE, GLOBE	X												99 NO GROUP NAME
ARTICHOKE, JERUSALEM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARUGULA	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ASAFETIDA	X												99 NO GROUP NAME
ASPARAGUS	X												99 NO GROUP NAME
ATEMOYA	X												99 NO GROUP NAME
AVOCADO	X												99 NO GROUP NAME
BACON, UNCOOKED	X										X		99 NO GROUP NAME
BALM	X					X			X				19 HERBS AND SPICES GROUP
BALM, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BALM, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BALSAM APPLE	X								X				09 VEGETABLE, CUCURBIT GROUP
BALSAM PEAR	X								X				09 VEGETABLE, CUCURBIT GROUP
BAMBARA GROUNDNUT	X												99 NO GROUP NAME
BAMBARA GROUNDNUT, SEED	X												99 NO GROUP NAME
BAMBOO, SHOOTS	X												99 NO GROUP NAME
BANANA	X												99 NO GROUP NAME
BARLEY	X												15 GRAIN, CEREAL, GROUP
BARLEY, CEREAL	X												15 GRAIN, CEREAL, GROUP
BARLEY, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
BARLEY, GRAIN	X	X											15 GRAIN, CEREAL, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BARLEY, PEARLED BARLEY	X										X		15 GRAIN, CEREAL, GROUP
BASIL	X					X			X		X		19 HERBS AND SPICES GROUP
BASIL, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
BASIL, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
BEAN	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, GOA	X								X				99 NO GROUP NAME
BEAN, GOA, ROOTS	X												99 NO GROUP NAME
BEAN, GOA, SEED	X												99 NO GROUP NAME
BEAN, GOA, SUCCULENT	X								X				99 NO GROUP NAME
BEAN, KIDNEY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, MUNG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, SNAP, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TONKA	X												99 NO GROUP NAME
BEAN, TONKA, SEED	X												99 NO GROUP NAME
BEAN, URD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEARBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
BEECHNUT	X		X						X				14 NUT, TREE, GROUP
BEEHIVE	X												99 NO GROUP NAME
BEET, GARDEN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEET, GARDEN, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, TOPS	X					X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, SUGAR, DRIED PULP	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, MOLASSES	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, REFINED SUGAR	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEN MORINGA SEED	X												99 NO GROUP NAME
BEN MORINGA SEED, SEED	X												99 NO GROUP NAME
BERRY GROUP	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
BETELNUT	X												99 NO GROUP NAME
BILBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
BIRIBA	X												99 NO GROUP NAME
BLACK BREAD WEED	X												99 NO GROUP NAME
BLACK BREAD WEED, SEED	X												99 NO GROUP NAME
BLACKBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
BLIMBE	X												99 NO GROUP NAME
BLUEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
BORAGE	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, INDIAN	X												99 NO GROUP NAME
BORAGE, INDIAN, LEAVES	X												99 NO GROUP NAME
BORAGE, OIL	X												20 OILSEED CROP GROUP
BORAGE, SEED	X		X										20 OILSEED CROP GROUP
BOTANICAL HERBS	X												99 NO GROUP NAME
BRASSICA, HEAD AND STEM, SUBGROUP	X					X			X				05A Brassica, Head and stem, subgroup

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BRASSICA, LEAFY GREENS, SUBGROUP	X					X			X				05B Brassica, Leafy greens, subgroup
BREADFRUIT	X												99 NO GROUP NAME
BROCCOLI	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI RAAB	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI, CHINESE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BRUSSELS SPROUTS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BUCKWHEAT	X	X											15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
BUCKWHEAT, GRAIN	X												15 GRAIN, CEREAL, GROUP
BURDOCK, EDIBLE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, TOPS	X								X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BURNET	X								X				19 HERBS AND SPICES GROUP
BUSHBERRY SUBGROUP	X								X				13B Bushberry subgroup
BUTTERNUT	X								X				14 NUT, TREE, GROUP
CABBAGE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, ABYSSINIAN	X												99 NO GROUP NAME
CABBAGE, CHINESE, BOK CHOY	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, MUSTARD	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, NAPA	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, SEAKALE	X												99 NO GROUP NAME
CACAO BEAN	X												99 NO GROUP NAME
CACTUS	X								X				99 NO GROUP NAME
CACTUS, FRUIT	X												99 NO GROUP NAME
CACTUS, PADS	X												99 NO GROUP NAME
CALAMONDIN	X												10 FRUIT, CITRUS, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CALAMUS ROOT	X												99 NO GROUP NAME
CAMOMILE	X					X			X		X		19 HERBS AND SPICES GROUP
CANEBERRY	X		X										13 BERRY AND SMALL FRUIT CROP GROUP
CANEBERRY SUBGROUP	X								X				13A Caneberry subgroup
CANISTEL	X												99 NO GROUP NAME
CANNA, EDIBLE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CANOLA	X	X											20 OILSEED CROP GROUP
CANOLA, REFINED OIL	X	X									X		20 OILSEED CROP GROUP
CANOLA, SEED	X	X											20 OILSEED CROP GROUP
CANTALOUPE	X								X				09 VEGETABLE, CUCURBIT GROUP
CAPER	X										X		19 HERBS AND SPICES GROUP
CAPER, BUDS	X												19 HERBS AND SPICES GROUP
CARAWAY	X												19 HERBS AND SPICES GROUP
CARAWAY, BLACK	X										X		19 HERBS AND SPICES GROUP
CARAWAY, BLACK, SEED	X										X		19 HERBS AND SPICES GROUP
CARAWAY, SEED	X										X		19 HERBS AND SPICES GROUP
CARDAMOM	X										X		19 HERBS AND SPICES GROUP
CARDAMOM, SEED	X										X		19 HERBS AND SPICES GROUP
CARDAMON AMOMUM	X										X		19 HERBS AND SPICES GROUP
CARDAMON AMOMUM, SEED	X										X		19 HERBS AND SPICES GROUP
CARDOON	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CAROB BEAN	X												99 NO GROUP NAME
CARROT	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CARROT, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CASHEW	X		X										14 NUT, TREE, GROUP
CASSAVA	X												01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CASSAVA, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CASSAVA, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CASSIA	X												19 HERBS AND SPICES GROUP
CASTORBEAN, SEED	X	X	X										20 OILSEED CROP GROUP
CATJANG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CATJANG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CATNIP	X					X			X	X			19 HERBS AND SPICES GROUP
CAULIFLOWER	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CELERIAC	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CELERIAC, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CELERY	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY, CHINESE	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY, SEED	X										X		19 HERBS AND SPICES GROUP
CELTUCE	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CEREAL, COOKED	X												15 GRAIN, CEREAL, GROUP
CEREAL, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
CEREAL, FLOUR AND RELATED PRODUCTS	X												15 GRAIN, CEREAL, GROUP
CHAMOMILE	X												99 HERBS AND SPICES GROUP
CHAYA	X												99 NO GROUP NAME
CHAYOTE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHAYOTE, FRUIT	X					X			X				09 VEGETABLE, CUCURBIT GROUP
CHAYOTE, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHERIMOYA	X												99 NO GROUP NAME
CHERRY, BLACK	X												99 NO GROUP NAME
CHERRY, NANKING	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CHERRY, SWEET	X		X						X				12 FRUIT, STONE, GROUP
CHERRY, TART	X		X						X				12 FRUIT, STONE, GROUP
CHERVIL	X					X			X				19 HERBS AND SPICES GROUP
CHERVIL	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CHERVIL, FRESH LEAVES	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, TURNIP ROOTED	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHERVIL, TURNIP ROOTED, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHERVIL, TURNIP ROOTED, TOPS	X								X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHESTNUT	X		X						X				14 NUT, TREE, GROUP
CHIA	X												99 NO GROUP NAME
CHIA, SEED	X												99 NO GROUP NAME
CHICKPEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CHICKPEA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CHICORY	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHICORY, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHICORY, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHILI, POSTHARVEST	X					X			X				08 VEGETABLES, FRUITING, GROUP
CHINQUAPIN	X		X						X				14 NUT, TREE, GROUP
CHIVE	X					X			X		X		19 HERBS AND SPICES GROUP
CHIVE, CHINESE	X					X			X		X		19 HERBS AND SPICES GROUP
CHRYSANTHEMUM, EDIBLE LEAVED	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHRYSANTHEMUM, GARLAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHUFA	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CILANTRO	X												01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CINNAMON	X										X		19 HERBS AND SPICES GROUP
CITRON, CITRUS	X												10 FRUIT, CITRUS, GROUP
CITRUS	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, JUICE	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, OIL	X												10 FRUIT, CITRUS, GROUP
CITRUS, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
CITRUS, JUICE	X												10 FRUIT, CITRUS, GROUP
CITRUS, MOLASSES	X												10 FRUIT, CITRUS, GROUP
CITRUS, OIL	X												10 FRUIT, CITRUS, GROUP
CLARY	X					X			X				19 HERBS AND SPICES GROUP
CLARY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CLARY, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CLODBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
CLOVE	X										X		19 HERBS AND SPICES GROUP
COCONUT	X										X		99 NUT, TREE, GROUP
COCONUT, OIL	X										X		99 NUT, TREE, GROUP
COFFEE	X										X		99 NO GROUP NAME
COFFEE, BEAN	X										X		99 NO GROUP NAME
COLA	X												99 NO GROUP NAME
COLA, SEED	X												99 NO GROUP NAME
COLLARDS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CORIANDER	X					X			X		X		19 HERBS AND SPICES GROUP
CORIANDER, LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
CORIANDER, SEED	X					X			X		X		19 HERBS AND SPICES GROUP
CORN	X												15 GRAIN, CEREAL, GROUP
CORN SALAD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA,

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
													GROUP
CORN, CEREAL	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, DRY MILLING	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
CORN, FIELD, GRAIN	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, GRITS	X										X		15 GRAIN, CEREAL, GROUP
CORN, FIELD, MEAL	X	X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, REFINED OIL	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, STARCH	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, WET MILLING	X												15 GRAIN, CEREAL, GROUP
CORN, POD, GRAIN	X												15 GRAIN, CEREAL, GROUP
CORN, POP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP	X												15 GRAIN, CEREAL, GROUP
CORN, POP, GRAIN	X							X			X		15 GRAIN, CEREAL, GROUP
CORN, SWEET	X												15 GRAIN, CEREAL, GROUP
CORN, SWEET, KERNEL PLUS COB WITH HUSKS REMOVED	X										X		15 GRAIN, CEREAL, GROUP
COSTMARY	X					X		X					19 HERBS AND SPICES GROUP
COSTMARY, DRIED LEAVES	X					X		X					19 HERBS AND SPICES GROUP
COSTMARY, FRESH LEAVES	X					X		X					19 HERBS AND SPICES GROUP
COTTON	X	X											20 OILSEED CROP GROUP
COTTON, REFINED OIL	X									X			20 OILSEED CROP GROUP
COTTON, UNDELINTED SEED	X	X											20 OILSEED CROP GROUP
COWPEA	X	X				X		X					06 VEGETABLE, LEGUME, GROUP
COWPEA, SEED	X					X		X					06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
COWPEA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CRABAPPLE	X		X						X				11 FRUIT, POME, GROUP
CRANBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
CRANBERRY, HIGHBUSH	X												13 BERRY AND SMALL FRUIT CROP GROUP
CRESS, GARDEN	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, UPLAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CROTALARIA	X												99 NO GROUP NAME
CUCUMBER	X					X							09 VEGETABLE, CUCURBIT GROUP
CUCUMBER, CHINESE	X												09 VEGETABLE, CUCURBIT GROUP
CUCUMBER, WILD	X												99 NO GROUP NAME
CUCURBITS	X												99 NO GROUP NAME
CUCURBITS	X												09 VEGETABLE, CUCURBIT GROUP
CULANTRO	X					X			X				19 HERBS AND SPICES GROUP
CULANTRO, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CULANTRO, SEED	X					X			X				19 HERBS AND SPICES GROUP
CUMIN	X										X		19 HERBS AND SPICES GROUP
CURRANT	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
CURRY	X					X			X				19 HERBS AND SPICES GROUP
CURRY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CURRY, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
CUSTARD APPLE	X												99 NO GROUP NAME
DAHLIA, GARDEN	X								X				99 NO GROUP NAME
DAHLIA, GARDEN, ROOTS	X								X				99 NO GROUP NAME
DANDELION, LEAVES	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DANDELION, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN	X												01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
DASHEEN, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
DATE	X												99 NO GROUP NAME
DATE, DRIED FRUIT	X										X		99 NO GROUP NAME
DAYLILY	X								X				03 BULB VEGETABLE GROUP
DILL	X					X			X		X		19 HERBS AND SPICES GROUP
DILL, SEED	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
DOCK	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DOKUDAMI	X												99 NO GROUP NAME
DRAGON FRUIT	X												99 NO GROUP NAME
DURIAN	X												99 NO GROUP NAME
ECHINACEA	X								X				99 NO GROUP NAME
ECHINACEA, ROOTS	X								X				99 NO GROUP NAME
ECHINACEA, TOPS	X								X				99 NO GROUP NAME
EGGPLANT	X					X			X				08 VEGETABLES, FRUITING, GROUP
ELDERBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
ELECAMPANE	X												99 NO GROUP NAME
ELECAMPANE, ROOTS	X												99 NO GROUP NAME
ENDIVE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ENDIVE, BELGIUM	X					X							99 NO GROUP NAME
EPAZOTE	X								X				99 NO GROUP NAME
EUPHORBIA	X								X				20 OILSEED CROP GROUP
EUPHORBIA, SEED	X												20 OILSEED CROP GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
EVENING PRIMROSE, COMMON	X	X							X				20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, ROOTS	X		X										20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, SEED	X	X											20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, TOPS	X		X						X				20 OILSEED CROP GROUP
FEIJOA	X												99 NO GROUP NAME
FENNEL	X					X							19 HERBS AND SPICES GROUP
FENNEL, FLORENCE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, FRESH LEAVES AND STALK	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, SEED	X					X							19 HERBS AND SPICES GROUP
FENNEL, SEED	X												19 HERBS AND SPICES GROUP
FENUGREEK	X												19 HERBS AND SPICES GROUP
FENUGREEK, SEED	X												19 HERBS AND SPICES GROUP
FERN, EDIBLE	X												99 NO GROUP NAME
FIG	X												99 NO GROUP NAME
FIG, DRIED FRUIT	X										X		99 NO GROUP NAME
FLAX	X	X	X										20 OILSEED CROP GROUP
FLAX, SEED	X	X											20 OILSEED CROP GROUP
FLOWER, EDIBLE	X								X		X		99 NO GROUP NAME
FLOWER, EDIBLE, FLOWER	X								X		X		99 NO GROUP NAME
FRUIT, CITRUS	X												10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS	X										X		99 NO GROUP NAME
FRUIT, CITRUS, EXCEPT MANDARIN	X												10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS, POSTHARVEST	X												10 FRUIT, CITRUS, GROUP
FRUIT, POME	X	X							X				11 FRUIT, POME, GROUP
FRUIT, POME	X												99 NO GROUP NAME
FRUIT, POME, GROUP	X	X							X				11 FRUIT, POME, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
FRUIT, SMALL	X												99 NO GROUP NAME
FRUIT, SMALL AND BERRY GROUP	X												99 NO GROUP NAME
FRUIT, STONE	X												99 NO GROUP NAME
FRUIT, STONE	X		X						X				12 FRUIT, STONE, GROUP
FRUIT, STONE, EXCEPT PLUM, PRUNE, DRIED	X		X						X				12 FRUIT, STONE, GROUP
FRUIT, STONE, GROUP	X		X						X				12 FRUIT, STONE, GROUP
GALANGAL	X												99 NO GROUP NAME
GALANGAL, ROOTS	X												99 NO GROUP NAME
GARLIC, BULB	X								X				03 VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED	X								X				03 VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED, BULB	X								X				03 VEGETABLE, BULB, GROUP
GERANIUM, SCENTED	X		X							X			99 NO GROUP NAME
GERANIUM, SCENTED, LEAVES	X												99 NO GROUP NAME
GHERKIN, WEST INDIAN	X					X							09 VEGETABLE, CUCURBIT GROUP
GINGER	X												14 NUT, TREE, GROUP
GINGER, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GINGER, WHITE	X					X							99 NO GROUP NAME
GINGER, WHITE, FLOWER	X	X	X										99 NO GROUP NAME
GINKGO	X								X				14 NUT, TREE, GROUP
GINSENG	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GINSENG, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GLOBEMALLOW	X		X										99 NO GROUP NAME
GOOD KING HENRY	X												99 NO GROUP NAME
GOOD KING HENRY, LEAVES	X												99 NO GROUP NAME
GOOSEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
GOURD, BUFFALO	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GOURD, BUFFALO, SEED	X												99 NO GROUP NAME
GOURD, EDIBLE	X					X			X				09 VEGETABLE, CUCURBIT GROUP
GOVERNOR`S PLUM	X		X										99 NO GROUP NAME
GOW KEE	X								X				99 NO GROUP NAME
GOW KEE, LEAVES	X								X				99 NO GROUP NAME
GRAIN, CEREAL	X												15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, GROUP	X	X											15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, GROUP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CROPS	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS	X	X											99 NO GROUP NAME
GRAIN, CROPS, EXCEPT CORN, FRESH AND RICE, GRAIN	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT WHEAT	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT WHEAT, OATS, GRAIN SORGHUM, BARLEY	X	X											99 NO GROUP NAME
GRAINS OF PARADISE	X												19 HERBS AND SPICES GROUP
GRAINS OF PARADISE, SEED	X												19 HERBS AND SPICES GROUP
GRAPE	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, RAISIN	X										X		13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WINE	X								X		X		13 BERRY AND SMALL FRUIT CROP GROUP
GRAPEFRUIT	X								X				10 FRUIT, CITRUS, GROUP
GRAPEFRUIT, JUICE	X												10 FRUIT, CITRUS, GROUP
GRAPEFRUIT, OIL	X												10 FRUIT, CITRUS, GROUP
GROUNDCHERRY	X					X			X				08 VEGETABLES, FRUITING, GROUP
GUAR	X	X											06 VEGETABLE, LEGUME, GROUP
GUAR, SEED	X												06 VEGETABLE, LEGUME, GROUP
GUARANA	X												99 NO GROUP NAME
GUARANA, SEED	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GUAVA	X										X		99 NO GROUP NAME
GUM, EDIBLE	X								X				06 VEGETABLE, LEGUME, GROUP
GUMWEED, CURLYCUP	X												99 NO GROUP NAME
GUMWEED, CURLYCUP, LEAVES	X												99 NO GROUP NAME
HANOVER SALAD, LEAVES	X												99 NO GROUP NAME
HAZELNUT	X		X						X				14 NUT, TREE, GROUP
HEARTNUT	X												14 NUT, TREE, GROUP
HERBS AND SPICES GROUP	X												19 HERBS AND SPICES GROUP
HERBS SUBGROUP	X										X		19A Herbs subgroup
HERBS, DRIED	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, DRIED, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
HONEWORT	X								X				99 NO GROUP NAME
HONEY	X											X	99 NO GROUP NAME
HONEY WITH HONEYCOMB	X												99 NO GROUP NAME
HONEYCOMB	X												99 NO GROUP NAME
HONEYCOMB WITH HONEY	X												99 NO GROUP NAME
HOP	X												99 NO GROUP NAME
HOP, DRIED CONES	X												99 NO GROUP NAME
HOREHOUND	X					X			X		X		19 HERBS AND SPICES GROUP
HOREHOUND, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
HORSEMINT	X								X				99 NO GROUP NAME
HORSEMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
HORSERADISH	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
HORSERADISH, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
HUCKLEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HUCKLEBERRY, GARDEN	X								X				99 NO GROUP NAME
HYSSOP	X					X			X				19 HERBS AND SPICES GROUP
HYSSOP, TOPS	X					X			X				19 HERBS AND SPICES GROUP
ICEPLANT	X								X				99 NO GROUP NAME
ICEPLANT, FRESH LEAVES	X								X				99 NO GROUP NAME
ILAMA	X												99 NO GROUP NAME
IMBE	X												99 NO GROUP NAME
IMBU	X												99 NO GROUP NAME
JABOTICABA	X												99 NO GROUP NAME
JACKBEAN	X					X			X				06 VEGETABLE, LEGUME, GROUP
JACKBEAN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
JACKFRUIT	X												99 NO GROUP NAME
JAPANESE HONEWORT	X								X				99 NO GROUP NAME
JAPANESE HONEWORT, TOPS	X								X				99 NO GROUP NAME
JOSTABERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
JUJUBE	X												99 NO GROUP NAME
JUJUBE, CHINESE	X		X						X				12 FRUIT, STONE GROUP
JUJUBE, INDIAN	X												99 NO GROUP NAME
JUNEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
JUNIPER BERRY	X												19 HERBS AND SPICES GROUP
JUTE, NALTA	X												99 NO GROUP NAME
KALE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
KALE, SEA	X												99 NO GROUP NAME
KALE, SEA	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
KAPOK	X	X											99 NO GROUP NAME
KAPOK, OIL	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
KIWIFRUIT	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
KOHLRABI	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
KUMQUAT	X												10 FRUIT, CITRUS, GROUP
LAUREL, CHERRY	X												99 NO GROUP NAME
LAVENDER	X					X			X				19 HERBS AND SPICES GROUP
LEEK	X					X			X				03 VEGETABLE, BULB, GROUP
LEMON	X												10 FRUIT, CITRUS, GROUP
LEMON VERBENA	X								X				99 NO GROUP NAME
LEMON VERBENA, LEAVES	X								X				99 NO GROUP NAME
LEMON, JUICE	X												10 FRUIT, CITRUS, GROUP
LEMON, OIL	X												10 FRUIT, CITRUS, GROUP
LEMONGRASS	X					X			X				19 HERBS AND SPICES GROUP
LEMONGRASS, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
LENTIL	X												06 VEGETABLE, LEGUME, GROUP
LENTIL, SEED	X	X											06 VEGETABLE, LEGUME, GROUP
LEREN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
LETTUCE, HEAD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LETTUCE, LEAF	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LICORICE	X												99 NO GROUP NAME
LICORICE, ROOTS	X												99 NO GROUP NAME
LIME	X												10 FRUIT, CITRUS, GROUP
LIME BLOSSOM	X		X						X				99 NO GROUP NAME
LIME, JUICE	X												10 FRUIT, CITRUS, GROUP
LIME, OIL	X												10 FRUIT, CITRUS, GROUP
LIME, SWEET	X												99 FRUIT, CITRUS, GROUP
LINGONBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LOGANBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
LONGAN	X												99 NO GROUP NAME
LOQUAT	X		X						X				11 FRUIT, POME, GROUP
LOVAGE	X					X			X				19 HERBS AND SPICES GROUP
LOVAGE, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
LOVAGE, SEED	X					X							19 HERBS AND SPICES GROUP
LUPIN	X	X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LYCHEE	X												99 NO GROUP NAME
MACA	X												99 NO GROUP NAME
MACA, ROOTS	X												99 NO GROUP NAME
MACA, TOPS	X												99 NO GROUP NAME
MACARONI PRODUCTS	X										X		15 GRAIN, CEREAL, GROUP
MACE	X												19 HERBS AND SPICES GROUP
MAMEY APPLE	X												99 NO GROUP NAME
MANDARIN, SATSUMA	X												10 FRUIT, CITRUS, GROUP
MANGO	X										X		99 NO GROUP NAME
MANGOSTEEN	X												99 NO GROUP NAME
MAPLE, SUGAR	X												99 NO GROUP NAME
MAPLE, SUGAR, SYRUP	X										X		99 NO GROUP NAME
MARIGOLD	X					X	X		X				19 HERBS AND SPICES GROUP
MARJORAM	X					X			X		X		19 HERBS AND SPICES GROUP
MARMALADEBOX	X												99 NO GROUP NAME
MARSHMARIGOLD	X		X										99 NO GROUP NAME
MARSHMARIGOLD, LEAVES	X												99 NO GROUP NAME
MARTYNIA	X		X										99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MARTYNNIA, PODS	X		X										99 NO GROUP NAME
MASHUA	X												99 NO GROUP NAME
MASHUA, LEAVES	X												99 NO GROUP NAME
MASHUA, TUBER	X												99 NO GROUP NAME
MAUKA	X												99 NO GROUP NAME
MAUKA, LEAVES	X												99 NO GROUP NAME
MAUKA, ROOTS	X												99 NO GROUP NAME
MAYHAW	X		X						X				11 FRUIT, POME, GROUP
MAYPOP	X												99 NO GROUP NAME
MEDICINAL CROPS	X												99 NO GROUP NAME
MEDLAR	X												99 NO GROUP NAME
MELON	X					X			X				09 VEGETABLE, CUCURBIT GROUP
MELON SUBGROUP	X					X							09A Melon subgroup.
MELON, CITRON	X					X							09 VEGETABLE, CUCURBIT GROUP
MILLET	X												15 GRAIN, CEREAL, GROUP
MILLET, FLOUR	X												15 GRAIN, CEREAL, GROUP
MILLET, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO, FLOUR	X												15 GRAIN, CEREAL, GROUP
MILLET, PROSO, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MINT, LEMON	X								X				99 NO GROUP NAME
MINT, LEMON, FRESH LEAVES	X								X				99 NO GROUP NAME
MIOGA	X												99 NO GROUP NAME
MIOGA, FLOWER	X												99 NO GROUP NAME
MONARDA	X	X											99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MONARDA, LEAVES	X	X											99 NO GROUP NAME
MONSTERA	X	X											99 NO GROUP NAME
MOUNTAINMINT	X												99 NO GROUP NAME
MOUNTAINMINT, LEAVES	X												99 NO GROUP NAME
MULBERRY	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
MUSKMELON	X					X			X				09 VEGETABLE, CUCURBIT GROUP
MUSTARD	X					X							19 HERBS AND SPICES GROUP
MUSTARD GREENS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD SPINACH	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD, SEED	X					X					X		19 HERBS AND SPICES GROUP
MUSTARD, TUBEROUS ROOTED CHINESE	X												99 NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, ROOTS	X												99 NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, TOPS	X												99 NO GROUP NAME
NARANJILLA	X												99 NO GROUP NAME
NASTURTIUM	X					X			X				19 HERBS AND SPICES GROUP
NASTURTIUM, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
NATAL PLUM	X												99 NO GROUP NAME
NECTARINE	X		X						X				12 FRUIT, STONE, GROUP
NIGER SEED	X	X								X			20 OILSEED CROP GROUP
NIGER SEED, SEED	X	X								X			20 OILSEED CROP GROUP
NOODLE PRODUCTS	X										X		15 GRAIN, CEREAL, GROUP
NUT	X										X		99 NO GROUP NAME
NUT, BRAZIL	X		X										14 NUT, TREE, GROUP
NUT, HICKORY	X		X						X				14 NUT, TREE, GROUP
NUT, MACADAMIA	X		X						X				14 NUT, TREE, GROUP
NUT, PILI	X												14 NUT, TREE, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
NUT, PINE	X										X		14 NUT, TREE, GROUP
NUT, TREE, GROUP	X		X						X				14 NUT, TREE, GROUP
NUTMEAT, PROCESSED, EXCEPT PEANUT	X										X		14 NUT, TREE, GROUP
NUTMEG	X										X		19 HERBS AND SPICES GROUP
NUTS	X										X		14 NUT, TREE, GROUP
OAK, ACORN	X												14 NUT, TREE, GROUP
OAT	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT	X												15 GRAIN, CEREAL, GROUP
OAT, BRAN	X												15 GRAIN, CEREAL, GROUP
OAT, CEREAL	X												15 GRAIN, CEREAL, GROUP
OAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
OAT, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
OAT, GROATS/ROLLED OATS	X										X		15 GRAIN, CEREAL, GROUP
OCA	X												99 NO GROUP NAME
OCA, TUBER	X												99 NO GROUP NAME
OKRA	X					X			X				08 VEGETABLES, FRUITING, GROUP
OLIVE	X												99 NO GROUP NAME
OLIVE, OIL	X												99 NO GROUP NAME
ONION, BULB	X					X			X				03 VEGETABLE, BULB, GROUP
ONION, GREEN	X					X			X				03 VEGETABLE, BULB, GROUP
ONION, POTATO	X								X				03 VEGETABLE, BULB, GROUP
ONION, POTATO, BULB	X								X				03 VEGETABLE, BULB, GROUP
ONION, TREE	X								X				03 VEGETABLE, BULB, GROUP
ONION, TREE, TOPS	X								X				03 VEGETABLE, BULB, GROUP
ONION, WELSH	X								X				03 VEGETABLE, BULB, GROUP
ONION, WELSH, TOPS	X								X				03 VEGETABLE, BULB, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ORACH	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH, LEAVES	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORANGE, SOUR	X												10 FRUIT, CITRUS, GROUP
ORANGE, SOUR, JUICE	X												10 FRUIT, CITRUS, GROUP
ORANGE, SOUR, OIL	X												10 FRUIT, CITRUS, GROUP
ORANGE, SWEET	X								X				10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, JUICE	X												10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, OIL	X												10 FRUIT, CITRUS, GROUP
ORANGE, TRIFOLIATE	X										X		99 NO GROUP NAME
OREGANO, MEXICAN	X								X				99 NO GROUP NAME
OREGANO, MEXICAN, LEAVES	X								X				99 NO GROUP NAME
OTAHEITE GOOSEBERRY	X		X										99 NO GROUP NAME
PALM	X		X										99 NO GROUP NAME
PALM HEART	X												99 NO GROUP NAME
PALM HEART, LEAVES	X												99 NO GROUP NAME
PALM, OIL	X										X		99 NO GROUP NAME
PAPAYA	X										X		99 NO GROUP NAME
PAPAYA, MOUNTAIN	X												99 NO GROUP NAME
PARSLEY	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
PARSLEY, LEAVES	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, TURNIP ROOTED	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSLEY, TURNIP ROOTED, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PARSNIP, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
PARTRIDGEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
PASSIONFRUIT	X												99 NO GROUP NAME
PAWPAW	X	X											99 NO GROUP NAME
PEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA AND BEAN, DRIED SHELLED, EXCEPT SOYBEAN, SUBGROUP	X					X							06C Pea and bean, dried shelled, except soybean, subgroup
PEA AND BEAN, SUCCULENT SHELLED, SUBGROUP	X					X			X				06B Pea and bean, succulent shelled, subgroup
PEA, BLACKEYED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DWARF	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DWARF, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GARDEN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GARDEN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEA, PIGEON	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SHELLED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, UNSHELLED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, WINGED	X												99 NO GROUP NAME
PEA, WINGED, SUCCULENT	X												99 NO GROUP NAME
PEACH	X		X						X				12 FRUIT, STONE, GROUP
PEANUT	X												99 NO GROUP NAME
PEAR	X		X						X				11 FRUIT, POME, GROUP
PEAR, ORIENTAL	X		X						X				11 FRUIT, POME, GROUP
PECAN	X		X						X				14 NUT, TREE, GROUP
PENNYROYAL	X					X			X				19 HERBS AND SPICES GROUP
PENNYROYAL, AMERICAN	X												99 NO GROUP NAME
PENNYROYAL, AMERICAN, LEAVES	X												99 NO GROUP NAME
PENNYROYAL, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
PEPINO	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER LEAF	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEPPER LEAF, FRESH LEAVES	X												99 NO GROUP NAME
PEPPER, BELL	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, BLACK	X										X		19 HERBS AND SPICES GROUP
PEPPER, NONBELL	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL, SWEET	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, WHITE	X					X					X		19 HERBS AND SPICES GROUP
PEPPERMINT	X									X			99 NO GROUP NAME
PEPPERMINT, OIL (SEE ALSO SPEARMINT, OIL)	X										X		99 NO GROUP NAME
PEPPERMINT, TOPS	X									X			99 NO GROUP NAME
PEPPERMINT, TOPS (SEE ALSO SPEARMINT, TOPS)	X									X			99 NO GROUP NAME
PERILLA	X												99 NO GROUP NAME
PERILLA, TOPS	X												99 NO GROUP NAME
PERSIMMON	X									X			99 NO GROUP NAME
PINEAPPLE	X										X		99 NO GROUP NAME
PISTACHIO	X		X						X				14 NUT, TREE, GROUP
PLANTAIN	X												99 NO GROUP NAME
PLANTAIN, COMMON, LEAVES	X												99 NO GROUP NAME
PLUM	X		X						X				12 FRUIT, STONE, GROUP
PLUM, CHICKASAW	X		X						X				12 FRUIT, STONE, GROUP
PLUM, DAMSON	X		X						X				12 FRUIT, STONE, GROUP
PLUM, JAPANESE	X		X						X				12 FRUIT, STONE, GROUP
PLUM, PRUNE	X		X						X				12 FRUIT, STONE, GROUP
PLUM, PRUNE, DRIED	X												12 FRUIT, STONE, GROUP
PLUM, PRUNE, FRESH	X		X						X				12 FRUIT, STONE, GROUP
POKEWEED	X												99 NO GROUP NAME
POKEWEED, FRESH LEAVES	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
POMEGRANATE	X												99 NO GROUP NAME
POMERAC	X												99 NO GROUP NAME
POPPY	X		X			X							19 HERBS AND SPICES GROUP
POPPY, SEED	X					X					X		19 HERBS AND SPICES GROUP
POTATO	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CHIPS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CULLS	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, GRANULES/FLAKES	X												01 VEGETABLE, ROOT AND TUBER, GROUP
PRICKLY PEAR	X												99 NO GROUP NAME
PSYLLIUM, SEED	X												99 NO GROUP NAME
PULASAN	X		X										99 NO GROUP NAME
PUMMELO	X												10 FRUIT, CITRUS, GROUP
PUMPKIN	X					X			X				09 VEGETABLE, CUCURBIT GROUP
PURSLANE, GARDEN	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, WINTER	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
QUINCE	X		X						X				11 FRUIT, POME, GROUP
QUINOA	X	X											99 NO GROUP NAME
QUINOA, GRAIN	X	X											99 NO GROUP NAME
RADICCHIO	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADISH	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RADISH, ROOTS	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RAKKYO	X									X			03 VEGETABLE, BULB, GROUP
RAKKYO, BULB	X									X			03 VEGETABLE, BULB, GROUP
RAMBUTAN	X												99 NO GROUP NAME
RAMPION	X												99 NO GROUP NAME
RAMPION, ROOTS	X												99 NO GROUP NAME
RAMPION, TOPS	X												99 NO GROUP NAME
RAPE GREENS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
RAPE GREENS	X									X			05 VEGETABLE, BRASSICA LEAFY, GROUP
RAPESEED, SEED	X	X											20 OILSEED CROP GROUP
RASPBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
RAW AGRICULTURAL COMMODITIES	X										X		99 NO GROUP NAME
RAW AGRICULTURAL COMMODITIES	X										X		99 NO GROUP NAME
RHUBARB	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RICE	X												15 GRAIN, CEREAL, GROUP
RICE, BRAN	X	X											15 GRAIN, CEREAL, GROUP
RICE, CEREAL	X												15 GRAIN, CEREAL, GROUP
RICE, CRACKED	X												15 GRAIN, CEREAL, GROUP
RICE, CRACKED, MALTED BEVERAGE	X												15 GRAIN, CEREAL, GROUP
RICE, FLOUR	X												15 GRAIN, CEREAL, GROUP
RICE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
RICE, POLISHED RICE	X										X		15 GRAIN, CEREAL, GROUP
RICE, WILD	X												15 GRAIN, CEREAL, GROUP
RICE, WILD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, WILD, GRAIN	X										X		15 GRAIN, CEREAL, GROUP
RICEGRASS, INDIAN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
ROSE APPLE	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ROSELLE	X												99 NO GROUP NAME
ROSEMARY	X					X			X		X		19 HERBS AND SPICES GROUP
ROSEMARY, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
ROSEMARY, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
RUE	X					X			X				19 HERBS AND SPICES GROUP
RUE, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
RUE, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
RUTABAGA	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RYE	X												15 GRAIN, CEREAL, GROUP
RYE, BRAN	X												15 GRAIN, CEREAL, GROUP
RYE, CEREAL	X												15 GRAIN, CEREAL, GROUP
RYE, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
RYE, GRAIN	X												15 GRAIN, CEREAL, GROUP
SAFFLOWER	X	X											20 OILSEED CROP GROUP
SAFFLOWER, REFINED OIL	X										X		20 OILSEED CROP GROUP
SAFFLOWER, SEED	X	X											20 OILSEED CROP GROUP
SAFFRON	X					X							19 HERBS AND SPICES GROUP
SAFFRON, FLOWER	X					X					X		19 HERBS AND SPICES GROUP
SAGE	X					X					X		19 HERBS AND SPICES GROUP
SAGE	X										X		19 HERBS AND SPICES GROUP
SAGE, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
SAGE, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
SALAL	X												13 BERRY AND SMALL FRUIT CROP GROUP
SALSIFY	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SALSIFY, BLACK	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
SALSIFY, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SAPODILLA	X												99 NO GROUP NAME
SAPOTE, BLACK	X												99 NO GROUP NAME
SAPOTE, GREEN	X												99 NO GROUP NAME
SAPOTE, MAMEY	X												99 NO GROUP NAME
SAPOTE, WHITE	X												99 NO GROUP NAME
SAVORY, SUMMER	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SEAGRAPE	X												13 BERRY AND SMALL FRUIT CROP GROUP
SENTUL	X												99 NO GROUP NAME
SERVICEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
SESAME	X												20 OILSEED CROP GROUP
SESAME, OIL	X										X		20 OILSEED CROP GROUP
SESAME, SEED	X	X											20 OILSEED CROP GROUP
SHALLOT	X								X				03 VEGETABLE, BULB, GROUP
SHALLOT, BULB	X								X				03 VEGETABLE, BULB, GROUP
SHALLOT, FRESH LEAVES	X								X				03 VEGETABLE, BULB, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.



EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SHEA BUTTER TREE	X												99 NO GROUP NAME
SHEA BUTTER TREE, SEED	X												99 NO GROUP NAME
SKIRRET	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SKIRRET, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SNAKEGOURD	X								X				99 NO GROUP NAME
SORGHUM, GRAIN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, BRAN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, FLOUR	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, GRAIN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, MILLED FRACTIONS, EXCEPT FLOUR	X												15 GRAIN, CEREAL, GROUP
SORGHUM, SWEET	X												99 NO GROUP NAME
SORGHUM, SWEET, SYRUP	X												99 NO GROUP NAME
SOURSOP	X										X		99 NO GROUP NAME
SOUTHERNWOOD	X								X				99 NO GROUP NAME
SOUTHERNWOOD, TOPS	X								X				99 NO GROUP NAME
SOYBEAN	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, REFINED OIL	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, SEED	X	X	X										06 VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE	X					X			X				06 VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
SPANISH FENNEL	X												99 NO GROUP NAME
SPANISH FENNEL, DRIED LEAVES	X												99 NO GROUP NAME
SPANISH FENNEL, FRESH LEAVES	X												99 NO GROUP NAME
SPANISH FENNEL, SEED	X												99 NO GROUP NAME
SPANISH LIME	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SPEARMINT	X								X				99 NO GROUP NAME
SPEARMINT, OIL	X										X		99 NO GROUP NAME
SPEARMINT, TOPS	X								X				99 NO GROUP NAME
SPICES	X										X		19 HERBS AND SPICES GROUP
SPICES SUBGROUP	X										X		19B Spice subgroup
SPICES, POSTHARVEST	X												19 HERBS AND SPICES GROUP
SPINACH	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, CHINESE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, NEW ZEALAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, VINE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SQUASH	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, SUMMER	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, WINTER	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH/CUCUMBER SUBGROUP	X					X			X				09B Squash/Cucumber subgroup
STAR APPLE	X												99 NO GROUP NAME
STARFRUIT	X										X		99 NO GROUP NAME
STEVIA	X												99 NO GROUP NAME
STEVIA, DRIED LEAVES	X												99 NO GROUP NAME
STRAWBERRY	X								X				13 BERRY AND SMALL FRUIT GROUP
STRAWBERRYPEAR	X												99 NO GROUP NAME
SUGAR APPLE	X												99 NO GROUP NAME
SUGARCANE	X												99 NO GROUP NAME
SUGARCANE, CANE	X												99 NO GROUP NAME
SUGARCANE, MOLASSES	X										X		99 NO GROUP NAME
SUGARCANE, REFINED SUGAR	X										X		99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SUMAC, SMOOTH	X		X										99 NO GROUP NAME
SUMAC, SMOOTH, LEAVES	X		X										99 NO GROUP NAME
SUNFLOWER	X	X											20 OILSEED CROP GROUP
SUNFLOWER, REFINED OIL	X										X		20 OILSEED CROP GROUP
SUNFLOWER, SEED	X										X		20 OILSEED CROP GROUP
SURINAM CHERRY	X												99 NO GROUP NAME
SWEET BAY	X					X			X		X		19 HERBS AND SPICES GROUP
SWEET CICELY	X												99 NO GROUP NAME
SWEET CICELY, DRIED LEAVES	X												99 NO GROUP NAME
SWEET CICELY, FRESH LEAVES	X												99 NO GROUP NAME
SWEET POTATO	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SWEET POTATO, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SWISS CHARD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SWORDBEAN	X								X				06 VEGETABLE, LEGUME, GROUP
SWORDBEAN, SUCCULENT	X								X				06 VEGETABLE, LEGUME, GROUP
TAMARIND	X		X										99 NO GROUP NAME
TAMPALA	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TANGELO	X												10 FRUIT, CITRUS, GROUP
TANGERINE	X												10 FRUIT, CITRUS, GROUP
TANIER	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
TANIER SPINACH	X								X				99 NO GROUP NAME
TANIER, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TANIER, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TANSY	X					X			X				19 HERBS AND SPICES GROUP
TANSY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TANSY, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TARO	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TARO, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TARO, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TARRAGON	X					X			X		X		19 HERBS AND SPICES GROUP
TARRAGON, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TARRAGON, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TEA	X												99 NO GROUP NAME
TEA, PLUCKED LEAVES	X												99 NO GROUP NAME
TEFF	X												99 NO GROUP NAME
TEFF, GRAIN	X												99 NO GROUP NAME
TEOSINTE	X												15 GRAIN, CEREAL, GROUP
TEOSINTE, GRAIN	X												15 GRAIN, CEREAL, GROUP
THORN MIMOSA, HAY	X												99 NO GROUP NAME
THYME	X					X			X		X		19 HERBS AND SPICES GROUP
THYME, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
THYME, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
TI	X												99 NO GROUP NAME
TI, LEAVES	X												99 NO GROUP NAME
TI, ROOTS	X												99 NO GROUP NAME
TOMATILLO	X					X			X				08 VEGETABLES, FRUITING, GROUP
TOMATO	X					X			X				08 VEGETABLES, FRUITING, GROUP
TOMATO, CONCENTRATED PRODUCTS	X												08 VEGETABLES, FRUITING, GROUP
TOMATO, CURRANT	X								X				99 NO GROUP NAME
TOMATO, DRIED POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TOMATO, PASTE	X												08 VEGETABLES, FRUITING, GROUP
TOMATO, PUREE	X												08 VEGETABLES, FRUITING, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TOMATO, TREE	X										X		99 NO GROUP NAME
TOMATO, WET POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TRITICALE	X	X											15 GRAIN, CEREAL, GROUP
TRITICALE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
TURMERIC	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TURMERIC, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	X					X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TURTLE, BEAN	X								X				06 VEGETABLE, LEGUME, GROUP
TYFON	X								X				99 NO GROUP NAME
UDO	X												99 NO GROUP NAME
ULLUCO	X												99 NO GROUP NAME
ULLUCO, LEAVES	X												99 NO GROUP NAME
ULLUCO, TUBER	X												99 NO GROUP NAME
VANILLA	X										X		19 HERBS AND SPICES GROUP
VEGETABLE	X								X		X		99 NO GROUP NAME
VEGETABLE, BRASSICA, LEAFY, GROUP	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
VEGETABLE, BULB, GROUP	X					X			X				03 VEGETABLE, BULB, GROUP
VEGETABLE, CUCURBIT, GROUP	X					X			X				09 VEGETABLE, CUCURBIT GROUP
VEGETABLE, DRIED	X										X		99 NO GROUP NAME
VEGETABLE, FRUITING	X												99 NO GROUP NAME
VEGETABLE, FRUITING	X	X											08 VEGETABLES, FRUITING, GROUP
VEGETABLE, FRUITING, GROUP	X	X							X				08 VEGETABLES, FRUITING, GROUP
VEGETABLE, LEAFY	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VEGETABLE, LEAFY	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	X	X				X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEGUME, EDIBLE PODDED, SUBGROUP	X					X			X				06A Vegetable, legume, edible podded, subgroup
VEGETABLE, LEGUME, GROUP	X	X							X				06 VEGETABLE, LEGUME, GROUP
VEGETABLE, POD	X												99 NO GROUP NAME
VEGETABLE, ROOT	X												99 NO GROUP NAME
VEGETABLE, ROOT AND TUBER, GROUP	X	X							X				01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP	X												01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP, EXCEPT CARROT	X												01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT, EXCEPT SUGARBEET, SUBGROUP	X	X							X				01B Vegetable, root, except sugarbeet, subgroup
VEGETABLE, ROOT, SUBGROUP	X	X							X				01A Vegetable, root, subgroup.
VEGETABLE, SEED	X												99 NO GROUP NAME
VEGETABLE, SEED AND POD	X												99 NO GROUP NAME
VEGETABLE, SEED AND POD	X	X							X				06 VEGETABLE, LEGUME, GROUP
VEGETABLE, SEED AND POD, EXCEPT SOYBEAN	X												99 NO GROUP NAME
VEGETABLE, TUBEROUS AND CORM, EXCEPT POTATO, SUBGROUP	X								X				01D Vegetable, Tuberos and corm, except potato, subgroup
VEGETABLE, TUBEROUS AND CORM, SUBGROUP	X	X							X				01C Vegetable, Tuberos and corm, subgroup
VERNONIA	X	X							X				20 OILSEED CROP GROUP
VERNONIA, SEED	X												20 OILSEED CROP GROUP
VIETNAMESE CORIANDER	X								X				99 NO GROUP NAME
VIETNAMESE CORIANDER, DRIED LEAVES	X								X				99 NO GROUP NAME
VIETNAMESE CORIANDER, FRESH LEAVES	X								X				99 NO GROUP NAME
VIOLET	X		X			X			X				99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VIOLET, FLOWER	X		X			X			X				99 NO GROUP NAME
WALNUT	X		X						X				14 NUT, TREE, GROUP
WASABI	X												99 NO GROUP NAME
WASABI, ROOTS	X												99 NO GROUP NAME
WATER DROPWORT	X												99 NO GROUP NAME
WATER DROPWORT, TOPS	X												99 NO GROUP NAME
WATERCHESTNUT	X			X									99 NO GROUP NAME
WATERCHESTNUT, CORM	X			X									99 NO GROUP NAME
WATERCRESS	X			X									99 NO GROUP NAME
WATERMELON	X								X				09 VEGETABLE, CUCURBIT GROUP
WATERMINT	X								X				99 NO GROUP NAME
WATERMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
WAX JAMBU	X												99 NO GROUP NAME
WAXGOURD, CHINESE	X					X			X				09 VEGETABLE, CUCURBIT GROUP
WHEAT	X												15 GRAIN, CEREAL, GROUP
WHEAT, BRAN	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, CEREAL	X												15 GRAIN, CEREAL, GROUP
WHEAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, GERM	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, GLUTEN, POSTHARVEST IN AUSTRALIA	X												15 GRAIN, CEREAL, GROUP
WHEAT, GRAIN	X												15 GRAIN, CEREAL, GROUP
WHEAT, MIDLINGS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, SHORTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, VAVILOVI	X												15 GRAIN, CEREAL, GROUP
WHEAT, VAVILOVI, GRAIN	X												15 GRAIN, CEREAL, GROUP

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WHEAT, WILD EINKORN	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EINKORN, GRAIN	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER, GRAIN	X												15 GRAIN, CEREAL, GROUP
WINTERGREEN	X					X			X				19 HERBS AND SPICES GROUP
WINTERGREEN, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WINTERGREEN, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WORMWOOD	X					X			X				19 HERBS AND SPICES GROUP
WORMWOOD, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WORMWOOD, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
YACON	X												99 NO GROUP NAME
YACON, TUBER	X												99 NO GROUP NAME
YAM BEAN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM BEAN, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
YAM, TRUE, TUBER	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YARROW	X								X				99 NO GROUP NAME
YARROW, DRIED LEAVES	X												99 NO GROUP NAME
YARROW, FRESH LEAVES	X												99 NO GROUP NAME

\*Pesticide site use patterns: (TERFOO)=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.