



AdChoices ▶ MSDS Sheet ▶ OSHA MSDS ▶ Safety MSDS ▶ The MSF

Search

GO

MSDS : 6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT)

CAS : 78-11-5
121-82-4
13424-46-9
25038-81-7
7439-92-1

NAME : explosive ients
bullseye propellant hercules (36 exp. wt.)
m30 propellant (50 exp. wt.)
skno3 pellets (4 exp. wt.)
pentaerythritol, tetranitrate (8 exp. wt.)
s-triazine, hexahydro-1,3,5-trinitro-; (cyclonite) (1 exp. wt.)
lead azide (1 exp. wt.)
aluminized fiberglass
polyimide polymer; (kapton)
lead (sara 313) (cercla)

[Material Safety Sheets](#)

[Safety.BLR.com/MSDS](http://www.Safety.BLR.com/MSDS)

Easy to Use MSDS Database. Over 3.5 million MSDS Online.



AdChoices ▶

Catalog of Chemical Suppliers, Buyers, Custom Synthesis Companies And Equipment Manufacturers
[6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT) 78-11-5 121-82-4 13424-46-9 25038-81-7 7439-92-1]

Suppliers:

Not Available

Buyers:

013762

Not Available



LORAL HYCOR INC -- 6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT)

=====
Material Safety Data Sheet
=====

MSDS Num: CGRWF
MSDS NAME: 6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT)
Responsible Party
Name: LORAL HYCOR INC
Address: 10 GILL ST
City: WOBURN MA 01801
Info Phone: 617-935-5950
Emergency Phone Number: 617-935-5950
Published: Y
=====

Contractor Summary
=====

Name: LORAL HYCOR INC
Address: 10 GILL ST
City: WOBURN MA 01801
Phone: 617-935-5950
=====

Ingredients
=====

Name: EXPLOSIVE INGREDIENTS
% Wt: 0.6
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
=====

Name: BULLSEYE PROPELLANT HERCULES (36 EXP. WT.)
% Wt: 36
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)
=====

Name: M30 PROPELLANT (50 EXP. WT.)
% Wt: 50
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

013763

Name: SKNO3 PELLETS (4 EXP. WT.)

% Wt: 4

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 78-11-5

RTECS #: RZ2620000

Name: PENTAERYTHRITOL, TETRANITRATE (8 EXP. WT.)

% Wt: 8

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 121-82-4

RTECS #: XY9450000

Name: S-TRIAZINE, HEXAHYDRO-1,3,5-TRINITRO-; (CYCLONITE) (1 EXP. WT.)

% Wt: 1

OSHA PEL: S, 1.5 MG/M3

ACGIH TLV: S, 1.5 MG/M3

Cas: 13424-46-9

RTECS #: OF8650000

Name: LEAD AZIDE (1 EXP. WT.)

% Wt: 1

OSHA PEL: RULE IN PROCESS

ACGIH TLV: 0.15 MG PB/M3

Name: ALUMINIZED FIBERGLASS

% Wt: 49

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 25038-81-7

Name: POLYIMIDE POLYMER; (KAPTON)

% Wt: 9

OSHA PEL: N/K (FP N)

ACGIH TLV: N/K (FP N)

Cas: 7439-92-1

RTECS #: OF7525000

Name: LEAD (SARA 313) (CERCLA)

% Wt: 6

OSHA PEL: SEE 1910.1025

ACGIH TLV: 0.15MG/M3 DUST

EPA Rpt Qty: 1 LB

DOT Rpt Qty: 1 LB

Health Hazards Data

013764

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: PRIMARY ROUTE OF ENTRY: NONE-EXCEPT WHEN ITEM IS FUNCTIONED, THEN INHALATION OF PRODUCTS OF COMBUSTION. LEAD APPEARS ON THE NAVY LISTING OF OCCUP CHEM REPROD HAZARDS. SEEK CONSULTATION FROM APPROP HLT H PROFESSIONALS CONCERNING LATEST HAZARD LIST INFO & SAFE HNDLG & EXPOS INFO (FP N).

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: TREAT BURNS & LACERATIONS BY CLEANING & APPLYING STERILE BANDAGES. CALL EMER MED HELP IMMED. INGEST: CALL MED IMMEDIATELY (FP N).

INHAL: REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE OXYG/ARTF RESP) (FP N) .

EYES: IMMED FLUSH W/POTABLE WATER FOR@ LST 15 MINS, SEEK ASSISTANCE FROM MD (FP N). SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD (FP N).

=====

Handling and Disposal

=====

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. CONTACT MANUFACTURER IF THERE ARE ANY DISPOSAL QUESTIONS.

Handling And Storage Precautions: KEEP AWAY FROM HEAT , SPARKS AND OPEN FLAMES. ELIMINATE STATIC DISCHARGE SOURCES.

Other Precautions: ACCESS TO THIS ITEM SHOULD BE LIMITED TO AUTHORIZED PERSONNEL TRAINED IN THE HANDLING OF EXPLOSIVES AND PURCTECHNIC DEVICES.

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: WATER, CARBON DIOXIDE OR FOAM.

Fire Fighting Procedures: NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N). EXPLOSIVE 1.45. DO NOT FIGHT FIRES. EVACUATE PERS FROM AREA, ESPECIALLY IF LG QTYS OF CARTRIDGES ARE (SUPDAT)

Unusual Fire/Explosion Hazard: PRODS OF REACTION ARE TOXIC. DO NOT INHALE/INGEST. POSSIBLE EXPLOSIVE SHOCK WAVE AND SHRAPNAL.

=====

Control Measures

=====

Respiratory Protection: NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: MECHANICAL VENTILATION ONLY REQUIRED WHEN FUNCTIONING ITEM IN CONFINED AREAS.

013765

Protective Gloves: IMPERVIOUS GLOVES (FP N).
Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).
Other Protective Equipment: ANSI APPRVD EYE WASH & DELUGE SHOWER (FP N).
GROUNDING STRAPS AND/OR CONDUCTIVE FOOTWARE.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health: MFR TRADE NAME/PART NO: CARTRIDGE DRAWING. FIRE
FIGHT PROC: INVOLVED. MATL WILL BURN RAPIDILY PRDCG HIGH TEMP FLAMES, HOT
HIGH VELOCITY GASES & PARTICULATE MATTER. EXPLO RXN MAY OCCUR, WHICH
WOULD PRD CE METAL SHRAPNEL.

=====
Physical/Chemical Properties
=====

Solubility in Water: INSOLUBLE
Appearance and Odor: NONE SPECIFIED BY MANUFACTURER.
Percent Volatiles by Volume: NEGLIG
=====

Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: STORE IN AN APPROVED MAGAZINE FOR EXPLOSIVE 1.48
AT AMBIENT TEMPERATURE AND HUMIDITY.
Materials To Avoid: CHECK EXPLOSIVE STORAGE INCOMPATIBILITY.
Hazardous Decomposition Products: PRODUCTS OF REACTION ARE TOXIC. DO NOT INHALE
OR INGEST. POSSIBLE EXPLOSIVE SHOCK WAVE AND SHRAPNAL.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

MSDS NAME: 6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT)
Company: LORAL HYCOR INC
Street: 10 GILL ST
City: WOBURN MA

013766

Zipcode: 01801
Health Emergency Phone: 617-935-5950
Label Required IND: Y
Date Of Label Review: 03/23/1998
Status Code: C
Label Date: 03/23/1998
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: Severe

Hazard And Precautions: EXPLOSIVE! EXPLOSIVE SHOCK WAVE AND SHRAPNEL. PRODUCTS OF REACTION ARE TOXIC. ACUTE: INHALATION OF PRODUCTS OF COMBUSTION. CHRONIC: LEAD APPEARS ON NAVY OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS LIST (FP N).

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

*** END OF RECORD ***

[Search More](#)



ALL PAGES On Chemical Property IN THIS GROUP

NAME CAS
[COACH LAMP COPPER 2406-7070, DECRA-SHIELD \(SUP DAT\)](#)

013767

CLASSIC BURGUNDY 2406-8020, DECRA-SHIELD (SUP DAT)
CRIMSON RED 2406-8050, DECRA-SHIELD (SUP DAT)
ABERDEEN PLACE 2406-8060, DECRA-SHIELD (SUP DAT)
CLASSIC LIBERTY RED 2406-8140, DECRA-SHIELD (SUP DAT)
EPOWELD 8173 PART A, 08173-1
EPOWELD 8173 PART B, 08173-2
GLOSS GREEN ACRYLIC 14187, T-1116

9004-70-0
 78-93-3
 108-10-1
 108-65-6
 108-88-3
 67-64-1
 67-63-0
 64742-89-8
 7439-92-1

ISOPREP 132, 12258
DPD FREE CHLORINE REAGENT, 21055
NOFOUL COMPOUND 35029 CURED COVER STOCK 34029
LORD 7420

ACRYL MARINE PUTTY, 05962

14807-96-6
 13463-67-7
 108-88-3
 123-86-4
 1330-20-7
 9010-88-2
 9004-36-8
 85-68-7
 67-63-0

ECO-TACK NF ADHESIVE, 22-25

44K 208

5037 KZ-555 LUBE (AERO)

STANDARD REDUCER FOR EPOXY PRIMERS T0006

124-38-9
 107-98-2
 78-93-3
 71-36-3
 123-86-4
 108-88-3

METAL PHOTO POLISH

64742-88-7
 61790-12-3
 63148-62-9
 61790-53-2
 7732-18-5

8300 HI-FILL RESURFACER - PART B, 08662

MIROFLEX INTERIOR-EXTERIOR ALKYD GLOSS ENAMEL, 450

64742-88-7

013768

<u>CARBOMASTIC 90 ALUMINUM PT B, 0191B1NL</u>	
<u>INTERLUX BRIGHTSIDE PRIMER WHITE, 4279</u>	8032-32-4 64742-88-7
<u>SUPER LIBE GREASE</u>	
<u>INTERSHIELD PRORECO 469, PRA460</u>	1344-28-1 110-43-0 13463-67-7 108-94-1 60676-86-0 25322-69-4 65308-91-0 107-15-3
<u>INTERSHIELD PRORECO 469, PRA461</u>	108-65-6 26471-62-5
<u>INTERSHIELD PRORECO, PRA252</u>	101-68-8 26447-40-5
<u>IR FLAIR SIMULATOR MJU-8, 117948</u>	3811-04-9 57-50-1
<u>6133060, MK 214 MOD 0 RF SEDUCTION, (SUPDAT)</u>	78-11-5 121-82-4 13424-46-9 25038-81-7 7439-92-1
<u>5209, GLID-GUARD METAL SHOP PRIMER, (SUPDAT)</u>	1309-37-1 64742-89-8 8052-41-3 64742-89-8 14808-60-7 12135-86-3 17068-78-9 14807-96-6 14567-73-8 108-88-3 71-43-2 78-83-1
<u>5452, GLID-GUARD EPOXY CHEMICAL RESISTANT (SUPDAT)</u>	68002-19-7 25036-25-3 112945-52-5 1330-20-7 110-19-0 71-36-3 50-00-0 108-10-1 71-43-2 100-41-4

ULTRA-HIDE INTERIOR LATEX BLOCK FILLER, 5320GLID-GUARD VINYL-GUARD WHITE, 5516

61788-76-9
 9003-22-9
 68611-44-9
 12001-26-2
 108-88-3
 1330-20-7
 108-10-1
 110-43-0
 108-05-4
 71-43-2
 100-41-4
 13463-67-7
 9005-09-8

G-G EPOXY HIGH BUILD CONVERTER, 5556

121888-68-4
 68410-23-1
 1332-58-7
 67-63-0
 108-88-3
 71-43-2
 112-24-3

DERAKANE 441-400 EPOXY VINYL ESTER RESIN, 30532

100-42-5
 36425-15-7

4207-0000, DEVFLEX 4207 WATERBORNE RETARDING ADDITIVEINT SATIN GLOSS ENAMEL ANT, 07-01J/250

64742-65-0
 60676-86-0
 124-68-5
 107-21-1

HUMISEAL 1B73NAPHTHA CUTBACK, 609

12002-43-6
 8052-42-4
 64742-89-8
 1330-20-7
 100-41-4

LUBERSOL DDM 9, F-65 CATALYST, 13000PLUG OUT, 3030CHEM-PEEL

8052-41-3
 107-98-2

SULFURIC ACID

7664-93-9

ANTIFREEZE/COOLANT PREMIX, YA-335P

107-21-1
 111-46-6
 7732-18-5

HEXAFLOC KSP

013770

NEW HYDROSEAL NO MERCURY, LAPPER 2

PROTEKTOR SEALANT, FOSTER 32-24

FIRE ORANGE TEMPRA PAINT, WAW-14

50-00-0

989-38-8

39277-28-6

7732-18-5

57-55-6

1317-65-3

DETERGENTS REAGENT POWDER PILLOWS, 1005

7647-14-5

548-62-9

SELL EXTRACTANT SOLUTION FOR IMMUNEASSAY KIT, 25677

67-56-1

WASH SOLUTION FOR IMMUNOASSAY KIT, 25678

7732-18-5

Free MSDS Search (Providing 250,000+ Material Properties)

Chemcas.com

Last modified: 09/10/2013 11:02:39