

APPENDIX

SEP 24 2010

References

- Abrams, M.D. (1992). Fire and the development of oak forests in eastern North America. *BioScience*, 42, 346-352.
- Adams, S.M., & Hackney, C.T. (1992). Ecological processes in southeastern United States aquatic ecosystems. In C. T. Hackney, S. M. Adams, & W. H. Martin (Eds.), *Biodiversity of the Southeastern United States: Aquatic Communities*. New York: John Wiley & Sons, Inc.
- Adams, W. J., Toll, J. E., Brix, K. V., Tear, L. M., & DeForest, D. K. (2000). *Site-specific approach for setting water quality criteria for Selenium: differences between lotic and lentic systems*. Williams Lake, BC. Proceedings of Mine Reclamation Symposium; 2000 Jun 19-22, 231-241.
- Ahern, M. M., Mullett, M., MacKay, K., & Hamilton, C. (2010). Residence in Coal-Mining Areas and Low-Birth-Weight Outcomes. *Maternal and Child Health Journal*, DOI 10.1007/s10995-009-0555-1.
- Alexander, R. B. et al. (2009). Dynamic modeling of nitrogen losses in river networks unravels the coupled effects of hydrological and biogeochemical processes. *Biogeochemistry*, 93, 91-116.
- American Bird Conservancy. (2009.) Mountaintop Removal/Valley Fill Coal Mining Impacts on Birds. Retrieved December 29, 2009 from: <http://www.abcbirds.org/conservationissues/threats/energyproduction/mountaintop.html>.
- Amichev, B.Y., Burger, J. A., & Rodrigue, J. A. (2008). Carbon sequestration by forests and soils on mined land in the Midwestern and Appalachian coalfields of the US. *Forest Ecology Management* 256, 1949-1959.
- Andrle, R. F., & Carroll, J. R. (1988.) *The atlas of breeding birds in New York State*. Ithaca: Cornell University Press.
- Anderson, M. G., Merrill, M. D., & Biasi, F. D. (1998). *Connecticut River Watershed Analysis: Ecological communities and neo-tropical migratory birds. Final report summary to USGS Biological Resources Division*. The Nature Conservancy, Boston MA. 36pp.
- Appalachian Mountains Joint Venture (AMJV). (2007). *Implementation plan for the Appalachian Mountains Joint Venture: a foundation for all-bird conservation in the region*. 87 pp. <http://www.amjv.org/>
- Armstead, M. Y., Yaeger-Seagle, J., & Emerson, L. (2004). *Benthic macroinvertebrate studies conducted in mountaintop mining/valley fill influenced streams in conjunction with the USEPA Environmental Impact Study*. Presented at the 2004 National Meeting of the American Society of Mining and Reclamation and the 25th West Virginia Surface Mine Drainage Task Force, April 18-24, 2004. Lexington: ASMR.
- Armstead, M. Y. (2006). *Status of the Industry Understanding of the Effects of Mountaintop Mining and Valley Fills on Aquatic Resources*. Report prepared by Potesta & Associates, Inc. for Jackson & Kelly, PLLC, Charleston, WV.
- Askins, R. A. (1993). Population trends in grassland, shrubland, and forest birds in eastern North America. *Current Ornithology* 11, 1-34.
- Bailey, B. (1999). *Social and economic impacts of wild harvested products*. Ph. D. Dissertation, West Virginia University. Morgantown, WV.
- Baker, J. W., Grover, J. P., Ramachandrannair, R., Black, C., Valenti Jr., T. W., Brooks, B. W., & Roelke, D. L. (2009). Growth at the edge of the niche: an experimental study of the harmful alga *Prymnesium parvum*. *Limnology and Oceanography* 54, 1679-1687.

- Baker, J.W., Grover, J. P., Brooks, B. W., Urena-Boeck, F., Roelke, D. L., Errera, R. (2007). Growth and toxicity of *Prymnesium parvum* (haptophyta) as a function of salinity light and temperature. *Journal of Phycology*, 43, 219–227.
- Barber-James, H. M., Gattolliat, J., Sartori, M., & Hubbard, M. D. (2008). Global diversity of mayflies (Ephemeroptera, Insecta) in freshwater. *Hydrobiologia*, 595, 339-350.
- Barbour, M. T., Gerritsen, J., Snyder, B. D., & Stribling, J. B. (1999). *Rapid Bioassessment Protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates and fish, second edition*. EPA 841-B-99-002. U.S. Environmental Protection Agency; Office of Water; Washington, D.C. <http://www.epa.gov/owow/monitoring/rbp/>
- Barbour, R. W., & Davis, W. H. (1974). *Mammals of Kentucky*. Lexington: University of Kentucky Press.
- Barrett, J. W. (1995). *Regional silviculture of the United States*. New York: John Wiley & Sons.
- Bauernfeind, E., & Moog O. (2000). Mayflies (Insecta: Ephemeroptera) and the assessment of ecological integrity: a methodological approach. *Hydrobiologia*, 422/423, 71-83.
- Beketov, M. A. (2004). Different sensitivities of mayflies (Insecta, Ephemeroptera) to ammonia, nitrite and nitrate: linkage between experimental and observational data. *Hydrobiologia*, 528, 209-216.
- Bernhardt, E. S., & Palmer, M. A. (2007). Restoring streams in an urbanizing world. *Freshwater Biology*, 52, 738–751.
- Bernhardt, E. S., et al. (2007). Restoring rivers one reach at a time: Results from a survey of U.S. river restoration practitioners. *Restoration Ecology*, 15, 482–493.
- Bevier, L. R. (1994). *The atlas of breeding birds of Connecticut*. State Geologic and Natural History Survey of Connecticut. Bulletin 113.
- Bonta, J.V., & Dick, W. A. (2003). Impact of coal surface mining and reclamation on surface water chemical concentrations and load rates in three Ohio watersheds. *Journal of the American Water Resources Association*, 39(4), 793-816.
- Bishop, K., Buffam, I., Erlandsson, M., Fölster, J., Laudon, H., Seibert, J., & Temnerud, J. (2008) *Aqua Incognita: the unknown headwaters*. *Hydrological Processes*, 22, 1239–1242.
- Bray, J. R., & Gorham, E. (1964). Litter production in forests of the world. *Advanced Ecological Restoration*, 2, 101-157.
- Brewer, R., McPeck, G. A., & Adams, Jr. R. J. (1991). *The atlas of breeding birds of Michigan*. East Lansing: Michigan State University Press.
- Brinkman, S. F., & Johnston, W. D. (2008). Acute toxicity of aqueous copper, cadmium, and zinc to the mayfly *Rhithrogena hageni*. *Archives of Environmental Contamination and Toxicology*, 54, 466-472.
- Brittain, J. E., & Saltveit, S. J. (1989). Review of effect of river regulation on mayflies (Ephemeroptera). *Regulated Rivers Research and Management*, 3, 191-204. <http://onlinelibrary.wiley.com/doi/10.1002/rrr.3450030119/abstract>
- Brooks, R. T. (2009). Potential impacts of global climate change on the hydrology and ecology of ephemeral freshwater systems of the forests of the northeastern United States. *Climatic Change*, (95), 469–483.
- Brown, P., Cabarle B., & Livernash R.. (1997). *Carbon Counts: Estimating Climate Change Mitigation in Forestry Projects*. Washington, DC: World Resources Institute.

- Bryant, G., McPhilliamy, S., & Childers H. (2002). *A survey of the water quality of streams in the primary region of mountaintop/valley fill coal mining October 1999 to January 2001*. In U.S. Environmental Protection Agency, Mid Atlantic Region, Mountaintop Mining Environmental Impact Statement, Appendix D, Stream chemistry final report, 102 p. <http://www.epa.gov/region03/mtntop/eis2005.htm>
- Bryce, S. A., Omernik J. M., & Larsen D. P. (1999). Ecoregions - a geographic framework to guide risk characterization and ecosystem management. *Environmental Practice* 1(3), 141-155.
- Buckelew Jr., A. R., & Hall, G. A. (1994). *The West Virginia Breeding Bird Atlas*. Pittsburgh: University of Pittsburgh Press.
- Buehler, D. A., et al. (2008). Cerulean warbler reproduction, survival, and models of population decline. *Journal of Wildlife Management*, 72, 646-653.
- Buffington, J. M., Kilgo, J.C., Sargent, R. A., Miller, K. V., & Chapman, B. R. (1997). Comparison of breeding bird communities in bottomland hardwood forests of different successional stages. *Wilson Bulletin*, 109(2), 314-319.
- Bulluck, L. P. (2007). *Golden-winged warbler (Vermivora chrysoptera) demographics and habitat use and the potential effects of land use change on golden-winged and cerulean warblers (Dendroica cerulea) in the Cumberland Mountains of Tennessee*. Ph.D. Dissertation, University of Tennessee, Knoxville. 200 pp.
- Burton, T. M. (1976). An analysis of the feeding ecology of the salamanders (Amphibia, Urodela) of the Hubbard Brook experimental forest, New Hampshire. *Journal of Herpetology*, 10, 187-284.
- Burton, T. M., & Likens, G. E. (1975). Salamander populations and biomass in Hubbard Brook Experimental Forest, New Hampshire. *Copeia*, 1975, 541-546.
- Buss, D. F., & Salles, F. F. (2007). Using Baetidae species as biological indicators of environmental degradation in a Brazilian River basin. *Environmental Monitoring and Assessment*, 130, 365-372.
- Canterbury, R.A. (2002). *Mountaintop removal and valley-fill mining environmental impact study: bird populations along edges*. Draft Report 2001. Final 2002. Concord College, Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania. <http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Caruso, B. S. & Haynes, J. (2010). Connectivity and jurisdictional Issues for Rocky Mountains and Great Plains aquatic resources. *Wetlands*. DOI 10.1007/s13157-010-0084-0
- Casas, J. J., et al. (2000). The effect of a headwater dam on the use of leaf bugs by invertebrate communities. *Regulated Rivers Research and Management*, 16, 577-591.
- Center for Biological Diversity (CBD). (2010). Petition to list the eastern-small footed bat (*Myotis leibii*) and northern long-eared bat (*Myotis septentrionalis*) as threatened or endangered under the Endangered Species Act. Center for Biological Diversity, Richmond, VT. 61 pp.
- Chadwick, M. A., Hunter, H., Feminella, J. W., & Henry, R. P. (2002). Salt and water balance in *Hexagenia limbata* (Ephemeroptera: Ephemeridae) when exposed to brackish water. *Florida Entomologist*, 85(4), 650-651.
- Chambers, D. B., & Messinger, T. (2001). *Benthic invertebrate communities and their responses to selected environmental factors in the Kanawha River Basin, West Virginia, Virginia, and North Carolina*. Water-Resources Investigations Report 01-4021, Department of the Interior, U.S. Geological Survey, Charlestown, WV. <http://pubs.usgs.gov/wri/wri014021/>

- Chapman, P. M., et al. (2009). *Ecological assessment of selenium in the aquatic environment: Summary of a SETAC Pellston Workshop*. Pensacola: Society of Environmental Toxicology and Chemistry (SETAC).
<http://www.setac.org/sites/default/files/SELSummary.pdf>
- Clarke, A., Mac Nally, R. Bond, N., & Lake, P. S. (2008). Macroinvertebrate diversity in headwater streams: a review. *Freshwater Biology*, 53, 1707–1721.
- Clements, W. H. (1994). Benthic invertebrate community responses to heavy metals in the upper Arkansas River Basin, Colorado. *Journal of the North American Benthological Society*, 19, 30-44.
- Clements, W. H. (2004). Small-scale experiments support causal relationships between metal contamination and macroinvertebrate community response. *Ecological Applications*, 14, 954-967.
- Clements, W. H., Cherry, D. S., & Van Hassel, J. H. (1992). Assessment of the impact of heavy metals on benthic communities at the Clinch River (Virginia): evaluation of an index of community sensitivity. *Canadian Journal of Fisheries and Aquatic Science*, 49, 1686-169.
- Collins, et al. (2007). Subsurface flowpaths in a forested headwater stream harbor a diverse macroinvertebrate community. *Wetlands*, 27(2).
- Conant, R., & Collins, J. T. (1991). *A Field Guide to Reptiles and Amphibians: Eastern and Central North America*, 3rd Ed. Boston: Houghton Mifflin.
- Conley, J. M., Funk, D. H., & Buchwalter, D. B. (2009). Selenium bioaccumulation and maternal transfer in the mayfly *Centroptilum triangulifer* in a life-cycle, periphyton-biofilm trophic assay. *Environmental Science & Technology*, 43, 7952-7957.
- Courtney, L. A., & Clements, W. H. (2000). Sensitivity to acidic pH in benthic invertebrate assemblages with different histories of metal exposure. *Journal of the North American Benthological Society*, 19, 112-127.
- Courtney, L. A., & Clements, W. H. (2002). Assessing the influence of water and substratum quality on benthic macroinvertebrate communities in a metal-polluted stream: an experimental approach. *Freshwater Biology*, 47, 1766–1778.
- Cummins, K. W. (1973). Trophic relations of aquatic insects. *Annual Review of Entomology* 18, 183-206.
- Cummins, K. W. (1980). The natural stream ecosystem, pp. 7-24. In J.V. Ward and J.A. Stanford (Eds). *The ecology of regulated streams*. New York: Plenum Press.
- Cummins, K. W., & Klug, M. J. (1979). Feeding ecology of stream invertebrates. *Annual Review of Ecology, Evolution, and Systematics*, 10, 147-172.
- Daugherty, C. "Priority Delivery: 2008 WV Impaired Streams.zzz". E-mail message to Christine Mazzarella. 30 July, 2009.
- DeBruyn, A., Chapman, M. H., & Chapman, P. M. (2007). Selenium toxicity to invertebrates: will proposed thresholds for toxicity to fish and birds also protect their prey? *Environmental Science & Technology*, 41, 1766-1770.
- Delcourt, P. A., & Delcourt, H. R. (1998). The influence of human-set fires on oak-chestnut forests in the southern Appalachians. *Castanea*, 63, 337-345.
- Delucchi, C. M. (1988). Comparison of community structure among streams with different temporal flow regimes. *Canadian Journal of Zoology*, 66, 579-586.

- Diamond, J., & Daley, C. (2000). What is the relationship between whole effluent toxicity results and biological condition? *Environmental Toxicology and Chemistry*, 19, 158-168.
- Diamond, J., Daley, C., & Moore, T. (1999). *Evaluating whole effluent toxicity testing as an indicator of instream biological conditions*. Alexandria (VA): Water Environment Research Foundation. 95-HHE-1. Available from www.werf.org
- Dickens, P. S., Minear, R. A., & Tschantz, B. A. (1989). Hydrologic alteration of mountain watersheds from surface mining. *Research Journal of the Water Pollution Control Federation*, 61, 1249-1260.
- Diehl, S.F., Goldhaber, M.B., Koenig, A.E., Tuttle, M.L.W., & Ruppert, L.F. (2005) *Concentration of arsenic, selenium, and other trace elements in Appalachian coals of Alabama and Kentucky*. Presented at the 2005 National Meeting of the American Society of Mining and Reclamation, June 19-23, 2005. Published by ASMR, Lexington, KY.
- Doppelt, B. (1993). *Entering the Watershed: a New Approach to Save America's River Ecosystems*. Washington, D.C.: Island Press.
- Eaton, S. W. (1958). A life history study of the Louisiana Waterthrush. *Wilson Bulletin*, 70, 210-235. *Ecological Applications* 17(4): 1156-1167.
- Echols, B. S., Currie, R. J., & Cherry, D. S. (2009, November 4). Preliminary results of laboratory toxicity tests with the mayfly, *Isonychia bicolor* (Ephemeroptera: Isonychiidae) for development as a standard test organism for evaluating streams in the Appalachian coalfields of Virginia and West Virginia. *Environmental Monitoring and Assessment*. [Electronic version].
- Echternacht, A. C., & Harris, L. D. (1993). The fauna and wildlife of the southeastern United States. In W. H. Martin, G. Boyce & A. C. Echternacht (Eds.), *Biodiversity of the Southeastern United States, Volume 1*. (pp. 81-116). New York: John Wiley & Sons.
- Elmore, A. J., & Kaushal, S. S. (2008). Disappearing headwaters: patterns of stream burial due to urbanization. *Frontiers in Ecology and the Environment*, 6, DOI:10.1890/070101.
- Feminella, J. W. (1996). Comparison of benthic macroinvertebrate assemblages in small streams along a gradient of flow permanence. *Journal of the North American Benthological Society*, 15, 651-669.
- Ferrari, J. R., Lookingbill, T. R., McCormick, B., Townsend, P. A., & Eshelman, K. N. (2009). Surface mining and reclamation effects on flood response of watersheds in the central Appalachian Plateau region. *Water Resources Research* 45:W04407.
- Ferreri, C. P., Stauffer, J. R., & Stecko, T. D. (2004). *Evaluating impacts of mountain top removal/valley fill coal mining on stream fish populations*: Proceedings of a joint conference, 21st Annual Meeting of the American Society of Mining and Reclamation and 25th West Virginia Surface Mine Drainage Task Force, April 18-24, 2004. Morgantown, WV. Published by ASMR, p. 576-592.
- Février L., Martin-Garin, A., & Leclerc, E. (2007). Variation of the distribution coefficient (K_d) of selenium in soils under various microbial states. *Journal of Environmental Radioactivity*, 97 (2-3), 189-205.
- Fischenich, J. C. (2006). *Functional Objectives for Stream Restoration*. EMRPP Technical Notes Collection. U.S. Army Corps of Engineers, Engineer Research and Development Center. Vicksburg, MS.
- Ford, C.R., & Vose, J.M. (2007). *Tsuga canadensis* (L.) Carr. mortality will impact hydrologic processes in southern Appalachian forest ecosystems. *Ecological Applications*, 17(4), 1156-1167.

- Freeman M. C., Pringle, C. M., & Jackson, C. R. (2007). Hydrologic connectivity and the contribution of stream headwaters to ecological integrity at regional scales. *Journal of the American Water Resources Association*, 43, 5–14.
- Freund, J. G, & Petty, J. T. (2007). Response of fish and macroinvertebrate bioassessment indices to water chemistry in a mined Appalachian watershed. *Environmental Management*. DOI 10.1007/s00267-005-0116-3.
- Fritz, K. M., Fulton, S., Johnson, B. R., Barton, C. D., Jack, J. D., Word, D. A., & Burke, R. A. (2010). Structural and functional characteristics of natural and constructed channels draining a reclaimed mountaintop removal and valley fill coal mine. *Journal of the North American Benthological Society*, 29(2), 673–689.
- Fritz, K. M., Johnson, B. R., & Walters, D. W. (2006). *Field Operations Manual for Assessing the Hydrological Permanence and Ecological Condition of Headwater Streams*. EPA/600/R-06/126. U.S. Environmental Protection Agency, Office of Research and Development, Washington, D.C.
<http://www.epa.gov/eerd/manual/headwater/HISSmanual-cover.pdf>
- Fritz, K. M., Johnson, B. R., & Walters, D. M. (2008). Physical indicators of hydrologic permanence in forested headwater streams. *Journal of the North American Benthological Society*, 27, 690-704.
- Fry, J. A., Coan, M. J., Homer, C. G., Meyer, D. K., & Wickham, J. D. (2009). *Completion of the National Land Cover Database (NLCD) 1992–2001 Land Cover Change Retrofit product*. U.S. Geological Survey Open-File Report 2008–1379, 18 p.
- Fulk, F., Autrey, B., Hutchens, J., Gerritsen, J., Burton, J., Cresswell, C., & Jessup, B. (2003). *Ecological assessment of streams in the coal mining region of West Virginia using data collected by the U.S. EPA and environmental consulting firms*. National Exposure Research Laboratory, US Environmental Protection Agency, Cincinnati, Ohio. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania.
<http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Gerritsen, J., Burton, J., & Barbour, M. T. (2000). *A stream condition index for West Virginia wadeable streams*. Tetra Tech, Inc., Owings Mills, MD.
- Gill, J. D. (1975). Comparison of seven forest types for game in West Virginia. *Journal of Wildlife Management*, 39, 762-768.
- Gingerich, G. A. (2009). *Quantifying changes in ecological function of headwater catchments following large-scale surface mining in southern West Virginia*. M.S. Thesis. West Virginia University, Morgantown WV.
- Goetsch, P. A., & Palmer, C. G. (1997). Salinity tolerances of selected macroinvertebrates of the Sabie River, Kruger National Park, South Africa. *Archives of Environmental Contamination and Toxicology*, 32, 32-41.
- Gosz, J. R., Holmes, R. T., Likens, G. E., & Bormann, F. H. (1978). The flow of energy in a forest ecosystem. *Scientific American*, 283, 92-102.
- Grant, E. H. C., Green, L. E., & Lowe, W. H. (2009). Salamander occupancy in headwater stream networks. *Freshwater Biology*, 54, 1370–1378.
- Green, J., & Passmore, M. (1999). *Field survey report: an estimate of perennial stream miles in the area of the 1997 proposed Hobet Mining Spruce No. 1 Mine*. US Environmental Protection Agency. Wheeling, WV.
- Green, J., Passmore, M., & Childers, H. (2000). *A survey of the condition of streams in the primary region of mountaintop mining/valley fill coal mining*. US Environmental Protection Agency. Wheeling, WV. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US

Environmental Protection Agency, Philadelphia, Pennsylvania.
<http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>

- Green, N. B., & Pauley, T. K. (1987). *Amphibians and reptiles in West Virginia*. Pittsburgh: University of Pittsburgh Press.
- Hairston, Jr., N. G. (1987). Diapause as a predator avoidance adaptation. In W. C. Kerfoot and A. Sih (Eds.), *Predation: Direct and indirect impacts on aquatic communities* (p. 281-290.) New England.
- Hamel, P. B. (2000). Cerulean warbler (*Dendroica cerulea*), The birds of North America online. (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/species/511>
- Handel, S. N. (2003). *Mountaintop removal mining/valley fill environmental impact statement technical study project report for terrestrial studies: terrestrial plant (spring herbs, woody plants) populations of forested and reclaimed sites*. Draft Report 2001. Final 2003. New Brunswick: Rutgers University. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania. <http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Harper, C. A., & Guynn Jr., D. C. (1999). Factors affecting salamander density and distribution in four forest types in the southern Appalachian mountains. *Forest Ecology and Management*, 114, 245-252.
- Harpole, D. N., & Haas, C. A. (1999). Effects of seven silvicultural treatments on terrestrial salamanders. *Forest Ecology and Management*, 114, 349-356.
- Harrison, R. L. (1992). Toward a theory of inter-refuge corridor design. *Conservation Biology*, 6, 293-295.
- Hartman, K. J., Kaller, M. D., Howell, J. W., & Sweka, J. A. (2005). How much do valley fills influence headwater streams? *Hydrobiologia*, 532, 91-102.
- Hassell, K. L., Kefford, B. J., & Nugegoda, D. 2006. Sub-lethal and chronic salinity tolerances of three freshwater insects: *Cloeon* sp. and *Centropilum* sp. (Ephemeroptera: Baetidae) and *Chironomus* sp. (Diptera: Chironomidae). *Journal of Experimental Biology*, 209, 4024-4032.
- Hawkins, C. P. (2006a). Maintaining and restoring the ecological integrity of freshwater ecosystems: refining biological assessments. *Ecological Applications*, 16, 1249-1250.
- Hawkins, C. P. (2006b). Quantifying biological integrity by taxonomic completeness: Its utility in regional and global assessments. *Ecological Applications*, 16(4), 1277-1294.
- Hawkins, C. P., Olson J. R., & Hill R. A. (2010). The reference condition: predicting benchmarks for ecological and water-quality assessments. *Journal of the North American Benthological Society*, 29(1), 312-343.
- Hendryx, M. (2009). Mortality from heart, respiratory, and kidney disease in coal mining areas of Appalachia. *International Archives of Occupational and Environmental Health*, 82, 243-249.
- Hendryx, M., & Ahern, M. M. (2008). Relations between health indicators and residential proximity to coal mining in West Virginia. *American Journal of Public Health*, 98(4), 669-670.
- Hendryx, M., & Ahern, M. M. (2009). Mortality in Appalachian coal mining regions: The value of statistical life lost. *Public Health Reports*, 124, 541-550.
- Hendryx, M., Ahern, M. M., & Nurkiewicz, T. R. (2007). Hospitalization patterns associated with Appalachian coal mining. *Journal of Toxicology and Environmental Health, Part A*, 70, 2064-2070.

- Hendryx, M., Fedorko, E., & Anesetti-Rothermel, A. (2010). A geographical information system-based analysis of cancer mortality and population exposure to coal mining activities in West Virginia, United States of America. *Geospatial Health*, 4(2), 243-256.
- Hendryx, M., O'Donnell, K., & Horn, K. (2008). Lung cancer mortality is elevated in coal-mining areas of Appalachia. *Lung Cancer*, 62, 1-7.
- Hendryx, M., & Zullig, K. J. (2009). Higher coronary heart disease and heart attack morbidity in Appalachian coal mining regions. *Journal of Preventive Medicine*, 49(5), 355-359.
- Herkert, J. R., Szafoni, R. E., Kleen, V. M., & Schwegman, J. E. (1993). *Habitat establishment, enhancement and management for forest and grassland birds in Illinois*. Natural Heritage Technical Publication #1. Illinois Department of Conservation, Division of Natural Heritage.
<http://www.npwr.usgs.gov/resource/birds/manbook/index.htm>
- Hinkle, C. R., McComb, W. C., & Marcus Jr., S. J. (1993.) Mixed Mesophytic Forest. pp. 203-254, 373, In W. H. Martin (Ed.). *Biodiversity of the Southeastern United States: Upland Terrestrial Communities*. New York: John Wiley & Sons, Inc.
- Hitt, N. P., & Hendryx, M. (2010). Ecological integrity of streams related to human cancer mortality rates. *Ecohealth*, 7(1), 91-104.
- Holl, K. D. (2002). Long-term vegetation recovery on reclaimed coal surface mines in the eastern USA. *Journal of Applied Ecology*, 39, 960-970.
- Hornick, L. E. (1981). Periphyton production in an Appalachian mountain trout stream. *American Midland Naturalist*, 106, 22-36.
- Howard, H. S., Berrang B., Flexner M., Pond G., & Call S. (2001). *Kentucky mountaintop mining benthic macroinvertebrate survey*. US Environmental Protection Agency. Athens, GA. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania. <http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Hufford, M. (2003.) Reclaiming the Commons: Narratives of Progress, Preservation, and Ginseng. In B. J. Howell, (Ed.), *Culture, Environment, and Conservation in the Appalachian South*, Urbana: University of Illinois Press.
- Hynes, H. B. N. (1970). *The Ecology of Running Waters*. Liverpool: Liverpool University Press.
- Illinois Wildlife Habitat Commission. (1985). *The Crisis of Wildlife Habitat*. (p. 26) Illinois Department of Conservation.
- Intergovernmental Panel on Climate Change (IPCC). (2001). IPCC special report on land use, land-use change and forestry. http://www.grida.no/publications/other/ipcc_sr/?src=/climate/ipcc/land_use/index.htm
- James, F. C., McCulloch, C. E., & Wiedenfeld, D. A. (1996). New approaches to the analysis of population trends in land birds. *Ecology* 77, 13-27.
- Jeffres, C. A., Opperman, J. J., & Moyle, P. B. (2008). Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. *Environmental Biology of Fishes*, 83, 449-458.
- Johnson, B. R., Fritz, K. M., Blocksom, K. A., & Walters, D. M. (2009). Larval salamanders and channel geomorphology are indicators of hydrologic permanence in forested headwater streams. *Ecological Indicators*, 9, 150-159.

- Johnson, B. R., Haas, A., & Fritz, K. M. (2010). Use of spatially explicit physicochemical data to measure downstream impacts of headwater stream disturbance. *Water Resources Research*, 46. W09526, DOI:10.1029/2009WR008417.
- Jones, K. B. (1997). *An ecological assessment of the United States mid-Atlantic Region: a landscape atlas*. U.S. EPA. EPA/600/R-97/130. Washington, D.C.
- Jorgensen, C. B. (1966). *Biology of Suspension Feeding*. Pergamon: Oxford.
- Kaplan, D.I., & Serne, R. J. (1995). *Distribution coefficient values describing iodine, neptunium, selenium, technetium, and uranium sorption to Hanford sediments*. Prepared for the U.S. Department of Energy Pacific Northwest Laboratory, Richland, Washington. DOI 10.2172/158466
- Kefford, B. E. (1998). The relationship between electrical conductivity and selected macroinvertebrate communities in four riversystems of south-west Victoria, Australia. *International Journal of Salt Lake Research*, 7, 153–170.
- Kefford, B. E. (1998). Is salinity the only water quality parameter affected when saline water is disposed in rivers? *International Journal of Salt Lake Research*, 7, 285–300.
- Kefford, B. J., Papas, P. J., & Nuggeoda, D. (2003). Relative salinity tolerance of macroinvertebrates from the Barwon River, Victoria, Australia. *Marine and Freshwater Research*, 54, 755-765.
- Kefford, B. J., Papas, P. J., Metzeling, L., & Nuggeoda, D. (2004). Do laboratory salinity tolerances of freshwater animals correspond with their field salinity? *Environmental Pollution* 129, 355–362.
- Kefford, B. J., Dalton, A., Palmer, C. G., & Nuggeoda, D. (2004). The salinity tolerance of eggs and hatchlings of selected aquatic macroinvertebrates in south-east Australia and South Africa. *Hydrobiologia*, 517, 179-192.
- Kefford, B. E., et al. (2005). What is meant by “95% of species”? An argument for the inclusion of rapid tolerance testing. *Human and Ecological Risk Assessment*, 11, 1025-1046.
- Kennedy, A. J., Cherry, D. S., & Currie, R. J. (2003). Field and laboratory assessment of a coal processing effluent in the Leading Creek watershed, Meigs County, Ohio. *Archives of Environmental Contamination and Toxicology*, 44, 324-331.
- Kennedy, A. J., Cherry, D. S., & Currie, R. J. (2004). Evaluation of ecologically relevant bioassays for a lotic system impacted by a coal-mine effluent, using *Isonychia*. *Environmental Monitoring and Assessment*, 95, 37-55.
- Kennedy, A. J., Cherry, D. S., & Zipper, C. E. (2005). Evaluation of ionic contribution to the toxicity of a coal-mine effluent using *Ceriodaphnia dubia*. *Archives of Environmental Contamination and Toxicology* 49, 155-162.
- Kiffney, P. M., & Clements, W. H. (1996). Size-dependent response of macroinvertebrates to metals in experimental streams. *Environmental Toxicology and Chemistry*, 15, 1352-1356.
- Kirk, E. (1999a). *An evaluation of the aquatic habitats provided by sediment control ponds and other aquatic enhancement structures located on mine permitted areas in southern West Virginia*. Conducted for Pen Coal Corporation, by R.E.I. Consultants, Inc. Beaver, WV. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania. <http://www.epa.gov/region03/mnttop/eis2003appendices.htm#appd>
- Kirk, E. (1999b). *Benthic macroinvertebrate study of Honey Branch, its sediment control ponds, and its influence on the East Fork of Twelvepole Creek, conducted 10/08/09*. Conducted for Pen Coal Corporation, by R.E.I. Consultants, Inc. Beaver, WV.
- Knapp, S. M., Haas, C. A., Harpole, D. N., & Kirkpatrick, R. L. (2003). Initial effects of clearcutting and alternative silvicultural practices on terrestrial salamander abundance. *Conservation Biology*, 7(3), 752–762.

- Laughlin, S. B., & Kibbe, D. P. (1985). *The atlas of breeding birds of Vermont*. Hanover, NH: University Press of New England.
- Lemly, A. D. (1992). *Guidelines for evaluating selenium data from aquatic monitoring and assessment studies*. US Forest Service. Virginia Tech University, Blacksburg, VA.
- Lemly, A. D. (1993). Guidelines for evaluating selenium data from aquatic monitoring and assessment. *Environmental Monitoring and Assessment*, 28, 83–100.
- Lemly, A. D. (1999). *Selenium transport and bioaccumulation in aquatic ecosystems: a proposal for water quality criteria based on hydrological units*. US Forest Service, Virginia Tech University, Blacksburg, VA.
- Lemly, A. D. (2002a). *Selenium assessment in aquatic ecosystems: a guide for hazard evaluation and water quality criteria*. New York: Springer.
- Lemly, A. D. (2002b). Symptoms and implications of selenium toxicity in fish: the Belews Lake case example. *Aquatic Toxicology*, 57, 39-49.
- Lemly, D. M. (2009). White paper on “Aquatic hazard of selenium pollution from mountaintop removal coal mining.” Submitted for the record in Senate hearing.
- Lotrich, V. A. (1973). Growth, production, and community composition of fishes inhabiting a first-, second-, and third-order stream of eastern Kentucky. *Ecological Monographs*, 43(3), 377-397.
- MacDonald, L. & Drew, C. (2007). Influence of headwater streams on downstream reaches in forested areas. *Forest Science*, 53(2) .
- Maggard, R., & Kirk, E. (1998). *Downstream impacts of surface mining and valley fill construction. Report for Pen Coal Corporation*. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania.
<http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Maier, K. J., & Knight, A. W. (1994). Ecotoxicology of selenium in freshwater ecosystems. *Reviews of Environmental Contamination & Toxicology*, 134, 31-48.
- Martin, W. H., Boyce, S. G., & Echternacht, A. C. (Eds.) (1973). *Biodiversity of the Southeastern United States: Upland Terrestrial Communities*. (pp. 1-34, 373) New York: John Wiley & Sons, Inc.
- Mattsson, B. J., & Cooper, R. J. (2006). Louisiana Waterthrushes (*Seiurus motacilla*) and habitat assessments as cost-effective indicators of instream biotic integrity. *Freshwater Biology*, 51(10), 1941-1958.
- Mattsson, B. J., & Cooper, R. J. (2009). Multiscale analysis of the effects of rainfall extremes on reproduction by an obligate riparian bird in urban and rural landscapes. *Auk*, 126(1), 64-76.
- Mattsson, B. J., Master, T. L., Mulvihill, R. S., & Robinson, W. D. (2009). Louisiana Waterthrush (*Seiurus motacilla*). In (A. Poole, (Ed.), *The birds of North America online*. Ithaca: Cornell Lab of Ornithology.
<http://bna.birds.cornell.edu/bna/species/151>
- McComb, W. C., McGarigal, K., Fraser, J. D., & Davis, W. H. (1991). Planning for basin-level cumulative effects in the Appalachian coal field. In J. E. Rodiek & E. G. Bolen (Eds.), *Wildlife and habitats in managed landscapes*. Washington, D.C.: Island Press.
- McCormick, F. H., Hughes, R. M., Kaufmann, P. R., Peck, D. V., Stoddard, J. L., & Herlihy, A. T. (2001). Development of an Index of Biotic Integrity for the Mid-Atlantic Highlands Region. *Transactions of the American Fisheries Society*. 130, 857-877.

- Meffe, G. K., & Carroll, C. R., (Eds.). (1994). *Principles of conservation biology*. Sunderland: Sinauer Associates.
- Mengel, R. M. (1965). *The birds of Kentucky*. American Ornithological Monograph 3.
- Merriam, E. R. (2009). *Mining and Residential Development Interact to Produce Highly Impaired Stream Conditions in an Intensively Mined Appalachian Watershed*. M.S. thesis. West Virginia University. Morgantown, WV.
- Merriam, E., Merovich, G. T., & Petty, J. T. In Review. *Additive effects of mining and residential development on stream conditions in an intensively mined Appalachian watershed*. M.S. thesis. West Virginia University. Morgantown, WV.
- Merricks, T. C., Cherry, D. S., Zipper, C. E., Currie, R. J., & Valenti, T. W. (2007). Coal mine hollow fill and settling pond influences on headwater streams in southern West Virginia, USA. *Environmental Monitoring and Assessment* 129, 359-378.
- Merritt, J. F. (1987). *Guide to the mammals of Pennsylvania*. Pittsburgh: University of Pittsburgh.
- Merritt, R. W., Cummins, K. W., & Burton, T. M. (1984). The role of aquatic insects in the processing and cycling of nutrients. In V.H. Resh and D.M. Rosenberg (Eds.), *The ecology of aquatic insects*, (pp. 134-163.). New York: Praeger Publishers.
- Merritt, R. W., & Cummins, D. W. (Eds.) (1996). *An introduction to the aquatic insects of North America* 3rd Edition. Dubuque: Kendall-Hunt.
- Messinger, T. (2003). *Comparison of storm response of streams in small, unmined and valley-filled watersheds, 1999–2001, Ballard Fork, West Virginia*. Water-Resources Investigations Report 02-4303, Department of the Interior, U.S. Geological Survey, Charleston, WV.
- Messinger, T., & Paybins, K. S. (2003). *Relations between precipitation and daily and monthly mean flows in gaged, unmined and valley-filled watersheds, Ballard Fork, West Virginia, 1999–2001*. Water-Resources Investigations Report 03-4113, Department of the Interior, U.S. Geological Survey, Charleston, WV.
- Meyer J. L., Strayer, D. L., Wallace, J. B., Eggert, L., Helfman, G. S., & Leonard, N. E. (2007). The contribution of headwater streams to biodiversity in river networks. *Journal of the American Water Resources Association*, 43, 86–103.
- Michel, N., Desante, D. F., Kaschube, D. R., & Nott, M. P. (2006). The Monitoring Avian Productivity and Survivorship (MAPS) Program Annual Reports, 1989-2003. NBII/MAPS Avian Demographics Query Interface. [Online.] <http://www.birdpop.org/nbii/NBIIHome.asp>
- Moler, P. E., & Franz, R., (1987). Wildlife values of small, isolated wetlands in the Southeastern coastal plain. In R. R. Odom, K. A. Riddleberger, J.C. Ozier, (Eds.), *Proceedings of the Third Nongame and Endangered Wildlife Symposium*. Georgia Department of Natural Resources, Social Circle, GA.
- Moog, O., Bauernfeind, E., & Weichselbaumer, P. (1997). Use of Ephemeroptera as saprobic indicators in Austria. In P. Landolt and M. Sartori (Eds.), *Ephemeroptera and Plecoptera: biology-ecology-systematics* (pp. 254-260). Fribourg: MTL.
- Morse, J. C., Stark, B. P., & McCafferty, W. P. (1993). Southern Appalachian streams at risk: implications for mayflies, stoneflies, caddisflies, and other aquatic biota. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 3, 293-303.
- Morse, J. C., Stark, B. P., McCafferty, W. P., & Tennesen, K. J. (1997). Southern Appalachian and other southeastern streams at risk: implications for mayflies, dragonflies, stoneflies, and caddisflies. In G.W. Benz and D. E. Collins

- (Eds). *Aquatic fauna in peril: the southeastern perspective* (pp.17-42, 554). Special Publication 1, Southeastern Aquatic Research Institute. Decatur, GA: Lenz Design and Communications.
- Mount, D. R., Gulley, D. D., Hockett, J. R., Garrison, T. D., & Evans, J. M. (1997). Statistical models to predict the toxicity of major ions to *Ceriodaphnia dubia*, *Daphnia magna*, and *Pimephales promelas* (fathead minnows). *Environmental Toxicology and Chemistry*, 16, 2009-2019.
- Mueller, A. J., Loesch, C. R., & Twedt, D. J. (1999). *Development of management objectives for breeding birds in the Mississippi Alluvial Valley*. Proceedings of Partners in Flight International Workshop. 1-5 Oct 1995, Cape May, NJ.
- Mulvihill, R. S. (1999). Effects of stream acidification on the breeding biology of an obligate riparian songbird, the Louisiana Waterthrush (*Seiurus motacilla*). In W. E. Sharpe & J. R. Drohan, (Eds.), *The effects of acidic deposition on aquatic ecosystems in Pennsylvania, Proceedings of the 1998 Pennsylvania Acidic Deposition Conference, Vol. 2* (pp. 51-61) University Park, PA: Environmental Resources Research Institute.
- Mulvihill, R. S., Newell, F. L., & Latta, S. C. (2008). Effects of acidification on the breeding ecology of a stream-dependent songbird, the Louisiana Waterthrush (*Seiurus motacilla*). *Freshwater Biology*, 53(11), 2158-2169.
- Murray, N. L., & Stauffer, D. F. (1995). Nongame bird use of habitat in central Appalachian riparian forests. *Journal of Wildlife Management*, 59, 78-88.
- Nadeau, T. L., & Rains, M. C. (2007). Hydrological connectivity between headwater streams and downstream waters: How science can inform policy. *Journal of the American Water Resource Association*, 43, 118-133.
- National Oceanic and Atmospheric Association (NOAA) Satellite and Information Services. West Virginia climate summary. <http://www.ncdc.noaa.gov/oa/climate/research/cag3/wv.html>
- National Oceanic and Atmospheric Association (NOAA) National Weather Service Climate Prediction Center. Drought monitoring. http://www.cpc.noaa.gov/products/monitoring_and_data/drought.shtml
- Negley, T. L., & Eshleman, K. N. (2006). Comparison of stormflow responses of surface-mined and forested watersheds in the Appalachian Mountains, USA. *Hydrological Processes*, 20, 3467-3483.
- Neuzil, S. G., Dulong, F. D., & Cecil, C. B. (2005). *Spatial trends in ash yield, sulfur, selenium, and other selected trace element concentrations in coal beds of the Appalachian Plateau Region, U.S.A.* Open-File Report 2005-1330 Department of the Interior, U.S. Geological Survey, Reston, VA.
- North American Bird Conservation Initiative (NABCI). (2000). Bird Conservation Regions Map. U.S. NABCI Committee, U.S. Fish and Wildlife Service, Division of Bird Habitat Conservation, Arlington, VA. <http://www.nabci-us.org/map.html>
- Nickens, T. E. (2004). Small is beautiful. *National Wildlife*, 42, 28-31.
- North Carolina Department of Environment and Natural Resources. (2005). *Identification methods for the origins of intermittent and perennial streams. Version 3.1.* Division of Water Quality. Raleigh, NC. http://h2o.enr.state.nc.us/ncwetlands/documents/NC_Stream_ID_Manual.pdf
- Nowacki, G. J., & Abrams, M. D. (1991). Community and edaphic analysis of mixed oak forests in the ridge and valley province of central Pennsylvania. In L.H. McCormick and K.W. Gottschalk (Eds.), *8th Central Hardwood Forest Conference: Proceedings*, (pp. 247-260). Pennsylvania State University.
- O'Connell, T. J., Brooks, R. P., Laubscher, S. E., Mulvihill, R. S., & Master, T. L. (2003). *Using bioindicators to develop a calibrated index of regional ecological integrity for forested headwater ecosystems*. Final Report to U.S.

Environmental Protection Agency, STAR Grants Program. Penn State Cooperative Wetlands Center, Pennsylvania State University, University Park, PA.

- O'Connell, T. J., Jackson, L. E., & Brooks, R. P. (1998). A bird community index of biotic integrity for the Mid-Atlantic highlands. *Environmental Monitoring and Assessment*, 51, 145–156.
- Ohio Environmental Protection Agency. (2002). *Technical report: Ohio's primary headwater streams-macroinvertebrate assemblages*. Division of Surface Water, Columbus, OH.
http://www.epa.ohio.gov/portals/35/wqs/headwaters/TechRep_Macroinvert_2002.pdf
- Ohio Environmental Protection Agency. (2009). Field evaluation manual for Ohio's primary headwater habitat streams, Version 2.3. Division of Surface Water, Columbus, OH.
http://www.epa.ohio.gov/portals/35/wqs/headwaters/PHWHManual_2009.pdf
- Ohlendorf, H. A., Hoffman, D. J., Rattner, B. A., Burton Jr., G. A., & Cairns Jr., J. (2003). Ecotoxicology of selenium. In *Handbook of Ecotoxicology, Second Edition*, (pp. 465-500). Boca Ration: Lewis.
- Orr, P. L., Guiguer, K. R., & Russel, C. K. (2005). Food chain transfer of selenium in lentic and lotic habitats of a western Canadian watershed. *Ecotoxicology and Environmental Safety*, 63, 175-188.
- Orwig, D. A., Cobb, R. C., D'Amato, A. W., Kizlinski, M. L., and Foster, D. R. (2008). Multi-year ecosystem response to hemlock woolly adelgid infestation in southern New England forests. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere*, 38(4), 834-843.
- Palmer, M. A., & Bernhardt, E. S. (2009). White paper on “*Mountaintop Mining Valley Fills and Aquatic Ecosystems: A Scientific Primer on Impacts and Mitigation Approaches*” Submitted for the record in Senate hearing.
[www.http://epw.senate.gov/public/index.cfm?FuseAction=Files.View&FileStore_id=66fea6d0-9bce-4a9b-be47-aa264a471a89](http://epw.senate.gov/public/index.cfm?FuseAction=Files.View&FileStore_id=66fea6d0-9bce-4a9b-be47-aa264a471a89)
- Palmer, M. A., et al. (2010). Mountaintop mining consequences. *Science*, 327, 149-149.
- Parker, C. R., Flint, O. S., Jacobus, L. M., Kondratieff, B. C., McCafferty, W. P., & Morse, J. C. (2007). Ephemeroptera, Plecoptera, Megaloptera, and Trichoptera of Great Smoky Mountains National Park. *Southeastern Naturalist Special Issue 1*, 159-174.
- Pate, R. L. (2008). *Soil Survey of Logan and Mingo Counties, West Virginia*. USDA, Natural Resources Conservation Service. 317 pp.
- Patnode, K., Kain, C., Ramsey, D., Rhodes, J., & Evans, B. (2005). *Salamander assemblage survey of mercury and selenium contaminated headwater sites in the Appalachian Mountains of Pennsylvania, Virginia, and West Virginia*. USFWS Region 5 Environmental Contaminants Program Final Report. 21 pp.
- Patrick, R. (1948). Factors effecting the distribution of diatoms. *Botanical Review*, 14, 473-524.
- Patton, P. W. C. (1994). The effect of edge on avian nest success: how strong is the evidence? *Conservation Biology*, 8, 17-26.
- Paybins, K. S. (2003). *Flow origin, drainage area, and hydrologic characteristics for headwater streams in the mountaintop coal-mining region of southern West Virginia*. Water Resources Investigation Report 02-4300. U.S. Geological Survey. Charleston, WV.
- Paybins, K. S., Messinger, T., Eychaner, J. H., Chambers, D. B., & Kozar, M. D. (2000). *Water quality in the Kanawha-New River Basin. West Virginia, Virginia, and North Carolina, 1996-98*: U.S. Geological Survey Circular 1204. 32 pp. <http://pubs.water.usgs.gov/circ1204/>

- Peterjohn, B. G., Sauer, J. R., & Robbins, C. S. (1995). Population trends from the North American breeding bird survey. In T. E. Martin & D. M. Finch, (Eds.), *Ecology and Management of Neotropical Migratory Birds* (pp 3-39). New York: Oxford University Press.
- Peterman, W. E., Crawford, J. A., & Semlitsch, R. D. (2008). Productivity and significance of headwater streams: population structure and biomass of the black-bellied salamander (*Desmognathus quadramaculatus*). *Freshwater Biology* 53, 347–357.
- Petranka, J. W. (1998). *Salamanders of the United States and Canada*. Washington, D.C.: Smithsonian Institution Press.
- Petranka, J. W., Eldridge, M. E., & Haley, K. E. (1993). Effects of timber harvesting on southern Appalachian salamanders. *Conservation Biology*, 7(2), 363-370.
- Petty, J. T., Fulton, J. B., Strager, M. P., Merovich, Jr., G. T., Stiles, J. M., & Zienkiewicz, P. F. (2010). Landscape indicators and thresholds of stream ecological impairment in an intensively mined Appalachian watershed. *Journal of the North American Benthological Society*, 29(4), 1292–1309.
- Phillips, J. D. (2004). Impacts of surface mine valley fills on headwater floods in eastern Kentucky. *Environmental Geology*, 45, 367-380.
- Pond, G. J. (2004). *Effects of surface mining and residential land use on headwater stream biotic integrity in the eastern Kentucky coalfield region*. Kentucky Department for Environmental Protection, Division of Water, Frankfort, KY.
- Pond, G. J. (2010). Patterns of Ephemeroptera taxa loss in Appalachian headwater streams (Kentucky, USA). *Hydrobiologia* DOI 10.1007/s10750-009-0081-6.
- Pond, G. J., & Passmore, M. (2008). *Issue Paper: Recommendations for determining Relatively Permanent Waters (RPWs) in headwater streams in the Huntington and Pittsburgh Corps Districts*. July 19, 2007; Finalized May 19, 2008. US Environmental Protection Agency. Wheeling, WV.
- Pond, G. J., Passmore, M. E., Borsuk, F. A., Reynolds, L. & Rose, C. J. (2008). Downstream effects of mountaintop coal mining: comparing biological conditions using family- and genus-level macroinvertebrate bioassessment tools. *Journal of the North American Benthological Society*, 27 (3), 717-737.
- Pond, G. J., & McMurray, S. E. (2002). *A macroinvertebrate bioassessment index for headwater streams in the eastern coalfield region, Kentucky*. Kentucky Department for Environmental Protection, Division of Water, Frankfort, KY.
- Pough, F. H., Smith, E. M., Rhodes, D. H. & Collazo, A. (1987). The abundance of salamanders in forest stands with different histories of disturbance. *Forest Ecology and Management*, 20, 1-9.
- Robbins, C. S. (1979). Effect of forest fragmentation on bird populations. In R. M. DeGraaf and K. E. Evans, (Comps.) *Management of North Central and Northeastern Forests for Nongame Birds. General Technical Report Nc-51* (pp. 198-212). USDA, Forest Service, North Central Forest Experiment Station, St. Paul, MN.
- Robbins, C. S., Sauer, J. R., Greenburg, R. S., & Droege, S. (1989). Population declines in North American birds that migrate to the neotropics. *Proceedings of the National Academy of Sciences*, 86, 7658-7662.
- Robbins, C. S. (1980). Effect of forest fragmentation on breeding bird populations in the piedmont of the Mid-Atlantic Region. *Atlantic Naturalist*, 33, 31-36.
- Robbins, C. S., Fitzpatrick, J. W. & Hamel, P. B. (1992). A warbler in trouble: *Dendroica cerulea*. In J. M. Hagan III, & D. W. Johnston (Eds.), *Ecology and conservation of neotropical migrant landbirds*. (pp. 549-562). Washington, D.C.: Smithsonian Institute Press.

- Robinson, W. D. (1990). *Louisiana Waterthrush foraging behavior and microhabitat selection in southern Illinois*. Master's Thesis, Southern Illinois University, Carbondale, IL.
- Rocco, G. L., Brooks, R. P., & Hite, J. T. (2004). *Stream Plethodontid Assemblage Response (SPAR) index: development, application, and verification in the MAHA*. Penn State Cooperative Wetlands Center, Pennsylvania State University Report No. 2004-1 prepared for US EPA Star Grant Program.
- Rodgers, J. H., Johnson, B. M., & Bishop, W. M. (In Press.) Comparison of three algaecides for controlling the density of *Prymnesium parvum*. *Journal of the American Water Resources Association* Golden Algae Featured Collection.
- Rosenberg, K. V., & Wells, J. V. (2002). Global perspectives on neotropical migratory bird conservation in the northeast: Long-term responsibility vs. immediate concern. http://birds.cornell.edu/pifcapemay/rosenberg_wells.htm.
- Ross, R. M., Redell, L. A., Bennett, R. M., & Young, J. A. (2004). Mesohabitat use of threatened hemlock forests by breeding birds of the Delaware River Basin in northeastern United States. *Natural Areas Journal*, 24(4), 307-315.
- Sager, D. R., et al. (2008). Toxic *Prymnesium parvum*: A potential threat to U.S. reservoirs. *American Fisheries Society Symposium*, 62, 261-273.
- Samuel, D. E., & Whitmore R. C. (1979). Reclamation and management of surface mines for game and non-game birds. pp. 578-582 in J. Luchok, J. D. Cawthon and M. J. Breslin (Eds.). *Hill Lands: proceedings of an international symposium held in Morgantown WV, 3-9 October 1976*. West Virginia University, Morgantown, WV.
- Sauer, J. R. (1993). Monitoring goals and programs of the U.S. Fish and Wildlife Service. In D.M. Finch & P. W. Stangel (Eds.), *Status and management of neotropical migratory birds; 21-25 Sep 1992*(pp. 245-251). Estes Park, CO, U.S. Department of Agriculture, Forest Service General Technical Report RM-229, Fort Collins, CO.
- Sauer, J. R., Hines, J. E., & Fallon, J. (2004). *The North American Breeding Bird Survey, Results and Analysis 1966-2003*. Version 2004.1. USGS Patuxent Wildlife Research Center, Laurel, MD. [Online.] <http://www.mbr-pwrc.usgs.gov/bbs/>
- Sauer, J. R., Hines, J.E., & Fallon, J. (2005). *The North American breeding bird survey, results and analysis 1966 - 2005*. Version 6.2.2006. USGS Patuxent Wildlife Research Center, Laurel, MD.
- Science Applications International Corporation. (1998). *Analysis of valley fill impacts using benthic macroinvertebrates*. Draft final report to U.S. EPA, 30 Sept. 1998.
- Silva, P. S., & Giles, C. (2010). Memorandum: Detailed Guidance: Improving EPA Review of Appalachian Surface Coal Mining Operations under the Clean Water Act, National Environmental Policy Act, and the Environmental Justice Executive Order. USEPA, Washington D.C.
- Simmons, J. A., et al. (2008.) Forest to reclaimed mine land use change leads to altered ecosystem structure and function. *Ecological Applications*, 18, 104-118.
- Skorupa, J. P. (1998). Selenium poisoning of fish and wildlife in nature: Lessons from twelve real-world examples. In W. T. Frankenberger, & R. A. Engberg (Eds), *Environmental chemistry of selenium* (pp. 315-354). New York: Marcel Dekker.
- Skousen, J., Ziemkiewicz, P., & Venable, C. (2006). Tree recruitment and growth on 20-year-old, unreclaimed surface mined lands in West Virginia. *International Journal of Mining, Reclamation and Environment*, 20, 142-154.
- Smith, W.P., Hamel, P.B., & Ford, R.P. (1996). Mississippi Alluvial Valley forest conversion: implications for eastern North American avifauna. *Proceedings of the Annual Conference Southeastern Association Fish and Wildlife Agencies*, 47, 460-469.

- Snyder, C. D., Young, J. A., Lemarie, D. P., & Smith, D. R. (2002.) Influence of eastern hemlock (*Tsuga canadensis*) forests on aquatic invertebrate assemblages in headwater streams. *Canadian Journal of Fisheries and Aquatic Sciences*, 59(2), 262-275.
- Soucek, D. J., & Kennedy, A. J. (2005). Effects of hardness, chloride, and acclimation on the acute toxicity of sulfate to freshwater invertebrates. *Environmental Toxicology and Chemistry*, 24, 1204-1210.
- Soucek, D.J. (2007a). Bioenergetic effects of sodium sulfate on the freshwater crustacean, *Ceriodaphnia dubia*. *Ecotoxicology*, 16(3), 317-325.
- Soucek, D. J. (2007b). Comparison of hardness- and chloride-regulated acute effects of sodium sulfate on two freshwater crustaceans. *Environmental Toxicology and Chemistry*, 26,773-779.
- Soule, M. E. (1991). Conservation: tactics for a constant crisis. *Science*, 253, 744-750.
- Strager, M. P., Petty, J. T., Strager, J. M., & Fulton, J. B. (2009). A spatially explicit framework for quantifying downstream hydrologic conditions. *Journal of Environmental Management*, 90, 1854-1861.
- Stauffer, J., & Ferreri, C. P. (2002). *Characterization of stream fish assemblages in selected regions of mountain top removal/valley fill coal mining*. Pennsylvania State University, State College, PA. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania. <http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Stein, B. A., Kutner, L., & Adams, J. (Eds.). (2000). *Precious Heritage, The status of biodiversity in the United States*. Oxford: Oxford University Press.
- Stephenson, S. L., Ash, A. N., & Stauffer, D. F. (1993). Appalachian oak forests. In W. H. Martin, S. G. Boyce and A. C. Echternacht (Eds.), *Biodiversity of the Southeastern United States: Upland terrestrial communities* (pp. 255-304). New York: John Wiley & Sons Inc.
- Stout, B., & Wallace, J. B. (2003). *A survey of eight major aquatic insect orders associated with small headwater streams subject to valley fills from mountaintop mining*. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, PA. <http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Strausbaugh, P. D., & Core, E. L. (1978). *Flora of West Virginia. 2nd Edition*.
- Stein, B. A., Kutner, L. S., & Adams, J. S. (2000). *Precious Heritage: The Status of Biodiversity in the United States*. Oxford University Press.
- Stucker, H. S. (2000). *Biodiversity of Southeastern Minnesota forested streams: relationships between trout habitat improvement practices, riparian communities and Louisiana Waterthrushes*. Master's Thesis, University of Minnesota, St. Paul, MN.
- Sudduth, E.B., Meyer, J. L., & Bernhardt, E. S. (2007). Stream restoration practices in the Southeastern United States. *Restoration Ecology*, 15(3), 572-583.
- Svec, J. R., Kolka, R. K., & Stringer, J. W. (2005). Defining perennial, intermittent, and ephemeral channels in eastern Kentucky: Application to forestry best management practices. *Forest Ecology and Management*, 214, 170-182.
- Swift, M. C. (2002). Stream ecosystem response to and recovery from, experimental exposure to selenium. *Journal of Aquatic Ecosystem Stress and Recovery*, 9, 159-184.
- U.S. Army Corps of Engineers Huntington District. (2006). Spruce No. 1 Draft Environmental Impact Statement, March 2006. Huntington, WV.

- U.S. Army Corps of Engineers Huntington District. (2006). Spruce No. 1 Mine Final Environmental Impact Statement, September 2006. Huntington, WV.
- U.S. Census Bureau; Census 2000; generated 22 December 2009 by Matthew T. Lee using American FactFinder; <http://factfinder.census.gov>
- U. S. Department of Agriculture (USDA). (1998). *Stream Visual Assessment Protocol*. National Water and Climate Center Technical Note 99-1. Natural Resources Conservation Service (NRCS) Aquatic Assessment Workgroup.
- U.S. Environmental Protection Agency (U.S. EPA). (1998). *Guidelines for ecological risk assessment*. EPA/630/R-95/002F. Washington, D.C.
- U.S. EPA. (2000). *Stressor identification guidance document*. EPA/822B-00/025. Washington, D.C.
- U.S. EPA. (2004). *Draft aquatic life water quality criteria for selenium 2004*. EPA-822-D-04-001. Washington, D.C.
- U.S. EPA. (2005a). Interagency mountaintop mining/valley fills in Appalachia Programmatic Environmental Impact Statement (PEIS) finalized in October 2005. www.epa.gov/Region3/mtntop/eis2005.htm.
- U.S. EPA. (2005b). *Partition coefficients for metals in surface water, soil, and waste*. EPA/600/R-05/074. Washington, D.C.
- U.S. EPA. (2009). *The Effects of Mountaintop Mines and Valley Fills on Aquatic Ecosystems of the Central Appalachian Coalfields*. Office of Research and Development, National Center for Environmental Assessment, Washington, D.C. EPA/600/R-09/138A.
- U.S. EPA Region 3 Toxicity Testing Database. Accessed January 2010. Wheeling, WV.
- U.S. EPA. (2010a). *A Field-based Aquatic Life Benchmark for Conductivity in Central Appalachian Streams*. EPA/600/R-10/023A. Office of Research and Development, National Center for Environmental Assessment, Washington, D.C.
- U.S. EPA. (2010b). *Inferring causes of biological impairment in the Clear Fork Watershed, West Virginia*. EPA/600/R-08/146. Washington, D.C.
- U.S. EPA. Notes taken by Scott Fulton at an April 2010 U.S. EPA meeting with Arch Coal.
- U.S. Fish and Wildlife Service (U.S. FWS). (1978). *Preliminary assessment of the fish and wildlife resources of the Tug Fork River sub-basin*. Elkins, WV.
- U.S. FWS. (1998a). *Permitted stream losses due to valley filling in Kentucky, Pennsylvania, Virginia, and West Virginia: a partial inventory. Kentucky/Tennessee, Pennsylvania, Southwestern Virginia, and West Virginia*. USFWS Ecological Services Field Offices. Sept. 1998.
- U.S. FWS. (1998b). *A survey of aquatic life and terrestrial wildlife habitats on the proposed Spruce No. 1 Surface Mine in Logan County, West Virginia*. Pennsylvania Field Office, State College, PA. 23 pp.
- U.S. FWS. (2000). *The value of headwater streams: results of a workshop*. State College, PA. April 13, 1999. Sponsored by the Pennsylvania Field Office. April 2000.
- U.S. FWS. (2002). Louisiana Waterthrush habitat model. http://www.fws.gov/r5gomp/gom/habitatstudy/metadata2/Louisiana_waterthrush_model.htm.
- U.S. FWS. (2007a). *A conservation action plan for the Cerulean Warbler (*Dendroica cerulea*)*. U.S. Fish and Wildlife Service, Division of Migratory Bird Management, Focal Species Program. Revised version – 30 June 2007. 14 pp.

- U.S. FWS. (2007b). *Indiana Bat (Myotis sodalis) Draft Recovery Plan: First Revision*. Fort Snelling, MN. 258 pp.
- U.S. FWS. (2008). *Birds of Conservation Concern 2008*. United States Department of Interior, Fish and Wildlife Service, Division of Migratory Bird Management, Arlington, VA. 85 pp. <http://www.fws.gov/migratorybirds/>
- Van Kirk, R. W., & Hill, S. L. (2006). *Modeling predicts trout population response to selenium based on individual-level toxicity*. Idaho State University, Final Project Report to Greater Yellowstone Coalition. Idaho Falls, ID.
- Vannote, R. L., Minshall, G. W., Cummins, K. W., Sedell, J. R., & Cushing, C. E. (1980). The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences*, 37, 130-137.
- Van Sickle, J., Hawkins, C. P., Larsen, D. P., & Herlihy, A. T. (2005). A null model for the expected macroinvertebrate assemblage in streams. *Journal of the North American Benthological Society*, 24(1), 178-191.
- Van Sickle, J., Larsen, D. P., & Hawkins, C. P. (2007). Exclusion of rare taxa affects performance of the O/E index in bioassessments. *Journal of the North American Benthological Society*, 26(2), 319-331.
- Vesper, D., Bryant, G., & Ziemkiewicz, P. F. (2004). *A preliminary study on the speciation of selenium in a West Virginia watershed*. Paper presented at the 2004 National Meeting of the American Society of Mining and Reclamation and the 25th West Virginia Surface Mine Drainage Task Force, April 18-24, 2004, Morgantown, WV. Published by ASMR, p.1950-1959.
- Vesper, D., Roy, M., & Rhoads, C. L. (2008). Selenium distribution and mode of occurrence in the Kanawha Formation, southern West Virginia, U.S.A. *International Journal of Coal Geology*, 73, 237-249.
- Villard, M. A., & Maurer, B. A. (1996). Geostatistics as a tool for examining hypothesized declines in migratory songbirds. *Ecology*, 77, 59-68.
- Von Schiller, D., Martí, E., Riera, J. L., Ribot, M., Argerich, A., Fonollà P., & Sabater, F. (2008). Inter-annual, annual, and seasonal variation of P and N retention in a perennial and an intermittent stream. *Ecosystems*, 11, 670-687.
- Wallace, J. B., Webster, J. R., & Lowe, R. L. (1992). High-gradient streams of the Appalachians. In Hackney, C.T., S. M. Adams & W. H. Martin (Eds.), *Biodiversity of the Southeastern United States: Aquatic Communities*. New York: John Wiley & Sons, Inc.
- Wallace, J. B., & Gurtz, M. E. (1986). Response of *Baetis* mayflies (Ephemeroptera) to catchment logging. *American Midland Naturalist*, 115, 25-41.
- Wallace, J. B., & Merritt, R. W. (1980). Filter-feeding ecology of aquatic insects. *Annual Review of Entomology*, 25, 103-132.
- Walters, D. M. (2006). *Development of a Fish Index of Biotic Integrity to assess the condition of West Virginia streams: Technical Support Document*. EPA/600/R-06/010. U.S. Environmental Protection Agency, Cincinnati, OH.
- Warner, R. E. (1979). *Fish and wildlife resource needs in riparian ecosystems*. Proceedings of a Workshop. May 30-31, 1979: 53. USFWS, EELUT, Kearneysville, WV.
- Wayland, M., & Crosley, R. (2006). Selenium and other trace elements in aquatic insects in coal mine-affected streams in the Rocky Mountains of Alberta, Canada. *Archives of Environmental Contamination and Toxicology*, 50, 511-522.
- Weakland, C. A., & Wood, P. B. (2005). Cerulean warbler (*Dendroica cerulea*) microhabitat and landscape-level habitat characteristics in southern West Virginia. *The Auk* 122, 497-508.

- Webster, J. R. (1983). Stability of stream ecosystems. In J.R. Barnes & G.W. Minshall (Eds.), *Stream Ecology* (pp. 355-395). New York: Plenum.
- Webster, J. R. (1990). Effects of forest disturbance on particulate organic matter budgets of small streams. *Journal of the North American Benthological Society*, 9, 120-140.
- Webster, J. R., Wallace, J. B., & Benfield, E. F. (1995). Organic processes in streams of the Eastern United States. In C.E. Cushing, G.W. Minshall, & K.W. Cummins (Eds.), *River and Stream Ecosystems (Ecosystems of the World)*. Amsterdam: Elsevier Science.
- Wells, J. V. (2007). *Birder's Conservation Handbook: 100 North American Birds at Risk*. Princeton: Princeton University Press,. 464 pp.
- West Virginia Breeding Bird Atlas, 1984-1989.
http://137.227.245.162/bba/index.cfm?fa=explore.ResultsSummary&BBA_ID=WV1984
- West Virginia Department Environmental Protection (WVDEP) 303(d) lists.
http://www.dep.wv.gov/WWE/watershed/IR/Pages/303d_305b.aspx
- WVDEP. (1997). *An ecological assessment of the Coal River Watershed*. Report number - 05050009 – 1997. Watershed Assessment Program, Division of Water Resources, West Virginia Department of Environmental Protection, Charleston WV.
- WVDEP. (1997). *An ecological assessment of the Elk River Watershed*. Charleston, WV.
- WVDEP. (1997). *An ecological assessment of the Upper Kanawha River Watershed*. Charleston, WV.
- WVDEP. (2006). *Maximum Daily Loads for selected streams in the Coal River Watershed, West Virginia, Final Approved Report, and Appendices*. Watershed Assessment Program, Division of Water Resources, West Virginia Department of Environmental Protection, Charleston WV.
- WVDEP. (2007). *Tug Fork Watershed: a summary of the Watershed Assessment Section's 1998 and 2003 Monitoring Efforts*. Charleston, WV.
- WVDEP. (2007). *West Virginia integrated water quality monitoring and assessment report 2006*. Charleston, WV.
- WVDEP. (2008). *West Virginia integrated water quality monitoring and assessment report 2008*. Charleston, WV.
- WVDEP. (2009). *Selenium bioaccumulation among select stream and lake fishes in West Virginia*. Watershed Assessment Program, Division of Water Resources. Charleston WV.
- WVDEP, Division of Mining and Reclamation. (2009). Mining permit boundaries. Data retrieved December 28, 2009, from <http://gis.wvdep.org/data/omr.html>.
- WVDEP. (2010). *Selenium-induced developmental deformities among fishes in West Virginia*. Watershed Assessment Program, Division of Water Resources, West Virginia Department of Environmental Protection, Charleston WV.
<http://www.dep.wv.gov/WWE/watershed/wqmonitoring/Documents/Selenium/Se%20Larvae%202010%20final.pdf>
- WVDEP. Technical Applications and Geographic Information Systems (TAGIS). WVDEP Equis Trend Station Explorer. <http://gisonline.dep.wv.gov/equis/equis.html>
- WVDEP. Division of Water and Wastewater Management. Ambient sampling data. Accessed December 2009.
- WVDEP Basic guidelines for biological thresholds to certain water quality constituents used by WVDEP's TMDL program in stressor identification. Charleston, WV.

- WVDEP Office of Hydrologic Protection Unit (OMR), Division of Mining and Reclamation, Discharge Monitoring Reports from WV1017021, 9/30/2009 and 08/31/2009. Charleston, WV.
- WVDEP (2009). Watershed assessment program database. Accessed December 2009. Charleston, WV.
- WVDEP, unpublished data. (2010). Preliminary report from Dr. David Hambright to WVDEP.
- West Virginia Department of Natural Resources (WVDR). (1976). *Basin water quality management plan for the Big Sandy-Tug Fork River Basin*. Charleston, WV.
- WVDR, Division of Wildlife Resources. (1977). *Today's Plan for Tomorrow's Wildlife: A Strategic Plan for Fish, Game, and Non-Game Management, 1975-1985*. Charleston, WV.
- WVDR Fish Database. (2009). Accessed December 2009. Elkins, WV.
- WVDNR, Division of Natural Resources, Wildlife Resources Section. (2009). *Federal Assistance Performance Report: Endangered Species (Animals), Project E-1, Segment 26 (1 October 2008 – 30 September 2009)*. 47 pp. + Appendices.
- West Virginia Geological and Economic Survey (WVGES). (2002) Trace Elements in West Virginia Coals. (Last revised: March 2, 2002.) <http://www.wvgs.wvnet.edu/www/datastat/te/SeHome.htm>
- West Virginia Natural Heritage Program. (2007). *Rare, Threatened and Endangered Animals*. 14 pp. <http://www.wvdnr.gov/Wildlife/documents/Animals2007.pdf>
- Whittaker, R. H. (1956). Vegetation of the Great Smoky Mountains. *Ecological Monograph*, 22, 1-44.
- Whittaker, R. H. (1975). *Communities and Ecosystems 2nd Edition*. New York: Macmillan.
- Wickham, J. D., Riitters, K. H., Wade, T. G., Coan, M., & Homer, C. (2007). The effect of Appalachian mountaintop mining on interior forest. *Landscape Ecology*, 22, 179-187.
- Wiley, J. B., & Brogan, F. D. (2003). *Comparison of peak discharges among sites with and without valley fills for the July 8–9, 2001, flood in the headwaters of Clear Fork, Coal River basin, mountaintop coal-mining region, southern West Virginia*. Open-File Report 03-133, Department of the Interior, U.S. Geological Survey, Charleston, WV. <http://pubs.usgs.gov/of/2003/ofr03-133/pdf/ofr03133.pdf>
- Wiley, J. B., Evaldi, R. D., Eychaner, J. H., & Chambers, D. B. (2001). *Reconnaissance of stream geomorphology, low streamflow, and stream temperature in the mountaintop coal-mining region, southern West Virginia, 1999-2000*. U.S. Department of the Interior, U.S. Geological Survey, Charleston, WV. Water-Resources Investigations Report 01-4092. http://pubs.usgs.gov/wri/wri014092/pdf/wri01-4092.book_new.pdf.
- Williams, J. M. (2003). *Impacts on terrestrial and streamside herpetofauna by mountaintop removal mining in southern West Virginia*. Ph. D. Dissertation, West Virginia University, Morgantown, WV.
- Williams, J. M., & Wood, P. B. (2004). *Streamside salamanders in valley fill and reference streams in southern West Virginia*. Paper presented at the 2004 National Meeting of the American Society of Mining and Reclamation and The 25th West Virginia Surface Mine Drainage Task Force, April 18-24, 2004. ASMR: Lexington, KY.
- Wilson, D. E., & Ruff, S. (1999). *The Smithsonian book of North American mammals*. Washington D.C.: Smithsonian Institution Press.
- Wilson, H. L. (1951). *Cover mapping and habitat analysis*. Unpublished final report, Federal Aid in Wildlife Restoration Project 21-R. Conservation Commission of West Virginia: 221 & 116 of supplement.

- Winter, T. C. (2007). The role of groundwater in generating streamflow in headwater areas and in maintaining base flow. *Journal of the American Water Resources Association*, 43, 15–25.
- Wipfli, M. S., Richardson, J. S., & Naiman, R. J. (2007). Ecological linkages between headwaters and downstream ecosystems: transport of organic matter, invertebrates, and wood down headwater channels. *Journal of the American Water Resources Association*, 43, 72–85.
- Wollheim, W. M., et al. (2008). Global N removal by freshwater aquatic systems: a spatially distributed, within-basin approach. *Global Biogeochemical Cycles*, 22, GB2026.
- Wood, P. B., & Edwards, J. W. (2002). *Mountaintop removal mining/valley fill Environmental Impact Statement technical study project report for terrestrial studies: terrestrial vertebrate (breeding songbird, raptor, small mammal, herpetofaunal) populations of forested and reclaimed sites*. Draft Report 2001. Final 2002. West Virginia University, Morgantown WV. Appendix in Mountaintop mining/valley fills in Appalachia. Final programmatic environmental impact statement. US Environmental Protection Agency, Philadelphia, Pennsylvania.
<http://www.epa.gov/region03/mtntop/eis2003appendices.htm#appd>
- Wood, P. B., Bosworth, S. B., & Dettmers, R. (2006). Cerulean warbler abundance and occurrence relative to large-scale edge and habitat characteristics. *Condor*, 108, 154-165.
- Woods, A. J., Omernik, J. M., Brown, D. D. , & Kiilsgaard, C. W. (1996). *Level III and IV ecoregions of Pennsylvania and the Blue Ridge Mountains, the Ridge and Valley, and Central Appalachians of Virginia, West Virginia, and Maryland*. EPA/600/R-96/077. National Health and Environmental Effects Research Laboratory, US Environmental Protection Agency, Corvallis, OR.
- Wunderle Jr., J. M., & Waide, R. B. (1994). Future prospects for nearctic migrants wintering in Caribbean forests. *Bird Conservation International*, 4, 191-207.
- Wunsch, D. R., Dinger, J. S., Taylor, P. B., Carey, D. I., & Graham C. D. R. (1996). Hydrogeology, hydrogeochemistry, and spoil settlement at a large mine-spoil area in eastern Kentucky: Star Fire Tract. Kentucky Geological Survey, University of Kentucky, Lexington, KY.
- Wunsch, D. R., Dinger, J. S., & Graham, C. D. R. (1999). Predicting ground-water movement in large mine spoil areas in the Appalachian Plateau. *International Journal of Coal Geology*, 41, 73-106.
- Yahner, R. H. (1988). Changes in wildlife communities near edges. *Conservation Biology*, 2, 333-339.
- Yuill, C. (2001). Land use assessment: mountaintop mining and the Mountaintop Mining Region of West Virginia. Draft Report. West Virginia University.
- Ziegler, C. G., Suter II, G. W., Kefford, B. J., Schofield, K. A., & Pond, G. J. (2007). Common candidate cause: ionic strength. In U.S. EPA Causal Analysis and Diagnosis Decision Information System.
http://cfpub.epa.gov/caddis/candidate.cfm?section=138&step=24&parent_section=132
- Ziemkiewicz, P. (2009). *Identifying Sources and Effects of Selenium in the Mud River Basin*. West Virginia Water Research Institute Progress Report to Patriot Coal, November 30, 2009.

