



Methyl Bromide Commodity and Structural Fumigation Buffer Zones

This document contains the buffer zone tables required by methyl bromide fumigant product labels that contain the following directions: “The appropriate treatment buffer zone and aeration buffer zone must be determined using the EPA’s Methyl Bromide Commodity Fumigation Buffer Zone Lookup Tables located at epa.gov/pesticide-registration/mbcommoditybuffer.”

This document is an extension of the product label and contains enforceable directions for use. Refer to the product label for directions on buffer zone management.

Instructions

Step 1: Get buffer zone table

To find the buffer zone table for your application, select a table below using your application’s air exchange and application rates. If your rates are not listed, round down to the nearest air exchange rate and round up to the nearest application rate.

Step 2: Determine buffer zone distance

To determine the buffer zone distance for your aeration, use the buffer zone table to select your enclosure size and retention rate. If your enclosure size or retention rate are not listed, round up to the nearest enclosure size or retention rate.

NOTE: The minimum buffer zone distance is 10 feet.

Buffer Zone Tables

Table 1: Air Exchange Rate: 5 Application Rate: 1.....	3
Table 2: Air Exchange Rate: 5 Application Rate: 2.....	4
Table 3: Air Exchange Rate: 5 Application Rate: 3.....	5
Table 4: Air Exchange Rate: 5 Application Rate: 4.....	6
Table 5: Air Exchange Rate: 5 Application Rate: 5.....	7
Table 6: Air Exchange Rate: 5 Application Rate: 7.5.....	8
Table 7: Air Exchange Rate: 5 Application Rate: 15.....	9
Table 8: Air Exchange Rate: 10 Application Rate: 1.....	10
Table 9: Air Exchange Rate: 10 Application Rate: 2.....	11
Table 10: Air Exchange Rate: 10 Application Rate: 3.....	12
Table 11: Air Exchange Rate: 10 Application Rate: 4.....	13

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 12: Air Exchange Rate: 10 Application Rate: 5.....	14
Table 13: Air Exchange Rate: 10 Application Rate: 7.5.....	15
Table 14: Air Exchange Rate: 10 Application Rate: 15.....	16
Table 15: Air Exchange Rate: 20 Application Rate: 1.....	17
Table 16: Air Exchange Rate: 20 Application Rate: 2.....	18
Table 17: Air Exchange Rate: 20 Application Rate: 3.....	19
Table 18: Air Exchange Rate: 20 Application Rate: 4.....	20
Table 19: Air Exchange Rate: 20 Application Rate: 5.....	21
Table 20: Air Exchange Rate: 20 Application Rate: 7.5.....	22
Table 21: Air Exchange Rate: 20 Application Rate: 15.....	23
Table 22: Air Exchange Rate: 50 Application Rate: 1.....	24
Table 23: Air Exchange Rate: 50 Application Rate: 2.....	25
Table 24: Air Exchange Rate: 50 Application Rate: 3.....	26
Table 25: Air Exchange Rate: 50 Application Rate: 4.....	27
Table 26: Air Exchange Rate: 50 Application Rate: 5.....	28
Table 27: Air Exchange Rate: 50 Application Rate: 7.5	29
Table 28: Air Exchange Rate: 50 Application Rate: 15.....	30
Table 29: Air Exchange Rate: 70 Application Rate: 1.....	31
Table 30: Air Exchange Rate: 70 Application Rate: 2.....	32
Table 31: Air Exchange Rate: 70 Application Rate: 3.....	33
Table 32: Air Exchange Rate: 70 Application Rate: 4.....	34
Table 33: Air Exchange Rate: 70 Application Rate: 5.....	35
Table 34: Air Exchange Rate: 70 Application Rate: 7.5.....	36
Table 35: Air Exchange Rate: 70 Application Rate: 15.....	37

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 1: Air Exchange Rate: 5 Application Rate: 1

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	1

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 2: Air Exchange Rate: 5 Application Rate: 2

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	2

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 3: Air Exchange Rate: 5 Application Rate: 3

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	3

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 4: Air Exchange Rate: 5 Application Rate: 4

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	4

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	771	754	689	590	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 5: Air Exchange Rate: 5 Application Rate: 5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	574	574	492	10	10	10	10
500000	1066	1050	1000	935	672	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 6: Air Exchange Rate: 5 Application Rate: 7.5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	7.5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	443	426	344	10	10	10	10
250000	1017	1000	968	918	722	10	10
500000	1558	1542	1492	1427	1214	672	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 7: Air Exchange Rate: 5 Application Rate: 15

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	5
Application Rate (lbs/1000 ft ³):	15

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	590	590	558	525	394	10	10
100000	968	968	935	902	771	443	10
250000	1706	1689	1640	1574	1394	1017	10
500000	2526	2509	2427	2345	2099	1558	672

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 8: Air Exchange Rate: 10 Application Rate: 1

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	1

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 9: Air Exchange Rate: 10 Application Rate: 2

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	2

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 10: Air Exchange Rate: 10 Application Rate: 3

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	3

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 11: Air Exchange Rate: 10 Application Rate: 4

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	4

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 12: Air Exchange Rate: 10 Application Rate: 5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 13: Air Exchange Rate: 10 Application Rate: 7.5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	7.5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 14: Air Exchange Rate: 10 Application Rate: 15

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	10
Application Rate (lbs/1000 ft ³):	15

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	1296	1263	1197	1099	705	10	10
500000	2001	1984	1886	1771	1394	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 15: Air Exchange Rate: 20 Application Rate: 1

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	1

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 16: Air Exchange Rate: 20 Application Rate: 2

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	2

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 17: Air Exchange Rate: 20 Application Rate: 3

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	3

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 18: Air Exchange Rate: 20 Application Rate: 4

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	4

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 19: Air Exchange Rate: 20 Application Rate: 5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 20: Air Exchange Rate: 20 Application Rate: 7.5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	7.5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 21: Air Exchange Rate: 20 Application Rate: 15

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	20
Application Rate (lbs/1000 ft ³):	15

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 22: Air Exchange Rate: 50 Application Rate: 1

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	1

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 23: Air Exchange Rate: 50 Application Rate: 2

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	2

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 24: Air Exchange Rate: 50 Application Rate: 3

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	3

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 25: Air Exchange Rate: 50 Application Rate: 4

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	4

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 26: Air Exchange Rate: 50 Application Rate: 5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 27: Air Exchange Rate: 50 Application Rate: 7.5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	7.5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 28: Air Exchange Rate: 50 Application Rate: 15

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	50
Application Rate (lbs/1000 ft ³):	15

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10
500000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 29: Air Exchange Rate: 70 Application Rate: 1

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	1

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 30: Air Exchange Rate: 70 Application Rate: 2

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	2

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 31: Air Exchange Rate: 70 Application Rate: 3

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	3

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 32: Air Exchange Rate: 70 Application Rate: 4

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	4

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 33: Air Exchange Rate: 70 Application Rate: 5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 34: Air Exchange Rate: 70 Application Rate: 7.5

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	7.5

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.

Methyl Bromide Commodity and Structural Fumigation Buffer Zones

Active Aeration: Open Area Vertical Stack – 25 feet

Aeration Time: Longer than 8 hours



Table 35: Air Exchange Rate: 70 Application Rate: 15

Aeration time:	Longer than 8 hours
Aeration method:	Open Area Vertical Stack - 25 feet
Air Exchange Rate (/hr):	70
Application Rate (lbs/1000 ft ³):	15

Buffer Zone Distances (in feet)

Size (ft ³)	Retention Rate (%)						
	100	99	95	90	75	50	25
1000	10	10	10	10	10	10	10
2000	10	10	10	10	10	10	10
5000	10	10	10	10	10	10	10
10000	10	10	10	10	10	10	10
25000	10	10	10	10	10	10	10
50000	10	10	10	10	10	10	10
100000	10	10	10	10	10	10	10
250000	10	10	10	10	10	10	10

Round up to the nearest enclosure size and retention rate.