



Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

Tel: 314-674-3312
Fax: 314-674-8808

gmrina@eastman.com

July 13, 2015

Ms. Carolyn Bury - LU-9J
U.S. EPA Region 5
Corrective Action Section
77 West Jackson Boulevard
Chicago, IL 60604-3507

Re: PCB Groundwater Quality Assessment Program
2nd Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the PCB Groundwater Quality Assessment Program 2nd Quarter 2015 Data Report for Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL.

If you have any questions or comments regarding this report, please contact me at (314) 674-3312 or gmrina@eastman.com

Sincerely,

Gerald M. Rinaldi
Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

**PCB Groundwater Quality Assessment Program
2nd Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL**

USEPA

Stephanie Linebaugh
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines 500 Monsanto Avenue, Sauget, IL 62206-1198



GROUNDWATER MONITORING REPORT

PCB GROUNDWATER QUALITY
ASSESSMENT PROGRAM
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

July 2015

140-3345

A world of
capabilities
delivered locally





TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	FIELD ACTIVITIES	2
2.1	Water Level Measurement.....	2
2.2	Groundwater Sample Collection	2
2.3	Quality Assurance and Sample Handling	3
2.4	Decontamination and Investigation Derived Waste	4
3.0	QUALITY ASSURANCE	4
4.0	OBSERVATIONS.....	5
4.1	Shallow Hydrogeologic Unit	5
4.2	Middle/Deep Hydrogeologic Unit.....	5
4.3	Mann-Kendall Trend Analysis	5
5.0	CLOSING	6
6.0	REFERENCES.....	7

List of Figures

Figure 1	Site Location Map
Figure 2	Former PCB Manufacturing Area Monitoring Well Locations
Figure 3	Potentiometric Surface Map Middle/Deep Hydrogeologic Unit
Figure 4	PCB Results (SHU)
Figure 5	PCB Results (MHU/DHU)

List of Tables

Table 1	Monitoring Well Gauging Information
Table 2	Groundwater Analytical Results
Table 3	Mann-Kendall Trend Analysis

List of Appendices

Appendix A	Groundwater Purging and Sampling Forms
Appendix B	Chains-of-Custody
Appendix C	Quality Assurance Report
Appendix D	Groundwater Analytical Results (including data validation reports)



1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 2nd Quarter 2015 (2Q15) PCB groundwater sampling activities at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility (Site) in Sauget, Illinois. The facility is located at 500 Monsanto Avenue, Sauget, Illinois as shown on Figure 1. The 2Q15 sampling event was performed in general accordance with the Revised PCB Groundwater Quality Assessment Program Work Plan (Work Plan) (Solutia 2009).

The scope of work detailed in the Work Plan is summarized below.

Ten (10) monitoring wells are sampled during the PCB event. The locations of the monitoring wells are shown on Figure 2 and the sample locations are included in the table below.

Area	Location Relative to Area	Sample Identification
Former PCB Manufacturing	Source Area Well	PMA-MW-4S
		PMA-MW-4D
	Downgradient	PMA-MW-1S
		PMA-MW-1M
		PMA-MW-2S
		PMA-MW-2M
		PMA-MW-3S
		PMA-MW-3M
		PMA-MW-5M
		PMA-MW-6D

Water levels in the monitoring wells are measured quarterly and total depths are measured in the 1st quarter of each year.

During the quarterly sampling events, monitoring wells are sampled for the following polychlorinated biphenyl (PCB) isomer groups or homologs: monochlorobiphenyl; dichlorobiphenyl; trichlorobiphenyl; tetrachlorobiphenyl; pentachlorobiphenyl; hexachlorobiphenyl; heptachlorobiphenyl; octachlorobiphenyl; nonachlorobiphenyl; and decachlorobiphenyl.



2.0 FIELD ACTIVITIES

Golder conducted 2Q15 sampling events on May 13, 2015. Activities were performed in general accordance with the Work Plan.

2.1 Water Level Measurement

Prior to sampling during the 2Q15 event, Golder performed a synoptic round of water level measurements at 77 monitoring wells and piezometers on April 30 and May 1, 2015. The following monitoring well and piezometer series are included in the PCB program:

- BSA-series
- CPA-series
- GM-series
- K-series
- PS-MW-series
- PMA-series
- Piezometer clusters installed for Sauget Area 2 RI/FS and WGK CA-750 Environmental Indicator projects

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 2Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths are measured during the 1st quarter of each year. The 2Q15 well gauging information is shown on Table 1. The information collected from the Middle Hydrogeologic Unit (MHU) and the Deep Hydrogeologic Unit (DHU) was used to create a groundwater potentiometric surface map, as shown on Figure 3. The MHU and DHU are the primary migration pathways for constituents present in the groundwater at the Site.

2.2 Groundwater Sample Collection

Monitoring wells sampled during the 2Q15 PCB event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible pump. The pump intake was placed at approximately the middle of the screened interval for each well. Purging was conducted at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of flow-through cell containing the multi-parameter device. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:



- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/-0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.

Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for analysis of PCBs by United States Environmental Protection Agency (USEPA) Method 680. Groundwater purging and sampling forms are included in Appendix A.

2.3 Quality Assurance and Sample Handling

One (1) analytical duplicate (AD), one (1) equipment blank (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 2Q15 PCB sampling event. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis requested, preservative used, and sample identification based on the following nomenclature “PMA-MW#-MMYY-QA/QC” where:

- “**PMA**” denotes “PCB Manufacturing Area” and “**MW#**” denotes monitoring well number
- “**MMYY**” denotes month and year of sampling quarter, e.g.: May (2nd quarter), 2015 (0515)
- “**QA/QC**” denotes QA/QC sample
 - **AD** – Analytical Duplicate
 - **EB** – Equipment Blank
 - **MS or MSD** – Matrix Spike or Matrix Spike Duplicate

Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. Copies of the COCs are included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.



2.4 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

3.0 QUALITY ASSURANCE

Sample results were provided by the TestAmerica laboratory in electronic format and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in one (1) sample delivery group (SDG) as follows:

Sample Delivery Group (SDG)	Sample Identification
KPM065	PMA-MW-1M-0515
	PMA-MW-1S-0515
	PMA-MW-2M-0515
	PMA-MW-2M-0515-AD
	PMA-MW-2S-0515
	PMA-MW-2S-0515-EB
	PMA-MW-3M-0515
	PMA-MW-3S-0515
	PMA-MW-4D-0515
	PMA-MW-4S-0515
	PMA-MW-5M-0515
	PMA-MW-6D-0515

Golder completed validation of the analytical data following the general guidelines in Section 3.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent version of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008

Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. The completeness for the data set was 100%.



4.0 OBSERVATIONS

Groundwater analytical data for the 2Q15 PCB event is discussed below and presented in Table 2. Sample results are also shown for the SHU and the MHU/DHU in Figures 4 and 5, respectively.

4.1 Shallow Hydrogeologic Unit

Historically, dense non-aqueous phase liquid (DNAPL) has been periodically detected in PMA-MW-4S, located in the former PCB Manufacturing Area. DNAPL was not detected in PMA-MW-4S during the 2Q15 event. A groundwater sample was collected at PMA-MW-4S and PCBs were detected at a concentration of 53.4 µg/L. PCBs were detected in one (1) of three (3) monitoring wells in the SHU downgradient of the former PCB Manufacturing Area (PMA-MW-3S) at a concentration of 0.37 µg/L. PCBs were not detected in monitoring wells PMA-MW-1S and PMA-MW-2S.

4.2 Middle/Deep Hydrogeologic Unit

PCBs were detected in four (4) of the six (6) monitoring wells located in the MHU and DHU. Results are summarized below.

- Former PCB Manufacturing Area: PCBs were detected at a concentration of 2.07 µg/L in PMA-MW-4D.
- Downgradient of Former PCB Manufacturing Area: PCBs were detected in three (3) of five (5) monitoring wells downgradient of the former PCB Manufacturing Area at concentrations of 5.1 µg/L / 5.4 µg/L (PMA-MW-2M and AD), and 0.58 µg/L (PMA-MW-3M) and 0.13 µg/L (PMA-MW-6D). PCBs were not detected in PMA-MW-1M, and PMA-MW-5M.

4.3 Mann-Kendall Trend Analysis

Mann-Kendall trend analyses of total PCBs in groundwater samples from select monitoring wells within (PMA-MW-4D) or downgradient (PMA-MW-1M, -2M, -3S, -3M, and -6D) of the former PCB Manufacturing Area were performed. Results are shown on Table 3. The trends using analytical data from the 2Q15 PCB event appeared similar to historical trends. There was an increasing trend in PCB concentrations at monitoring wells PMA-MW-1M, PMA-MW-2M and PMA-MW-4D. Concentrations of PCBs show either no trend or stable at monitoring wells PMA-MW-3S, PMA-MW-3M and PMA-MW-6D.



5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the PCB Groundwater Quality Assessment Program sampling events. Please contact the undersigned if you need additional information.

Sincerely,

GOLDER ASSOCIATES INC.

Lori A. Bindner
Geological Engineer

Amanda W. Derhake, Ph.D., P.E.
Senior Project Engineer

Mark N. Haddock, R.G., P.E.
Associate, Senior Consultant




6.0 REFERENCES

Solutia Inc, 2009. Revised PCB Groundwater Quality Assessment Program Work Plan, W.G. Krummrich Facility, Sauget, IL, Prepared by URS Corporation, May 2009.


USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

FIGURES



LEGEND

- W.G. KRUMMRICH FACILITY
- SAUGET AREA #1
- SAUGET AREA #2



MISSISSIPPI RIVER

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT




YYYY-MM-DD	2015-05-27
PREPARED	LAB
DESIGN	LAB
REVIEW	AWD
APPROVED	MNH

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
2ND QUARTER 2015 DATA REPORT

TITLE
SITE LOCATION MAP

PROJECT No.	PHASE	Rev.
140-3345	0021	0



LEGEND

 PCB MONITORING WELL LOCATION

NOTES

1. REFER TO TABLE 1 FOR MONITORING WELL CONSTRUCTION INFORMATION.



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT



YYYY-MM-DD	2015-05-27
PREPARED	LAB
DESIGN	LAB
REVIEW	AWD
APPROVED	MNH

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
2ND QUARTER 2015 DATA REPORT

TITLE
**FORMER PCB MANUFACTURING AREA
MONITORING WELL LOCATIONS**


PROJECT No.	PHASE:	Rev.	FIGURE:
140-3345	0021	0	2

Path: \\solutia.com\Projects\140 Projects\1403345 - Solutia GW Sampling\WGK Plant - IL\Figures\2015 Figures\ File Name: 1403345_PCB.dwg

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

NOTES

1. GROUNDWATER LEVELS WERE MEASURED APRIL 30 AND MAY 1, 2015.
2. CONTOURS WERE CREATED USING PROFESSIONAL JUDGMENT, CONTOURS WITHIN THE WGK PLANT AREA WERE SMOOTHED TO CORRECT FOR THE EFFECT OF VERTICAL HYDRAULIC GRADIENTS GIVEN THE DIFFERING WELL SCREEN DEPTHS. WELLS BSA-MW-5D AND CPA-MW-2D WERE NOT USED IN CONTOURING.
3. RIVER ELEVATIONS WERE COLLECTED FROM AN ELECTRONIC GAUGE (USGS 0701000) LOCATED AT RIVER MILE 180.0 ON THE EADS BRIDGE.
4. AT LOCATIONS WITH WELLS SCREENED IN BOTH THE MHU AND DHU, THE DHU WELL WAS USED FOR DEVELOPMENT OF THE POTENTIOMETRIC SURFACE MAP.
5. LOCATION OF WELL IDOT OW-3 BASED ON FIGURE 4 IN DEWATERING WELL ASSESSMENT FOR THE HIGHWAY DRAINAGE SYSTEM AT FOUR SITES IN THE EAST ST. LOUIS AREA, ILLINOIS (FY00-PHASE 17), ILLINOIS STATE WATER SURVEY, CONTRACT REPORT 2003-08.



LEGEND

- LONG-TERM MONITORING WELL USED FOR GROUNDWATER CONTOURING
- OTHER MONITORING WELL USED FOR GROUNDWATER CONTOURING
- PIEZOMETER CLUSTER USED FOR GROUNDWATER CONTOURING
- CPA MONITORING WELL USED FOR GROUNDWATER CONTOURING
- IDOT GROUNDWATER WELL
- APPROXIMATE GROUNDWATER ELEVATION CONTOUR (FT NAVD)



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT




YYYY-MM-DD	2015-05-27
PREPARED	LAB
DESIGN	LAB
REVIEW	AWD
APPROVED	MNH

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
2ND QUARTER 2015 DATA REPORT

TITLE
**POTENTIOMETRIC SURFACE MAP
MIDDLE/DEEP HYDROGEOLOGIC UNIT**

PROJECT No.	PHASE	Rev.	FIGURE:
140-3345	0021	0	3



LEGEND

**PCB MONITORING WELL LOCATION**

- NOTES
1. TOTAL PCB RESULTS INCLUDE THE SUM OF ALL METHOD 680 HOMOLOGS.
 2. RESULTS SHOWN ARE IN $\mu\text{g/L}$.
 3. ND - NOT DETECTED.



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT




YYYY-MM-DD	2015-05-27
PREPARED	LAB
DESIGN	LAB
REVIEW	AWD
APPROVED	MNH

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
2ND QUARTER 2015 DATA REPORT

TITLE
**PCB RESULTS
SHALLOW HYDROGEOLOGIC UNIT**

PROJECT No.	PHASE:	Rev.	FIGURE:
140-3345	0021	0	4



TABLES

Table 1
Monitoring Well Gauging Information
2Q15 PCB Groundwater Quality Assurance Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Well Identification	Monitoring Well Construction Data						2Q15 - April 30 and May 1, 2015			
	Ground Surface Elevation ¹ (ft)	Top of Casing Elevation ¹ (ft)	Top of Screen Depth (ft bgs)	Bottom of Screen Depth (ft bgs)	Top of Screen Elevation ¹ (ft)	Bottom of Screen Elevation ¹ (ft)	Water Level (ft btoc)	Depth to NAPL (ft btoc)	Total Depth ² (ft btoc)	Water Level Elevation ¹ (ft)
SHU 395-380 ft NAVD 88										
PMA-MW-1S	410.30	410.06	20.18	25.18	390.12	385.12	14.74	NP	24.93	395.32
PMA-MW-2S	412.27	411.66	22.94	27.94	389.33	384.33	16.62	NP	27.34	395.04
PMA-MW-3S	412.37	412.06	22.71	27.71	389.66	384.66	16.85	NP	27.40	395.21
PMA-MW-4S	411.09	410.43	20.99	25.99	390.10	385.10	14.83	NP	25.38	395.60
MHU 380-350 ft NAVD 88										
PMA-MW-1M	410.32	410.08	54.54	59.54	355.78	350.78	15.05	NP	59.60	395.03
PMA-MW-2M	412.26	411.93	56.87	61.87	355.39	350.39	16.86	NP	61.27	395.07
PMA-MW-3M	412.36	412.10	57.07	62.07	355.29	350.29	16.92	NP	61.81	395.18
PMA-MW-5M	411.27	410.97	52.17	57.17	359.10	354.10	15.99	NP	56.98	394.98
PS-MW-1M	409.37	412.59	37.78	42.78	371.59	366.59	16.40	NP	46.05	396.19
DHU 350 ft NAVD 88 - Bedrock										
BSA-MW-2D	412.00	415.13	68.92	73.92	343.08	338.08	22.49	NP	77.00	392.64
BSA-MW-3D	412.91	415.74	107.02	112.02	305.89	300.89	24.15	NP	114.75	391.59
BSA-MW-4D	425.00	424.69	118.54	123.54	306.46	301.46	33.45	NP	123.12	391.24
BSA-MW-5D	420.80	420.49	115.85	120.85	304.95	299.95	27.89	NP	120.89	392.60
CPA-MW-1D	408.62	412.23	66.12	71.12	342.50	337.50	16.93	NP	74.69	395.30
CPA-MW-2D	408.51	408.20	99.96	104.96	308.55	303.55	14.47	NP	104.56	393.73
CPA-MW-3D	410.87	410.67	108.20	113.20	302.67	297.67	16.92	NP	112.76	393.75
CPA-MW-4D	421.57	421.20	116.44	121.44	305.13	300.13	29.53	NP	120.98	391.67
CPA-MW-5D	411.03	413.15	107.63	112.63	303.40	298.40	21.91	NP	114.64	391.24
DNAPL-K-1	413.07	415.56	108.20	123.20	304.87	289.87	19.33	NP	123.10	396.23
DNAPL-K-2	407.94	407.72	97.63	112.63	310.31	295.31	12.58	NP	112.40	395.14
DNAPL-K-3	412.13	415.91	104.80	119.80	307.33	292.33	20.43	NP	123.28	395.48
DNAPL-K-4	409.48	412.53	102.55	117.55	306.93	291.93	17.47	NP	118.21	395.06
DNAPL-K-5	412.27	411.91	102.15	117.15	310.12	295.12	16.43	NP	116.54	395.48
DNAPL-K-6	410.43	410.09	102.47	117.47	307.96	292.96	15.35	NP	116.87	394.74
DNAPL-K-7	408.32	407.72	100.40	115.40	307.92	292.92	13.26	NP	115.31	394.46
DNAPL-K-8	408.56	411.38	102.65	117.65	305.91	290.91	17.45	NP	117.56	393.93
DNAPL-K-9	406.45	405.97	97.42	112.42	309.03	294.03	11.45	NP	111.05	394.52
DNAPL-K-10	413.50	413.25	105.43	120.43	308.07	293.07	17.51	NP	120.26	395.74
DNAPL-K-11	412.20	411.78	105.46	120.46	306.74	291.74	17.42	NP	120.18	394.36
GM-9C	409.54	411.21	88.00	108.00	321.54	301.54	16.31	NP	108.23	394.90
GWE-1D	412.80	415.60	117.00	127.00	295.80	285.80	24.94	NP	128.22	390.66
GWE-2D	417.45	417.14	127.00	137.00	290.45	280.45	26.06	NP	136.59	391.08
GWE-3D	415.03	417.66	104.60	114.60	313.06	303.06	26.04	NP	114.88	391.62
GWE-4D	406.05	405.74	74.00	80.00	332.05	326.05	13.61	NP	78.75	392.13
GWE-5D	408.79	408.38	100.43	105.43	308.36	303.36	16.99	NP	105.14	391.39
GWE-10D	410.15	412.87	102.50	112.50	307.65	297.65	19.51	NP	114.81	393.36
GWE-14D	420.47	422.90	90.00	96.00	330.47	324.47	31.99	NP	97.00	390.91
PMA-MW-4D	411.22	410.88	68.84	73.84	342.38	337.38	15.45	NP	73.38	395.43
PMA-MW-6D	407.63	407.32	96.49	101.49	311.14	306.14	12.78	NP	101.22	394.54
PS-MW-6D	404.11	406.63	102.32	107.32	304.31	299.31	14.66	NP	109.81	391.97
PS-MW-9D	403.92	403.52	100.40	105.40	303.52	298.52	10.24	NP	105.00	393.28
PS-MW-10D	409.63	412.18	103.78	108.78	308.40	303.40	20.61	NP	111.25	391.57
PS-MW-13D	405.80	405.53	106.08	111.08	299.72	294.72	13.65	NP	110.55	391.88
PS-MW-17D	420.22	423.26	121.25	126.25	298.97	293.97	31.70	NP	133.90	391.56

Notes

ft - feet

bgs - below ground surface

btoc - below top of casing

NP - no product observed

NR - not reported

SHU - shallow hydrogeologic unit

MHU - middle hydrogeologic unit

DHU - deep hydrogeologic unit

¹ - Elevations based on North American Vertical Datum (NAVD) 88 datum.

² - Total depths are measured annually during the first quarter of each year.

Prepared By: LAB 5/22/2015

Checked By: EPW 5/27/2015

Reviewed By: AWD 6/29/2015

Table 2
Groundwater Analytical Results
2Q15 PCB Groundwater Quality Assurance Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	PCBs (µg/L)									
		Monochlorobiphenyl	Dichlorobiphenyl	Trichlorobiphenyl	Tetrachlorobiphenyl	Pentachlorobiphenyl	Hexachlorobiphenyl	Heptachlorobiphenyl	Octachlorobiphenyl	Nonachlorobiphenyl	Decachlorobiphenyl
SHU											
PMA-MW-1S-0515	5/13/2015	<0.096	<0.096	<0.096	<0.19	<0.19	<0.19	<0.29	<0.29	<0.48	<0.48
PMA-MW-2S-0515	5/13/2015	<0.097	<0.097	<0.097	<0.19	<0.19	<0.19	<0.29	<0.29	<0.49	<0.49
PMA-MW-3S-0515	5/13/2015	0.37	<0.11	<0.11	<0.21	<0.21	<0.21	<0.32	<0.32	<0.53	<0.53
PMA-MW-4S-0515	5/13/2015	1.8 JD	7.2 JD	11 JD	11 JD	6.2 JD	9.0 JD	7.2 JD	<2.9	<4.9	<4.9
MHU/DHU											
PMA-MW-1M-0515	5/13/2015	<0.97	<0.97	<0.97	<1.9	<1.9	<1.9	<2.9	<2.9	<4.8	<4.8
PMA-MW-2M-0515	5/13/2015	5.1 JD	<1.0	<1.0	<2.1	<2.1	<2.1	<3.1	<3.1	<5.1	<5.1
PMA-MW-2M-0515-AD	5/13/2015	5.4 JD	<0.99	<0.99	<2.0	<2.0	<2.0	<3.0	<3.0	<4.9	<4.9
PMA-MW-3M-0515	5/13/2015	0.58	<0.10	<0.10	<0.20	<0.20	<0.20	<0.30	<0.30	<0.50	<0.50
PMA-MW-4D-0515	5/13/2015	0.97	1.1	<0.10	<0.21	<0.21	<0.21	<0.31	<0.31	<0.52	<0.52
PMA-MW-5M-0515	5/13/2015	<0.10	<0.10	<0.10	<0.21	<0.21	<0.21	<0.31	<0.31	<0.52	<0.52
PMA-MW-6D-0515	5/13/2015	0.13	<0.099	<0.099	<0.20	<0.20	<0.20	<0.30	<0.30	<0.49	<0.49

Notes

PCBs - polychlorinated biphenyls

µg/L - micrograms per liter

< - result is non-detect, less than the reporting limit

JD - compound is analyzed at a dilution; result is an estimated value

AD - analytical duplicate

Bold - indicates concentration greater than reporting limit

SHU - shallow hydrogeologic unit

MHU - middle hydrogeologic unit

DHU - deep hydrogeologic unit

Prepared By: JRS 6/11/2015

Checked By: LAB 6/25/2015

Reviewed By: AWD 6/29/2015

Table 3
Mann-Kendall Trend Analysis
2Q15 PCB Groundwater Quality Assessment Program
W.G. Krummrich Facility
Sauget, IL

Event Number	Quarter	Total PCB Concentration (µg/L)					
		PMA-MW-1M	PMA-MW-2M	PMA-MW-3S	PMA-MW-3M	PMA-MW-4D	PMA-MW-6D
1	2Q06	ND	2.3	0.66	5.18	NA	NA
2	3Q06	0.24	2.4	0.32	1.90	0.34	NA
3	4Q06	0.21	2.8	0.20	ND	0.10	NA
4	1Q07	0.17	2.1	0.35	0.77	2.07	NA
5	2Q07	0.26	3.3	0.80	ND	0.33	NA
6	3Q07	0.29	2.5	0.30	0.86	0.50	NA
7	4Q07	48	3.1	0.21	0.76	0.35	NA
8	1Q08	ND	1.7	0.25	0.39	0.23	NA
9	2Q08	0.18	3.0	0.64	0.92	0.27	NA
10	3Q08	0.38	4.3	0.26	1.30	0.44	0.21
11	4Q08	0.26	2.5	0.24	0.71	0.27	0.43
12	1Q09	0.16	2.9	0.79	1.40	2.73	0.32
13	2Q09	0.21	4.14	ND	1.30	0.59	0.29
14	3Q09	0.27	3.1	0.34	0.85	0.37	0.20
15	4Q09	0.27	2.7	2.03	0.85	0.61	0.30
16	1Q10	0.20	2.4	ND	0.87	0.54	0.19
17	2Q10	ND	3.9	0.63	0.82	0.72	0.33
18	3Q10	0.29	2.1	0.28	0.75	0.42	0.10
19	4Q10	0.31	2.199	0.68	0.73	0.31	0.65
20	1Q11	0.59	4.04	0.71	1.20	0.35	0.22
21	2Q11	0.37	3.7	0.23	0.94	1.03	0.18
22	3Q11	0.35	4.52	0.13	1.10	1.10	ND
23	4Q11	0.52	2.7	0.46	0.92	0.54	0.72
24	1Q12	0.30	3.7	1.12	1.30	0.92	0.19
25	2Q12	0.48	4.79	1.19	1.20	1.47	0.22
26	3Q12	0.31	3.52	0.46	0.95	0.40	0.16
27	4Q12	0.38	4.4	0.21	0.69	0.35	0.11
28	1Q13	0.36	3.7	0.66	1.22	1.31	0.19
29	2Q13	0.32	3.2	ND	0.23	0.92	0.23
30	3Q13	0.59	5.8	0.35	2.10	0.97	0.20
31	4Q13	0.34	3.3	0.16	0.48	0.70	0.11
32	1Q14	0.54	5.9	0.48	0.72	1.50	0.23
33	2Q14	0.43	3.9	ND	0.84	1.43	0.21
34	3Q14	0.59	5.4	1.86	1.00	1.68	0.72
35	4Q14	0.36	3.9	ND	0.88	1.39	0.71
36	1Q15	ND	4.7	0.51	0.76	0.59	0.22
37	2Q15	ND	5.1	0.37	0.58	2.07	0.13
Coefficient of Variation		4.61	0.30	0.81	0.75	0.75	0.66
Mann-Kendall Statistic (S)		234	316	46	-86	276	-34
Confidence in Trend ¹		>99.9%	>99.9%	76.6%	88.6%	>99.9%	75.3%
Concentration Trend		Increasing	Increasing	No Trend	Stable	Increasing	Stable

Notes

NA - not analyzed

ND - non-detect (values detected below the detection limit)

¹ - confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0)

> 90% - probably increasing or decreasing

> 95% - Increasing or Decreasing


Data from 2Q06 to 1Q14 was compiled by former consultant

Prepared By: LAB 6/25/2015

Checked By: JRS 6/26/2015

Reviewed By: AWD 6/29/2015

Table 3
Mann-Kendall Trend Analysis
2Q15 PCB Groundwater Quality Assessment Program
W.G. Krummrich Facility
Sauget, IL



APPENDIX A
GROUNDWATER PURGING AND SAMPLING FORMS



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 28.44 ft
Pump Placement from TOC 22.43 ft

Well Information:

Well Id PMA-MW-1S
Well Diameter 2 in
Well Total Depth 24.93 ft
Depth to Top of Screen 19.93 ft
Screen Length 5 ft
Depth to Water 14.50 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 349 mL
Calculated Sample Rate 69 sec
Sample Rate 69 sec
Stabilized Drawdown 0.35 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:11:13	18.26	7.02	1070.01	14.00	0.80	37.93
	10:12:22	18.17	6.97	1074.05	10.10	0.76	39.79
	10:13:31	18.12	6.93	1076.66	7.46	0.72	41.20
	10:14:40	18.09	6.91	1077.85	6.47	0.71	42.51
	10:15:49	18.07	6.89	1078.43	5.28	0.69	43.04
Variance in Last 3 Readings		-0.05	-0.04	2.61	-2.64	-0.04	1.41
		-0.03	-0.02	1.19	-0.99	-0.01	1.31
		-0.02	-0.02	0.58	-1.19	-0.02	0.53

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 62.80 ft
Pump Placement from TOC 57.10 ft

Well Information:

Well Id PMA-MW-1M
Well Diameter 2 in
Well Total Depth 59.60 ft
Depth to Top of Screen 54.60 ft
Screen Length 5 ft
Depth to Water 14.94 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 540 mL
Calculated Sample Rate 108 sec
Sample Rate 108 sec
Stabilized Drawdown 0.05 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	9:43:44	18.78	7.02	2053.41	6.67	0.21	-120.18
	9:45:32	18.51	6.95	2062.11	5.14	0.16	-121.65
	9:47:20	18.43	6.92	2069.90	4.60	0.13	-123.22
	9:49:08	18.46	6.91	2069.93	2.60	0.11	-124.17
	9:50:56	18.47	6.90	2069.03	2.01	0.09	-124.81
Variance in Last 3 Readings		-0.08	-0.03	7.79	-0.54	-0.03	-1.57
		0.03	-0.01	0.03	-2.00	-0.02	-0.95
		0.01	-0.01	-0.90	-0.59	-0.02	-0.64

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 30.83 ft
Pump Placement from TOC 24.84 ft

Well Information:

Well Id PMA-MW-2S
Well Diameter 2 in
Well Total Depth 27.34 ft
Depth to Top of Screen 22.34 ft
Screen Length 5 ft
Depth to Water 16.52 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 362 mL
Calculated Sample Rate 72 sec
Sample Rate 72 sec
Stabilized Drawdown 0.09 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	11:14:53	19.58	7.47	996.29	32.10	0.43	31.01
	11:16:05	19.59	7.34	1004.67	28.20	0.42	34.62
	11:17:17	19.50	7.26	1012.72	26.10	0.40	37.04
	11:18:29	19.54	7.19	1016.24	23.70	0.39	38.53
	11:19:41	19.56	7.15	1016.01	21.60	0.37	40.19
Variance in Last 3 Readings		-0.09	-0.08	8.05	-2.10	-0.02	2.42
		0.04	-0.07	3.52	-2.40	-0.01	1.49
		0.02	-0.04	-0.23	-2.10	-0.02	1.66

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 65.04 ft
Pump Placement from TOC 58.77 ft

Well Information:

Well Id PMA-MW-2M
Well Diameter 2 in
Well Total Depth 61.27 ft
Depth to Top of Screen 56.27 ft
Screen Length 5 ft
Depth to Water 16.76 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 553 mL
Calculated Sample Rate 110 sec
Sample Rate 110 sec
Stabilized Drawdown 0.03 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:45:56	19.40	7.05	1922.53	4.47	0.26	-112.85
	10:47:46	18.83	7.08	1940.64	5.37	0.14	-118.76
	10:49:36	18.69	7.10	1940.90	5.58	0.12	-121.16
	10:51:26	18.69	7.11	1940.09	5.59	0.10	-122.44
	10:53:16	18.62	7.11	1949.29	3.92	0.08	-123.18
Variance in Last 3 Readings		-0.14	0.02	0.26	0.21	-0.02	-2.40
		0.00	0.01	-0.81	0.01	-0.02	-1.28
		-0.07	0.00	9.20	-1.67	-0.02	-0.74

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 30.90 ft
Pump Placement from TOC 24.90 ft

Well Information:

Well Id PMA-MW-3S
Well Diameter 2 in
Well Total Depth 27.40 ft
Depth to Top of Screen 22.40 ft
Screen Length 5 ft
Depth to Water 16.75 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 362 mL
Calculated Sample Rate 72 sec
Sample Rate 72 sec
Stabilized Drawdown 0.05 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	12:30:36	19.98	7.84	1917.75	48.90	0.18	6.39
	12:31:48	19.87	7.68	1925.25	46.40	0.16	11.03
	12:33:00	19.84	7.58	1929.09	45.40	0.14	13.03
	12:34:12	19.76	7.49	1933.35	42.90	0.12	13.29
	12:35:24	19.76	7.42	1941.93	38.50	0.12	13.75
Variance in Last 3 Readings		-0.03	-0.10	3.84	-1.00	-0.02	2.00
		-0.08	-0.09	4.26	-2.50	-0.02	0.26
		0.00	-0.07	8.58	-4.40	0.00	0.46

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 75.31 ft
Pump Placement from TOC 59.31 ft

Well Information:

Well Id PMA-MW-3M
Well Diameter 2 in
Well Total Depth 61.81 ft
Depth to Top of Screen 56.81 ft
Screen Length 5 ft
Depth to Water 16.81 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 610 mL
Calculated Sample Rate 121 sec
Sample Rate 121 sec
Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	12:04:57	18.78	9.38	2363.41	5.13	0.07	-201.16
	12:06:58	18.60	9.47	2380.42	4.39	0.09	-204.96
	12:08:59	18.59	9.51	2378.44	4.43	0.05	-207.65
	12:11:00	18.63	9.52	2378.21	4.42	0.04	-209.79
	12:13:01	18.58	9.53	2394.49	4.54	0.04	-211.13
Variance in Last 3 Readings		-0.01	0.04	-1.98	0.04	-0.04	-2.69
		0.04	0.01	-0.23	-0.01	-0.01	-2.14
		-0.05	0.01	16.28	0.12	0.00	-1.34

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 25.88 ft
Pump Placement from TOC 22.88 ft

Well Information:

Well Id PMA-MW-4S
Well Diameter 2 in
Well Total Depth 25.38 ft
Depth to Top of Screen 20.38 ft
Screen Length 5 ft
Depth to Water 14.45 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 334 mL
Calculated Sample Rate 66 sec
Sample Rate 66 sec
Stabilized Drawdown 0.98 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	13:28:15	19.11	6.94	1861.95	10.70	0.12	-75.03
	13:29:21	19.09	6.92	1991.11	8.57	0.11	-83.65
	13:30:27	19.11	6.92	2054.25	7.25	0.10	-88.74
	13:31:33	19.18	6.92	2078.85	6.42	0.09	-91.75
	13:32:39	19.13	6.92	2116.44	4.98	0.08	-94.42
Variance in Last 3 Readings		0.02	0.00	63.14	-1.32	-0.01	-5.09
		0.07	0.00	24.60	-0.83	-0.01	-3.01
		-0.05	0.00	37.59	-1.44	-0.01	-2.67

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 74.80 ft
Pump Placement from TOC 70.88 ft

Well Information:

Well Id PMA-MW-4D
Well Diameter 2 in
Well Total Depth 73.38 ft
Depth to Top of Screen 68.38 ft
Screen Length 5 ft
Depth to Water 15.28 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 607 mL
Calculated Sample Rate 121 sec
Sample Rate 121 sec
Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	12:59:09	18.61	7.15	1355.45	1.66	0.17	-117.13
	13:01:10	18.83	7.06	1358.79	1.01	0.14	-119.27
	13:03:11	19.05	7.01	1353.03	1.21	0.13	-120.30
	13:05:12	19.09	6.99	1351.12	0.85	0.13	-121.84
	13:07:13	19.07	6.97	1352.48	1.45	0.14	-121.76
Variance in Last 3 Readings		0.22	-0.05	-5.76	0.20	-0.01	-1.03
		0.04	-0.02	-1.91	-0.36	0.00	-1.54
		-0.02	-0.02	1.36	0.60	0.01	0.08

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 60.37 ft
Pump Placement from TOC 54.48 ft

Well Information:

Well Id PMA-MW-5M
Well Diameter 2 in
Well Total Depth 56.98 ft
Depth to Top of Screen 51.98 ft
Screen Length 5 ft
Depth to Water 15.89 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 527 mL
Calculated Sample Rate 105 sec
Sample Rate 105 sec
Stabilized Drawdown 0.05 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	9:09:38	17.13	7.21	2644.92	1.25	0.25	-81.02
	9:11:23	17.18	7.26	2650.96	0.86	0.19	-82.47
	9:13:08	17.27	7.28	2654.36	0.60	0.16	-82.19
	9:14:53	17.36	7.30	2655.79	0.75	0.14	-82.47
	9:16:38	17.40	7.30	2664.20	0.54	0.12	-82.47
Variance in Last 3 Readings		0.09	0.02	3.40	-0.26	-0.03	0.28
		0.09	0.02	1.43	0.15	-0.02	-0.28
		0.04	0.00	8.41	-0.21	-0.02	0.00

Notes:



SmartTroll
5/13/2015

Low-Flow System
ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 104.68 ft
Pump Placement from TOC 98.72 ft

Well Information:

Well Id PMA-MW-6D
Well Diameter 2 in
Well Total Depth 101.22 ft
Depth to Top of Screen 96.22 ft
Screen Length 5 ft
Depth to Water 12.70 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 774 mL
Calculated Sample Rate 154 sec
Sample Rate 154 sec
Stabilized Drawdown 0.01 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [μ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	8:32:33	18.07	7.15	1034.79	3.84	0.26	-98.45
	8:35:07	17.78	7.01	1040.32	3.20	0.22	-100.02
	8:37:41	17.64	6.96	1047.04	2.00	0.20	-101.31
	8:40:15	17.62	6.94	1045.75	2.01	0.17	-102.95
	8:42:49	17.59	6.93	1045.61	1.47	0.16	-104.38
Variance in Last 3 Readings		-0.14	-0.05	6.72	-1.20	-0.02	-1.29
		-0.02	-0.02	-1.29	0.01	-0.03	-1.64
		-0.03	-0.01	-0.14	-0.54	-0.01	-1.43

Notes:

APPENDIX B
CHAINS-OF-CUSTODY

Savannah, GA 31404
phone 912.354.7858 fax

Regulatory Program: ☐ RCRA ☒ NPDES ☐ Other:

TestAmerica Laboratories, Inc.

Client Contact		Project Manager: Amanda Derhake Tel/Fax: 636-724-9191		Site Contact: Lori Bindner Lab Contact: Michele Kersey		Date: 5/13/15 Carrier: FedEx		COC No: 1 of 2 COCs											
Golder Associates Inc 820 South Main Street St. Charles, MO 63301 (636) 724-9191 (636) 724-9323		Analysis Turnaround Time ☒ CALENDAR ☐ WORKING TAT if different from Below Standard 2 weeks 1 week 2 days 1 day		Sample Date		Sample Type (C=Comp, G=Grab)		Matrix		# of Cont.		Filtered Sample (Y / N)		Perform MS / MSD (Y / N)		Total PCBs by 680		Sample Specific Notes:	
Project Name: 2Q15 PCB GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936		PMA-MW-15-0515		5/13/15		G		W		2		2		2					
		PMA-MW-15-0515-M6		1		1		1		2		2		2					
		PMA-MW-15-0515-MSD		1		1		1		2		2		2					
		PMA-MW-1M-0515		0950		1		1		2		2		2					
		PMA-MW-25-0515		1120		1		1		2		2		2					
		PMA-MW-25-0515-AB		1135		1		1		2		2		2					
		PMA-MW-2M-0515		1057		1		1		2		2		2					
		PMA-MW-2M-0515-AD		1		1		1		2		2		2					
		PMA-MW-3S-0515		1235		1		1		2		2		2					
		PMA-MW-3M-0515		1212		1		1		2		2		2					
		PMA-MW-4S-0515		1332		1		1		2		2		2					
		PMA-MW-4D-0515		1307		1		1		2		2		2					
Preservation Used: 1=Ice 2=H2O 3=H2SO4 4=HNO3 5=NaOH 6=Other																			
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Comments Section if the lab is to dispose of the sample.																			
☒ Non-Hazard ☐ Flammable ☐ Skin ☐ Poison B ☐ Unknown																			
Special Instructions/QC Requirements & Comments:																			
Custody Seals Intact: ☐ No		Custody Seal No: 337193 / 337194 / 337195		Cooler Temp. (°C): 19.5		Corrid: 19.5		Therm ID No: 19.5											
Relinquished by: <i>for Bismarck</i>		Company: <i>Seider</i>		Date/Time: 5/13/15		Received by: <i>Don Bismarck</i>		Company: <i>SAV</i>		Date/Time: 05/14/15		0912							
Relinquished by:		Company:		Date/Time:		Received by: <i>680-112524</i>		Company:		Date/Time:									
Relinquished by:		Company:		Date/Time:		Received by: <i>10/0.8/1.8 (CF)</i>		Company:		Date/Time: 1.4/1.2/2.2									

APPENDIX C
QUALITY ASSURANCE REPORT



QUALITY ASSURANCE REPORT

PCB GROUNDWATER QUALITY
ASSESSMENT PROGRAM
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

July 2015

140-3345

A world of
capabilities
delivered locally





Table of Contents

1.0	INTRODUCTION.....	1
2.0	POLYCHLORINATED BIPHENYLS	2
2.1	Receipt Condition and Sample Holding Times	2
2.2	Blanks.....	3
2.3	Surrogate Spike Recoveries	3
2.4	Laboratory Control Sample Recoveries	3
2.5	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples	3
2.6	Analytical Duplicates	3
2.7	Results Reported From Dilutions	3
3.0	SUMMARY	4
4.0	REFERENCES.....	5



1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on May 13, 2015 at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility (Site) in Sauget, Illinois. Golder collected a total of fourteen (14) samples from groundwater monitoring wells as part of the 2nd Quarter 2015 (2Q15) PCB Groundwater Quality Assessment Program (PCB). Ten (10) groundwater samples, one (1) equipment blank (EB), one (1) analytical duplicate (AD) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring locations were located at the WGK facility. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) Method 680. Samples submitted to TestAmerica were analyzed for polychlorinated biphenyls (PCBs). The analytical results were placed into one (1) sample delivery group (SDG) as described in the table below:

Sample Delivery Group (SDG)	Sample Identification
KPM065	PMA-MW-1M-0515
	PMA-MW-1S-0515
	PMA-MW-2M-0515
	PMA-MW-2M-0515-AD
	PMA-MW-2S-0515
	PMA-MW-2S-0515-EB
	PMA-MW-3M-0515
	PMA-MW-3S-0515
	PMA-MW-4D-0515
	PMA-MW-4S-0515
	PMA-MW-5M-0515
	PMA-MW-6D-0515

The samples were collected and analyzed in general accordance with the Revised PCB Groundwater Quality Assessment Program Work Plan (Work Plan) (Solutia 2009). Groundwater samples were analyzed for polychlorinated biphenyls (PCBs) using USEPA Method 680. In addition, the EB, AD and MS/MSD pair were submitted and analyzed for PCBs.

Golder completed validation of the analytical data following the general guidelines in Section 3.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent version of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008



These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not was not detected
- D - Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D

Golder data qualifiers are defined below:

- J – The analyte was detected and the result is considered an estimated value
- D – The analyte was analyzed at a dilution

Section 2 summarizes the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary. A summary of qualified data is provided in Section 3.0.

Following data validation, the qualified data were summarized in tables, which are included in the main body of the report.

2.0 POLYCHLORINATED BIPHENYLS

Samples were collected from ten (10) groundwater monitoring locations and analyzed for PCBs. One (1) AD sample was collected from sampling location, PMA-MW-2M. One (1) EB, associated with PMA-MW-2S was also prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KPM065), and were prepared and analyzed using USEPA Method 680. Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

2.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling. Samples were received by TestAmerica in good condition.



2.2 Blanks

Laboratory and field blanks, including method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

One (1) EB, associated with sample PMA-MW-2S, was collected during the 2Q15 event to assess the effectiveness of the decontamination procedure. There were no detections in the EB.

2.3 Surrogate Spike Recoveries

Samples to be analyzed for PCBs were spiked with surrogate compound decachlorobiphenyl-¹³C₁₂ prior to analysis, to evaluate overall laboratory performance. Surrogate recovery was not obtained for samples PMA-MW-1M, PMA-MW-2M, PMA-MW-2M-AD, and PMA-MW-4S because the extract was diluted for analysis. Result qualifications are shown in Section 3.0.

2.4 Laboratory Control Sample Recoveries

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 2Q15 event associated with sample PMA-MW-1S. MS/MSD accuracy and precision data met criteria; therefore qualification was not required.

2.6 Analytical Duplicates

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. One (1) AD was collected during the 2Q15 event associated with sample PMA-MW-2M. The relative percent difference (RPD) between the sample, PMA-MW-2M, and the AD, PMA-MW-2M-AD, did not exceed 25%; therefore, data qualification was not required.

2.7 Results Reported From Dilutions

PCB samples, PMA-MW-1M, PMA-MW-2M, PMA-MW-2M-AD, and PMA-MW-4S required dilutions due to high levels of target analytes or initial appearance. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 3.0.



3.0 SUMMARY

Golder validated the data collected during the 2Q15 sampling event from the Solutia Inc. WGK facility in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

Qualification Summary Table

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl	D	PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S
Surrogates diluted out	Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl	J	PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S



4.0 REFERENCES

Solutia Inc, 2009. Revised PCB Groundwater Quality Assessment Program Work Plan, W.G. Krummrich Facility, Sauget, IL, Prepared by URS Corporation, May 2009.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

APPENDIX D
GROUNDWATER ANALYTICAL RESULTS
(INCLUDING DATA VALIDATION REPORTS)



Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
2Q15 PCB Groundwater Quality Assessment

Company Name: Golder Associates
Project Name: WGK-2Q15 PCB
Reviewer: L. Bindner
Laboratory: TestAmerica
SDG#: KPM065
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: May 2015

Analytical Method: PCB (680)

Sample Names: PMA-MW-1S-0515, PMA-MW-1M-0515, PMA-MW-2S-0515, PMA-MW-2S-0515-EB, PMA-MW-2M-0515, PMA-MW-2M-0515-AD, PMA-MW-3S-0515, PMA-MW-3M-0515, PMA-MW-4S-0515, PMA-MW-4D-0515, PMA-MW-5M-0515, and PMA-MW-6D-0515

Field Information

YES NO NA

- a) Sampling dates noted? ☒ ☐ ☐
- b) Does the laboratory narrative indicate deficiencies? ☒ ☐ ☐

Comments:

PCBs: Samples PMA-MW-1M-0515, PMA-MW-2M-0515, PMA-MW-2M-0515-AD, and PMA-MW-4S-0515 required a dilution prior to analysis, reporting limits were adjusted accordingly. Surrogate recovery for samples PMA-MW-1M-0215, PMA-MW-2M-0215, PMA-MW-2M-0215-AD, and PMA-MW-4S-0215 exceeded the surrogate recovery criteria low for dechachlorobiphenyl-13C12. Due to the matrix samples, phenanthrene-d-10 was used as the internal standard in place of chrysene-d12.

Chain-of-Custody (COC)

YES NO NA

- a) Was the COC signed by both field and laboratory personnel? ☒ ☐ ☐
- b) Were samples received in good condition? ☒ ☐ ☐

Comments: Some samples were received at 1.2°C and 1.4°C, outside the 4°C +/- 2°C criteria.

General

YES NO NA

- a) Were hold times met for sample analysis? ☒ ☐ ☐
- b) Were the correct preservatives used? ☒ ☐ ☐
- c) Was the correct method used? ☒ ☐ ☐
- d) Any sample dilutions noted? ☒ ☐ ☐

Comments: Detections in diluted analysis were qualified.

Calibrations

YES NO NA

- a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐
- b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐

Comments: None

**Blanks****YES NO NA**

- a) Were blanks (trip, equipment, method) performed at required frequency?
b) Were analytes detected in any blanks?

☒ ☐ ☐
☐ ☒ ☐

Comments: Equipment blank PMA-MW-2S-0515-EB was submitted with SDG KPM065.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)**YES NO NA**

- a) Was MS/MSD accuracy criteria met?
b) Was MS/MSD precision criteria met?

☒ ☐ ☐
☒ ☐ ☐

Comments: None

Laboratory Control Sample (LCS)**YES NO NA**

- a) LCS analyzed at the appropriate frequency and met appropriate standards?

☒ ☐ ☐

Comments: None

Surrogate (System Monitoring) Compounds**YES NO NA**

- a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?

☐ ☒ ☐

Comments: Surrogates were not obtained for samples PMA-MW-1M-0515, PMA-MW-2M-0515, PMA-MW-2M-0515-AD, and PMA-MW-4S-0515 because the extract was diluted for analysis. Qualification required.

Duplicates**YES NO NA**

- a) Were field duplicates collected?
b) Was field duplicate precision criteria met?

☒ ☐ ☐
☒ ☐ ☐

Comments: Duplicate sample PMA-MW-2M-0515-AD was submitted with SDG KPM065.

Additional Comments: None

Qualifications:

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl	D	PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S
Surrogates diluted out	Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl	J	PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S

SDG KPM065

Sample Results from:

**PMA-MW-1S
PMA-MW-1M
PMA-MW-2S
PMA-MW-2M
PMA-MW-3S
PMA-MW-3M
PMA-MW-4S
PMW-MW-4D
PMA-MW-5M
PMA-MW-6D**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-112524-1
TestAmerica Sample Delivery Group: KPM065
Client Project/Site: 2Q15 PCB GW Sampling - 1403345

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele Kersey

Authorized for release by:
6/4/2015 2:38:59 PM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAP and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LAB
6/25/15

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Sample Summary	4
Method Summary	5
Definitions	6
Client Sample Results	7
QC Sample Results	19
QC Association	21
Chronicle	22
Chain of Custody	25
Receipt Checklists	27
Certification Summary	28

Case Narrative

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Job ID: 680-112524-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 2Q15 PCB GW Sampling - 1403345

Report Number: 680-112524-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 5/14/2015 9:12 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 1.2° C, 1.4° C and 2.2° C.

POLYCHLORINATED BIPHENYLS (PCBS)

Samples PMA-MW-1S-0515 (680-112524-1), PMA-MW-1M-0515 (680-112524-2), PMA-MW-2S-0515 (680-112524-3), PMA-MW-2S-0515-EB (680-112524-4), PMA-MW-2M-0515 (680-112524-5), PMA-MW-2M-0515-AD (680-112524-6), PMA-MW-3S-0515 (680-112524-7), PMA-MW-3M-0515 (680-112524-8), PMA-MW-4S-0515 (680-112524-9), PMA-MW-4D-0515 (680-112524-10), PMA-MW-5M-0515 (680-112524-11) and PMA-MW-6D-0515 (680-112524-12) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA Method 680. The samples were prepared on 05/26/2015 and analyzed on 06/02/2015 and 06/03/2015.

Decachlorobiphenyl-13C12 exceeded the surrogate recovery criteria low for the following samples: PMA-MW-1M-0515 (680-112524-2), PMA-MW-2M-0515 (680-112524-5), PMA-MW-2M-0515-AD (680-112524-6), PMA-MW-4S-0515 (680-112524-9). Refer to the QC report for details.

Due to the matrix of the samples, phenanthrene-d10 was used as the internal standard in place of chrysene-d12.

The following samples was diluted due to the nature of the sample matrix : PMA-MW-1M-0515 (680-112524-2), PMA-MW-2M-0515 (680-112524-5), PMA-MW-2M-0515-AD (680-112524-6) and PMA-MW-4S-0515 (680-112524-9). As such, surrogate recoveries are below the calibration range or are not reported, and elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Summary

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-112524-1	PMA-MW-1S-0515	Water	05/13/15 10:14	05/14/15 09:12
680-112524-2	PMA-MW-1M-0515	Water	05/13/15 09:50	05/14/15 09:12
680-112524-3	PMA-MW-2S-0515	Water	05/13/15 11:20	05/14/15 09:12
680-112524-4	PMA-MW-2S-0515-EB	Water	05/13/15 11:35	05/14/15 09:12
680-112524-5	PMA-MW-2M-0515	Water	05/13/15 10:51	05/14/15 09:12
680-112524-6	PMA-MW-2M-0515-AD	Water	05/13/15 10:51	05/14/15 09:12
680-112524-7	PMA-MW-3S-0515	Water	05/13/15 12:35	05/14/15 09:12
680-112524-8	PMA-MW-3M-0515	Water	05/13/15 12:12	05/14/15 09:12
680-112524-9	PMA-MW-4S-0515	Water	05/13/15 13:32	05/14/15 09:12
680-112524-10	PMA-MW-4D-0515	Water	05/13/15 13:07	05/14/15 09:12
680-112524-11	PMA-MW-5M-0515	Water	05/13/15 09:15	05/14/15 09:12
680-112524-12	PMA-MW-6D-0515	Water	05/13/15 08:42	05/14/15 09:12

TestAmerica Savannah

LAB 6/25/15

Method Summary

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Method	Method Description	Protocol	Laboratory
680	Polychlorinated Biphenyls (PCBs) (GC/MS)	EPA	TAL SAV

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Definitions/Glossary

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-1S-0515

Lab Sample ID: 680-112524-1

Date Collected: 05/13/15 10:14

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.48	U	0.48		ug/L		05/26/15 16:35	06/02/15 20:18	1
Dichlorobiphenyl	0.096	U	0.096		ug/L		05/26/15 16:35	06/02/15 20:18	1
Heptachlorobiphenyl	0.29	U	0.29		ug/L		05/26/15 16:35	06/02/15 20:18	1
Hexachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 20:18	1
Monochlorobiphenyl	0.096	U	0.096		ug/L		05/26/15 16:35	06/02/15 20:18	1
Nonachlorobiphenyl	0.48	U	0.48		ug/L		05/26/15 16:35	06/02/15 20:18	1
Octachlorobiphenyl	0.29	U	0.29		ug/L		05/26/15 16:35	06/02/15 20:18	1
Pentachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 20:18	1
Tetrachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 20:18	1
Trichlorobiphenyl	0.096	U	0.096		ug/L		05/26/15 16:35	06/02/15 20:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	72		25 - 113	05/26/15 16:35	06/02/15 20:18	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-1M-0515

Lab Sample ID: 680-112524-2

Date Collected: 05/13/15 09:50

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	4.8	U	4.8		ug/L		05/26/15 16:35	06/02/15 20:47	10
Dichlorobiphenyl	0.97	U	0.97		ug/L		05/26/15 16:35	06/02/15 20:47	10
Heptachlorobiphenyl	2.9	U	2.9		ug/L		05/26/15 16:35	06/02/15 20:47	10
Hexachlorobiphenyl	1.9	U	1.9		ug/L		05/26/15 16:35	06/02/15 20:47	10
Monochlorobiphenyl	0.97	U	0.97		ug/L		05/26/15 16:35	06/02/15 20:47	10
Nonachlorobiphenyl	4.8	U	4.8		ug/L		05/26/15 16:35	06/02/15 20:47	10
Octachlorobiphenyl	2.9	U	2.9		ug/L		05/26/15 16:35	06/02/15 20:47	10
Pentachlorobiphenyl	1.9	U	1.9		ug/L		05/26/15 16:35	06/02/15 20:47	10
Tetrachlorobiphenyl	1.9	U	1.9		ug/L		05/26/15 16:35	06/02/15 20:47	10
Trichlorobiphenyl	0.97	U	0.97		ug/L		05/26/15 16:35	06/02/15 20:47	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	0	D	25 - 113	05/26/15 16:35	06/02/15 20:47	10

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-2S-0515

Lab Sample ID: 680-112524-3

Date Collected: 05/13/15 11:20

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.49	U	0.49		ug/L		05/26/15 16:35	06/02/15 21:15	1
Dichlorobiphenyl	0.097	U	0.097		ug/L		05/26/15 16:35	06/02/15 21:15	1
Heptachlorobiphenyl	0.29	U	0.29		ug/L		05/26/15 16:35	06/02/15 21:15	1
Hexachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 21:15	1
Monochlorobiphenyl	0.097	U	0.097		ug/L		05/26/15 16:35	06/02/15 21:15	1
Nonachlorobiphenyl	0.49	U	0.49		ug/L		05/26/15 16:35	06/02/15 21:15	1
Octachlorobiphenyl	0.29	U	0.29		ug/L		05/26/15 16:35	06/02/15 21:15	1
Pentachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 21:15	1
Tetrachlorobiphenyl	0.19	U	0.19		ug/L		05/26/15 16:35	06/02/15 21:15	1
Trichlorobiphenyl	0.097	U	0.097		ug/L		05/26/15 16:35	06/02/15 21:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	81		25 - 113	05/26/15 16:35	06/02/15 21:15	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-2S-0515-EB

Lab Sample ID: 680-112524-4

Date Collected: 05/13/15 11:35

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/02/15 21:44	1
Dichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/02/15 21:44	1
Heptachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/02/15 21:44	1
Hexachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 21:44	1
Monochlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/02/15 21:44	1
Nonachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/02/15 21:44	1
Octachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/02/15 21:44	1
Pentachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 21:44	1
Tetrachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 21:44	1
Trichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/02/15 21:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	74		25 - 113	05/26/15 16:35	06/02/15 21:44	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-2M-0515

Lab Sample ID: 680-112524-5

Date Collected: 05/13/15 10:51

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	5.1	U	5.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Dichlorobiphenyl	1.0	U	1.0		ug/L		05/26/15 16:35	06/02/15 22:12	10
Heptachlorobiphenyl	3.1	U	3.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Hexachlorobiphenyl	2.1	U	2.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Monochlorobiphenyl	5.1	DJ	1.0		ug/L		05/26/15 16:35	06/02/15 22:12	10
Nonachlorobiphenyl	5.1	U	5.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Octachlorobiphenyl	3.1	U	3.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Pentachlorobiphenyl	2.1	U	2.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Tetrachlorobiphenyl	2.1	U	2.1		ug/L		05/26/15 16:35	06/02/15 22:12	10
Trichlorobiphenyl	1.0	U	1.0		ug/L		05/26/15 16:35	06/02/15 22:12	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	0	D	25 - 113	05/26/15 16:35	06/02/15 22:12	10

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-2M-0515-AD

Lab Sample ID: 680-112524-6

Date Collected: 05/13/15 10:51

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	4.9	U	4.9		ug/L		05/26/15 16:35	06/02/15 22:41	10
Dichlorobiphenyl	0.99	U	0.99		ug/L		05/26/15 16:35	06/02/15 22:41	10
Heptachlorobiphenyl	3.0	U	3.0		ug/L		05/26/15 16:35	06/02/15 22:41	10
Hexachlorobiphenyl	2.0	U	2.0		ug/L		05/26/15 16:35	06/02/15 22:41	10
Monochlorobiphenyl	5.4	DS	0.99		ug/L		05/26/15 16:35	06/02/15 22:41	10
Nonachlorobiphenyl	4.9	U	4.9		ug/L		05/26/15 16:35	06/02/15 22:41	10
Octachlorobiphenyl	3.0	U	3.0		ug/L		05/26/15 16:35	06/02/15 22:41	10
Pentachlorobiphenyl	2.0	U	2.0		ug/L		05/26/15 16:35	06/02/15 22:41	10
Tetrachlorobiphenyl	2.0	U	2.0		ug/L		05/26/15 16:35	06/02/15 22:41	10
Trichlorobiphenyl	0.99	U	0.99		ug/L		05/26/15 16:35	06/02/15 22:41	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	0	D	25 - 113	05/26/15 16:35	06/02/15 22:41	10

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-3S-0515

Lab Sample ID: 680-112524-7

Date Collected: 05/13/15 12:35

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.53	U	0.53		ug/L		05/26/15 16:35	06/02/15 23:09	1
Dichlorobiphenyl	0.11	U	0.11		ug/L		05/26/15 16:35	06/02/15 23:09	1
Heptachlorobiphenyl	0.32	U	0.32		ug/L		05/26/15 16:35	06/02/15 23:09	1
Hexachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 23:09	1
Monochlorobiphenyl	0.37		0.11		ug/L		05/26/15 16:35	06/02/15 23:09	1
Nonachlorobiphenyl	0.53	U	0.53		ug/L		05/26/15 16:35	06/02/15 23:09	1
Octachlorobiphenyl	0.32	U	0.32		ug/L		05/26/15 16:35	06/02/15 23:09	1
Pentachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 23:09	1
Tetrachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/02/15 23:09	1
Trichlorobiphenyl	0.11	U	0.11		ug/L		05/26/15 16:35	06/02/15 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	75		25 - 113				05/26/15 16:35	06/02/15 23:09	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-3M-0515

Lab Sample ID: 680-112524-8

Date Collected: 05/13/15 12:12

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.50	U	0.50		ug/L		05/26/15 16:35	06/02/15 23:38	1
Dichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/02/15 23:38	1
Heptachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	06/02/15 23:38	1
Hexachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/02/15 23:38	1
Monochlorobiphenyl	0.58		0.10		ug/L		05/26/15 16:35	06/02/15 23:38	1
Nonachlorobiphenyl	0.50	U	0.50		ug/L		05/26/15 16:35	06/02/15 23:38	1
Octachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	06/02/15 23:38	1
Pentachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/02/15 23:38	1
Tetrachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/02/15 23:38	1
Trichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/02/15 23:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	72		25 - 113	05/26/15 16:35	06/02/15 23:38	1

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-4S-0515

Lab Sample ID: 680-112524-9

Date Collected: 05/13/15 13:32

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
DCB Decachlorobiphenyl	4.9	U	4.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Dichlorobiphenyl	7.2	D J	0.97		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Heptachlorobiphenyl	7.2	D J	2.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Hexachlorobiphenyl	9.0	D J	1.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Monochlorobiphenyl	1.8	D J	0.97		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Nonachlorobiphenyl	4.9	U	4.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Octachlorobiphenyl	2.9	U	2.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Pentachlorobiphenyl	6.2	D J	1.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Tetrachlorobiphenyl	11	D J	1.9		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Trichlorobiphenyl	11	D J	0.97		ug/L		05/26/15 16:35	06/03/15 00:06	10	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
Decachlorobiphenyl-13C12	0	D	25 - 113				05/26/15 16:35	06/03/15 00:06	10	

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-4D-0515

Lab Sample ID: 680-112524-10

Date Collected: 05/13/15 13:07

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/03/15 00:35	1
Dichlorobiphenyl	1.1		0.10		ug/L		05/26/15 16:35	06/03/15 00:35	1
Heptachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/03/15 00:35	1
Hexachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 00:35	1
Monochlorobiphenyl	0.97		0.10		ug/L		05/26/15 16:35	06/03/15 00:35	1
Nonachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/03/15 00:35	1
Octachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/03/15 00:35	1
Pentachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 00:35	1
Tetrachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 00:35	1
Trichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/03/15 00:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	68		25 - 113	05/26/15 16:35	06/03/15 00:35	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-5M-0515

Lab Sample ID: 680-112524-11

Date Collected: 05/13/15 09:15

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/03/15 01:03	1
Dichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/03/15 01:03	1
Heptachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/03/15 01:03	1
Hexachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 01:03	1
Monochlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/03/15 01:03	1
Nonachlorobiphenyl	0.52	U	0.52		ug/L		05/26/15 16:35	06/03/15 01:03	1
Octachlorobiphenyl	0.31	U	0.31		ug/L		05/26/15 16:35	06/03/15 01:03	1
Pentachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 01:03	1
Tetrachlorobiphenyl	0.21	U	0.21		ug/L		05/26/15 16:35	06/03/15 01:03	1
Trichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	06/03/15 01:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	66		25 - 113	05/26/15 16:35	06/03/15 01:03	1

TestAmerica Savannah

LAB 6/25/15

Client Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-6D-0515

Lab Sample ID: 680-112524-12

Date Collected: 05/13/15 08:42

Matrix: Water

Date Received: 05/14/15 09:12

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.49	U	0.49		ug/L		05/26/15 16:35	06/03/15 01:32	1
Dichlorobiphenyl	0.099	U	0.099		ug/L		05/26/15 16:35	06/03/15 01:32	1
Heptachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	06/03/15 01:32	1
Hexachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/03/15 01:32	1
Monochlorobiphenyl	0.13		0.099		ug/L		05/26/15 16:35	06/03/15 01:32	1
Nonachlorobiphenyl	0.49	U	0.49		ug/L		05/26/15 16:35	06/03/15 01:32	1
Octachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	06/03/15 01:32	1
Pentachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/03/15 01:32	1
Tetrachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	06/03/15 01:32	1
Trichlorobiphenyl	0.099	U	0.099		ug/L		05/26/15 16:35	06/03/15 01:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	65		25 - 113	05/26/15 16:35	06/03/15 01:32	1

TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Lab Sample ID: MB 680-384632/21-A

Matrix: Water

Analysis Batch: 385326

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 384632

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	0.50	U	0.50		ug/L		05/26/15 16:35	05/30/15 02:50	1
Dichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	05/30/15 02:50	1
Heptachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	05/30/15 02:50	1
Hexachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	05/30/15 02:50	1
Monochlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	05/30/15 02:50	1
Nonachlorobiphenyl	0.50	U	0.50		ug/L		05/26/15 16:35	05/30/15 02:50	1
Octachlorobiphenyl	0.30	U	0.30		ug/L		05/26/15 16:35	05/30/15 02:50	1
Pentachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	05/30/15 02:50	1
Tetrachlorobiphenyl	0.20	U	0.20		ug/L		05/26/15 16:35	05/30/15 02:50	1
Trichlorobiphenyl	0.10	U	0.10		ug/L		05/26/15 16:35	05/30/15 02:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Decachlorobiphenyl-13C12	79		25 - 113	05/26/15 16:35	05/30/15 02:50	1

Lab Sample ID: LCS 680-384632/22-A

Matrix: Water

Analysis Batch: 385326

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 384632

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
DCB Decachlorobiphenyl	10.0	9.37		ug/L		94	59 - 130
Dichlorobiphenyl	2.00	1.32		ug/L		66	49 - 130
Heptachlorobiphenyl	6.00	4.56		ug/L		76	62 - 130
Hexachlorobiphenyl	4.00	3.01		ug/L		75	62 - 130
Monochlorobiphenyl	2.00	1.14		ug/L		57	42 - 130
Nonachlorobiphenyl	10.0	17.4		ug/L		174	70 - 195
Octachlorobiphenyl	6.00	4.85		ug/L		81	64 - 130
Pentachlorobiphenyl	4.00	3.09		ug/L		77	63 - 130
Tetrachlorobiphenyl	4.00	2.73		ug/L		68	54 - 130
Trichlorobiphenyl	2.00	1.39		ug/L		69	51 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Decachlorobiphenyl-13C12	94		25 - 113

Lab Sample ID: 680-112524-1 MS

Matrix: Water

Analysis Batch: 385731

Client Sample ID: PMA-MW-1S-0515-MS

Prep Type: Total/NA

Prep Batch: 384632

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
DCB Decachlorobiphenyl	0.48	U	9.88	8.32		ug/L		84	59 - 130
Dichlorobiphenyl	0.096	U	1.98	1.28		ug/L		65	49 - 130
Heptachlorobiphenyl	0.29	U	5.93	4.46		ug/L		75	62 - 130
Hexachlorobiphenyl	0.19	U	3.95	2.98		ug/L		75	62 - 130
Monochlorobiphenyl	0.096	U	1.98	1.10		ug/L		56	42 - 130
Nonachlorobiphenyl	0.48	U	9.88	15.9		ug/L		161	70 - 195
Octachlorobiphenyl	0.29	U	5.93	4.59		ug/L		78	64 - 130
Pentachlorobiphenyl	0.19	U	3.95	3.00		ug/L		76	63 - 130
Tetrachlorobiphenyl	0.19	U	3.95	2.66		ug/L		67	54 - 130

TestAmerica Savannah

LAB 6/25/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) (Continued)

Lab Sample ID: 680-112524-1 MS

Matrix: Water

Analysis Batch: 385731

Client Sample ID: PMA-MW-1S-0515-MS

Prep Type: Total/NA

Prep Batch: 384632

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Trichlorobiphenyl	0.096	U	1.98	1.34		ug/L		68	51 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
Decachlorobiphenyl-13C12	82		25 - 113

Lab Sample ID: 680-112524-1 MSD

Matrix: Water

Analysis Batch: 385731

Client Sample ID: PMA-MW-1S-0515-MSD

Prep Type: Total/NA

Prep Batch: 384632

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
DCB Decachlorobiphenyl	0.48	U	9.75	8.24		ug/L		84	59 - 130	1	40
Dichlorobiphenyl	0.096	U	1.95	1.26		ug/L		64	49 - 130	2	40
Heptachlorobiphenyl	0.29	U	5.85	4.65		ug/L		79	62 - 130	4	40
Hexachlorobiphenyl	0.19	U	3.90	3.10		ug/L		79	62 - 130	4	40
Monochlorobiphenyl	0.096	U	1.95	1.01		ug/L		52	42 - 130	8	40
Nonachlorobiphenyl	0.48	U	9.75	16.5		ug/L		169	70 - 195	4	40
Octachlorobiphenyl	0.29	U	5.85	4.72		ug/L		81	64 - 130	3	40
Pentachlorobiphenyl	0.19	U	3.90	3.00		ug/L		77	63 - 130	0	40
Tetrachlorobiphenyl	0.19	U	3.90	2.70		ug/L		69	54 - 130	1	40
Trichlorobiphenyl	0.096	U	1.95	1.31		ug/L		67	51 - 130	3	40

Surrogate	MSD %Recovery	MSD Qualifier	Limits
Decachlorobiphenyl-13C12	85		25 - 113

TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

GC/MS Semi VOA

Prep Batch: 384632

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112524-1	PMA-MW-1S-0515	Total/NA	Water	680	
680-112524-1 MS	PMA-MW-1S-0515-MS	Total/NA	Water	680	
680-112524-1 MSD	PMA-MW-1S-0515-MSD	Total/NA	Water	680	
680-112524-2	PMA-MW-1M-0515	Total/NA	Water	680	
680-112524-3	PMA-MW-2S-0515	Total/NA	Water	680	
680-112524-4	PMA-MW-2S-0515-EB	Total/NA	Water	680	
680-112524-5	PMA-MW-2M-0515	Total/NA	Water	680	
680-112524-6	PMA-MW-2M-0515-AD	Total/NA	Water	680	
680-112524-7	PMA-MW-3S-0515	Total/NA	Water	680	
680-112524-8	PMA-MW-3M-0515	Total/NA	Water	680	
680-112524-9	PMA-MW-4S-0515	Total/NA	Water	680	
680-112524-10	PMA-MW-4D-0515	Total/NA	Water	680	
680-112524-11	PMA-MW-5M-0515	Total/NA	Water	680	
680-112524-12	PMA-MW-6D-0515	Total/NA	Water	680	
LCS 680-384632/22-A	Lab Control Sample	Total/NA	Water	680	
MB 680-384632/21-A	Method Blank	Total/NA	Water	680	

Analysis Batch: 385326

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-384632/22-A	Lab Control Sample	Total/NA	Water	680	384632
MB 680-384632/21-A	Method Blank	Total/NA	Water	680	384632

Analysis Batch: 385731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-112524-1	PMA-MW-1S-0515	Total/NA	Water	680	384632
680-112524-1 MS	PMA-MW-1S-0515-MS	Total/NA	Water	680	384632
680-112524-1 MSD	PMA-MW-1S-0515-MSD	Total/NA	Water	680	384632
680-112524-2	PMA-MW-1M-0515	Total/NA	Water	680	384632
680-112524-3	PMA-MW-2S-0515	Total/NA	Water	680	384632
680-112524-4	PMA-MW-2S-0515-EB	Total/NA	Water	680	384632
680-112524-5	PMA-MW-2M-0515	Total/NA	Water	680	384632
680-112524-6	PMA-MW-2M-0515-AD	Total/NA	Water	680	384632
680-112524-7	PMA-MW-3S-0515	Total/NA	Water	680	384632
680-112524-8	PMA-MW-3M-0515	Total/NA	Water	680	384632
680-112524-9	PMA-MW-4S-0515	Total/NA	Water	680	384632
680-112524-10	PMA-MW-4D-0515	Total/NA	Water	680	384632
680-112524-11	PMA-MW-5M-0515	Total/NA	Water	680	384632
680-112524-12	PMA-MW-6D-0515	Total/NA	Water	680	384632

TestAmerica Savannah

LAB 6/25/15

Lab Chronicle

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-1S-0515

Lab Sample ID: 680-112524-1

Date Collected: 05/13/15 10:14

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1042 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	1042 mL	1 mL	385731	06/02/15 20:18	NED	TAL SAV

Client Sample ID: PMA-MW-1M-0515

Lab Sample ID: 680-112524-2

Date Collected: 05/13/15 09:50

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1031.9 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		10	1031.9 mL	1 mL	385731	06/02/15 20:47	NED	TAL SAV

Client Sample ID: PMA-MW-2S-0515

Lab Sample ID: 680-112524-3

Date Collected: 05/13/15 11:20

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1028.3 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	1028.3 mL	1 mL	385731	06/02/15 21:15	NED	TAL SAV

Client Sample ID: PMA-MW-2S-0515-EB

Lab Sample ID: 680-112524-4

Date Collected: 05/13/15 11:35

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			953.7 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	953.7 mL	1 mL	385731	06/02/15 21:44	NED	TAL SAV

Client Sample ID: PMA-MW-2M-0515

Lab Sample ID: 680-112524-5

Date Collected: 05/13/15 10:51

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			971.2 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		10	971.2 mL	1 mL	385731	06/02/15 22:12	NED	TAL SAV

Client Sample ID: PMA-MW-2M-0515-AD

Lab Sample ID: 680-112524-6

Date Collected: 05/13/15 10:51

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1013.7 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		10	1013.7 mL	1 mL	385731	06/02/15 22:41	NED	TAL SAV

TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Client Sample ID: PMA-MW-3S-0515

Lab Sample ID: 680-112524-7

Date Collected: 05/13/15 12:35

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			944.7 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	944.7 mL	1 mL	385731	06/02/15 23:09	NED	TAL SAV

Client Sample ID: PMA-MW-3M-0515

Lab Sample ID: 680-112524-8

Date Collected: 05/13/15 12:12

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			993.2 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	993.2 mL	1 mL	385731	06/02/15 23:38	NED	TAL SAV

Client Sample ID: PMA-MW-4S-0515

Lab Sample ID: 680-112524-9

Date Collected: 05/13/15 13:32

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1028.9 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		10	1028.9 mL	1 mL	385731	06/03/15 00:06	NED	TAL SAV

Client Sample ID: PMA-MW-4D-0515

Lab Sample ID: 680-112524-10

Date Collected: 05/13/15 13:07

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			957.3 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	957.3 mL	1 mL	385731	06/03/15 00:35	NED	TAL SAV

Client Sample ID: PMA-MW-5M-0515

Lab Sample ID: 680-112524-11

Date Collected: 05/13/15 09:15

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			953.1 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	953.1 mL	1 mL	385731	06/03/15 01:03	NED	TAL SAV

Client Sample ID: PMA-MW-6D-0515

Lab Sample ID: 680-112524-12

Date Collected: 05/13/15 08:42

Matrix: Water

Date Received: 05/14/15 09:12

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	680			1013.3 mL	1 mL	384632	05/26/15 16:35	RBS	TAL SAV
Total/NA	Analysis	680		1	1013.3 mL	1 mL	385731	06/03/15 01:32	NED	TAL SAV

TestAmerica Savannah

LAB 6/25/15

Lab Chronicle

Client: Solutia Inc.

Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1

SDG: KPM065

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

10

TestAmerica Savannah

LAB 6/25/15

TestAmerica Savannah
5102 LaRoche Avenue

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Savannah, GA 31404
phone 912.354.7858 fax

Regulatory Program: ☐ D4 ☒ NPDES ☐ RCR ☐ Other:

TestAmerica Laboratories, Inc.

Client Contact Golder Associates Inc 820 South Main Street St. Charles, MO 63301 (636) 724-8191 Phone (636) 724-9323 FAX Project Name: 2Q15 PCB GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936		Project Manager: Amanda Derhake Tel/Fax: 636-724-9191 Analysis Turnaround Time ☒ CALENDAR ☐ WORKING TAT if different from Below <u>Standard</u> ☒ 2 ☐ 1 week ☐ 2 days ☐ 1 day		Site Contact: Lori Bindner Lab Contact: Michele Kersey Date: 5/13/15 Carrier: FedEx		COC No: 7 of 2 COCs Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:					
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	Total PCBs by 800	Sample Specific Notes:	
PMA-MW-1S-0515		5/13/15	1014	G	W	2	Y	Y	2		
PMA-MW-1S-0515-MK						2	Y	Y	2		
PMA-MW-1S-0515-MSD						2	Y	Y	2		
PMA-MW-1M-0515			0950			2	Y	Y	2		
PMA-MW-2S-0515			1120			2	Y	Y	2		
PMA-MW-2S-0515-AB			1135			2	Y	Y	2		
PMA-MW-2M-0515			1051			2	Y	Y	2		
PMA-MW-2M-0515-AD						2	Y	Y	2		
PMA-MW-3S-0515			1235			2	Y	Y	2		
PMA-MW-3M-0515			1212			2	Y	Y	2		
PMA-MW-4S-0515			1332			2	Y	Y	2		
PMA-MW-4D-0515			1307			2	Y	Y	2		
Preservation Used: 1= Ice, 2= H2SO4, 3= HNO3, 5= N/A, 6= Other											
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. ☒ Non-Hazard ☐ Flammab ☐ Skin ☐ Poison B ☐ Unknown						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return to Client ☒ Disposal by Lab ☐ Archive for _____ Months					
Special Instructions/QC Requirements & Comments:											
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.: 337193 / 337194 / 337195		Cooler Temp. (°C): Obs'd: _____ Cor'd: _____		Therm ID No.: _____					
Relinquished by: <u>Joni Brummet</u>		Company: <u>Golder</u>		Date/Time: <u>5/13/15</u>		Received by: <u>E. Bamala</u>		Company: <u>SAV</u>		Date/Time: <u>05/14/15 0912</u>	
Relinquished by:		Company:		Date/Time:		Received by: <u>680 112524</u>		Company:		Date/Time:	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by: <u>10/0.8/1.8 (CF) 1.4/1.2/2.2</u>		Company:		Date/Time:	

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

LAB 6/25/15

Chain of Custody Record

THE LEADER IN ENVIRONMENTAL TESTING

Savannah, GA 31404
phone 912.354.7858 fax

Regulatory Program: ☐ DV ☐ NPDES ☒ RCRA ☐ Other:

TestAmerica Laboratories, Inc.

[illegible]

Form No. CA-C-WI-002, Rev. 4.3, dated 12/05/2013

UAB 6/25/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-112524-1

SDG Number: KPM065

Login Number: 112524

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Solutia Inc.
Project/Site: 2Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-112524-1
SDG: KPM065

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200022	11-30-15

At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

Africa	+ 27 11 254 4800
Asia	+ 852 2562 3658
Australasia	+ 61 3 8862 3500
Europe	+ 356 21 42 30 20
North America	+ 1 800 275 3281
South America	+ 55 21 3095 9500

solutions@golder.com
www.golder.com

Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA
Tel: (636) 724-9191
Fax: (636) 724-9323

