

EPA Research Products that Address Leaking UST Issues (Webinar Handout December 6, 2016)

Petroleum Vapor Intrusion

Major References:

Technical Guide For Addressing Petroleum Vapor Intrusion At Leaking Underground Storage Tank Sites (EPA 10-R-15-001) **OUST's PVI Guide**

<https://www2.epa.gov/sites/production/files/2015-06/documents/pvi-guide-final-6-10-15.pdf>

An Approach for Developing Site-Specific Lateral and Vertical Inclusion Zones within which Structures Should be Evaluated for Petroleum Vapor Intrusion due to Releases of Motor Fuel from Underground Storage Tanks (EPA 600/R-13/047)

<https://nepis.epa.gov/Adobe/PDF/P100GBVW.PDF>

An Approach that Uses the Concentrations of Hydrocarbon Compounds in Soil Gas at the Source of Contamination to Evaluate the Potential for Intrusion of Petroleum Vapors into Buildings (PVI) (EPA/600/R-14/318)

<https://nepis.epa.gov/Adobe/PDF/P100N87X.PDF>

Weaver, J. 2016. Petroleum Vapor Intrusion Modeling Assessment with PVIScreen, US EPA, Office of Research and Development. (in preparation)

Supporting Information:

What's the Deal with Methane at LUST Spill Sites? Part 1. John T. Wilson, Mark Toso, Doug Mackay, Nick de Siewes, and George E. DeVaul. LUSTLine Bulletin 71, September 2012, pages 6-8.

http://www.neiwpc.org/lustline/lustline_pdf/lustline_71.pdf

What's the Deal with Methane at LUST Spill Sites? Part 2: Vapor Intrusion. John T. Wilson, Mark Toso, Doug Mackay, Nick de Siewes, and George E. DeVaul. LUSTLine Bulletin 72, February 2013, pages 5-11 and 21.

http://www.neiwpc.org/lustline/lustline_pdf/lustline_72.pdf

A New Screening Method for Methane in Soil Gas Using Existing Groundwater Monitoring Wells. Jewell, K.P. and J.T. Wilson. 2011. *Ground Water Monitoring and Remediation* 31:82-94.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1745-6592.2011.01345.x/pdf>

Weaver, J.W. Assessing Variability in Petroleum Vapor Intrusion. Presented at EPA/OSWER/OUST National Tanks Conference, Phoenix, AZ, September 14, 2015.
<http://www.neiwpsc.org/tanks2015/tanks2015presentations/2-Monday/PVI/Weaver-PVIScreen-rev02.pdf>

Evaluation Of Empirical Data To Support Soil Vapor Intrusion Screening Criteria For Petroleum Hydrocarbon Compounds. (EPA 510-R-13-001) January 2013
https://www.epa.gov/sites/production/files/2014-09/documents/pvi_database_report.pdf

3-D Modeling of Aerobic Biodegradation of Petroleum Vapors: Effect of Building Area Size on Oxygen Concentration Below the Slab. (510-R-13-002) . July 2013
<https://www.epa.gov/ust/3-d-modeling-aerobic-biodegradation-petroleum-vapors-effect-building-area-size-oxygen>

Comparison of Geoprobe PRT and AMS GVP Soil-Gas Sampling Systems With Dedicated Vapor Probes in Sandy Soils at the Raymark Superfund Site (EPA/600/R-06/111) November 2006
<https://nepis.epa.gov/Adobe/PDF/6000077T.PDF>

Assessment of Vapor Intrusion in Homes Near the Raymark Superfund Site Using Basement and Sub-Slab Air Samples (EPA/600/R-05/147) March 2006
<https://nepis.epa.gov/Adobe/PDF/2000D268.PDF>

EPA. 2014. Vapor Intrusion Screening Level (VISL) Calculator: User's Guide. Office of Solid Waste and Emergency Response.
<http://www.epa.gov/oswer/vaporintrusion/documents/VISL-UsersGuide.pdf>

EPA. 2014. Vapor Intrusion Screening Level (VISL) Calculator. Office of Solid Waste and Emergency Response. (MS Excel Spreadsheet)
<http://www.epa.gov/oswer/vaporintrusion/documents/VISL-Calculator.xlsm>

Monitored Natural Attenuation

Major References:

Use of Monitored Natural Attenuation at Superfund, RCRA Corrective Action, and Underground Storage Tank Sites. (OSWER Directive 9200.4.17P) April, 1999
<https://www2.epa.gov/sites/production/files/2014-02/documents/d9200.4-17.pdf>

Monitored Natural Attenuation of MTBE as a Risk Management Option at Leaking Underground Storage Tank Sites (89 pp, 4.85 MB) (EPA/600/R-04/179) January 2005
<https://nepis.epa.gov/Adobe/PDF/20017I6R.PDF>

Monitored Natural Attenuation of Petroleum Hydrocarbons (3 pp, 80 KB) (EPA/600/F-98/021) May 1999

<https://nepis.epa.gov/Adobe/PDF/30002379.PDF>

Performance Monitoring of MNA Remedies for VOCs in Ground Water (EPA/600/R-04/027) April 2004 <https://nepis.epa.gov/Adobe/PDF/10004FKY.PDF>

Implications of Subsurface Heterogeneity at a Potential Monitored Natural Attenuation Site. (2001). Hurt, K., F. P. Beck, and J. T. Wilson. *Ground Water Monitoring and Remediation*, 21(3): 59-63.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1745-6592.2001.tb00746.x/epdf>

An Approach for Evaluating the Progress of Natural Attenuation in Groundwater (EPA/600/R-11/204) December 2011

<https://nepis.epa.gov/Adobe/PDF/P100DPOE.PDF>

Natural Attenuation of MTBE in the Subsurface Under Methanogenic Conditions (59 pp, 1.53 MB) (EPA/600/R-00/006) January 2000

<https://nepis.epa.gov/Adobe/PDF/P1000O9U.PDF>

Monitored Natural Attenuation (Chapter IX in *How To Evaluate Alternative Cleanup Technologies For Underground Storage Tank Sites: A Guide For Corrective Action Plan Reviewers* (EPA 510-B-94-003; EPA 510-B-95-007; and EPA 510-R-04-002)

https://www2.epa.gov/sites/production/files/2014-03/documents/tum_ch9.pdf

Monitored Natural Attenuation of MTBE as a Risk Management Option at Leaking Underground Storage Tank Sites (EPA 600/R-04/179). January 2005.

<https://nepis.epa.gov/Adobe/PDF/20017I6R.PDF>

Impact of Ethanol on the Natural Attenuation of MTBE in a Normally Sulfate-Reducing Aquifer, Doug Mackay, Nick de Sieyes, Murray Einarson, Kevin Feris, Alex Pappas, Isaac Wood, Lisa Jacobson, Larry Justice, Mark Noske, John Wilson, Cherri Adair, and Kate Scow. 2007. *Environmental Science & Technology*. 41(6): 2015 – 2021.

<http://pubs.acs.org/doi/pdf/10.1021/es062156g>

Impact of Ethanol on the Natural Attenuation of Benzene, Toluene, and o-Xylene in a Normally Sulfate-Reducing Aquifer. Douglas M. Mackay, Nicholas R. de Sieyes, Murray D. Einarson, Kevin P. Feris, Alexander A. Pappas, Isaac A. Wood, Lisa Jacobson, Larry G. Justice, Mark N. Noske, Kate M. Scow, and John T. Wilson. 2006. *Environmental Science & Technology* 40 (19), 6123 -6130.

<http://pubs.acs.org/doi/pdf/10.1021/es060505a>

Natural Attenuation of the Lead Scavengers 1,2-Dibromoethane (EDB) and 1,2-Dichloroethane (1,2-DCA) at Motor Fuel Release Sites and Implications for Risk Management (EPA 600/R-08/107). 2008.

<https://nepis.epa.gov/Adobe/PDF/P1002UTI.PDF>

Supporting Information:

Role of Natural Attenuation in the Life Cycle of MTBE Plumes. (2002). Wilson, John T., and Ravi Kolhatkar. Journal of Environmental Engineering, (9):876-882.

[http://ascelibrary.org/doi/pdf/10.1061/\(ASCE\)0733-9372\(2002\)128:9\(876\)](http://ascelibrary.org/doi/pdf/10.1061/(ASCE)0733-9372(2002)128:9(876))

Site Characterization to Support Use of Monitored Natural Attenuation for Remediation of Inorganic Contaminants in Ground Water (EPA 600/R-08-114). November 2008.

<https://nepis.epa.gov/Adobe/PDF/P1002X3C.PDF>

Calculation and Use of First-Order Rate Constants for Monitored Natural Attenuation Studies (28 pp, 752 KB) (EPA/540/S-02/500) November 2002

<https://nepis.epa.gov/Adobe/PDF/10004674.PDF>

Microbial Processes Affecting Monitored Natural Attenuation of Contaminants in the Subsurface (18 pp, 152 KB) (EPA/540/S-99/001) September 1999

<https://nepis.epa.gov/Adobe/PDF/10002E30.PDF>

Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water (248 pp, 2.5 MB) (EPA/600/R-98/128) September 1998

<https://nepis.epa.gov/Adobe/PDF/30003ONO.PDF>

Groundwater Withdrawals and Aquifer Vulnerability

Weaver, J., A. Murray, F. Kremer, K. Blackwood, and A. McElmurry. GIS Analysis of Private Domestic Wells and Aquifer Vulnerability. EPA/OSWER/OUST National Tanks Conference, Phoenix, AZ, September 14, 2015.

<http://www.neiwpc.org/tanks2015/tanks2015presentations/2-Monday/Using%20GIS%20Tools/Weaver-GIS-rev01.pdf>

Kremer, F., J. Weaver, A. Murray, S. Arfman, and B. Dyson. Use of Innovative GIS Approaches and Structured Decision Making in Managing Ground Water Contamination. EPA/OSWER/OUST National Tanks Conference, Phoenix, AZ, September 14, 2015.

http://www.neiwpc.org/tanks2015/tanks2015presentations/1-Sunday/Use%20of%20Innovative%20GIS/GIS_Kremer_Weaver_Dyson_Murray.pdf

Earle, R. C., J. T. Wilson, F. Kremer, and J. W. Weaver. 2011. GIS Analysis to Assess where Shallow Ground Water Supplies in the United States are Vulnerable to Contamination by Releases of Motor Fuel from Underground Storage Tanks. U.S. Environmental Protection Agency, Washington, DC, (EPA/600/R-11/108).

<https://nepis.epa.gov/Adobe/PDF/P100DF00.PDF>

Kremer, F., J. Wilson, J. Weaver. 2011. The Growing Vulnerability of Groundwater: How Do UST Systems Factor in to a Changing Water Dynamic? LUSTLine, New England Interstate Water Pollution Control Commission, 67, 1-3.

http://www.neiwpc.org/lustline/lustline_pdf/lustline_67.pdf

Modeling

Weaver, J.W., J. M. Ferguson, M. C. Small, B. Mukherjee, F. D Tillman, 2011, Statistical Accounting for Uncertainty in Modeling Transport in Environmental Systems , in Practical Applications of Environmental Statistics and Data Analysis, Yue Rong ed., ILM publications, St Albans, UK, 163 - 194

Abstract: https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=226204

The Hydrocarbon Spill Screening Model (HSSM) Weaver, J.W., R.J. Charbeneau, J.D. Tauxe, B.K. Lien, and J.B. Provost, 1994, The Hydrocarbon Spill Screening Model (HSSM) Volume 1: User's Guide, US EPA, EPA/600/R-94/039a.

<https://nepis.epa.gov/Adobe/PDF/2000U060.PDF>

Uncertainty and the Johnson-Ettinger Model for Vapor Intrusion Calculations. (EPA/600/R-05/110) September 2005

<https://nepis.epa.gov/Adobe/PDF/P1000BEM.PDF>

Weaver, J. 2015. Petroleum Vapor Intrusion Modeling Assessment with PVIScreen, US EPA, Office of Research and Development. (in preparation)

On-Site: the On-line Site Assessment Tool.

<https://archive.epa.gov/athens/archive-athens/web/html/index-7.html>

BIOSCREEN: Natural Attenuation Decision Support System User's Manual Version 1.3 (EPA/600/R-96/087) US EPA, August 1996.

<https://nepis.epa.gov/Adobe/PDF/P1007K50.PDF>

Fuel Composition (including Lead Scavengers and MTBE Alternatives)

Major References:

Weaver, J.W., L. R. Exum, and L.M. Prieto, 2010, Gasoline Composition Regulations Affecting LUST Sites, United States Environmental Protection Agency, Washington, DC, 20460, EPA 600/R-10/001. <https://nepis.epa.gov/Adobe/PDF/P1007JS2.PDF>

Weaver, J.W., L. Jordan, and D.B. Hall, 2005, Predicted Ground Water, Soil and Soil Gas Impacts from US Gasolines, 2004 First Analysis of the Autumnal Data, U.S. Environmental Protection Agency, Washington, DC, EPA 600/R-05/032. <https://nepis.epa.gov/Adobe/PDF/2000D1O2.PDF>

Weaver, J.W., S.A. Skaggs, D.L. Spidle, G.C. Stone, 2009, Composition and Behavior of Fuel Ethanol, United States Environmental Protection Agency, Washington, DC, 20460, EPA 600/R-09/037. <https://nepis.epa.gov/Adobe/PDF/P1003ZO5.PDF>

Weaver, J.W. and D. Spidle, 2012, Lead scavengers still persist in old product, L.U.S.T. Line, New England Interstate Water Pollution Control Commission, Bulletin 69, pp.19-20. http://www.neiwpc.org/lustline/lustline_pdf/lustline_69.pdf

Supporting Information:

Weaver, J. W. and D. L. Spidle. Ferreting Out the Identity of Gasoline Additives. 2010. LUSTLine, New England Interstate Water Pollution Control Commission, Bulletin 66, pp.12-13. http://www.neiwpc.org/lustline/lustline_pdf/lustline_66.pdf

Biofuel Ethanol Transport Risk: Science Brief (EPA/600/F-11/011) 2011 <https://nepis.epa.gov/Adobe/PDF/P100E4QX.PDF>

Diving Plumes

Weaver, J.W. and J.T. Wilson. 2000. Diving Plumes and Vertical Migration at Petroleum Release Sites, L.U.S.T.Line, New England Interstate Water Pollution Control Commission, 36, 12-15. <https://clu-in.org/download/contaminantfocus/mtbe/EPA-Plume-Dive-LL36DvPlm.pdf>

Wilson, J.T., R.R. Ross, and S. Acree. 2005. "Using Direct-Push Tools to Map Hydrostratigraphy and Predict MTBE Plume Diving" Ground Water Monitoring and Remediation. 25(3): 93-102. <https://archive.epa.gov/oust/mtbe-a/web/pdf/direct-push-mtbe-plume.pdf>

MTBE Diving Plumes

https://archive.epa.gov/ada/web/pdf/research_22.pdf

On-Site: the On-line Site Assessment Tool.

<https://archive.epa.gov/athens/archive-athens/web/html/index-7.html>