Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

South Portal, Frank No. 1 Mine AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I	Site Identification, Location and Status
Site Names an	nd ID numbers as applicable
Mine ID:	106
Map ID:	N216
CERCLIS:	NNN000908851
Navajo Aban	doned Mine Land Reclamation Program: NA-0316
Local name /	Aliases: 4B Mine
Chapter and	local area: Cove Chapter
County: Apa	ache State: Arizona
Lat/Long: 36	5.5304430903 N / -109.254565506 W
Nearby road	and highway: Indian Route 33 Local Post Office: Cove, AZ
Surface Land below	Status: check one or more and provide ownership and contact information
Tribal Trust I Private Bureau of La State	Tribal Fee Land
Subsurface M	lineral Rights:
No informatio	n on subsurface mineral rights ownership was found in the EPA/AUM Database.
Claim and op	perator information:
the operator of	surface land status is classified as Tribal Trust Land. Historical documents showed the mine as Frank Nacheenbetah from 1951 to 1957, and Climax Uranium from No other historical ownership / lease information was identified in the EPA/AUM
Number of re	esidential structures within 200 feet of mine: None
Estimated vol	lume of mine waste onsite:
$2,430 \text{ yd}^3$	

Part II Summary of radiological readings

Highest gamma radiation measurement:

266,797 counts per minute (cpm)

Describe any other radiological measurements:

A total of 5,076 gamma radiation measurements were collected from the mine site, ranging from 10,583 cpm to 266,797 cpm. Measurements in the vicinity of the waste debris piles were found at levels of approximately145,000 cpm, 70,000 cpm, and 175,000 cpm, and downstream of the piles at approximately 60,000 cpm. The measurements are represented in Figures 1 and 2.


Background Locations

Average background = 9,717 cpm

#1 10,179 cpm #2 9,255 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 5076

 Minimum:
 10583,00000

 Maximum:
 266797,00000

 Sum:
 285861964,00000

 Mean:
 56316,38377

 Median:
 32767,50000

 Standard Deviation:
 51910,71907

Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: Yes

NAMLRP Project Number: NA-0316

NAMLRP Mine features: 7 Portals, 1 Rim Strip / Pit

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed	reclan	nation	work	and	status:

Adits

None

Waste Piles

3 waste piles: two large 100' x 100', 50' x 50'; one of average size 25' x 25'; with a total estimated volume of $2,430 \text{ yd}^3$

Pits

None

Shafts

None

Other Debris and Mine Features

None

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

South Portal, Frank No. 1 mine consists of an area of 48,915.89 m². The mine was identified as being operational from 1951 to 1967. Historical documents showed the operator of the mine as Frank Nacheenbetah from 1951 to 1957, and Climax Uranium from 1957 to 1967. While operational, the mine had a total reported production volume of 75,739 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): South Portal, Frank No. 1 Chapter: Cove

Decision Criteria

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? No

Is the cap/seal functionally intact? None

Is the cap/seal sufficiently degraded to create a concern about releases? None

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

3 unreclaimed waste piles

Part VI Photos



Photo 1. Mine site



Photo 2. Mine site cliff overhang



Photo 3. Drainage



Photo 4. Drainage




Photo 5. Cliff Area



Photo 6. Cliff area



Photo 7. Large waste pile







Photo 9. Cliff and waste pile

Part VII **Contacts Reports and Information**


Name:	<u>Stanley Edison</u> (928) 871-6861				
	Eugene Esplain (928) 871-7331				
Title or of	fficial role (if any) Navajo EPA Superfund Program				
Address_	PO Box 2946, Window Rock, AZ 86515				
Information	on provided Lead Regulatory Agency				
Name					
Title or of	fficial role (if any)				
Address_					
Telephone number					
Information	Information provided				
Name					
Title or of	fficial role (if any)	_			
Telephone number					
Information provided					
Name					
Title or o	fficial role (if any)	_			
Telephone	e number	_			
Information	on provided				

Figure 1 - Gamma Radiation Measurements, Above Two Times Background South Portal, Frank No. 1 Mine (106) Cove Chapter, Navajo Nation, Arizona



Average background = 9,717 cpm

Figure 2 - Gamma Radiation Measurements South Portal, Frank No. 1 Mine (106) Cove Chapter, Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000



Observed Waste Pile



Inaccessible due to steep grades
General Direction Down-Slope



Contra Direction Down Cit



Mine Claim Boundaries

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 9,717 cpm

