Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

John John 1 AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I Site Identification, Location and Status

Site Names and ID numbers as applicable

Mine ID: 270, 272, 442

Map ID: #270 - N77

#272 - N78 #442 - N79

CERCLIS: NNN000908869

Navajo Abandoned Mine Land Reclamation Program: #270 – NA-0418

#272 – NA-0418

#442 - None

Local name / Aliases: John John No. 1; John John #1; MP-334

Chapter and local area: #270 – Beclabito Chapter

#272 – Beclabito Chapter #442 – Beclabito Chapter

County: San Juan **State:** New Mexico

Lat/Long: #270 - 36.7969696198 N / -109.044727128 W

#272 - 36.7961839086 N / -109.043505716 W #442 - 36.7423022205 N / -109.276833456 W

Nearby road and highway: Indian Route 63 Local Post Office: Beclabito, NM

Surface Land Status: check one or more and provide ownership and contact information below

Tribal Trust Land	Public lands	
Private	Tribal Fee Land	
Bureau of Land Mgmt	Allotment	
State	Fee land	

Subsurface Mineral Rights:

No information on subsurface mineral rights ownership was found in the EPA/AUM Database.

Claim and operator information:

The mine site surface land status is classified as Tribal Trust Land. Historical documents showed the operator of the mine as John John in 1955. No other historical ownership / lease information was identified in the EPA/AUM database.

Number of residential structures within 200 feet of mine: None

Estimated volume of mine waste onsite:

#270 – 926 yd³ #272 – 1,042 yd³ #442 – 208 yd³

Part II Summary of radiological readings

Mine ID # 270

Highest gamma radiation measurement:

16,653 counts per minute (cpm)

Describe any other radiological measurements:

A total of 687 gamma radiation measurements were collected from the mine site, ranging from 6,804 cpm to 16,653 cpm. Measurements collected at the waste piles ranged from approximately 12,000 cpm to 17,000 cpm. The measurements are represented in Figures 2 and 3.


Background Locations

Average background = 6,910 cpm

#1 6,910 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 687

 Minimum:
 6804,00000

 Maximum:
 16653,00000

 Sum:
 6902674,00000

 Mean:
 10047,56041

 Median:
 9720,00000

 Standard Deviation:
 1829,79173

Highest gamma radiation measurement:

110,917 counts per minute (cpm)

Describe any other radiological measurements:

A total of 660 gamma radiation measurements were collected from the mine site, ranging from 6,450 cpm to 110,917 cpm. Measurements collected at the entrance to the adit were found at levels above 100,000 cpm, and at the adit waste pile at 70,000 cpm. The measurements are represented in Figures 4 and 5.


Background Locations

Average background = 6,732 cpm

#1 6,732 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 660

 Minimum:
 6450,00000

 Maximum:
 110917,00000

 Sum:
 8444500,00000

 Mean:
 12794,69697

 Median:
 9351,50000

 Standard Deviation:
 10663,62520

Highest gamma radiation measurement:

153,631 counts per minute (cpm)

Describe any other radiological measurements:

A total of 1,642 gamma radiation measurements were collected from the mine site, ranging from 5,388 cpm to 153,631 cpm. Measurements collected at the waste piles ranged from approximately 35,000 cpm to 150,000 cpm. The measurements are represented in Figures 6 and 7.


Background Locations

Average background = 6,056 cpm

#1 6,056 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 1642

 Minimum:
 5388,00000

 Maximum:
 153631,00000

 Sum:
 16045654,00000

 Mean:
 9772,01827

 Median:
 8148,50000

 Standard Deviation:
 9655,68668

Part III Status of Reclamation and Mine Waste

Mine ID #270

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: No

NAMLRP Project Number: NA-0418

NAMLRP Mine features: 1 Portal

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed	recl	lamation	work	and	ctatuc.
vinsei veu		141114111011	WULK	41111	3141113.

Adits

None

Waste Piles

Debris in paths with elevated radiation, 100' x 50', with a total estimated volume of 926 yd³

Pits

None

Shafts

None

Other Debris and Mine Features

None

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: Yes Waste Pile onsite: No

NAMLRP Project Number: NA-0413

NAMLRP Mine features: 2 Prospects

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed reclamation work and status:

Adits

Sealed adit in cliff wall, approximately 8-ft wide by 6-ft high

Waste Piles

Waste pile near adit, assorted smaller waste rock, 75' x 75', with a total estimated volume of 1,042 yd³

Pits

None

Shafts

None

Other Debris and Mine Features

None

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: None Waste Pile onsite: No

NAMLRP Project Number: None

NAMLRP Mine features: 1 Rim Strip / Pit

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

(Observed	reclan	ation	work	and	ctatus
•	msei veu	TECIAII	IALIOII	WUIK	anu	SIALIS

Adits

None

Waste Piles

Waste piles wash down into drainage, typically small, $15' \times 15' \times (x5)$, with a total estimated volume of 208 yd³

Pits

None

Shafts

None

Other Debris and Mine Features

None

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s): None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

John John 1 consists of 3 mine sites with a total area of $19,070.63 \text{ m}^2 \text{ (#270} - 2,627.70 \text{ m}^2, #272 - 4,776.41 \text{ m}^2,#442 - 11,666.52 \text{ m}^2)$. The mine was identified as being operational in 1955. Historical documents showed the operator of the mine as John John in 1955. While operational, the mine had a total reported production volume of 25 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): John John 1 **Chapter:** Beclabito

Decision Criteria

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? Yes

Is the cap/seal functionally intact? Yes

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

Waste piles found at each site

Part VI Photos



Photo 1. Mine site #270 waste debris



Photo 2. Mine site #271 sealed adit and waste debris



Photo 3. Mine site #271



Photo 4. Mine site #442



Photo 5. Mine site #442




Photo 6. Photo 4. Mine site #442 waste debris



Part VII Contacts Reports and Information

Name: <u>Stanley Edison (928) 871-6861</u>	
Eugene Esplain (928) 871-7331	
Title or official role (if any) Navajo EPA Superfund Program	
Address PO Box 2946, Window Rock, AZ 86515	
Information provided <u>Lead Regulatory Agency</u>	
Name	
Title or official role (if any)	
Address	
Telephone number	
Information provided	
Name	
Title or official role (if any)	
Telephone number	
Information provided	
Name	
Title or official role (if any)	
Telephone number	
Information provided	

Figure 1 - Gamma Radiation Measurements John John 1 Mines (270, 272, 442) Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000
- → General Direction Down-Slope
- Mine Claim Boundaries

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)



Figure 2 - Gamma Radiation Measurements, Above Two Times Background John John 1 (270) Beclabito Chapter, Navajo Nation, Arizona




Figure 3 - Gamma Radiation Measurements John John 1 (270) Beclabito Chapter, Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000




Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background 6,910 cpm



Figure 4 - Gamma Radiation Measurements, Above Two Times Background John John 1 (272) Beclabito Chapter, Navajo Nation, Arizona



- < 2X Backgound</p>
- > 2X Background


Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 6,910 cpm





Figure 5 - Gamma Radiation Measurements John John 1 (272) Beclabito Chapter, Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000




Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background 6,910 cpm



Figure 6 - Gamma Radiation Measurements, Above Two Times Background John John 1 (442) Beclabito Chapter, Navajo Nation, Arizona



Gamma Radiation Measurements

- < 2X Backgound</p>
- > 2X Background


Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 6,056 cpm





Figure 7 - Gamma Radiation Measurements John John 1 (442) Beclabito Chapter, Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- **2**0,000 50,000
- 50,000 100,000
- > 100,000



Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background 6,056 cpm

