Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

Mesa IV, East Side AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

March 2010

Part I	Site Identification, Location	and Status	
Site Names a	nd ID numbers as applicable		
Mine ID:	416		
Map ID:	N232		
CERCLIS:	NNN000908883		
Navajo Aban	doned Mine Land Reclamatio	on Program: None	
Local name /	Aliases: None		
Chapter and	local area: Cove Chapter		
County: Apa	ache State:	Arizona	
Lat/Long: 36	6.5184266265 N / -109.252442	723 W	
Nearby road	and highway: Indian Route 3	3 Local Post Office:	Cove, AZ
Surface Land below	d Status: check one or more a	nd provide ownership an	d contact information
Tribal Trust Private Bureau of La State	and Mgmt	Public lands Tribal Fee Land Allotment Fee land	
Subsurface M	Aineral Rights:		
No informatio	on on subsurface mineral rights	ownership was found in th	ne EPA/AUM Database.
Claim and op	perator information:		
	surface land status is classified ation was identified in the EPA		other historical ownership
Number of re	esidential structures within 20	00 feet of mine:	
None			
Estimated vo	lume of mine waste onsite:		
$2,847 \text{ yd}^3$			

Part II Summary of radiological readings

Highest gamma radiation measurement:

119,566 counts per minute (cpm)

Describe any other radiological measurements:

A total of 2,275 gamma radiation measurements were collected from the mine site, ranging from 6,520 cpm to 119,566 cpm. Measurements in the vicinity of the western waste debris pile were found at levels above 20,000 cpm, and at the northern pile above 100,000 cpm. The measurements are represented in Figures 1 and 2.


Background Locations

Average background = 9,718 cpm

#1 8,656 cpm #2 9,347 cpm #3 11,150 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



 Count:
 2275

 Minimum:
 6520,00000

 Maximum:
 119566,00000

 Sum:
 28747015,00000

 Mean:
 12636,05055

 Median:
 10637,00000

 Standard Deviation:
 8483,47349

Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed: No Waste Pile onsite: Yes

NAMLRP Project Number: None

NAMLRP Mine features: 1 Rim Strip / Pit

The following information was obtained from field observations collected during the 2009 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

\mathbf{O}	bserved	reclan	nation	work	and	ctatus	
\ //	DSELVEU	Teciai	HALIOH	WUIK	anu	SIALLS	٠.

Adits

None

Waste Piles

Small pile to the west 15' x 25'; larger pile to the north 300' x 50'; waste pile in northern portion of site debris extends south through site, steep cliff to the east, with a total estimated volume of 2.847 yd^3

Pits

None

Shafts

None

Other Debris and Mine Features

None

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None observed

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

Mesa IV, East Mine consists of an area of 24,874.47 m². The mine was not identified as ever being operational. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): Mesa IV, East Mine **Chapter:** Cove

Decision Criteria

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? None

Is the cap/seal functionally intact? None

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

2 unreclaimed waste piles

Part VI Photos



Photo 1. Mine site



Photo 2. Mine site up slope






Photo 4. Mine site cliff area


Name:

Part VII Contacts Reports and Information

Stanley Edison (928) 871-6861

Eugene Esplain (928) 871-7331					
Title or official role (if any) Navajo EPA Superfund Program					
Address PO Box 2946, Window Rock, AZ 86515					
Information provided <u>Lead Regulatory Agency</u>					
Name					
Title or official role (if any)					
Address					
Telephone number					
Information provided					
Name					
Title or official role (if any)					
Telephone number					
Information provided					
Name					
Title or official role (if any)					

Figure 1 - Gamma Radiation Measurements, Above Two Times Background
Mesa IV East Side (416)
Cove Chapter, Navajo Nation, Arizona



Gamma Radiation Measurements

- < 2X Backgound</p>
- > 2X Background

Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 9,718 cpm



Observed Waste Pile




General Direction Down-Slope



Mine Claim Boundaries



Figure 2 - Gamma Radiation Measurements Mesa IV East Side (416) Cove Chapter, Navajo Nation, Arizona



Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- **15,000 20,000**
- **2**0,000 50,000
- 50,000 100,000
- > 100,000



→ General Direction Down-Slope



Gamma survey conducted 10/2009 Measured as counts per minute (cpm)

Average background = 9,718 cpm

