Navajo Abandoned Uranium Mine

Site Screen Report

This form is for use at the site of abandoned uranium mines (AUM) located on Navajo Nation lands. Applicable sites include all mine and mine features that have or have not undergone reclamation by the Navajo Abandoned Mine Lands Reclamation Program, including features, adits, pits and waste piles. Applicable sites also include all AUM sites listed in the USEPA CERCLIS database, all sites listed in the 2008 AUM GIS Report issued by USACOE and USEPA, all AUM sites on allotment lands associated with the Navajo Nation, and any and all AUM sites not listed in any database located on Navajo lands. Reconnaissance of any sites located on lands adjacent to Navajo lands that may be impacting Navajo lands will need to be coordinated with the authorities appropriate to those lands.

The purpose of the form is to ascertain the status and location of the identified AUM site, and record all immediate site information associated with the mine site. Decisions and recommendations on what additional steps are needed will be provided on a separate document.

John Lee Benally AUM Site

Navajo AUM Northern Region

Prepared by:

Weston Solutions, Inc.

Contract: W91238-06-F-0083

12767.063.496.1111

August 2010

Part I Site Identification, Location and Status

Site Names and ID numbers as applicable

Mine ID: 448

Map ID: N7

CERCLIS: NNN000909018

Navajo Abandoned Mine Land Reclamation Program: None

Local name / Aliases: None

Chapter and local area: Red Mesa Chapter

County: Apache State: Arizona

Lat/Long: 36.89219499 N / -109.466730235 W

Nearby road and highway: Highway 160

Local Post Office: Sweetwater

Surface Land Status: check one or more and provide ownership and contact information below

Tribal Trust Land	\bowtie	Public lands	
Private		Tribal Fee Land	
Bureau of Land Mgmt		Allotment	
State		Fee land	

Subsurface Mineral Rights:

No information on subsurface mineral rights ownership was found in the EPA/AUM Database.

Claim and operator information:

The mine site surface land status is classified as Tribal Trust Land. Historical documents showed the operator of the mine as Cyprus Foote Mineral Co. (VCA) in 1963. No other historical ownership / lease information was identified in the EPA/AUM database.

Number of residential structures within 200 feet of mine: None

Estimated volume of mine waste onsite: $5,560 \text{ yd}^3$

Part II Summary of radiological readings

Highest gamma radiation measurement:

61,474 counts per minute (cpm)

Describe any other radiological measurements:

A total of 1,598 gamma radiation measurements were collected from the mine site, ranging from 6,490 cpm to 61,474 cpm. Measurements collected in the vicinity of the waste debris slide area were found at levels up to approximately 60,000 cpm, and in the drainage below the slide at levels up to approximately 15,000 cpm. The measurements are represented in Figures 1 and 2.


Background Locations

Average background = 9,640 cpm

#1 9,640 cpm

Distribution Chart and Statistics:

The following chart and statistics were generated by ESRI ArcGIS 9.3.1, and show the general distribution of the site gamma radiation measurements. The horizontal X axis represents the gamma radiation reading levels in cpm (lowest levels to the left). The vertical Y axis represents the frequency of each gamma radiation level.



Count:	1598
Minimum:	6490.00000
Maximum:	61474.00000
Sum:	20464502.00000
Mean:	12806.32165
Median:	10427.50000
Standard Deviation:	6260.32251

Part III Status of Reclamation and Mine Waste

The following information was obtained from the Navajo Abandoned Mine Land Reclamation Program (NAMLRP) Point Features Database:

NAMLRP Status of the mine site: Reclaimed : No Waste Pile onsite : No

NAMLRP Project Number: None

NAMLRP Mine features: 1 Portal

The following information was obtained from field observations collected during the 2010 site screening:

Provide description and status of all mine sites and features at site. Include all waste piles, adits, pits and other features, and indicate whether they are open, closed, covered, capped, buried or unreclaimed. Indicate approximate size, shape and extent, including description of any reclamation caps. Note condition of all caps.

Observed reclamation work and status:

Adits None

Waste Piles 2 large slide areas (could be natural) 200' x 75' x 5' each

Pits None

Shafts None

TONE

Other Debris and Mine Features None

Part IV

Site observations and Environs

Observed Structures: list number of and describe human habitation status of structures at the following distances from mine:

0 to 200 feet: None

200 feet to 0.25 mile: None

Observed Public or commercial structure: list and describe all schools, clinics, Chapter Houses, places of business and any other structure used by members of the community at the following distances:

0 to 200 feet: None

200 feet to 0.25 mile: None

Levels measured around the perimeter(s) of the identified structure(s):

None

Observed water sources: list the number and type of wells and surface water sources that are potentially used for human consumption at the following distances from the mine:

0 to 0.25 miles: None

0.25 miles to 4 miles: None

Sensitive environments: note and describe all sensitive environments located within visible range of the mine site, including: wetlands, endangered species, habitats and approximate locations of sites that may be under protection of the government of the Navajo Nation.

None

Known Site History: include information from interviews with Chapter officials and residents. Note information on mine ownership, type of mining operation, period of operation, known amount of production, and any other information as provided.

John Lee Benally mine consists of an area 17,236.69 m². The mine was identified as being operational in 1963. Historical documents showed the operator of the mine as Cyprus Foote Mineral Co. (VCA) in 1963. While operational, the mine had a total reported production volume of 37 tons. No other historical information or any additional ownership / lease information was identified in the EPA/AUM database.

Part V Response Action Summary

Site Name(s): John Lee Benally Chapter: Red Mesa

Decision Criteria

Is there an unreclaimed waste pile at the site? Yes

At what distance from the waste pile is the nearest residential structure located? None

At what distances from the waste pile are there potential drinking water sources? None

Is there a reclamation cap or sealed adit in place at the site? No

Is the cap/seal functionally intact? No

Is the cap/seal sufficiently degraded to create a concern about releases? No

At what distance from the cap/seal is the nearest domestic structure located? None

At what distance from the cap/seal is the nearest domestic drinking water source? None

Summary of emergency response factors

None

Summary hazard ranking system factors

None

Summary of reclamation factors

Possible unreclaimed waste rock

Part VI Photos



Photo 1. John Lee Benally site



Photo 2. John Lee Benally site, possible waste rock



Photo 3. John Lee Benally site, drainage

U.S. Environmental Protection Agency Region IX, San Francisco

Part VII Contacts Reports and Information

Name: <u>Stanley Edison (928) 871-6861</u>


Eugene Esplain (928) 871-7331

Title or official role (if any) Navajo EPA Superfund Program

Address____PO Box 2946, Window Rock, AZ 86515

Information provided <u>Lead Regulatory Agency</u>

Name			
Title or official role (if any)			
Telephone number			
Information provided			
Name			
Title or official role (if any)			
Telephone number			
Information provided			
Name			
Title or official role (if any)			
Telephone number			
Information provided			



Gamma Radiation Measurements

- < 2X Backgound
- > 2X Background

Gamma survey conducted 06/2010 Measured as counts per minute (cpm)

Average background = 9,640 cpm




Mine Claim Boundaries



Inaccessible due to steep grades

Observed Waste Pile





Legend

Gamma Radiation Measurements

- 0 10,000
- 10,000 15,000
- 15,000 20,000
- 20,000 50,000
- 50,000 100,000
- > 100,000



General Direction Down-Slope



- Inaccessible due to steep grades
- **Observed Waste Pile**

Gamma survey conducted 06/2010 Measured as counts per minute (cpm)

Average background 9,640 cpm

