N-Methylpyrolidone (NMP) (872-50-4) Bibliography: Supplemental File for the TSCA Scope Document

TABLE OF CONTENTS

Peer Reviewed Literature Search Results 2
Fate Literature Search Results 2
On Topic 2
Off Topic 2
Engineering Literature Search Results 64
On Topic 64
Off Topic 65
Exposure Literature Search Results 126
On Topic 126
Off Topic 126
Environmental Hazard Literature Search Results 188
On Topic 188
Off Topic 189
Human Health Hazard Literature Search Results 211
On Topic 211
Off Topic 215
OPPT Risk Assessment, Problem Formulation or Scope Document 238
On Topic 238
Gray Literature Search Results 245

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the "Scope of the Risk Evaluation for N-Methylpyrolidone" may not be reflected in the "OPPT Risk Assessment, Problem Formulation or Scope Document" section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

PEER REVIEWED LITERATURE SEARCH RESULTS

The peer reviewed literature search results include results from comprehensive searches of bibliographic databases. The results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in the *Strategy for Conducting Literature Searches for NMP: Supplemental File for the TSCA Scope Document.*

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

Fate Literature Search Results

On Topic

Aliabadi, M; Ghahremani, H; Izadkhah, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull. 21: 2120-2125.

Aschmann, SM; Atkinson, R. (1999). Atmospheric chemistry of 1-methyl-2-pyrrolidinone. Atmos Environ. 33: 591-599.

Cai, S, hu; Cai, T; Liu, S; Yang, Q; He, J; Chen, L; Hu, J. (2014). Biodegradation of N-Methylpyrrolidone by Paracoccus sp NMD-4 and its degradation pathway. Int Biodeterior Biodegradation. 93: 70-77. http://dx.doi.org/10.1016/j.ibiod.2014.04.022.

Campbell, HL; Striebig, BA. (1999). Evaluation of N-methylpyrrolidone and its oxidative products toxicity utilizing the microtox assay. Environ Sci Technol. 33: 1926-1930.

Chow, ST; Ng, TL. (1983). THE BIODEGRADATION OF N-METHYL-2-PYRROLIDONE IN WATER BY SEWAGE BACTERIA. Water Res. 17: 117-118.

Gomolka, B; Gomolka, E. (1981). THE EFFECT OF N-METHYLPYRROLIDONE (NMP) ON THE ACTION OF ACTIVATED-SLUDGE. Acta Hydrochim Hydrobiol. 9: 555-572.

Shaver, TN. (1984). FATE OF ETHEPHON AND N-METHYL-2-PYRROLIDONE IN SOIL AND COTTON PLANTS. Arch Environ Contam Toxicol. 13: 335-340.

Fate Literature Search Results

Off Topic

Abd El-Aty, DM; El-Din, OIS, if; Hassan, SI; Tawfik, SM; Hanafi, S. (2009). Evaluation of Some Organic Solvents for Refining Diesel Fuel Fraction. Petroleum Science and Technology. 27: 861-873. http://dx.doi.org/10.1080/10916460802096279.

Abdullah, N; Rahman, MA; Othman, MHD; Ismail, AF; Jaafar, J; Aziz, AA, bd. (2016). Preparation and characterization of self-cleaning alumina hollow fiber membrane using the phase inversion and sintering technique. Ceramics International. 42: 12312-12322. http://dx.doi.org/10.1016/j.ceramint.2016.05.003.

Fate Literature Search Results

Off Topic

Aboudzadeh, N; Imani, M; Shokrgozar, MA; Khavandi, A; Javadpour, J; Shafieyan, Y; Farokhi, M. (2010). Fabrication and characterization of poly(D,L-lactide-co-glycolide)/hydroxyapatite nanocomposite scaffolds for bone tissue regeneration. J Biomed Mater Res A. 94: 137-145. http://dx.doi.org/10.1002/jbm.a.32673.

Adams, FV; Mulaba-Bafubiandi, AF. (2016). Synthesis and characterization of polysulphone/clay membrane: effect of natural clay differences. Desalination and Water Treatment. 57: 15772-15781. http://dx.doi.org/10.1080/19443994.2015.1077347.

Aerts, P; Genne, I; Kuypers, S; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-aerosil composite membranes Part 2. The influence of the addition of aerosil on the skin characteristics and membrane properties. J Memb Sci. 178: 1-11.

Aerts, P; Van Hoof, E; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-Aerosil composite membranes - Part 1. The influence of the addition of Aerosil on the formation process and membrane morphology. J Memb Sci. 176: 63-73.

Afzal, AB; Akhtar, MJ; Nadeem, M; Hassan, MM. (2009). Investigation of Structural and Electrical Properties of Polyaniline/Gold Nanocomposites. J Phys Chem C. 113: 17560-17565. http://dx.doi.org/10.1021/jp902725d.

Agarwal, P; Sharma, DK. (2011). Studies on the Desulfurization of Petroleum Coke by Organorefining and Other Chemical and Biochemical Techniques Under Milder Ambient Pressure Conditions. Petroleum Science and Technology. 29: 1482-1493. http://dx.doi.org/10.1080/10916460902839230.

Aguila-Hernandez, J; Gomez-Quintana, R; Murrieta-Guevara, F; Romero-Martinez, A; Trejo, A. (2001). Liquid density of aqueous blended alkanolamines and N-methylpyrrolidone as a function of concentration and temperature. Journal of Chemical and Engineering Data. 46: 861-867.

Aguila-Hernandez, J; Trejo, A; Garcia-Flores, BE; Molnar, R. (2008). Viscometric and volumetric behaviour of binary mixtures of sulfolane and N-methylpyrrolidone with monoethanolamine and diethanolamine in the range 303-373 K. Fluid Phase Equilibria. 267: 172-180. http://dx.doi.org/10.1016/j.fluid.2008.02.023.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2011). Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. Desalination. 278: 318-324. http://dx.doi.org/10.1016/j.desal.2011.05.046.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2016). Impact of membrane pore structure on protein detection sensitivity of affinity-based immunoassay. Polish Journal of Chemical Technology. 18: 97-103. http://dx.doi.org/10.1515/pjct-2016-0035.

Ahmad, AL; Sarif, M; Ismail, S. (2005). Development of an integrally skinned ultrafiltration membrane for wastewater treatment: effect of different formulations of PSf/NMP/PVP on flux and rejection. Desalination. 179: 257-263. http://dx.doi.org/10.1016/j.desal.2004.11.072.

Ahmad, I; Mccarthy, JE; Baranov, A; Gun'ko, YK. (2015). Development of Graphene Nano-Platelet Based Counter Electrodes for Solar Cells. Materials. 8: 5953-5973. http://dx.doi.org/10.3390/ma8095284.

Ahmed, S; Nelson, PA; Gallagher, KG; Dees, DW. (2016). Energy impact of cathode drying and solvent recovery during lithium-ion battery manufacturing. J Power Sources. 322: 169-178. http://dx.doi.org/10.1016/j.jpowsour.2016.04.102.

Ahn, CW, oo; Choi, JJ, in; Ryu, J; Hahn, BD; Kim, JW, oo; Yoon, WH, a; Choi, JH; Park, DS, oo. (2015). Microstructure and electrochemical properties of graphite and C-coated LiFePO4 films fabricated by aerosol deposition method for Li ion battery. Carbon. 82: 135-142. http://dx.doi.org/10.1016/j.carbon.2014.10.043.

Ahn, DK; Song, JJ; Ahn, HJ; Cho, JS; Moon, JT; Park, WW; Sohn, KY. (2013). The effect of Ni on the microstructures and electrochemical properties of Si-Ti base alloys for lithium secondary batteries. J Nanosci Nanotechnol. 13: 3522-3525. http://dx.doi.org/10.1166/jnn.2013.7330.

Ahn, J, inH; Kim, J, aeK; Kim, HS, oo; Kim, E, uiJ; Koo, K, eeK. (2009). Solubility of 1,1-Diamino-2,2-dinitroethylene in N,N-Dimethylformamide, Dimethyl Sulfoxide, and N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 54: 3259-3260. http://dx.doi.org/10.1021/je900235s.

Ahn, T; Kim, J, inWoo; Choi, Y; Yi, M, iHye. (2008). Hybridization of a low-temperature processable polyimide gate insulator for high performance pentacene thin-film transistors. Organic Electronics. 9: 711-720. http://dx.doi.org/10.1016/j.orgel.2008.05.003.

Akesson, B; Carnerup, MA; Jönsson, BA. (2004). Evaluation of exposure biomarkers from percutaneous absorption of N-methyl-2-pyrrolidone. Scand J Work Environ Health. 30: 306-312.

Akesson, B; Jönsson, BA. (2000). Biological monitoring of N-methyl-2-pyrrolidone using 5-hydroxy-N-methyl-2-pyrrolidone in plasma and urine as the biomarker. Scand J Work Environ Health. 26: 213-218.

Akesson, B; Paulsson, K. (1997). Experimental exposure of male volunteers to N-methyl-2-pyrrolidone (NMP): acute effects and pharmacokinetics of NMP in plasma and urine. Occup Environ Med. 54: 236-240.

Akshatha, A; Rajan, JS; Ramachandra, H. (2015). Laboratory Validation of Method of Solvent Extraction for Removal of Sulphur Compounds from Mineral Oil. I E E E Transactions on Dielectrics and Electrical Insulation. 22: 2572-2580. http://dx.doi.org/10.1109/TDEI.2015.005100.

Al Nagar, AM; El Shamy, EA. (2007). Base oil production. Part II: Dewaxing, finishing, and blending. Petroleum Science and Technology. 25: 853-866. http://dx.doi.org/10.1080/10916460500297088.

Alam, R; Mobin, M; Aslam, J. (2016). Investigation of anti-corrosive properties of poly(aniline-co-2-pyridylamine-co-2,3-xylidine) and its nanocomposite poly(aniline-co-2-pyridylamine-co-2,3-xylidine)/ZnO on mild steel in 0.1 M HCl. Appl Surf Sci. 368: 360-367. http://dx.doi.org/10.1016/j.apsusc.2016.02.034.

Alam, R; Mobin, M; Aslam, J. (2016). Polypyrrole/graphene nanosheets/rare earth ions/dodecyl benzene sulfonic acid nanocomposite as a highly effective anticorrosive coating. Surf Coating Tech. 307: 382-391. http://dx.doi.org/10.1016/j.surfcoat.2016.09.010.

Albuquerque, JE; Mattoso, LHC; Balogh, DT; Faria, RM; Masters, JG; Macdiarmid, AG. (2000). A simple method to estimate the oxidation state of polyanilines. Synthetic Metals. 113: 19-22.

Alcalde, R; Aparicio, S; Davila, MJ; Garcia, B; Leal, JM. (2008). Liquid-liquid equilibria of lactam containing binary systems. Fluid Phase Equilibria. 266: 90-100. http://dx.doi.org/10.1016/j.fluid.2008.02.008.

Fate Literature Search Results

Off Topic

Alexie, M; Dumitru, F; Razvan, A; Pasare, L; Guran, C. (2010). New Membranes with Mercapto-2,6-pyridinediamides as Anion Recognition Fixed Sites. Rev Chim. 61: 1197-1201.

Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. Carbon. 46: 2059-2066. http://dx.doi.org/10.1016/j.carbon.2008.08.019.

Alfe, M; Barbella, R; Bruno, A; Minutolo, P; Ciajolo, A. (2005). Solution behaviour of C-60 fullerene in N-Methylpyrrolidinone/toluene mixtures. Carbon. 43: 665-667. http://dx.doi.org/10.1016/j.carbon.2004.10.017.

Ali, A; Ali, K; Kwon, K, iRin; Hyun, MT; Choi, KH. (2014). Electrohydrodynamic atomization approach to graphene/zinc oxide film fabrication for application in electronic devices. Journal of Materials Science: Materials in Electronics. 25: 1097-1104. http://dx.doi.org/10.1007/s10854-013-1693-1.

Ali, A; Jo, J; Yang, YJ, in; Choi, KH. (2014). Direct fabrication of graphene/zinc oxide composite film and its characterizations. Applied Physics A: Materials Science and Processing. 114: 323-330. http://dx.doi.org/10.1007/s00339-013-8136-y.

Alici, B; Koytepe, S; Seckin, T. (2007). Synthesis of piperazine based polyimide in the presence of ionic liquids. Turkish Journal of Chemistry. 31: 569-578.

Aliev, SB; Samsonenko, DG; Rakhmanova, MI; Dybtsev, DN; Fedin, VP. (2014). Syntheses and Structural Characterization of Lithium Carboxylate Frameworks and Guest-Dependent Photoluminescence Study. Cryst Growth Des. 14: 4355-4363. http://dx.doi.org/10.1021/cg500477s.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Liquid-liquid equilibria for n-alkanes (C-12, C-14, C-17,) plus propylbenzene plus NMP mixtures at temperatures between 298 and 328 K. Fluid Phase Equilibria. 231: 163-170. http://dx.doi.org/10.1016/j.fluid.2005.01.012.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Measurement and correlation of phase equilibria for dodecane plus sec-butylbenzene plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 50: 1740-1746. http://dx.doi.org/10.1021/je050191r.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2006). Liquid–liquid equilibria measurements for ternary system of hexadecane + 1,3,5-trimethylbenzene + n -methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 51: 1026-1030. http://dx.doi.org/10.1021/je050513r.

Al-Jimaz, AS; Fandary, MS; Alkhaldi, K; Al-Kandary, JA; Fahim, MA. (2007). Extraction of aromatics from middle distillate using n -methyl-2-pyrrolidone : Experiment, modeling, and optimization. Ind Eng Chem Res. 46: 5686-5696. http://dx.doi.org/10.1021/ie060960f.

Alkhaldi, K; Fandary, MS; Al-Jimaz, AS; Al-Tuwaim, MS; Fahim, MA. (2009). Liquid-liquid equilibria of aromatics removal from middle distillate using NMP. Fluid Phase Equilibria. 286: 190-195. http://dx.doi.org/10.1016/j.fluid.2009.09.002.

Almasudy, AM; You, MP; Barbetti, MJ. (2015). Influence of fungicidal seed treatments and soil type on severity of root disease caused by Rhizoctonia solani AG-8 on wheat. Crop Protection. 75: 40-45. http://dx.doi.org/10.1016/j.cropro.2015.05.007.

Al-Muhareb, E; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of petroleum asphaltenes by size exclusion chromatography, UV-fluorescence and mass spectrometry. Petroleum Science and Technology. 25: 81-91. http://dx.doi.org/10.1080/10916460601054222.

Alonso Tristan, C; Antonio Gonzalez, J; Garcia De La Fuente, I; Carlos Cobos, J. (2013). Thermodynamics of Mixtures Containing a Very Strongly Polar Compound. 10. Liquid-Liquid Equilibria for N,N-Dimethylacetamide plus Selected Alkanes. Journal of Chemical and Engineering Data. 58: 2339-2344. http://dx.doi.org/10.1021/je400487e.

Alsalhy, QF; Ali, JM; Abbas, A, liA; Rashed, A, li; Van Der Bruggen, B; Balta, S. (2013). Enhancement of poly(phenyl sulfone) membranes with ZnO nanoparticles. Desalination and Water Treatment. 51: 6070-6081. http://dx.doi.org/10.1080/19443994.2013.764487.

Alvarez, AG; Martinez-Escandell, M; Molina-Sabio, M; Rodriguez-Reinoso, F. (1999). Pyrolysis of petroleum residues: analysis of semicokes by X-ray diffraction. Carbon. 37: 1627-1632.

Alvarez, P; Granda, M; Sutil, J; Menendez, R; Fernandez, JJ; Vina, JA; Morgan, TJ; Millan, M; Herod, AA; Kandiyoti, R. (2008). Characterization and Pyrolysis Behavior of Novel Anthracene Oil Derivatives. Energy Fuels. 22: 4077-4086. http://dx.doi.org/10.1021/ef800537a.

Alzari, V; Nuvoli, D; Scognamillo, S; Piccinini, M; Gioffredi, E; Malucelli, G; Marceddu, S; Sechi, M; Sanna, V; Mariani, A. (2011). Graphene-containing thermoresponsive nanocomposite hydrogels of poly(N-isopropylacrylamide) prepared by frontal polymerization. J Mater Chem. 21: 8727-8733. http://dx.doi.org/10.1039/c1jm11076d.

Aman-Pommier, F; Degobert, G; Jallut, C. (2016). Solubility of diazepam in water plus tert-butyl alcohol solvent mixtures: Part 1. Experimental data and thermodynamic analysis. Fluid Phase Equilibria. 408: 284-298. http://dx.doi.org/10.1016/j.fluid.2015.10.024.

Amarnath, CA; Hong, CE, ui; Kim, N, amH; Ku, B, onC; Kuila, T; Lee, JH, ee. (2011). Efficient synthesis of graphene sheets using pyrrole as a reducing agent. Carbon. 49: 3497-3502. http://dx.doi.org/10.1016/j.carbon.2011.04.048.

Amirilargani, M; Mohammadi, T. (2009). Effects of PEG on Morphology and Permeation Properties of Polyethersulfone Membranes. Separation Science and Technology. 44: 3854-3875. http://dx.doi.org/10.1080/01496390903182347.

Amirilargani, M; Saljoughi, E; Mohammadi, T. (2009). Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. Desalination. 249: 837-842. http://dx.doi.org/10.1016/j.desal.2009.01.041.

An, Y, i; Li, W; Li, Y, e; Huang, S; Ma, J; Shen, C; Xu, C. (2015). Design/optimization of energy-saving extractive distillation process by combining preconcentration column and extractive distillation column. Chem Eng Sci. 135: 166-178. http://dx.doi.org/10.1016/j.ces.2015.05.003.

Andrady, AL; Nunez, CM; Chiou, BS; Khan, SA. (2002). Rheology of concentrated solutions of hyperbranched polyesters. Polymer Engineering and Science. 42: 2065-2071.

Andreev, S; Purgina, D; Bashkatova, E; Garshev, A; Maerle, A; Andreev, I; Osipova, N; Shershakova, N; Khaitov, M. (2015). Study of Fullerene Aqueous Dispersion Prepared by Novel Dialysis Method: Simple Way to Fullerene Aqueous Solution. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 792-800. http://dx.doi.org/10.1080/1536383X.2014.998758.

Fate Literature Search Results

Off Topic

Andreoli, E; Liao, KS; Cricini, A; Zhang, X, in; Soffiatti, R; Byrne, HJ; Curran, SA. (2014). Carbon black instead of multiwall carbon nanotubes for achieving comparable high electrical conductivities in polyurethane-based coatings. Thin Solid Films. 550: 558-563. http://dx.doi.org/10.1016/j.tsf.2013.11.047.

Andriano, KP; Chandrashekar, B; Mcenery, K; Dunn, RL; Moyer, K; Balliu, CM; Holland, KM; Garrett, S; Huffer, WE. (2000). Preliminary in vivo studies on the osteogenic potential of bone morphogenetic proteins delivered from an absorbable puttylike polymer matrix. J Biomed Mater Res. 53: 36-43.

Ansari, MO; Khan, MM; Ansari, SA; Raju, K; Lee, J; Cho, MH. (2014). Enhanced thermal stability under DC electrical conductivity retention and visible light activity of Ag/TiO_2@polyaniline nanocomposite film. 6: 8124-8133. http://dx.doi.org/10.1021/am500488e.

Ansari, MO; Yadav, SK; Cho, J; Mohammad, F. (2013). Thermal stability in terms of DC electrical conductivity retention and the efficacy of mixing technique in the preparation of nanocomposites of graphene/polyaniline over the carbon nanotubes/polyaniline. Composites Part B: Engineering. 47: 155-161. http://dx.doi.org/10.1016/j.compositesb.2012.10.042.

Ansari, SP; Mohammad, F. (2016). Electrical Conductivity Studies of Conducting Polymer Nanocomposites in Ambient Conditions. Polymers and Polymer Composites. 24: 273-280.

Antonopoulos, KA. (1992). ABSORPTION PANEL COOLING USING A TFE-NMP MIXTURE. 12: 203-210.

Antonova, IV; Kotin, IA; Soots, RA; Prinz, VY, a. (2012). Novel Graphene-Based Hybrid Material with Tunable Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 543-547. http://dx.doi.org/10.1080/1536383X.2012.656060.

Antonova, IV; Kotin, IA; Soots, RA; Volodin, VA; Prinz, VY. (2012). Tunable properties of few-layer graphene-N-methylpyrrolidone hybrid structures. Nanotechnology. 23: 315601. http://dx.doi.org/10.1088/0957-4484/23/31/315601.

Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. Int Arch Occup Environ Health. 73: 561-569.

Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. Int Arch Occup Environ Health. 65: 247-251. http://dx.doi.org/10.1007/BF00381198.

Aparicio, S; Davila, MJ; Alcalde, R. (2009). Insights into the Coal Extractive Solvent N-Methyl-2-pyrrolidone plus Carbon Disulfide. Energy Fuels. 23: 1591-1602. http://dx.doi.org/10.1021/ef800838r.

Apicella, B; Barbella, R; Ciajolo, A; Tregrossi, A. (2003). Comparative analysis of the structure of carbon materials relevant in combustion. Chemosphere. 51: 1063-1069. http://dx.doi.org/10.1016/S0045-6535(02)00715-4.

Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. Energy Fuels. 17: 565-570. http://dx.doi.org/10.1021/ef020149r.

Arao, Y; Kubouchi, M. (2015). High-rate production of few-layer graphene by high-power probe sonication. Carbon. 95: 802-808. http://dx.doi.org/10.1016/j.carbon.2015.08.108.

Argyropoulos, J; Erdem, B; Bhattacharjee, D; Foley, P; Nanjundiah, K. (2009). Natural Oil Polyols for Waterborne Polyurethane Dispersions. 6: 44-49.

Aroon, MA; Ismail, AF; Montazer-Rahmati, MM; Matsuura, T. (2010). Morphology and permeation properties of polysulfone membranes for gas separation: Effects of non-solvent additives and co-solvent. Separation and Purification Technology. 72: 194-202. http://dx.doi.org/10.1016/j.seppur.2010.02.009.

Arseneva, NS; Berkovich, S. R.; Vishnevskii, AV; Pilipenko, NN. (1990). GAS-CHROMATOGRAPHIC DETERMINATION OF N-METHYLPYRROLIDONE IN PETROLEUM-PRODUCTS. Chemistry and Technology of Fuels and Oils. 26: 319-321.

Arthanareeswaran, G; Starov, VM. (2011). Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. Desalination. 267: 57-63. http://dx.doi.org/10.1016/j.desal.2010.09.006.

Asakawa, A, i; Oka, T; Sasaki, C; Asada, C; Nakamura, Y. (2016). Cholinium ionic liquid/cosolvent pretreatment for enhancing enzymatic saccharification of sugarcane bagasse. Ind Crop Prod. 86: 113-119. http://dx.doi.org/10.1016/j.indcrop.2016.03.046.

Ascanius, BE; Garcia, DM; Andersen, SI. (2004). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. Energy Fuels. 18: 1827-1831. http://dx.doi.org/10.1021/ef049807t.

Ascanius, BE; Merino-Garcia, D; Andersen, SI. (2005). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. (vol 18, pg 1827, 2004). Energy Fuels. 19: 328-328. http://dx.doi.org/10.1021/ef0496911.

Aslan, M; Weingarth, D; Jaeckel, N; Atchison, JS; Grobelsek, I; Presser, V. (2014). Polyvinylpyrrolidone as binder for castable supercapacitor electrodes with high electrochemical performance in organic electrolytes. J Power Sources. 266: 374-383. http://dx.doi.org/10.1016/j.jpowsour.2014.05.031.

Astaneh, R; Erfan, M; Barzin, J; Mobedi, H; Moghimi, H, r. (2008). Effects of Ethyl Benzoate on Performance, Morphology, and Erosion of PLGA Implants Formed In Situ. Advances in Polymer Technology. 27: 17-26. http://dx.doi.org/10.1002/adv.20114.

Atchariyawut, S; Feng, C; Wang, R; Jiraratananon, R; Liang, DT. (2006). Effect of membrane structure on mass-transfer in the membrane gas-liquid contacting process using microporous PVDF hollow fibers. J Memb Sci. 285: 272-281. http://dx.doi.org/10.1016/j.memsci.2006.08.029.

Athawale, AA; Kulkarni, MV; Chabukswar, VV. (2002). Studies on chemically synthesized soluble acrylic acid doped polyaniline. Mater Chem Phys. 73: 106-110.

Attoui, M; Fernandez-Garcia, J; Cuevas, J; Vidal-De-Miguel, G; de La Mora, JF. (2013). Charge evaporation from nanometer polystyrene aerosols. J Aerosol Sci. 55: 149-156. http://dx.doi.org/10.1016/j.jaerosci.2012.08.008.

Avram, R; Calinescu, I; Vueric, E; Savu, D. (1991). OPTIMIZATION OF ANTHRACENE SEPARATION BY EXTRACTION .1. Rev Chim. 42: 279-282.

Azam, MA; Dorah, N; Seman, RNA, R; Manaf, NSA; Kudin, TIT. (2015). Electrochemical performance of activated carbon and graphene based supercapacitor. Materials Technology. 30: A14-A17. http://dx.doi.org/10.1179/1753555714Y.0000000229.

Azar, NS; Pourfath, M. (2016). Aggregation Kinetics and Stability Mechanisms of Pristine and Oxidized Nanocarbons in Polar Solvents. J Phys Chem C. 120: 16804-16814. http://dx.doi.org/10.1021/acs.jpcc.6b05318.

Fate Literature Search Results

Off Topic

Azizi, S; Dezfuli, HT; Kargari, A, li; Peyghambarzadeh, SM. (2015). Experimental measurement and thermodynamic modeling of propylene and propane solubility in N-methyl pyrrolidone (NMP). Fluid Phase Equilibria. 387: 190-197. http://dx.doi.org/10.1016/j.fluid.2014.12.031.

Azizi, S; Kaghazchi, T; Kargari, A, li. (2015). Propylene/propane separation using N-methyl pyrrolidone/AgNO3 supported liquid membrane. Taiwan Institute of Chemical Engineers Journal. 57: 1-8. http://dx.doi.org/10.1016/j.jtice.2015.05.012.

Babitskaya, K; Konovalov, V; Sklyuev, P; Zhidkova, M; Sysueva, I. (2016). Studies on surface activity of petroleum sulfonates prepared from extracts of solvent refining. Petroleum Science and Technology. 34: 401-405. http://dx.doi.org/10.1080/10916466.2015.1132234.

Bacosca, I; Hamciuc, E; Bruma, M; Ignat, M. (2011). Poly(amide imide)s containing functional nitrile groups for high performance materials. React Funct Polym. 71: 905-915. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.05.011.

Bader, M; Keener, SA; Wrbitzky, R. (2005). Dermal absorption and urinary elimination of N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 78: 673-676. http://dx.doi.org/10.1007/s00420-005-0008-0.

Bader, M; Rosenberger, W; Rebe, T; Keener, SA; Brock, TH; Hemmerling, HJ; Wrbitzky, R. (2006). Ambient monitoring and biomonitoring of workers exposed to N-methyl-2-pyrrolidone in an industrial facility. Int Arch Occup Environ Health. 79: 357-364. http://dx.doi.org/10.1007/s00420-005-0065-4.

Bader, M; Wrbitzky, R; Blaszkewicz, M; Schäper, M; van Thriel, C. (2008). Human volunteer study on the inhalational and dermal absorption of N-methyl-2-pyrrolidone (NMP) from the vapour phase. Arch Toxicol. 82: 13-20. http://dx.doi.org/10.1007/s00204-007-0230-5.

Bader, M; Wrbitzky, R; Blaszkewicz, M; van Thriel, C. (2007). Human experimental exposure study on the uptake and urinary elimination of N-methyl-2-pyrrolidone (NMP) during simulated workplace conditions. Arch Toxicol. 81: 335-346. http://dx.doi.org/10.1007/s00204-006-0161-6.

Bae, J; Baek, I; Choi, H. (2017). Efficacy of piezoelectric electrospun nanofiber membrane for water treatment. Chem Eng J. 307: 670-678. http://dx.doi.org/10.1016/j.cej.2016.08.125.

Bae, SM, in; Sohn, KY; Park, W, onW. (2014). Electrochemical Properties of Melt Spun Si-Cu-Ti-Zr-Ni Alloy Powders for the Anode of Li-Ion Batteries. Electronic Materials Letters. 10: 795-800. http://dx.doi.org/10.1007/s13391-014-3379-0.

Bahadur, I; Singh, P; Kumar, S; Moodley, K; Mabaso, M; Redhi, G, an. (2014). Separation of Aromatic Solvents from the Reformate Fraction of an Oil Refining Process using Extraction by a Designed Ionic Liquid. Separation Science and Technology. 49: 1883-1888. http://dx.doi.org/10.1080/01496395.2014.900568.

Bai, L, u; Li, S, huNi; Zhai, QG, uo; Jiang, Y, uC; Hu, M, anC. (2016). Study of the Physicochemical and Excess Properties of Binary Systems Composed of Ionic Liquids ([C(n)mim]Cl, n=6, 8) and Three Dipolar Aprotic Solvents at T=288.15-333.15K. Chemical Engineering Communications. 203: 985-993. http://dx.doi.org/10.1080/00986445.2015.1114477.

Bai, L, u; Nie, Y, i; Huang, J; Li, Y, i; Dong, H; Zhang, X. (2013). Efficiently trapping asphaltene-type materials from direct coal liquefaction residue using alkylsulfate-based ionic liquids. Fuel. 112: 289-294. http://dx.doi.org/10.1016/j.fuel.2013.05.035.

Baik, KH; Vandenhove, L; Roland, B. (1991). COMPARATIVE-STUDY BETWEEN GAS-PHASE AND LIQUID-PHASE SILYLATION FOR THE DIFFUSION-ENHANCED SILYLATED RESIST PROCESS. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 9: 3399-3405.

Bajat, JB; Miskovic-Stankovic, VB; Bibic, N; Drazic, DM. (2007). The influence of zinc surface pretreatment on the adhesion of epoxy coating electrodeposited on hot-dip galvanized steel. Progr Org Coating. 58: 323-330. http://dx.doi.org/10.1016/j.porgcoat.2007.01.011.

Bajorek, A; Kabatc, J; Paczkowski, J. (2009). Novel, N-ethyl-2-styrylquinolinum iodides as fluorophores for monitoring of polymerization process, Part I. Dyes and Pigments. 82: 372-378. http://dx.doi.org/10.1016/j.dyepig.2009.02.009.

Balta, S; Buruiana, DL; Simionescu, CS; Tiron, LG; Bordei, M; van Der Bruggen, B. (2016). Influence of relative air humidity and casting time on the permeation properties of PSf nanofiltration membranes. Desalination and Water Treatment. 57: 13924-13929. http://dx.doi.org/10.1080/19443994.2015.1062435.

Balta, S; Sotto, A; Luis, P; Benea, L; Van Der Bruggen, B; Kim, J. (2012). A new outlook on membrane enhancement with nanoparticles: The alternative of ZnO. J Memb Sci. 389: 155-161. http://dx.doi.org/10.1016/j.memsci.2011.10.025.

Baltog, I; Mihut, L; Baibarac, M; Preda, N; Velula, T; Lefrant, S. (2005). Surface-enhanced Raman scattering, photoluminescence and viscosity studies on C-60 aggregates in N-metryl-2-pyrrolidinone. J Optoelect Adv Mater. 7: 2165-2172.

Banerjee, T; Sahoo, RK; Rath, SS; Kumar, R; Khanna, A. (2007). Multicomponent liquid-liquid equilibria prediction for aromatic extraction systems using COSMO-RS. Ind Eng Chem Res. 46: 1292-1304. http://dx.doi.org/10.1021/ie060647d.

Bang, GS; Nam, KW; Kim, JY; Shin, J; Choi, JW; Choi, SY. (2014). Effective liquid-phase exfoliation and sodium ion battery application of MoS2 nanosheets. 6: 7084-7089. http://dx.doi.org/10.1021/am4060222.

Bao, X; Wang, Y; Zhu, Q; Wang, N; Zhu, D; Wang, J; Yang, A; Yang, R. (2015). Efficient planar perovskite solar cells with large fill factor and excellent stability. J Power Sources. 297: 53-58. http://dx.doi.org/10.1016/j.jpowsour.2015.07.081.

Bao, ZX; Liu, CX; Pinto, NJ. (1997). Electrical conductivity of polyaniline as a function of pressure using a diamond anvil cell. Synthetic Metals. 87: 147-150.

Barbagini, F; Halder, S; Janssens, T, om; Kenis, K; Wostyn, K; Bearda, T; Quoc, TL, e; Leunissen, P; Mertens, P; Kim, KH; Andreas, M. (2009). Particle Removal Efficiency and Damage Analysis on Silicon Wafers after Megasonic Cleaning in Solvents. J Adhes Sci Tech. 23: 1709-1721. http://dx.doi.org/10.1163/016942409X12459095670430.

Barzin, J; Sadatnia, B. (2008). Correlation between macrovoid formation and the ternary phase diagram for polyethersulfone membranes prepared from two nearly similar solvents. J Memb Sci. 325: 92-97. http://dx.doi.org/10.1016/j.memsci.2008.07.003.

Bas, S; Sakintuna, B; Birkan, B; Menceloglu, Y; Taralp, A; Aktas, Z; Yurum, Y. (2005). Lyophilization-induced structural changes in solvent-swollen and supercritical carbon dioxide treated low-rank Turkish coals and characterization of their extracts. Energy Fuels. 19: 1056-1064. http://dx.doi.org/10.1021/ef049706v.

Basavaraja, C; Jung, G, yuHo; Huh, D, oS. (2015). Solubility and Electrochemical Properties of Chemically Modified Polyaniline-Gold/Camphor Sulfonic Acid Composites. Polymer Composites. 36: 245-252. http://dx.doi.org/10.1002/pc.22936.

Fate Literature Search Results

Off Topic

Basch, A; Albering, JH. (2011). Preparation and characterization of core–shell battery materials for Li-ion batteries manufactured by substrate induced coagulation. J Power Sources. 196: 3290-3295. http://dx.doi.org/10.1016/j.jpowsour.2010.11.043.

Basri, H; Ismail, AF; Aziz, M. (2011). Polyethersulfone (PES) ultrafiltration (UF) membranes loaded with silver nitrate for bacteria removal. 2: 25-37.

Bastiat, G; Leroux, JC. (2009). Pharmaceutical organogels prepared from aromatic amino acid derivatives. J Mater Chem. 19: 3867-3877. http://dx.doi.org/10.1039/B822657A.

Bauer, W; Noetzel, D. (2014). Rheological properties and stability of NMP based cathode slurries for lithium ion batteries. Ceramics International. 40: 4591-4598. http://dx.doi.org/10.1016/j.ceramint.2013.08.137.

Begon, V; Suelves, I; Herod, AA; Dugwell, DR; Kandiyoti, R. (2000). Structural effects of sample ageing in hydrocracked coal liquefaction extracts. Fuel. 79: 1423-1429.

Begon, V; Suelves, I; Islas, CA; Millan, M; Dubau, C; Lazaro, MJ; Law, RV; Herod, AA; Dugwell, DR; Kandiyoti, R. (2003). Comparison of the quaternary aromatic carbon contents of a coal, a coal extract, and its hydrocracking products by NMR methods. Energy Fuels. 17: 1616-1629. http://dx.doi.org/10.1021/ef0300287.

Begon, V; Suelves, I; Li, W; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2002). Catalytic hydrocracking of primary maceral concentrate extracts prepared in a flowing solvent reactor. Fuel. 81: 185-202.

Behrouzi, M; Luckham, PF. (2008). Limitations of size-exclusion chromatography in analyzing petroleum asphaltenes: A proof by atomic force Microscopy. Energy Fuels. 22: 1792-1798. http://dx.doi.org/10.1021/ef800064q.

Beigzadeh, R; Rahimi, M; Shabanian, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. Fluid Phase Equilibria. 331: 48-57. http://dx.doi.org/10.1016/j.fluid.2012.06.025.

Belluomini, GJ; Pendergast, JG; Domke, CH; Ussing, BR. (2009). Performance of Several Ionic Liquids for the Separation of 1-Octene from n-Octane. Ind Eng Chem Res. 48: 11168-11174. http://dx.doi.org/10.1021/ie9009815.

Benehkohal, NP; Sussman, MJ; Chiu, HC; Uceda, M; Gauvin, R; Demopoulos, GP. (2015). Enabling Green Fabrication of Li-Ion Battery. Electrodes by Electrophoretic Deposition: Growth of Thick Binder-Free Mesoporous TiO2-Carbon Anode Films. J Electrochem Soc. 162: D3013-D3018. http://dx.doi.org/10.1149/2.0111511jes.

Bereznev, S; Konovalov, I; Opik, A; Kois, J. (2005). Hybrid CuInS2/polypyrrole and CuInS2/poly(3,4-ethylenedioxythiophene) photovoltaic structures. Synthetic Metals. 152: 81-84. http://dx.doi.org/10.1016/j.synthmet.2005.07.158.

Bergin, SD; Sun, Z; Streich, P; Hamilton, J; Coleman, JN. (2010). New Solvents for Nanotubes: Approaching the Dispersibility of Surfactants. J Phys Chem C. 114: 231-237. http://dx.doi.org/10.1021/jp908923m.

Bermejo, J; Menendez, R; Fernandez, AL; Granda, M; Suelves, I; Herod, AA; Kandiyoti, R. (2001). A comparative study of the composition of anthracene oil polymerized by different treatments. Fuel. 80: 2155-2162.

Bernauer, M; Dohnal, V. (2009). Temperature dependences of limiting activity coefficients and Henry's law constants for N-methylpyrrolidone, pyridine, and piperidine in water. Fluid Phase Equilibria. 282: 100-107. http://dx.doi.org/10.1016/j.fluid.2009.05.005.

Berrada, M; Anbaoui, Z; Lajrhed, N; Berrada, M; Knouzi, N; Vaultier, M; Sekiguchi, H; Carriere, F. (1997). Synthesis, characterization, and studies of heat-resistant poly(ether benzimidazole)s. Chem Mater. 9: 1989-1993.

Berrada, M; Carriere, F; Coutin, B; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Novel negative-type soluble photosensitive polyimides: Synthesis and characterization. Chem Mater. 8: 1029-1034.

Berrada, M; Carriere, F; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Photoinduced polymerization of bisimides as models for new soluble side-chain-substituted negative-type photosensitive polyimides. Chem Mater. 8: 1022-1028.

Berrueco, C; Alvarez, P; Venditti, S; Morgan, TJ; Herod, AA; Millan, M; Kandiyoti, R. (2009). Sample Contamination with NMP-oxidation Products and Byproduct-free NMP Removal from Sample Solutions. Energy Fuels. 23: 3008-3015. http://dx.doi.org/10.1021/ef900036m.

Berrueco, C; Venditti, S; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2008). Calibration of size-exclusion chromatography columns with 1-methyl-2-pyrrolidinone (NMP)/chloroform mixtures as eluent: Applications to petroleum-derived samples. Energy Fuels. 22: 3265-3274. http://dx.doi.org/10.1021/ef8003703.

Bhagat, SD. (1990). GAS-CHROMATOGRAPHIC METHOD TO MONITOR THE SYNTHESIS OF N-METHYL-2-PYRROLIDONE. 28: 71-74.

Bhagat, SD; Aswal, DS; Badoni, RP. (1989). DETERMINATION OF N-METHYLPYRROLIDONE IN LUBRICATING OIL SAMPLES BY GC. Fuel. 68: 796-799.

Bhoi, S; Dey, D; Banerjee, T; Mohanty, K. (2014). Solid-liquid equilibria predictions for the dissolution of brown coal in ionic liquids using a continuum solvation model. Fuel Process Tech. 126: 112-121. http://dx.doi.org/10.1016/j.fuproc.2014.04.019.

Bhosale, RR; Mahajani, VV. (2013). Kinetics of Absorption of Carbon Dioxide in Aqueous Solution of Ethylaminoethanol Modified with N-methyl-2-pyrolidone. Separation Science and Technology. 48: 2324-2337. http://dx.doi.org/10.1080/01496395.2013.805228.

Bicak, N; Bulutcu, N; Senkal, BF; Gazi, M. (2001). Modification of crosslinked glycidyl methacrylate-based polymers for boron-specific column extraction. React Funct Polym. 47: 175-184.

Bicak, N; Senkal, BF; Sezer, E. (2005). Preparation of organo-soluble polyanilines in ionic liquid. Synthetic Metals. 155: 105-109. http://dx.doi.org/10.1016/j.synthmet.2005.06.010.

Bindal, RC; Hanra, MS; Misra, BM. (1996). Novel solvent exchange cum immersion precipitation technique for the preparation of asymmetric polymeric membrane. J Memb Sci. 118: 23-29.

Bittrich, HJ; Lempe, DA; Reinhardt, K; Wustling, JU. (1996). Liquid-liquid equilibria in binary mixtures of N-methyl-alpha-pyrrolidone and saturated hydrocarbons .2. Fluid Phase Equilibria. 126: 115-125.

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, and Viscosity of N-Methyl-2-pyrrolidone plus Ethanolamine plus Water from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 3136-3141. http://dx.doi.org/10.1021/je300742t.

Fate Literature Search Results

Off Topic

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone (NMP) plus Water plus Ethanol from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 1009-1014. http://dx.doi.org/10.1021/je201152j.

Blanco, B; Beltran, S; Cabezas, JL; Coca, J. (1997). Phase equilibria of binary systems formed by hydrocarbons from petroleum fractions and the solvents N-methylpyrrolidone and N,N-dimethylformamide .1. Isobaric vapor-liquid equilibria. Journal of Chemical and Engineering Data. 42: 938-942.

Blanco, B; Sanz, MT; Beltran, S; Cabezas, JL; Coca, J. (2002). Vapor-liquid equilibria of the ternary system benzene plus n-heptane plus N-methylpyrrolidone (NMP) at 101.33 kPa. Journal of Chemical and Engineering Data. 47: 1167-1170. http://dx.doi.org/10.1021/je020007r.

Blanco, C; Fleurot, O; Menendez, R; Santamaria, R; Bermejo, J; Edie, D. (1999). Contribution of the isotropic phase to the rheology of partially anisotropic coal-tar pitches. Carbon. 37: 1059-1064.

Blanco, C; Santamaria, R; Bermejo, J; Menendez, R. (2000). Separation and characterization of the isotropic phase and co-existing mesophase in thermally treated coal-tar pitches. Carbon. 38: 1169-1176.

Blazquez, JA; Iruin, JJ; Eceolaza, S; Marestin, C; Mercier, R; Mecerreyes, D; Miguel, O; Vela, A; Marcilla, R. (2005). Solvent and acidification method effects in the performance of new sulfonated copolyimides membranes in PEM-fuel cells. J Power Sources. 151: 63-68. http://dx.doi.org/10.1016/j.jpowsour.2005.02.082.

Bobyleva, LI; Abreimova, MA; Rybina, GV; Kryukov, SI; Moskvichev, YA. (2004). Synthesis of 2,5-dihydrofuran and tetrahydrofuran from 1,3-butadiene. Petroleum Chemistry. 44: 188-192.

Bodenes, L; Darwiche, A, li; Monconduit, L; Martinez, H. (2015). The Solid Electrolyte Interphase a key parameter of the high performance of Sb in sodium-ion batteries: Comparative X-ray Photoelectron Spectroscopy study of Sb/Na-ion and Sb/Li-ion batteries. J Power Sources. 273: 14-24. http://dx.doi.org/10.1016/j.jpowsour.2014.09.037.

Bodman, SD; Mcwhinnie, WR; Begon, V; Millan, M; Suelves, I; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2003). Metal-ion pillared clays as hydrocracking catalysts (II): effect of contact time on products from coal extracts and petroleum distillation residues. Fuel. 82: 2309-2321. http://dx.doi.org/10.1016/S0016-2361(03)00126-1.

Bodner, M; Espe, MP. (2003). Induced optical activity in polyaniline: Solvent and acid dependence. Synthetic Metals. 135: 403-404. http://dx.doi.org/10.1016/S0379-6779(02)00658-6.

Boger, A; Wheeler, K; Montali, A; Gruskin, E. (2009). NMP-modified PMMA bone cement with adapted mechanical and hardening properties for the use in cancellous bone augmentation. J Biomed Mater Res B Appl Biomater. 90: 760-766. http://dx.doi.org/10.1002/jbm.b.31345.

Bohloul, MR; Vatani, A; Peyghambarzadeh, SM. (2014). Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). Fluid Phase Equilibria. 365: 106-111. http://dx.doi.org/10.1016/j.fluid.2013.12.019.

Bondarenko, VE; Zhuravleva, TS; Efimov, ON; Nikolaeva, GV. (1997). Delay photoconductivity in polyaniline films from different solvents. Synthetic Metals. 84: 793-794.

Bondue, CJ; Abd-El-Latif, AA; Hegemann, P; Baltruschat, H. (2015). Quantitative Study for Oxygen Reduction and Evolution in Aprotic Organic Electrolytes at Gas Diffusion Electrodes by DEMS. J Electrochem Soc. 162: A479-A487. http://dx.doi.org/10.1149/2.0871503jes.

Bonyadi, S; Chung, T, aiS. (2009). Highly porous and macrovoid-free PVDF hollow fiber membranes for membrane distillation by a solvent-dope solution co-extrusion approach. J Memb Sci. 331: 66-74. http://dx.doi.org/10.1016/j.memsci.2009.01.014.

Boom, RM; Vandenboomgaard, T; Smolders, CA. (1994). MASS-TRANSFER AND THERMODYNAMICS DURING IMMERSION PRECIPITATION FOR A 2-POLYMER SYSTEM - EVALUATION WITH THE SYSTEM PES-PVP-NMP-WATER. J Memb Sci. 90: 231-249.

Boom, RM; Wienk, IM; Vandenboomgaard, T; Smolders, CA. (1992). MICROSTRUCTURES IN PHASE INVERSION MEMBRANES .2. THE ROLE OF A POLYMERIC ADDITIVE. J Memb Sci. 73: 277-292.

Borde, I; Jelinek, M; Daltrophe, NC. (1997). Working fluids for an absorption system based on R124 (2-chloro-1,1,1,2-tetrafluoroethane) and organic absorbents. International Journal of Refrigeration. 20: 256-266.

Bottino, A; Capannelli, G; Comite, A. (2002). Preparation and characterization of novel porous PVDF-ZrO2 composite membranes. Desalination. 146: 35-40.

Bottino, A; Capannelli, G; Comite, A. (2006). Novel porous membranes from chemically modified poly(vinylidene fluoride). J Memb Sci. 273: 20-24. http://dx.doi.org/10.1016/j.memsci.2005.09.026.

Bouchard, J; Cayla, A; Odent, S; Lutz, V; Devaux, E; Campagne, C. (2016). Processing and characterization of polyethersulfone wet-spun nanocomposite fibres containing multiwalled carbon nanotubes. Synthetic Metals. 217: 304-313. http://dx.doi.org/10.1016/j.synthmet.2016.04.007.

Bougot, MN; Dang, TMD; Le, NN; Dang, MC. (2013). Realization of stable and homogenous carbon nanotubes dispersion as ink for radio frequency identification applications. 4. http://dx.doi.org/10.1088/2043-6262/4/2/025008.

Bouyer, D; Pochat-Bohatier, C. (2013). Validation of Mass-Transfer Model for VIPS Process using In Situ Measurements Performed by Near-Infrared Spectroscopy. AIChE J. 59: 671-686. http://dx.doi.org/10.1002/aic.13839.

Bouyer, D; Werapun, W; Pochat-Bohatier, C; Deratani, A. (2010). Morphological properties of membranes fabricated by VIPS process using PEI/NMP/water system: SEM analysis and mass transfer modelling. J Memb Sci. 349: 97-112. http://dx.doi.org/10.1016/j.memsci.2009.11.036.

Bowen, WR; Doneva, TA; Yin, HB. (2001). Polysulfone-sulfonated poly(ether ether) ketone blend membranes: systematic synthesis and characterisation. J Memb Sci. 181: 253-263.

Bowen, WR; Doneva, TA; Yin, HB. (2002). The effect of sulfonated poly(ether ether ketone) additives on membrane formation and performance. Desalination. 145: 39-45.

Bower, DB. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone [Letter]. J Occup Environ Med. 39: 393-394.

Fate Literature Search Results

Off Topic

Bracamonte, MV; Lacconi, GI; Urreta, SE; Foa Torres, LEF. (2014). On the Nature of Defects in Liquid-Phase Exfoliated Graphene. J Phys Chem C. 118: 15455-15459. http://dx.doi.org/10.1021/jp501930a.

Brown, RE; Lee, FM. (1994). EXTRACTIVE DISTILLATION PERFORMANCE. Chemical Engineering Communications. 128: 159-171.

Bruma, M; Schulz, B; Kopnick, T; Stiller, B; Mercer, F. (1999). Study of thin films made from aromatic polyamides with silicon and phenylquinoxaline rings in the main chain. Mater Sci Eng C. 8-9: 361-371.

Brunet, D; Mercier, R; Gallot, B. (2000). Liquid crystalline comb-like polyimides with biphenyl-based side groups. Liquid Crystals. 27: 483-489.

Bu, L; Wu, X; Wang, X; Liu, L. (2013). Liquid encapsulated electrostatic energy harvester for low-frequency vibrations. Journal of Intelligent Material Systems and Structures. 24: 61-69. http://dx.doi.org/10.1177/1045389X12459590.

Buerglova, K; Hlavac, J, an; Bartlett, JR. (2015). Synthesis of sol-gel silica particles in reverse micelles with mixed-solvent polar cores: tailoring nanoreactor structure and properties. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-3104-4.

Buncick, MC; Denton, DD. (1991). THE CURING KINETICS OF POLYAMIC ACID IN THE PRESENCE OF WATER-VAPOR. Journal of Vacuum Science and Technology A. 9: 350-354.

Buruiana, DL; Tiron, GL; Pintilie, S; Simionescu, CS; Balta, S. (2015). INFLUENCE OF THE TIO2 AND ZnO NANOPARTICLES ON THE PERMEATION PROPERTIES OF PSf MEMBRANES. 45: 354-357.

Butuzova, LF; Krzton, A; Saranchuk, VI; Isajeva, L. (1994). INFLUENCE OF OXYGEN ON THE BEHAVIOR OF OXYGEN-CONTAINING GROUPS OF SOFT COAL IN PYROLYSIS. Fuel. 73: 945-949.

Cagniant, D; Gruber, R; Lacordaire, C; Jasienko, S; Machnikowska, H; Salbut, PD; Bimer, J; Puttmann, W. (1990). SOLVOLYSIS OF 3 POLISH COAL SAMPLES BY TREATMENT WITH N-METHYL-2-PYRROLIDINONE AND AN NAOH/CH3OH MIXTURE. Fuel. 69: 902-910.

Cagniant, D; Gruber, R; Lacordaire, C; Legrand, AP; Sderi, D; Sfihi, H; Tougne, P; Quinton, MF; Bunte, G; Jasienko, S; Machinkowska, H. (1991). CHARACTERIZATION OF COALS AND THEIR MACERALS BY SOLID-STATE C-13 NMR AND FTIR. Fuel. 70: 675-681.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS FIELD-IONIZATION MASS-SPECTROMETRY OF EXTRACTS SEPARATED FROM A GAS COAL AND ITS MACERALS USING N-METHYL-2-PYRROLIDINONE. Energy Fuels. 6: 702-708.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS-FIELD IONIZATION MASS-SPECTROMETRY OF N-METHYL-2-PYRROLIDINONE EXTRACTS OF COALS. Energy Fuels. 6: 694-701.

Cai, H; Tian, L, i; Huang, B; Yang, G; Guan, D; Huang, H, ui. (2013). 1,1-Diamino-2,2-dintroethene (FOX-7) nanocrystals embedded in mesoporous carbon FDU-15. Microporous and Mesoporous Materials. 170: 20-25. http://dx.doi.org/10.1016/j.micromeso.2012.11.034.

Cai, H; Tian, L, i; Huang, H, ui; Li, J; Deng, J; Yang, G. (2012). The formation of energetic composites by embedding multi-nitro organic molecules in an ordered mesoporous carbon. Microporous and Mesoporous Materials. 163: 110-114. http://dx.doi.org/10.1016/j.micromeso.2012.07.007.

Cai, M; Zhu, M; Sun, Y; Qian, J. (2010). Synthesis and characterization of soluble aromatic poly(ether amide amide ether ketone ketone)s by electrophilic Friedel-Crafts solution polycondensation. React Funct Polym. 70: 182-188. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.11.011.

Cai, MF; Smart, RB. (1993). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE IN COAL EXTRACTS BY TGA-FTIR. Energy Fuels. 7: 52-56.

Cai, MF; Smart, RB. (1994). COMPARISON OF 7 WEST-VIRGINIA COALS WITH THEIR N-METHYL-2-PYRROLIDINONE-SOLUBLE EXTRACTS AND RESIDUES .1. DIFFUSE-REFLECTANCE INFRARED FOURIER-TRANSFORM SPECTROSCOPY. Energy Fuels. 8: 369-374.

Cai, X; Zhang, Q; Wang, S; Peng, J; Zhang, Y; Ma, H; Li, J; Zhai, M. (2014). Surfactant-assisted synthesis of reduced graphene oxide/polyaniline composites by gamma irradiation for supercapacitors. Journal of Materials Science. 49: 5667-5675. http://dx.doi.org/10.1007/s10853-014-8286-0.

Cai, Y; Li, J; Zhang, X; Zhang, Y. (2011). In-situ monitoring of polysulfone membrane formation via immersion precipitation using an ultrasonic through-transmission technique. Desalination and Water Treatment. 32: 214-225. http://dx.doi.org/10.5004/dwt.2011.2701.

Cai, ZP; Liang, Y; Li, WS; Xing, LD; Liao, YH. (2009). Preparation and performances of LiFePO4 cathode in aqueous solvent with polyacrylic acid as a binder. J Power Sources. 189: 547-551. http://dx.doi.org/10.1016/j.jpowsour.2008.10.040.

Cairns, DB; Khan, MA; Perruchot, C; Riede, A; Armes, SP. (2003). Synthesis and characterization of polypyrrole-coated poly(alkyl methacrylate) latex particles. Chem Mater. 15: 233-239. http://dx.doi.org/10.1021/cm020385f.

Calamba, K; Ringor, C; Pascua, C; Miyazawa, K. (2015). Pleated Surface Morphology of C-60 Fullerene Nanowhiskers Incorporated by Polyaniline in N-Methyl-2-Pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 709-714. http://dx.doi.org/10.1080/1536383X.2014.971118.

Calinescu, I; Avram, R. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .1. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALENE. Rev Chim. 45: 97-103.

Calinescu, I; Avram, R; Iovu, H. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .2. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALONE - KINETIC CONSTANTS DETERMINATION. Rev Chim. 45: 299-305.

Calinescu, I; Avram, R; Iovu, H. (1996). Cumene oxidation in the n-alkyl-pyridinium bromide. Rev Chim. 47: 10-14.

Can, W; Yan-Li, W; Liang, Z; Guang-Zhi, Y; Jun-He, Y; Wen-Ming, Q; Li-Cheng, L. (2012). Synthesis of Graphene with Microwave Irradiation in Liquid Phase. Wuji Cailiao Xuebao. 27: 769-774. http://dx.doi.org/10.3724/SP.J.1077.2012.11521.

Cao, C; Wang, R; Chung, TS; Liu, Y. (2002). Formation of high-performance 6FDA-2,6-DAT asymmetric composite hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 209: 309-319.

Cao, X; Li, C; Li, Y; Fang, F; Cui, X; Yao, Y; Wei, J. (2016). Enhanced performance of perovskite solar cells by modulating the Lewis acid-base reaction. Nanoscale. 8: 19804-19810. http://dx.doi.org/10.1039/c6nr07450b.

Caquineau, H; Menut, P; Deratani, A; Dupuy, C. (2003). Influence of the relative humidity on film formation by vapor induced phase separation. Polymer Engineering and Science. 43: 798-808.

Fate Literature Search Results

Off Topic

Carter, R; Oakes, L; Cohn, AP; Holzgrafe, J; Zarick, HF; Chatterjee, S; Bardhan, R; Pint, CL. (2014). Solution Assembled Single-Walled Carbon Nanotube Foams: Superior Performance in Supercapacitors, Lithium-Ion, and Lithium-Air Batteries. J Phys Chem C. 118: 20137-20151. http://dx.doi.org/10.1021/jp5054502.

Casciola, M; Alberti, G; Donnadio, A; Pica, M; Marmottini, F; Bottino, A; Piaggio, P. (2005). Gels of zirconium phosphate in organic solvents and their use for the preparation of polymeric nanocomposites. J Mater Chem. 15: 4262-4267. http://dx.doi.org/10.1039/b506768e.

Cecchetto, L; Ambat, R; Davenport, AJ; Delabouglise, D; Petit, JP; Neel, O. (2007). Emeraldine base as corrosion protective layer on aluminium alloy AA5182, effect of the surface microstructure. Corrosion Sci. 49: 818-829. http://dx.doi.org/10.1016/j.corsci.2006.06.012.

Cerny, J; Pavlikova, H. (1994). STRUCTURAL-ANALYSIS OF LOW-RANK-COAL EXTRACTS AND THEIR RELATION TO PARENT COALS. Energy Fuels. 8: 375-379.

Chakrabarty, B; Ghoshal, AK; Purkait, AK. (2008). Preparation, characterization and performance studies of polysulfone membranes using PVP as an additive. J Memb Sci. 315: 36-47. http://dx.doi.org/10.1016/j.memsci.2008.02.027.

Chan, CY, i; Wang, Y; Wu, GW, ei; Diau, EW, eiG. (2016). Solvent-extraction crystal growth for highly efficient carbon-based mesoscopic perovskite solar cells free of hole conductors. 4: 3872-3878. http://dx.doi.org/10.1039/c6ta00912c.

Chandaliya, VK; Banerjee, PK; Biswas, P. (2012). OPTIMIZATION OF SOLVENT EXTRACTION PROCESS PARAMETERS OF INDIAN COAL. Mineral Processing and Extractive Metallurgy Review. 33: 246-259. http://dx.doi.org/10.1080/08827508.2011.584091.

Chandaliya, VK; Biswas, PP; Dash, PS. (2016). Organo-refining of high-ash Indian coals at bench scale. Fuel. 165: 425-431. http://dx.doi.org/10.1016/j.fuel.2015.10.048.

Chandramohan, A; Nagendiran, S; Alagar, M. (2012). Synthesis and characterization of polyhedral oligomeric silsesquioxane-siloxane-modified polyimide hybrid nanocomposites. Journal of Composite Materials. 46: 773-781. http://dx.doi.org/10.1177/0021998311410496.

Chang, C, haWen; Liou, GS. (2007). Stably anodic green electrochromic aromatic poly(amine-amide-imide)s: Synthesis and electrochromic properties. Organic Electronics. 8: 662-672. http://dx.doi.org/10.1016/j.orgel.2007.05.002.

Chang, C, haWen; Liou, GS. (2008). Novel anodic electrochromic aromatic polyamides with multi-stage oxidative coloring based on N, N, N ', N '-tetraphenyl-p-phenylenediamine derivatives. J Mater Chem. 18: 5638-5646. http://dx.doi.org/10.1039/b810750e.

Chang, C, haWen; Liou, GS; Hsiao, SH. (2007). Highly stable anodic green electrochromic aromatic polyamides: synthesis and electrochromic properties. J Mater Chem. 17: 1007-1015. http://dx.doi.org/10.1039/b613140a.

Chang, CC; Wei, KH; Chen, WC. (2003). Spin-coating of polyimide-silica hybrid optical thin films. J Electrochem Soc. 150: F147-F150. http://dx.doi.org/10.1149/1.1586925.

Chang, WX; Wan, H; Guan, GF; Yao, HQ. (2006). Isobaric vapor-liquid equilibria for water plus acetic acid plus (N-methyl pyrrolidone or N-methyl acetamide). Fluid Phase Equilibria. 242: 204-209. http://dx.doi.org/10.1016/j.fluid.2006.02.002.

Chang, X; Wang, Z; Quan, S; Xu, Y; Jiang, Z; Shao, L, u. (2014). Exploring the synergetic effects of graphene oxide (GO) and polyvinylpyrrodione (PVP) on poly(vinylylidenefluoride) (PVDF) ultrafiltration membrane performance. Appl Surf Sci. 316: 537-548. http://dx.doi.org/10.1016/j.apsusc.2014.07.202.

Chang, Y; Wu, WC; Chen, WC. (2001). Theoretical analysis on spin coating of polyimide precursor solutions. J Electrochem Soc. 148: F77-F81. http://dx.doi.org/10.1149/1.1357183.

Chaput, F; Lerouge, F; Tusseau-Nenez, S; Coulon, PE; Dujardin, C; Denis-Quanquin, S; Mpambani, F; Parola, S. (2011). Rare Earth Fluoride Nanoparticles Obtained Using Charge Transfer Complexes: A Versatile and Efficient Route toward Colloidal Suspensions and Monolithic Transparent Xerogels. Langmuir. 27: 5555-5561.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures. Journal of Supercritical Fluids. 55: 23-31. http://dx.doi.org/10.1016/j.supflu.2010.08.017.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures (Reprint from J. of Supercritical Fluids vol 55, pg 23-31, 2010). Journal of Supercritical Fluids. 55: 662-670.

Chauhan, NPS; Ameta, R; Ameta, R; Ameta, SC. (2011). Thermal and conducting behaviour of emeraldine base (EB) form of polyaniline (PANI). Indian J Chem Tech. 18: 118-122.

Chen, BH; Lei, ZG; Li, JW. (2003). Separation on aromatics and non-aromatics by extractive distillation with NMP. J Chem Eng Jpn. 36: 20-24.

Chen, C; Iino, M. (2001). Insight into the aggregation of coal derived material in solvent - an observation by size exclusion chromatography. Fuel. 80: 929-936.

Chen, C; Kurose, H; Iino, M. (1999). Pathway of TCNE interaction with coal to enhance its solubility in the NMP-CS2 mixed solvent. Energy Fuels. 13: 1180-1183.

Chen, GS; Hou, YJ; Knapp, H. (1995). DIFFUSION-COEFFICIENTS, KINEMATIC VISCOSITIES, AND REFRACTIVE-INDEXES FOR HEPTANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE,AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1005-1010.

Chen, GS; Knapp, H. (1995). DENSITIES AND EXCESS MOLAR VOLUMES FOR SULFOLANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE, AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1001-1004.

Chen, J, uiT; Chen, MC. (2008). Liquid-liquid equilibria for the quaternary systems of water plus N-methyl-2-pyrrolidone plus 1-hexanol plus NaCl, plus KCl, or plus KAc. Journal of Chemical and Engineering Data. 53: 217-222. http://dx.doi.org/10.1021/je700561p.

Chen, J, uiT; Chen, MC. (2008). Salting effect on the liquid-liquid equilibria for the ternary system water plus N-methyl-2-pyrrolidone+1-pentanol. Fluid Phase Equilibria. 266: 1-7. http://dx.doi.org/10.1016/j.fluid.2008.01.008.

Fate Literature Search Results

Off Topic

Chen, L, ei; Yang, J; Liu, M. (2011). Kinetic Modeling of Coal Swelling in Solvent. Ind Eng Chem Res. 50: 2562-2568. http://dx.doi.org/10.1021/ie100628g.

Chen, S; Zhu, J; Han, Q; Wang, X, in. (2012). In situ assembly of Ag2O nanoparticles on low defect density carbon nanotubes. Mater Chem Phys. 136: 666-672. http://dx.doi.org/10.1016/j.matchemphys.2012.07.040.

Chen, SA; Lee, HT. (1992). POLYANILINE ACID DOPANT INTERACTION IN THE PRESENCE OF 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 47: 233-238.

Chen, SA; Lee, HT. (1993). DOPING BEHAVIOR OF POLYANILINE FILM CONTAINING 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 55: 1040-1044.

Chen, SA; Lin, LC. (1995). DOPING OF POLYANILINE VIA PSEUDOPROTONATION BY AN IONIC SALT. Adv Mater Deerfield. 7: 473-475.

Chen, X; Boulos, RA; Dobson, JF; Raston, CL. (2013). Shear induced formation of carbon and boron nitride nano-scrolls. Nanoscale. 5: 498-502. http://dx.doi.org/10.1039/c2nr33071g.

Chen, X; Ming, S; Wu, X; Chen, C; Asumana, C; Yu, G. (2013). Cu(I)-Based Ionic Liquids as Potential Absorbents to Separate Propylene and Propane. Separation Science and Technology. 48: 2317-2323. http://dx.doi.org/10.1080/01496395.2013.794836.

Chen, XH; Gonsalves, KE. (1997). Synthesis and properties of an aluminum nitride polyimide nanocomposite prepared by a nonaqueous suspension process. J Mater Res. 12: 1274-1286.

Chen, Y, ao; Zhang, B, in; Gao, Z, he; Chen, C; Zhao, S; Qin, Y. (2015). Functionalization of multiwalled carbon nanotubes with uniform polyurea coatings by molecular layer deposition. Carbon. 82: 470-478. http://dx.doi.org/10.1016/j.carbon.2014.10.090.

Chen, Y; Zhong, J; Wang, D; Liu, M, in; Liu, X. (2011). Preparation and dielectric properties of fullerene-doped polyarylene ether nitrile film. Journal of Materials Science: Materials in Electronics. 22: 304-308. http://dx.doi.org/10.1007/s10854-010-0133-8.

Cheng, L; Chen, Z; Jian, XG; Zheng, HB; Wang, ZY. (2002). Synthesis of poly (aryl amide imide)s derived from o-diphenyltrimellitic anhydride. Journal of Wuhan University of Technology--Materials Science Edition. 17: 90-93.

Cheng, Y; Hsu, C; Lan, K; Munoz, JC; Caparanga, AR; Soriano, AN; Li, M. (2009). Desmearing of FR4 Epoxy Resin Using NMP-Based Sweller. Journal of Electronic Materials. 38: 2368-2375. http://dx.doi.org/10.1007/s11664-009-0891-3.

Chervenick, SW. (1995). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE RETAINED IN COAL EXTRACTS BY THERMAL EXTRACTION GC-MS. Fuel. 74: 241-245.

Chiu, HC; Huang, J, unJie; Liu, CH; Suen, SY, i. (2006). Batch adsorption performance of methyl methacrylate/styrene copolymer membranes. React Funct Polym. 66: 1515-1524. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.04.011.

Choe, YS, on; Oh, KJ; Kim, M, inC; Park, SW. (2010). Chemical absorption of carbon dioxide into phenyl glycidyl ether solution containing THA-CP-MS41 catalyst. Korean J Chem Eng. 27: 1868-1875. http://dx.doi.org/10.1007/s11814-010-0309-1.

Choe, YS, on; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2010). Reaction Kinetics of Carbon Dioxide with Phenyl Glycidyl Ether by TEA-CP-MS41 Catalyst. J Jpn Petrol Inst. 53: 160-166.

Choi, B; Langlois, DA; Mack, N; Johnston, CM; Kim, Y, uS. (2014). The Effect of Cathode Structures on Nafion Membrane Durability. J Electrochem Soc. 161: F1154-F1162. http://dx.doi.org/10.1149/2.0151412jes.

Choi, HJ; Kang, J, iYe; Jeon, I, nYup; Eo, S, ooMi; Tan, LS; Baek, JB. (2012). Immobilization of platinum nanoparticles on 3,4-diaminobenzoyl-functionalized multi-walled carbon nanotube and its electrocatalytic activity. J Nanopart Res. 14. http://dx.doi.org/10.1007/s11051-011-0704-5.

Choi, J, aeH; Jegal, J; Kim, W, ooN. (2006). Fabrication and characterization of multi-walled carbon nanotubes/polymer blend membranes. J Memb Sci. 284: 406-415. http://dx.doi.org/10.1016/j.memsei.2006.08.013.

Choi, JS, ik; Son, W, onJin; Kim, J; Ahn, W, haS. (2008). Metal-organic framework MOF-5 prepared by microwave heating: Factors to be considered. Microporous and Mesoporous Materials. 116: 727-731. http://dx.doi.org/10.1016/j.micromeso.2008.04.033.

Choi, KH; Ali, A; Jo, J. (2013). Randomly oriented graphene flakes film fabrication from graphite dispersed in N-methyl-pyrrolidone by using electrohydrodynamic atomization technique. Journal of Materials Science: Materials in Electronics. 24: 4893-4900. http://dx.doi.org/10.1007/s10854-013-1494-6.

Choi, KH; Jung, JC. (2004). Synthesis and characterization of new aromatic polyamides with N ' N-di(4-n-alkylphenyl)benzodiimide unit on the main chain. Macromolecular Materials & Engineering. 289: 737-742. http://dx.doi.org/10.1002/mame.200400354.

Choi, M, inY; Choi, DJ, oo; Ahn, K, eyOne; Ro, I; Kim, YH, o; Suh, SH, ee. (2012). Fabrication of Copper Nanoparticles in a Thick Polyimide Film Cured by Rapid Thermal Annealing. J Nanosci Nanotechnol. 12: 3637-3640. http://dx.doi.org/10.1166/jnn.2012.5588.

Chong, HM; Hinder, SJ; Taylor, AC. (2016). Graphene nanoplatelet-modified epoxy: effect of aspect ratio and surface functionality on mechanical properties and toughening mechanisms. Journal of Materials Science. 51: 8764-8790. http://dx.doi.org/10.1007/s10853-016-0160-9.

Chong, KC; Lai, SO; Lau, WJ; Ooi, BS. (2014). Preparation, characterisation and performance of polyvinylidene fluoride membrane for sodium chloride rejection in direct contact membrane distillation. Mater Res Innovat. 18: 359-363. http://dx.doi.org/10.1179/1432891714Z.0000000001025.

Chong, KC; Lai, SO; Lee, KM; Lau, WJ; Ismail, AF; Ooi, BS. (2015). Characteristic and performance of polyvinylidene fluoride membranes blended with different additives in direct contact membrane distillation. Desalination and Water Treatment. 54: 3218-3226. http://dx.doi.org/10.1080/19443994.2014.910139.

Chou, W, eiYu; Jin, Y, iC; Duh, JG; Lu, CZ; Liao, SC. (2015). A facile approach to derive binder protective film on high voltage spinel cathode materials against high temperature degradation. Appl Surf Sci. 355: 1272-1278. http://dx.doi.org/10.1016/j.apsusc.2015.08.046.

Chowdhury, S; Frazier, CE. (2013). Compressive-torsion DMA of yellow-poplar wood in organic media. Holzforschung. 67: 161-168. http://dx.doi.org/10.1515/hf-2011-0167.

Chu, CW; Kirby, DP; Murphy, PD. (1993). INTERACTIONS OF AMINOSILANE WITH ALUMINA AND SILICA SUBSTRATES DEPOSITED FROM NONAQUEOUS AND AQUEOUS-MEDIA. J Adhes Sci Tech. 7: 417-433.

Chung, IS; Park, CE; Ree, M; Kim, SY. (2001). Soluble polyimides containing benzimidazole rings for interlevel dielectrics. Chem Mater. 13: 2801-2806. http://dx.doi.org/10.1021/cm0008381.

Fate Literature Search Results

Off Topic

Chung, TH, ao; Lee, W, enC. (2008). Preparation of styrene-based, magnetic polymer microspheres by a swelling and penetration process. React Funct Polym. 68: 1441-1447. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.003.

Chung, TH, ao; Pan, HC; Lee, W, enC. (2007). Preparation and application of magnetic poly(styrene-glycidyl methacrylate) microspheres. Journal of Magnetism and Magnetic Materials. 311: 36-40. http://dx.doi.org/10.1016/j.jmmm.2006.11.165.

Chung, TS; Kafchinski, ER; Foley, P. (1992). DEVELOPMENT OF ASYMMETRIC HOLLOW FIBERS FROM POLYIMIDES FOR AIR SEPARATION. J Memb Sci. 75: 181-195.

Chung, TS; Kafchinski, ER; Vora, R. (1994). DEVELOPMENT OF A DEFECT-FREE 6FDA-DURENE ASYMMETRIC HOLLOW-FIBER AND ITS COMPOSITE HOLLOW FIBERS. J Memb Sci. 88: 21-36.

Chung, TS; Qin, JJ; Gu, J. (2000). Effect of shear rate within the spinneret on morphology, separation performance and mechanical properties of ultrafiltration polyethersulfone hollow fiber membranes. Chem Eng Sci. 55: 1077-1091.

Chung, TS; Teoh, SK. (1999). The ageing phenomenon of polyethersulphone hollow fibre membranes for gas separation and their characteristics. J Memb Sci. 152: 175-188.

Chung, TS; Teoh, SK; Hu, XD. (1997). Formation of ultrathin high-performance polyethersulfone hollow-fiber membranes. J Memb Sci. 133: 161-175.

Chung, TS; Teoh, SK; Lau, WWY; Srinivasan, MP. (1998). Effect of shear stress within the spinneret on hollow fiber membrane morphology and separation performance. Ind Eng Chem Res. 37: 3930-3938.

Chylinski, K; Fras, Z; Malanowski, SK. (2004). Vapor-liquid equilibrium for propylene glycol+2-(2-hexyloxyethoxy) ethanol and 1-methyl-2-pyrrolidone+1-methoxypropan-2-ol. Journal of Chemical and Engineering Data. 49: 18-23. http://dx.doi.org/10.1021/je034096z.

Ciesielski, A; Haar, S; Aliprandi, A; El Garah, M; Tregnago, G; Cotella, GF; El Gemayel, M; Richard, F; Sun, H; Cacialli, F; Bonaccorso, F; Samorì, P. (2016). Modifying the Size of Ultrasound-Induced Liquid-Phase Exfoliated Graphene: From Nanosheets to Nanodots. ACS Nano. 10: 10768-10777. http://dx.doi.org/10.1021/acsnano.6b03823.

Clara, RA; de Doz, MG; Barnes, N; Solimo, HN. (2002). Influence of temperature on the liquid-to-liquid extraction of 1-propanol from aqueous solutions containing nitromethane. Fluid Phase Equilibria. 198: 267-279.

Clark, MD; Krishnamoorti, R. (2009). Dispersion of Functionalized Multiwalled Carbon Nanotubes. J Phys Chem C. 113: 20861-20868. http://dx.doi.org/10.1021/jp907221g.

Cody, GD; Obeng, M; Thiyagarajan, P. (1997). Characterization of the soluble and insoluble fractions of upper freeport coal in NMP/CS2 and pyridine using small angle neutron scattering. Energy Fuels. 11: 495-501.

Cohen, CS; Stansberry, PG; Stiller, AH; Hobbs, G; Vavro, K; Miller, MR. (1995). PRELIMINARY CHARACTERIZATION OF BIOREACTIVITY OF NOVEL CARBONACEOUS PITCHES EXTRACTED IN N-METHYLPYRROLIDONE. Energy Fuels. 9: 1051-1057.

Collins, JP; Noble, RD; Park, CH; Clark, NA. (1995). CONTINUED STUDIES OF AN ELECTROCONVECTIVE LIQUID MEMBRANE FOR GAS SEPARATION. J Memb Sci. 99: 249-257.

Comanescu, I; Filotti, L. (2010). Vapour-liquid Equilibrium Data for C5 Saturated-Unsaturated Hydrocarbons Solutions with Solvents Monopropylene Glycol, Dipropylene Glycol or N-Methyl-2-Pyrrolidone. Rev Chim. 61: 986-990.

Coonts, BA; Whitman, SL; O'Donnell, M; Polson, AM; Bogle, G; Garrett, S; Swanbom, DD; Fulfs, JC; Rodgers, PW; Southard, GL; Dunn, RL. (1998). Biodegradation and biocompatibility of a guided tissue regeneration barrier membrane formed from a liquid polymer material. J Biomed Mater Res. 42: 303-311.

Cory, NJ. (2002). An update on environmental constraints. American Leather Chemists Association Journal. 97: 496-505.

Cowley, M. (2006). Skeletal isomerization of Fischer-Tropsch-derived pentenes: The effect of oxygenates. Energy Fuels. 20: 1771-1776. http://dx.doi.org/10.1021/ef0601162.

Creaser, CS; Lamarca, DG; dos Santos, LMF; Lobiundo, G; New, AP. (2003). On-line biodegradation monitoring of nitrogen-containing compounds by membrane inlet mass spectrometry. J Chem Tech Biotechnol. 78: 1193-1200. http://dx.doi.org/10.1002/jctb.918.

Crock, CA; Rogensues, AR; Shan, W; Tarabara, VV. (2013). Polymer nanocomposites with graphene-based hierarchical fillers as materials for multifunctional water treatment membranes. Water Res. 47: 3984-3996. http://dx.doi.org/10.1016/j.watres.2012.10.057.

Cuevas, RM; Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1995). EXPERIMENTAL LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - ETHANENITRILE AND BUTANENITRILE WITH N-ALKANES. Fluid Phase Equilibria. 107: 201-212.

Cui, KM; Tria, MC; Pernites, R; Binag, CA; Advincula, RC. (2011). PVK/MWNT electrodeposited conjugated polymer network nanocomposite films. ACS Applied Materials & Interfaces. 3: 2300-2308. http://dx.doi.org/10.1021/am200233k.

Cui, ZY; Li, ZW; Gao, ZH; Li, JQ. (1994). VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE(1)WATER(2) BINARY-SYSTEM BY AN EBULLIOMETER. Chinese Journal of Chemical Engineering. 2: 119-124.

Curti, E; de Britto, D; Campana, SP. (2003). Methylation of chitosan with iodomethane: Effect of reaction conditions on chemoselectivity and degree of substitution. Macromol Biosci. 3: 571-576. http://dx.doi.org/10.1002/mabi.200300030.

da Conceicao, TF; Scharnagl, N; Dietzel, W; Kainer, KU. (2011). Corrosion protection of magnesium AZ31 alloy using poly(ether imide) [PEI] coatings prepared by the dip coating method Influence of solvent and substrate pre-treatment. Corrosion Sci. 53: 338-346. http://dx.doi.org/10.1016/j.corsci.2010.09.040.

Daaou, M; Bendedouch, D; Modarressi, A, li; Rogalski, M. (2012). Properties of the Polar Fraction of Hassi-Messaoud Asphaltenes. Energy Fuels. 26: 5672-5678. http://dx.doi.org/10.1021/ef300573d.

Dabai, F; Paterson, N; Milian, M; Fennell, P; Kandiyoti, R. (2014). Tar Formation and Destruction in a Fixed Bed Reactor Simulating Downdraft Gasification: Effect of Reaction Conditions on Tar Cracking Products. Energy Fuels. 28: 1970-1982. http://dx.doi.org/10.1021/ef402293m.

Dabke, RB; Dhanabalan, A; Major, S; Talwar, SS; Lal, R; Contractor, AQ. (1998). Electrochemistry of polyaniline Langmuir-Blodgett films. Thin Solid Films. 335: 203-208.

Fate Literature Search Results

Off Topic

D'Agostino, C; Stephens, JA; Parkinson, JD; Mantle, MD; Gladden, LF; Moggridge, GD. (2013). Prediction of the mutual diffusivity in acetone-chloroform liquid mixtures from the tracer diffusion coefficients. Chem Eng Sci. 95: 43-47. http://dx.doi.org/10.1016/j.ces.2013.03.033.

Dahe, GJ; Teotia, RS; Bellare, JR. (2012). The role of zeolite nanoparticles additive on morphology, mechanical properties and performance of polysulfone hollow fiber membranes. Chem Eng J. 197: 398-406. http://dx.doi.org/10.1016/j.cej.2012.05.037.

Dai, C; Dong, Y; Han, J; Lei, Z. (2015). Separation of benzene and thiophene with a mixture of N-methyl-2-pyrrolidinone (NMP) and ionic liquid as the entrainer. Fluid Phase Equilibria. 388: 142-150. http://dx.doi.org/10.1016/j.fluid.2015.01.005.

Dai, XH; Tan, YW; Xu, J. (2002). Formation of gold nanoparticles in the presence of o-anisidine and the dependence of the structure of poly(o-anisidine) on synthetic conditions. Langmuir. 18: 9010-9016. http://dx.doi.org/10.1021/la025926u.

Dai, XH; Wang, ZM; Pan, JM; Yuan, SS; Yan, YS; Liu, DM; Sun, L. (2014). Star-shaped poly(L-lactide)-b-poly(lactobionamidoethyl methacrylate) with porphyrin core: synthesis, self-assembly, singlet oxygen research and recognition properties. J Biomater Sci Polym Ed. 25: 1755-1770. http://dx.doi.org/10.1080/09205063.2014.946878.

Dai, ZW; Zou, XH; Chen, GQ. (2009). Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) as an injectable implant system for prevention of post-surgical tissue adhesion. Biomaterials. 30: 3075-3083. http://dx.doi.org/10.1016/j.biomaterials.2009.02.015.

Damaceanu, MD; Bruma, M. (2006). Study of some silicon-containing polyoxadiazole amide. Materiale Plastice. 43: 151-159.

Damm, C; Nacken, TJ; Peukert, W. (2015). Quantitative evaluation of delamination of graphite by wet media milling. Carbon. 81: 284-294. http://dx.doi.org/10.1016/j.carbon.2014.09.059.

Dandia, A; Taneja, H; Saha, M. (1997). Synthesis of novel spiro[indole-pyranoimidazole] and spiro[indole-pyranopyrrole] derivatives. Indian J Chem Tech. 4: 243-246.

Dang, H, aiSon; Jannasch, P. (2016). Alkali-stable and highly anion conducting poly(phenylene oxide)s carrying quaternary piperidinium cations. 4: 11924-11938. http://dx.doi.org/10.1039/c6ta01905f.

Darvishmanesh, S; Jansen, JC; Tasselli, F; Tocci, E; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Novel polyphenylsulfone membrane for potential use in solvent nanofiltration. J Memb Sci. 379: 60-68. http://dx.doi.org/10.1016/j.memsci.2011.05.045.

Darvishmanesh, S; Tasselli, F; Jansen, JC; Tocci, E; Bazzarelli, F; Bernardo, P; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Preparation of solvent stable polyphenylsulfone hollow fiber nanofiltration membranes. J Memb Sci. 384: 89-96. http://dx.doi.org/10.1016/j.memsci.2011.09.003.

Davila, MJ; Alcalde, R; Aparicio, S. (2009). Pyrrolidone Derivatives in Water Solution: An Experimental and Theoretical Perspective. Ind Eng Chem Res. 48: 1036-1050. http://dx.doi.org/10.1021/ie800911n.

Davila, MJ; Aparicio, S; Alcalde, R. (2009). Thermophysical Properties of Binary and Ternary Mixtures Containing Lactams and Methanol. Ind Eng Chem Res. 48: 10065-10076. http://dx.doi.org/10.1021/ie900822e.

Davila, MJ; Cabanas, A; Pando, C. (2007). Excess molar enthalpies for binary mixtures related to supercritical antisolvent precipitation: Carbon dioxide plus N-methyl-2-pyrrolidone. Journal of Supercritical Fluids. 42: 172-179. http://dx.doi.org/10.1016/j.supflu.2007.02.010.

de Albuquerque, JE; Mattoso, LHC; Faria, RM; Masters, JG; Macdiarmid, AG. (2004). Study of the interconversion of polyaniline oxidation states by optical absorption spectroscopy. Synthetic Metals. 146: 1-10. http://dx.doi.org/10.1016/j.synthmet.2004.05.019.

de Freitas, LC; de Castro, LD. (2008). Correlations between quinoline and 1-methyl-2-pyrrolidinone insolubles in petroleum pitches. Fuel. 87: 2842-2845. http://dx.doi.org/10.1016/j.fuel.2008.01.015.

De Marco, I; Knauer, O; Cice, F; Braeuer, A; Reverchon, E. (2012). Interactions of phase equilibria, jet fluid dynamics and mass transfer during supercritical antisolvent micronization: The influence of solvents. Chem Eng J. 203: 71-80. http://dx.doi.org/10.1016/j.cej.2012.06.129.

De Marco, I; Rossmann, M; Prosapio, V; Reverchon, E; Braeuer, A. (2015). Control of particle size, at micrometric and nanometric range, using supercritical antisolvent precipitation from solvent mixtures: Application to PVP. Chem Eng J. 273: 344-352. http://dx.doi.org/10.1016/j.cej.2015.03.100.

Della Porta, G; Volpe, MC; Reverchon, E. (2006). Supercritical cleaning of rollers for printing and packaging industry. Journal of Supercritical Fluids. 37: 409-416. http://dx.doi.org/10.1016/j.supflu.2006.01.018.

Den, W; Ko, FH; Huang, TY. (2002). Treatment of organic wastewater discharged from semiconductor manufacturing process by ultraviolet/hydrogen peroxide and biodegradation. IEEE Trans Semicond Manuf. 15: 540-551. http://dx.doi.org/10.1109/TSM.2002.804903.

Deng, D; Han, G; Jiang, Y; Ai, N. (2015). Solubilities of Carbon Dioxide in Five Biobased Solvents. Journal of Chemical and Engineering Data. 60: 104-111. http://dx.doi.org/10.1021/je500812s.

Deng, Q; Qin, Z; Yang, Y; Song, W. (2015). Synthesis, characterization of triphenyltin grafted on SBA-15 mesoporous silica and its catalytic performance for the synthesis of 4-methylacetophenone. Chinese Journal of Chemical Engineering. 23: 384-388. http://dx.doi.org/10.1016/j.cjche.2013.12.001.

Deoliveira, JV; Uller, AMC. (1996). Solubility of pure 1,3 butadiene and methyl propene and their mixtures in pure n-methyl-2-pyrrolidone and in its aqueous solutions. Fluid Phase Equilibria. 118: 133-141.

Dhanabalan, A; Dabke, RB; Kumar, NP; Talwar, SS; Major, S; Lal, R; Contractor, AQ. (1997). A study of Langmuir and Langmuir-Blodgett films of polyaniline. Langmuir. 13: 4395-4400.

Dimitriev, OP; Pud, AA. (2011). Interaction of polyaniline with hydroxyl-ions in N-methylpyrrolidinone. Synthetic Metals. 161: 1813-1819. http://dx.doi.org/10.1016/j.synthmet.2011.06.006.

Dimitriev, OP; Smertenko, PS; Stiller, B; Brehmer, L. (2005). Polyaniline-transition metal salt complexes: insight into formation mechanisms. Synthetic Metals. 149: 187-192. http://dx.doi.org/10.1016/j.synthmet.2004.12.007.

Ding, J, un; Kong, Y; Yang, J. (2012). Preparation of Polyimide/Polyethylene Terephthalate Composite Membrane for Li-Ion Battery by Phase Inversion. J Electrochem Soc. 159: A1198-A1202. http://dx.doi.org/10.1149/2.023208jes.

Fate Literature Search Results

Off Topic

Ding, M, an; Zhao, Y, unP; Dou, Y, ouQ; Wei, XY; Fan, X; Cao, J, inPei; Wang, Y, ueLun; Zong, Z, hiMin. (2015). Sequential extraction and thermal dissolution of Shengli lignite. Fuel Process Tech. 135: 20-24. http://dx.doi.org/10.1016/j.fuproc.2014.09.031.

Ding, MJ, ie; Zong, Z, hiMin; Zong, Y; Ou-Yang, XD; Huang, Y, aoGuo; Zhou, L, ei; Wang, F; Cao, JP, ei; Wei, XY. (2008). Isolation and identification of fatty acid amides from Shengli coal. Energy Fuels. 22: 2419-2421. http://dx.doi.org/10.1021/ef700499y.

Ding, X; Cao, Y; Zhao, H; Wang, L. (2013). Interfacial morphology between the two layers of the dual-layer asymmetric hollow fiber membranes fabricated by co-extrusion and dry-jet wet-spinning phase-inversion techniques. J Memb Sci. 444: 482-492. http://dx.doi.org/10.1016/j.memsci.2013.03.035.

Do Kim, S; Woo, KJ, ae; Jeong, SK; Rhim, YJ, un; Lee, S, iH. (2008). Production of low ash coal by thermal extraction with N-methyl-2-pyrrolidinone. Korean J Chem Eng. 25: 758-763.

Doetschman, DC; Mehlenbacher, RC; Ito, O. (1994). A STUDY OF COAL EXTRACTION WITH ELECTRON-PARAMAGNETIC-RESONANCE AND PROTON NUCLEAR-MAGNETIC-RESONANCE RELAXATION TECHNIQUES. Energy Fuels. 8: 907-919.

Domanka, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and ethers at atmospheric pressure. Fluid Phase Equilibria. 227: 135-143. http://dx.doi.org/10.1016/j.fluid.2004.11.006.

Domanska, U; Gloskowska, M. (2004). Experimental solid plus liquid equilibria and excess molar volumes of alkanol plus hexylamine mixtures - Analysis in terms of the ERAS, DISQUAC and Mod. UNIFAC models. Fluid Phase Equilibria. 216: 135-145. http://dx.doi.org/10.1016/j.fluid.2003.10.007.

Domanska, U; Lachwa, J. (2002). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and long-chain n-alkanols at atmospheric pressure. Fluid Phase Equilibria. 198: 1-14.

Domanska, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria and solid-compound formation in (N-methyl-2-pyrrolidinone plus phenol, or 3,5-dimethylphenol). Fluid Phase Equilibria. 232: 214-218. http://dx.doi.org/10.1016/j.fluid.2005.03.027.

Domanska, U; Lachwa, J; Gonzalez, JA. (2005). Thermodynamics of binary mixtures containing N-methyl-2-pyrrolidinone VLE measurements for systems with ethers - Comparison with the mod. UNIFAC (Do) and DISQUAC models - Predictions for VLE, G(m)(E), H-m(E) and SLE. Fluid Phase Equilibria. 235: 182-190. http://dx.doi.org/10.1016/j.fluid.2005.06.017.

Domanska, U; Lachwa, J; Letcher, TM. (2002). Densities, excess molar volumes, and excess molar enthalpies of (N-methyl-2-pyrrolidinone plus ketone) at T=298.15 K. Journal of Chemical and Engineering Data. 47: 1446-1452. http://dx.doi.org/10.1021/je020068p.

Domanska, U; Lukoshko, EV; Krolikowski, M. (2012). Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium tris(pentafluoroethyl)trifluorophosphate ([BMPYR][FAP]). Chem Eng J. 183: 261-270. http://dx.doi.org/10.1016/j.cej.2011.12.072.

Domanska, U; Marciniak, A; Krolikowska, M; Arasimowicz, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Hexyl-3-methylimidazolium Thiocyanate. Journal of Chemical and Engineering Data. 55: 2532-2536. http://dx.doi.org/10.1021/je900890u.

Domanski, M; Winnubst, L; Luttge, R; Lamers, E; Walboomers, XF; Jansen, J; Gardeniers, H. (2012). Production and characterization of miro- and nano-features in biomedical alumina and zirconia ceramics using a tape casting route. J Mater Sci Mater Med. 23: 1637-1644. http://dx.doi.org/10.1007/s10856-012-4635-1.

Domin, M; Herod, A; Kandiyoti, R; Larsen, JW; Lazaro, MJ; Li, S; Rahimi, P. (1999). A comparative study of bitumen molecular-weight distributions. Energy Fuels. 13: 552-557.

Domingo, P; Olaciregui, M; Gonzalez, N; Del Nino, A; De Blas, I; Gil, L. (2016). Effect of N-methyl-2-pyrrolidone and seminal plasma on cooled rabbit semen. Reproduction in Domestic Animals. 51: 87-88.

Donato, L; Greco, MC; Drioli, E. (2011). Preparation of molecularly imprinted membranes and evaluation of their performance in the selective recognition of dimethoate. Desalination and Water Treatment. 30: 171-177. http://dx.doi.org/10.5004/dwt.2011.1960.

Dong, H; Chen, D; Wang, K; Zhang, R. (2016). High-Yield Preparation and Electrochemical Properties of Few-Layer MoS2 Nanosheets by Exfoliating Natural Molybdenite Powders Directly via a Coupled Ultrasonication-Milling Process. Nanoscale Res Lett. 11: 409. http://dx.doi.org/10.1186/s11671-016-1622-3.

Dong, J, ie; Yin, C; Luo, W; Zhang, Q. (2013). Synthesis of organ-soluble copolyimides by one-step polymerization and fabrication of high performance fibers. Journal of Materials Science. 48: 7594-7602. http://dx.doi.org/10.1007/s10853-013-7576-2.

Dong, S; Alvarez, P; Paterson, N; Dugwell, DR; Kandiyoti, R. (2008). Investigating the formation mechanism of soot-like materials present in blast furnace coke samples. Energy Fuels. 22: 3317-3325. http://dx.doi.org/10.1021/ef800466h.

Dong, S; Paterson, N; Kazarian, SG; Dugwell, DR; Kandiyoti, R. (2007). Characterization of tuyere-level core-drill coke samples from blast furnace operation. Energy Fuels. 21: 3446-3454. http://dx.doi.org/10.1021/ef7003656.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2005). The fate of injectant coal in blast furnaces: The origin of extractable materials of high molecular mass in blast furnace carryover dusts. Progress in Natural Science. 15: 67-75.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2007). Investigating the fate of injectant coal in blast furnaces by size-exclusion chromatography. Energy Fuels. 21: 1062-1070. http://dx.doi.org/10.1021/ef060472k.

Du, C, unBin; Han, S; Zhong, Y, unHao; Yao, G, anB; Wang, J; Zhao, H. (2015). Determination and prediction of solid-liquid phase equilibrium for quaternary system of terephthalic acid plus isophthalic acid plus phthalic acid plus N-methyl-2-pyrrolidone at 303.15 K and 313.15 K. Fluid Phase Equilibria. 397: 103-110. http://dx.doi.org/10.1016/j.fluid.2015.03.042.

Du, PA, n; Ren, M, anN; Jiang, D, an; Zhao, ZH, ui; Ying, W, eiY. (2012). An experimental study on optimization utilization of deasphalted oil. Fuel Process Tech. 99: 64-68. http://dx.doi.org/10.1016/j.fuproc.2012.01.033.

Du, Z; Yin, T; Xia, Y; Cui, Z; Shen, W. (2013). The liquid-liquid coexistence curves of {x nitrobenzene + (1-x) 2-methylpentane} and {x nitrobenzene + (1-x) isooctane} in the critical region. Fluid Phase Equilibria. 358: 282-289. http://dx.doi.org/10.1016/j.fluid.2013.08.025.

Fate Literature Search Results

Off Topic

Dubin, S; Gilje, S; Wang, K; Tung, VC; Cha, K; Hall, AS; Farrar, J; Varshneya, R; Yang, Y; Kaner, RB. (2010). A one-step, solvothermal reduction method for producing reduced graphene oxide dispersions in organic solvents. ACS Nano. 4: 3845-3852. http://dx.doi.org/10.1021/nn100511a.

Duereh, A; Sato, Y; Smith, RL, ee, J.,r; Inomata, H. (2015). Replacement of Hazardous Chemicals Used in Engineering Plastics with Safe and Renewable Hydrogen-Bond Donor and Acceptor Solvent-Pair Mixtures. 3: 1881-1889. http://dx.doi.org/10.1021/acssuschemeng.5b00474.

Duesselberg, D; Verreault, D; Koelsch, P; Staudt, C. (2011). Synthesis and characterization of novel, soluble sulfur-containing copolyimides with high refractive indices. Journal of Materials Science. 46: 4872-4879. http://dx.doi.org/10.1007/s10853-011-5399-6.

Dulinska-Molak, I, da; Ryszkowska, J; Kurzydlowski, KJ. (2010). Biocompatible polyurethane composites with calcite for tissue engineering. Przemysł Chemiczny. 89: 1614-1620.

Durbin, C; Hausman, R; Escobar, IC. (2013). An investigation of polymer dope and heating effects on hollow fiber membranes. Desalination and Water Treatment. 51: 6970-6977. http://dx.doi.org/10.1080/19443994.2013.797651.

Dutczak, SM; Cuperus, FP; Wessling, M; Stamatialis, DF. (2013). New crosslinking method of polyamide-imide membranes for potential application in harsh polar aprotic solvents. Separation and Purification Technology. 102: 142-146. http://dx.doi.org/10.1016/j.seppur.2012.10.018.

Dutczak, SM; Tanardi, CR; Kopec, KK; Wessling, M; Stamatialis, D. (2012). "Chemistry in a spinneret" to fabricate hollow fibers for organic solvent filtration. Separation and Purification Technology. 86: 183-189. http://dx.doi.org/10.1016/j.seppur.2011.11.003.

Dutta, M; Nicolosi, V; Obratzsova, E; Koos, AA; Crossley, A; Groben, N. (2011). Stable Dispersions of Nitrogen Containing Multi-Walled Carbon Nanotubes. 1: 201-209. http://dx.doi.org/10.1166/mex.2011.1029.

Dutta, PK. (2000). Synthesis of nitro-substituted aromatic polysulfide from bis(4-chloro-3-nitrophenyl) sulfone and sodium sulfide by activated nucleophilic displacement polymerization. Indian J Chem Tech. 7: 61-63.

Dygert, NL; Gies, AP; Schriver, KE; Haglund, RF, Jr. (2007). Deposition of polyimide precursor by resonant infrared laser ablation. Applied Physics A: Materials Science and Processing. 89: 481-487. http://dx.doi.org/10.1007/s00339-007-4155-x.

Dyrkacz, G. (2001). The nature of the binary solvent N-methylpyrrolidone/carbon disulfide. Energy Fuels. 15: 918-929. http://dx.doi.org/10.1021/ef010003e.

Dyrkacz, GR; Bloomquist, CAA. (2000). Changes in coal extractability with timed addition of tetracyanoethylene in carbon disulfide/N-methylpyrrolidone extractions. Energy Fuels. 14: 513-514.

Dyrkacz, GR; Bloomquist, CAA. (2001). Binary solvent extractions of upper freeport coal. Energy Fuels. 15: 1409-1413.

Dyrkacz, GR; Bloomquist, CAA. (2001). Solvent extraction of separated macerals in carbon disulfide/N-methylpyrrolidone. Energy Fuels. 15: 1403-1408.

Dzunuzovic, J; Jovanovic, S; Lechner, MD. (2010). CHARACTERIZATION OF THE COMMERCIAL HYPERBRANCHED POLYESTERS. Hemijska Industrija. 64: 547-553. http://dx.doi.org/10.2298/HEMIND101014060D.

Eberhardt, TL; Lebow, S; Reed, KG. (2012). Partial dissolution of ACQ-treated wood in lithium chloride/N-methyl-2-pyrrolidinone: separation of copper from potential lignocellulosic feedstocks. Chemosphere. 86: 797-801. http://dx.doi.org/10.1016/j.chemosphere.2011.11.020.

Ebrahim, S; Soliman, M; Abdel-Fattah, TM. (2011). Hybrid Inorganic-Organic Heterojunction Solar Cell. Journal of Electronic Materials. 40: 2033-2041. http://dx.doi.org/10.1007/s11664-011-1671-4.

Eghrary, SH; Zarghami, R; Martinez, F; Jouyban, A. (2012). Solubility of 2-Butyl-3-benzofuranyl 4-(2-(Diethylamino)ethoxy)-3,5-diiodophenyl Ketone Hydrochloride (Amiodarone HCl) in Ethanol plus Water and N-Methyl-2-pyrrolidone plus Water Mixtures at Various Temperatures. Journal of Chemical and Engineering Data. 57: 1544-1550. http://dx.doi.org/10.1021/je201268b.

Eifert, EJ; Vickers, LD. (2000). The dissolution vessel for plutonium pits at the U.S. DOE Pantex Plant. Health Phys. 78: S25-S27.

Einfeldt, L; Petzold, K; Gunther, W; Stein, A; Kussler, M; Klemm, D. (2001). Preparative and H-1 NMR investigation on regioselective silylation of starch dissolved in dimethyl sulfoxide. Macromol Biosci. 1: 341-347.

El Dib, G; Chakir, A. (2007). Temperature-dependence study of the gas-phase reactions of atmospheric NO3 radicals with a series of amides. Atmos Environ. 41: 5887-5896. http://dx.doi.org/10.1016/j.atmosenv.2007.03.038.

El Mansoury, A; Bushby, RJ; Karodia, N. (2012). Triphenylene-based discotic liquid crystals: star-shaped oligomers and branched-chain polymers. Liquid Crystals. 39: 1222-1230. http://dx.doi.org/10.1080/02678292.2012.707691.

El Naggar, AMA; Mostafa, MS; Zaky, MT. (2016). New trend for the pour point depression of a waxy petroleum fraction with in-situ desulphurization using (O2H & OH) radicals coupled with nanoparticles of titanium compounds. Fuel. 180: 218-227. http://dx.doi.org/10.1016/j.fuel.2016.04.031.

Elashnikov, R; Lyutakov, O; Kalachyova, Y; Solovyev, A; Svorcik, V. (2015). Tunable release of silver nanoparticles from temperature-responsive polymer blends. React Funct Polym. 93: 163-169. http://dx.doi.org/10.1016/j.reactfunctpolym.2015.06.010.

El-Gayar, MS, h; Ahmed, AEM; Gohar, GA; Hegazi, AH; Ibrahim, HM; Aly, AM. (2010). The Improvement of the Quality of Raffinate Obtained from Solvent Extraction of Lubricating Oils. Petroleum Science and Technology. 28: 1434-1444. http://dx.doi.org/10.1080/10916460903096772.

El-Gayar, MS, h; Gohar, GA; Ibrahim, AM; Ibrahim, HM; Aly, AM. (2008). Transformer oils prepared from the vacuum distillates of Egyptian crude paraffinic petroleum. Fuel Process Tech. 89: 254-261. http://dx.doi.org/10.1016/j.fuproc.2007.11.022.

Eliosajimenez, G; Trejo, A. (1993). HENRY LAW CONSTANT FOR PROPANE AND BUTANE IN SOLUTIONS OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 82: 191-197.

Elsner, T; Hradetzky, G; Bittrich, HJ. (1986). INVESTIGATIONS ON SELECTIVE SEPARATION PROCESSES .9. LIMITING ACTIVITY-COEFFICIENTS AND LIMITING SELECTIVITIES OF HYDROCARBONS IN N-METHYLPYRROLIDONE, ETHANEDIOLE AND THEIR MIXTURES. Chem Tech (Leipzig). 38: 120-121.

Fate Literature Search Results

Off Topic

Ely, F; Matsumoto, A; Zoetebier, B; Peressinotto, VS; Hirata, MK; de Sousa, DA; Maciel, R. (2014). Handheld and automated ultrasonic spray deposition of conductive PEDOT:PSS films and their application in AC EL devices. Organic Electronics. 15: 1062-1070. http://dx.doi.org/10.1016/j.orgel.2014.02.022.

Ermolaeva, TN; Korenman, YI; Podolina, EA. (1997). Extractive concentration and potentiometric determination of phenolic antioxidants in water. Industrial Laboratory. 63: 387-388.

Esfahanizadeh, M; Sabbaghian, E; Mehdipour-Ataei, S; Jalilian, S; Babanzadeh, S. (2015). Synthesis and Characterization of New Polyureas with Improved Thermal Stability from a Novel Ether Keto Diamine. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21511.

Esguerra, DF; Hoffman, WP; Thies, MC. (2013). Fractionation of an oligomeric pyrene pitch via supercritical extraction. Journal of Supercritical Fluids. 79: 170-176. http://dx.doi.org/10.1016/j.supflu.2012.11.015.

Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Liquid crystallinity in trimer oligomers isolated from petroleum and pyrene pitches. Carbon. 79: 265-273. http://dx.doi.org/10.1016/j.carbon.2014.07.067.

Estevez, M; Vargas, S; Castano, VM; Rodriguez, JR; Lobland, HEH; Brostow, W. (2007). Novel wear resistant and low toxicity dental obturation materials. Mater Lett. 61: 3025-3029. http://dx.doi.org/10.1016/j.matlet.2006.10.068.

Eustaquio-Rincon, R; Esther Rebolledo-Libreros, M; Trejo, A; Molnar, R. (2008). Corrosion in aqueous solution of two alkanolamines with CO2 and H2S: N-methyldiethanolamine plus diethanolamine at 393 K. Ind Eng Chem Res. 47: 4726-4735. http://dx.doi.org/10.1021/ie071557r.

Eustaquiorincon, R; Molnar, R; Trejo, A. (1991). LIQUID LIQUID MISCIBILITY FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE + NORMAL-ALKANE AND PROPANENITRILE + NORMAL-ALKANE. Fluid Phase Equilibria. 68: 187-195.

Eustaquio-Rincon, R; Ramirez, LF; Trejo, A. (1998). Experimental liquid-liquid phase equilibria for binary systems: ethanenitrile with several hydrocarbon isomers. Fluid Phase Equilibria. 149: 177-189.

Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1993). LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE WITH SEVERAL HYDROCARBON ISOMERS. Fluid Phase Equilibria. 91: 187-201.

Evangelisti, C; Panziera, N; D'alessio, A; Bertinetti, L; Botavina, M; Vitulli, G. (2010). New monodispersed palladium nanoparticles stabilized by poly-(N-vinyl-2-pyrrolidone): Preparation, structural study and catalytic properties. J Catal. 272: 246-252. http://dx.doi.org/10.1016/j.jcat.2010.04.006.

Evenbratt, H; Nordstierna, L; Ericson, MB; Engström, S. (2013). Cubic and sponge phases in ether lipid-solvent-water ternary systems: phase behavior and NMR characterization. Langmuir. 29: 13058-13065. http://dx.doi.org/10.1021/la402732a.

Fabiyi, JS; Ogunleye, BM. (2015). MID-INFRARED SPECTROSCOPY AND DYNAMIC MECHANICAL ANALYSIS OF HEAT-TREATED OBECHE (Triplochiton scleroxylon) WOOD. 17: 5-16. http://dx.doi.org/10.4067/S0718-221X2015005000001.

Faggian, V; Scanferla, P; Paulussen, S; Zuin, S. (2014). Combining the European chemicals regulation and an (eco) toxicological screening for a safer membrane development. J Clean Prod. 83: 404-412. http://dx.doi.org/10.1016/j.jclepro.2014.07.017.

Faghihi, K; Absalar, M; Hajibeygi, M. (2010). Synthesis and characterization of new optically active polyamides containing 2-(4-nitro-1,3-dioxoisoindolin-2-yl)succinic acid and aromatic diamines via direct polycondensation. Turkish Journal of Chemistry. 34: 81-90. http://dx.doi.org/10.3906/kim-0811-4.

Faghihi, K; Ashouri, M; Hajibeygi, M. (2013). High Temperature and Organosoluble Poly(amide-imide)s Based on 1,4-Bis[4-aminophenoxy]butane and Aromatic Diacids by Direct Polycondensation: Synthesis and Properties. High Temperature Materials and Processes. 32: 451-458. http://dx.doi.org/10.1515/htmp-2012-0164.

Faghihi, K; Dehnavi, N; Hajibeygi, M. (2014). New thermally stable poly(amide-imide)/montmorillonite reinforced nanocomposite based on N,N '-pyrromellitoyl-bis-L-valine: synthesis and characterization. Science and Engineering of Composite Materials. 21: 1-6. http://dx.doi.org/10.1515/secm-2012-0043.

Faghihi, K; Faramarzi, E; Shabanian, M. (2011). Thermal and Optical Properties of New Poly(amide-imide)/Nanocomposite Reinforced by Layer Silicate Containing Diphenyl Ether Moieties. High Temperature Materials and Processes. 30: 139-144. http://dx.doi.org/10.1515/HTMP.2011.020.

Faghihi, K; Hagibeygi, M. (2007). New aromatic polyamide with Azo and phosphine oxide groups in the main chain. Turkish Journal of Chemistry. 31: 65-73.

Faghihi, K, h; Hajibeygi, M. (2010). New flame retardant and optically active poly(amide-imide)s based on N-trimellitylimido-L-amino acid and phosphine oxide moiety in the main chain: synthesis and characterization. Materials Science. 28: 545-556.

Faghihi, K; Hajibeygi, M. (2013). Heat Resistant Poly(amide-imide)s Derived from N,N '-(4,4 '-Pyromellitoyl)-bis-L-phenyl Acetic Acid and Aromatic Diamines: Synthesis and Properties. High Temperature Materials and Processes. 32: 51-57. http://dx.doi.org/10.1515/htmp-2012-0059.

Faghihi, K; Hajibeygi, M; Shabanian, M. (2009). Synthesis and Characterization of New Copoly(amide-imide)s Based on Bicyclo[2,2,2]oct-7-ene-2,3,5,6-tetracarboxylic diimide and Azobenzene Group in the Main Chain. High Temperature Materials and Processes. 28: 379-386.

Faghihi, K; Mozafari, Z. (2008). Synthesis and Properties of Novel Photosensitive Poly(amide-imide)s Containing Chalcone Moiety and Aromatic Diamines in the Main Chain. Turkish Journal of Chemistry. 32: 673-683.

Faghihi, K; Mozaffari, Z. (2008). New polyamides derived from 2,5-bis[(4-carboxyanilino) carbonyl] pyridine and hydantoin derivatives: Synthesis and characterization. Turkish Journal of Chemistry. 32: 131-140.

Faghihi, K; Naderi-Ghomi, M; Hajibeygi, M. (2012). Synthesis and properties of new polyamide-organoclay nanocomposites containing pyrazine moiety in the main chain. Science and Engineering of Composite Materials. 19: 215-220. http://dx.doi.org/10.1515/secm-2011-0105.

Faghihi, K; Samiei, M; Hajibeygi, M. (2012). Photo and Thermal Behavior of New Reinforced Polyamide-nanocomposite Montmorillonite on 2,3-Pyrazin Dicarboxylic Acid. High Temperature Materials and Processes. 31: 267-272. http://dx.doi.org/10.1515/htmp-2011-0137.

Fate Literature Search Results

Off Topic

Faghihi, K; Shabanian, M. (2011). Optical and Thermal Behaviors of Polyamide-Layered Silicate Nanocomposites Based on 4,4 '-Azodibenzoic Acid by Solution Intercalation Technique. High Temperature Materials and Processes. 30: 77-80. http://dx.doi.org/10.1515/HTMP.2011.010.

Faghihi, K; Shabanian, M; Aleyasin, N. (2010). New organosoluble copoly(ether-amide-imide)s based on N,N '-(4,4 '-diphenylether)bistrimellitimide in the main chain: synthesis and characterization. Asia-Pacific Journal of Chemical Engineering. 5: 915-918. http://dx.doi.org/10.1002/apj.413.

Faghihi, K; Shabanian, M; Alimohammadi, H. (2010). Synthesis and characterization of new optically active and organosoluble copoly amides containing phthalimide rings as a pendent group. Asia-Pacific Journal of Chemical Engineering. 5: 932-937. http://dx.doi.org/10.1002/apj.422.

Faghihi, K; Shabanian, M; Bolhasani, N. (2012). Synthesis and Preparation of New Reinforced Montmorillonite Poly(amides-imides) Based on N-trimellitimido-4-amino Benzoic Acid. High Temperature Materials and Processes. 30: 557-562. http://dx.doi.org/10.1515/HTMP.2011.113.

Faghihi, K; Shabanian, M; Dadfar, E. (2012). New Poly(amide-imide)/Nanocomposites Reinforced Silicate Nanoparticles Based on N-pyromellitimido-L-phenyl Alanine Containing Ether Moieties. High Temperature Materials and Processes. 31: 7-12. http://dx.doi.org/10.1515/HTMP.2011.122.

Faghihi, K; Shabanian, M; Hajibeygi, M. (2011). Synthesis and properties of new optically active and organosoluble poly(ester-imide)s containing L-valine moieties in the main chain by direct polycondensation reaction. Turkish Journal of Chemistry. 35: 279-289. http://dx.doi.org/10.3906/kim-1004-540.

Faghihi, K; Shabanian, M; Kazemi, S. (2009). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 28: 97-99.

Faghihi, K; Shabanian, M; Kazemi, S. (2010). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 29: 103-110.

Faghihi, K; Soleimani, M; Nezami, S; Shabanian, M. (2012). THERMAL AND OPTICAL PROPERTIES OF NEW POLY(AMIDE-IMIDE)-NANOCOMPOSITE REINFORCED BY LAYER SILICATE BASED ON CHIRAL N-TRIMELLITYLIMIDO-L-VALINE. Macedonian Journal of Chemistry and Chemical Engineering. 31: 79-87.

Fahim, MA; Elkilani, AS. (1990). PREDICTION OF OPTIMUM COMPOSITION OF THE MIXED-SOLVENT N-METHYLPYRROLIDONE ETHYLENE-GLYCOL FOR THE EXTRACTION OF AROMATICS. Separation Science and Technology. 25: 1803-1815.

Fakhouri, H; Pulpytel, J; Smith, W; Zolfaghari, A; Mortaheb, HR; Meshkini, F; Jafari, R; Sutter, E; Arefi-Khonsari, F. (2014). Control of the visible and UV light water splitting and photocatalysis of nitrogen doped TiO2 thin films deposited by reactive magnetron sputtering. Appl Catal B-Environ. 144: 12-21. http://dx.doi.org/10.1016/j.apcatb.2013.06.028.

Falconi, M; Focaroli, S; Teti, G; Salvatore, V; Durante, S; Nicolini, B; Orienti, I. (2014). Novel PLA microspheres with hydrophilic and bioadhesive surfaces for the controlled delivery of fenretinide. J Microencapsul. 31: 41-48. http://dx.doi.org/10.3109/02652048.2013.805838.

Fan, B; Chen, X; Zhou, T; Zhang, J; Xu, B. (2016). A sustainable process for the recovery of valuable metals from spent lithium-ion batteries. Waste Manag Res. 34: 474-481. http://dx.doi.org/10.1177/0734242X16634454.

Fan, J; Shi, Z; Zhang, L; Wang, J; Yin, J. (2012). Aramid nanofiber-functionalized graphene nanosheets for polymer reinforcement. Nanoscale. 4: 7046-7055. http://dx.doi.org/10.1039/c2nr31907a.

Fan, SC; Wang, YC; Li, CL; Lee, KR; Liaw, DJ; Huang, HP; Lai, JY. (2002). Effect of coagulation media on membrane formation and vapor permeation performance of novel aromatic polyamide membrane. J Memb Sci. 204: 67-79.

Fan, XH; Chen, Y, anP; Su, CS. (2016). Densities and viscosities of binary liquid mixtures of 1-ethyl-3-methylimidazolium tetrafluoroborate with acetone, methyl ethyl ketone, and N-methyl-2-pyrrolidone. Taiwan Institute of Chemical Engineers Journal. 61: 117-123. http://dx.doi.org/10.1016/j.jtice.2016.01.004.

Fang, H; Ren, C; Liu, Y; Lu, D; Winnubst, L; Chen, C. (2013). Phase-inversion tape casting and synchrotron-radiation computed tomography analysis of porous alumina. J Eur Ceram Soc. 33: 2049-2051. http://dx.doi.org/10.1016/j.jeurceramsoc.2013.02.032.

Fang, JK; Chiu, HC; Wu, JY; Suen, SY. (2004). Preparation of polysulfone-based cation-exchange membranes and their application in protein separation with a plate-and-frame module. React Funct Polym. 59: 171-183. http://dx.doi.org/10.1016/j.reactfunctpolym.2004.01.008.

Fashandi, H; Karimi, M. (2014). Comparative Studies on the Solvent Quality and Atmosphere Humidity for Electrospinning of Nanoporous Polyetherimide Fibers. Ind Eng Chem Res. 53: 235-245. http://dx.doi.org/10.1021/ie4028846.

Fashandi, H; Karimi, M. (2014). Evidence for the Impression of Phase Behavior of Nonsolvent/Solvent/Polymer Ternary System on Morphology of Polyethersulfone Electrospun Nanofibers. Fibers and Polymers. 15: 1375-1386. http://dx.doi.org/10.1007/s12221-014-1375-5.

Fashandi, H; Yegane, A; Abolhasani, MM. (2015). Interplay of Liquid-liquid and Solid-liquid Phase Separation Mechanisms in Porosity and Polymorphism Evolution Within Poly(vinylidene fluoride) Nanofibers. Fibers and Polymers. 16: 326-344. http://dx.doi.org/10.1007/s12221-015-0326-0.

Feng, C; Wang, R; Wu, Y; Li, G. (2010). Preliminary analysis of a linear pore pattern formed on poly(vinylidene fluoride-co-hexafluoro propylene) porous membrane surfaces. J Memb Sci. 352: 255-261. http://dx.doi.org/10.1016/j.memsci.2010.02.024.

Feng, L, an; Liu, Y, ueWen; Tang, XY, an; Piao, Y; Chen, S, huFen; Deng, SL, iu; Xie, S, uY; Wang, Y; Zheng, L, anSun. (2013). Propagative Exfoliation of High Quality Graphene. Chem Mater. 25: 4487-4496. http://dx.doi.org/10.1021/cm402880v.

Feng, L; Zheng, D; Huang, W; Ma, Z. (2016). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus Dimethyl Ether Triethylene Glycol, 1,1-Difluoroethane plus Dimethyl Ether Triethylene Glycol, and 1,1-Difluoroethane plus N-Methyl-2-pyrrolidone Systems. Journal of Chemical and Engineering Data. 61: 1146-1154. http://dx.doi.org/10.1021/acs.jced.5b00782.

Feng, T; Mao, D; Cui, X; Li, M; Song, K, un; Jiang, B; Lu, H, ua; Quan, W. (2016). A Filmy Black-Phosphorus Polyimide Saturable Absorber for Q-Switched Operation in an Erbium-Doped Fiber Laser. Materials. 9. http://dx.doi.org/10.3390/ma9110917.

Fate Literature Search Results

Off Topic

Fernandez, MD; Fernandez, MJ; Hoces, P. (2008). Poly(vinyl acetal)s containing electron-donor groups: Synthesis in homogeneous phase and their thermal properties. React Funct Polym. 68: 39-56. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.012.

Fernandez-Merino, MJ; Guardia, L; Paredes, JI; Villar-Rodil, S; Solis-Fernandez, P; Martinez-Alonso, A; Tascon, JMD. (2010). Vitamin C Is an Ideal Substitute for Hydrazine in the Reduction of Graphene Oxide Suspensions. J Phys Chem C. 114: 6426-6432. http://dx.doi.org/10.1021/jp100603h.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .1. THE SYSTEM NORMAL-HEPTANE-TOLUENE-N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 15: 309-322.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .2. THE SYSTEM NORMAL-HEXANE BENZENE N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 18: 185-195.

Ferreira, PO; Bastos, JC; Medina, AG. (1987). INFINITE DILUTION ACTIVITY-COEFFICIENTS FOR AROMATIC AND NONAROMATIC COMPOUNDS IN N-METHYLPYRROLIDONE, ETHYLENE-GLYCOL, AND MIXTURES OF THE 2 SOLVENTS. Journal of Chemical and Engineering Data. 32: 25-31.

Fey, GTK; Hsieh, MC; Jaw, HK; Lee, TJ. (1993). A RECHARGEABLE LI/LIXCOO2 CELL INCORPORATING A LICF3SO3-NMP ELECTROLYTE. J Power Sources. 44: 673-680.

Feyzi, A; Faghihi, K. (2014). Synthesis and Characterization of New Poly(amide-imide)/organoclay Nanocomposites Derived from N,N '-(4,4 '-diphtaloyl)-bis-L-alpha-aminophenyl Acetic Diacid and 1,2-Bis(4-aminophenoxy) ethane. High Temperature Materials and Processes. 33: 95-105. http://dx.doi.org/10.1515/htmp-2013-0016.

Filimon, A; Albu, RM; Stoica, J; Avram, E. (2016). Blends based on ionic polysulfones with improved conformational and microstructural characteristics: Perspectives for biomedical applications. Composites Part B: Engineering. 93: 1-11. http://dx.doi.org/10.1016/j.compositesb.2016.02.062.

Fischer, K; Chen, J; Petri, M; Gmehling, J. (2002). Solubility of H2S and CO2 in N-octyl-2-pyrrolidone and of H2S in methanol and benzene. AIChE J. 48: 887-893.

Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria, activity coefficients at infinite dilution and heats of mixing for mixtures of N-methyl pyrrolidone-2 with C5 or C6 hydrocarbons and for hydrocarbon mixtures. Fluid Phase Equilibria. 119: 113-130.

Fischer, K; Gmehling, J. (2004). Influence of water on the vapor-liquid equilibria, activity coefficients at infinite dilution and enthalpies of mixing for mixtures of N-methyl-2-pyrrolidone with C5 or C6 hydrocarbons. Fluid Phase Equilibria. 218: 69-76. http://dx.doi.org/10.1016/j.fluid.2003.11.015.

Flores-Lopez, LZ; Caloca, J; Rogel-Hernandez, E; Espinoza-Gomez, H. (2014). Development of an enantioselective membrane from cellulose acetate propionate/cellulose acetate, for the separation of trans-stilbene oxide. Cellulose. 21: 1987-1995. http://dx.doi.org/10.1007/s10570-014-0252-0.

Fontaine, M; Castanet, Y; Mortreux, A; Petit, F. (1997). Rhodium-iodide catalyzed carbonylation of methyl formate into acetaldehyde or methyl acetate: Mechanistic aspects. J Catal. 167: 324-336.

Forati-Nezhad, M; Sadeghi, G; Yaghmaie, F; Alimohammadi, F. (2015). Affecting the morphology of silver deposition on carbon nanotube surface: From nanoparticles to dendritic (tree-like) nanostructures. Mater Sci Eng C. 46: 232-238. http://dx.doi.org/10.1016/j.msec.2014.10.039.

Forney, MW; Poler, JC. (2011). Significantly Enhanced Single-Walled Carbon Nanotube Dispersion Stability in Mixed Solvent Systems. J Phys Chem C. 115: 10531-10536. http://dx.doi.org/10.1021/jp202559m.

Fortin, F; Rouzaud, JN. (1993). THE ROLE OF THE MOLECULAR-COMPONENT IN COKE MICROTEXTURE FORMATION. Fuel. 72: 245-250.

Friesen, DA; Headley, JV; Langford, CH. (1999). The photooxidative degradation of N-methylpyrrolidinone in the presence of Cs3PW12O40 and TiO2 colloid photocatalysts. Environ Sci Technol. 33: 3193-3198.

Friler, JB; Cebe, P. (1993). DEVELOPMENT OF CRYSTALLINITY IN NEW-TPI POLYIMIDE. Polymer Engineering and Science. 33: 587-597.

Frycova, MS; Kocirik, M; Zikanova, A; Sysel, P; Bernauer, B; Krystl, V; Huttel, I; Hradil, J; Eic, M. (2005). Study of the accessibility of zeolite crystals in polyimide matrices. A route to coatings exhibiting selective permeation. AST. 23: 595-605.

Fu, C; Yang, X. (2013). Molecular simulation of interfacial mechanics for solvent exfoliation of graphene from graphite. Carbon. 55: 350-360. http://dx.doi.org/10.1016/j.carbon.2012.12.083.

Fu, GD; Wang, WC; Li, S; Kang, ET; Neoh, KG; Tseng, WT; Liaw, DJ. (2003). Nanoporous low-kappa polyimide films prepared from poly(amic acid)s with grafted poly(methylmethacrylate)/poly(acrylamide) side chains. J Mater Chem. 13: 2150-2156. http://dx.doi.org/10.1039/b304880b.

Fu, RQ; Julius, D; Hong, L; Lee, JY. (2008). PPO-based acid-base polymer blend membranes for direct methanol fuel cells. J Memb Sci. 322: 331-338. http://dx.doi.org/10.1016/j.memsci.2008.06.002.

Fu, X; Song, X; Zhang, Y. (2012). Facile preparation of graphene sheets from synthetic graphite. Mater Lett. 70: 181-184. http://dx.doi.org/10.1016/imatlet.2011.12.002.

Fu, YP; Weiss, RA. (1997). Protonation of polyaniline with lightly sulfonated polystyrene. Synthetic Metals. 84: 103-104.

Fujigaya, T; Yoo, J; Nakashima, N. (2011). A method for the coating of silica spheres with an ultrathin layer of pristine single-walled carbon nanotubes. Carbon. 49: 468-476. http://dx.doi.org/10.1016/j.carbon.2010.09.043.

Fujita, S; Sano, Y; Bhanage, BM; Arai, M. (2003). Kinetic analysis of hydrogenation of cinnamaldehyde with a ruthenium complex catalyst in several solvents. J Chem Eng Jpn. 36: 155-160.

Fujito, K; Hashimoto, T; Samonji, K; Speck, JS; Nakamura, S. (2004). Growth of AlN by the chemical vapor reaction process and its application to lateral overgrowth on patterned sapphire substrates. J Cryst Growth. 272: 370-376. http://dx.doi.org/10.1016/j.jcrysgro.2004.08.079.

Fate Literature Search Results

Off Topic

Fujiwara, M; Ohsuga, H; Takanohashi, T; Iino, M. (1992). SWELLING OF THE EXTRACTS AND RESIDUES FROM CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Energy Fuels. 6: 859-862.

Fukushima, A; Kubota, H; Yuasa, S; Takahachi, T; Kadoriku, S; Miyake, K. (2007). Lift-off process for deep-submicron-size junctions using supercritical CO2. Journal of Magnetism and Magnetic Materials. 310: E687-E689. http://dx.doi.org/10.1016/j.jmmm.2006.10.927.

Fukushima, T; Oyama, T; Tomoi, M. (2003). Ionic-bonded negative photosensitive polyimides having pendant aminoalkyl (meth)acrylamide groups. React Funct Polym. 56: 59-73. http://dx.doi.org/10.1016/S1381-5148(03)00033-6.

Gaile, AA; Chistyakov, VN; Koldobskaya, LL; Kolesov, VV. (2011). DIESEL FUEL PRODUCTION BY EXTRACTION PURIFICATION OF DELAYED-COKING LIGHT GASOIL. Chemistry and Technology of Fuels and Oils. 47: 172-176.

Gaile, AA; Kostenko, AV; Zalischevskii, GD; Semenov, LV; Kaifadzhyan, EA. (2005). Increasing the quality of furnace residual fuel oils. Extraction treatment with N-methylpyrrolidone. Chemistry and Technology of Fuels and Oils. 41: 249-259.

Gaile, AA; Zalishchevskii, GD; Gafur, NN; Semenov, LV; Varshavskii, OM; Fedyanin, NP; Kaifadzhyan, EA. (2004). Separation of aromatic hydrocarbons from reformate. combined extraction fractionation-extraction. Chemistry and Technology of Fuels and Oils. 40: 131-136.

Gainar, I; Anitescu, G; Perisanu, S; Jianu, D. (1993). HIGH-PRESSURE ABSORPTION OF THE CO2+N2+H2 GASEOUS MIXTURE IN N-METHYL-PYRROLIDONE. Rev Chim. 44: 1054-1056.

Gale, E; Wirawan, RH; Silveira, RL; Pereira, CS; Johns, MA; Skaf, MS; Scott, JL. (2016). Directed Discovery of Greener Cosolvents: New Cosolvents for Use in Ionic Liquid Based Organic Electrolyte Solutions for Cellulose Dissolution. 4: 6200-6207. http://dx.doi.org/10.1021/acssuschemeng.6b02020.

Galgoci, EC; Hegedus, CR; Walker, FH; Tempel, DJ; Pepe, FR; Yoxheimer, KA; Boyce, AS. (2005). Solvent-free urethane-acrylic hybrid polymers for coatings. 2: 28-36.

Galisova, EV; Stepanova, VN; Romaskhina, LP. (1986). SODA AND POTASSIUM-PERMANGANATE EFFECT ON N-METHYLPYRROLIDONE TRANSFORMATION IN THE PRESENCE OF OXYGEN. 83-84.

Gao, G; Dong, L; Liu, X; Ye, G; Gu, Y, i. (2008). Structure and properties of novel PMDA/ODA/PABZ polyimide fibers. Polymer Engineering and Science. 48: 912-917. http://dx.doi.org/10.1002/pen.21036.

Gao, L, i; Tang, B; Wu, P. (2009). An experimental investigation of evaporation time and the relative humidity on a novel positively charged ultrafiltration membrane via dry-wet phase inversion. J Memb Sci. 326: 168-177. http://dx.doi.org/10.1016/j.memsci.2008.09.048.

Garcia, B; Alcalde, R; Aparicio, S; Davila, MJ; Leal, JM; Matos, JS. (2005). Comments on "densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic Amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-pyrrolidinone) at different temperatures" (George J.; Sastry N. V. J. Chem. Eng. Data 2004, 49, 235-242). Journal of Chemical and Engineering Data. 50: 293-294. http://dx.doi.org/10.1021/je0497911.

Garcia, B; Alcalde, R; Aparicio, S; Leal, JM; Trenzado, JL. (2003). Thermophysical behavior and temperature effect on the N-methylpyrrolidone plus (C-1-C-10) alkan-1-ols mixed solvents. Ind Eng Chem Res. 42: 920-928. http://dx.doi.org/10.1021/ie0205602.

Garcia, B; Aparicio, S; Alcalde, R; Davila, MJ; Leal, JM. (2004). Modeling the PVTx behavior of the N-methylpyrrolidinone/water mixed solvent. Ind Eng Chem Res. 43: 3205-3215. http://dx.doi.org/10.1021/ie049906u.

Garcia-Abuin, A; Gomez-Diaz, D; Dolores La Rubia, M; Lopez, A, naB; Navaza, JM. (2011). Density, Speed of Sound, Refractive Index, Viscosity, Surface Tension, and Excess Volume of N-Methyl-2-pyrrolidone+1-Amino-2-propanol {or Bis(2-hydroxypropyl)amine} from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 2904-2908. http://dx.doi.org/10.1021/je200121f.

Garcia-Abuin, A; Gomez-Diaz, D; La Rubia, MD; Navaza, JM. (2011). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone plus Ethanol (or Water or Ethanolamine) from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 646-651. http://dx.doi.org/10.1021/je100967k.

Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM; Vidal-Tato, I. (2008). Surface Tension of Aqueous Solutions of Short N-Alkyl-2-pyrrolidinones. Journal of Chemical and Engineering Data. 53: 2671-2674. http://dx.doi.org/10.1021/je800589e.

Garcia-Gimenez, P; Gil, L; Blanco, ST; Velasco, I; Otin, S. (2008). Densities and isothermal compressibilities at pressures up to 20 MPa of the systems 1-methyl-2-pyrrolidone plus 1-chloroalkane or plus alpha,omega-dichloroalkane. Journal of Chemical and Engineering Data. 53: 66-72. http://dx.doi.org/10.1021/je7003758.

Garcia-Ivars, J; Iborra-Clar, MI; Alcaina-Miranda, MI; Van Der Bruggen, B. (2015). Comparison between hydrophilic and hydrophobic metal nanoparticles on the phase separation phenomena during formation of asymmetric polyethersulphone membranes. J Memb Sci. 493: 709-722. http://dx.doi.org/10.1016/j.memsci.2015.07.009.

Garcia-Macias, P; John, P. (2004). Formation of natural indigo derived from woad (Isatis tinctoria L.) in relation to product purity. J Agric Food Chem. 52: 7891-7896. http://dx.doi.org/10.1021/jf0486803.

Garcia-Pacheco, R; Landaburu-Aguirre, J; Molina, S; Rodriguez-Saez, L; Teli, SB; Garcia-Calvo, E. (2015). Transformation of end-of-life RO membranes into NF and UF membranes: Evaluation of membrane performance. J Memb Sci. 495: 305-315. http://dx.doi.org/10.1016/j.memsci.2015.08.025.

Garcia-Tamayo, E; Valvo, M; Lafont, U; Locati, C; Munao, D; Kelder, EM. (2011). Nanostructured Fe2O3 and CuO composite electrodes for Li ion batteries synthesized and deposited in one step. J Power Sources. 196: 6425-6432. http://dx.doi.org/10.1016/j.jpowsour.2011.03.066.

Gardos, G; Kovacs, M; Kunszabo, T; Denes, F; Miko, F. (1983). INVESTIGATIONS ON ENERGY CONSERVING LUBRICATING OIL PRODUCING PROCESSES .3. RECOVERY OF THE SOLVENT N-METHYL-2-PYRROLIDONE. Hungarian Journal of Industrial Chemistry. 11: 435-441.

Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemichal paint-remover hazards. Arch Mal Prof Environ. 71: 30-37. http://dx.doi.org/10.1016/j.admp.2009.12.009.

Garti, N; Kovacs, A. (1991). FACILITATED EMULSION LIQUID MEMBRANE SEPARATION OF COMPLEX HYDROCARBON MIXTURES. J Memb Sci. 56: 239-246.

Gasa, JV; Boob, S; Weiss, RA; Shaw, MT. (2006). Proton-exchange membranes composed of slightly sulfonated poly(ether ketone ketone) and highly sulfonated crosslinked polystyrene particles. J Memb Sci. 269: 177-186. http://dx.doi.org/10.1016/j.memsci.2005.06.033.

Fate Literature Search Results

Off Topic

Gazi, M; Bicak, N. (2007). Selective boron extraction by polymer supported 2-hydroxylethylamino propylene glycol functions. React Funct Polym. 67: 936-942. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.019.

Ge, L; Zhu, Z; Rudolph, V. (2011). Enhanced gas permeability by fabricating functionalized multi-walled carbon nanotubes and polyethersulfone nanocomposite membrane. Separation and Purification Technology. 78: 76-82. http://dx.doi.org/10.1016/j.seppur.2011.01.024.

Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Interaction of N-methylpyrrolidone with doped polyaniline. Synthetic Metals. 84: 97-98.

Genne, I; Kuypers, S; Leysen, R. (1996). Effect of the addition of ZrO2 to polysulfone based UF membranes. J Memb Sci. 113: 343-350.

George, A; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2010). Fractionation of a coal tar pitch by ultra-filtration, and characterization by size exclusion chromatography, UV-fluorescence and laser desorption-mass spectroscopy. Fuel. 89: 2953-2970. http://dx.doi.org/10.1016/j.fuel.2010.04.011.

George, J; Sastry, NV. (2004). Densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-2-pyrrolidinone) at different temperatures. Journal of Chemical and Engineering Data. 49: 235-242. http://dx.doi.org/10.1021/je0340809.

Gerbaud, V; Teles Dos Santos, M; Pandya, N; Aubry, JM. (2017). Computer aided framework for designing bio-based commodity molecules with enhanced properties. Chem Eng Sci. 159: 177-193. http://dx.doi.org/10.1016/j.ces.2016.04.044.

Ghasem, NM; Al-Marzouqi, MH. (2011). Effects of Shear Rate, Temperature, and Polymer Composition on the Shear Stress of Polyethersulfone/1-Methyl-2-pyrrolidone Cast Solutions. Journal of Chemical and Engineering Data. 56: 4444-4448. http://dx.doi.org/10.1021/je2002978.

Ghasemi, F; Mohajerzadeh, S. (2016). Sequential Solvent Exchange Method for Controlled Exfoliation of MoS2 Suitable for Phototransistor Fabrication. 8: 31179-31191. http://dx.doi.org/10.1021/acsami.6b07211.

Ghorbanian, S; Tyman, JHP; Tychopoulos, V. (2000). The synthesis of symmetrical and unsymmetrical alkylaminonaphthalic-1,8-N-alkylimides. J Chem Tech Biotechnol. 75: 1127-1134.

Ghosh, UK; Pradhan, NC; Adhikari, B. (2006). Pervaporative recovery of N-methyl-2-pyrrolidone from dilute aqueous solution by using polyurethaneurea membranes. J Memb Sci. 285: 249-257. http://dx.doi.org/10.1016/j.memsci.2006.08.026.

Gierycz, P; Rogalski, M; Malanowski, S. (1985). VAPOR LIQUID EQUILIBRIA IN BINARY-SYSTEMS FORMED BY N-METHYLPYRROLIDONE WITH HYDROCARBONS AND HYDROXYL DERIVATIVES. Fluid Phase Equilibria. 22: 107-122.

Giles, NF; Wilson, HL; Wilding, WV. (1996). Phase equilibrium measurements on twelve binary mixtures. Journal of Chemical and Engineering Data. 41: 1223-1238.

Giray, ESV; Chen, C; Takanohashi, T; Iino, M. (2000). Increase of the extraction yields of coals by the addition of aromatic amines. Fuel. 79: 1533-1538.

Giri, CC; Sharma, DK. (2000). Kinetic studies and shrinking core model on solvolytic extraction of coal. Fuel Process Tech. 68: 97-109.

Giri, CC; Sharma, DK. (2000). Mass-transfer studies of solvent extraction of coals in N-methyl-2-pyrrolidone. Fuel. 79: 577-585.

Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. Journal of Chemical and Engineering Data. 48: 535-540. http://dx.doi.org/10.1021/je020065c.

Gnanakumari, P; Venkatesu, P; Mohan, KR; Rao, MVP; Prasad, DHL. (2007). Excess volumes and excess enthalpies of N-methyl-2-pyrrolidone with branched alcohols. Fluid Phase Equilibria. 252: 137-142. http://dx.doi.org/10.1016/j.fluid.2006.12.012.

Gnanasekaran, D; Walter, PA; Reddy, BSR. (2013). Influence of moieties on morphology, thermal, and dielectric properties in polyamide-polyhedral oligomeric silsequioxanes nanocomposites. Polymer Engineering and Science. 53: 1637-1644. http://dx.doi.org/10.1002/pen.23427.

Godbey, DJ; Buckley, LJ; Purdy, AP; Snow, AW. (1997). Copper diffusion in organic polymer resists and inter-level dielectrics. Thin Solid Films. 308: 470-474.

Godovsky, DY; Varfolomeev, AE; Zaretsky, DF; Chandrakanthi, RLN; Kundig, A; Weder, C; Caseri, W. (2001). Preparation of nanocomposites of polyaniline and inorganic semiconductors. J Mater Chem. 11: 2465-2469.

Gomes, TC; Constantino, CJL; Lopes, EM; Job, AE; Alves, N. (2012). Thermal inkjet printing of polyaniline on paper. Thin Solid Films. 520: 7200-7204. http://dx.doi.org/10.1016/j.tsf.2012.07.119.

Gomez, H; Ram, MK; Alvi, F; Villalba, P; Stefanakos, E; Kumar, A. (2011). Graphene-conducting polymer nanocomposite as novel electrode for supercapacitors. J Power Sources. 196: 4102-4108. http://dx.doi.org/10.1016/j.jpowsour.2010.11.002.

Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. Synthetic Metals. 90: 5-11.

Gong, P; Wang, Z; Wang, J; Wang, H; Li, Z; Fan, Z; Xu, Y, e; Han, X; Yang, S. (2012). One-pot sonochemical preparation of fluorographene and selective tuning of its fluorine coverage. J Mater Chem. 22: 16950-16956. http://dx.doi.org/10.1039/c2jm32294c.

Gonzalez, JA; Domanska, U; Lachwa, J. (2005). Thermodynamics of binary mixtures containing a very strongly polar compound. 7. Isothermal VLE measurements for NMP plus 2-propanol or plus 2-butanol systems. DISQUAC and ERAS characterization of NMP or N,N-dialkylamide plus 2-alkanol mixtures. Comparison with results from Dortmund UNIFAC. Ind Eng Chem Res. 44: 5795-5804. http://dx.doi.org/10.1021/ie0580046.

Goren, A; Mendes, J; Rodrigues, HM; Sousa, RE; Oliveira, J; Hilliou, L; Costa, CM; Silva, MM; Lanceros-Mendez, S. (2016). High performance screen-printed electrodes prepared by a green solvent approach for lithium-ion batteries. J Power Sources. 334: 65-77. http://dx.doi.org/10.1016/j.jpowsour.2016.10.019.

Graham, KR; Wieruszewski, PM; Stalder, R; Hartel, MJ; Mei, J; So, F; Reynolds, JR. (2012). Improved Performance of Molecular Bulk-Heterojunction Photovoltaic Cells through Predictable Selection of Solvent Additives. Adv Funct Mater. 22: 4801-4813. http://dx.doi.org/10.1002/adfm.201102456.

Fate Literature Search Results

Off Topic

Gruber, D; Langenheim, D; Moollan, W; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 7. Results for various solutes with N-methyl-2-piperidone as stationary phase. Journal of Chemical and Engineering Data. 43: 226-229.

Gruber, D; Topphoff, M; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 9. Results for various solutes with the stationary phases 2-pyrrolidone and N-methylformamide. Journal of Chemical and Engineering Data. 43: 935-940.

Grushova, EI; Sharif, AS. (2014). Effect of polar organic substances on the distillates yield in atmospheric and vacuum distillation of crude oil. Petroleum Chemistry. 54: 225-228. http://dx.doi.org/10.1134/S0965544114030050.

Gryglewicz, G; Rutkowski, P; Yperman, J. (2004). Characterization of sulfur functionalities of supercritical extracts from coals of different rank, using reductive pyrolysis. Energy Fuels. 18: 1595-1602. http://dx.doi.org/10.1021/ef0498869.

Grzechowiak, JR; Masalska, A; Gorska, L. (2004). The extraction of aromatic hydrocarbons in relation to the nonaromatic hydrocarbon content in the feed. Przemysł Chemiczny. 83: 325-330.

Grzelczak, M; Mezzasalma, SA; Ni, W; Herasimenka, Y; Feruglio, L; Montini, T; Pérez-Juste, J; Fornasiero, P; Prato, M; Liz-Marzán, LM. (2012). Antibonding plasmon modes in colloidal gold nanorod clusters. Langmuir. 28: 8826-8833. http://dx.doi.org/10.1021/la203750d.

Guan, R; Dai, H; Li, CH; Liu, JH; Xu, J. (2006). Effect of casting solvent on the morphology and performance of sulfonated polyethersulfone membranes. J Memb Sci. 277: 148-156. http://dx.doi.org/10.1016/j.memsci.2005.10.025.

Guarino, G; Ortona, O; Sartorio, R; Vitagliano, V. (1985). DIFFUSION, VISCOSITY, AND REFRACTIVITY DATA ON THE SYSTEMS DIMETHYLFORMAMIDE WATER AND N-METHYLPYRROLIDONE WATER AT 5-DEGREES-C. Journal of Chemical and Engineering Data. 30: 366-368.

Gubernat, M; Tomala, J; Frohs, W; Fraczek-Szczypta, A; Blazewicz, S. (2016). De-agglomeration and homogenisation of nanoparticles in coal tar pitch-based carbon materials. J Nanopart Res. 18: 56. http://dx.doi.org/10.1007/s11051-016-3362-9.

Gudarzi, MM. (2016). Colloidal Stability of Graphene Oxide: Aggregation in Two Dimensions. Langmuir. 32: 5058-5068. http://dx.doi.org/10.1021/acs.langmuir.6b01012.

Gueye, MN; Carella, A; Massonnet, N; Yvenou, E; Brenet, S; Faure-Vincent, J; Pouget, S; Rieutord, F; Okuno, H; Benayad, A; Demadrille, R; Simonato, JP. (2016). Structure and Dopant Engineering in PEDOT Thin Films: Practical Tools for a Dramatic Conductivity Enhancement. Chem Mater. 28: 3462-3468. http://dx.doi.org/10.1021/acs.chemmater.6b01035.

Guillen, GR; Ramon, G; Kayehpour, HP; Kaner, RB; Hoek, EMV. (2013). Direct microscopic observation of membrane formation by nonsolvent induced phase separation. J Memb Sci. 431: 212-220. http://dx.doi.org/10.1016/j.memsci.2012.12.031.

Guo, SH. (2000). Solubility of Maoming oil shale kerogen. Oil Shale. 17: 11-16.

Guo, SH. (2000). Solvent extraction of Jordanian oil shale kerogen. Oil Shale. 17: 266-270.

Guo, SH; Li, SY; Qin, KZ. (2000). CS2/NMP extraction of immature source rock concentrates. Organic Geochemistry. 31: 1783-1795.

Guo, X, ia; Cheng, Y, ouwei; Wang, L, ijun; Li, X, i. (2008). Solubility of terephthalic acid in aqueous N-methyl pyrrolidone and N,N-dimethyl acetamide solvents at (303.2 to 363.2) K. Journal of Chemical and Engineering Data. 53: 1421-1423.

Guo, X, ia; Cui, C; Zhang, M; Huo, L; Huang, Y, e; Hou, J; Li, Y. (2012). High efficiency polymer solar cells based on poly(3-hexylthiophene)/indene-C-70 bisadduct with solvent additive. Energ Environ Sci. 5: 7943-7949. http://dx.doi.org/10.1039/c2ee21481d.

Guo, X, ia; Zhang, M; Cui, C; Hou, J; Li, Y. (2014). Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-C-60 Bisadduct Fabricated with Non-halogenated Solvents. ACS Applied Materials & Interfaces. 6: 8190-8198. http://dx.doi.org/10.1021/am500836u.

Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-buty1-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. Progr Org Coating. 76: 768-777. http://dx.doi.org/10.1016/j.porgcoat.2013.01.006.

Guo, Z; Zhang, H, an; Lu, S; Wang, Z; Tang, S; Shao, J; Sun, Z; Xie, H; Wang, H; Yu, X; Chu, PK. (2015). From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. Adv Funct Mater. 25: 6996-7002. http://dx.doi.org/10.1002/adfm.201502902.

Gupta, A; Arunachalam, V; Vasudevan, S. (2016). Liquid-Phase Exfoliation of MoS2 Nanosheets: The Critical Role of Trace Water. Journal of Physical Chemistry Letters. 7: 4884-4890. http://dx.doi.org/10.1021/acs.jpclett.6b02405.

Gupta, SK. (1999). Isothermal vapor-liquid equilibria of o-, m-, and p-xylene with N-methylpyrrolidone at 373.15 K and 393.15 K. Journal of Chemical and Engineering Data. 44: 23-25.

Gupta, SK; Rawat, BS. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRALIN AND 1-METHYLNAPHTHALENE WITH TRIETHYLENE GLYCOL AND N-METHYLPYRROLIDONE AT 160-DEGREES-C. Fluid Phase Equilibria. 63: 211-217.

Gupta, SK; Rawat, BS. (1992). ISOBARIC BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE WITH WATER AND TOLUENE AT 760 MMHG. Journal of Chemical and Engineering Data. 37: 139-140.

Gupta, SK; Rawat, BS. (1994). ISOTHERMAL BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF TETRAETHYLENE GLYCOL WITH N-DECANE AND 2-METHYLNAPHTHALENE AT 160-DEGREES-C. Fluid Phase Equilibria. 99: 241-248.

Gupta, SK; Rawat, BS; Goswami, AN; Nanoti, SM; Krishna, R. (1989). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE SYSTEMS - BENZENE TRIETHYLENE GLYCOL, TOLUENE TRIETHYLENE GLYCOL AND BENZENE N-METHYLPYRROLIDONE. Fluid Phase Equilibria. 46: 95-102.

Gutierrez, JP; Meindersma, GW; de Haan, AB. (2012). COSMO-RS-Based Ionic-Liquid Selection for Extractive Distillation Processes. Ind Eng Chem Res. 51: 11518-11529. http://dx.doi.org/10.1021/ie301506n.

Gzara, L; Rehan, ZA; Khan, SB; Alamry, KA; Albeirutty, MH; El-Shahawi, MS; Rashid, MI; Figoli, A; Drioli, E; Asiri, AM. (2016). Preparation and characterization of PES-cobalt nanocomposite membranes with enhanced anti-fouling properties and performances. Taiwan Institute of Chemical Engineers Journal. 65: 405-419. http://dx.doi.org/10.1016/j.jtice.2016.04.012.

Ha, CS; Park, HD; Frank, CW. (2000). Interfacial interaction in polyimide/silica hybrid composites by fluorescence spectroscopy. Chem Mater. 12: 839-844.

Fate Literature Search Results

Off Topic

Ha, J; Park, J; Ha, J; Kim, D; Chung, S; Lee, C; Hong, Y. (2015). Selectively modulated inkjet printing of highly conductive and transparent foldable polymer electrodes for flexible polymer light-emitting diode applications. Organic Electronics. 19: 147-156. http://dx.doi.org/10.1016/j.orgel.2015.01.017.

Haar, S; Bruna, M; Lian, JX; Tomarchio, F; Olivier, Y; Mazzaro, R; Morandi, V; Moran, J; Ferrari, AC; Beljonne, D; Ciesielski, A; Samorì, P. (2016). Liquid-Phase Exfoliation of Graphite into Single- and Few-Layer Graphene with α-Functionalized Alkanes. Journal of Physical Chemistry Letters. 7: 2714-2721. http://dx.doi.org/10.1021/acs.jpclett.6b01260.

Haar, S; Ciesielski, A; Clough, J; Yang, H; Mazzaro, R; Richard, F; Conti, S; Merstorf, N; Cecchini, M; Morandi, V; Casiraghi, C; Samorì, P. (2015). A supramolecular strategy to leverage the liquid-phase exfoliation of graphene in the presence of surfactants: unraveling the role of the length of fatty acids. Small. 11: 1691-1702. http://dx.doi.org/10.1002/smll.201402745.

Hacimehmetoglu, S; Sinag, A; Tekes, AT; Misirlioglu, Z; Canel, M. (2007). Effect of various experimental parameters on the swelling and supercritical extraction properties of lignite. Energ Source Part A. 29: 607-618. http://dx.doi.org/10.1080/00908310500276908.

Hai-yong, D; Yan-bing, H; Bao-hua, L; Fei-yu, K. (2016). Controlled preparation and electrochemical performance of a flaky Li-4 Ti-5 O-12 - graphene hybrid with a high crystallinity. Xinxing Tancailiao. 31: 115-120.

Hajibeygi, M; Shabanian, M; Khodaei-Tehrani, M. (2016). New Heat Resistant Nanocomposites Reinforced Silicate Nanolayers Containing Triazine Rings Based on Polyamide: Synthesis, Characterization, and Flame Retardancy Study. Polymer Composites. 37: 188-198. http://dx.doi.org/10.1002/pc.23170.

Hall, PJ; Larsen, JW. (1993). EVIDENCE FOR THE FORMATION OF STABLE COAL-N-METHYLPYRROLIDINONE AND COAL-PYRIDINE GELS. Energy Fuels. 7: 47-51.

Hamciuc, C; Hamciuc, E; Bacosca, I; Olariu, M. (2010). Thermal and Electrical Properties of some Poly(ether-imide) Thin Films. Materiale Plastice. 47: 11-15.

Hamciuc, C; Hamciuc, E; Homocianu, M; Nicolescu, A; Carja, ID. (2015). Blue light-emitting polyamide and poly(amide-imide)s containing 1,3,4-oxadiazole ring in the side chain. Dyes and Pigments. 114: 110-123. http://dx.doi.org/10.1016/j.dyepig.2014.10.018.

Hamciuc, C; Hamciuc, E; Okrasa, L; Kalvachev, Y. (2012). The effect of zeolite L content on dielectric behavior and thermal stability of polyimide thin films. Journal of Materials Science. 47: 6354-6365. http://dx.doi.org/10.1007/s10853-012-6560-6.

Hamciuc, C; Hamciuc, E; Vlad, S; Olariu, M. (2008). Fluorinated Block Copolymers Containing Imide and 1,3,4-oxadiazole Rings. Materiale Plastice. 45: 356-361.

Hamciuc, E; Hamciuc, C; Bacosca, I; Cristea, M; Okrasa, L. (2011). Thermal and Electrical Properties of Nitrile-Containing Polyimide/BaTiO3 Composite Films. Polymer Composites. 32: 846-855. http://dx.doi.org/10.1002/pc.21108.

Hamciuc, E; Hamciuc, C; Carja, ID; Vlad-Bubulac, T; Ignat, M. (2013). Phthalonitrile-containing poly(amide imide)s with nanoactuation properties. Polymer Engineering and Science. 53: 334-342. http://dx.doi.org/10.1002/pen.23268.

Hamciuc, E; Hamciuc, C; Sava, I; Sava, M; Bruma, M. (2000). Synthesis and study of new fluorinated poly(imide-amide)s. Macromolecular Materials & Engineering. 283: 36-40.

Han, GL, u; Zhang, Q, iuGen; Zhu, A, iMei; Liu, QL, in. (2013). Pervaporation separation of methanol/methyl tert-butyl ether mixtures using polyarylethersulfone with cardo membranes. Separation and Purification Technology. 107: 211-218. http://dx.doi.org/10.1016/j.seppur.2013.01.039.

Han, HW; Ahn, DK, yu; Ahn, H, yoJun; Park, W, onW; Sohn, KY. (2011). MICROSTRUCTURES AND ELECTROCHEMICAL PROPERTIES OF RAPIDLY-SOLIDIFIED Si-Mn ALLOY. Reviews on Advanced Materials Science. 28: 74-78.

Han, J; Cho, YH; Kong, H; Han, S; Park, H. (2013). Preparation and characterization of novel acetylated cellulose ether (ACE) membranes for desalination applications. J Memb Sci. 428: 533-545. http://dx.doi.org/10.1016/j.memsci.2012.10.043.

Han, J; Yang, D; Zhang, S; Jian, X. (2009). Effects of dope compositions on the structure and performance of PPES hollow fiber ultrafiltration membranes. J Memb Sci. 345: 257-266. http://dx.doi.org/10.1016/j.memsci.2009.09.008.

Han, J; Yang, D; Zhang, S; Liu, X; Zhang, Z; Jian, X. (2010). Effects of compatibility difference in the mixed solvent system on the performance of PPES hollow fiber UF membrane. J Memb Sci. 365: 311-318. http://dx.doi.org/10.1016/j.memsci.2010.09.022.

Han, MJ; Bhattacharyya, D. (1994). MORPHOLOGY AND TRANSPORT STUDY OF PHASE INVERSION POLYSULFONE MEMBRANES. Chemical Engineering Communications. 128: 197-209.

Han, MJ; Nam, ST. (2002). Thermodynamic and rheological variation in polysulfone solution by PVP and its effect in the preparation of phase inversion membrane. J Memb Sci. 202: 55-61.

Han, W, ei; Liu, C; Bai, R. (2007). A novel method to prepare high chitosan content blend hollow fiber membranes using a non-acidic dope solvent for highly enhanced adsorptive performance. J Memb Sci. 302: 150-159. http://dx.doi.org/10.1016/j.memsci.2007.06.039.

Hasan, T; Scardaci, V; Tan, P; Rozhin, AG; Milne, WI; Ferrari, AC. (2007). Stabilization and "Debundling" of single-wall carbon nanotube dispersions in N-Methyl-2-pyrrolidone (NMP) by polyvinylpyrrolidone (PVP). J Phys Chem C. 111: 12594-12602. http://dx.doi.org/10.1021/jp0723012.

Hasan, T; Tan, PH; Bonaccorso, F; Rozhin, AG; Scardaci, V; Milne, WI; Ferrari, AC. (2008). Polymer-Assisted Isolation of Single Wall Carbon Nanotubes in Organic Solvents for Optical-Quality Nanotube-Polymer Composites. J Phys Chem C. 112: 20227-20232. http://dx.doi.org/10.1021/jp807036w.

Hasbullah, H; Kumbharkar, S; Ismail, AF; Li, K. (2012). Asymmetric hollow fibre membranes based on ring-substituted polyaniline and investigation towards its gas transport properties. J Memb Sci. 397: 38-50. http://dx.doi.org/10.1016/j.memsci.2012.01.007.

Hashim, NA; Liu, F, u; Abed, MRM; Li, K. (2012). Chemistry in spinning solutions: Surface modification of PVDF membranes during phase inversion. J Memb Sci. 415: 399-411. http://dx.doi.org/10.1016/j.memsci.2012.05.024.

Hasik, M; Kurkowska, I; Bernasik, A. (2006). Polyaniline incorporating cobalt ions from CoCl2 solutions. React Funct Polym. 66: 1703-1710. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.07.004.

Fate Literature Search Results

Off Topic

Haufroid, V; Jaeger, VK; Jeggli, S; Eisenegger, R; Bernard, A; Friedli, D; Lison, D; Hotz, P. (2014). Biological monitoring and health effects of low-level exposure to N-methyl-2-pyrrolidone: a cross-sectional study. Int Arch Occup Environ Health. 87: 663-674. http://dx.doi.org/10.1007/s00420-013-0906-5.

Hayasaka, K; Takanohashi, T; Iino, M. (1996). Surface tension of coal extracts ill organic solvents. Energy Fuels. 10: 262-263.

He, F; Lam, KH, o; Fan, J; Chan, LH. (2014). Improved dielectric properties for chemically functionalized exfoliated graphite nanoplates/syndiotactic polystyrene composites prepared by a solution-blending method. Carbon. 80: 496-503. http://dx.doi.org/10.1016/j.carbon.2014.08.089.

He, LP; Sun, SY; Song, XF; Yu, JG. (2015). Recovery of cathode materials and Al from spent lithium-ion batteries by ultrasonic cleaning. Waste Manag. 46: 523-528. http://dx.doi.org/10.1016/j.wasman.2015.08.035.

He, W, ei; Huang, H, ua; Gao, J, fen; Winnubst, L; Chen, C, huS. (2014). Phase-inversion tape casting and oxygen permeation properties of supported ceramic membranes. J Memb Sci. 452: 294-299. http://dx.doi.org/10.1016/j.memsci.2013.09.063.

He, W; Liu, Z; Liu, Q; Shi, L, ei; Shi, X; Wu, J; Guo, X. (2017). Behavior of radicals during solvent extraction of three low rank bituminous coals. Fuel Process Tech. 156: 221-227. http://dx.doi.org/10.1016/j.fuproc.2016.10.029.

Heinrich, K; Jung, H. (1992). NEW CONCEPTS IN PARA-ARAMID FIBERS. Text Res J. 62: 771-775.

Heinze, T; Sarbova, V; Nagel, MCV. (2012). Simple synthesis of mixed cellulose acylate phosphonates applying n-propyl phosphonic acid anhydride. Cellulose. 19: 523-531. http://dx.doi.org/10.1007/s10570-011-9646-4.

Hendrix, K; Vaneynde, M; Koeckelberghs, G, uy; Vankelecom, I. (2013). Synthesis of modified poly(ether ether ketone) polymer for the preparation of ultrafiltration and nanofiltration membranes via phase inversion. J Memb Sci. 447: 96-106. http://dx.doi.org/10.1016/j.memsci.2013.07.006.

Henni, A; Hromek, JJ; Tontiwachwuthikul, P; Chakma, A. (2004). Volumetric properties and viscosities for aqueous N-methyl-2-pyrrolidone solutions from 25 degrees C to 70 degrees C. Journal of Chemical and Engineering Data. 49: 231-234. http://dx.doi.org/10.1021/je034073k.

Henni, A; Lal, D; Mather, AE. (1996). The solubility of ethane in N-methylpyrrolidinone. Can J Chem Eng. 74: 423-425.

Hernandez, Y; Nicolosi, V; Lotya, M; Blighe, FM; Sun, Z; De, S; Mcgovern, IT; Holland, B; Byrne, M; Gun'Ko, YK; Boland, JJ; Niraj, P; Duesberg, G; Krishnamurthy, S; Goodhue, R; Hutchison, J; Scardaci, V; Ferrari, AC; Coleman, JN. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. Nat Nanotechnol. 3: 563-568. http://dx.doi.org/10.1038/nnano.2008.215.

Herod, AA; Bartle, KD; Kandiyoti, R. (2007). Characterization of heavy hydrocarbons by chromatographic and mass spectrometric methods: An overview. Energy Fuels. 21: 2176-2203. http://dx.doi.org/10.1021/ef060642t.

Herod, AA; George, A; Islas, CA; Suelves, I; Kandiyoti, R. (2003). Trace-element partitioning between fractions of coal liquids during column chromatography and solvent separation. Energy Fuels. 17: 862-873. http://dx.doi.org/10.1021/ef020267e.

Herod, AA; Kandiyoti, R. (2008). Comment on "Limitations of Size-Exclusion Chromatography in Analyzing Petroleum Asphaltenes: A Proof by Atomic Force Microscopy" By M. Behrouzi and P. F. Luckham, Energy Fuels, 2008, 22 (3), 1792-17989 DOI: 10.1021/ef800064q. Energy Fuels. 22: 4307-4309. http://dx.doi.org/10.1021/ef8007147.

Herod, AA; Lazaro, MJ; Suelves, I; Dubau, C; Richaud, R; Shearman, J; Card, J; Jones, AR; Domin, M; Kandiyoti, R. (2000). Size exclusion chromatography of soots and coal-derived materials with 1-methyl-2-pyrrolidinone as eluent: Observations on high molecular mass material. Energy Fuels. 14: 1009-1020. http://dx.doi.org/10.1021/ef000023z.

Herod, AA; Shearman, J; Lazaro, MJ; Johnson, BR; Bartle, KD; Kandiyoti, R. (1998). Effect of LiBr addition to 1-methyl-2-pyrrolidinone in the size-exclusion chromatography of coal-derived materials. Energy Fuels. 12: 174-182.

Herod, AA; Zhang, SF; Johnson, BR; Bartle, KD; Kandiyoti, R. (1996). Solubility limitations in the determination of molecular mass distributions of coal liquefaction and hydrocracking products: 1-methyl-2-pyrrolidinone as mobile phase in size exclusion chromatography. Energy Fuels. 10: 743-750.

Hihara, T; Okada, Y; Morita, Z. (2000). The aggregation of triphenodioxazine reactive dyes in aqueous solution and on cellulosic and nylon substrates. Dyes and Pigments. 45: 131-143.

Hinkova, M; Stefanova, M; Ivanov, S; Antonov, T. (1992). GC-MS ANALYSIS OF THE RAFFINATE AND THE EXTRACT FRACTIONS OF HIGH BOILING ALKYLBENZENES. 45: 27-30.

Hinsberg, WD; Macdonald, SA; Clecak, NJ; Snyder, CD. (1994). AIRBORNE CONTAMINATION OF A CHEMICALLY AMPLIFIED RESIST .2. EFFECT OF POLYMER FILM PROPERTIES ON CONTAMINATION RATE. Chem Mater. 6: 481-488.

Hinsberg, WD; Macdonald, SA; Snyder, CD; Ito, H; Allen, RD. (1994). A TEST FOR CORRELATION BETWEEN RESIDUAL SOLVENT AND RATES OF N-METHYLPYRROLIDONE ABSORPTION BY POLYMER-FILMS. ACS Symp Ser Am Chem Soc. 537: 101-110.

Hiraoki, T; Kinjo, N; Miyazaki, K; Miura, O; Tsutsumi, A. (1996). Copper ion binding to N-phenylphthalamic acid studied by C-13 nuclear magnetic resonance and electron paramagnetic resonance: Model interaction of polyamic acid with copper. J Mater Chem. 6: 727-731.

Hirawan, R; Sinha, S; Iwarere, SA; Raal, JD; Naidoo, P; Ramjugernath, D. (2014). Vapor-Liquid Equilibrium Data for 1-Methyl-2-Pyrrolidone + (1-Butanol or 1-Hexene or Water) Binary Mixtures. Journal of Chemical and Engineering Data. 59: 1643-1650. http://dx.doi.org/10.1021/je500092v.

Ho, NL; Perez-Pellitero, J; Porcheron, F; Pellenq, RJM. (2012). Enhanced CO2 Solubility in Hybrid Adsorbents: Optimization of Solid Support and Solvent Properties for CO2 Capture. J Phys Chem C. 116: 3600-3607. http://dx.doi.org/10.1021/jp2099625.

Ho, NL; Porcheron, F; Pellenq, RJ. (2010). Experimental and molecular simulation investigation of enhanced CO2 solubility in hybrid adsorbents. Langmuir. 26: 13287-13296. http://dx.doi.org/10.1021/la1015934.

Holda, AK; Vankelecom, I, voFJ. (2014). Integrally skinned PSf-based SRNF-membranes prepared via phase inversion-Part B: Influence of low molecular weight additives. J Memb Sci. 450: 499-511. http://dx.doi.org/10.1016/j.memsci.2013.08.051.

Homayoonfal, M; Akbari, A. (2010). PREPARATION OF POLYSULFONE NANO-STRUCTURED MEMBRANE FOR SULPHATE IONS REMOVAL FROM WATER. Iranian Journal of Environmental Health Science and Engineering. 7: 407-412.

Fate Literature Search Results

Off Topic

Homayoonfal, M; Mehrnia, MR; Shariaty-Niassar, M; Akbari, A; Sarrafzadeh, MH; Ismail, AF. (2015). Fabrication of magnetic nanocomposite membrane for separation of organic contaminant from water. Desalination and Water Treatment. 54: 3603-3609. http://dx.doi.org/10.1080/19443994.2014.923202.

Hong, U, ngGi; Park, H, aiW; Lee, J; Hwang, S; Song, I, nKyu. (2012). Hydrogenation of succinic acid to gamma-butyrolactone (GBL) over ruthenium catalyst supported on surfactant-templated mesoporous carbon. J Ind Eng Chem. 18: 462-468. http://dx.doi.org/10.1016/j.jiec.2011.11.054.

Horstmann, S; Fischer, K; Gmehling, J. (2004). Isothermal vapor-liquid equilibrium and excess enthalpy data for the binary systems water plus sulfolane and methanol plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 49: 1499-1503. http://dx.doi.org/10.1021/je034254m.

Hossain, MM; Park, O, kK; Hahn, J, aeR; Ku, B, onC. (2014). High yield and high concentration few-layer graphene sheets using solvent exfoliation of graphite with pre-thermal treatment in a sealed bath. Mater Lett. 123: 90-92. http://dx.doi.org/10.1016/j.matlet.2014.03.024.

Hosseinpour, D; Guthrie, JT; Berg, JC. (2007). The effect of additives on the quality of dispersion and physical properties of an automotive coating pigmented with TiO2. J Adhes Sci Tech. 21: 141-151. http://dx.doi.org/10.1163/156856107780437480.

Hou, R; Lan, X; Wang, T. (2015). Selective hydrogenation of acetylene on Pd/SiO2 in bulk liquid phase: A comparison with solid catalyst with ionic liquid layer (SCILL). Catalysis Today. 251: 47-52. http://dx.doi.org/10.1016/j.cattod.2014.09.006.

Hou, TH; Jensen, BJ; Hergenrother, PM. (1996). Processing and properties of IM7/PETI composites. Journal of Composite Materials. 30: 109-122.

Hradil, J; Sysel, P; Brozova, L; Kovarova, J; Kotek, J. (2007). Heterogeneous membranes based on a composite of a hypercrosslinked microparticle adsorbent and polyimide binder. React Funct Polym. 67: 432-441. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.004.

Hruljova, J; Oja, V. (2015). Application of DSC to study the promoting effect of a small amount of high donor number solvent on the solvent swelling of kerogen with non-covalent cross-links in non-polar solvents. Fuel. 147: 230-235. http://dx.doi.org/10.1016/j.fuel.2015.01.054.

Hsu, CH; Cohen, JD; Tietz, RF. (1993). POLYANILINE SPINNING SOLUTIONS AND FIBERS. Synthetic Metals. 59: 37-41.

Hsu, CH; Epstein, AJ. (1997). Processing of poly(o-toluidine) into fibers and their properties. Synthetic Metals. 84: 51-54.

Hu, F; Li, W; Zhang, J, i; Meng, W, ei. (2014). Effect of Graphene Oxide as a Dopant on the Electrochemical Performance of Graphene Oxide/Polyaniline Composite. Journal of Materials Science & Technology. 30: 321-327. http://dx.doi.org/10.1016/j.jmst.2013.10.009.

Hu, G; Li, H, ua; Wang, X; Zhang, Y. (2010). Measurement and Correlation of Griseofulvin Solubility in Different Solvents at Temperatures from (281.95 to 357.60) K. Journal of Chemical and Engineering Data. 55: 3969-3971. http://dx.doi.org/10.1021/je100030j.

Hu, L; Cheng, Q; Chen, D; Ma, M; Wu, K. (2015). Liquid-phase exfoliated graphene as highly-sensitive sensor for simultaneous determination of endocrine disruptors: diethylstilbestrol and estradiol. J Hazard Mater. 283: 157-163. http://dx.doi.org/10.1016/j.jhazmat.2014.08.067.

Hu, N; Gao, R; Wang, Y; Wang, Y; Chai, J; Yang, Z; Kong, ES; Zhang, Y. (2012). The preparation and characterization of non-covalently functionalized graphene. J Nanosci Nanotechnol. 12: 99-104. http://dx.doi.org/10.1166/jnn.2012.5139.

Huang, B, in; Qian, J; Wang, G; Cai, M. (2014). Synthesis and Properties of Novel Copolymers of Poly(ether ketone diphenyl ketone ether ketone ketone) and Poly(ether amide ether amide ether ketone ketone). Polymer Engineering and Science. 54: 1757-1764. http://dx.doi.org/10.1002/pen.23721.

Huang, G; Lv, C. (2013). Isobaric Vapor-Liquid Equilibria for Binary Systems Comprising 1-Chloro-2-ethylhexane, 2-Ethyl-1-hexanol, p-Xylene, and N-Methylpyrrolidone (NMP) at 40.0 kPa. Journal of Chemical and Engineering Data. 58: 279-284. http://dx.doi.org/10.1021/je300848z.

Huang, K; Xia, S; Zhang, X; Chen, YL, e; Wu, Y; Hu, XB. (2014). Comparative Study of the Solubilities of SO2 in Five Low Volatile Organic Solvents (Sulfolane, Ethylene Glycol, Propylene Carbonate, N-Methylimidazole, and N-Methylpyrrolidone). Journal of Chemical and Engineering Data. 59: 1202-1212. http://dx.doi.org/10.1021/je4007713.

Huang, SY; Fedkiw, PS. (2016). Pervaporation removal of water from ionic liquid solutions using Nafion membranes. Separation Science and Technology. 51: 2932-2939. http://dx.doi.org/10.1080/01496395.2016.1236816.

Huang, W; Mi, Y, ue; Li, Y, un; Zheng, D. (2015). An Aprotic Polar Solvent, Diglyme, Combined with Monoethanolamine to Form CO2 Capture Material: Solubility Measurement, Model Correlation, and Effect Evaluation. Ind Eng Chem Res. 54: 3430-3437. http://dx.doi.org/10.1021/ie504739t.

Huang, W; Yang, G; Chen, J, un; Chen, X, in; Zhang, C; Wang, Y; Shi, Q, iZ. (2013). Solvent Influence on Sizes of Channels in Three New Co(II) Complexes, Exhibiting an Active Replaceable Coordinated Site. Cryst Growth Des. 13: 66-73. http://dx.doi.org/10.1021/cg301146u.

Huang, WY; Xue, XQ; Zhang, DL; Chen, JH; Fang, JB; Yang, HJ; Jiang, BB; Kong, LZ; Liu, Y; Pu, HT. (2014). Influence of solvent on branching via atom transfer radical polymerisation using 1,6-bismaleimidohexane as branching agent. Mater Res Innovat. 18: 220-224. http://dx.doi.org/10.1179/1433075X14Y.0000000218.

Huang, Y; Liu, P; Wang, L, ei. (2013). PRODUCTION OF STABLE DISPERSIONS OF REDUCED GRAPHENE OXIDE USING INDOLE AS A REDUCTION AGENT. NANO. 8. http://dx.doi.org/10.1142/S1793292013500173.

Huang, Y, uF; Park, YI, l; Kuo, C; Xu, P; Williams, DJ; Wang, J; Lin, C, hiWen; Wang, HL, in. (2012). Low-Temperature Synthesis of Au/Polyaniline Nanocomposites: Toward Controlled Size, Morphology, and Size Dispersity. J Phys Chem C. 116: 11272-11277. http://dx.doi.org/10.1021/jp303538z.

Hubadillah, SK; Harun, Z; Othman, MHD; Ismail, AF; Salleh, W, anNWan; Basri, H; Yunos, MZ; Gani, P. (2016). Preparation and characterization of low cost porous ceramic membrane support from kaolin using phase inversion/sintering technique for gas separation: Effect of kaolin content and non-solvent coagulant bath. Chem Eng Res Des. 112: 24-35. http://dx.doi.org/10.1016/j.cherd.2016.06.007.

Hulubei, C. (2008). Maleimide-containing Polyamides. Materiale Plastice. 45: 228-231.

Hung, YM; Meier, KH. (2005). Acute (R) Confidor (imidacloprid-N-methyl pyrrolidone) insecticides intoxication with mimicking cholinergic syndrome. Toxicol Ind Health. 21: 137-140. http://dx.doi.org/10.1191/0748233705th217oa.

Hwang, K, yuSuk; Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ. (2009). Reaction kinetics between carbon dioxide and glycidyl methacrylate using trihexylamine immobilized ionic liquid on MCM41 catalyst. J Ind Eng Chem. 15: 854-859. http://dx.doi.org/10.1016/j.jiec.2009.09.012.

Fate Literature Search Results

Off Topic

Hwang, T; Oh, JS, uk; Hong, JP, yo; Nam, G, iY; Bae, A, hH; Son, SI, k; Lee, GH, o; Sung, H, akK; Lee, Y; Nam, J, aeDo. (2012). One-step metal electroplating and patterning on a plastic substrate using an electrically-conductive layer of few-layer graphene. Carbon. 50: 612-621. http://dx.doi.org/10.1016/j.carbon.2011.09.020.

Hwang, T; Pu, L; Kim, SW, oo; Oh, YS, oo; Nam, J, aeDo. (2009). Synthesis and barrier properties of poly(vinylidene chloride-co-acrylonitrile)/SiO2 hybrid composites by sol-gel process. J Memb Sci. 345: 90-96. http://dx.doi.org/10.1016/j.memsci.2009.08.029.

Ichinohe, D; Arai, T; Kise, H. (1997). Synthesis of soluble polyaniline in reversed micellar systems. Synthetic Metals. 84: 75-76.

Icoglu, HI; Ogulata, RT. (2013). EFFECT OF AMBIENT PARAMETERS ON MORPHOLOGY OF ELECTROSPUN POLYETHERIMIDE (PEI) FIBERS. 23: 313-318.

Ihmels, EC; Gmehling, J. (2002). Liquid Densities of gamma-butyrolactone and N-methyl-2-pyrrolidone from 273 to 473 K and at pressures up to 40 MPa. Journal of Chemical and Engineering Data. 47: 1547-1552. http://dx.doi.org/10.1021/je0255877.

Iino, M. (2000). Network structure of coals and association behavior of coal-derived materials. Fuel Process Tech. 62: 89-101.

Iino, M; Takanohashi, T; Li, CQ; Kumagai, H. (2004). Increase in extraction yields of coals by water treatment. Energy Fuels. 18: 1414-1418. http://dx.doi.org/10.1021/ef034078n.

Iino, M; Takanohashi, T; Obara, S; Tsueta, H; Sanokawa, Y. (1989). CHARACTERIZATION OF THE EXTRACTS AND RESIDUES FROM CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Fuel. 68: 1588-1593.

Iino, M; Takanohashi, T; Ohsuga, H; Toda, K. (1988). EXTRACTION OF COALS WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE - EFFECT OF COAL RANK AND SYNERGISM OF THE MIXED-SOLVENT. Fuel. 67: 1639-1647.

Iino, M; Takanohashi, T; Shishido, T; Saito, I; Kumagai, H. (2007). Increase in extraction yields of coals by water treatment: Beulah-Zap lignite. Energy Fuels. 21: 205-208. http://dx.doi.org/10.1021/ef060099g.

Ikeda, Y; Wada, E; Harada, M; Chikazawa, T; Kikuchi, T; Mineo, H; Morita, Y; Nogami, M; Suzuki, K. (2004). A study on pyrrolidone derivatives as selective precipitant for uranyl ion in HNO3. J Alloy Comp. 374: 420-425. http://dx.doi.org/10.1016/j.jallcom.2003.11.050.

Irimia-Vladu, M; Fergus, JW. (2006). Suitability of emeraldine base polyaniline-PVA composite film for carbon dioxide sensing. Synthetic Metals. 156: 1401-1407. http://dx.doi.org/10.1016/j.synthmet.2006.11.005.

IRK. (2014). [Guide values for 1-methyl-2-pyrrolidone in indoor air. Report of the German Ad-hoc Working Group on indoor Guidelines of the Indoor Air Hygiene Committee and of the States' Supreme Health Authorities]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 57: 1232-1241. http://dx.doi.org/10.1007/s00103-014-2041-1.

Islas, CA; Suelves, I; Apicella, B; Herod, AA; Kandiyoti, R; Carter, JF; Li, WY. (2003). Structure and composition of coal tars: An attempt to correlate molecular structure with increasing molecular mass. Combust Sci Tech. 175: 775-791. http://dx.doi.org/10.1080/00102200390196359.

Ismail, AF; Mustaffar, MI; Illias, RM; Abdullah, MS. (2006). Effect of dope extrusion rate on morphology and performance of hollow fibers membrane for ultrafiltration. Separation and Purification Technology. 49: 10-19. http://dx.doi.org/10.1016/j.seppur.2005.08.001.

Ismail, AF; Norida, R; Rahman, WAW, A; Matsuura, T; Hashemifard, SA. (2011). Preparation and characterization of hyperthin-skinned and high performances asymmetric polyethersulfone membrane for gas separation. Desalination. 273: 93-104. http://dx.doi.org/10.1016/j.desal.2010.10.015.

Itani, T; Yoshino, H; Hashimoto, S; Yamana, M; Samoto, N; Kasama, K. (1997). Acid and base diffusion in chemically amplified DUV resists. Microelectron Eng. 35: 149-152.

Itaya, Y; Bessho, N. (1997). Drying of dielectric resin coatings in the presence of polycondensation. Drying Technology. 15: 427-440.

Ivanov, IV; Lotkhov, VA; Glebova, Y, uA; Chelyuskina, TV; Kulov, NN. (2014). Study of phase equilibrium in benzene-heptane-N-methylpyrrolidone system. Theoretical Foundations of Chemical Engineering. 48: 337-345. http://dx.doi.org/10.1134/S0040579514040186.

Ivanov, IV; Lotkhov, VA; Moiseeva, KA; Kulov, NN. (2016). Mass transfer in a packed extractive distillation column. Theoretical Foundations of Chemical Engineering. 50: 667-677. http://dx.doi.org/10.1134/S0040579516050304.

Ivanov, IV; Lotkhov, VA; Tikhonov, AY, u; Kulov, NN. (2015). Vapor-liquid-liquid phase equilibrium in four-component benzene-heptane-N-methylpyrrolidone-sulfolane system. Theoretical Foundations of Chemical Engineering. 49: 125-137. http://dx.doi.org/10.1134/S0040579515020049.

Izumi, CMS; Brito, HF; Ferreira, A, naMDC; Constantino, VRL; Temperini, MLA. (2009). Spectroscopic investigation of the interactions between emeraldine base polyaniline and Eu(III) ions. Synthetic Metals. 159: 377-384. http://dx.doi.org/10.1016/j.synthmet.2008.10.006.

Izumi, CMS; Ferreira, DC; Costa Ferreira, A, naMD; Temperini, MLA. (2009). The role of oxygen in the interaction of emeraldine base polyaniline with Cu(II) or Fe(III) ions in NMP solution. Synthetic Metals. 159: 1165-1173. http://dx.doi.org/10.1016/j.synthmet.2009.02.004.

Izumi, CMS; Rodrigues, DC; Temperini, MLA. (2010). The role of solvent on the doping of polyaniline with Fe(III) ions. Synthetic Metals. 160: 2552-2558. http://dx.doi.org/10.1016/j.synthmet.2010.10.004.

Jacob, KN; Kumar, SS; Thanigaivelan, A; Tarun, M; Mohan, D. (2014). Sulfonated polyethersulfone-based membranes for metal ion removal via a hybrid process. Journal of Materials Science. 49: 114-122. http://dx.doi.org/10.1007/s10853-013-7682-1.

Jain, R; Gregory, RV. (1995). Solubility and rheological characterization of polyaniline base in N-methyl-2-pyrrolidinone and N,N'-dimethylpropylene urea. Synthetic Metals. 74: 263-266.

Jalal, TA; Prada, IDC; Tayouo, R; Giannelis, EP; Nunes, SP. (2014). Reactive phase inversion for manufacture of asymmetric poly (ether imide sulfone) membranes. React Funct Polym. 85: 1-10. http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.018.

Jamali, SH; Ramdin, M; Becker, T, imM; Torres-Knoop, A; Dubbeldam, D; Buijs, W, im; Vlugt, TJH. (2017). Solubility of sulfur compounds in commercial physical solvents and an ionic liquid from Monte Carlo simulations. Fluid Phase Equilibria. 433: 50-55. http://dx.doi.org/10.1016/j.fluid.2016.11.015.

Jang, H; Lee, S; Jin, L; Pyo, J; Tan, F; Kim, K; Kim, W; Jeon, HS. (2015). Preparation of Novel Pyridine-Based Aromatic Polyimides and Effect of Fluorine Functionality. J Nanosci Nanotechnol. 15: 8451-8459. http://dx.doi.org/10.1166/jnn.2015.11444.

Fate Literature Search Results

Off Topic

Jang, KS; Ko, HC; Moon, B; Lee, H. (2005). Observation of photoluminescence in polypyrrole micelles. Synthetic Metals. 150: 127-131. http://dx.doi.org/10.1016/j.synthmet.2005.01.013.

Jang, KS; Moon, BJ; Oh, EJ; Lee, HS. (2003). Characteristics of tantalum electrolytic capacitors using soluble polypyrrole electrolyte. J Power Sources. 124: 338-342. http://dx.doi.org/10.1016/S0378-7753(03)00594-9.

Jang, SH; Han, MG; Im, SS. (2000). Preparation and characterization of conductive polyaniline/silica hybrid composites prepared by sol-gel process. Synthetic Metals. 110: 17-23.

Jantas, R; Delczyk, B. (2005). Preparation characterisation and antibacterial properties of sucrose-1-naphtylacetic acid adduct. 13: 60-63.

Jawaid, A, li; Nepal, D; Park, K; Jespersen, M; Qualley, A; Mirau, P; Drummy, LF; Vaia, RA. (2016). Mechanism for Liquid Phase Exfoliation of MoS2. Chem Mater. 28: 337-348. http://dx.doi.org/10.1021/acs.chemmater.5b04224.

Jayasinghe, NS; Lucien, FP; Tran, T. (2005). Ion-exchange equilibria for [Au(CN)(2)](-)/Cl- and [Au(CN)(2)](-)/SCN- on purolite A500 in mixed solvents at 303 K. Ind Eng Chem Res. 44: 7496-7504. http://dx.doi.org/10.1021/ie0504304.

Jee, K, iY; Kim, N; Lee, YT. (2016). The effect of metal complex on pervaporation performance of composite membrane for separation of n-butanol/water mixture. J Ind Eng Chem. 44: 155-163. http://dx.doi.org/10.1016/j.jiec.2016.08.022.

Jee, K, iY; Lee, YT. (2014). Preparation and characterization of siloxane composite membranes for n-butanol concentration from ABE solution by pervaporation. J Memb Sci. 456: 1-10. http://dx.doi.org/10.1016/j.memsci.2013.12.061.

Jelinek, M; Borde, I. (1998). Single-and double-stage absorption cycles based on fluorocarbon refrigerants and organic absorbents. Applied Thermal Engineering. 18: 765-771.

Jeon, B, oY; Yi, J, unY; Park, D, ooH. (2014). Estimation on metabolic pathway of Pseudomonas sp SMIC-3 for 1-methyl-2-pyrrolidinone based on physiological and biochemical analyses. Korean J Chem Eng. 31: 475-484. http://dx.doi.org/10.1007/s11814-013-0231-4.

Jeon, I, nYup; Yu, D; Bae, S, eoY; Choi, HJ; Chang, DW; Dai, L; Baek, JB. (2011). Formation of Large-Area Nitrogen-Doped Graphene Film Prepared from Simple Solution Casting of Edge-Selectively Functionalized Graphite and Its Electrocatalytic Activity. Chem Mater. 23: 3987-3992. http://dx.doi.org/10.1021/cm201542m.

Jeon, IY; Choi, EK; Bae, SY; Baek, JB. (2010). Edge-Functionalization of Pyrene as a Miniature Graphene via Friedel-Crafts Acylation Reaction in Poly(Phosphoric Acid). Nanoscale Res Lett. 5: 1686-1691. http://dx.doi.org/10.1007/s11671-010-9697-8.

Jeon, S, eaHo; Xu, P; Mack, NH; Chiang, LY; Brown, L; Wang, HL, in. (2010). Understanding and Controlled Growth of Silver Nanoparticles Using Oxidized N-Methyl-pyrrolidone as a Reducing Agent. J Phys Chem C. 114: 36-40. http://dx.doi.org/10.1021/jp907757u.

Jia, Q; Xu, Y; Shen, J; Yang, H; Zhou, L, u. (2015). Effects of hydrophilic solvent and oxidation resistance post surface treatment on molecular structure and forward osmosis performance of polyamide thin-film composite (TFC) membranes. Appl Surf Sci. 356: 1105-1116. http://dx.doi.org/10.1016/j.apsusc.2015.08.129.

Jiang, B, in; Wang, B; Zhang, L; Sun, Y; Xiao, X; Yang, N, a; Dou, H. (2016). Preparation of poly(L-lactic acid) membrane from solvent mixture via immersion precipitation. Separation Science and Technology. 51: 2940-2947. http://dx.doi.org/10.1080/01496395.2016.1239638.

Jiang, H; Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Organic acid doped polyaniline derivatives. Synthetic Metals. 84: 125-126.

Jiang, H; Sun, X; Huang, M; Wang, Y; Li, D; Dong, S. (2006). Rapid self-assembly of oligo(o-phenylenediamine) into one-dimensional structures through a facile reprecipitation route. Langmuir. 22: 3358-3361. http://dx.doi.org/10.1021/la053091s.

Jiang, Q; Liu, C; Song, H; Shi, H, ui; Yao, Y; Xu, J; Zhang, G, e; Lu, B. (2013). Improved thermoelectric performance of PEDOT:PSS films prepared by polar-solvent vapor annealing method. Journal of Materials Science: Materials in Electronics. 24: 4240-4246. http://dx.doi.org/10.1007/s10854-013-1391-z.

Jiao, Z; Sun, Y, an; Yang, Q; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in the ionic liquid ethyl(2-hydroxyethyl)dimethyl-ammonium diethylphosphate using gas-liquid chromatography. Fluid Phase Equilibria. 325: 15-19. http://dx.doi.org/10.1016/j.fluid.2012.04.008.

Jim, M; Kim, KJ, oo. (2012). Effect of Supersaturation on Polymorphs of Clopidogrel Hydrogen Sulfate in Drowning-out Crystallization. Chem Eng Tech. 35: 995-1002. http://dx.doi.org/10.1002/ceat.201100717.

Jim, M; Kim, KJ, oo. (2012). Solubility of Forms I and II of Clopidogrel Hydrogen Sulfate in Formic Acid, N-Methylpyrrolidone, and N,N-Dimethylformamide. Journal of Chemical and Engineering Data. 57: 598-602. http://dx.doi.org/10.1021/je201128n.

Jin, SH, un; Lee, D, aiSoo. (2008). Preparation and Properties of the Nanocomposites Based on Poly(methyl methacrylate-co-butyl acrylate) and Multiwalled Carbon Nanotube. J Nanosci Nanotechnol. 8: 4675-4678. http://dx.doi.org/10.1166/jnn.2008.IC25.

Jing, X; Deng, R; Zheng, D. (2013). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus N,N-Dimethylacetamide, Fluoroethane plus N-Methyl-2-pyrrolidone, and 1,1,1,2-Tetrafluoroethane plus N,N-Dimethylacetamide Systems. Journal of Chemical and Engineering Data. 58: 3289-3296. http://dx.doi.org/10.1021/je4007822.

Johnson, BR; Bartle, KD; Cocksedge, M; Herod, AA; Kandiyoti, R. (1998). A test of the MALDI-MS calibration of SEC with N-methyl-2-pyrrolidinone for coal derived materials. Fuel. 77: 1527-1531.

Johnson, BR; Bartle, KD; Domin, M; Herod, AA; Kandiyoti, R. (1998). Absolute calibration of size exclusion chromatography for coal derivatives through MALDI-ms. Fuel. 77: 933-945.

Johnson, BR; Bartle, KD; Ross, AB; Herod, AA; Kandiyoti, R; Larsen, JW. (1999). Cf-252 plasma desorption and laser desorption mass spectrometry for the determination of molecular weight distribution of coal derivatives. Fuel. 78: 1659-1664.

Johnston, A; Florence, AJ; Shankland, N; Kennedy, AR; Shankland, K; Price, SL. (2007). Crystallization and crystal energy landscape of hydrochlorothiazide. Cryst Growth Des. 7: 705-712. http://dx.doi.org/10.1021/cg0606242.

Jones, LG; Darvin, CH; Hall, E. (1999). Process and Equipment Changes for Cleaner Production in Federal Facilities. 10.

Jongeneelen, FJ; Ten Berge, W. (2011). A Generic, Cross-Chemical Predictive PBTK Model with Multiple Entry Routes Running as Application in MS Excel; Design of the Model and Comparison of Predictions with Experimental Results. Ann Occup Hyg. 55: 841-864. http://dx.doi.org/10.1093/annhyg/mer075.

Fate Literature Search Results

Off Topic

Jönsson, BA; Akesson, B. (2001). N-methylsuccinimide in plasma and urine as a biomarker of exposure to N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 74: 289-294.

Jönsson, BA; Akesson, B. (2003). Human experimental exposure to N-methyl-2-pyrrolidone (NMP): toxicokinetics of NMP, 5-hydroxy- N-methyl-2-pyrrolidone, N-methylsuccinimide and 2-hydroxy- N-methylsuccinimide (2-HMSI), and biological monitoring using 2-HMSI as a biomarker. Int Arch Occup Environ Health. 76: 267-274. http://dx.doi.org/10.1007/s00420-003-0438-5.

Jordan, KM; Iroh, JO. (1997). Effect of isothermal aging on post-imidization and glass transition temperature of LaRC-IA polyimide resin. Polymer Composites. 18: 397-404.

Jou, FY; Mather, AE. (2005). Solubility of carbon dioxide in an aqueous mixture of methyldiethanolamine and N-methylpyrrolidone at elevated pressures. Fluid Phase Equilibria. 228: 465-469. http://dx.doi.org/10.1016/j.fluid.2004.10.004.

Julinová, M; Kupec, J; Houser, J; Slavík, R; Marusincová, H; Cervenáková, L; Klívar, S. (2012). Removal of polyvinylpyrrolidone from wastewater using different methods. Water Environ Res. 84: 2123-2132. http://dx.doi.org/10.2175/106143012X13373575830999.

Julinova, M; Kupec, J, an; Slavik, R; Vaskova, M. (2013). INITIATING BIODEGRADATION OF POLYVINYLPYRROLIDONE IN AN AQUEOUS AEROBIC ENVIRONMENT: TECHNICAL NOTE. 20: 199-208. http://dx.doi.org/10.2478/eces-2013-0015.

Junaidi, MU; Leo, CP; Kamal, SN; Ahmad, AL. (2013). Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Sci Technol. 67: 2102-2109. http://dx.doi.org/10.2166/wst.2013.098.

Jung, RE; Kokovic, V; Jurisic, M; Yaman, D; Subramani, K; Weber, FE. (2011). Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res. 22: 802-807. http://dx.doi.org/10.1111/j.1600-0501.2010.02068.x.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension and interfacial tension of binary organic liquid mixtures. Journal of Chemical and Engineering Data. 48: 1500-1507. http://dx.doi.org/10.1021/je034062r.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension of pure liquids and binary liquid mixtures. Journal of Chemical and Engineering Data. 48: 580-586. http://dx.doi.org/10.1021/je0201323.

Kajekar, AJ; Dodamani, BM; Isloor, AM; Karim, ZA; Cheer, N; Ismail, AF; Shilton, SJ. (2015). Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection. Desalination. 365: 117-125. http://dx.doi.org/10.1016/j.desal.2015.02.028.

Kajiyama, M; Takehara, A; Mizumachi, H. (1996). Preparation of aramid/poly (ethersulphone) blends and their properties for hot-melt type adhesives. Journal of Adhesion. 57: 153-165.

Kakade, B; Patil, I; Lokanathan, M; Swami, A. (2015). Enhanced methanol electrooxidation at Pt skin@PdPt nanocrystals. 3: 17771-17779. http://dx.doi.org/10.1039/c5ta03736k.

Kakade, BA; Tamaki, T; Ohashi, H; Yamaguchi, T. (2012). Highly Active Bimetallic PdPt and CoPt Nanocrystals for Methanol Electro-oxidation. J Phys Chem C. 116: 7464-7470. http://dx.doi.org/10.1021/jp300140s.

Kakati, A; Maji, D; Das, S. (2017). Unveiling the wet chemical etching characteristics of polydimethylsiloxane film for soft micromachining applications. Journal of Micromechanics and Microengineering. 27. http://dx.doi.org/10.1088/1361-6439/27/1/015033.

Kameyama, A; Nishikubo, T. (1996). A novel synthesis of reactive polyethers with pendant chloromethyl group by polyaddition of bis(epoxide)s with aromatic dichlorides. React Funct Polym. 30: 235-239.

Kaneko, H; Morino, M; Takanohashi, T; Iino, M. (1996). Study of the interaction of aromatic compounds with coals by inverse liquid chromatography. Energy Fuels. 10: 1017-1021.

Kang, ET; Neoh, KG; Tan, KL. (1995). PROTONATION AND DEPROTONATION OF POLYANILINE FILMS AND POWDERS REVISITED. Synthetic Metals. 68: 141-144.

Kang, J; Wood, JD; Wells, SA; Lee, JH; Liu, X; Chen, KS; Hersam, MC. (2015). Solvent exfoliation of electronic-grade, two-dimensional black phosphorus. ACS Nano. 9: 3596-3604. http://dx.doi.org/10.1021/acsnano.5b01143.

Kang, KS; Chen, Y; Lim, HK; Cho, KY; Han, KJ; Kim, J. (2009). Performance enhancement of polymer Schottky diode by doping pentacene. Thin Solid Films. 517: 6096-6099. http://dx.doi.org/10.1016/j.tsf.2009.04.041.

Kang, KS, un; Han, KJ, un; Kim, J. (2009). Polymer-Based Flexible Schottky Diode Made With Pentacene-PEDOT:PSS. I E E E Transactions on Nanotechnology. 8: 627-630. http://dx.doi.org/10.1109/TNANO.2009.2019640.

Kang, MG; Kim, KM; Ryu, KS; Chang, SH; Park, NG; Hong, JS; Kim, KJ. (2004). Dye-sensitized TiO2 solar cells using polymer gel electrolytes based on PVdF-HFP. J Electrochem Soc. 151: E257-E260. http://dx.doi.org/10.1149/1.1759698.

Kang, YK; Kim, SK; Lee, CJ. (2004). Doping of polyaniline by thermal acid-base exchange reaction. Mater Sci Eng C. 24: 39-41. http://dx.doi.org/10.1016/j.msec.2003.09.047.

Kang, YS; Kim, HJ; Kim, UY. (1991). ASYMMETRIC MEMBRANE FORMATION VIA IMMERSION PRECIPITATION METHOD .1. KINETIC EFFECT. J Memb Sci. 60: 219-232.

Karaca, F. (2006). Molecular mass distribution and structural characterization of liquefaction products of a biomass waste material. Energy Fuels. 20: 383-387. http://dx.doi.org/10.1021/ef050369f.

Karaca, F; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Effect of salts on the SEC profiles of heavy hydrocarbon liquids: New approach with salts dissolved in solvents used for planar chromatography. Energy Fuels. 19: 187-199. http://dx.doi.org/10.1021/ef0498263.

Karaca, F; Islas, CA; Millan, M; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). The calibration of size exclusion chromatography columns: Molecular mass distributions of heavy hydrocarbon liquids. Energy Fuels. 18: 778-788. http://dx.doi.org/10.1021/ef030178h.

Karaca, F; Millan-Agorio, M; Morgan, TJ; Bull, ID; Herod, AA; Kandiyoti, R. (2008). The pentane- and toluene-soluble fractions of a petroleum residue and three coal tars by size exclusion chromatography and UV-fluorescence spectroscopy. Oil & Gas Science & Technology. 63: 129-137. http://dx.doi.org/10.2516/ogst:2007061.

Fate Literature Search Results

Off Topic

Karaca, F; Morgan, TJ; Behrouzi, M; Herod, AA; Kandiyoti, R. (2005). Effect of several salts on the elution behaviour of heavy hydrocarbon liquids during size exclusion chromatography with 1-methyl-2-pyrrolidinone as eluent. Fuel. 84: 1805-1811. http://dx.doi.org/10.1016/j.fuel.2005.04.008.

Karatun, ON; Kapizova, NB. (2014). Extraction of Aromatic Hydrocarbons from Gasoline Fraction by Blended Extractants. Chemistry and Technology of Fuels and Oils. 50: 230-232. http://dx.doi.org/10.1007/s10553-014-0514-4.

Kardas, G; Solmaz, R. (2007). Electrochemical synthesis and characterization of a new conducting polymer: Polyrhodanine. Appl Surf Sci. 253: 3402-3407. http://dx.doi.org/10.1016/j.apsusc.2006.07.042.

Karimzadeh, R; Ghashghaee, M; Nouri, M. (2010). Effect of Solvent Dearomatization and Operating Conditions in Steam Pyrolysis of a Heavy Feedstock. Energy Fuels. 24: 1899-1907. http://dx.doi.org/10.1021/ef901139u.

Kashimura, N, ao; Takanohashi, T; Masaki, K; Shishido, T; Sato, S; Matsumura, A; Saito, I. (2006). Relationship between thermal extraction yield and oxygen-containing functional groups. Energy Fuels. 20: 2088-2092. http://dx.doi.org/10.1021/ef060194p.

Kato, R; Gmehling, J. (2004). Activity coefficients at infinite dilution of various solutes in the ionic liquids [MMIM](+)[CH3SO4](-), [MMIM](+)[CH3OC2H4SO4](-), [MMIM]+[(CH3)(2)PO4](-), [C5H5NC2H5](+)[(CF3SO2)(2)N](-) and [C5H5NH](+)[C2H5OC2H4OSO3](-). Fluid Phase Equilibria. 226: 37-44. http://dx.doi.org/10.1016/j.fluid.2004.08.039.

Kaune, G; Wang, W; Metwalli, E; Ruderer, M; Rossner, R; Roth, SV; Müller-Buschbaum, P. (2008). Layered TiO2: PVK nano-composite thin films for photovoltaic applications. TiO2: PVK nano-composite thin films. Eur Phys J E Soft Matter. 26: 73-79. http://dx.doi.org/10.1140/epje/i2007-10292-2.

Kaur, P; Srivastava, VC; Mall, ID, eo. (2012). Studies on Bi-Cyclic Aromatics Extraction using Furfural and N-Methyl Pyrrolidone (NMP) as Solvent. Separation Science and Technology. 47: 1762-1770. http://dx.doi.org/10.1080/01496395.2012.659783.

Kaushik, RS; Srivastava, M; Kumar, M; Mandal, S; Bahuguna, NN; Sharma, R; Anwar, M; Garg, MO. (2005). Evaluation of different packings in lube extraction system. Petroleum Science and Technology. 23: 437-443. http://dx.doi.org/10.1081/LFT-200031046.

Kawashima, H; Koyano, K; Takanohashi, T. (2013). Changes in nitrogen functionality due to solvent extraction of coal during HyperCoal production. Fuel Process Tech. 106: 275-280. http://dx.doi.org/10.1016/j.fuproc.2012.06.030.

Kawashima, H; Saito, I. (2004). Interactions of organic liquids with coals: Analysis by solid-state C-13 nuclear magnetic resonance. Energy Fuels. 18: 1723-1731. http://dx.doi.org/10.1021/ef040007s.

Kawashima, H; Takanohashi, T. (2001). Modification of model structures of upper freeport coal extracts using C-13 NMR chemical shift calculations. Energy Fuels. 15: 591-598.

Kawashima, N; Kameyama, A; Nishikubo, T; Nagai, T. (2003). Synthesis and photochemical reaction of polystyrenes with pendant donor-acceptor type norbornadienes containing carbamoyl chromophores. React Funct Polym. 55: 75-88.

Kazda, T; Krbal, M; Pouzar, M; Vondrak, J; Strakova, AF; Slavik, M; Wagner, T; Macak, JM. (2016). Highly efficient and stable cryo-ground sulphur cathode for Li-S batteries. J Power Sources. 331: 293-298. http://dx.doi.org/10.1016/j.jpowsour.2016.09.050.

Keener, SA; Wrbitzky, R; Bader, M. (2007). Human volunteer study on the influence of exposure duration and dilution of dermally applied N-methyl-2-pyrrolidone (NMP) on the urinary elimination of NMP metabolites. Int Arch Occup Environ Health. 80: 327-334. http://dx.doi.org/10.1007/s00420-006-0138-z.

Keller, TM. (1994). SYNTHESIS AND POLYMERIZATION OF MULTIPLE AROMATIC ETHER PHTHALONITRILES. Chem Mater. 6: 302-305.

Kerres, J; Cui, W; Disson, R; Neubrand, W. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by disproportionation of sulfinic acid groups. J Memb Sci. 139: 211-225.

Kerres, J; Cui, W; Junginger, M. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by alkylation of sulfinate groups with dihalogenoalkanes. J Memb Sci. 139: 227-241.

Khalaf, HI; Wady, AN; Daham, HK. (2013). Synthesis and characterization of new optically active poly(amide-imide)s derived from N,N'-(pyromellitoyl) bis-L-tyrosine and various diamines. 31: 43-51. http://dx.doi.org/10.2478/s13536-012-0077-1.

Khan, U; O'Connor, I, an; Gun'ko, YK; Coleman, JN. (2010). The preparation of hybrid films of carbon nanotubes and nano-graphite/graphene with excellent mechanical and electrical properties. Carbon. 48: 2825-2830. http://dx.doi.org/10.1016/j.carbon.2010.04.014.

Khan, U; Porwal, H; O'Neill, A; Nawaz, K; May, P; Coleman, JN. (2011). Solvent-exfoliated graphene at extremely high concentration. Langmuir. 27: 9077-9082. http://dx.doi.org/10.1021/la201797h.

Khare, VP; Greenberg, AR; Krantz, WB. (2005). Vapor-induced phase separation - effect of the humid air exposure step on membrane morphology Part I. Insights from mathematical modeling. J Memb Sci. 258: 140-156. http://dx.doi.org/10.1016/j.memsci.2005.03.015.

Kho, YW; Conrad, DC; Shick, RA; Knutson, BL. (2003). Solvent strength characterization of carbon dioxide expanded fluorinated solvents. Ind Eng Chem Res. 42: 6511-6517. http://dx.doi.org/10.1021/ie030669p.

Khodakarimi, S; Hekhmatshoar, MH; Nasiri, M; Moghaddam, MK; Abbasi, F. (2016). Effects of process and post-process treatments on the electrical conductivity of the PEDOT:PSS films. Journal of Materials Science: Materials in Electronics. 27: 1278-1285. http://dx.doi.org/10.1007/s10854-015-3886-2.

Khulbe, KC; Feng, CY; Hamad, F; Matsuura, T; Khayet, M. (2004). Structural and performance study of micro porous polyetherimide hollow fiber membranes prepared at different air-gap. J Memb Sci. 245: 191-198. http://dx.doi.org/10.1016/j.memsci.2004.06.061.

Khulbe, KC; Matsuura, T; Singh, S; Lamarche, G; Noh, SH. (2000). Study on fouling of ultrafiltration membrane by electron spin resonance. J Memb Sci. 167: 263-273.

Kiani, S; Mousavi, SM; Shahtahmassebi, N; Saljoughi, E. (2016). Preparation and characterization of polyphenylsulfone nanofibrous membranes for the potential use in liquid filtration. Desalination and Water Treatment. 57: 16250-16259. http://dx.doi.org/10.1080/19443994.2015.1079258.

Kierzkowska-Pawlak, H. (2008). Desorption of CO2 from aqueous solutions of N-methylpirrolidone. Przemysł Chemiczny. 87: 174-178.

Fate Literature Search Results

Off Topic

Kierzkowska-Pawlak, H; Chacuk, A. (2010). Carbon Dioxide Desorption from Saturated Organic Solvents. Chem Eng Tech. 33: 74-81. http://dx.doi.org/10.1002/ceat.200900334.

Kihara, N; Yamamoto, R; Sasao, N; Shimada, T; Yuzawa, A; Okino, T; Ootera, Y; Kamata, Y; Kikitsu, A. (2012). Fabrication of 5 Tdot/in.(2) bit patterned media with servo pattern using directed self-assembly. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 30. http://dx.doi.org/10.1116/1.4763356.

Kim, BJ; Kang, MS; Pham, VH; Cuong, TV; Kim, E, uiJ; Chung, J, inSuk; Hur, SH; Cho, JH, o. (2011). Low-voltage solution-processed graphene transistors based on chemically and solvothermally reduced graphene oxide. J Mater Chem. 21: 13068-13073. http://dx.doi.org/10.1039/c1jm11691f.

Kim, BR; Kalis, EM; Dewulf, T; Andrews, KM. (2000). Henry's law constants for paint solvents and their implications on volatile organic compound emissions from automotive painting. Water Environ Res. 72: 65-74.

Kim, CK, i; Lee, BC; Lee, YW, oo; Kim, HS, oo. (2009). Solvent effect on particle morphology in recrystallization of HMX (cyclotetramethylenetetranitramine) using supercritical carbon dioxide as antisolvent. Korean J Chem Eng. 26: 1125-1129. http://dx.doi.org/10.2478/s11814-009-0187-6.

Kim, D, ooY; Kim, KJ, oo. (2007). Solubility of cyclotrimethylenetrinitramine (RDX) in binary solvent mixtures. Journal of Chemical and Engineering Data. 52: 1946-1949. http://dx.doi.org/10.1021/je7002463.

Kim, D, ooY; Kim, KJ, oo. (2010). Semi-quantitative Study on the Inclusion in Cooling Crystallization of RDX Using Various Solvents. Propellants, Explosives, Pyrotechnics. 35: 38-45. http://dx.doi.org/10.1002/prep.200800116.

Kim, D, oH; Yun, Y; Bak, H; Cho, S, eY; Jin, HJ. (2011). Electro-conducting polymeric films prepared from the hybrids of carbon nanotubes and graphene nanosheets. Curr Appl Phys. 11: S376-S380. http://dx.doi.org/10.1016/j.cap.2011.03.052.

Kim, E; Yi, M, iHye; Ahn, T. (2016). Low-Temperature Processable, Photo-Curable Polyimides as Gate Insulators for Thin-Film Transistors. J Nanosci Nanotechnol. 16: 11762-11765. http://dx.doi.org/10.1166/jnn.2016.13589.

Kim, H; Lee, J; Ok, S; Choe, Y. (2012). Effects of pentacene-doped PEDOT:PSS as a hole-conducting layer on the performance characteristics of polymer photovoltaic cells. Nanoscale Res Lett. 7: 5. http://dx.doi.org/10.1186/1556-276X-7-5.

Kim, H; Mattevi, C; Kim, HJ; Mittal, A; Mkhoyan, KA; Riman, RE; Chhowalla, M. (2013). Optoelectronic properties of graphene thin films deposited by a Langmuir-Blodgett assembly. Nanoscale. 5: 12365-12374. http://dx.doi.org/10.1039/c3nr02907g.

Kim, IC; Lee, KH. (2004). Effect of poly(ethylene glycol) 200 on the formation of a polyetherimide asymmetric membrane and its performance in aqueous solvent mixture permeation. J Memb Sci. 230: 183-188. http://dx.doi.org/10.1016/j.memsci.2003.11.002.

Kim, IC; Lee, KH; Tak, TM. (2001). Preparation and characterization of integrally skinned uncharged polyetherimide asymmetric nanofiltration membrane. J Memb Sci. 183: 235-247.

Kim, IC; Yun, HG; Lee, KH. (2002). Preparation of asymmetric polyacrylonitrile membrane with small pore size by phase inversion and post-treatment process. J Memb Sci. 199: 75-84.

Kim, J, inWoo; Yi, M, iHye; Ahn, T. (2013). Surface energy control of soluble polyimide gate insulators by copolymerization method for high performance pentacene thin-film transistors. Thin Solid Films. 546: 147-152. http://dx.doi.org/10.1016/j.tsf.2013.05.042.

Kim, JH; Lee, KH. (1998). Effect of PEG additive on membrane formation by phase inversion. J Memb Sci. 138: 153-163.

Kim, JR; Jung, JH; Shin, WS; So, WW; Moon, SJ. (2011). Efficient TCO-free organic solar cells with modified poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate) anodes. J Nanosci Nanotechnol. 11: 326-330. http://dx.doi.org/10.1166/jnn.2011.3173.

Kim, K; Cho, H; Lee, S; Mun, M; Lee, D. (2016). Coal and solvent properties and their correlation with extraction yield under mild conditions. Korean J Chem Eng. 33: 2142-2159. http://dx.doi.org/10.1007/s11814-016-0062-1.

Kim, KJ. (2000). Spherulitic crystallization of 3-nitro-1,2,4-triazol-5-one in water plus N-methyl-2-pyrrolidone. J Cryst Growth. 208: 569-578.

Kim, KJ, oo; Kim, HS, oo; Sim, JS. (2013). Solubilities of Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine in gamma-Butyrolactone plus Water, Dimethylsulfoxide plus Water, and N-Methyl pyrrolidone plus Water. Journal of Chemical and Engineering Data. 58: 2410-2413. http://dx.doi.org/10.1021/je400199m.

Kim, KJ; Kim, KM. (2001). Nucleation kinetics in spherulitic crystallization of explosive compound: 3-nitro-1 2,4-triazol-5-one. Powder Technology. 119: 109-116.

Kim, KJ; Kim, KM. (2002). Growth kinetics in seeded cooling crystallization of 3-nitro-1,2,4-triazol-5-one in water-N-methylpyrrolidone. Powder Technology. 122: 46-53.

Kim, KM; Jeon, WS; Park, NG; Ryu, KS; Chang, SH. (2003). Effect of evaporation temperature on the crystalline properties of solution-cast films of poly(vinylidene fluoride)s. Korean J Chem Eng. 20: 934-941.

Kim, KM, an; Kim, J, inC; Ryu, KS, un. (2006). Characteristics of PVdF-HFP/TiO2 composite electrolytes prepared by a phase inversion technique using dimethyl acetamide solvent and water non-solvent. Macromolecular Materials & Engineering. 291: 1495-1502. http://dx.doi.org/10.1002/mame.200600299.

Kim, SG; Lee, K, ewHo. (2009). Effects of chemical transition of polyetherimide membranes having an integrally skinned asymmetric structure. Curr Appl Phys. 9: E51-E55. http://dx.doi.org/10.1016/j.cap.2009.03.005.

Kim, SR; Lee, KH; Jhon, MS. (1996). The effect of ZnCl2 on the formation of polysulfone membrane. J Memb Sci. 119: 59-64.

Kim, T; Kang, M; Choi, Y; Kim, H; Lee, W; Chang, H; Seung, D. (2007). Preparation of Nafion-Sulfonated Clay Nanocomposite Membrane for Direct Menthol Fuel Cells via a Film Coating Process. J Power Sources. 165: 1. http://dx.doi.org/10.1016/j.jpowsour.2006.11.055.

Kim, Y; Kim, S; Lee, B. (2012). Simulation of 1,3-butadiene extractive distillation process using N-methyl-2-pyrrolidone solvent. Korean J Chem Eng. 29: 1493-1499. http://dx.doi.org/10.1007/s11814-012-0075-3.

Kimijima, T; Zettsu, N; Yubuta, K; Hirata, K; Kami, K; Teshima, K. (2016). Molybdate flux growth of idiomorphic Li(Ni1/3Co1/3Mn1/3)O-2 single crystals and characterization of their capabilities as cathode materials for lithium-ion batteries. 4: 7289-7296. http://dx.doi.org/10.1039/c6ta01593j.

Fate Literature Search Results

Off Topic

Kimura, H; Takahashi, D; Yamaguchi, T; Takeishi, M. (2000). Synthesis of optically active polyarylates having axially chiral binaphthylene unit. Sen'i Gakkaishi. 56: 169-174.

Kingsbury, BFK; Li, K. (2009). A morphological study of ceramic hollow fibre membranes. J Memb Sci. 328: 134-140. http://dx.doi.org/10.1016/j.memsci.2008.11.050.

Kinoshita, M; Sugamura, T; Shimoyama, Y. (2016). Effect of solvent species inside wet gel on fabrication of titania nanoparticle by supercritical carbon dioxide drying. Journal of Supercritical Fluids. 110: 90-96. http://dx.doi.org/10.1016/j.supflu.2015.12.015.

Kiyono, R; Koops, GH; Wessling, M; Strathmann, H. (2004). Mixed matrix microporous hollow fibers with ion-exchange functionality. J Memb Sci. 231: 109-115. http://dx.doi.org/10.1016/j.memsci.2003.11.008.

Kizildag, N; Ucar, N; Onen, A; Karacan, I. (2016). Polyacrylonitrile/polyaniline composite nano/microfiber webs produced by different dopants and solvents. Journal of Industrial Textiles. 46: 787-808. http://dx.doi.org/10.1177/1528083715598654.

Knoell, T; Safarik, J; Cormack, T; Riley, R; Lin, SW; Ridgway, H. (1999). Biofouling potentials of microporous polysulfone membranes containing a sulfonated polyether-ethersulfone/polyethersulfone block copolymer: correlation of membrane surface properties with bacterial attachment. J Memb Sci. 157: 117-138.

Kobayashi, T; Ohshiro, M; Nakamoto, K; Uchida, S. (2016). Decontamination of Extra-Diluted Radioactive Cesium in Fukushima Water Using Zeolite-Polymer Composite Fibers. Ind Eng Chem Res. 55: 6996-7002. http://dx.doi.org/10.1021/acs.iecr.6b00903.

Koch, A; Gruber, R; Cagniant, D; Duchene, JM. (1996). A physicochemical study of carbonization phases .2. Quenching experiments at the pilot scale. Fuel Process Tech. 48: 29-37.

Koch, A; Gruber, R; Cagniant, D; Henrion, P; Duchene, JM. (1996). A physicochemical study of carbonization phases .3. A method of predicting wall pressure by extraction with N-methyl-2-pyrrolidinone. Fuel Process Tech. 48: 39-50.

Koch, A; Gruber, R; Cagniant, D; Pajak, J; Krzton, A. (1995). A PHYSICOCHEMICAL STUDY OF CARBONIZATION PHASES .1. TARS MIGRATION AND COKING PRESSURE. Fuel Process Tech. 45: 135-153.

Kolinska, J; Podsiadly, R; Wysocki, S; Sokolowska, J. (2009). The photochemical behaviour of naphthoylenebenzimidazolone dyes in 1-methyl-2-pyrrolidone. Dyes and Pigments. 82: 238-243. http://dx.doi.org/10.1016/j.dyepig.2009.01.007.

Koning, C; Teuwen, L; Bulters, M. (1996). Synthesis, characterization, and mechanical properties of an injection moldable polyimide based on 1,4-diaminobutane. Polymer Engineering and Science. 36: 1347-1354.

Kono, H; Oeda, I; Nakamura, T. (2013). The preparation, swelling characteristics, and albumin adsorption and release behaviors of a novel chitosan-based polyampholyte hydrogel. React Funct Polym. 73: 97-107. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.08.016.

Konovalova, VV; Bryk, MT; Nigmatullin, RR; Gvozdyak, PI; Udilova, OF. (2000). Biocatalytic membranes for ultrafiltration treatment of wastewater containing dyes. 23: 651-656.

Kopec, KK; Dutczak, SM; Bolhuis-Versteeg, L; Wessling, M; Stamatialis, DF. (2011). Solvent-resistant P84-based mixed matrix membrane adsorbers. Separation and Purification Technology. 80: 306-314. http://dx.doi.org/10.1016/j.seppur.2011.05.012.

Kortunov, PV; Siskin, M; Baugh, LS; Calabro, DC. (2015). In Situ Nuclear Magnetic Resonance Mechanistic Studies of Carbon Dioxide Reactions with Liquid Amines in Non-aqueous Systems: Evidence for the Formation of Carbamic Acids and Zwitterionic Species. Energy Fuels. 29: 5940-5966. http://dx.doi.org/10.1021/acs.energyfuels.5b00985.

Kozhemyakina, NV; Eigler, S; Dinnebier, RE; Inayat, A; Schwieger, W; Hirsch, A. (2013). Effect of the Structure and Morphology of Natural, Synthetic and Post-processed Graphites on Their Dispersibility and Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 804-823. http://dx.doi.org/10.1080/1536383X.2012.702162.

Krajnc, M; Levec, J. (1994). CATALYTIC-OXIDATION OF TOXIC ORGANICS IN SUPERCRITICAL WATER. Appl Catal B-Environ. 3: L101-L107.

Krishnan, PS; Joshi, M; Bhargava, P; Valiyaveettil, S; He, C. (2005). Effect of heterocyclic based organoclays on the properties of polyimide-clay nanocomposites. J Nanosci Nanotechnol. 5: 1148-1157. http://dx.doi.org/10.1166/jnn.2005.171.

Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/pPDA copolyimides. Plastics, Rubber and Composites. 31: 289-294. http://dx.doi.org/10.1179/146580102225003146.

Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. Water Sci Technol. 71: 776-782. http://dx.doi.org/10.2166/wst.2015.031.

Krummen, M; Gmehling, R. (2004). Measurement of activity coefficients at infinite dilution in N-methyl-2-pyrrolidone and N-formylmorpholine and their mixtures with water using the dilutor technique. Fluid Phase Equilibria. 215: 283-294. http://dx.doi.org/10.1016/j.fluid.2003.10.010.

Krzton, A; Cagniant, D; Gruber, R; Pajak, J; Fortin, F; Rouzaud, JN. (1995). APPLICATION OF FOURIER SELF-DECONVOLUTION TO THE FT-IR CHARACTERIZATION OF COALS AND THEIR N-METHYL 2-PYRROLIDINONE EXTRACTION PRODUCTS. Fuel. 74: 217-225.

Ku, CY; Shieh, JM; Chiou, TB; Lin, HK; Lei, TF. (2000). Postexposure delay effect on linewidth variation in base added chemically amplified resist. J Electrochem Soc. 147: 3833-3839.

Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEG'ylation of chitosan via "click chemistry" reactions. React Funct Polym. 69: 771-778. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010.

Kulikov, AV; Kogan, YL; Fokeeva, LS. (1995). MOLECULAR MOBILITY IN POLYANILINE STUDIED BY ESR METHOD. Synthetic Metals. 69: 223-224.

Kulpinski, P; Czarnecki, P; Niekraszewicz, B; Jeszka, JK. (2016). Functional Nanocomposite Poly(phenylene sulphide) Fibres - Preliminary Studies. 24: 20-26. http://dx.doi.org/10.5604/12303666.1201129.

Kumar, S; Guria, C; Mandal, A. (2015). Synthesis, characterization and performance studies of polysulfone/bentonite nanoparticles mixed-matrix ultra-filtration membranes using oil field produced water. Separation and Purification Technology. 150: 145-158. http://dx.doi.org/10.1016/j.seppur.2015.06.029.

Kumar, S; Srivastava, M. (2015). Mesophase formation behavior in petroleum residues. 16: 171-182. http://dx.doi.org/10.5714/CL.2015.16.3.171.

Fate Literature Search Results

Off Topic

Kumar, S; Srivastava, VC; Raghuvanshi, R; Nanoti, SM; Sudhir, N. (2015). Removal of Refractive Sulfur and Aromatic Compounds from Straight-Run, Fluidized Catalytic Cracking, and Coker Gas Oil Using N-Methyl-2-pyrrolidone in Batch and Packed-Bed Extractors. Energy Fuels. 29: 4634-4643. http://dx.doi.org/10.1021/acs.energyfuels.5b00834.

Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. Journal of Chemical and Engineering Data. 47: 425-427. http://dx.doi.org/10.1021/je0102661.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones. Journal of Chemical and Engineering Data. 55: 69-73. http://dx.doi.org/10.1021/je900262t.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones (vol 55, pg 69, 2010). Journal of Chemical and Engineering Data. 55: 2362-2362. http://dx.doi.org/10.1021/je1001126.

Kung, Y, iC; Hsiao, SH. (2011). Solution-processable, high-T-g, ambipolar polyimide electrochromics bearing pyrenylamine units. J Mater Chem. 21: 1746-1754. http://dx.doi.org/10.1039/c0jm02642e.

Kuo, CT; Chen, CH. (1999). Characterization of polyaniline doped with diphenyl phosphate. Synthetic Metals. 99: 163-167.

Kuo, CT; Chiou, WH. (1997). Field-effect transistor with polyaniline thin film as semiconductor. Synthetic Metals. 88: 23-30.

Kupareva, A; Maki-Arvela, P; Murzin, DY, u. (2013). Technology for rerefining used lube oils applied in Europe: a review. J Chem Tech Biotechnol. 88: 1780-1793. http://dx.doi.org/10.1002/jctb.4137.

Kupikowska-Stobba, B; Lewińska, D; Grzeczkowicz, M. (2014). Chemical method for retrieval of cells encapsulated in alginate-polyethersulfone microcapsules. 42: 151-160. http://dx.doi.org/10.3109/21691401.2013.800083.

Kurdi, J; Tremblay, AY. (2001). The influence of casting solution structure on the microporosity of polyetherimide gas separation membranes prepared by the coagulation post-leaching method. J Memb Sci. 184: 175-186.

Kurtan, U; Topkaya, R; Esir, S; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite: Its magnetic characterization. Ceramics International. 39: 6407-6413. http://dx.doi.org/10.1016/j.ceramint.2013.01.067.

Kuwabata, S; Idzu, T; Martin, CR; Yoneyama, H. (1998). Charge-discharge properties of composite films of polyaniline and crystalline V2O5 particles. J Electrochem Soc. 145: 2707-2710.

Kyrey, TO; Kyzyma, OA; Avdeev, MV; Tropin, TV; Korobov, MV; Aksenov, VL; Bulavin, LA. (2012). Absorption Characteristics of Fullerene C-60 in N-Methyl-2-Pirrolidone/Toluene Mixture. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 341-344. http://dx.doi.org/10.1080/1536383X.2012.655173.

Kyzyma, OA; Bulavin, LA; Aksenov, VL; Tropin, TV; Avdeev, MV; Korobov, MV; Snegir, SV; Rosta, L. (2008). Aggregation in C6(0)/NMP, C-60/NMP/water and C-60/NMP/toluene mixtures. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 610-615. http://dx.doi.org/10.1080/15363830802312982.

Kyzyma, OA; Korobov, MV; Avdeev, MV; Garamus, VM; Petrenko, VI; Aksenov, VL; Bulavin, LA. (2010). Solvatochromism and Fullerene Cluster Formation in C-60/N-methyl-2-pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 18: 458-461. http://dx.doi.org/10.1080/1536383X.2010.487778.

Labarre, ED; Calderon-Colon, X; Morris, M; Tiffany, J; Wetzel, E; Merkle, A; Trexler, M. (2015). Effect of a carbon nanotube coating on friction and impact performance of Kevlar. Journal of Materials Science. 50: 5431-5442. http://dx.doi.org/10.1007/s10853-015-9088-8.

Lai, C, hiYan; Groth, A; Gray, S; Duke, M. (2011). Investigation of the dispersion of nanoclays into PVDF for enhancement of physical membrane properties. Desalination and Water Treatment. 34: 251-256. http://dx.doi.org/10.5004/dwt.2011.2888.

Lakouraj, MM; Rahpaima, G; Azimi, R. (2016). ORGANOSOLUBLE XANTHONE-BASED POLYIMIDES: SYNTHESIS, CHARACTERIZATION, ANTIOXIDANT ACTIVITY AND HEAVY-METAL SORPTION. Materiali in Tehnologije. 50: 471-478. http://dx.doi.org/10.17222/mit.2013.250.

Lakshmi, DS; Figoli, A; Buonomenna, MG; Golemme, G; Drioli, E. (2012). Preparation and characterization of porous and nonporous polymeric microspheres by the phase inversion process. Advances in Polymer Technology. 31: 231-241. http://dx.doi.org/10.1002/adv.21281.

Lammens, TM; Franssen, MCR; Scott, EL; Sanders, JPM. (2012). Availability of protein-derived amino acids as feedstock for the production of bio-based chemicals. Biomass and Bioenergy. 44: 168-181. http://dx.doi.org/10.1016/j.biombioe.2012.04.021.

Lammens, TM; Potting, J; Sanders, JP; De Boer, IJ. (2011). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. Environ Sci Technol. 45: 8521-8528. http://dx.doi.org/10.1021/es201869e.

Lammens, TM; Potting, J; Sanders, JPM; De Boer, IJM. (2012). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. International Sugar Journal. 114: 83-90.

Lan, CH; Peng, CY; Lin, TS. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol. 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x.

Lang, W, anZ; Shen, JP; Wei, Y, iT; Wu, Q, iY; Wang, J; Guo, Y, aJun. (2013). Precipitation kinetics, morphologies, and properties of poly(vinyl butyral) hollow fiber ultrafiltration membranes with respect to polyvinylpyrrolidone molecular weight. Chem Eng J. 225: 25-33. http://dx.doi.org/10.1016/j.cej.2013.03.061.

Lang, W; Shen, JP; Zhang, Y; Yu, Y; Guo, Y; Liu, C. (2013). Preparation and characterizations of charged poly(vinyl butyral) hollow fiber ultrafiltration membranes with perfluorosulfonic acid as additive. J Memb Sci. 430: 1-10. http://dx.doi.org/10.1016/j.memsci.2012.10.039.

Langworth, S; Anundi, H; Friis, L; Johanson, G; Lind, ML; Soderman, E; Akesson, BA. (2001). Acute health effects common during graffiti removal. Int Arch Occup Environ Health. 74: 213-218. http://dx.doi.org/10.1007/s004200000211.

Late, DJ. (2016). Liquid exfoliation of black phosphorus nanosheets and its application as humidity sensor. Microporous and Mesoporous Materials. 225: 494-503. http://dx.doi.org/10.1016/j.micromeso.2016.01.031.

Lazaro, MJ; Herod, AA; Cocksedge, M; Domin, M; Kandiyoti, R. (1997). Molecular mass determinations in coal-derived liquids by MALDI mass spectrometry and size-exclusion chromatography. Fuel. 76: 1225-1233.

Fate Literature Search Results

Off Topic

Lazaro, MJ; Islas, CA; Herod, AA; Kandiyoti, R. (1999). Calibration of size exclusion chromatography in 1-methyl-2-pyrrolidinone for coal-derived materials using standards and mass spectrometry. Energy Fuels. 13: 1212-1222.

Lazaro, MJ; Moliner, R; Suelves, I; Herod, AA; Kandiyoti, R. (2001). Characterisation of tars from the co-pyrolysis of waste lubricating oils with coal. Fuel. 80: 179-194.

Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilbria of some carbon dioxide plus organic binary systems. Journal of Chemical and Engineering Data. 50: 60-65. http://dx.doi.org/10.1021/je0498560.

Le, NL; Bettahalli, NMS; Nunes, SP; Chung, T, aiS. (2016). Outer-selective thin film composite (TFC) hollow fiber membranes for osmotic power generation. J Memb Sci. 505: 157-166. http://dx.doi.org/10.1016/j.memsci.2016.01.027.

Le, QT; Claes, M; Conard, T; Kesters, E; Lux, M; Vereecke, G. (2009). Removal of post-etch photoresist and sidewall residues using organic solvent and additive combined with physical forces. Microelectron Eng. 86: 181-185. http://dx.doi.org/10.1016/j.mee.2008.09.029.

Lederer, MO; Schuler, A; Ohmenhäuser, M. (1999). Reactivity of lysine moieties toward an epoxyhydroxylinoleic acid derivative: aminolysis versus hydrolysis. J Agric Food Chem. 47: 4611-4620.

Lee, BI; Wang, X; Kwon, SJ; Maie, H; Kota, R; Hwang, JH; Park, JG; Hu, M. (2006). Synthesis of high tetragonality nanoparticle BaTiO3. Microelectron Eng. 83: 463-470. http://dx.doi.org/10.1016/j.mee.2005.10.058.

Lee, BM, in; Jeong, J, inS; Lee, YH, o; Lee, BC; Kim, HS, oo; Kim, H; Lee, YW, oo. (2009). Supercritical Antisolvent Micronization of Cyclotrimethylenetrinitramin: Influence of the Organic Solvent. Ind Eng Chem Res. 48: 11162-11167. http://dx.doi.org/10.1021/ie900448w.

Lee, CJ; Wang, SS; Lin, GC; Hu, W; Chen, LT. (1995). PILOT PRODUCTION OF POLYSULFONE HOLLOW-FIBER FOR ULTRAFILTRATION USING ORTHOGONAL ARRAY EXPERIMENTATION. Ind Eng Chem Res. 34: 813-819.

Lee, CW; Jung, CY; Byun, HS. (2004). High pressure phase behavior of carbon dioxide+1-methyl-2-pyrrolidinone and carbon dioxide+1-ethyl-2-pyrrolidinone systems. Journal of Chemical and Engineering Data. 49: 53-57. http://dx.doi.org/10.1021/je0301545.

Lee, HE; Lee, TB; Kim, HS; Koo, KK. (2010). Prediction of the Growth Habit of 7-Amino-4,6-dinitrobenzofuroxan Mediated by Cosolvents. Cryst Growth Des. 10: 618-625. http://dx.doi.org/10.1021/cg901023s.

Lee, HJ; Won, J; Lee, H; Kang, YS. (2002). Solution properties of poly(amic acid)-NMP containing LiCl and their effects on membrane morphologies. J Memb Sci. 196: 267-277.

Lee, HR; Lee, YD. (1991). MATHEMATICAL-MODELS AND EXPERIMENTS FOR SWELLING PHENOMENA BEFORE DISSOLUTION OF A POLYMER FILM. Chem Eng Sci. 46: 1771-1779.

Lee, J, inH; Kim, HH, o; Kim, G, yuS; Zang, DS, ik; Choi, YM, in; Kim, H; Yi, DK, ee; Sigmund, WM; Paik, U. (2010). Evaluation of Surface Acid and Base Properties of LiFePO4 in Aqueous Medium with pH and Its Electrochemical Properties. J Phys Chem C. 114: 4466-4472. http://dx.doi.org/10.1021/jp9085552.

Lee, JH; Gomez, I; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. I. A symmetric system. Langmuir. 27: 6897-6904. http://dx.doi.org/10.1021/la200976d.

Lee, JH; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. II. An asymmetric system. Langmuir. 27: 10000-10006. http://dx.doi.org/10.1021/la202176u.

Lee, JK; Lee, W, ooJin; Cho, YJ, u; Park, D, ooH; Lee, YW, oo; Chung, J. (2010). Variation of bacterial community immobilized in polyethylene glycol carrier during mineralization of xenobiotics analyzed by TGGE technique. Korean J Chem Eng. 27: 1816-1821. http://dx.doi.org/10.1007/s11814-010-0291-7.

Lee, JY; Chaimongkalayon, N; Lim, J; Ha, HY; Moon, SH. (2016). Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. Water Sci Technol. 73: 3064-3071. http://dx.doi.org/10.2166/wst.2016.135.

Lee, KR; Liaw, DJ; Liaw, BY; Lai, JY. (1997). Selective separation of water from aqueous alcohol solution through fluorine-containing aromatic polyamide membranes by pervaporation. J Memb Sci. 131: 249-259.

Lee, KW. (1994). MODIFICATION OF POLYIMIDE SURFACE-MORPHOLOGY - RELATIONSHIP BETWEEN MODIFICATION DEPTH AND ADHESION STRENGTH. J Adhes Sci Tech. 8: 1077-1092.

Lee, KY; Huang, WS. (1993). EVALUATION AND APPLICATION OF A VERY HIGH-PERFORMANCE CHEMICALLY AMPLIFIED RESIST FOR ELECTRON-BEAM LITHOGRAPHY. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 11: 2807-2811.

Lee, M; Ko, Y; Jun, Y. (2015). Efficient fiber-shaped perovskite photovoltaics using silver nanowires as top electrode. 3: 19310-19313. http://dx.doi.org/10.1039/c5ta02779a.

Lee, S, uMin; Choi, I, nH; Myung, S, uWan; Park, J, ooY; Kim, I, nC; Kim, W, ooN; Lee, K, ewHo. (2008). Preparation and characterization of nickel hollow fiber membrane. Desalination. 233: 32-39. http://dx.doi.org/10.1016/j.desal.2007.09.024.

Lee, YM; Kim, JW; Choi, NS; Lee, JA; Seol, WH; Park, JK. (2005). Novel porous separator based on PVdF and PE non-woven matrix for rechargeable lithium batteries. J Power Sources. 139: 235-241. http://dx.doi.org/10.1016/j.jpowsour.2004.06.055.

Lee, YM; Nam, SY; Ha, SY. (1999). Pervaporation of water isopropanol mixtures through polyaniline membranes doped with poly(acrylic acid). J Memb Sci. 159: 41-46.

Legrand, AP; Sfihi, H; Sderi, D; Gruber, R; Cagniant, D. (1994). C-13 NMR SPECTROSCOPIC CHARACTERIZATION OF PRODUCTS OF SOLVOLYSIS OF COALS BY N-METHYL-2-PYRROLIDINONE. Fuel. 73: 836-839.

Lei, Z; Arlt, W; Wasserscheid, P. (2007). Selection of entrainers in the 1-hexene/n-hexane system with a limited solubility. Fluid Phase Equilibria. 260: 29-35. http://dx.doi.org/10.1016/j.fluid.2006.06.009.

Lei, Z, hiP; Cheng, L, uLu; Zhang, S, uF; Zhang, Y, anQiu; Shui, HF, u; Ren, S, hiB; Wang, Z, hiCai. (2015). Dissolution performance of coals in ionic liquid 1-butyl-3-methyl-imidazolium chloride. Fuel Process Tech. 129: 222-226. http://dx.doi.org/10.1016/j.fuproc.2014.09.021.

Lei, Z; Xu, S; Wan, J; Wu, P. (2016). Facile synthesis of N-rich carbon quantum dots by spontaneous polymerization and incision of solvents as efficient bioimaging probes and advanced electrocatalysts for oxygen reduction reaction. Nanoscale. 8: 2219-2226. http://dx.doi.org/10.1039/c5nr07335a.

Fate Literature Search Results

Off Topic

Lei, ZG; Arlt, W; Wasserscheid, P. (2006). Separation of 1-hexene and n-hexane with ionic liquids. Fluid Phase Equilibria. 241: 290-299. http://dx.doi.org/10.1016/j.fluid.2005.12.024.

Leijonmarck, S; Cornell, A, nn; Lindbergh, G; Wagberg, L. (2013). Single-paper flexible Li-ion battery cells through a paper-making process based on nano-fibrillated cellulose. 1: 4671-4677. http://dx.doi.org/10.1039/c3ta01532g.

Leo, CP; Kamil, NHA; Junaidi, MUM; Kamal, SNM; Ahmad, AL. (2013). The potential of SAPO-44 zeolite filler in fouling mitigation of polysulfone ultrafiltration membrane. Separation and Purification Technology. 103: 84-91. http://dx.doi.org/10.1016/j.seppur.2012.10.019.

Leo, CP; Lee, WPC; Ahmad, AL; Mohammad, AW. (2012). Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid. Separation and Purification Technology. 89: 51-56. http://dx.doi.org/10.1016/j.seppur.2012.01.002.

Letcher, TM; Domanska, U; Mwenesongole, E. (1998). The excess molar volumes of (N-methyl-2-pyrrolidone plus an alkanol or a hydrocarbon) at 298.15 K and the application of the Flory-Benson-Treszczanowicz and the Extended Real Associated Solution theories. Fluid Phase Equilibria. 149: 323-337.

Letcher, TM; Naicker, PK. (1998). Ternary Liquid−Liquid Equilibria for Mixtures of an n -Alkane + an Aromatic Hydrocarbon + N -Methyl-2-pyrrolidone at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 43: 1034-1038. http://dx.doi.org/10.1021/je980114e.

Levine, F; Escarsega, J; La Scala, J. (2012). Effect of isocyanate to hydroxyl index on the properties of clear polyurethane films. Progr Org Coating. 74: 572-581. http://dx.doi.org/10.1016/j.porgcoat.2012.02.004.

Lewis, GT; Nowling, GR; Hicks, RF; Cohen, Y. (2007). Inorganic surface nanostructuring by atmospheric pressure plasma-induced graft polymerization. Langmuir. 23: 10756-10764. http://dx.doi.org/10.1021/la700577p.

Li, CL; Wang, D, aM; Deratani, A; Quemener, D; Bouyer, D; Lai, JY, ih. (2010). Insight into the preparation of poly(vinylidene fluoride) membranes by vapor-induced phase separation. J Memb Sci. 361: 154-166. http://dx.doi.org/10.1016/j.memsci.2010.05.064.

Li, CQ; Ashida, S; Iino, M; Takanohashi, T. (2000). Coal dissolution by heat treatments in N-methyl-2-pyrrolidinone, 1,4,5,8,9,10-hexahydroanthracene, and their mixed solvents: A large synergistic effect of the mixed solvents. Energy Fuels. 14: 190-196.

Li, CQ; Takanohashi, T; Saito, I. (2004). Elucidation of mechanisms involved in acid pretreatment and thermal extraction during ashless coal production. Energy Fuels. 18: 97-101. http://dx.doi.org/10.1021/ef0340054.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 1. Effects of heat treatment conditions on the dissolution yield. Energy Fuels. 17: 762-767. http://dx.doi.org/10.1021/ef02028oz.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 2. Elucidation of mechanism by investigation of the structural changes of heat-treated coals. Energy Fuels. 17: 768-773. http://dx.doi.org/10.1021/ef0202790.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Role of N-methyl-2-pyrrolidinone in hydrogen donation from 9,10-dihydroanthracene to coal at 300 degrees C. Energy Fuels. 17: 1399-1400. http://dx.doi.org/10.1021/ef030057h.

Li, CQ; Takanohashi, T; Saito, I; Iino, M; Moriyama, R; Kumagai, H; Chiba, T. (2002). The Behavior of free radicals in coal at temperatures up to 300 degrees C in various organic solvents, using in situ EPR spectroscopy. Energy Fuels. 16: 1116-1120. http://dx.doi.org/10.1021/ef010296+.

Li, CQ; Takanohashi, T; Yoshida, T; Saito, I; Aoki, H; Mashimo, K. (2004). Effect of acid treatment on thermal extraction yield in ashless coal production. Fuel. 83: 727-732. http://dx.doi.org/10.1016/j.fuel.2003.06.002.

Li, D; Jiang, YD; Wu, ZM; Chen, XD; Li, YR. (2000). Fabrication of self-assembled polyaniline films by doping-induced deposition. Thin Solid Films. 360: 24-27.

Li, DQ; Evans, DG; Duan, X. (2002). Solid-liquid equilibria of terephthalaldehydic acid in different solvents. Journal of Chemical and Engineering Data. 47: 1220-1221. http://dx.doi.org/10.1021/je020039e.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubilities of terephthalaldehydic, p-toluic, benzoic, terephthalic, and isophthalic acids in N-methyl-2-pyrrolidone from 295.65 K to 371.35 K. Journal of Chemical and Engineering Data. 46: 172-173.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubility of 4-methylbenzoic acid between 288 K and 370 K. Journal of Chemical and Engineering Data. 46: 234-236.

Li, DS; Long, SR, u; Zhang, G; Yang, J, ie. (2013). Preparation of the Poly(arylene sulfide sulfone)/Multi-Walled Carbon Nanotubes Composites via In Situ Polymerization. J Nanosci Nanotechnol. 13: 3920-3927. http://dx.doi.org/10.1166/jnn.2013.6901.

Li, F, aT; Kou, CG; Sun, Z; Hao, YJ; Liu, R; Zhao, D, iS. (2012). Deep extractive and oxidative desulfurization of dibenzothiophene with C5H9NO center dot SnCl2 coordinated ionic liquid. J Hazard Mater. 205: 164-170. http://dx.doi.org/10.1016/j.jhazmat.2011.12.054.

Li, F, aT; Wu, B; Liu, R; Wang, XJ; Chen, L; Zhao, D, iS. (2015). An inexpensive N-methyl-2-pyrrolidone-based ionic liquid as efficient extractant and catalyst for desulfurization of dibenzothiophene. Chem Eng J. 274: 192-199. http://dx.doi.org/10.1016/j.cej.2015.04.027.

Li, H; Song, J; Tan, X; Jin, Y; Liu, S. (2015). Preparation of spiral porous stainless steel hollow fiber membranes by a modified phase inversion-sintering technique. J Memb Sci. 489: 292-298. http://dx.doi.org/10.1016/j.memsci.2015.04.037.

Li, J; Shao, J, ia; Ge, Q; Wang, G; Wang, Z; Yan, Y. (2012). Influences of the zeolite loading and particle size in composite hollow fiber supports on properties of zeolite NaA membranes. Microporous and Mesoporous Materials. 160: 10-17. http://dx.doi.org/10.1016/j.micromeso.2012.04.039.

Li, J, inS; Wu, S, iWei; Lu, K, aiTai. (2016). Study on Preparation of Insensitive and Spherical High Bulk Density Nitroguanidine with Controllable Particle Size. Propellants, Explosives, Pyrotechnics. 41: 312-320. http://dx.doi.org/10.1002/prep.201500153.

Li, K; Wang, DL; Koe, CC; Teo, WK. (1998). Use of asymmetric hollow fibre modules for elimination of H2S from gas streams via a membrane absorption method. Chem Eng Sci. 53: 1111-1119.

Li, L; Yan, B. (2009). BiVO4/Bi2O3 submicrometer sphere composite: Microstructure and photocatalytic activity under visible-light irradiation. J Alloy Comp. 476: 624-628. http://dx.doi.org/10.1016/j.jallcom.2008.09.083.

Fate Literature Search Results

Off Topic

Li, L, i; Yang, J; Chen, X; Hao, X. (2009). Rheological characterization of 2-acrylamido-2-methyl-1-propanesulfonic acid-doped polyaniline solution. Synthetic Metals. 159: 2462-2468. http://dx.doi.org/10.1016/j.synthmet.2009.08.012.

Li, L; Yin, Z; Li, F; Xiang, T, ao; Chen, Y, ao; Zhao, C. (2010). Preparation and characterization of poly(acrylonitrile-acrylic acid-N-vinyl pyrrolidinone) terpolymer blended polyethersulfone membranes. J Memb Sci. 349: 56-64. http://dx.doi.org/10.1016/j.memsci.2009.11.018.

Li, M, ei; Zhang, Y; Yang, L; Liu, Y; Ma, J. (2015). Excellent electrochemical performance of homogeneous polypyrrole/graphene composites as electrode material for supercapacitors. Journal of Materials Science: Materials in Electronics. 26: 485-492. http://dx.doi.org/10.1007/s10854-014-2425-x.

Li, Q, unS; Yi, ZM; Su, MG, ao; Sun, X, uF. (2008). Solubility of Naphthalene in Isobutyl Acetate, n-Butyric Acid, Ethyl Acetate, N-Methyl Pyrrolidone, N,N-Dimethylformamide, and Tetrahydrofuran. Journal of Chemical and Engineering Data. 53: 2701-2703. http://dx.doi.org/10.1021/je800428r.

Li, QS; Su, MG; Wang, S. (2007). Solubility of 2-(4-ethylbenzoyl)benzoic acid in eleven organic solvents between 279.55 K and 343.15 K. Journal of Chemical and Engineering Data. 52: 2477-2479. http://dx.doi.org/10.1021/je700426k.

Li, QS; Wang, DW; Yi, ZM. (2010). Solubility of Sulpiride in Pure Organic Solvents between (278 and 333) K. Journal of Chemical and Engineering Data. 55: 4066-4067. http://dx.doi.org/10.1021/je1002016.

Li, S; Zhang, X; Zhao, J; Meng, F; Xu, G; Yong, Z; Jia, J; Zhang, Z; Li, Q. (2012). Enhancement of carbon nanotube fibres using different solvents and polymers. Compos Sci Tech. 72: 1402-1407. http://dx.doi.org/10.1016/j.compscitech.2012.05.013.

Li, TD; Gan, LM; Chew, CH; Teo, WK; Gan, LH. (1997). Hollow-fiber membranes coated with polymerizable bicontinuous microemulsions. J Memb Sci. 133: 177-187.

Li, W; Xiao, A; Lucht, BL; Smart, MC; Ratnakumar, BV. (2008). Surface analysis of electrodes from cells containing electrolytes with stabilizing additives exposed to high temperature. J Electrochem Soc. 155: A648-A657. http://dx.doi.org/10.1149/1.2949507.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2004). Analysis of solvent extracts from coal liquefaction in a flowing solvent reactor. Fuel Process Tech. 85: 1671-1687. http://dx.doi.org/10.1016/j.fuproc.2003.12.012.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2005). Analysis of recovered solvents from coal liquefaction in a flowing-solvent reactor by SEC and UV-fluorescence. Energy Sources. 27: 987-995. http://dx.doi.org/10.1080/00908310490449414.

Li, WY; Suelves, I; Lazaro, MJ; Zhang, SF; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). Solvent degradation during coal liquefaction in a flowing-solvent reactor. Fuel. 83: 157-179. http://dx.doi.org/10.1016/S0016-2361(03)00242-4.

Li, X, ue; Chung, T, aiS. (2014). Thin-film composite P84 co-polyimide hollow fiber membranes for osmotic power generation. Appl Energ. 114: 600-610. http://dx.doi.org/10.1016/j.apenergy.2013.10.037.

Li, X; Liu, C; Zhang, S; Yu, G; Jian, X. (2012). Acid doped polybenzimidazoles containing 4-phenyl phthalazinone moieties for high-temperature PEMFC. J Memb Sci. 423: 128-135. http://dx.doi.org/10.1016/j.memsci.2012.08.005.

Li, X; Zheng, D; Zhang, M, in; Dong, L, i. (2014). Vapor-liquid equilibrium measurement of 1,1,1,3,3-pentafluoropropane plus N,N-dimethylformamide/diethylene glycol dimethyl ether/N-methyl-2-pyrrolidone working fluids for absorption power cycle. Fluid Phase Equilibria. 366: 1-8. http://dx.doi.org/10.1016/j.fluid.2014.01.007.

Li, Y, i; Loh, K. (2007). Hybrid-hollow-fiber membrane bioreactor for cometabolic transformation of 4-chlorophenol in the presence of phenol. J Environ Eng. 133: 404-410. http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(404).

Li, Y; Loh, KC. (2006). Activated carbon impregnated polysulfone hollow fiber membrane for cell immobilization and cometabolic biotransformation of 4-chlorophenol in the presence of phenol. J Memb Sci. 276: 81-90. http://dx.doi.org/10.1016/j.memsci.2005.09.034.

Li, ZF; Kang, ET; Neoh, KG; Tan, KL. (1997). Effect of thermal processing conditions on the intrinsic oxidation states and mechanical properties of polyaniline films. Synthetic Metals. 87: 45-52.

Li, ZS; Jiang, CZ. (2000). Determination of the nonsolvent-polymer interaction parameter X 13 in the casting solutions. J Memb Sci. 174: 87-96.

Li, ZS; Ren, JZ; Fane, AG; Li, DF; Wong, FS. (2006). Influence of solvent on the structure and performance of cellulose acetate membranes. J Memb Sci. 279: 601-607. http://dx.doi.org/10.1016/j.memsci.2005.12.054.

Liaros, N; Iliopoulos, K; Stylianakis, MM; Koudoumas, E; Couris, S. (2013). Optical limiting action of few layered graphene oxide dispersed in different solvents. Optical Materials. 36: 112-117. http://dx.doi.org/10.1016/j.optmat.2013.04.036.

Liaw, DJ; Liaw, BY; Hsu, PN; Hwang, CY. (2001). Synthesis and characterization of new highly organosoluble poly(ether imide)s bearing a noncoplanar 2,2 '-dimethyl-4,4 '-biphenyl unit and kink diphenylmethylene linkage. Chem Mater. 13: 1811-1816.

Liaw, DJ; Liaw, BY; Li, LJ; Sillion, B; Mercier, R; Thiria, R; Sekiguchi, H. (1998). Synthesis and characterization of new soluble polyimides from 3,3 ',4,4 '-benzhydrol tetracarboxylic dianhydride and various diamines. Chem Mater. 10: 734-739.

Liedtke, V; Huttinger, KJ. (1996). Mesophase pitches as matrix precursor of carbon fiber reinforced carbon .1. Mesophase pitch preparation and characterization. Carbon. 34: 1057-1066.

Lim, CH; Yoo, YJ. (2000). Synthesis of ortho-directed polyaniline using horseradish peroxidase. Process Biochemistry. 36: 233-241.

Lim, HY; Jeong, SK; Suh, JS; Oh, EJ; Park, YW; Ryu, KS; Yo, CH. (1995). PREPARATION AND PROPERTIES OF FULLERENE DOPED POLYANILINE. Synthetic Metals. 70: 1463-1464.

Lim, J, un; Kim, M, inC; Goh, M; Yeo, H; Shin, DG; Ku, B, onC; You, N, amHo. (2013). Synthesis and characterization of polybenzoxazole/graphene oxide composites via in situ polymerization. 14: 251-254. http://dx.doi.org/10.5714/CL.2013.14.4.251.

Lin, DW; Bettinger, CJ; Ferreira, JP; Wang, CL; Bao, Z. (2011). A cell-compatible conductive film from a carbon nanotube network adsorbed on poly-L-lysine. ACS Nano. 5: 10026-10032. http://dx.doi.org/10.1021/nn203870c.

Lin, H, e; Zhu, SG; Zhang, L, in; Peng, X, inHua; Li, HZ. (2013). Synthesis and First Principles Investigation of HMX/NMP Cocrystal Explosive. Journal of Energetic Materials. 31: 261-272. http://dx.doi.org/10.1080/07370652.2012.716492.

Fate Literature Search Results

Off Topic

Lin, HW, ei; Tan, CS. (2015). Preparation of polyamic acid and polyimide nanoparticles by compressed fluid antisolvent and thermal imidization. Journal of Supercritical Fluids. 99: 103-111. http://dx.doi.org/10.1016/j.supflu.2015.01.028.

Lin, WJ; Chen, WC. (2001). Theoretical analysis of the baking process in two polymer/solvent systems: PMMA/anisole and PMDA-ODA/NMP. J Electrochem Soc. 148: G620-G626. http://dx.doi.org/10.1149/1.1406495.

Linek, J; Wichterle, I; Marsh, KN. (1996). Vapor-liquid equilibria for N-methyl-2-pyrrolidone plus benzene, plus toluene, plus heptane, and plus methylcyclohexane. Journal of Chemical and Engineering Data. 41: 1212-1218.

Lingyun, Y; Mengru, W; Yun, G; Surui, L; Yanqing, W; Changsheng, Z; Wei, D; Jing, J; Wei, L. (2014). Rapid Determination of 2-Butanone, 2-Pyrrolidone and N-Methyl Pyrrolidone in Leather by UPLC. Journal of the Society of Leather Technologists and Chemists. 98: 182-184.

Liu, F, uS; Li, Z; Yu, S; Cui, X; Xie, C; Ge, XP. (2009). Methanolysis and Hydrolysis of Polycarbonate Under Moderate Conditions. Journal of Polymers and the Environment. 17: 208-211. http://dx.doi.org/10.1007/s10924-009-0140-0.

Liu, FJ; Wei, XY; Fan, M; Zong, Z, hiMin. (2016). Separation and structural characterization of the value-added chemicals from mild degradation of lignites: A review. Appl Energ. 170: 415-436. http://dx.doi.org/10.1016/j.apenergy.2016.02.131.

Liu, G; Wang, H; Jiang, Y. (2013). Recrystallization and Micronization of Camptothecin by the Supercritical Antisolvent Process: Influence of Solvents. Ind Eng Chem Res. 52: 15049-15056. http://dx.doi.org/10.1021/ie401173g.

Liu, H; Venkatraman, SS. (2012). Effect of polymer type on the dynamics of phase inversion and drug release in injectable in situ gelling systems. J Biomater Sci Polym Ed. 23: 251-266. http://dx.doi.org/10.1163/092050610X549171.

Liu, H; Zeng, X; Kong, X; Bian, S; Chen, J. (2012). A simple two-step method to fabricate highly transparent ITO/polymer nanocomposite films. Appl Surf Sci. 258: 8564-8569. http://dx.doi.org/10.1016/j.apsusc.2012.05.049.

Liu, HT; Ishizuka, T; Takanohashi, T; Iino, M. (1993). EFFECT OF TCNE ADDITION ON THE EXTRACTION OF COALS AND SOLUBILITY OF COAL EXTRACTS. Energy Fuels. 7: 1108-1111.

Liu, J; Xiao, X; Shi, Y; Wan, C. (2014). Fabrication of a superhydrophobic surface from porous polymer using phase separation. Appl Surf Sci. 297: 33-39. http://dx.doi.org/10.1016/j.apsusc.2014.01.053.

Liu, K, unlin; Lee, HC; Wang, B, oYan; Lue, SJ; Lu, CY; Tsai, L, iD; Fang, J; Chao, C, hiY. (2015). Sulfonated poly(styrene-block-(ethylene-ran-butylene)-block-styrene (SSEBS)-zirconium phosphate (ZrP) composite membranes for direct methanol fuel cells. J Memb Sci. 495: 110-120. http://dx.doi.org/10.1016/j.memsci.2015.08.017.

Liu, L, iQi; Xiang, HB; Huang, Z; Chen, L, ei; Yu, J, unR; Zhu, J; Hu, Z, uM. (2013). Calculation of the phase diagram of a btda-tdi/mdi co-polyimide/N-methyl-2-pyrrolidinone/water system in the phase separation process. Text Res J. 83: 553-565. http://dx.doi.org/10.1177/0040517512456762.

Liu, MJ; Gregory, RV. (1995). SPECTRAL STUDIES AND THERMAL-PROPERTIES OF A URETHANE-SUBSTITUTED POLYTHIOPHENE. Synthetic Metals. 72: 45-49.

Liu, P. (2009). Synthesis and characterization of organo-soluble conducting polyaniline doped with oleic acid. Synthetic Metals. 159: 148-152. http://dx.doi.org/10.1016/j.synthmet.2008.08.006.

Liu, P; Huang, Y; Wang, L, ei. (2013). Synthesis of reduced graphene oxide using indole as a reducing agent and preparation of reduced graphene oxide-Ag nanocomposites. Synthetic Metals. 167: 25-30. http://dx.doi.org/10.1016/j.synthmet.2013.01.021.

Liu, S. (2007). Thin porous glass tubes. Mater Chem Phys. 103: 147-152. http://dx.doi.org/10.1016/j.matchemphys.2007.02.004.

Liu, SM; Gavalas, GR. (2004). Glass-carbon composite hollow fibers. Ind Eng Chem Res. 43: 3137-3140. http://dx.doi.org/10.1021/ie0308644.

Liu, SM; Li, K. (2003). Preparation TiO2/Al2O3 composite hollow fibre membranes. J Memb Sci. 218: 269-277. http://dx.doi.org/10.1016/S0376-7388(03)00184-4.

Liu, SM; Li, K; Hughes, R. (2003). Preparation of porous aluminium oxide (Al2O3) hollow fibre membranes by a combined phase-inversion and sintering method. Ceramics International. 29: 875-881. http://dx.doi.org/10.1016/S0272-8842(03)00030-0.

Liu, X, in; He, S; Liu, S; Jia, H; Chen, L, in; Zhang, B; Zhang, L; Lin, J, un. (2017). The roles of solvent type and amount of residual solvent on determining the structure and performance of sulfonated poly(ether ether ketone) proton exchange membranes. J Memb Sci. 523: 163-172. http://dx.doi.org/10.1016/j.memsci.2016.10.007.

Liu, X; Huang, J, iaQi; Zhang, Q; Liu, X, inYan; Peng, HJ, ie; Zhu, W; Wei, F, ei. (2012). N-Methyl-2-pyrrolidone-assisted solvothermal synthesis of nanosize orthorhombic lithium iron phosphate with improved Li-storage performance. J Mater Chem. 22: 18908-18914. http://dx.doi.org/10.1039/c2jm32962j.

Liu, Y; Koops, GH; Strathmann, H. (2003). Characterization of morphology controlled polyethersulfone hollow fiber membranes by the addition of polyethylene glycol to the dope and bore liquid solution. J Memb Sci. 223: 187-199. http://dx.doi.org/10.1016/S0376-7388(03)00322-3.

Liu, Y; Lee, JY; Kang, ET; Wang, P; Tan, KL. (2001). Synthesis, characterization and electrochemical transport properties of the poly(ethyleneglycol)-grafted poly(vinylidenefluoride) nanoporous membranes. React Funct Polym. 47: 201-213.

Liu, Y; Wang, B; Jing, X. (2011). Thermal Properties of Hyperbranched Polyborate Functionalized Multiwall Carbon Nanotube/Polybenzoxazine Composites. Polymer Composites. 32: 1352-1361. http://dx.doi.org/10.1002/pc.21158.

Liu, Z; Bai, Y; Sun, D; Xiao, C; Zhang, Y. (2015). Preparation and Performance of Sulfonated Polysulfone Flat Ultrafiltration Membranes. Polymer Engineering and Science. 55: 1003-1011. http://dx.doi.org/10.1002/pen.23968.

Livazovic, S; Li, Z; Behzad, AR; Peinemann, KV; Nunes, SP. (2015). Cellulose multilayer membranes manufacture with ionic liquid. J Memb Sci. 490: 282-293. http://dx.doi.org/10.1016/j.memsci.2015.05.009.

Loegel, TN; Danielson, ND; Borton, DJ; Hurt, MR; Kenttaemaa, HI. (2012). Separation of Asphaltenes by Reversed-Phase Liquid Chromatography with Fraction Characterization. Energy Fuels. 26: 2850-2857. http://dx.doi.org/10.1021/ef201919x.

Loh, CH; Wang, R. (2013). Insight into the role of amphiphilic pluronic block copolymer as pore-forming additive in PVDF membrane formation. J Memb Sci. 446: 492-503. http://dx.doi.org/10.1016/j.memsci.2013.07.016.

Fate Literature Search Results

Off Topic

Lohokare, H; Bhole, Y; Taralkar, S; Kharul, U. (2011). Poly(acrylonitrile) based ultrafiltration membranes: Optimization of preparation parameters. Desalination. 282: 46-53. http://dx.doi.org/10.1016/j.desal.2011.04.009.

Lu, L; Zhu, Y; Shi, C; Pei, YT. (2016). Large-scale synthesis of defect-selective graphene quantum dots by ultrasonic-assisted liquid-phase exfoliation. Carbon. 109: 373-383. http://dx.doi.org/10.1016/j.carbon.2016.08.023.

Lu, X; Arias Chavez, LH; Romero-Vargas Castrillón, S; Ma, J; Elimelech, M. (2015). Influence of active layer and support layer surface structures on organic fouling propensity of thin-film composite forward osmosis membranes. Environ Sci Technol. 49: 1436-1444. http://dx.doi.org/10.1021/es5044062.

Lu, X; Wang, R; Hao, L; Yang, F, an; Jiao, W; Zhang, J; Peng, P; Liu, W. (2016). Preparation of quantum dots from MoO3 nanosheets by UV irradiation and insight into morphology changes. 4: 11449-11456. http://dx.doi.org/10.1039/c6tc04006c.

Lue, SJ; Wu, Y, unL; Tung, YL; Shih, CM; Wang, Y, iC; Li, J, unR. (2015). Functional titanium oxide nano-particles as electron lifetime, electrical conductance enhancer, and long-term performance booster in quasi-solid-state electrolyte for dye-sensitized solar cells. J Power Sources. 274: 1283-1291. http://dx.doi.org/10.1016/j.jpowsour.2014.10.194.

Lukic, J; Orlovic, A; Spiteller, M; Jovanovic, J; Skala, D. (2006). Re-refining of waste mineral insulating oil by extraction with N-methyl-2-pyrrolidone. Separation and Purification Technology. 51: 150-156. http://dx.doi.org/10.1016/j.seppur.2005.12.029.

Lukic, JM; Nikolic, D; Mandic, V; Glisic, SB; Antonovic, D; Orlovic, AM. (2012). Removal of Sulfur Compounds from Mineral Insulating Oils by Extractive Refining with N-Methyl-2-pyrrolidone. Ind Eng Chem Res. 51: 4472-4477. http://dx.doi.org/10.1021/ie300450e.

Lunder, S; Woodruff, TJ; Axelrad, DA. (2004). An analysis of candidates for addition to the Clean Air Act list of hazardous air pollutants. Journal of the Air and Waste Management Association. 54: 157-171.

Lyutakov, O; Kalachyova, Y; Solovyev, A; Vytykacova, S; Svanda, J; Siegel, J; Ulbrich, P; Svorcik, V. (2015). One-step preparation of antimicrobial silver nanoparticles in polymer matrix. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-2935-3.

Ma, KX; Sourirajan, S; Zhang, H; Lau, WWY. (1995). STANDARDIZATION IN THE PRODUCTION AND TESTING PROCEDURES FOR POLYETHERSULFONE HOLLOW-FIBER ULTRAFILTRATION MEMBRANES. Separation Science and Technology. 30: 3025-3044.

Ma, PS; Xia, Q. (2001). Determination and correlation for solubility of aromatic acids in solvents. Chinese Journal of Chemical Engineering. 9: 39-44.

Ma, Q; Zhao, W; Li, X; Li, L; Wang, Z. (2013). Study of an environment-friendly surface pretreatment of ABS-polycarbonate surface for adhesion improvement. International Journal of Adhesion and Adhesives. 44: 243-249. http://dx.doi.org/10.1016/j.ijadhadh.2013.03.010.

Ma, Y; Promthaveepong, K; Li, N, an. (2016). Shape-controllable gold nanostructures and their SERS enhancement. 3. http://dx.doi.org/10.1088/2053-1591/3/10/105009.

Macdonald, DD; Dunay, D; Hanlon, G; Hyne, JB. (1971). PROPERTIES OF N-METHYL-2-PYRROLIDINONE-WATER SYSTEM. Can J Chem Eng. 49: 420-+.

Mae, K; Maki, T; Araki, J; Miura, K. (1997). Extraction of low-rank coals oxidized with hydrogen peroxide in conventionally used solvents at room temperature. Energy Fuels. 11: 825-831.

Maeda, S; Hongyou, S; Kunitou, K; Mishima, K. (2002). Dyeing cellulose fibers with reactive disperse dyes in supercritical carbon dioxide. Text Res J. 72: 240-244.

Maeng, J, uS; Choi, DJ, oo; Ahn, K, eyone; Kim, YH, o. (2014). Synthesis of Dual Nanoparticles Embedded in Polyimide and Their Optical Properties. Electronic Materials Letters. 10: 1019-1025. http://dx.doi.org/10.1007/s13391-014-4166-7.

Magaraphan, R; Lilayuthalert, W; Sirivat, A; Schwank, JW. (2001). Preparation, structure, properties and thermal behavior of rigid-rod polyimide/montmorillonite nanocomposites. Compos Sci Tech. 61: 1253-1264.

Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 101-110. http://dx.doi.org/10.1016/j.supflu.2006.03.027.

Makgato, MH; Moitsheki, LJ; Shoko, L; Kgobane, BL; Morgan, DL; Focke, WW. (2009). Alkali-assisted coal extraction with polar aprotic solvents. Fuel Process Tech. 90: 591-598. http://dx.doi.org/10.1016/j.fuproc.2008.12.016.

Malanowski, S; Bittrich, HJ; Lempe, D; Reinhardt, K; Wustling, JU. (1994). LIQUID - LIQUID EQUILIBRIA IN BINARY-MIXTURES OF N-METHYL-ALPHA-PYRROLIDONE AND SATURATED-HYDROCARBONS. Fluid Phase Equilibria. 98: 163-171.

Mallakpour, S; Dinari, M. (2010). Environmentally Friendly Methodology for Preparation of Amino Acid Containing Polyamides. Journal of Polymers and the Environment. 18: 705-713. http://dx.doi.org/10.1007/s10924-010-0253-5.

Mallakpour, S; Kolahdoozan, M. (2008). Synthesis and properties of novel soluble aromatic polyamides derived from 5-(2-phthalimidyl-3-methyl butanoylamino)isophthalic acid and aromatic diamines. React Funct Polym. 68: 91-96. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.007.

Mallakpour, S; Rafiee, Z. (2009). Expeditious synthesis of novel aromatic polyamides from 5-[3-phenyl-2-(9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboximido)propanoylamino]isophthalic acid and various diamines using microwave-assisted polycondensation. React Funct Polym. 69: 252-258. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.01.003.

Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. React Funct Polym. 68: 1459-1466. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004.

Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing l-Tyrosine Moiety Under Green Media. Journal of Polymers and the Environment. 18: 685-695. http://dx.doi.org/10.1007/s10924-010-0234-8.

Mallakpour, S; Zadehnazari, A. (2013). Synthesis and Characterization of Novel Heat Stable and Processable Optically Active Poly(Amide-Imide) Nanostructures Bearing Hydroxyl Pendant Group in an Ionic Green Medium. Journal of Polymers and the Environment. 21: 132-140. http://dx.doi.org/10.1007/s10924-012-0442-5.

Maloka, IE; Ibrahim, SY. (2004). Physical properties of aqueous N-methyl pyrrolidone at different temperatures. Petroleum Science and Technology. 22: 1571-1579. http://dx.doi.org/10.1081/LPET-200027883.

Fate Literature Search Results

Off Topic

Mancini, M; Nobili, F; Tossici, R; Wohlfahrt-Mehrens, M; Marassi, R. (2011). High performance, environmentally friendly and low cost anodes for lithium-ion battery based on TiO2 anatase and water soluble binder carboxymethyl cellulose. J Power Sources. 196: 9665-9671. http://dx.doi.org/10.1016/j.jpowsour.2011.07.028.

Mankin, M, axN; Mazumder, V; Sun, S. (2011). One-Pot Synthesis of Pt Nanocubes and Nanopods via Burst Nucleation and Controlled Secondary Growth. Chem Mater. 23: 132-136. http://dx.doi.org/10.1021/cm101938e.

Manna, K; Hsieh, CY, u; Lo, SC; Li, Y, anS; Huang, HN; Chiang, W, eiH. (2016). Graphene and graphene-analogue nanosheets produced by efficient water-assisted liquid exfoliation of layered materials. Carbon. 105: 551-555. http://dx.doi.org/10.1016/j.carbon.2016.04.065.

Manna, K; Huang, HN; Li, W, eiT; Ho, Y, aoH; Chiang, W, eiH. (2016). Toward Understanding the Efficient Exfoliation of Layered Materials by Water-Assisted Cosolvent Liquid-Phase Exfoliation. Chem Mater. 28: 7586-7593. http://dx.doi.org/10.1021/acs.chemmater.6b01203.

Mansourizadeh, A; Ismail, AF. (2010). Effect of additives on the structure and performance of polysulfone hollow fiber membranes for CO2 absorption. J Memb Sci. 348: 260-267. http://dx.doi.org/10.1016/j.memsci.2009.11.010.

Manzu, D; Pasare, L; Rata, D; Albu, BG; Ficai, A; Guran, C. (2010). SYNTHESIS AND CHARACTERIZATION OF THE NEW HYBRID COMPOSITE MEMBRANES BASED ON THE ORGANO-SUBSTITUTED PHOSPHAZENE AND SiO2 NETWORK. 40: 65-70.

Mar Bernal, M; Alvarez, L; Giovanelli, E; Arnaiz, A; Ruiz-Gonzalez, L; Casado, S; Granados, D; Pizarro, A, naM; Castellanos-Gomez, A; Perez, EM. (2016). Luminescent transition metal dichalcogenide nanosheets through one-step liquid phase exfoliation. 3. http://dx.doi.org/10.1088/2053-1583/3/3/035014.

Marciniak, A; Wlazlo, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Butyl-3-methyl-pyridinium Trifluoromethanesulfonate. Journal of Chemical and Engineering Data. 55: 3208-3211. http://dx.doi.org/10.1021/je1000582.

Marigliano, ACG; de Doz, MBG; Solimo, HN. (1998). Influence of temperature on the liquid-liquid equilibria containing two pairs of partially miscible liquids. Water plus nitromethane plus 1-butanol ternary system. Fluid Phase Equilibria. 149: 309-322.

Marotovaler, MM; Andresen, JM; Snape, CE. (1997). Quantification by in situ H-1 nmr of the contributions from pyridine-extractables and metaplast to the generation of coal plasticity. Fuel. 76: 1301-1308.

Masaki, K; Yoshida, T; Li, CQ; Takanohashi, T; Saito, I. (2004). The effects of pretreatment and the addition of polar compounds on the production of "HyperCoal" from subbituminous coals. Energy Fuels. 18: 995-1000. http://dx.doi.org/10.1021/ef049970o.

Masuda, K; Okuma, O; Kanaji, M; Matsumara, T. (1996). Chromatographic characterization of preasphaltenes in liquefied products from Victorian brown coal. Fuel. 75: 1065-1070.

Mathews, JP; Burgess-Clifford, C; Painter, P. (2015). Interactions of Illinois No. 6 Bituminous Coal with Solvents: A Review of Solvent Swelling and Extraction Literature. Energy Fuels. 29: 1279-1294. http://dx.doi.org/10.1021/ef502548x.

Matsumae, T; Koehler, AD; Greenlee, JD; Anderson, TJ; Baumgart, H; Jernigan, GG; Hobart, KD; Kub, FJ. (2015). Temporary Bonding with Polydimethylglutarimide Based Lift Off Resist as a Layer Transfer Platform. 4: P190-P194. http://dx.doi.org/10.1149/2.0031507jss.

Matsumoto, T; Hori, N; Takahashi, M. (1996). Microscopic phase separation and long-time relaxation behavior in three-component heterogeneous blend systems. Langmuir. 12: 5563-5569.

Matsumoto, Y; Sudoh, M; Suzuki, Y. (1999). Preparation of composite UF membranes of sulfonated polysulfone coated on ceramics. J Memb Sci. 158: 55-62.

Matsunaga, D; Tamaki, T; Ichimura, K. (2003). Azo-pendant polyamides which have the potential to photoalign chromonic lyotropic liquid crystals. J Mater Chem. 13: 1558-1564. http://dx.doi.org/10.1039/b300254c.

Maximous, N; Nakhla, G; Wan, W; Wong, K. (2009). Preparation, characterization and performance of Al2O3/PES membrane for wastewater filtration. J Memb Sci. 341: 67-75. http://dx.doi.org/10.1016/j.memsci.2009.05.040.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1988). Aneuploidy induction in Saccharomyces cerevisiae by two solvent compounds, 1-methyl-2-pyrrolidinone and 2-pyrrolidinone. Environ Mol Mutagen. 11: 31-40.

Mcgrath, JE; Grubbs, H; Woodard, MH; Rogers, ME; Gungor, A; Joseph, WA; Mercier, R; Brennan, A. (1994). DEVELOPMENT OF NEW POLYMERIC MATRICES FOR HIGH-PERFORMANCE COMPOSITES. Composite Structures. 27: 7-16.

Meeks, KA; Clark, BR; Cano, JE; Apblett, CA; Pantoya, ML. (2015). Effects of rheological properties on reactivity of energetic thin films. Combust Flame. 162: 3288-3293. http://dx.doi.org/10.1016/j.combustflame.2015.05.018.

Mehdipour-Ataei, S; Babanzadeh, S. (2007). New types of heat-resistant, flame-retardant ferrocene-based polyamides with improved solubility. React Funct Polym. 67: 883-892. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.012.

Mehdipour-Ataei, S; Mosslemin, MH; Shafieezadeh, M. (2006). Preparation of poly(ether amide imide)s from five different methods and investigation of properties. React Funct Polym. 66: 403-412. http://dx.doi.org/10.1016/j.reactfunctpolym.2005.09.001.

Meier, S; Schindler, BK; Koslitz, S; Koch, HM; Weiss, T; Käfferlein, HU; Brüning, T. (2013). Biomonitoring of exposure to N-methyl-2-pyrrolidone in workers of the automobile industry. Ann Occup Hyg. 57: 766-773. http://dx.doi.org/10.1093/annhyg/mes111.

Mellace, A; Hanson, JE; Griepenburg, J. (2005). Hyperbranched poly(phenylene sulfide) and poly(phenylene sulfone). Chem Mater. 17: 1812-1817. http://dx.doi.org/10.1021/cm048376p.

Melzer, WM; Schrodter, F; Knapp, H. (1989). SOLUBILITIES OF METHANE, PROPANE AND CARBON-DIOXIDE IN SOLVENT MIXTURES CONSISTING OF WATER, N,N-DIMETHYLFORMAMIDE, AND N-METHYL-2-PYRROLIDONE. Fluid Phase Equilibria. 49: 167-186.

Meneghello, G; Parker, DJ; Ainsworth, BJ; Perera, SP; Chaudhuri, JB; Ellis, MJ; De Bank, PA. (2009). Fabrication and characterization of poly(lactic-co-glycolic acid)/polyvinyl alcohol blended hollow fibre membranes for tissue engineering applications. J Memb Sci. 344: 55-61. http://dx.doi.org/10.1016/j.memsci.2009.07.034.

Menendez, R; Blanco, C; Santamaria, R; Bermejo, J; Suelves, I; Herod, AA; Kandiyoti, R. (2001). On the chemical composition of thermally treated coal-tar pitches. Energy Fuels. 15: 214-223. http://dx.doi.org/10.1021/ef000191r.

Menendez, R; Blanco, C; Santamaria, R; Dominguez, A; Blanco, CG; Suelves, I; Herod, AA; Morgan, TG; Kandiyoti, R. (2002). Effects of air-blowing on the molecular size and structure of coal-tar pitch components. Energy Fuels. 16: 1540-1549. http://dx.doi.org/10.1021/ef0200929.

Fate Literature Search Results

Off Topic

Menendez, R; Fleurot, O; Blanco, C; Santamaria, R; Bermejo, J; Edie, D. (1998). Chemical and rheological characterization of air-blown coal-tar pitches. Carbon. 36: 973-979.

Meng, L; Kang, S; Zhang, X; Wu, Y; Sun, R. (2012). Comparative Characterization of Lignins Extracted from Cotton Stalk Based on Complete Dissolution in Different Systems. Ind Eng Chem Res. 51: 9858-9866. http://dx.doi.org/10.1021/ie301118e.

Meng, Q; Jin, J; Wang, R; Kuan, HC; Ma, J; Kawashima, N; Michelmore, A; Zhu, S; Wang, CH. (2014). Processable 3-nm thick graphene platelets of high electrical conductivity and their epoxy composites. Nanotechnology. 25: 125707. http://dx.doi.org/10.1088/0957-4484/25/12/125707.

Menut, P; Su, YS; Chinpa, W; Pochat-Bohatier, C; Deratani, A; Wang, DM; Huguet, P; Kuo, CY; Lai, JY; Dupuy, C. (2008). A top surface liquid layer during membrane formation using vapor-induced phase separation (VIPS) - Evidence and mechanism of formation. J Memb Sci. 310: 278-288. http://dx.doi.org/10.1016/j.memsci.2007.11.016.

Meshalkin, YP; Svetlichnyi, VA; Svetlichnaya, NN; Kopylova, TN. (2005). Three-photon absorption of radiation from a Ti : sapphire laser by methylstyrylbenzene. Quantum Electronics. 35: 649-652. http://dx.doi.org/10.1070/QE2005v035n07ABEH003408.

Meyer, J; Hoffmann, H; Miller, DJ; Lang, FP. (2000). Fibrille formation by modified polyethylene terephthalate soil-release polymers in aqueous solution. Tenside Surfactants Detergents. 37: 373-380.

Miao, XQ; Sourirajan, S; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .2. Effects of fiber extrusion pressure (EP) and PVP concentration in the spinning solution. Separation Science and Technology. 31: 327-348.

Miao, XQ; Sourirajan, S; Zhang, H; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .1. Effects of water (internal coagulant) flow rate (WFR) and length of air gap (LAG). Separation Science and Technology. 31: 141-172.

Michel, M; Desai, JA; Biswas, C; Kaul, AB. (2016). Engineering chemically exfoliated dispersions of two-dimensional graphite and molybdenum disulphide for ink-jet printing. Nanotechnology. 27: 485602. http://dx.doi.org/10.1088/0957-4484/27/48/485602.

Mierzwa, JC; Vecitis, CD; Carvalho, J; Arieta, V; Verlage, M. (2012). Anion dopant effects on the structure and performance of polyethersulfone membranes. J Memb Sci. 421: 91-102. http://dx.doi.org/10.1016/j.memsci.2012.06.039.

Mihu, G; Mihalache, I; Bodor, M; Mircea, O; Graur, I. (2016). Tribological Characterization of Modified Epoxy Systems. Materiale Plastice. 53: 298-303.

Millan, M; Adell, C; Hinojosa, C; Herod, AA; Dugwell, D; Kandiyoti, R. (2007). Effect of catalyst deactivation and reaction time on hydrocracking heavy hydrocarbon liquids. Energy Fuels. 21: 1370-1378. http://dx.doi.org/10.1021/ef060466o.

Millan, M; Behrouzi, M; Karaca, F; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Characterising high mass materials in heavy oil fractions by size exclusion chromatography and MALDI-mass spectrometry. Catalysis Today. 109: 154-161. http://dx.doi.org/10.1016/j.cattod.2005.08.017.

Milton, AJ; Monkman, AP. (1993). THERMAL-ANALYSIS OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 57: 3571-3575.

Mirmohseni, A; Oladegaragoze, A. (2000). Anti-corrosive properties of polyaniline coating on iron. Synthetic Metals. 114: 105-108.

Miyauchi, M; Ishida, Y; Ogasawara, T; Yokota, R. (2013). Synthesis and characterization of soluble phenylethynyl-terminated imide oligomers derived from pyromellitic dianhydride and 2-phenyl-4,4 '-diaminodiphenyl ether. React Funct Polym. 73: 340-345. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.04.019.

Mobarakabad, P; Moghadassi, AR; Hosseini, SM. (2015). Fabrication and characterization of poly(phenylene ether-ether sulfone) based nanofiltration membranes modified by titanium dioxide nanoparticles for water desalination. Desalination. 365: 227-233. http://dx.doi.org/10.1016/j.desal.2015.03.002.

Mobin, M; Alam, R; Aslam, J. (2016). Investigation of the Corrosion Behavior of Poly(Aniline-co-o-Anisidine)/ZnO Nanocomposite Coating on Low-Carbon Steel. Journal of Materials Engineering and Performance. 25: 3017-3030. http://dx.doi.org/10.1007/s11665-016-2145-x.

Mobin, M; Tanveer, N. (2012). Corrosion performance of chemically synthesized poly(aniline-co-o-toluidine) copolymer coating on mild steel. JCT Research. 9: 27-38. http://dx.doi.org/10.1007/s11998-011-9328-z.

Mochida, I; Motoshima, N; Nakagawara, H; Korai, Y. (1991). MULTISTAGE COKING FOR MORE TAR AND FORMED-COKE OF HIGHER STRENGTH .4. FORMED COKING OF RESIDUES EXTRACTED FROM HEAT-TREATED SINGLE COALS WITH A MIXED-SOLVENT OF N-METHYLPYRROLIDINONE AND CARBON-DISULFIDE. Fuel. 70: 529-532.

Mochizuki, A; Teranishi, T; Ueda, M; Omote, T. (1994). NOVEL PHOTOSENSITIVE POLYIMIDE PRECURSOR BASED ON POLYISOIMIDE USING NIFEDIPINE AS A DISSOLUTION INHIBITOR. ACS Symp Ser Am Chem Soc. 579: 242-252.

Modesto-Lopez, LB; Miettinen, M; Riikonen, J; Torvela, T; Pfuller, C; Lehto, VP; Lahde, A; Jokiniemi, J. (2015). Films of Graphene Nanomaterials Formed by Ultrasonic Spraying of Their Stable Suspensions. Aerosol Sci Technol. 49: 45-56. http://dx.doi.org/10.1080/02786826.2014.991438.

Mohamed, NA; Fahml, MM; Al-Ghamdi, RF. (2005). Synthesis and characterization of novel wholly aromatic azopolyamide-hydrazides. React Funct Polym. 63: 185-197. http://dx.doi.org/10.1016/j.reactfunctpolyn.2005.010.

Mohamed, NH. (2012). Competitive study on separation and characterization of microcrystalline waxes using two deoiling techniques. Fuel Process Tech. 96: 116-122. http://dx.doi.org/10.1016/j.fuproc.2011.12.019.

Mohammad, TA; Johari, MMN, M; Ghani, LAA. (2009). Preliminary evaluation of a hydrophilic microfiltration membrane in treating high strength wastewater. Desalination and Water Treatment. 10: 272-280.

Mohammadi, T; Saljoughi, E. (2009). Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes. Desalination. 243: 1-7. http://dx.doi.org/10.1016/j.desal.2008.04.010.

Moideen, IK; Isloor, AM; Garudachari, B; Ismail, AF. (2016). The effect of glycine betaine additive on the PPSU/PSF ultrafiltration membrane performance. Desalination and Water Treatment. 57: 24788-24798. http://dx.doi.org/10.1080/19443994.2016.1156581.

Moise, A; Corlateanu, E; Luca, C; Popescu, G; Batranescu, G. (2000). Rheological behaviour of some polysulphone solutions. Rev Chim. 51: 633-637.

Fate Literature Search Results

Off Topic

Mojtahedi, YM; Mehrnia, MR; Homayoonfal, M. (2013). Fabrication of Al2O3/PSf nanocomposite membranes: efficiency comparison of coating and blending methods in modification of filtration performance. Desalination and Water Treatment. 51: 6736-6742. http://dx.doi.org/10.1080/19443994.2013.769918.

Mokoena, K; Van Der Walt, TJ; Morgan, TJ; Herod, AA; Kandiyoti, R. (2008). Heat treatment of medium-temperature Sasol-Lurgi gasifier coal-tar pitch for polymerizing to higher value products. Fuel. 87: 751-760. http://dx.doi.org/10.1016/j.fuel.2007.05.006.

Molinari, R; Poerio, T. (2009). Preparation, characterisation and testing of catalytic polymeric membranes in the oxidation of benzene to phenol. Appl Catal A-Gen. 358: 119-128. http://dx.doi.org/10.1016/j.apcata.2009.01.044.

Molinari, R; Poerio, T; Argurio, P. (2009). Liquid-phase oxidation of benzene to phenol using CuO catalytic polymeric membranes. Desalination. 241: 22-28. http://dx.doi.org/10.1016/j.desal.2007.11.081.

Moniruzzaman, M; Goto, M. (2011). Ionic Liquids: Future Solvents and Reagents for Pharmaceuticals. J Chem Eng Jpn. 44: 370-381.

Monkman, AP; Adams, P. (1991). OPTICAL AND ELECTRONIC-PROPERTIES OF STRETCH-ORIENTED SOLUTION-CAST POLYANILINE FILMS. Synthetic Metals. 40: 87-96.

Monkman, AP; Adams, P. (1991). STRUCTURAL CHARACTERIZATION OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 41: 891-896.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2010). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin: Exploring new miscible conditions. Journal of Supercritical Fluids. 51: 399-403. http://dx.doi.org/10.1016/j.supflu.2009.10.007.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, CM; Martínez de la ossa, EJ. (2011). Supercritical Antisolvent Precipitation of Ampicillin in Complete Miscibility Conditions. Ind Eng Chem Res. 50: 2343-2347. http://dx.doi.org/10.1021/ie101334v.

Montes, A; Wehner, L; Pereyra, C; Martinez de la Ossa, EJ. (2016). Mangiferin nanoparticles precipitation by supercritical antisolvent process. Journal of Supercritical Fluids. 112: 44-50. http://dx.doi.org/10.1016/j.supflu.2016.02.008.

Montibon, E; Lestelius, M; Jarnstrom, L; Love, KT. (2010). Electroconductive paper - a study of polymer deposition and conductivity influenced by sheet forming and fibre beating. Nordic Pulp & Paper Research Journal. 25: 473-480.

Moreau, JP; Vachon, PJ; Huneau, MC. (2001). Elevated glycemia and local inflammation after injecting N-methyl-2-pyrrolidone (NMP) into the marginal ear vein of rabbits. Contemp Top Lab Anim Sci. 40: 38-40.

Moretti, A; Kim, G, ukTae; Bresser, D; Renger, K; Paillard, E; Marassi, R; Winter, M; Passerini, S. (2013). Investigation of different binding agents for nanocrystalline anatase TiO2 anodes and its application in a novel, green lithium-ion battery. J Power Sources. 221: 419-426. http://dx.doi.org/10.1016/j.jpowsour.2012.07.142.

Morgan, TJ; Alvarez-Rodriguez, P; George, A; Herod, AA; Kandiyoti, R. (2010). Characterization of Maya Crude Oil Maltenes and Asphaltenes in Terms of Structural Parameters Calculated from Nuclear Magnetic Resonance (NMR) Spectroscopy and Laser Desorption-Mass Spectroscopy (LD-MS). Energy Fuels. 24: 3977-3989. http://dx.doi.org/10.1021/ef100320t.

Morgan, TJ; George, A; Alvarez, P; Herod, AA; Millan, M; Kandiyoti, R. (2009). Isolation of Size Exclusion Chromatography Elution-Fractions of Coal and Petroleum-Derived Samples and Analysis by Laser Desorption Mass Spectrometry. Energy Fuels. 23: 6003-6014. http://dx.doi.org/10.1021/ef9006966.

Morgan, TJ; George, A; Davis, DB; Herod, AA; Kandiyoti, R. (2008). Optimization of H-1 and C-13 NMR methods for structural characterization of acetone and pyridine soluble/insoluble fractions of a coal tar pitch. Energy Fuels. 22: 1824-1835. http://dx.doi.org/10.1021/ef700715w.

Morgan, TJ; Morden, WE; Al-Muhareb, E; Herod, AA; Kandiyoti, R. (2006). Essential oils investigated by size exclusion chromatography and gas chromatography-mass spectrometry. Energy Fuels. 20: 734-737. http://dx.doi.org/10.1021/ef050364i.

Morihama, ACD; Mierzwa, JC. (2014). CLAY NANOPARTICLES EFFECTS ON PERFORMANCE AND MORPHOLOGY OF POLY(VINYLIDENE FLUORIDE) MEMBRANES. Brazilian Journal of Chemical Engineering. 31: 79-93.

Morino, M; Kaneko, H; Takanohashi, T; Iino, M. (1996). Inverse size exclusion chromatography using extraction residues or extracts of coals as a stationary phase. Energy Fuels. 10: 1012-1016.

Mosescu, N; Stejaru, D; Kalmutchi, G. (1977). DETERMINATION OF N-METHYLPYROLIDONE USED AS SOLVENT IN EXTRACTION PROCESS OF AROMATIC-HYDROCARBONS BY UV-ABSORPTION SPECTROPHOTOMETRY. Rev Chim. 28: 272-274.

Moss, RA; Fujiyama, R; Zhang, HM; Chung, YC; Mcsorley, K. (1993). IODOSOBENZOATE MICROEMULSION REAGENTS FOR THE CLEAVAGE OF A REACTIVE PHOSPHATE. Langmuir. 9: 2902-2906.

Mottu, F; Gailloud, P; Massuelle, D; Rofenacht, DA; Doelker, E. (2000). In vitro assessment of new embolic liquids prepared from preformed polymers and water-miscible solvents for aneurysm treatment. Biomaterials. 21: 803-811.

Mottu, F; Laurent, A; Rufenacht, DA; Doelker, E. (2000). Organic solvents for pharmaceutical parenterals and embolic liquids: A review of toxicity data [Review]. PDA J Pharm Sci Technol. 54: 456-469.

Mottu, F; Stelling, MJ; Rufenacht, DA; Doelker, E. (2001). Comparative hemolytic activity of undiluted organic water-miscible solvents for intravenous and intra-arterial injection. PDA J Pharm Sci Technol. 55: 16-23.

Mousavi, SM; Saljoughi, E; Ghasemipour, Z; Hosseini, SA. (2012). Preparation and characterization of modified polysulfone membranes with high hydrophilic property using variation in coagulation bath temperature and addition of surfactant. Polymer Engineering and Science. 52: 2196-2205. http://dx.doi.org/10.1002/pen.23179.

Muenter, J; Blach, R. (2010). ECOLOGICAL TECHNOLOGY: NMP-FREE LEATHER FINISHING. American Leather Chemists Association Journal. 105: 303-308.

Mullin, CA. (2015). Effects of 'inactive' ingredients on bees. 10: 194-200. http://dx.doi.org/10.1016/cois.2015.05.006.

Mullins, OC; Martinez-Haya, B; Marshall, AG. (2008). Contrasting perspective on asphaltene molecular weight. This comment vs the overview of A. A. Herod, K. D. Bartle, and R. Kandiyoti. Energy Fuels. 22: 1765-1773. http://dx.doi.org/10.1021/ef700714z.

Fate Literature Search Results

Off Topic

Mundhwa, M; Elmahmudi, S; Maham, Y; Henni, A, mr. (2009). Molar Heat Capacity of Aqueous Sulfolane, 4-Formylmorpholine, 1-Methyl-2-pyrrolidinone, and Triethylene Glycol Dimethyl Ether Solutions from (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 54: 2895-2901. http://dx.doi.org/10.1021/je800999s.

Murray, AA; Blau, W. (2013). Nonlinear Properties of Graphene Dispersions and Thin Films at a Wavelength of 1.2 mu m. Journal of Nanoelectronics and Optoelectronics. 8: 23-27. http://dx.doi.org/10.1166/jno.2013.1425.

Murray, TJ. (2008). Poly(amide-imides): Wire enamels with excellent thermal and chemical properties. Macromolecular Materials & Engineering. 293: 350-360. http://dx.doi.org/10.1002/mame.200700365.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF CARBON-DIOXIDE IN BINARY-MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Journal of Chemical and Engineering Data. 37: 4-7.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF HYDROGEN-SULFIDE IN MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 73: 167-174.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1993). GAS SOLUBILITY OF CARBON-DIOXIDE AND HYDROGEN-SULFIDE IN MIXTURES OF SULFOLANE WITH MONOETHANOLAMINE. Fluid Phase Equilibria. 86: 225-231.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1994). GAS SOLUBILITY OF HYDROGEN-SULFIDE AND CARBON-DIOXIDE IN MIXTURES OF SULFOLANE WITH DIETHANOLAMINE AT DIFFERENT TEMPERATURES. Fluid Phase Equilibria. 95: 163-174.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (1998). Solubility of CO2 in aqueous mixtures of diethanolamine with methyldiethanolamine and 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 150: 721-729.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (2000). Gas-liquid equilibrium of H2S and CO2 in binary mixtures of monoethanolamine and diethanolamine with physical solvents. Lat Am Appl Res. 30: 33-39.

Nabavi, K; Mahdavian, M; Ghaffarian, V; Zabihi, E. (2016). Polyacrylonitrile/starch semi-biodegradable blend membrane: preparation, morphology and performance. Desalination and Water Treatment. 57: 495-504. http://dx.doi.org/10.1080/19443994.2014.976842.

Nag, D; Biswas, P; Chandaliya, VK; Banerjee, PK. (2011). Characterization of Solvent Extract of an Indian Coal. International Journal of Coal Preparation and Utilization. 31: 1-8. http://dx.doi.org/10.1080/19392699.2010.517484.

Naganuma, T; Naito, K; Kyono, J; Kagawa, Y. (2009). Influence of prepreg conditions on the void occurrence and tensile properties of woven glass fiber-reinforced polyimide composites. Compos Sci Tech. 69: 2428-2433. http://dx.doi.org/10.1016/j.compscitech.2009.06.012.

Nagareddy, VK; Chan, H, uaK; Hernandez, SC; Wheeler, VD; Nyakiti, LO; Myers-Ward, RL; Eddy, CR, Jr; Goss, JP; Wright, NG; Walton, SG; Gaskill, DK; Horsfall, AB. (2013). Improved Chemical Detection and Ultra-Fast Recovery Using Oxygen Functionalized Epitaxial Graphene Sensors. IEEE Sens J. 13: 2810-2817. http://dx.doi.org/10.1109/JSEN.2013.2259154.

Nagendran, A; Vidya, S; Mohan, D. (2008). Preparation and characterization of cellulose acetate-sulfonated poly (ether imide) blend ultrafiltration membranes and their applications. Soft Materials. 6: 45-64. http://dx.doi.org/10.1080/15394450802046887.

Nagpal, JM; Rawat, BS. (1981). LIQUID-LIQUID EQUILIBRIA FOR TOLUENE-HEPTANE-N-METHYL PYRROLIDONE AND BENZENE-HEPTANE SOLVENTS. J Chem Tech Biotechnol. 31: 146-150.

Naidoo, RD; Letcher, TM; Ramjugernath, D. (2001). Ternary liquid-liquid equilibra for pseudoternary mixtures containing an n-alkane plus an aromatic hydrocarbon plus {N-methyl-2-pyrrolidinone plus a solvent} at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 46: 1375-1380.

Nakamura, K; Takanohashi, T; Iino, M; Kumagai, H; Sato, M; Yokoyama, S; Sanada, Y. (1995). A MODEL STRUCTURE OF ZAO-ZHUANG BITUMINOUS COAL. Energy Fuels. 9: 1003-1010.

Nakano, K; Sarashina, E; Uemura, Y; Hatate, Y. (1996). Vapor-liquid equilibria of minute amounts of N-methylsuccinimide and water in N-methyl-2-pyrrolidone. J Chem Eng Jpn. 29: 371-372.

Nalamasu, O; Houlihan, FM; Cirelli, RA; Timko, AG; Watson, GP; Hutton, RS; Kometani, JM; Reichmanis, E; Gabor, A; Medina, A; Slater, S. (1998). 193 nm single layer resist strategies, concepts, and recent results. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 16: 3716-3721.

Nasiri, M; Abbasi, F. (2015). Relationships between processing conditions, morphology, and I-V characteristics in P3HT:PCBM solar cells. Journal of Materials Science: Materials in Electronics. 26: 2639-2646. http://dx.doi.org/10.1007/s10854-015-2738-4.

Nasouri, K; Shoushtari, AM; Mojtahedi, MRM. (2015). Thermodynamic Studies on Polyvinylpyrrolidone Solution Systems Used for Fabrication of Electrospun Nanostructures: Effects of the Solvent. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21495.

Nayak, J; Mahadeva, SK; Kim, J. (2012). Characteristics of flexible electrode made on cellulose by soluble polypyrrole coating. Institution of Mechanical Engineers Proceedings Part C: Journal of Mechanical Engineering Science. 226: 2605-2609. http://dx.doi.org/10.1177/0954406212439965.

Nechifor, M. (2009). Synthesis and properties of some aromatic polyamides with coumarin chromophores. React Funct Polym. 69: 27-35. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.10.006.

Nelson, DJ; Nagarajan, PS; Brammer, CN; Perumal, PT. (2010). Effect of Single-Walled Carbon Nanotube Association upon H NMR Spectra of Representative Organonitrogen Compounds. J Phys Chem C. 114: 10140-10147. http://dx.doi.org/10.1021/jp1017746.

Nemati-Kande, E; Shekaari, H. (2013). Salting-out effect of sodium, potassium, carbonate, sulfite, tartrate and thiosulfate ions on aqueous mixtures of acetonitrile or 1-methyl-2-pyrrolidone: A liquid-liquid equilibrium study. Fluid Phase Equilibria. 360: 357-366. http://dx.doi.org/10.1016/j.fluid.2013.09.028.

Neoh, KG; Pun, MY; Kang, ET; Tan, KL. (1995). POLYANILINE TREATED WITH ORGANIC-ACIDS - DOPING CHARACTERISTICS AND STABILITY. Synthetic Metals. 73: 209-215.

Nguyen, BPN; Mariage, N; Fredon, R; Kelder, EM; Lestriez, B. (2015). Manufacturing of LiNi0.5Mn1.5O4 Positive Composite Electrodes with Industry-Relevant Surface Capacities for Lithium Ion-Cells. J Electrochem Soc. 162: A1451-A1459. http://dx.doi.org/10.1149/2.0261508jes.

Fate Literature Search Results

Off Topic

Nguyen, EP; Carey, BJ; Daeneke, T; Ou, JZ; Latham, K, ay; Zhuiykov, S; Kalantar-Zadeh, K. (2015). Investigation of Two-Solvent Grinding-Assisted Liquid Phase Exfoliation of Layered MoS2. Chem Mater. 27: 53-59. http://dx.doi.org/10.1021/cm502915f.

Ni, H; Yan, L; Ma, C; Xu, C; Shi, Q. (2016). Molecular Composition of Soxhlet N-Methyl-2-pyrrolidinone Extracts from a Lignite. Energy Fuels. 30: 9285-9292. http://dx.doi.org/10.1021/acs.energyfuels.6b01990.

Niemczewski, B. (2001). N-methylpyrrolidone and dowanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. Institute of Metal Finishing Transactions. 79: 68-72.

Nigmatullin, VR; Nigmatullin, IR; Sharipov, AK, h. (2007). Two-stage lube stock refining from sulfides. Petroleum Chemistry. 47: 127-130. http://dx.doi.org/10.1134/S0965544107020119.

Nigmatullin, VR; Telyashev, EG; Nigmatullin, IR; Dovgopolyi, EE; Nigmatullin, RG. (2011). PRODUCTION OF TRANSFORMER OIL WITH IMPROVED ELECTRICAL CHARACTERISTICS. Chemistry and Technology of Fuels and Oils. 47: 12-14.

Nishimura, S; Yasui, H; Miyauchi, H; Kikuchi, Y; Kondo, N; Takebayashi, T; Tanaka, S; Mikoshiba, Y; Omae, K; Nomiyama, T. (2009). A cross-sectional observation of effect of exposure to N-methyl-2-pyrrolidone (NMP) on workers' health. Ind Health. 47: 355-362.

Niu, H, u; Chen, S; Jin, S; Shu, Q; Li, L; Shang, F. (2016). Dissolution Properties of Dihydroxylammonium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate and Disodium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate in Water. Journal of Energetic Materials. 34: 416-425. http://dx.doi.org/10.1080/07370652.2015.1114048.

Nohr, M; Horn, W; Wiegner, K; Richter, M; Lorenz, W. (2014). Development of a material with reproducible emission of selected volatile organic compounds - µ-Chamber study. Chemosphere. 107: 224-229. http://dx.doi.org/10.1016/j.chemosphere.2013.12.047.

Noll, O; Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria and enthalpies of mixing for the binary system water plus N-methyl-2-pyrrolidone in the temperature range 80-140 degrees C. Journal of Chemical and Engineering Data. 41: 1434-1438.

Noorani, S; Simonsen, J; Atre, S. (2007). Nano-enabled microtechnology: polysulfone nanocomposites incorporating cellulose nanocrystals. Cellulose. 14: 577-584. http://dx.doi.org/10.1007/s10570-007-9119-y.

Noordkamp, ER; Grotenhuis, JTC; Rulkens, WH. (1997). Selection of an efficient extraction method for the determination of polycyclic aromatic hydrocarbons in contaminated soil and sediment. Chemosphere. 35: 1907-1917.

Norinaga, K; Iino, M. (2000). Evaluation of the thermoplasticity of upper freeport coal and its extracts using dynamic viscoelasticity. Energy Fuels. 14: 929-935.

Norinaga, K; Kuniya, M; Iino, M. (2000). Viscoelastic properties of concentrated solution of coal with N-methyl-2-pyrrolidinone. Energy Fuels. 14: 1121-1122.

Norinaga, K; Kuniya, M; Iino, M. (2002). Effect of associative interaction on the dynamic viscoelastic property of coal concentrated solution. Energy Fuels. 16: 62-68. http://dx.doi.org/10.1021/ef010154f.

Nosyrev, IE; Gruber, R; Cagniant, D; Krzton, A; Pajak, J; Stefanova, MD; Grishchuk, S. (1996). DRIFT spectroscopic characterization of coal samples modified by chemical treatments. Fuel. 75: 1549-1556.

Nouri, M; Sedighi, M; Ghasemi, M; Mohammadi, M. (2013). Evaluation of solvent dearomatization effect in heavy feedstock thermal cracking to light olefin: An optimization study. Korean J Chem Eng. 30: 1700-1709. http://dx.doi.org/10.1007/s11814-013-0118-4.

Ogulata, RT; Icoglu, HI. (2015). Interaction between effects of ambient parameters and those of other important parameters on electrospinning of PEI/NMP solution. J Text Inst. 106: 57-66. http://dx.doi.org/10.1080/00405000.2014.902561.

Oh, KJ; Mun, SM, an; Kim, SS, oo; Park, SW. (2011). Chemical absorption of carbon dioxide into oxirane solution containing ID-CP-MS41 catalyst. Korean J Chem Eng. 28: 567-574. http://dx.doi.org/10.1007/s11814-010-0388-z.

Oh, S, eY; Kim, SH; Chi, YS; Kang, T, aeJin. (2012). Fabrication of oxide-free graphene suspension and transparent thin films using amide solvent and thermal treatment. Appl Surf Sci. 258: 8837-8844. http://dx.doi.org/10.1016/j.apsusc.2012.05.101.

Ohno, M; Takata, T; Endo, T. (1996). Synthesis and properties of poly(arylene-ether-ketone)s containing a dimethylnaphthalene skeleton in the main chain. React Funct Polym. 30: 149-156.

Ohtani, A; Abe, M; Ezoe, M; Doi, T; Miyata, T; Miyake, A. (1993). SYNTHESIS AND PROPERTIES OF HIGH-MOLECULAR-WEIGHT SOLUBLE POLYANILINE AND ITS APPLICATION TO THE 4MB-CAPACITY BARIUM FERRITE FLOPPY DISKS ANTISTATIC COATING. Synthetic Metals. 57: 3696-3701.

Ohya, H; Shiki, S; Kawakami, H. (2009). Fabrication study of polysulfone hollow-fiber microfiltration membranes: Optimal dope viscosity for nucleation and growth. J Memb Sci. 326: 293-302. http://dx.doi.org/10.1016/j.memsci.2008.10.001.

Oikawa, E; Katoh, K; Aoki, T. (1991). CHARACTERISTICS OF REVERSE-OSMOSIS MEMBRANES PREPARED FROM SCHIFF-BASES OF POLYALLYLAMINE IN APROTIC-SOLVENTS AND SEPARATION OF INORGANIC AND ORGANIC SOLUTES THROUGH THE MEMBRANES. Separation Science and Technology. 26: 569-584.

Olivo, M; Fu, CY; Raghavan, V; Lau, WK. (2012). New frontier in hypericin-mediated diagnosis of cancer with current optical technologies [Review]. Ann Biomed Eng. 40: 460-473. http://dx.doi.org/10.1007/s10439-011-0462-7.

Omidvar, M; Soltanieh, M; Mousavi, SM; Saljoughi, E; Moarefian, A; Saffaran, H. (2015). Preparation of hydrophilic nanofiltration membranes for removal of pharmaceuticals from water. 13: 42. http://dx.doi.org/10.1186/s40201-015-0201-3.

Onah, EJ. (2003). Synthesis of polyfluoroesters, polyfluoroamic acid, polyfluoroimide, and polyfluoroacrylates: Formation and characterization of their ultrathin films. Chem Mater. 15: 4104-4112. http://dx.doi.org/10.1021/cm020728+.

Onah, EJ; Oertel, U; Froeck, C; Kratzmuller, T; Steinert, V; Bayer, T; Hartmann, L; Haussler, L; Lunkwitz, K. (2002). Ultrathin films from fluorine containing polymers: Fabrication and characterization. Macromolecular Materials & Engineering. 287: 412-419.

Onciu, M. (2007). Synthesis and characterization of novel aromatic polyamides containing pendent coumarin groups. J Optoelect Adv Mater. 9: 1014-1018.

O'Neill, A; Khan, U; Coleman, JN. (2012). Preparation of High Concentration Dispersions of Exfoliated MoS2 with Increased Flake Size. Chem Mater. 24: 2414-2421. http://dx.doi.org/10.1021/cm301515z.

Fate Literature Search Results

Off Topic

O'Neill, A; Khan, U; Nirmalraj, PN; Boland, J; Coleman, JN. (2011). Graphene Dispersion and Exfoliation in Low Boiling Point Solvents. J Phys Chem C. 115: 5422-5428. http://dx.doi.org/10.1021/jp110942e.

Ong, R; Chung, T. (2012). Fabrication and positron annihilation spectroscopy (PAS) characterization of cellulose triacetate membranes for forward osmosis. J Memb Sci. 394: 230-240. http://dx.doi.org/10.1016/j.memsci.2011.12.046.

Opaprakasit, P; Painter, PC. (2004). Swelling of clays in N-methyl-2-pyrrolidinone/carbon disulfide mixed solvents. Energy Fuels. 18: 1704-1708. http://dx.doi.org/10.1021/ef034093s.

Opaprakasit, P; Scaroni, AW; Painter, PC. (2002). Ionomer-like structures and pi-cation interactions in argonne premium coals. Energy Fuels. 16: 543-551. http://dx.doi.org/10.1021/ef0100799.

Othman, N, urH; Wu, Z; Li, K. (2014). A micro-structured La0.6Sr0.4Co0.2Fe0.8O3-delta hollow fibre membrane reactor for oxidative coupling of methane. J Memb Sci. 468: 31-41. http://dx.doi.org/10.1016/j.memsci.2014.05.051.

Ouradi, A; Nguyen, QT; Benaboura, A. (2014). Polysulfone-AN69 blend membranes and its surface modification by polyelectrolyte-layer deposit Preparation and characterization. J Memb Sci. 454: 20-35. http://dx.doi.org/10.1016/j.memsci.2013.11.048.

Padaki, M; Isloor, AM; Ismail, AF; Abdullah, MS. (2012). Synthesis, characterization and desalination study of novel PSAB and mPSAB blend membranes with Polysulfone (PSf). Desalination. 295: 35-42. http://dx.doi.org/10.1016/j.desal.2012.03.014.

Padashbarmchi, Z; Hamidian, AH; Khorasani, N; Kazemzad, M; Mccabe, A; Halog, A. (2015). Environmental life cycle assessments of emerging anode materials for Li-ion batteries-metal oxide NPs. Environ Prog Sustain Energy. 34: 1740-1747. http://dx.doi.org/10.1002/ep.12148.

Pagidi, A; Saranya, R; Arthanareeswaran, G; Ismail, AF; Matsuura, T. (2014). Enhanced oil-water separation using polysulfone membranes modified with polymeric additives. Desalination. 344: 280-288. http://dx.doi.org/10.1016/j.desal.2014.03.033.

Pai, IT; Chiou, DW; Hon, MH; Leu, IC. (2009). Hierarchical structure formation induced by dewetting in an imprinting process. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 27: 2858-2861. http://dx.doi.org/10.1116/1.3253615.

Painter, P; Sobkowiak, M; Mathews, J; Scaroni, A. (2004). Concerning the nature of coal solutions and suspensions. Energy Fuels. 18: 1104-1107. http://dx.doi.org/10.1021/ef049976d.

Pajak, J; Cagniant, D; Gruber, R. (1994). HYDROGEN-TRANSFER FROM TETRALIN TO COALS - REACTIVITY OF BITUMINOUS COALS AND THEIR PRODUCTS OF EXTRACTION WITH N-METHYL-2-PYRROLIDINONE. Fuel. 73: 866-870.

Pak, S, eoH; Jeon, YW, oo; Shin, MS; Koh, HC. (2016). Preparation of Cellulose Acetate Hollow-Fiber Membranes for CO2/CH4 Separation. Environ Eng Sci. 33: 17-24. http://dx.doi.org/10.1089/ees.2015.0201.

Pal, A; Bhardwaj, RK. (2002). Excess molar volumes and Viscosities for binary mixtures of 2-propoxyethanol and of 2-isopropoxyethanol with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 47: 1128-1134. http://dx.doi.org/10.1021/je010315+.

Pal, A; Kumar, A. (2005). Excess molar volumes and kinematic viscosities for binary mixtures of dipropylene glycol monobutyl ether and dipropylene glycol tert-butyl ether with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 50: 856-862. http://dx.doi.org/10.1021/je049657g.

Pal, A; Singh, YP. (1995). EXCESS MOLAR VOLUMES AND APPARENT MOLAR VOLUMES OF SOME AMIDE PLUS WATER-SYSTEMS AT 303.15 AND 308.15 K. Journal of Chemical and Engineering Data. 40: 818-822.

Palczewska-Tulinska, M; Oracz, P. (2007). Vapor pressures of 1-methyl-2-pyrrolidone, 1-methyl-azepan-2-one, and 1,2-epoxy-3-chloropropane. Journal of Chemical and Engineering Data. 52: 2468-2471. http://dx.doi.org/10.1021/je700398k.

Pan, J; Yao, H; Xu, L; Ou, H; Huo, P; Li, X; Yan, Y. (2011). Selective Recognition of 2,4,6-Trichlorophenol by Molecularly Imprinted Polymers Based on Magnetic Halloysite Nanotubes Composites. J Phys Chem C. 115: 5440-5449. http://dx.doi.org/10.1021/jp111120x.

Panda, S; Gardas, RL. (2015). Measurement and correlation for the thermophysical properties of novel pyrrolidonium ionic liquids: Effect of temperature and alkyl chain length on anion. Fluid Phase Equilibria. 386: 65-74. http://dx.doi.org/10.1016/j.fluid.2014.11.024.

Pande, S; Sharma, DK. (2001). Studies of kinetics of diffusion of N-methyl-2-pyrrolidone (NMP), ethylenediamine (EDA), and NMP+EDA (1 : 1, vol/vol) mixed solvent system in chinakuri coal by solvent swelling techniques. Energy Fuels. 15: 1063-1068.

Pande, S; Sharma, DK. (2002). Ethylenediamine-assisted solvent extraction of coal in N-methyl-2-pyrrolidone: Synergistic effect of ethylenediamine on extraction of coal in N-methyl-2-pyrrolidone. Energy Fuels. 16: 194-204. http://dx.doi.org/10.1021/ef0001742.

Panziera, N; Pertici, P; Barazzone, L; Caporusso, AM; Vitulli, G; Salvadori, P; Borsacchi, S; Geppi, M; Veracini, CA; Martra, G; Bertinetti, L. (2007). MVS-derived palladium nanoparticles deposited on polydimethylphosphazene as recyclable catalysts for Heck-type reactions: Preparation, structural study, and catalytic activity. J Catal. 246: 351-361. http://dx.doi.org/10.1016/j.jcat.2006.12.017.

Paredes, JI; Villar-Rodil, S; Martínez-Alonso, A; Tascón, JM. (2008). Graphene oxide dispersions in organic solvents. Langmuir. 24: 10560-10564. http://dx.doi.org/10.1021/la801744a.

Park, HC; Hong, JM; Ha, SY; Kang, YS; Ahn, KH. (1998). Effects of humidity on the morphology of microporous membranes. J Ind Eng Chem. 4: 31-38.

Park, HC; Kim, YP; Kim, HY; Kang, YS. (1999). Membrane formation by water vapor induced phase inversion. J Memb Sci. 156: 169-178.

Park, HH, ee; Deshwal, B, alRaj; Kim, I, nWon; Lee, HK. (2008). Absorption of SO2 from flue gas using PVDF hollow fiber membranes in a gas-liquid contactor. J Memb Sci. 319: 29-37. http://dx.doi.org/10.1016/j.memsci.2008.03.023.

Park, JH; Raza, F; Jeon, S, uJi; Yim, D; Kim, H, yeIn; Kang, T, aeW; Kim, JH, o. (2016). Oxygen-mediated formation of MoSx-doped hollow carbon dots for visible light-driven photocatalysis. 4: 14796-14803. http://dx.doi.org/10.1039/c6ta04278c.

Park, LS; Oh, HS; Lee, TH; Kim, SH; Hwang, JS. (2000). Synthesis and thermal properties of poly(phenylene sulfide-co-phenylene sulfide ketone). J Ind Eng Chem. 6: 331-337.

Park, SW; Choi, BS; Park, DW; Kim, SS. (2005). Kinetics of the reaction between carbon dioxide and glycidyl methacrylate using 18-crown-6 as a catalyst. J Ind Eng Chem. 11: 527-532.

Fate Literature Search Results

Off Topic

Park, SW; Jang, CH. (2011). Effects of carbonization and solvent-extraction on change in fuel characteristics of sewage sludge. Bioresour Technol. 102: 8205-8210. http://dx.doi.org/10.1016/j.biortech.2011.05.072.

Parker, DH; Chatterjee, K; Wurz, P; Lykke, KR; Pellin, MJ; Stock, LM. (1992). FULLERENES AND GIANT FULLERENES - SYNTHESIS, SEPARATION, AND MASS-SPECTROMETRIC CHARACTERIZATION. Carbon. 30: 1167-1182.

Pastore, BM; Savelski, MJ; Slater, CS; Richetti, FA. (2016). Life cycle assessment of N-methyl-2-pyrrolidone reduction strategies in the manufacture of resin precursors. Clean Tech Environ Pol. 18: 2635-2647. http://dx.doi.org/10.1007/s10098-016-1180-5.

Patel, RB; Carlson, AN; Solorio, L; Exner, AA. (2010). Characterization of formulation parameters affecting low molecular weight drug release from in situ forming drug delivery systems. J Biomed Mater Res A. 94: 476-484. http://dx.doi.org/10.1002/jbm.a.32724.

Paul-Dauphin, S; Karaca, F; Morgan, TJ; Millan-Agorio, M; Herod, AA; Kandiyoti, R. (2007). Probing size exclusion mechanisms of complex hydrocarbon mixtures: The effect of altering eluent compositions. Energy Fuels. 21: 3484-3489. http://dx.doi.org/10.1021/ef`700410e.

Pei, X; Yan, Y, eHai; Yan, L; Yang, P, an; Wang, J; Xu, R; Chan-Park, MB. (2010). A magnetically responsive material of single-walled carbon nanotubes functionalized with magnetic ionic liquid. Carbon. 48: 2501-2505. http://dx.doi.org/10.1016/j.carbon.2010.03.023.

Pereira, CC; Nobrega, R; Borges, CP. (2001). Membranes obtained by simultaneous casting of two polymer solutions. J Memb Sci. 192: 11-26.

Pereira, CC; Nobrega, R; Peinemann, KV; Borges, CP. (2003). Hollow fiber membranes obtained by simultaneous spinning of two polymer solutions: a morphological study. J Memb Sci. 226: 35-50. http://dx.doi.org/10.1016/j.memsci.2003.07.011.

Petreus, O; Avram, E; Serbezeanu, D. (2010). Synthesis and Characterization of Phosphorus-Containing Polysulfone. Polymer Engineering and Science. 50: 48-56. http://dx.doi.org/10.1002/pen.21508.

Petro, R; Borodulin, P; Schlesinger, TE; Schlesinger, M. (2016). Liquid Exfoliated Graphene: A Practical Method for Increasing Loading and Producing Thin Films. 5: P36-P40. http://dx.doi.org/10.1149/2.0111602jss.

Petzold, K; Koschella, A; Klemm, D; Heublein, B. (2003). Silylation of cellulose and starch - selectivity, structure analysis, and subsequent reactions. Cellulose. 10: 251-269.

Phaechamud, T; Mahadlek, J; Chuenbarn, T. (2016). In situ forming gel comprising bleached shellac loaded with antimicrobial drugs for periodontitis treatment. Materials & Design. 89: 294-303. http://dx.doi.org/10.1016/j.matdes.2015.09.138.

Phaechamud, T; Yodkhum, K; Charoenteeraboon, J; Tabata, Y. (2015). Chitosan-aluminum monostearate composite sponge dressing containing asiaticoside for wound healing and angiogenesis promotion in chronic wound. Mater Sci Eng C. 50: 210-225. http://dx.doi.org/10.1016/j.msec.2015.02.003.

Pham, M; Schideman, L; Scott, J; Rajagopalan, N; Plewa, MJ. (2013). Chemical and biological characterization of wastewater generated from hydrothermal liquefaction of Spirulina. Environ Sci Technol. 47: 2131-2138. http://dx.doi.org/10.1021/es304532c.

Pham, VH; Cuong, TV; Hur, SH; Oh, E; Kim, EJ; Shin, EW; Chung, JS. (2011). Chemical functionalization of graphene sheets by solvothermal reduction of a graphene oxide suspension in N-methyl-2-pyrrolidone. J Mater Chem. 21: 3371. http://dx.doi.org/10.1039/c0jm02790a.

Pham, VH; Dang, TT; Cuong, TV; Hur, SH; Kong, BS; Kim, E, uiJ; Chung, J, inSuk. (2012). Synthesis of highly concentrated suspension of chemically converted graphene in organic solvents: Effect of temperature on the extent of reduction and dispersibility. Korean J Chem Eng. 29: 680-685. http://dx.doi.org/10.1007/s11814-011-0232-0.

Pham, VH; Kim, KH; Jung, DW, on; Singh, K; Oh, E, unS; Chung, J, inSuk. (2013). Liquid phase co-exfoliated MoS2-graphene composites as anode materials for lithium ion batteries. J Power Sources. 244: 280-286. http://dx.doi.org/10.1016/j.jpowsour.2013.01.053.

Pielichowski, J; Tecza, W; Rakoczy, J; Zadrozna, G; Szpakiewicz, B. (1992). FURFURAL AND N-METHYLPYRROLIDONE IN LUBRICATING OIL REFINING - A COMPARATIVE-STUDY. 45: 131-134.

Pindoria, RV; Chatzakis, IN; Lim, JY; Herod, AA; Dugwell, DR; Kandiyoti, R. (1999). Hydropyrolysis of sugar cane bagasse: effect of sample configuration on bio-oil yields and structures from two bench-scale reactors. Fuel. 78: 55-63.

Pindoria, RV; Lim, JY; Hawkes, JE; Lazaro, MJ; Herod, AA; Kandiyoti, R. (1997). Structural characterization of biomass pyrolysis tars/oils from eucalyptus wood waste: effect of H-2 pressure and sample configuration. Fuel. 76: 1013-1023.

Pinto, BP; de Santa Maria, LC; Sena, ME. (2007). Sulfonated poly(ether imide): A versatile route to prepare functionalized polymers by homogenous sulfonation. Mater Lett. 61: 2540-2543. http://dx.doi.org/10.1016/j.matlet.2006.09.060.

Pipatmanomai, S; Herod, AA; Morgan, TJ; Paterson, N; Dugwell, DR; Kandiyoti, R. (2004). The fate of volatiles from injectant coals and soot formation in blast furnaces. Energy Fuels. 18: 68-76. http://dx.doi.org/10.1021/ef030101t.

Pirhonen, EM; Pohjonen, TH; Weber, FE. (2006). Novel membrane for guided bone regeneration. Int J Artif Organs. 29: 834-840.

Pivovarov, AT; Ramazanova, AR; Pivovarova, NA; Nemov, IV. (2009). PRODUCTION OF AUTOMOBILE GASOLINES FROM ASTRAKHAN GAS CONDENSATE RESIDUAL FUEL OIL. Chemistry and Technology of Fuels and Oils. 45: 246-248.

Plisko, TV; Bildyukevich, AV; Volkov, VV; Osipov, NN. (2015). Formation of hollow fiber membranes doped with multiwalled carbon nanotube dispersions. Petroleum Chemistry. 55: 318-332. http://dx.doi.org/10.1134/S0965544115040064.

Plucinski, PK; Bavykin, DV; Kolaczkowski, ST; Lapkin, AA. (2005). Application of a structured multifunctional reactor for the oxidation of a liquid organic feedstock. Catalysis Today. 105: 479-483. http://dx.doi.org/10.1016/j.cattod.2005.06.021.

Polaczek, J; Kzeslak, A; Tecza, T; Lisicki, Z. (1992). NEW PROCESS OF COAL-TAR DERIVED ANTHRACENE ISOLATION AND PURIFICATION. Przemysł Chemiczny. 71: 15-25.

Powala, D; Orzechowski, A; Maranda, A. (2011). Low sensitive high explosives. 4,10-Dinitro-2,6,8,12-tetraoxa-4,10-diazatetracyclo[5.5.0.05,903,11]dodecane. Przemysł Chemiczny. 90: 112-118.

Prado-Perez, AJ; Rodriguez-Arevalo, J; Diaz-Teijeiro, MF. (2014). Performance assessment of a cavity ring-down laser spectrometer: achieving better precision and accuracy in the measurement of delta O-18 and delta H-2 in liquid water samples. Meas Sci Technol. 25. http://dx.doi.org/10.1088/0957-0233/25/1/015801.

Praneeth, K; Kalyani, S; Ravikumar, YVL; Tardio, J; Sridhar, S. (2013). Development of polyethersulfone and polyacrylonitrile hollow fiber membranes for clarification of surface water and fungal enzyme broth. Water Science and Technology: Water Supply. 13: 44-55. http://dx.doi.org/10.2166/ws.2012.074.

Fate Literature Search Results

Off Topic

Przewloka, SR; Shearer, BJ. (2002). The further chemistry of ellagic acid III. The effect of wick action upon moisture uptake and movement in ellagate treated Pinus radiata wood. Holzforschung. 56: 632-638.

Pulyalina, AY, u; Polotskaya, GA; Veremeychik, KY, u; Goikhman, MY, a; Podeshvo, IV; Toikka, AM. (2015). Ethanol purification from methanol via pervaporation using polybenzoxazinoneimide membrane. Fuel Process Tech. 139: 178-185. http://dx.doi.org/10.1016/j.fuproc.2015.07.023.

Pulyalina, AY, u; Toikka, AM; Polotskaya, GA. (2014). Investigation of Pervaporation Membranes Based on Polycarbamide: Effect of Residual Solvent. Petroleum Chemistry. 54: 573-579. http://dx.doi.org/10.1134/S096554411407010X.

Pundlik, MD; Sitharaman, B; Kaur, I. (2001). Gas chromatographic determination of 1,4-dioxane in benzene. Journal of Sci Ind Res. 60: 401-404.

Purdy, AP; Godbey, D; Buckley, L. (1997). The dissolution of copper in common solvents used for low dielectric polymers. Thin Solid Films. 308: 486-489.

Qadir, A; Chiesa, M; Abbas, A, li. (2014). In silico design of solvents for carbon capture with simultaneous optimisation of operating conditions. Int J Greenhouse Gas Control. 30: 179-187. http://dx.doi.org/10.1016/j.ijggc.2014.08.023.

Qian, B; Li, J, ie; Wei, Q; Bai, P; Fang, B; Zhao, C. (2009). Preparation and characterization of pH-sensitive polyethersulfone hollow fiber membrane for flux control. J Memb Sci. 344: 297-303. http://dx.doi.org/10.1016/j.memsci.2009.08.026.

Qin, C; Shen, J; Hu, Y; Ye, M. (2009). Facile attachment of magnetic nanoparticles to carbon nanotubes via robust linkages and its fabrication of magnetic nanocomposites. Compos Sci Tech. 69: 427-431. http://dx.doi.org/10.1016/j.compscitech.2008.11.011.

Qin, JJ; Chung, TS. (1999). Effect of dope flow rate on the morphology, separation performance, thermal and mechanical properties of ultrafiltration hollow fibre membranes. J Memb Sci. 157: 35-51.

Qin, JJ; Chung, TS; Cao, C; Vora, RH. (2005). Effect of temperature on intrinsic permeation properties of 6FDA-Durene/1,3-phenylenediamine (mPDA) copolyimide and fabrication of its hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 250: 95-103. http://dx.doi.org/10.1016/j.memsci.2004.10.021.

Qin, JJ; Li, Y; Lee, LS; Lee, H. (2003). Cellulose acetate hollow fiber ultrafiltration membranes made from CA/PVP 360 K/NMP/water. J Memb Sci. 218: 173-183. http://dx.doi.org/10.1016/S0376-7388(03)00170-4.

Qin, JJ; Oo, MH; Cao, YM; Lee, LS. (2005). Development of a LCST membrane forming system for cellulose acetate ultrafiltration hollow fiber. Separation and Purification Technology. 42: 291-295. http://dx.doi.org/10.1016/j.seppur.2004.07.015.

Qin, JJ; Oo, MH; Li, Y. (2005). Hollow fiber ultrafiltration membranes with enhanced flux for humic acid removal. J Memb Sci. 247: 119-125. http://dx.doi.org/10.1016/j.memsci.2004.09.016.

Qin, JJ; Wang, R; Chung, TS. (2000). Investigation of shear stress effect within a spinneret on flux, separation and thermomechanical properties of hollow fiber ultrafiltration membranes. J Memb Sci. 175: 197-213.

Qin, P; Han, B; Chen, C; Takuji, S; Li, J; Sun, B. (2009). Poly (phthalazinone ether sulfone ketone) properties and their effect on the membrane morphology and performance. Desalination and Water Treatment. 11: 157-166. http://dx.doi.org/10.5004/dwt.2009.793.

Qin, Y; Yuan, M; Li, L; Li, W; Xue, J. (2012). Formulation and evaluation of in situ forming PLA implant containing tinidazole for the treatment of periodontitis. J Biomed Mater Res B Appl Biomater. 100: 2197-2202. http://dx.doi.org/10.1002/jbm.b.32788.

Qin, Z, hiH; Chen, H; Yan, Y, uJie; Li, CS; Rong, L, iMan; Yang, XQ, in. (2015). FTIR quantitative analysis upon solubility of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent to coal petrographic constituents. Fuel Process Tech. 133: 14-19. http://dx.doi.org/10.1016/j.fuproc.2015.01.001.

Qing, X; Peisheng, M. (2007). Measurement and correlation for solubility of dimethyl-2,6-naphthalene dicarboxylate in organic solvents. Chinese Journal of Chemical Engineering. 15: 215-220.

Qu, Y; Liang, S; Zou, K, ai; Li, S; Liu, L; Zhao, J; Piao, G. (2011). Effect of solvent type on the formation of tubular fullerene nanofibers. Mater Lett. 65: 562-564. http://dx.doi.org/10.1016/j.matlet.2010.10.075.

Qu, Y; Yu, W; Liang, S; Li, S; Zhao, J; Piao, G. (2011). Structure and Morphology Characteristics of Fullerene C-60 Nanotubes Fabricated with N-Methyl-2-pyrrolidone as a Good Solvent. Journal of Nanomaterials. http://dx.doi.org/10.1155/2011/706293.

Quanxing, C; Jie, Y; Shengru, L. (2007). Synthesis and characterization of novel polyarylene sulfide. Journal of Wuhan University of Technology--Materials Science Edition. 22: 276-278. http://dx.doi.org/10.1007/s11595-005-2276-7.

Quijada-Maldonado, E; Meindersma, GW; de Haan, AB. (2016). Pilot plant study on the extractive distillation of toluene-methylcyclohexane mixtures using NMP and the ionic liquid [hmim] [TCB] as solvents. Separation and Purification Technology. 166: 196-204. http://dx.doi.org/10.1016/j.seppur.2016.04.041.

Quintana, M; Spyrou, K; Grzelczak, M; Browne, WR; Rudolf, P; Prato, M. (2010). Functionalization of graphene via 1,3-dipolar cycloaddition. ACS Nano. 4: 3527-3533. http://dx.doi.org/10.1021/nn100883p.

Radhakrishnan, S; Prakash, S; Rao, CRK; Vijayan, M. (2009). Organically Soluble Bifunctional Polyaniline-Magnetite Composites for Sensing and Supercapacitor Applications. Electrochemical and Solid-State Letters. 12: A84-A87. http://dx.doi.org/10.1149/1.3074315.

Rafiee, Z; Golriz, L. (2014). Synthesis and Study of New Poly(ester-imide)s Containing Triptycene Groups. Polymer Engineering and Science. 54: 2252-2257. http://dx.doi.org/10.1002/pen.23780.

Rafiee, Z; Mallakpour, S; Khalili, S. (2014). Preparation and Characterization of Polyimide/Titania Nanohybrid Films. Polymer Composites. 35: 1486-1493. http://dx.doi.org/10.1002/pc.22802.

Rafienia, M; Mirzadeh, H; Mirzadeh, H; Mobedi, H; Jamshidi, A. (2007). In vitro evaluation of drug solubility and gamma irradiation on the release of betamethasone under simulated in vivo conditions. J Bioact Compat Polymer. 22: 443-459. http://dx.doi.org/10.1177/0883911507080110.

Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO2 separation from natural gas. J Memb Sci. 378: 444-452. http://dx.doi.org/10.1016/j.memsci.2011.05.025.

Fate Literature Search Results

Off Topic

Raghu, AV; Gadaginamath, GS; Mathew, NT; Halligudi, SB; Aminabhavi, TM. (2007). Synthesis and characterization of novel polyurethanes based on 4,4 '-[1,4-phenylenedi-diazene-2,1-dlyl] bis(2-carboxyphenol) and 4,4 '-[1,4-phenylenedi-diazene-2,1-diyl] bis(2-chlorophenol) hard segments. React Funct Polym. 67: 503-514. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.003.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Development of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 86: 215-220. http://dx.doi.org/10.1016/j.seppur.2011.11.007.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Effect of bore fluid composition on structure and performance of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 88: 99-106. http://dx.doi.org/10.1016/j.seppur.2011.12.012.

Rahbari-Sisakht, M; Ismail, AF; Rana, D; Matsuura, T. (2012). Effect of different additives on the physical and chemical CO2 absorption in polyetherimide hollow fiber membrane contactor system. Separation and Purification Technology. 98: 472-480. http://dx.doi.org/10.1016/j.seppur.2012.06.033.

Rahman, M; Samanta, A; Gupta, R. (2013). Production and characterization of ash-free coal from low-rank Canadian coal by solvent extraction. Fuel Process Tech. 115: 88-98. http://dx.doi.org/10.1016/j.fuproc.2013.04.008.

Rajasingam, R; Jayasinghe, NS; Lucien, FP; Tran, T. (2006). Selective elution of the gold cyanide complex from anion exchange resin using mixed solvents. Miner Eng. 19: 896-903. http://dx.doi.org/10.1016/j.mineng.2005.09.054.

Rajasingam, R; Lioe, L; Pham, QT; Lucien, FP. (2004). Solubility of carbon dioxide in dimethylsulfoxide and N-methyl-2-pyrrolidone at elevated pressure. Journal of Supercritical Fluids. 31: 227-234. http://dx.doi.org/10.1016/j.supflu.2003.12.003.

Rambausek, L; Bruneel, E, ls; De Mey, G; Van Langenhove, L. (2014). POLYIMIDE DIELECTRIC LAYER ON FILAMENTS FOR ORGANIC FIELD EFFECT TRANSISTORS: CHOICE OF SOLVENT, SOLUTION COMPOSITION AND DIP-COATING SPEED. 14: 121-134. http://dx.doi.org/10.2478/aut-2014-0008.

Ratner, J; Kahana, N; Warshawsky, A; Krongauz, V. (1996). Photochromic polysulfones .2. Photochromic properties of polymeric polysulfone carrying pendant spiropyran and spirooxazine groups. Ind Eng Chem Res. 35: 1307-1315.

Ravi, A; Praveen, T; Rao, CRK; Narayan, R; Raju, KVS, N. (2015). Polyurethane-tetraaniline conducting composites: synthesis and their anti-corrosion performance. Pigment & Resin Technology. 44: 306-312. http://dx.doi.org/10.1108/PRT-05-2014-0043.

Ravula, S; Baker, SN; Kamath, G; Baker, GA. (2015). Ionic liquid-assisted exfoliation and dispersion: stripping graphene and its two-dimensional layered inorganic counterparts of their inhibitions. Nanoscale. 7: 4338-4353. http://dx.doi.org/10.1039/c4nr01524j.

Rawson, BV; Cocker, J; Evans, PG; Wheeler, JP; Akrill, PM. (2005). Internal contamination of gloves: routes and consequences. Ann Occup Hyg. 49: 535-541. http://dx.doi.org/10.1093/annhyg/mei015.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of CO2 in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 218: 261-267. http://dx.doi.org/10.1016/j.fluid.2003.12.012.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of H2S in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol at 313, 343, and 393 K in the range 2.5-1036 kPa. Fluid Phase Equilibria. 224: 83-88. http://dx.doi.org/10.1016/j.fluid.2004.06.049.

Reddy, KR; Kumar, DBK; Rao, GS; Sairam, PVS; Anila, P; Rambabu, C. (2012). Activity Coefficients and Excess Gibbs Energies for Binary Mixtures of N-Methyl-2-pyrrolidone with Some Substituted Ethanols. Journal of Chemical and Engineering Data. 57: 1412-1416. http://dx.doi.org/10.1021/je3002078.

Reddy, KR; Kumar, DBK; Rao, GS; Sri, PBS; Rambabu, C. (2012). Vapor-liquid equilibria and excess molar volumes of N-methyl-2-pyrrolidone with 2-alkoxyethanols. Fluid Phase Equilibria. 336: 52-58. http://dx.doi.org/10.1016/j.fluid.2012.08.030.

Rehan, ZA; Gzara, L; Khan, SB; Alamry, KA; El-Shahawi, MS; Albeirutty, MH; Figoli, A; Drioli, E; Asiri, AM. (2016). Synthesis and Characterization of Silver Nanoparticles-Filled Polyethersulfone Membranes for Antibacterial and Anti-Biofouling Application. Recent Pat Nanotechnol. 10: 231-251. http://dx.doi.org/10.2174/1872210510666160429145228.

Reine, TA; Eldridge, RB. (2005). Absorption equilibrium and kinetics for ethylene-ethane separation with a novel solvent. Ind Eng Chem Res. 44: 7505-7510. http://dx.doi.org/10.1021/ie0488546.

Reitze, JD; Przewloka, SR; Shearer, BJ. (2001). The further chemistry of ellagic acid I. Synthesis of tetramethylellagic acid and associated polymer precursors. Holzforschung. 55: 171-175.

Ren, C; Liu, T; Maturavongsadit, P; Luckanagul, JA; Chen, F. (2015). Effect of PEG additive on anode microstructure and cell performance of anode-supported MT-SOFCs fabricated by phase inversion method. J Power Sources. 279: 774-780. http://dx.doi.org/10.1016/j.jpowsour.2014.12.140.

Ren, HM; Ding, YH; Chang, FH; He, X; Feng, JQ; Wang, CF; Jiang, Y; Zhang, P. (2012). Flexible free-standing TiO2/graphene/PVdF films as anode materials for lithium-ion batteries. Appl Surf Sci. 263: 54-57. http://dx.doi.org/10.1016/j.apsusc.2012.08.107.

Ren, J; Li, Z. (2012). Development of asymmetric BTDA-TDI/MDI (P84) copolyimide flat sheet and hollow fiber membranes for ultrafiltration: Morphology transition and membrane performance. Desalination. 285: 336-344. http://dx.doi.org/10.1016/j.desal.2011.10.024.

Ren, J; Li, Z; Wong, FS; Li, D. (2005). Development of asymmetric BTDA-TDI/MDI (P84) co-polyimide hollow fiber membranes for ultrafiltration: the influence of shear rate and approaching ratio on membrane morphology and performance. J Memb Sci. 248: 177-188. http://dx.doi.org/10.1016/j.memsci.2004.09.031.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric flat sheet and thickness-gradient membranes by wet phase-inversion process. Desalination. 253: 1-8. http://dx.doi.org/10.1016/j.desal.2009.12.001.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric polyetherimide flat sheet membranes with different thickness by wet phase-inversion process. Separation and Purification Technology. 74: 119-129. http://dx.doi.org/10.1016/j.seppur.2010.05.014.

Ren, JZ; Chung, TS; Li, DF; Wang, R; Liu, Y. (2002). Development of asymmetric 6FDA-2,6 DAT hollow fiber membranes for CO2/CH4 separation - 1. The influence of dope composition and rheology on membrane morphology and separation performance. J Memb Sci. 207: 227-240.

Fate Literature Search Results

Off Topic

Ren, JZ; Li, ZS; Wong, FS. (2004). Membrane structure control of BTDA-TDI/MDI (P84) co-polyimide asymmetric membranes by wet-phase inversion process. J Memb Sci. 241: 305-314. http://dx.doi.org/10.1016/j.memsci.2004.06.001.

Reverchon, E; Cardea, S. (2005). Formation of polysulfone membranes by supercritical CO2. Journal of Supercritical Fluids. 35: 140-146. http://dx.doi.org/10.1016/j.supflu.2004.12.007.

Reverchon, E; De Marco, I; Caputo, G; Della Porta, G. (2003). Pilot scale micronization of amoxicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 26: 1-7.

Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. Powder Technology. 106: 23-29.

Reverchon, E; Della Porta, G; Falivene, MG. (2000). Process parameters and morphology in amoxicillin micro and submicro particles generation by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 17: 239-248.

Reybier, K; Malugani, JP; Fantini, S; Herlem, M; Fahys, B. (2002). Electrodeposition of Keggin-type heteropolyanions on different electrode surfaces from nonaqueous media. J Electrochem Soc. 149: E96-E101. http://dx.doi.org/10.1149/1.1447945.

Rey-Raap, N; Piedboeuf, MLC; Arenillas, A, na; Angel Menendez, J; Leonard, AF; Job, N. (2016). Aqueous and organic inks of carbon xerogels as models for studying the role of porosity in lithium-ion battery electrodes. Materials & Design. 109: 282-288. http://dx.doi.org/10.1016/j.matdes.2016.07.007.

Riaz, U; Ahmad, S; Ashraf, SM. (2009). Effect of solvent on the characteristics of nanostructured composites of poly (1-naphthylamine) with poly (vinyl alcohol). Curr Appl Phys. 9: 581-587. http://dx.doi.org/10.1016/j.cap.2008.05.012.

Riele, M; Snijder, ED; Vanswaaij, WPM. (1995). DIFFUSION-COEFFICIENTS AT INFINITE DILUTION IN WATER AND IN N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 34-36.

Rikabi, AAK, K; Balaban , M; Harabor, I; Albu, PC; Segarceanu, M; Nechifor, G. (2016). Iono-molecular Separation with Composite Membranes I. Preparation and characterization of membranes with polysulfone matrix. Rev Chim. 67: 1658-1665.

Rodriguez-Reinoso, F; Martinez-Escandell, M; Torregrosa, P; Marsh, H; de Salazar, CG; Romero-Palazon, E. (2001). Pyrolysis of petroleum residues III. Kinetics of pyrolysis. Carbon. 39: 61-71.

Rodriguez-Valero, AA; Martinez-Escandell, M; Rodriguez-Reinoso, F. (2002). Production of high-strength carbon artifacts from petroleum residues: Influence of the solvent used to prepare mesophase powder. Energy Fuels. 16: 1087-1094. http://dx.doi.org/10.1021/ef010293x.

Ronova, IA; Nikitin, LN; Tereschenko, GF; Bruma, M. (2012). SUPERCRITICAL CARBON DIOXIDE SWELLING OF POLYHETEROARYLENES SYNTHESISED IN N-METHYLPYRROLIDONE. Balkan Tribological Association Journal. 18: 425-443.

Roy, S; Wang, K; Khasamba, G. (2014). Use of N-Methyl-2-pyrrolidone (NMP) As a Solvent in the In Vitro Cytogenetic Assay. Environ Mol Mutagen. 55: S42-S42.

Royals, MA; Fujita, SM; Yewey, GL; Rodriguez, J; Schultheiss, PC; Dunn, RL. (1999). Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys. J Biomed Mater Res. 45: 231-239.

Ruble, GR; Giardino, OZ; Fossceco, SL; Cosmatos, D; Knapp, RJ; Barlow, NJ. (2006). The effect of commonly used vehicles on canine hematology and clinical chemistry values. Contemp Top Lab Anim Sci. 45: 25-29.

Růžička, J; Fusková, J; Křížek, K; Měrková, M; Černotová, A; Smělík, M. (2016). Microbial degradation of N-methyl-2-pyrrolidone in surface water and bacteria responsible for the process. Water Sci Technol. 73: 643-647. http://dx.doi.org/10.2166/wst.2015.540.

Ruzicka, K; Fulem, M; Mahnel, T; Cervinka, C. (2015). Recommended vapor pressures for aniline, nitromethane, 2-aminoethanol, and 1-methyl-2-pyrrolidone. Fluid Phase Equilibria. 406: 34-46. http://dx.doi.org/10.1016/j.fluid.2015.06.045.

Ryu, H, oSuk; Kim, BW; Park, J, inWoo; Nam, T, aeH; Cho, KK, oo; Kim, K, iWon; Ahn, J, ouH; Ahn, H, yoJun. (2016). Effect of solvents on the electrochemical properties of binder-free sulfur cathode films in lithium-sulfur batteries. Materials Research Bulletin. 82: 102-108. http://dx.doi.org/10.1016/j.materresbull.2016.03.027.

Ryu, Y; Yin, L; Yu, C. (2012). Dramatic electrical conductivity improvement of carbon nanotube networks by simultaneous de-bundling and hole-doping with chlorosulfonic acid. J Mater Chem. 22: 6959-6964. http://dx.doi.org/10.1039/c2jm16000e.

Sadeghi, I; Aroujalian, A; Raisi, A; Dabir, B; Fathizadeh, M. (2013). Surface modification of polyethersulfone ultrafiltration membranes by corona air plasma for separation of oil/water emulsions. J Memb Sci. 430: 24-36. http://dx.doi.org/10.1016/j.memsci.2012.11.051.

Saenger, KL; Tong, HM. (1991). LASER INTERFEROMETRY - A MEASUREMENT TECHNIQUE FOR DIFFUSION STUDIES IN THIN POLYMER-FILMS. Polymer Engineering and Science. 31: 432-435.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2014). Novel method for treatment of hollow fiber membranes using hypochlorite. J Text Inst. 105: 962-970. http://dx.doi.org/10.1080/00405000.2013.866333.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2015). The effect of bore fluid type on performance of treated polysulfone hollow-fiber membrane. Text Res J. 85: 281-293. http://dx.doi.org/10.1177/0040517514521122.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR. (1998). Liquid-liquid equilibrium studies on toluene plus heptane plus solvent. Journal of Chemical and Engineering Data. 43: 422-426.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR; Raghuram, MV. (1999). Extraction of aromatics from naphtha reformate using combination solvents. Indian J Chem Tech. 6: 85-89.

Sahin, S. (2010). Phase Equilibria for Liquid Mixtures of (an Alkane plus Toluene plus Dimethyl Phthalate). Journal of Chemical and Engineering Data. 55: 1204-1208. http://dx.doi.org/10.1021/je900592b.

Sahin, Y; Pekmez, K; Yildiz, A. (2002). Electrochemical synthesis of self-doped polyaniline in fluorosulfonic acid/acetonitrile solution. Synthetic Metals. 129: 107-115.

Saimani, S; Dal-Cin, MM; Kumar, A; Kingston, DM. (2010). Separation performance of asymmetric membranes based on PEGDa/PEI semi-interpenetrating polymer network in pure and binary gas mixtures of CO2, N-2 and CH4. J Memb Sci. 362: 353-359. http://dx.doi.org/10.1016/j.memsci.2010.06.045.

Fate Literature Search Results

Off Topic

Saini, P; Bhandari, H; Choudhary, V; Dhawan, SK. (2008). Thermal, spectroscopic and electrical transport properties of processable poly(aniline-co-alkylaniline) copolymers. Indian Journal of Engineering and Materials Sciences. 15: 497-504.

Saini, P; Choudhary, V. (2013). Structural details, electrical properties, and electromagnetic interference shielding response of processable copolymers of aniline. Journal of Materials Science. 48: 797-804. http://dx.doi.org/10.1007/s10853-012-6797-0.

Sainz, R; Benito, AM; Martinez, MT; Galindo, JF; Sotres, J; Baro, AM; Corraze, B; Chauvet, O; Dalton, AB; Baughman, RH; Maser, WK. (2005). A soluble and highly functional polyaniline-carbon nanotube composite. Nanotechnology. 16: S150-S154. http://dx.doi.org/10.1088/0957-4484/16/5/003.

Saito, K; Nishimura, N; Sasaki, S; Oishi, Y; Shibasaki, Y. (2013). Synthesis of polyguanamines from 2-N,N-dibutylamino-4,6-dichloro-1,3,5-triazine with aromatic diamines. React Funct Polym. 73: 756-763. http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.005.

Sakaguchi, Y; Kaji, A; Konagaya, S. (2006). Influence of the addition of tertiary amine on the sequence length of aromatic polyamide copolymers in the solution polycondensation. Sen'i Gakkaishi. 62: 150-154.

Sakanishi, K; Saito, I; Ishom, F; Watanabe, I; Mochida, I; Okuyama, N; Deguchi, T; Simazaki, K. (2002). Characterization and elution behaviors of organically associated minerals in coals during acid treatment and solvent extraction. Fuel. 81: 1471-1475.

Salem, A; Hamad, EZ. (1995). LIQUID-LIQUID EQUILIBRIUM OF THE 5 COMPONENT SYSTEM OF N-HEXANE-N-HEPTANE-TOLUENE-O-XYLENE-PROPYLENE CARBONATE. Fluid Phase Equilibria. 108: 231-241.

Saljoughi, E; Amirilargani, M; Mohammadi, T. (2010). Effect of PEG additive and coagulation bath temperature on the morphology, permeability and thermal/chemical stability of asymmetric CA membranes. Desalination. 262: 72-78. http://dx.doi.org/10.1016/j.desal.2010.05.046.

Saljoughi, E; Mohammadi, T. (2009). Cellulose acetate (CA)/polyvinylpyrrolidone (PVP) blend asymmetric membranes: Preparation, morphology and performance. Desalination. 249: 850-854. http://dx.doi.org/10.1016/j.desal.2008.12.066.

Saljoughi, E; Sadrzadeh, M; Mohammadi, T. (2009). Effect of preparation variables on morphology and pure water permeation flux through asymmetric cellulose acetate membranes. J Memb Sci. 326: 627-634. http://dx.doi.org/10.1016/j.memsci.2008.10.044.

Samal, M; Acharya, S; Yi, DK; Lee, JS; Samal, S. (2015). C60 Cheese Sticks: Supramolecular Architecture of an Amphiphilic Fullerene Pentapod. J Nanosci Nanotechnol. 15: 6847-6851. http://dx.doi.org/10.1166/jnn.2015.10647.

Sang, J, un; Yu, L; Xie, S; Zhang, F; Zhang, X; Lin, W, ei. (2015). Simultaneous Determination of N-methyl-2-pyrrolidone (NMP) and N-Ethyl-2-pyrrolidone (NEP) in Leather by Gas Chromatography-Mass Spectrometry. Journal of the Society of Leather Technologists and Chemists. 99: 134-138.

Sanip, SM; Ismail, AF; Aziz, M; Soga, T. (2009). Functionalized Carbon Nanotubes for Mixed Matrix Membrane. I E I C E Transactions on Electronics. E92C: 1427-1431. http://dx.doi.org/10.1587/transele.E92.C.1427.

Santoro, S; Drioli, E; Figoli, A. (2016). Development of Novel ECTFE Coated PP Composite Hollow-Fiber Membranes. 6. http://dx.doi.org/10.3390/coatings6030040.

Sato, K; Sugimoto, K; Shimotsuma, N; Kikuchi, T; Kyotani, T; Kurata, T. (2012). Development of practically available up-scaled high-silica CHA-type zeolite membranes for industrial purpose in dehydration of N-methyl pyrrolidone solution. J Memb Sci. 409: 82-95. http://dx.doi.org/10.1016/j.memsci.2012.03.032.

Sava, I. (2006). Study and synthesis of aromatic polyimides by reaction of 3,3'-dimethyl-4,4'diaminodiphenylmethane. Materiale Plastice. 43: 15-19.

SAVITSKA.TI; Murenkov, AM; PROTSENK.VF. (1970). DETERMONATION OF N-METHYLPYRROLIDONE IN WATER BY INFRARED ABSORPTION SPECTROSCOPY. Industrial Laboratory. 36: 691-&.

Schneider, D; Weber, FE; Grunder, U; Andreoni, C; Burkhardt, R; Jung, RE. (2014). A randomized controlled clinical multicenter trial comparing the clinical and histological performance of a new, modified polylactide-co-glycolide acid membrane to an expanded polytetrafluorethylene membrane in guided bone regeneration procedures. Clin Oral Implants Res. 25: 150-158. http://dx.doi.org/10.1111/clr.12132.

Schult, CJ; Neely, BJ; Robinson, RL; Gasem, KAM; Todd, BA. (2001). Infinite-dilution activity coefficients for several solutes in hexadecane and in n-methyl-2-pyrrolidone (NMP): experimental measurements and UNIFAC predictions. Fluid Phase Equilibria. 179: 117-129.

Schultz, C; Kraft, V; Pyschik, M; Weber, S; Schappacher, F; Winter, M; Nowak, S. (2015). Separation and Quantification of Organic Electrolyte Components in Lithium-Ion Batteries via a Developed HPLC Method. J Electrochem Soc. 162: A629-A634. http://dx.doi.org/10.1149/2.0401504jes.

Schutzius, TM; Bayer, IS; Tiwari, MK; Megaridis, CM. (2011). Novel Fluoropolymer Blends for the Fabrication of Sprayable Multifunctional Superhydrophobic Nanostructured Composites. Ind Eng Chem Res. 50: 11117-11123. http://dx.doi.org/10.1021/ie200814r.

Schymura, S; Kuehnast, M; Lutz, V; Jagiella, S; Dettlaff-Weglikowska, U; Roth, S; Giesselmann, F; Tschierske, C; Scalia, G; Lagerwall, J, an. (2010). Towards Efficient Dispersion of Carbon Nanotubes in Thermotropic Liquid Crystals. Adv Funct Mater. 20: 3350-3357. http://dx.doi.org/10.1002/adfm.201000539.

Scully, M; Petty, MC; Monkman, AP. (1993). OPTICAL-PROPERTIES OF POLYANILINE THIN-FILMS. Synthetic Metals. 55: 183-187.

Seckin, T; Gultek, A; Koytepe, S. (2005). Synthesis and characterization of novel hyperbranched polyimides based on silsesquioxane nanocomposite networks. Turkish Journal of Chemistry. 29: 49-59.

Sedghi, R; Moazzami, HR; Davarani, SSH; Nabid, MR; Keshtkar, A, liR. (2017). A one step electrospinning process for the preparation of polyaniline modified TiO2/polyacrylonitile nanocomposite with enhanced photocatalytic activity. J Alloy Comp. 695: 1073-1079. http://dx.doi.org/10.1016/j.jallcom.2016.10.232.

See-Toh, YH; Silva, M; Livingston, A. (2008). Controlling molecular weight cut-off curves for highly solvent stable organic solvent nanofiltration (OSN) membranes. J Memb Sci. 324: 220-232. http://dx.doi.org/10.1016/j.memsci.2008.07.023.

Semblante, GU, y; Tampubolon, SDR; You, SJ, ie; Lin, Y, iF; Chang, TC; Yen, FC. (2013). Fouling reduction in membrane reactor through magnetic particles. J Memb Sci. 435: 62-70. http://dx.doi.org/10.1016/j.memsci.2013.02.003.

Fate Literature Search Results

Off Topic

Sen, D; Ghosh, AK; Mazumder, S; Bindal, RC; Tewari, PK. (2014). Novel polysulfone-spray-dried silica composite membrane for water purification: Preparation, characterization and performance evaluation. Separation and Purification Technology. 123: 79-86. http://dx.doi.org/10.1016/j.seppur.2013.12.019.

Seneker, SD; Potter, TA. (1991). SOLVENT AND CATALYST EFFECTS IN THE REACTION OF DICYCLOHEXYLMETHANE DIISOCYANATE WITH ALCOHOLS AND WATER. J Coating Tech. 63: 19-23.

Sengupta, PP; Barik, S; Adhikari, B. (2006). Polyaniline as a gas-sensor material. 21: 263-270. http://dx.doi.org/10.1080/10426910500464602.

Serban, B; Bercu, M; Voicu, SI; Nechifor, AC; Cobianu, C. (2006). Synthesis and characterization of a novel functionalized conductive beta-cyclodextrine-doped polyaniline. Rev Chim. 57: 978-980.

Serbezeanu, D; Vlad-Bubulac, T; Hamciuc, C. (2011). New Phosphorus-containing Copoly(ester-amide-imide) Synthesis and characterization. Materiale Plastice. 48: 7-11.

Sergeant, GD; Stubington, JF; Barrett, D; Phillipps, I. (1995). CHARACTERISTICS OF A LUBRICATING OIL BASE STOCK PRODUCED FROM RUNDLE SHALE OIL. Fuel Process Tech. 41: 147-157.

Shabanian, M; Hajibeygi, M. (2013). Magnetic Heat Resistant Poly(amide-imide) Nanocomposite Derived from Bisphenol A: Synthesis and Properties. Polymer Composites. 34: 1682-1689. http://dx.doi.org/10.1002/pc.22569.

Shamsabadi, AA; Kargari, A, li; Babaheidari, MB; Laki, S; Ajami, H. (2013). Role of critical concentration of PEI in NMP solutions on gas permeation characteristics of PEI gas separation membranes. J Ind Eng Chem. 19: 677-685. http://dx.doi.org/10.1016/j.jiec.2012.10.006.

Shao, F; Hao, C; Ni, L, ei; Zhang, Y; Du, R; Meng, J; Liu, Z; Xiao, C. (2014). Experimental and theoretical research on N-methyl-2-pyrrolidone concentration by vacuum membrane distillation using polypropylene hollow fiber membrane. J Memb Sci. 452: 157-164. http://dx.doi.org/10.1016/j.memsci.2013.09.041.

Shao, L; Chung, TS; Wensley, G; Goh, SH; Pramoda, KP. (2004). Casting solvent effects on morphologies, gas transport properties of a novel 6FDA/PMDA-TMMDA copolyimide membrane and its derived carbon membranes. J Memb Sci. 244: 77-87. http://dx.doi.org/10.1016/j.memsci.2004.07.005.

Shao, P; Huang, RYM; Feng, X; Anderson, W; Pal, R; Burns, CM. (2005). Composite membranes with an integrated skin layer: preparation, structural characteristics and pervaporation performance. J Memb Sci. 254: 1-11. http://dx.doi.org/10.1016/j.memsci.2004.08.034.

Sharma, AL; Srivastava, A. (2007). Ion beam induced modifications in nitroso substituted polyaniline: Spectral and electrical studies. Curr Appl Phys. 7: 650-654. http://dx.doi.org/10.1016/j.cap.2007.02.001.

Sharma, DK. (2010). Enhancing the Steam Gasification Reactivity of Coal by Boosting the Factors Affecting the Gasification Reactions in the Stepwise Coal Conversion. Energ Source Part A. 32: 1727-1736. http://dx.doi.org/10.1080/15567030902882927.

Sharma, S; Kumar, D. (2010). Study on solvatochromic behaviour of polyaniline and alkyl substituted polyanilines. Indian Journal of Engineering and Materials Sciences. 17: 231-237.

Sharma, SC; Sheshadri, TS; Krishna, M; Murthy, HNN; Jose, J. (2009). Influence of Solvents on the MWCNT/Adhesive Grade Epoxy Nanocomposites Preparation. Journal of Reinforced Plastics and Composites. 28: 2805-2812. http://dx.doi.org/10.1177/0731684408093977.

Shayanfar, A, li; Acree, WE, Jr; Jouyban, A. (2009). Solubility of Clonazepam, Diazepam, Lamotrigine, and Phenobarbital in N-Methyl-2-pyrrolidone plus Water Mixtures at 298.2 K. Journal of Chemical and Engineering Data. 54: 2964-2966. http://dx.doi.org/10.1021/je9000153.

Shen, J; Hu, Y; Shi, M, in; Li, N, a; Ma, H; Ye, M. (2010). One Step Synthesis of Graphene Oxide-Magnetic Nanoparticle Composite. J Phys Chem C. 114: 1498-1503. http://dx.doi.org/10.1021/jp909756r.

Shen, JL; Iino, M. (1994). HEAT-TREATMENT OF COALS IN HYDROGEN-DONATING SOLVENTS AT TEMPERATURES AS LOW AS 175-300-DEGREES-C. Energy Fuels. 8: 978-983.

Shen, JL; Takanohashi, T; Iino, M. (1992). THERMAL-BEHAVIOR OF COALS AT TEMPERATURES AS LOW AS 100-350 DEGREES-C - HEAT-TREATMENT OF THF-INSOLUBLE EXTRACT FROM CS2-NMP MIXED-SOLVENT EXTRACTION OF ZAO-ZHUANG COAL. Energy Fuels. 6: 854-858.

Shen, L; Xu, X; Lu, W, ei; Shi, B, o. (2016). Aluminum nitride shaping by non-aqueous gelcasting of low-viscosity and high solid-loading slurry. Ceramics International. 42: 5569-5574. http://dx.doi.org/10.1016/j.ceramint.2015.12.036.

Shen, SY; Dong, RX; Shih, PT; Ramamurthy, V; Lin, JJ; Ho, KC. (2014). Novel polymer gel electrolyte with organic solvents for quasi-solid-state dye-sensitized solar cells. 6: 18489-18496. http://dx.doi.org/10.1021/am505394v.

Shen, X; Abro, R; Alhumaydhi, IA; Abdeltawab, AA; Al-Enizi, AM; Chen, X; Yu, G. (2017). Separation of propylene and propane by functional mixture of imidazolintum chloride ionic liquid - Organic solvent - Cuprous salt. Separation and Purification Technology. 175: 177-184. http://dx.doi.org/10.1016/j.seppur.2016.11.023.

Shi, FF; Yu, SH. (1998). Electron beam stabilization and dissolution behaviors of advanced deep UV photoresist for sub 0.3 mu m microelectronics fabrication. Thin Solid Films. 322: 254-258.

Shieh, JJ; Chung, TS. (1998). Effect of liquid-liquid demixing on the membrane morphology, gas permeation, thermal and mechanical properties of cellulose acetate hollow fibers. J Memb Sci. 140: 67-79.

Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. Ind Eng Chem Res. 38: 2650-2658.

Shim, J; Yun, JM; Yun, T; Kim, P; Lee, KE; Lee, WJ; Ryoo, R; Pine, DJ; Yi, GR; Kim, SO. (2014). Two-minute assembly of pristine large-area graphene based films. Nano Lett. 14: 1388-1393. http://dx.doi.org/10.1021/nl404446f.

Shim, YB; Park, JH. (2000). Humidity sensor using chemically synthesized poly(1,5-diaminonaphthalene) doped with carbon. J Electrochem Soc. 147: 381-385.

Fate Literature Search Results

Off Topic

Shin, DW; Lee, JH; Kim, YH; Yu, SM; Park, SY; Yoo, JB. (2009). A role of HNO3 on transparent conducting film with single-walled carbon nanotubes. Nanotechnology. 20: 475703. http://dx.doi.org/10.1088/0957-4484/20/47/475703.

Shin, HJ, un; Jeon, SS, oo; Im, SS. (2011). CNT/PEDOT core/shell nanostructures as a counter electrode for dye-sensitized solar cells. Synthetic Metals. 161: 1284-1288. http://dx.doi.org/10.1016/j.synthmet.2011.04.024.

Shin, K; Jeon, H; Park, CE, on; Kim, Y; Cho, H; Lee, G; Han, JH, un. (2010). A low voltage operational single-walled carbon nanotube thin-film transistor containing a high capacitance gate dielectric layer produced by layer-by-layer deposition. Organic Electronics. 11: 1403-1407. http://dx.doi.org/10.1016/j.orgel.2010.05.012.

Shin, SH; Hwang, IC; Park, SJ; In, SJ. (2012). Liquid–liquid equilibria and thermo physical properties for 1-methyl-2-pyrrolidinone+heterocyclic nitrogen compounds+hexadecane systems at 298.15K. J Ind Eng Chem. 18: 848-854. http://dx.doi.org/10.1016/j.jiec.2011.11.143.

Shin, SJ; Kim, JP; Kim, HJ; Jeon, JH; Min, BR. (2005). Preparation and characterization of polyethersulfone microfiltration membranes. Desalination. 186: 1-10. http://dx.doi.org/10.1016/j.desal.2005.03.092.

Shui, H; Lin, C; Zhang, M; Wang, Z; Zheng, M. (2010). Comparison of the associative structure of two different types of rich coals and their coking properties. Fuel. 89: 1647-1653. http://dx.doi.org/10.1016/j.fuel.2009.08.011.

Shui, H; Liu, J; Wang, Z; Cao, M; Wei, X. (2009). Effect of pre-swelling of coal at mild temperatures on its hydro-liquefaction properties. Fuel Process Tech. 90: 1047-1051. http://dx.doi.org/10.1016/j.fuproc.2009.03.022.

Shui, H; Norinaga, K; Iino, M. (2002). Characterizations of aggregation states of coal soluble constituents at solid state. Energy Fuels. 16: 69-73. http://dx.doi.org/10.1021/ef010162w.

Shui, H; Wang, Z. (2010). Effect of Solvent Pretreatments on the Aggregation Behavior of Upper Freeport Coal. Energy Fuels. 24: 1063-1068. http://dx.doi.org/10.1021/ef9008482.

Shui, H; Wang, Z; Cao, M. (2008). Effect of pre-swelling of coal on its solvent extraction and liquefaction properties. Fuel. 87: 2908-2913. http://dx.doi.org/10.1016/j.fuel.2008.04.028.

Shui, H; Zhou, Y, an; Li, H; Wang, Z; Lei, Z; Ren, S; Pan, C; Wang, W. (2013). Thermal dissolution of Shenfu coal in different solvents. Fuel. 108: 385-390. http://dx.doi.org/10.1016/j.fuel.2012.11.005.

Shui, HF. (2005). Effect of coal extracted with NMP on its aggregation. Fuel. 84: 939-941. http://dx.doi.org/10.1016/j.fuel.2004.12.001.

Shui, HF; Norinaga, K; Iino, M. (2001). Effect of tetrabutylammonium acetate addition on the aggregation of coal molecules at solution and solid states. Energy Fuels. 15: 487-491. http://dx.doi.org/10.1021/ef000230z.

Shui, HF; Wang, ZC. (2007). Viscoelastic properties and adsorption behaviors of two kinds of pyridine insoluble fractions of coal extracts with different aggregated states. Energy Fuels. 21: 2827-2830. http://dx.doi.org/10.1021/ef0701034.

Shui, HF; Wang, ZC; Gao, JS. (2006). Examination of the role of CS2 in the CS2/NMP mixed solvents to coal extraction. Fuel Process Tech. 87: 185-190. http://dx.doi.org/10.1016/j.fuproc.2004.11.017.

Shui, HF; Zhou, H. (2004). Viscosity and fractal dimension of coal soluble constituents in solution. Fuel Process Tech. 85: 1529-1538. http://dx.doi.org/10.1016/j.fuproc.2003.10.024.

Sieben, JM; Anson-Casaos, A; Martinez, MT; Morallon, E. (2013). Single-walled carbon nanotube buckypapers as electrocatalyst supports for methanol oxidation. J Power Sources. 242: 7-14. http://dx.doi.org/10.1016/j.jpowsour.2013.05.044.

Sikder, J; Pereira, C; Palchoudhury, S; Vohra, K; Basumatary, D; Pal, P. (2009). Synthesis and characterization of cellulose acetate-polysulfone blend microfiltration membrane for separation of microbial cells from lactic acid fermentation broth. Desalination. 249: 802-808. http://dx.doi.org/10.1016/j.desal.2008.11.024.

Silva, A, naJC; Nogueira, VC; Santos, TEA; Buck, CJT; Worrall, DR; Tonholo, J; Mortimer, RJ; Ribeiro, AS. (2015). Copolymerisation as a way to enhance the electrochromic properties of an alkylthiophene oligomer and a pyrrole derivative: copolymer of 3,3 ''' dihexyl-2,2 ':5 ',2 '':5 '',2 ' ''-quaterthiophene with (R)-(-)-3-(1-pyrrolyl)propyl-N-(3,5-dinitrobenzoyl)-alpha-phenylglycinate. Solar Energy Materials and Solar Cells. 134: 122-132. http://dx.doi.org/10.1016/j.solmat.2014.11.037.

Simionescu, S; Teodorescu, S; Ion, RM; Nechifor, G. (2016). Polymer Membranes for Selective Separation of Ionizing Forms of TPPS4 as Drug Photodynamic Therapy. Materiale Plastice. 53: 194-197.

Simone, S; Figoli, A; Criscuoli, A; Carnevale, MC; Alfadul, SM; Al-Romaih, HS; Al Shabouna, FS; Al-Harbi, OA; Drioli, E. (2014). Effect of selected spinning parameters on PVDF hollow fiber morphology for potential application in desalination by VMD. Desalination. 344: 28-35. http://dx.doi.org/10.1016/j.desal.2014.03.004.

Simone, S; Figoli, A; Santoro, S; Galiano, F; Alfadul, SM; Al-Harbi, OA; Drioli, E. (2012). Preparation and characterization of ECTFE solvent resistant membranes and their application in pervaporation of toluene/water mixtures. Separation and Purification Technology. 90: 147-161. http://dx.doi.org/10.1016/j.seppur.2012.02.022.

Singh, ID; Ramaswamy, V; Kothiyal, V. (1990). ESTIMATION OF RESIDUAL N-METHYL-2-PYRROLIDONE IN LUBE EQUILIBRIUM PHASES BY INFRARED-SPECTROSCOPY. 28: 43-44.

Singh, V; Purkait, MK; Chandaliya, VK; Biswas, PP; Banerjee, PK; Das, C. (2012). Development of membrane based technology for the separation of coal from organic solvent. Desalination. 299: 123-128. http://dx.doi.org/10.1016/j.desal.2012.05.033.

Sinh, L, eH; Hong, JM, i; Son, BT; Trung, NN; Bae, J, inY. (2012). Thermal, dielectric, and rheological properties of aluminum nitride/liquid crystalline copoly(ester amide) composite for the application of thermal interface materials. Polymer Composites. 33: 2140-2146. http://dx.doi.org/10.1002/pc.22355.

Sinha, MK; Purkait, MK. (2014). Enhancement of hydrophilicity of poly(vinylidene fluoride-co-hexafluoropropylene) (PVDF-HFP) membrane using various alcohols as nonsolvent additives. Desalination. 338: 106-114. http://dx.doi.org/10.1016/j.desal.2014.02.002.

Sinha, MK; Purkait, MK. (2014). Preparation and characterization of novel pegylated hydrophilic pH responsive polysulfone ultrafiltration membrane. J Memb Sci. 464: 20-32. http://dx.doi.org/10.1016/j.memsci.2014.03.067.

Sitarek, K; Stetkiewicz, J. (2008). Assessment of reproductive toxicity and gonadotoxic potential of N-methyl-2-pyrrolidone in male rats. Int J Occup Med Environ Health. 21: 73-80. http://dx.doi.org/10.2478/v10001-008-0006-z.

Fate Literature Search Results

Off Topic

Smith, JM; Katsoulis, DE. (1995). GELATION OF SILICONE FLUIDS USING 1,3/2,4-DIBENZYLIDENE SORBITOL. J Mater Chem. 5: 1899-1903.

Solimo, HN; Dedoz, MBG. (1995). INFLUENCE OF TEMPERATURE ON THE LIQUID-TO-LIQUID EXTRACTION OF 4-HYDROXY-4-METHYL-2-PENTANONE FROM AQUEOUS-SOLUTIONS WITH BENZYL ALCOHOL. Fluid Phase Equilibria. 107: 213-227.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1996). Stillbirth after occupational exposure to N-methyl-2-pyrrolidone: A case report and review of the literature [Review]. J Occup Environ Med. 38: 705-713. http://dx.doi.org/10.1097/00043764-199607000-00014.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone - Reply. J Occup Environ Med. 39: 394-394.

Soltanpour, S; Bastami, Z; Sadeghilar, S; Kouhestani, M; Pouya, F; Jouyban, A. (2013). Solubility of Clonazepam and Diazepam in Polyethylene Glycol 200, Propylene Glycol, N-Methyl Pyrrolidone, Ethanol, and Water at (298.2 to 318.2) K and in Binary and Ternary Mixtures of Polyethylene Glycol 200, Propylene Glycol, and Water at 298.2 K. Journal of Chemical and Engineering Data. 58: 307-314. http://dx.doi.org/10.1021/je3009842.

Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2009). Absorption of carbon dioxide into glycidyl methacrylate solution containing the triethylamine immobilized ionic liquid on MCM-41 catalyst. Korean J Chem Eng. 26: 783-790. http://dx.doi.org/10.1007/s11814-009-0131-9.

Song, YI; Kim, GY; Choi, HK; Jeong, HJ; Kim, KK; Yang, CM; Lim, SC; An, KH; Jung, KT; Lee, YH. (2006). Fabrication of carbon nanotube field emitters using a dip-coating method. Chemical Vapor Deposition. 12: 375-379. http://dx.doi.org/10.1002/cvde.200506442.

Sonmez, O; Giray, ES. (2011). An Investigation of the Effect of Pre-swelling on the Extraction Yield of Two Different Ranked Turkish Coals. Energ Source Part A. 33: 1901-1911. http://dx.doi.org/10.1080/15567030903503159.

Sonmez, O; Giray, ES. (2011). Producing ashless coal extracts by microwave irradiation. Fuel. 90: 2125-2131. http://dx.doi.org/10.1016/j.fuel.2011.02.006.

Sonmez, O; Gozmen, B; Cakir, MO; Cevik, T. (2015). Response Surface Methodological Approach to Optimize Microwave-assisted Extraction of Cayirhan Lignite. Energ Source Part A. 37: 2458-2466. http://dx.doi.org/10.1080/15567036.2012.721053.

Sotto, A; Boromand, A; Balta, S; Darvishmanash, S; Kim, J; Van der Bruggen, B. (2011). Nanofiltration membranes enhanced with TiO sub(2) nanoparticles: a comprehensive study. Desalination and Water Treatment. 34: 179-183. http://dx.doi.org/10.5004/dwt.2011.2787.

Sotto, A; Boromand, A; Balta, S; Kim, J; Van Der Bruggen, B. (2011). Doping of polyethersulfone nanofiltration membranes: antifouling effect observed at ultralow concentrations of TiO2 nanoparticles. J Mater Chem. 21: 10311-10320. http://dx.doi.org/10.1039/c1jm11040c.

Spasojević, V; Šerbanović, S; Djordjević, B; Kijevčanin, M. (2013). Densities, Viscosities, and Refractive Indices of Aqueous Alkanolamine Solutions as Potential Carbon Dioxide Removal Reagents. Journal of Chemical and Engineering Data. 58: 84-92. http://dx.doi.org/10.1021/je300938w.

Spasojevic, V, ukD; Serbanovic, SP; Stefanovic, P; Kijevcanin, ML, j. (2014). Review of techological methods and experimental determination of thermodynamic and transport properties of reagents for carbon dioxide removal from flue gases. Hemijska Industrija. 68: 123-134. http://dx.doi.org/10.2298/HEMIND130312039S.

Sresht, V; Pádua, AA; Blankschtein, D. (2015). Liquid-Phase Exfoliation of Phosphorene: Design Rules from Molecular Dynamics Simulations. ACS Nano. 9: 8255-8268. http://dx.doi.org/10.1021/acsnano.5b02683.

Srivastava, M; Kumar, M; Singh, R; Agarwal, UC; Garg, MO. (2011). Clarified Oil from Fluid Catalytic Cracking as an Additional Source of Group II Base Oil Components. Petroleum Science and Technology. 29: 172-182. http://dx.doi.org/10.1080/10916460903058095.

Stejskal, J; Hajna, M; Kasparkova, V; Humpolicek, P; Zhigunov, A; Trchova, M. (2014). Purification of a conducting polymer, polyaniline, for biomedical applications. Synthetic Metals. 195: 286-293. http://dx.doi.org/10.1016/j.synthmet.2014.06.020.

Stejskal, J; Kratochvil, P; Radhakrishnan, N. (1993). POLYANILINE DISPERSIONS .2. UV-VIS ABSORPTION-SPECTRA. Synthetic Metals. 61: 225-231.

Stengl, V; Bakardjieva, S; Henych, J; Lang, K; Kormunda, M. (2013). Blue and green luminescence of reduced graphene oxide quantum dots. Carbon. 63: 537-546. http://dx.doi.org/10.1016/j.carbon.2013.07.031.

Stepanova, VN; Galtsova, EV; Romashkina, LP. (1984). N-METHYLPYRROLIDONE TRANSFORMATION IN ACETYLENE ISOLATION CONDITIONS. 594-596.

Stepanova, VN; Kolesnikova, EV; Bochkareva, TP; Rastegaeva, NP. (1991). IDENTIFICATION OF N-METHYLSUCCINIMIDE AS AN OXIDATION-PRODUCT OF N-METHYLPYRROLIDONE. 125-125.

Stillman, D; Krupp, L; La, YH, ye. (2014). Mesh-reinforced thin film composite membranes for forward osmosis applications: The structure-performance relationship. J Memb Sci. 468: 308-316. http://dx.doi.org/10.1016/j.memsci.2014.06.015.

Stock, LM; Obeng, M. (1997). Oxidation and decarboxylation. A reaction sequence for the study of aromatic structural elements in Pocahontas No. 3 coal. Energy Fuels. 11: 987-997.

Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. AIHA J. 63: 62-71.

Su, Y; Jian, XG; Zhang, SH; Yan, C. (2006). Preparation of novel PPES-B UF membrane with good thermal stability: The effect of additives on membrane performance and cross-section morphology. J Memb Sci. 271: 205-214. http://dx.doi.org/10.1016/j.memsci.2005.07.017.

Suelves, I; Islas, CA; Herod, AA; Kandiyoti, R. (2001). Comparison of fractionation methods for the structural characterization of petroleum residues. Energy Fuels. 15: 429-437.

Sugiura, T; Ogawa, H. (2009). Enthalpies of solution, partial molar volumes and isentropic compressibilities of polycyclic aromatic hydrocarbons in 1-methyl-2-pyrrolidone at 298.15 K. Fluid Phase Equilibria. 277: 29-34. http://dx.doi.org/10.1016/j.fluid.2008.11.006.

Sukhishvili, SA; Granick, S. (1997). Formation and characterization of covalently bound polyelectrolyte brushes. Langmuir. 13: 4935-4938.

Sun, G; Chen, G; Liu, Z; Chen, M. (2010). Preparation, crystallization, electrical conductivity and thermal stability of syndiotactic polystyrene/carbon nanotube composites. Carbon. 48: 1434-1440. http://dx.doi.org/10.1016/j.carbon.2009.12.037.

Sun, H; Castillo, AED, elRio; Monaco, S; Capasso, A; Ansaldo, A; Prato, M; Dinh, D, ucAnh; Pellegrini, V; Scrosati, B; Manna, L; Bonaccorso, F. (2016). Binder-free graphene as an advanced anode for lithium batteries. 4: 6886-6895. http://dx.doi.org/10.1039/c5ta08553e.

Fate Literature Search Results

Off Topic

Sun, J; Liu, X; Fang, Z; Mao, S; Zhang, L; Rohani, S; Lu, J, ie. (2016). Solubility Measurement and Simulation of Rivaroxaban (Form I) in Solvent Mixtures from 273.15 to 323.15 K. Journal of Chemical and Engineering Data. 61: 495-503. http://dx.doi.org/10.1021/acs.jced.5b00667.

Sun, XF; Sun, R; Sun, JX. (2002). Acetylation of rice straw with or without catalysts and its characterization as a natural sorbent in oil spill cleanup. J Agric Food Chem. 50: 6428-6433. http://dx.doi.org/10.1021/jf020392o.

Sun, Y, e; Wang, X; Feng, T; Yu, G; Wang, F. (2014). Evaluation of Coal Extraction with Supercritical Carbon Dioxide/1Methyl-2-pyrrolidone Mixed Solvent. Energy Fuels. 28: 816-824. http://dx.doi.org/10.1021/ef401682g.

Sun, Z; O'Connor, I, an; Bergin, SD; Coleman, JN. (2009). Effects of Ambient Conditions on Solvent-Nanotube Dispersions: Exposure to Water and Temperature Variation. J Phys Chem C. 113: 1260-1266. http://dx.doi.org/10.1021/jp807371r.

Sun, Z; Poeller, S; Huang, X; Guschin, D; Taetz, C; Ebbinghaus, P; Masa, J; Erbe, A; Kilzer, A; Schuhmann, W; Muhler, M. (2013). High-yield exfoliation of graphite in acrylate polymers: A stable few-layer graphene nanofluid with enhanced thermal conductivity. Carbon. 64: 288-294. http://dx.doi.org/10.1016/j.carbon.2013.07.063.

Sundararajan, GP; van Ooij, WJ. (2000). Silane based pretreatments for automotive steels. Surf Eng. 16: 315-320.

Sung, KA; Jung, H, oY; Kim, W, anK; Cho, K, iYun; Park, JK, i. (2007). Influence of dispersion solvent for catalyst ink containing sulfonated poly(ether ether ketone) on cathode behaviour in a direct methanol fuel cell. J Power Sources. 169: 271-275. http://dx.doi.org/10.1016/j.jpowsour.2007.03.056.

Sunitha, K; Rani, KY; Moulik, S; Satyanarayana, SV; Sridhar, S. (2013). Separation of NMP/water mixtures by nanocomposite PEBA membrane: Part I. Membrane synthesis, characterization and pervaporation performance. Desalination. 330: 1-8. http://dx.doi.org/10.1016/j.desal.2013.09.016.

Suppino, RS; Gomez Cobo, AJ. (2014). Influence of Solvent Nature on Extractive Distillation of the Benzene Hydrogenation Products. Ind Eng Chem Res. 53: 16397-16405. http://dx.doi.org/10.1021/ie501753n.

Suppino, RS; Landers, R; Gomez Cobo, AJ. (2013). Partial hydrogenation of benzene on Ru catalysts: Effects of additives in the reaction medium. Appl Catal A-Gen. 452: 9-16. http://dx.doi.org/10.1016/j.apcata.2012.11.034.

Svanda, J; Gromov, MV; Kalachyova, Y; Postnikov, PS; Svorcik, V; Lyutakov, O. (2016). Preparation of ordered silver angular nanoparticles array in block copolymer film for surface-enhanced Raman spectroscopy. J Nanopart Res. 18. http://dx.doi.org/10.1007/s11051-016-3599-3.

Svensson, H; Edfeldt, J; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Solubility of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 27: 247-254. http://dx.doi.org/10.1016/j.ijggc.2014.06.004.

Svensson, H; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Heat of absorption of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 30: 1-8. http://dx.doi.org/10.1016/j.ijggc.2014.08.022.

Swallow, KC; Taghizadeh, K; Weakland, S; Plummer, EF; Busby, WF; Lafleur, AL. (1995). PHOTOOXIDATION OF SELECTED POLYCYCLIC AROMATIC-HYDROCARBONS IN AQUEOUS-ORGANIC MEDIA IN THE PRESENCE OF TI(IV)OXIDE. Int J Environ Anal Chem. 60: 113-122.

Swier, S; Ramani, V; Fenton, JM; Kunz, HR; Shaw, MT; Weiss, RA. (2005). Polymer blends based on sulfonated poly(ether ketone ketone) and poly(ether sulfone) as proton exchange membranes for fuel cells. J Memb Sci. 256: 122-133. http://dx.doi.org/10.1016/j.memsci.2005.02.013.

Swier, S; Shaw, MT; Weiss, RA. (2006). Morphology control of sulfonated poly(ether ketone ketone) poly(ether imide) blends and their use in proton-exchange membranes. J Memb Sci. 270: 22-31. http://dx.doi.org/10.1016/j.memsci.2005.06.037.

Tachibana, Y, u; Nogami, M; Sugiyama, Y; Ikeda, Y. (2011). Kinetic and Mechanistic Studies on Reactions of Pyrrolidone Derivatives with Ozone. Ozone: Science and Engineering. 33: 470-482. http://dx.doi.org/10.1080/01919512.2011.615720.

Tae, G; Kornfield, JA; Hubbell, JA. (2005). Sustained release of human growth hormone from in situ forming hydrogels using self-assembly of fluoroalkyl-ended poly(ethylene glycol). Biomaterials. 26: 5259-5266. http://dx.doi.org/10.1016/j.biomaterials.2005.01.042.

Tai, CC; Wang, Y, unH. (2013). Development of Adsorbent Hollow Fibres for Environmental Applications. AST. 31: 85-97. http://dx.doi.org/10.1260/0263-6174.31.1.85.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (1999). Effects of solvents on the hydrogenation of mono-aromatic compounds using noble-metal catalysts. Energy Fuels. 13: 1191-1196.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (2002). Catalytic hydrogenation of extracts from coal and their thermal reactivity. Energy Fuels. 16: 12-17. http://dx.doi.org/10.1021/ef010142u.

Takahashi, K; Norinaga, K; Masui, Y; Iino, M. (2001). Effect of addition of various salts on coal extraction with carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent. Energy Fuels. 15: 141-146.

Takanohashi, T; Fengjuan, X; Saito, I; Sanokawa, Y; Iino, M. (2000). Effect of lighter constituents on the solubility of heavy constituents of coals. Fuel. 79: 955-960.

Takanohashi, T; Iino, M. (1990). EXTRACTION OF ARGONNE PREMIUM COAL SAMPLES WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE AND ESR PARAMETERS OF THEIR EXTRACTS AND RESIDUES. Energy Fuels. 4: 452-455.

Takanohashi, T; Iino, M. (1991). INSOLUBILIZATION OF COAL SOLUBLE CONSTITUENTS IN SOME BITUMINOUS COALS BY REFLUXING WITH PYRIDINE. Energy Fuels. 5: 708-711.

Takanohashi, T; Iino, M; Mainwaring, DE. (1998). Viscoelastic behaviors of Loy Yang coal-N-methyl-2-pyrrolidinone mixtures. Energy Fuels. 12: 476-478.

Takanohashi, T; Iino, M; Nakamura, K. (1994). ESTIMATION OF LENGTH OF INTERCLUSTER BOND IN COAL BY DENSITY SIMULATION OF COAL MOLECULAR-MODEL. Kagaku Kogaku Ronbunshu. 20: 959-964.

Takanohashi, T; Iino, M; Nakamura, K. (1994). EVALUATION OF ASSOCIATION OF SOLVENT-SOLUBLE MOLECULES OF BITUMINOUS COAL BY COMPUTER-SIMULATION. Energy Fuels. 8: 395-398.

Takanohashi, T; Iino, M; Nakamura, K. (1998). Simulation of interaction of coal associates with solvents using the molecular dynamics calculation. Energy Fuels. 12: 1168-1173.

Fate Literature Search Results

Off Topic

Takanohashi, T; Iino, M; Nishioka, M. (1995). INVESTIGATION OF ASSOCIATED STRUCTURE OF UPPER FREEPORT COAL BY SOLVENT SWELLING. Energy Fuels. 9: 788-793.

Takanohashi, T; Kawashima, H. (2002). Construction of a model structure for upper freeport coal using C-13 NMR chemical shift calculations. Energy Fuels. 16: 379-387. http://dx.doi.org/10.1021/ef0101154.

Takanohashi, T; Kawashima, H; Yoshida, T; Iino, M. (2002). The nature of the aggregated structure of upper freeport coal. Energy Fuels. 16: 6-11. http://dx.doi.org/10.1021/ef0101255.

Takanohashi, T; Kudo, T; Iino, M. (1998). Coal gels formed by coal-solvent interactions. Energy Fuels. 12: 470-475.

Takanohashi, T; Nakamura, K; Iino, M. (1999). Computer simulation of methanol swelling of coal molecules. Energy Fuels. 13: 922-926.

Takanohashi, T; Nakano, K; Kaiho, M; Yamada, O; Saito, I. (2004). Study of the interaction of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvents with Argonne premium coals using an inverse liquid chromatography technique. Energy Fuels. 18: 450-454. http://dx.doi.org/10.1021/ef0340211.

Takanohashi, T; Nakano, K; Yamada, O; Kaiho, M; Ishizuka, A; Mashimo, K. (2000). An inverse liquid chromatography study of the interaction of organic compounds with argonne premium coals. Energy Fuels. 14: 720-726.

Takanohashi, T; Ohkawa, T; Yanagida, T; Lino, M. (1993). EFFECT OF MACERAL COMPOSITION ON THE EXTRACTION OF BITUMINOUS COALS WITH CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE. Fuel. 72: 51-55.

Takanohashi, T; Terao, Y; Iino, M; Yun, YS; Suuberg, EM. (1999). Irreversible structural changes in coals during heating. Energy Fuels. 13: 506-512.

Takanohashi, T; Terao, Y; Yoshida, T; Iino, M. (2000). Adsorption and diffusion of alcohol vapors by argonne premium coals. Energy Fuels. 14: 915-919. http://dx.doi.org/10.1021/ef000014q.

Takanohashi, T; Yanagida, T; Iino, M; Mainwaring, DE. (1996). Extraction and swelling of low-rank coals with various solvents at room temperature. Energy Fuels. 10: 1128-1132.

Takanohashi, T; Yoshida, T; Iino, M; Katoh, K. (1998). Effect of heavy solvent-soluble constituents on coal fluidity. Energy Fuels. 12: 913-917.

Takanohashi, T; Yoshida, T; Kawashima, H. (2002). Molecular simulation of relaxation behaviors of coal-aggregated structures. Fuel Process Tech. 77: 53-60.

Takayama, S; Ostuni, E; Qian, XP; Mcdonald, JC; Jiang, XY; Leduc, P; Wu, MH; Ingber, DE; Whitesides, GM. (2001). Topographical micropatterning of poly(dimethylsiloxane) using laminar flows of liquids in capillaries. Adv Mater Deerfield. 13: 570-+.

Takebayashi, Y; Sue, K; Yoda, S; Hakuta, Y; Furuya, T. (2012). Solubility of Terephthalic Acid in Subcritical Water. Journal of Chemical and Engineering Data. 57: 1810-1816. http://dx.doi.org/10.1021/je300263z.

Tam, CM; Dalcin, M; Guiver, MD. (1993). POLYSULFONE MEMBRANES .4. PERFORMANCE EVALUATION OF RADEL-A/PVP MEMBRANES. J Memb Sci. 78: 123-134.

Tam, CM; Matsuura, T; Tweddle, TA; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .3. PERFORMANCE EVALUATION OF POLYETHERSULFONE PVP MEMBRANES. Separation Science and Technology. 28: 2621-2633.

Tam, CM; Tweddle, TA; Kutowy, O; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .2. PERFORMANCE COMPARISON OF POLYSULFONE-POLY-(N-VINYL-PYRROLIDONE) MEMBRANES. Desalination. 89: 275-287.

Tan, LS; Shariff, AM; Lau, KK; Bustam, MA. (2015). Impact of high pressure on high concentration carbon dioxide capture from natural gas by monoethanolamine/N-methyl-2-pyrrolidone solvent in absorption packed column. Int J Greenhouse Gas Control. 34: 25-30. http://dx.doi.org/10.1016/j.ijggc.2014.12.020.

Tan, X; Liu, N, an; Meng, B, o; Liu, S. (2011). Morphology control of the perovskite hollow fibre membranes for oxygen separation using different bore fluids. J Memb Sci. 378: 308-318. http://dx.doi.org/10.1016/j.memsci.2011.05.012.

Tan, X; Song, J; Meng, X; Meng, B, o. (2012). Preparation and characterization of BaCe0.95Th0.05O3-alpha hollow fibre membranes for hydrogen permeation. J Eur Ceram Soc. 32: 2351-2357. http://dx.doi.org/10.1016/j.jeurceramsoc.2012.03.004.

Tan, X; Wang, Z; Li, K. (2010). Effects of Sintering on the Properties of La0.6Sr0.4Co0.2Fe0.8O3-delta Perovskite Hollow Fiber Membranes. Ind Eng Chem Res. 49: 2895-2901. http://dx.doi.org/10.1021/ie901403u.

Tan, XY; Li, K. (2006). Oxidative coupling of methane in a perovskite hollow-fiber membrane reactor. Ind Eng Chem Res. 45: 142-149. http://dx.doi.org/10.1021/ie0506320.

Tan, XY; Liu, SM; Li, K. (2001). Preparation and characterization of inorganic hollow fiber membranes. J Memb Sci. 188: 87-95.

Tang, MS; Whitcher, TJ; Yeoh, KH; Chua, CL; Woon, KL; Show, PL; Lin, YK; Ling, TC. (2014). The removal of metallic single-walled carbon nanotubes using an aqueous two-phase system. J Nanosci Nanotechnol. 14: 3398-3402. http://dx.doi.org/10.1166/jnn.2014.8680.

Tang, MSY; Show, P, auL; Lin, Y, uK; Woon, K, aiLin; Tan, CP; Ling, T, auC. (2014). Separation of single-walled carbon nanotubes using aqueous two-phase system. Separation and Purification Technology. 125: 136-141. http://dx.doi.org/10.1016/j.seppur.2014.01.044.

Tang, XD; Hu, T, ao; Li, JJ; Wang, F; Qing, D, aY. (2015). Desulfurization of Kerosene by the Electrochemical Oxidation and Extraction Process. Energy Fuels. 29: 2097-2103. http://dx.doi.org/10.1021/ef502437m.

Tang, XF; Yang, ZG, uo; Liang, J, iaHui. (2017). Efficient strategy of chlorine-assisted liquid-phase exfoliation of graphite. Journal of Materials Science. 52: 3786-3793. http://dx.doi.org/10.1007/s10853-016-0600-6.

Tang, Z; Kang, H; Wei, Q; Guo, B; Zhang, L; Jia, D. (2013). Incorporation of graphene into polyester/carbon nanofibers composites for better multi-stimuli responsive shape memory performances. Carbon. 64: 487-498. http://dx.doi.org/10.1016/j.carbon.2013.07.103.

Tanveer, N; Mobin, M. (2012). Anti-corrosive properties of poly (2-pyridylamine-co-aniline-co-2,3-xylidine) terpolymer coating on mild steel in different corrosive environments. Progr Org Coating. 75: 231-240. http://dx.doi.org/10.1016/j.porgcoat.2012.05.002.

Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. J Memb Sci. 269: 66-74. http://dx.doi.org/10.1016/j.memsci.2005.06.019.

Tao, J; Kishimoto, T; Suzuki, S; Hamada, M; Nakajima, N. (2016). Superior cellulose-protective effects of cosolvent during enhanced dissolution in imidazolium ionic liquid. Holzforschung. 70: 519-525. http://dx.doi.org/10.1515/hf-2015-0116.

Fate Literature Search Results

Off Topic

Tao, L; Guohua, M; Tongjiang, P. (2015). Mechanism of Preparing Spherical Nano-sized Silver Particles via o-Phenylenediamine Reduction Process in Water-NMPD Mixed Solution System. 44: 1071-1074.

Tao, XT; Watanabe, T; Kono, K; Deguchi, T; Nakayama, M; Miyata, S. (1996). Synthesis and characterization of poly(aryl ether chalcone)s for second harmonic generation. Chem Mater. 8: 1326-1332.

Tatar, A; Barati, A, li; Yarahmadi, A, li; Najafi, A; Lee, M; Bahadori, A. (2016). Prediction of carbon dioxide solubility in aqueous mixture of methyldiethanolamine and N-methylpyrrolidone using intelligent models. Int J Greenhouse Gas Control. 47: 122-136. http://dx.doi.org/10.1016/j.ijggc.2016.01.048.

Taylor, P. (1989). M-PYROL - A PRACTICAL REPLACEMENT SOLVENT. Plat Surf Finish. 76: 42-43.

Telu, S; Parkin, S; Robertson, LW; Lehmler, HJ. (2010). Improved syntheses of non-dioxin-like polychlorinated biphenyls (PCBs) and some of their sulfur-containing metabolites. Environ Int. 36: 828-834. http://dx.doi.org/10.1016/j.envint.2009.01.013.

Temtem, M; Casimiro, T; Aguiar-Ricardo, A, na. (2006). Solvent power and depressurization rate effects in the formation of polysulfone membranes with CO2-assisted phase inversion method. J Memb Sci. 283: 244-252. http://dx.doi.org/10.1016/j.memsci.2006.06.037.

Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2007). Controlled submicro particle formation of ampicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 308-316. http://dx.doi.org/10.1016/j.supflu.2006.07.003.

Tenorio, A; Gordillo, MD; Pereyra, CM; de La Ossa, EJM. (2008). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin. Journal of Supercritical Fluids. 44: 230-237. http://dx.doi.org/10.1016/j.supflu.2007.10.009.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez de la Ossa, EJ. (2007). Relative importance of the operating conditions involved in the formation of nanoparticles of ampicillin by supercritical antisolvent precipitation. Ind Eng Chem Res. 46: 114-123. http://dx.doi.org/10.1021/ie0606441.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez De la Ossa, EJ. (2010). Supercritical Antisolvent Process Applied to the Pharmaceutical Industry. Part Sci Technol. 28: 262-266. http://dx.doi.org/10.1080/02726351.2010.481589.

Teow, YH; Ahmad, AL; Lim, JK; Ooi, BS. (2012). Preparation and characterization of PVDF/TiO2 mixed matrix membrane via in situ colloidal precipitation method. Desalination. 295 (Jun 1: 61-69. http://dx.doi.org/10.1016/j.desal.2012.03.019.

Thampi, A; Babu, K; Verma, S. (2013). Large scale solvothermal synthesis and a strategy to obtain stable Langmuir-Blodgett film of CoFe2O4 nanoparticles. J Alloy Comp. 564: 143-150. http://dx.doi.org/10.1016/j.jallcom.2013.02.139.

Thiruvasagam, P; Shiva, C; Sundararaman, C; Venkatesan, D. (2011). Synthesis and Characterization of New Diimide Diols and Processable Poly(esterimide)s Derived Therefrom. Polymers and Polymer Composites. 19: 763-771.

Thong, PSP; Kho, KW; Zheng, W; Harris, M; Soo, KC; Olivo, M. (2007). Development of a laser confocal endomicroscope for in vivo fluorescence imaging. Journal of Mechanics in Medicine and Biology. 7: 11-18.

Thripuranthaka, M; Rout, CS; Late, DJ. (2014). MoS2 nanoparticles and h-BN nanosheets from direct exfoliation of bulk powder: one-step synthesis method. 1. http://dx.doi.org/10.1088/2053-1591/1/3/035038.

Thuery, P; Harrowfield, J. (2014). Uranyl Ion Complexes with all-cis-1,3,5-Cyclohexanetricarboxylate: Unexpected Framework and Nanotubular Assemblies. Cryst Growth Des. 14: 4214-4225. http://dx.doi.org/10.1021/cg500828s.

Thuery, P; Harrowfield, J. (2014). Uranyl-Organic Frameworks with Polycarboxylates: Unusual Effects of a Coordinating Solvent. Cryst Growth Des. 14: 1314-1323. http://dx.doi.org/10.1021/cg4018163.

Thuyavan, YL; Anantharaman, N; Arthanareeswaran, G; Ismail, AF. (2016). Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. J Chem Tech Biotechnol. 91: 2568-2581. http://dx.doi.org/10.1002/jctb.4846.

Tian, B, in; Qiao, Y, yun; Tian, Y, yu; Xie, K, eC; Liu, Q; Zhou, H, aiF. (2016). FTIR study on structural changes of different-rank coals caused by single/multiple extraction with cyclohexanone and NMP/CS2 mixed solvent. Fuel Process Tech. 154: 210-218. http://dx.doi.org/10.1016/j.fuproc.2016.08.035.

Tian, M; Yin, Y; Yang, C, hi; Zhao, B; Song, J; Liu, J; Li, X, ueMei; He, T, ao. (2015). CF4 plasma modified highly interconnective porous polysulfone membranes for direct contact membrane distillation (DCMD). Desalination. 369: 105-114. http://dx.doi.org/10.1016/j.desal.2015.05.002.

Tian, S; Hou, Y; Wu, W; Ren, S; Pang, K, un. (2012). Physical Properties of 1-Butyl-3-methylimidazolium Tetrafluoroborate/N-Methyl-2-pyrrolidone Mixtures and the Solubility of CO2 in the System at Elevated Pressures. Journal of Chemical and Engineering Data. 57: 756-763. http://dx.doi.org/10.1021/je200886J.

Tian, X; Wang, Z, hi; Zhao, S; Li, S; Wang, J; Wang, S. (2014). The influence of the nonsolvent intrusion through the casting film bottom surface on the macrovoid formation. J Memb Sci. 464: 8-19. http://dx.doi.org/10.1016/j.memsci.2014.03.049.

Tian, Y; Yao, Y, ue; Zhi, Y; Yan, L; Lut, S. (2015). Combined Extraction-Oxidation System for Oxidative Desulfurization (ODS) of a Model Fuel. Energy Fuels. 29: 618-625. http://dx.doi.org/10.1021/ef502396b.

Tiano, AL; Gibbons, L; Tsui, M; Applin, SI; Silva, R; Park, C; Fay, CC. (2016). Thermodynamic approach to boron nitride nanotube solubility and dispersion. Nanoscale. 8: 4348-4359. http://dx.doi.org/10.1039/c5nr08259e.

Timko, AG; Houlihan, FM; Cirelli, RA; Nalamasu, O; Yoshino, H; Itani, T; Tanabe, H; Kasama, K. (1999). Environmental stability of 193 nm single layer chemically amplified resists. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 17: 101-108.

Timoshenko, A; Anokhina, E; Akhapkina, O. (2016). Energy-Saving Hydrocarbon Distillation with Coupled Heat and Material Flows. Chem Eng Tech. 39: 2251-2264. http://dx.doi.org/10.1002/ceat.201500645.

Timoshenko, AV; Anokhina, EA; Morgunov, AV; Rudakov, DG. (2015). Application of the partially thermally coupled distillation flowsheets for the extractive distillation of ternary azeotropic mixtures. Chem Eng Res Des. 104: 139-155. http://dx.doi.org/10.1016/j.cherd.2015.07.007.

Tkacik, G; Zeman, L. (1987). COMPONENT MOBILITY ANALYSIS IN THE MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 31: 273-288.

Fate Literature Search Results

Off Topic

Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. J Memb Sci. 301: 3-10. http://dx.doi.org/10.1016/j.memsci.2007.06.034.

Tokur, M; Algul, H; Cetinkaya, T; Uysal, M; Akbulut, H. (2016). Improved Electrochemical Performance of Lithium Oxygen Batteries with N-methyl-2-pyrrolidone Based Composite Polymer Electrolytes. J Electrochem Soc. 163: A1326-A1335. http://dx.doi.org/10.1149/2.0961607jes.

Tomasevic-Ilic, T; Pesic, J; Milosevic, I; Vujin, J; Matkovic, A; Spasenovic, M; Gajic, R. (2016). Transparent and conductive films from liquid phase exfoliated graphene. Optical and Quantum Electronics. 48: 319-319. http://dx.doi.org/10.1007/s11082-016-0591-1.

Tomikawa, M; Harris, FW; Cheng, SZD; Galentier, E. (1996). Synthesis and photo-induced solution properties of new rigid-rod polyimides. React Funct Polym. 30: 101-107.

Tominaga, K; Takashima, W; Kaneto, K. (2010). Electrochemical activity of polyaniline based on mixed dopants and cation movement toward high pH region. Thin Solid Films. 519: 978-981. http://dx.doi.org/10.1016/j.tsf.2010.08.025.

Topkaya, R; Kurtan, U; Junejo, Y; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite with ethylene glycol: Its magnetic characterization. Materials Research Bulletin. 48: 3247-3253. http://dx.doi.org/10.1016/j.materresbull.2013.04.071.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. Fluid Phase Equilibria. 200: 1-10.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2003). Experimental study and modelling using the ERAS-model of the excess molar volume of acetonitrile-alkanol mixtures at different temperatures and atmospheric pressure. Fluid Phase Equilibria. 210: 287-306. http://dx.doi.org/10.1016/S0378-3812(03)00167-5.

Torrestiana-Sanchez, B; Ortiz-Basurto, RI; Brito-De La Fuente, E. (1999). Effect of nonsolvents on properties of spinning solutions and polyethersulfone hollow fiber ultrafiltration membranes. J Memb Sci. 152: 19-28.

Torrisi, F; Hasan, T; Wu, W; Sun, Z; Lombardo, A; Kulmala, TS; Hsieh, GW; Jung, S; Bonaccorso, F; Paul, PJ; Chu, D; Ferrari, AC. (2012). Inkjet-printed graphene electronics. ACS Nano. 6: 2992-3006. http://dx.doi.org/10.1021/nn2044609.

Trampe, DB; Eckert, CA. (1993). A DEW-POINT TECHNIQUE FOR LIMITING ACTIVITY-COEFFICIENTS IN NONIONIC SOLUTIONS. AIChE J. 39: 1045-1050.

Trejo, F; Ancheyta, J; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of asphaltenes from hydrotreated products by SEC, LDMS, MALDI, NMR, and XRD. Energy Fuels. 21: 2121-2128. http://dx.doi.org/10.1021/ef060621z.

Treptow, F; Jungbauer, A; Hellgardt, K. (2006). Halide diffusion in polyaniline membranes. J Memb Sci. 270: 115-122. http://dx.doi.org/10.1016/j.memsci.2005.03.060.

Troitsky, VI; Berzina, TS; Fontana, MP. (2002). Langmuir-Blodgett assemblies with patterned conductive polyaniline layers. Mater Sci Eng C. 22: 239-244.

Tsai, CM, in; Wu, GW, ei; Narra, S; Chang, HM; Mohanta, N; Wu, H, uiP; Wang, CL; Diau, EW, eiG. (2017). Control of preferred orientation with slow crystallization for carbon-based mesoscopic perovskite solar cells attaining efficiency 15%. 5: 739-747. http://dx.doi.org/10.1039/c6ta09036b.

Tsai, H, uiAn; Chen, Y, aL; Lee, KR; Lai, JY, ih. (2012). Preparation of heat-treated PAN hollow fiber membranes for pervaporation of NMP/H2O mixtures. Separation and Purification Technology. 100: 97-105. http://dx.doi.org/10.1016/j.seppur.2012.09.005.

Tsai, HA; Hong, MJ; Huang, GS; Wang, YC; Li, CL; Lee, KR; Lai, JY. (2002). Effect of DGDE additive on the morphology and pervaporation performances of asymmetric PSf hollow fiber membranes. J Memb Sci. 208: 233-245.

Tsutsumi, H. (1995). SYNTHESIS OF POST-POLYMERIZABLE POLYANILINE-P-STYRENESULFONIC ACID COMPOSITE AND ITS APPLICATION TO SCHOTTKY DIODE. Synthetic Metals. 69: 143-144.

Tsutsumi, H; Doi, H. (1995). Conductivity enhancement by aggregate formation of sodium deoxycholate in poly(N-vinyl-2-pyrrolidinone) gel. J Electrochem Soc. 142: 4215-4218.

Tsutsumi, H; Doi, H; Oishi, T. (1997). Helical aggregate formation of cholate salts in poly(N-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement. J Power Sources. 68: 364-367.

Tsutsumi, H; Nakagawa, Y; Tamura, K. (1995). Single-film electrochromic devices with polymer gel films containing aromatic electrochromics. Solar Energy Materials and Solar Cells. 39: 341-348.

Tu, T, seT; Lee, M; Kuo, ST, iz; Den, W. (2016). Citric acid-modified carbon chemical filtration for cleanroom air quality control: Study on N-methyl-2-pyrrolidone and the interference of co-existing toluene. Indoor Built Environ. 25: 772-785. http://dx.doi.org/10.1177/1420326X15591638.

UBA. (2015). [Monograph for N-Methyl-pyrrolidone (NMP) and human biomonitoring values for the metabolites 5-Hydroxy-NMP and 2-Hydroxy-N-methylsuccinimide]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1175-1191. http://dx.doi.org/10.1007/s00103-015-2217-3.

UBA. (2015). [Not Available]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1041-1052. http://dx.doi.org/10.1007/s00103-015-2210-x.

Ueda, H; Hacker, MC; Haesslein, A; Jo, S; Ammon, DM; Borazjani, RN; Kunzler, JF; Salamone, JC; Mikos, AG. (2007). Injectable, in situ forming poly(propylene fumarate)-based ocular drug delivery systems. J Biomed Mater Res A. 83: 656-666. http://dx.doi.org/10.1002/jbm.a.31226.

Uliana, C; Vigo, F; Traverso, P. (1994). ULTRAFILTRATION MEMBRANES PREPARED BY STYRENE-GRAFTED POLYVINYLPYRROLIDONE. Separation Science and Technology. 29: 1621-1637.

Umek, P; Vrbanic, D; Remskar, M; Mertelj, T; Venturini, P; Pejovnik, S; Mihailovic, D. (2002). An effective surfactant-free isolation procedure for single-wall carbon nanotubes. Carbon. 40: 2581-2585.

Fate Literature Search Results

Off Topic

Uosaki, Y; Kawamura, K; Moriyoshi, T. (1996). Static relative permittivities of water plus 1-methyl-2-pyrrolidinone and water plus 1,3-dimethyl-2-imidazolidinone mixtures under pressures up to 300 MPa at 298.15 K. Journal of Chemical and Engineering Data. 41: 1525-1528.

Uppal, R; Ramaswamy, GN. (2011). Cellulose Submicron Fibers. Journal of Engineered Fabrics and Fibers. 6: 39-45.

Uribe-Vargas, V; Trejo, A. (2004). Vapor-liquid equilibrium of nitrogen in an equimolar hexane plus decane mixture at temperatures of 258, 273, and 298 K and pressures to 20 MPa. Fluid Phase Equilibria. 220: 137-145. http://dx.doi.org/10.1016/j.fluid.2004.03.009.

Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehoej, J. (1995). Permeability of commercial solvents through living human skin. Am Ind Hyg Assoc J. 56: 651-660. http://dx.doi.org/10.1080/15428119591016665.

Usula, M; Matteoli, E; Leonelli, F; Mocci, F; Marincola, FC; Gontrani, L; Porcedda, S. (2014). Thermo-physical properties of ammonium-based ionic liquid plus N-methyl-2-pyrrolidone mixtures at 298.15 K. Fluid Phase Equilibria. 383: 49-54. http://dx.doi.org/10.1016/j.fluid.2014.09.031.

Vaidya, PD; Mahajani, VV. (2005). Kinetics of the reaction of CO2 with aqueous formulated solution containing monoethanolamine, N-methyl-2-pyrrolidone, and diethylene glycol. Ind Eng Chem Res. 44: 1868-1873. http://dx.doi.org/10.1021/ie049226r.

Vakili-Nezhaad, GR; Modarress, H; Mansoori, GA. (1999). Solvent extraction of aromatic components from lube-oil cut by N-methylpyrrolidone (NMP). Chem Eng Tech. 22: 847-853.

Valentin, E; Auvray, S; Goethals, J; Lewenstein, J; Capes, L; Filoramo, A; Ribayrol, A; Tsui, R; Bourgoin, JP; Patillon, JN. (2002). High-density selective placement methods for carbon nanotubes. Microelectron Eng. 61-2: 491-496.

Van Dam, MHH; Corriou, JP; Midoux, N; Lamine, AS; Roizard, C. (1999). Modeling and measurement of sulfur dioxide absorption rate in a laminar falling film reactor. Chem Eng Sci. 54: 5311-5318.

Van Niekerk, D; Castro-Marcano, F; Colina, CM; Mathews, JP. (2011). Solvent Swelling Extent of Permian-Aged Vitrinite- and Inertinite-Rich Coals: Experiments and Modeling Using the Perturbed-Chain Statistical Associating Fluid Theory (PC-SAFT). Energy Fuels. 25: 2559-2564. http://dx.doi.org/10.1021/ef2001508.

Van Niekerk, D; Halleck, PM; Mathews, JP. (2010). Solvent swelling behavior of Permian-aged South African vitrinite-rich and inertinite-rich coals. Fuel. 89: 19-25. http://dx.doi.org/10.1016/j.fuel.2009.06.028.

Van Niekerk, D; Mathews, JP. (2011). Molecular dynamic simulation of coal-solvent interactions in Permian-aged South African coals. Fuel Process Tech. 92: 729-734. http://dx.doi.org/10.1016/j.fuproc.2010.08.011.

van Veen, HM; Rietkerk, MDA; Shanahan, DP; van Tuel, MMA; Kreiter, R; Castricum, HL; ten Elshof, JE; Vente, JF. (2011). Pushing membrane stability boundaries with HybSi (R) pervaporation membranes. J Memb Sci. 380: 124-131. http://dx.doi.org/10.1016/j.memsci.2011.06.040.

Vandam, MHH; Lamine, AS; Roizard, D; Lochon, P; Roizard, C. (1997). Selective sulfur dioxide removal using organic solvents. Ind Eng Chem Res. 36: 4628-4637.

Vanherck, K; Vandezande, P; Aldea, SO; Vankelecom, I, voFJ. (2008). Cross-linked polyimide membranes for solvent resistant nanofiltration in aprotic solvents. J Memb Sci. 320: 468-476. http://dx.doi.org/10.1016/j.memsci.2008.04.026.

Vanooij, WJ; Edwards, RA; Sabata, A; Zappia, J. (1993). TESTING THE ADHESION OF PAINT FILMS TO METALS BY SWELLING IN N-METHYL PYRROLIDONE. J Adhes Sci Tech. 7: 897-917.

Vanthof, JA; Reuvers, AJ; Boom, RM; Rolevink, HHM; Smolders, CA. (1992). PREPARATION OF ASYMMETRIC GAS SEPARATION MEMBRANES WITH HIGH SELECTIVITY BY A DUAL-BATH COAGULATION METHOD. J Memb Sci. 70: 17-30.

Varadarajan, TK; Parvathy, R; Ramakrishna, TV; Kalidas, C. (1995). GIBBS ENERGIES OF SOLVATION AND SOLVENT TRANSPORT OF SOME SILVER(I) SALTS IN WATER PLUS N-METHYL-2-PYRROLIDINONE AT 30-DEGREES-C. Journal of Chemical and Engineering Data. 40: 883-886.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1997). Ion solvation of some copper(II) salts in water plus N-methyl-2-pyrrolidinone solvent mixtures at 30 degrees C. Journal of Chemical and Engineering Data. 42: 453-457.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1998). Ion-solvation behavior of some copper(II) salts in isodielectric solvent mixtures of methanol and N-methyl-2-pyrrolidinone at 30 degrees C. Journal of Chemical and Engineering Data. 43: 527-531.

Varfolomeev, MA; Rakipov, IT; Solomonov, BN; Marczak, W. (2016). Speed of Sound, Density, and Related Thermodynamic Excess Properties of Binary Mixtures of 2-Pyrrolidone and N-Methyl-2-pyrrolidone with Acetonitrile and Chloroform. Journal of Chemical and Engineering Data. 61: 1032-1046. http://dx.doi.org/10.1021/acs.jced.5b00474.

Vasu, K; Pramoda, K; Moses, K; Govindaraj, A; Rao, CNR. (2014). Single-walled nanohorns and other nanocarbons generated by submerged arc discharge between carbon electrodes in liquid argon and other media. 1. http://dx.doi.org/10.1088/2053-1591/1/1/015001.

Vayisoglu, ES; Harput, OB; Johnson, BR; Frere, B; Bartle, KD. (1997). Characterization of oil shales by extraction with N-methylpyrrolidone. Fuel. 76: 353-357.

Vega, A; Diez, F; Esteban, R; Coca, J. (1997). Solvent selection for cyclohexane-cyclohexene-benzene separation by extractive distillation using non-steady-state gas chromatography. Ind Eng Chem Res. 36: 803-807.

Venancio, EC; Wang, P, enC; Toledo, OY; Macdiarmid, AG. (2007). First preparation of optical quality films of nano/micro hollow spheres of polymers of aniline. Synthetic Metals. 157: 758-763. http://dx.doi.org/10.1016/j.synthmet.2007.08.006.

Venault, A; Chang, Y; Wu, J, iaRu; Wang, D, aM. (2014). Influence of solvent composition and non-solvent activity on the crystalline morphology of PVDF membranes prepared by VIPS process and on their arising mechanical properties. Taiwan Institute of Chemical Engineers Journal. 45: 1087-1097. http://dx.doi.org/10.1016/j.jtice.2013.08.014.

Verma, S; Pravarthana, D. (2011). One-pot synthesis of highly monodispersed ferrite nanocrystals: surface characterization and magnetic properties. Langmuir. 27: 13189-13197. http://dx.doi.org/10.1021/la202394n.

Vieira, HS; Andrada, DM; Mendonça, R; Santos, AP; Martins, MD; Macedo, WA; Gorgulho, HF; Pimenta, LP; Moreira, RL; Jorio, A; Pimenta, MA; Furtado, CA. (2007). Decarboxylation of oxidized single-wall carbon nanotubes. J Nanosci Nanotechnol. 7: 3421-3430. http://dx.doi.org/10.1166/jnn.2007.832.

Fate Literature Search Results

Off Topic

Vishnevskii, AV; Konoplev, VP; Kravchenko, ZA; Shreider, AV; Shenushen, YK; Fateeva, TV. (1992). CORROSIVITY OF N-METHYL PYRROLIDONE IN SOLVENT TREATMENT OF OILS. Chemistry and Technology of Fuels and Oils. 28: 18-19.

Vlad-Bubulac, T; Serbezeanu, D; Hamciuc, C. (2010). New Phosphorus-Containing Polyesterimides. Synthesis and Characterization. Materiale Plastice. 47: 440-445.

Vodnar, I. (1991). SULFUR-DIOXIDE RECOVERY FROM INDUSTRIAL GAS WITH DEVICES PROVIDED WITH FILM FORMING TUBES. Rev Chim. 42: 71-73.

Vogel, C; Komber, H; Quetschke, A; Butwilowski, W; Poetschke, A; Schlenstedt, K; Meier-Haack, J. (2011). Side-chain sulfonated random and multiblock poly(ether sulfone)s for PEM applications. React Funct Polym. 71: 828-842. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.04.006.

Vriezekolk, EJ; Kemperman, AJB; Girones, M; de Vos, WM; Nijmeijer, K. (2013). A solvent-shrinkage method for producing polymeric microsieves with sub-micron size pores. J Memb Sci. 446: 10-18. http://dx.doi.org/10.1016/j.memsci.2013.06.014.

Vu, D-L; Lee, CG, on. (2016). Oxidation of ash-free coal from sub-bituminous and bituminous coals in a direct carbon fuel cell. Korean J Chem Eng. 33: 507-513. http://dx.doi.org/10.1007/s11814-015-0164-1.

Vyas, A; Iroh, JO. (2014). Morphology and Structure of Nylon-6 Crystallized in Epoxy Resin Matrix. Polymer Engineering and Science. 54: 858-866. http://dx.doi.org/10.1002/pen.23616.

Vygodskii, YS; Sapozhnikov, DA; Bayminov, BA; Semjonov, SL; Kosolapov, AF; Plastinin, EA. (2016). In situ synthesis of copolymers based on polyvinylpyrrolidone and condensation polymers and their use as optical fiber coatings. Progr Org Coating. 99: 210-215. http://dx.doi.org/10.1016/j.porgcoat.2016.05.023.

Walker, RJ; Schwartz, CH; Wildman, DJ. (1984). VAPOR-PRESSURE AND HEAT OF SOLUTION OF SULFUR-DIOXIDE IN 1-METHYL-2-PYRROLIDONE AND ITS AQUEOUS-SOLUTION. Can J Chem Eng. 62: 135-141.

Wan, Q, un; Guo, X, ia; Wang, Z; Li, W; Guo, B; Ma, W, ei; Zhang, M; Li, Y. (2016). 10.8% Efficiency Polymer Solar Cells Based on PTB7-Th and PC71BM via Binary Solvent Additives Treatment. Adv Funct Mater. 26: 6635-6640. http://dx.doi.org/10.1002/adfm.201602181.

Wang, B; Gao, X, in; Piao, G. (2014). Controllable preparation of fullerene nanotubes. Mater Lett. 115: 82-84. http://dx.doi.org/10.1016/j.matlet.2013.10.023.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. Mater Chem Phys. 143: 773-778. http://dx.doi.org/10.1016/j.matchemphys.2013.10.012.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. Mater Chem Phys. 144: 553-559. http://dx.doi.org/10.1016/j.matchemphys.2014.01.039.

Wang, CG; Schindler, JL; Kannewurf, CR; Kanatzidis, MG. (1995). POLY(3,4-ETHYLENEDITHIATHIOPHENE) - A NEW SOLUBLE CONDUCTIVE POLYTHIOPHENE DERIVATIVE. Chem Mater. 7: 58-68.

Wang, D; Li, K; Teo, WK. (2000). ACS SYMPOSIUM SERIESPreparation of poly(ether sulfone) and poly(ether imide) hollow fiber membranes for gas separation: Effect of interval coagulant.

Wang, DH; Mirau, P; Li, B; Li, CY; Baek, JB; Tan, LS. (2008). Solubilization of carbon nanofibers with a covalently attached hyperbranched poly(ether ketone). Chem Mater. 20: 1502-1515. http://dx.doi.org/10.1021/cm702857z.

Wang, DL; Li, K; Teo, WK. (1995). EFFECTS OF TEMPERATURE AND PRESSURE ON GAS PERMSELECTION PROPERTIES IN ASYMMETRIC MEMBRANES. J Memb Sci. 105: 89-101.

Wang, DL; Li, K; Teo, WK. (1996). Polyethersulfone hollow fiber gas separation membranes prepared from NMP/alcohol solvent systems. J Memb Sci. 115: 85-108.

Wang, DL; Li, K; Teo, WK. (1998). Preparation and characterization of polyetherimide asymmetric hollow fiber membranes for gas separation. J Memb Sci. 138: 193-201.

Wang, DL; Li, K; Teo, WK. (2000). Highly permeable polyethersulfone hollow fiber gas separation membranes prepared using water as non-solvent additive. J Memb Sci. 176: 147-158.

Wang, DL; Li, K; Teo, WK. (2000). Preparation of annular hollow fibre membranes. J Memb Sci. 166: 31-39.

Wang, DL; Li, K; Teo, WK. (2002). Preparation of asymmetric polyetherimide hollow fibre membrane with high gas selectivities. J Memb Sci. 208: 419-426.

Wang, DL; Teo, WK; Li, K. (2002). Preparation and characterization of high-flux polysulfone hollow fibre gas separation membranes. J Memb Sci. 204: 247-256.

Wang, F; Hickner, M; Kim, YS; Zawodzinski, TA; Mcgrath, JE. (2002). Direct polymerization of sulfonated poly(arylene ether sulfone) random (statistical) copolymers: candidates for new proton exchange membranes. J Memb Sci. 197: 231-242.

Wang, F, ei; Yang, H, ui; Kang, Y, ao; Zhang, J. (2012). Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. J Mater Chem. 22: 19732-19737. http://dx.doi.org/10.1039/c2jm34506d.

Wang, G; Lee, KH; Lee, W, onHyo; Kang, N, aRae; Shin, DW, on; Zhuang, Y; Lee, YM, oo; Guiver, MD. (2015). Soluble sulfonated polybenzothiazoles containing naphthalene for use as proton exchange membranes. J Memb Sci. 490: 346-353. http://dx.doi.org/10.1016/j.memsci.2015.05.005.

Wang, GC; Yang, ZY; Li, XW; Li, CZ. (2005). Synthesis of poly(aniline-co-o-anisidine)-intercalated graphite oxide composite by delamination/reassembling method. Carbon. 43: 2564-2570. http://dx.doi.org/10.1016/j.carbon.2005.05.008.

Wang, H; Takarada, T. (2003). Characterization of high-temperature coal tar and supercritical-water extracts of coal by laser desorption ionization-mass spectrometry. Fuel Process Tech. 81: 247-258. http://dx.doi.org/10.1016/S0378-3820(03)00025-0.

Wang, H, ui; Xie, K, ai; Wang, L; Han, Y, u. (2012). N-methyl-2-pyrrolidone as a solvent for the non-aqueous electrolyte of rechargeable Li-air batteries. J Power Sources. 219: 263-271. http://dx.doi.org/10.1016/j.jpowsour.2012.07.065.

Wang, HH; Wu, S, huP. (2006). Synthesis of poly(amide-imide) copolymers from 3,3 '-dinitrobenzidine. 38: 46-53.

Fate Literature Search Results

Off Topic

Wang, J, un; Blau, WJ. (2008). Solvent effect on optical limiting properties of single-walled carbon nanotube dispersions. J Phys Chem C. 112: 2298-2303. http://dx.doi.org/10.1021/jp709926r.

Wang, J, un; Fruchtl, D; Sun, Z; Coleman, JN; Blau, WJ. (2010). Control of Optical Limiting of Carbon Nanotube Dispersions by Changing Solvent Parameters. J Phys Chem C. 114: 6148-6156. http://dx.doi.org/10.1021/jp9117248.

Wang, J; Li, CQ; Sakanishi, K; Nakazato, T; Tao, H; Takanohashi, T; Takarada, T; Saito, I. (2005). Investigation of the remaining major and trace elements in clean coal generated by organic solvent extraction. Fuel. 84: 1487-1493. http://dx.doi.org/10.1016/j.fuel.2005.01.012.

Wang, JG; Neoh, KG; Kang, ET. (2003). Polyaniline-palladium composite coatings for metallization of polyethylene substrate. Appl Surf Sci. 218: 231-244. http://dx.doi.org/10.1016/S0169-4332(03)00672-X.

Wang, K, unLi; Liou, W, unTai; Liaw, D, erJ; Chen, W, enT. (2008). A novel fluorescent poly(pyridine-imide) acid chemosensor. Dyes and Pigments. 78: 93-100. http://dx.doi.org/10.1016/j.dyepig.2007.10.015.

Wang, KY; Matsuura, T; Chung, TS; Guo, WF. (2004). The effects of flow angle and shear rate within the spinneret on the separation performance of poly (ethersulfone) (PES) ultrafiltration hollow fiber membranes. J Memb Sci. 240: 67-79. http://dx.doi.org/10.1016/j.memsci.2004.04.012.

Wang, L, ei; Pan, K, ai; Li, L, i; Cao, B. (2014). Surface Hydrophilicity and Structure of Hydrophilic Modified PVDF Membrane by Nonsolvent Induced Phase Separation and Their Effect on Oil/Water Separation Performance. Ind Eng Chem Res. 53: 6401-6408. http://dx.doi.org/10.1021/ie4042388.

Wang, LJ; Li, ZS; Ren, JZ; Li, SG; Jiang, CZ. (2006). Preliminary studies on the gelation time of poly(ether sulfones) membrane-forming system with an elongation method. J Memb Sci. 275: 46-51. http://dx.doi.org/10.1016/j.memsci.2005.08.019.

Wang, P, enC; Macdiarmid, AG. (2008). Vapor phase secondary doping of polyaniline (emeraldine salt) thin films with o-chlorophenol investigated by UV-VIS-NIR: Effects of primary dopants, substrate surfaces, and pre-treatments of organic vapors. React Funct Polym. 68: 201-207. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.09.002.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2001). Synthesis, characterization and anti-fouling properties of poly(ethylene glycol) grafted poly(vinylidene fluoride) copolymer membranes. J Mater Chem. 11: 783-789.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2002). Preparation and characterization of semi-conductive poly(vinylidene fluoride)/polyaniline blends and membranes. Appl Surf Sci. 193: 36-45.

Wang, P; Tang, Y; Yu, Z; Gu, J; Kong, J. (2015). Advanced Aromatic Polymers with Excellent Antiatomic Oxygen Performance Derived from Molecular Precursor Strategy and Copolymerization of Polyhedral Oligomeric Silsesquioxane. 7: 20144-20155. http://dx.doi.org/10.1021/acsami.5b05490.

Wang, P; Wang, K, ai; Zhang, J; Luo, G. (2015). Kinetic study of reactions of aniline and benzoyl chloride in a microstructured chemical system. AIChE J. 61: 3804-3811. http://dx.doi.org/10.1002/aic.14891.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of 4-carboxybenzaldehyde and 1,4-benzenedicarboxylic acid in N-methyl-2-pyrrolidone (343.2 to 468.2) K in the temperature range from. Journal of Chemical and Engineering Data. 50: 243-245. http://dx.doi.org/10.1021/je049706p.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of terephthalic acid in dimethyl sulfoxide plus water and in N,N-dimethylformamide plus water from (301.4 to 373.7) K. Journal of Chemical and Engineering Data. 50: 719-721. http://dx.doi.org/10.1021/je049577c.

Wang, S; Wang, W; Yu, L; Zhan, Z; Sun, D. (2016). The fast fabrication of flexible electronic devices of graphene composites. Nanotechnology. 27: 31LT01. http://dx.doi.org/10.1088/0957-4484/27/31/31LT01.

Wang, SM; Wang, Z; Zhang, Y; Wu, WJ; Liu, DZ; Zhang, XM. (2005). Experimental study of the control of pore sizes of porous membranes applying chemicals methods. Desalination. 177: 7-13. http://dx.doi.org/10.1016/j.desal.2004.12.003.

Wang, THF; Lin, TJ; Yang, DJ; Antonelli, JA; Yasuda, HK. (1996). Corrosion protection of cold-rolled steel by low temperature plasma inter-face engineering .1. Enhancement of E-coat adhesion. Progr Org Coating. 28: 291-297.

Wang, W; Jin, Z; Liu, H, ui. (2011). A Green and Air Pressure Solution Synthesis of CuInSe2 Nanocrystals Using 1-methyl-2-Pyrrolidinone as Hot Solvent. Journal of the American Ceramic Society. 94: 2571-2577. http://dx.doi.org/10.1111/j.1551-2916.2011.04414.x.

Wang, W; Jin, Z; Liu, H, ui; Du, H. (2011). Preparation and characteristics of CuInSe2 thin films by dip-coating method using its nanocrystal ink. Mater Lett. 65: 2895-2898. http://dx.doi.org/10.1016/j.matlet.2011.06.055.

Wang, W; Qin, Y; Qian, F; Ye, L; Hao, W; Yuan, L, i; Jin, F. (2014). Partitioning of elements from coal by different solvents extraction. Fuel. 125: 73-80. http://dx.doi.org/10.1016/j.fuel.2014.01.098.

Wang, W, ei; Yun, Z, hi; Tang, Z; Gui, X, ia. (2016). Solubilities of CO2 in some glycol ethers under high pressure by experimental determination and correlation. Chinese Journal of Chemical Engineering. 24: 373-378. http://dx.doi.org/10.1016/j.cjche.2015.08.007.

Wang, WC; Ong, GT; Lim, SL; Vora, RH; Kang, ET; Neoh, KG. (2003). Synthesis and characterization of fluorinated polyimide with grafted poly(N-isopropylacrylamide) side chains and the temperature-sensitive microfiltration membranes. Ind Eng Chem Res. 42: 3740-3749. http://dx.doi.org/10.1021/ie0302342.

Wang, WC; Vora, RH; Kang, ET; Neoh, KG; Liaw, DJ. (2003). pH-sensitive fluorinated polyimides with grafted acid and base side chains. Ind Eng Chem Res. 42: 784-794. http://dx.doi.org/10.1021/ie020830g.

Wang, X; Gao, J, ia; Zhang, J; Zhang, X; Guo, R. (2015). Theoretical and Experimental Studies on Acetylene Absorption in a Polytetrafluoroethylene Hollow-Fiber Membrane Contactor. Chem Eng Tech. 38: 215-222. http://dx.doi.org/10.1002/ceat.201400338.

Wang, X; Meng, G; Zhu, C; Huang, Z; Qian, Y; Sun, K; Zhu, X. (2013). A Generic Synthetic Approach to Large-Scale Pristine-Graphene/Metal-Nanoparticles Hybrids. Adv Funct Mater. 23: 5771-5777. http://dx.doi.org/10.1002/adfm.201301409.

Wang, X; Shi, L; Yin, J; Zhu, MS. (2002). A two-stage heat transformer with H2O/LiBr for the first stage and 2,2,2-trifluoroethanol (TFE)/N-methyl-2-pyrrolidone (NMP) for the second stage. Appl Energ. 71: 235-249.

Wang, X; Wang, Y; Li, X, ue; Liu, B, o; Zhao, J. (2015). A facile synthesis of copper sulfides composite with lithium-storage properties. J Power Sources. 281: 185-191. http://dx.doi.org/10.1016/j.jpowsour.2015.01.172.

Fate Literature Search Results

Off Topic

Wang, XM; Naito, H; Sone, Y; Segami, G; Kuwajima, S. (2005). New additives to improve the first-cycle charge-discharge performance of a graphite anode for lithium-ion cells. J Electrochem Soc. 152: A1996-A2001.

Wang, Y, i; Meng, Y; Wang, S; Li, C; Shi, W, ei; Chen, J; Wang, J; Huang, R. (2015). Direct Solvent-Derived Polymer-Coated Nitrogen-Doped Carbon Nanodots with High Water Solubility for Targeted Fluorescence Imaging of Glioma. Small. 11: 3575-3581. http://dx.doi.org/10.1002/smll.201403718.

Wang, Y, an; Shi, Z; Yin, J, ie. (2011). Boron nitride nanosheets: large-scale exfoliation in methanesulfonic acid and their composites with polybenzimidazole. J Mater Chem. 21: 11371-11377. http://dx.doi.org/10.1039/c1jm10342c.

Wang, YC; Fan, SC; Lee, KR; Li, CL; Huang, SH; Tsai, HA; Lai, JY. (2004). Polyamide/SDS-clay hybrid nanocomposite membrane application to water-ethanol mixture pervaporation separation. J Memb Sci. 239: 219-226. http://dx.doi.org/10.1016/j.memsci.2004.03.037.

Wang, Z; Li, L; Shui, H; Wang, Z; Cui, X; Ren, S; Lei, Z; Kang, S. (2011). Study on the aggregation of coal liquefied preasphaltene in organic solvents by UV-vis and fluorescence spectrophotometry. Fuel. 90: 305-311. http://dx.doi.org/10.1016/j.fuel.2010.08.009.

Wang, Z; Yang, N; Meng, B, o; Tan, X; Li, K. (2009). Preparation and Oxygen Permeation Properties of Highly Asymmetric La0.6Sr0.4Co0.2Fe0.8O3-alpha Perovskite Hollow-Fiber Membranes. Ind Eng Chem Res. 48: 510-516. http://dx.doi.org/10.1021/ie8010462.

Wang, Z; Yang, X; Chen, MY. (2014). Assembly of Patterned Graphene Film Aided by Wetting/Nonwetting Surface on Liquid Interface. I E E E Transactions on Nanotechnology. 13: 589-593. http://dx.doi.org/10.1109/TNANO.2014.2312951.

Watchanida, C; Denis, B; Celine, PB; Andre, D; Dupuy, C. (2006). Effect of a drying pretreatment on morphology of porous poly(Ether-Imide) membrane prepared using vapor-induced phase separation. Drying Technology. 24: 1317-1326. http://dx.doi.org/10.1080/07373930600846697.

Wath, SB; Katariya, MN; Singh, SK; Kanade, GS; Vaidya, AN. (2015). Separation of WPCBs by dissolution of brominated epoxy resins using DMSO and NMP: A comparative study. Chem Eng J. 280: 391-398. http://dx.doi.org/10.1016/j.cej.2015.06.007.

Wawro, D; Steplewski, W; Ciechanska, D; Krucinska, I; Wesolowska, E, wa. (2007). The effect of solvent type on the mechanical properties of dibutyrylchitin (DBC) fibres. 15: 14-18.

Webb, RL; Langford, SC; Dickinson, JT; Lippert, TK. (1998). Sensitization of PMMA to laser ablation at 308 nm. Appl Surf Sci. 127: 815-820.

Weber, T; Bechthold, M; Winkler, T; Dauselt, J; Terfort, A. (2013). Direct grafting of anti-fouling polyglycerol layers to steel and other technically relevant materials. Colloids Surf B Biointerfaces. 111: 360-366. http://dx.doi.org/10.1016/j.colsurfb.2013.05.026.

Wee, SB, ok; An, G, yeS; Han, J, inS; Oh, HC; Choi, SC. (2016). Co-dispersion behavior and interactions of nano-ZrB2 and nano-SiC in a non-aqueous solvent. Ceramics International. 42: 4658-4662. http://dx.doi.org/10.1016/j.ceramint.2015.11.039.

Wei, XY; Shen, JL; Takanohashi, T; Iino, M. (1989). EFFECT OF EXTRACTABLE SUBSTANCES ON COAL DISSOLUTION - USE OF A CARBON-DISULFIDE N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AS AN EXTRACTION SOLVENT FOR DISSOLUTION REACTION-PRODUCTS. Energy Fuels. 3: 575-579.

Weidlich, U; Rohm, HJ; Gmehling, J. (1987). MEASUREMENT OF GAMMA-INFINITY USING GLC .2. RESULTS FOR THE STATIONARY PHASES N-FORMYLMORPHOLINE AND N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 32: 450-453.

Weigel, P; Gensrich, J; Wagenknecht, W. (1996). Model investigations on the effect of an intermediate derivatization on structure and properties of regenerated cellulose filaments. 50: 483-490.

Wen, TC; Chen, JB; Gopalan, A. (2002). Soluble and methane sulfonic acid doped poly(diphenylamine) - synthesis and characterization. Mater Lett. 57: 280-290.

Weng, CJ; Chang, C, hiHao; Lin, IL, i; Yeh, J, uiM; Wei, Y, en; Hsu, CL; Chen, P, oHan. (2012). Advanced anticorrosion coating materials prepared from fluoro-polyaniline-silica composites with synergistic effect of superhydrophobicity and redox catalytic capability. Surf Coating Tech. 207: 42-49. http://dx.doi.org/10.1016/j.surfcoat.2012.04.097.

Weng, W, enLu; Chen, J, uiT; Yang, J, eiWai; Chang, J, iS. (2007). Isothermal vapor-liquid equilibria of binary mixtures of nitrogen with dimethyl sulfoxide, N-Methyl-2-pyrrolidone, and diethylene glycol monobutyl ether at elevated pressures. Journal of Chemical and Engineering Data. 52: 511-516. http://dx.doi.org/10.1021/je6005357.

Weyten, H; Servaes, F; Mertens, M; Buekenhoudt, A; Cornelis, J; Vandriessche, I; Hoste, S. (1995). YBa2Cu3O7-x superconductive tapes and wires: A peritectic sintering procedure to improve the quality. Journal of Materials Science. 30: 6047-6052.

Wheaton, CJ; Savage, A; Shukla, A; Neiffer, D; Qu, W; Sun, Y; Lasley, BL. (2011). The use of long acting subcutaneous levonorgestrel (LNG) gel depot as an effective contraceptive option for cotton-top tamarins (Saguinus oedipus). Zoo Biology. 30: 498-522. http://dx.doi.org/10.1002/zoo.20354.

White, CM; Rohar, PC; Veloski, GA; Anderson, RR. (1997). Practical notes on the use of N-methyl-2-pyrrolidinone as a solvent for extraction of coal and coal-related materials. Energy Fuels. 11: 1105-1106.

Willey, AD; Holt, JM; Larsen, BA; Blackburn, JL; Liddiard, S; Abbott, J; Coffin, M; Vanfleet, RR; Davis, RC. (2014). Thin films of carbon nanotubes via ultrasonic spraying of suspensions in N-methyl-2-pyrrolidone and N-cyclohexyl-2-pyrrolidone. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 32. http://dx.doi.org/10.1116/1.4861370.

Williams, JC; Meador, MA, nnB; Mccorkle, L; Mueller, C; Wilmoth, N. (2014). Synthesis and Properties of Step-Growth Polyamide Aerogels Cross-linked with Triacid Chlorides. Chem Mater. 26: 4163-4171. http://dx.doi.org/10.1021/cm5012313.

Wolkoff, P. (1998). Impact of air velocity, temperature, humidity, and air on long-term VOC emissions from building products. Atmos Environ. 32: 2659-2668.

Won, J; Park, HC; Kim, UY; Kang, YS; Yoo, SH; Jho, JY. (1999). The effect of dope solution characteristics on the membrane morphology and gas transport properties: PES/gamma-BL/NMP system. J Memb Sci. 162: 247-255.

Wong, DP; Tseng, H, anP; Chen, Y, itT; Hwang, BJ, oe; Chen, L, iC; Chen, KH. (2013). A stable silicon/graphene composite using solvent exchange method as anode material for lithium ion batteries. Carbon. 63: 397-403. http://dx.doi.org/10.1016/j.carbon.2013.06.095.

Woo, HY; Shim, HK; Lee, KS. (1999). A new NLO polyurethane with a tricyanovinyl group. Synthetic Metals. 101: 136-137.

Fate Literature Search Results

Off Topic

Woo, HY; Shim, HK; Lee, KS; Jeong, MY; Lim, TK. (1999). An alternate synthetic approach for soluble nonlinear optical polyimides. Chem Mater. 11: 218-226.

Wood, DL, III; Li, J; Daniel, C. (2015). Prospects for reducing the processing cost of lithium ion batteries. J Power Sources. 275: 234-242.

Wu, B; Cheng, Y; Li, X, i. (2012). Thermodynamic Properties and Crystal Structures of the Adductive 2,6-Naphthalenedicarboxylic Acid Crystallization with N,N-Dimethyl Acetamide and N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 57: 406-411. http://dx.doi.org/10.1021/je2009973.

Wu, D; Zhao, L, in; Vakharia, VK; Salim, W; Ho, WSW. (2016). Synthesis and characterization of nanoporous polyethersulfone membrane as support for composite membrane in CO2 separation: From lab to pilot scale. J Memb Sci. 510: 58-71. http://dx.doi.org/10.1016/j.memsci.2016.03.022.

Wu, F; Ngothai, Y; Wei, J; Liu, C; O'Neill, B; Wu, Y. (2012). Premixed, injectable PLA-modified calcium deficient apatite biocement (cd-AB) with washout resistance. Colloids Surf B Biointerfaces. 92: 113-120. http://dx.doi.org/10.1016/j.colsurfb.2011.11.037.

Wu, L, iLi; Chang, W, eiX; Guan, G, uoF. (2007). Extractants design based on an improved genetic algorithm. Ind Eng Chem Res. 46: 1254-1258. http://dx.doi.org/10.1021/ie060022f.

Wu, L; Sun, J; Wang, Q. (2006). Poly(vinylidene fluoride)/polyethersulfone blend membranes: Effects of solvent sort, polyethersulfone and polyvinylpyrrolidone concentration on their properties and morphology. J Memb Sci. 285: 290-298. http://dx.doi.org/10.1016/j.memsci.2006.08.033.

Wu, Y, an; Zhu, H; Feng, L, i; Zhang, L; Xing, S. (2016). Effects of 1-methyl-2-pyrrolidinone (NMP) on polyamide-polysulfone TFC membrane pore morphology and ICP and membrane performance in forward osmosis. Desalination and Water Treatment. 57: 7637-7649. http://dx.doi.org/10.1080/19443994.2015.1035680.

Wycisk, R; Pintauro, PN. (1996). Sulfonated polyphosphazene ion-exchange membranes. J Memb Sci. 119: 155-160.

Xi, J; Li, Z; Yu, L; Yin, B; Wang, L, ei; Liu, L, e; Qiu, X; Chen, L. (2015). Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. J Power Sources. 285: 195-204. http://dx.doi.org/10.1016/j.jpowsour.2015.03.104.

Xia, YN; Wiesinger, JM; Macdiarmid, AG; Epstein, AJ. (1995). CAMPHORSULFONIC ACID FULLY DOPED POLYANILINE EMERALDINE SALT - CONFORMATIONS IN DIFFERENT SOLVENTS STUDIED BY AN ULTRAVIOLET-VISIBLE NEAR-INFRARED SPECTROSCOPIC METHOD. Chem Mater. 7: 443-445.

Xiao, G; Tong, K; Zhou, L; Xiao, J; Sun, S; Li, P; Yu, J. (2012). Adsorption and Desorption Behavior of Lithium Ion in Spherical PVC-MnO2 Ion Sieve. Ind Eng Chem Res. 51: 10921-10929. http://dx.doi.org/10.1021/ie300087s.

Xiao, Z; Camino, FE. (2009). The fabrication of carbon nanotube field-effect transistors with semiconductors as the source and drain contact materials. Nanotechnology. 20: 135205. http://dx.doi.org/10.1088/0957-4484/20/13/135205.

Xiao, Z; Sharma, H; Zhu, MY; Pearson, T. (2010). Dielectrophoresis-assisted deposition and alignment of single-walled carbon nanotubes for electronic-device fabrication. Journal of Vacuum Science and Technology A. 28: 750-754. http://dx.doi.org/10.1116/1.3378151.

Xiaofei, E; Wada, Y; Nozaki, J; Miyauchi, H; Tanaka, S; Seki, Y; Koizumi, A. (2000). A linear pharmacokinetic model predicts usefulness of N-methyl-2-pyrrolidone (NMP) in plasma or urine as a biomarker for biological monitoring for NMP exposure. J Occup Health. 42: 321-327.

Xie, L; Sha, J, in; Ma, Y; Han, J. (2013). Thermal Reduction of Graphene Oxide in Organic Solvents for Producing Colloidal Suspensions of Reduced Graphene Oxide Sheets. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 901-915. http://dx.doi.org/10.1080/1536383X.2013.826196.

Xie, X; Huang, B, in; Zhou, W; Cai, M. (2016). Synthesis and Properties of Novel Copolymers of Poly(ether ketone ether ketone ketone) and Poly(ether ketone ketone ether ketone ketone) Containing 1,4-Naphthylene Moieties. Polymer Engineering and Science. 56: 566-572. http://dx.doi.org/10.1002/pen.24281.

Xie, YL; Wang, MJ; Yao, SJ. (2009). Preparation and characterization of biocompatible microcapsules of sodium cellulose sulfate/chitosan by means of layer-by-layer self-assembly. Langmuir. 25: 8999-9005. http://dx.doi.org/10.1021/la9014338.

Xilong, W; Xiaoyan, S; Zhexu, Z; Xuemei, L; Xingwei, L; Cheng, Y; Yuxi, L. (2016). Preparation and Mechanical Properties of Hard Metals Using Graphene as Carbon Source. 45: 3262-3266.

Xing, DY, u; Peng, N, a; Chung, T, aiS. (2010). Formation of Cellulose Acetate Membranes via Phase Inversion Using Ionic Liquid, [BMIM]SCN, As the Solvent. Ind Eng Chem Res. 49: 8761-8769. http://dx.doi.org/10.1021/ie1007085.

Xiong, J; Jiang, F; Shi, H; Xu, J; Liu, C; Zhou, W; Jiang, Q; Zhu, Z; Hu, Y. (2015). Liquid Exfoliated Graphene as Dopant for Improving the Thermoelectric Power Factor of Conductive PEDOT:PSS Nanofilm with Hydrazine Treatment. 7: 14917-14925. http://dx.doi.org/10.1021/acsami.5b03692.

Xu, HJ; Zhang, CF; Zheng, ZS. (2002). Selective H2S removal by nonaqueous methyldiethanolamine solutions in an experimental apparatus. Ind Eng Chem Res. 41: 2953-2956. http://dx.doi.org/10.1021/ie0109253.

Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). 3: 2628-2633. http://dx.doi.org/10.1039/c4ta05640j.

Xu, SM; Liu, YL; Zhang, LS. (2001). Performance research of self regenerated absorption heat transformer cycle using TFE-NMP as working fluids. International Journal of Refrigeration. 24: 510-518.

Xu, W, enLin; Mao, F; Zhao, HK, un; Wang, Y, aQ; Wang, J, in. (2007). Solubility of anthracene in N,N-dimethyformamide, N,N-dimethylacetamide, and N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 52: 553-554. http://dx.doi.org/10.1021/je060454x.

Xu, W, u; Viswanathan, VV; Wang, D; Towne, SA; Xiao, J, ie; Nie, Z; Hu, D; Zhang, J, iG. (2011). Investigation on the charging process of Li(2)O(2)-based air electrodes in Li-O(2) batteries with organic carbonate electrolytes. J Power Sources. 196: 3894-3899. http://dx.doi.org/10.1016/j.jpowsour.2010.12.065.

Fate Literature Search Results

Off Topic

Xu, Y; Wang, Z; Guo, Z; Huang, H, ao; Xiao, Q; Zhang, H, an; Yu, X, ueF. (2016). Solvothermal Synthesis and Ultrafast Photonics of Black Phosphorus Quantum Dots. 4: 1223-1229. http://dx.doi.org/10.1002/adom.201600214.

Xue, L; Zhao, F; Xing, X; Zhou, Z; Wang, K, ai; Gao, H; Yi, J; Xu, S; Hu, R. (2011). Dissolution Properties of 1,2,4-Triazole Nitrate in N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 56: 259-262. http://dx.doi.org/10.1021/je100838m.

Yamamura, M; Matsumoto, H; Mawatari, Y; Kage, H. (2013). Drying-induced reduction in electrical resistivity of carbon black-polyamideimide nanocomposite films. Chemical Engineering and Processing: Process Intensification. 70: 17-20. http://dx.doi.org/10.1016/j.cep.2013.05.012.

Yan, B; Gu, J; Xiao, X. (2010). LnPO(4): RE3+ (La = La, Gd; RE = Eu, Tb) nanocrystals: solvo-thermal synthesis, microstructure and photoluminescence. J Nanopart Res. 12: 2145-2152. http://dx.doi.org/10.1007/s11051-009-9776-x.

Yan, JS; Lau, WWY. (1998). Effect of internal coagulant on morphology of polysulfone hollow fiber membranes. I. Separation Science and Technology. 33: 33-55.

Yan, X; Zheng, D; Zhang, M, in; Yang, W. (2015). Isothermal vapor-liquid equilibrium measurements and assessments of 1,1,1,3,3,3-hexafluoropropane plus N,N-dimethylformamide/N-methyl-2-pyrrolidone working pairs for absorption power cycles. Fluid Phase Equilibria. 406: 27-33. http://dx.doi.org/10.1016/j.fluid.2015.08.003.

Yang, C; He, G; He, Y; Ma, P. (2008). Densities and viscosities of N,N-dimethylformamide plus N-methyl-2-pyrrolidinone and plus dimethyl sulfoxide in the temperature range (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 53: 1639-1642. http://dx.doi.org/10.1021/je800138b.

Yang, CP; Chen, RS; Wei, CS. (2002). Synthesis and properties of new soluble poly(amide-imide-imide)s. Polymer Engineering and Science. 42: 1220-1230.

Yang, CP; Chen, RS; Wei, CS. (2003). Synthesis and properties of new soluble poly(amide-imide-imide)s based on tetraimide-dicarboxylic acid condensed from ODPA, BAPP and p-ABA, and various aromatic diamines. Mater Chem Phys. 77: 226-235.

Yang, CP; Hsiao, SH; Yang, HW. (2000). Synthesis and characterization of new aromatic poly(amide-imide)s derived from 1,4-bis(4-aminophenoxy)-2-t-butylbenzene and various bis(trimellitimide)s. Mater Chem Phys. 64: 116-122.

Yang, CS; Ma, PS; Zhou, Q. (2004). Excess molar volumes and viscosities of binary mixtures of p-xylene with cyclohexane, n-heptane, n-octane, sulfolane, N-methyl-2-pyrrolidone and acetic acid at 303.15 K and 323.15 K and atmospheric pressure. Chinese Journal of Chemical Engineering. 12: 700-706.

Yang, CS; Xu, W; Ma, PS. (2004). Thermodynamic properties of binary mixtures of p-xylene with cyclohexane, heptane, octane, and N-methyl-2-pyrrolidone at several temperatures. Journal of Chemical and Engineering Data. 49: 1794-1801. http://dx.doi.org/10.1021/je04776w.

Yang, CS; Yu, WL; Ma, PS. (2005). Densities and viscosities of binary mixtures of ethylbenzene plus N-methyl-2-pyrrolidone, ethylbenzene plus sulfolane, and styrene plus octane from (303.15 to 353.15) K and atmospheric pressure. Journal of Chemical and Engineering Data. 50: 1197-1203. http://dx.doi.org/10.1021/je049572f.

Yang, D; Adams, PN; Brown, L; Mattes, BR. (2006). Impact of hydrogen bonds in polyaniline. AMPSA(n)/acid solutions. Synthetic Metals. 156: 1225-1235. http://dx.doi.org/10.1016/j.synthmet.2006.09.002.

Yang, D; Fadeev, AG; Adams, PN; Mattes, BR. (2007). GPC characterization of emeraldine, base in NMP containing ionic liquids. Synthetic Metals. 157: 988-996. http://dx.doi.org/10.1016/j.synthmet.2007.10.002.

Yang, D; Mattes, BR. (1999). Investigation of gel inhibitor assisted dissolution of polyaniline: A case study for emeraldine base, 2-methyl-aziridine, and N-methyl-pyrrolidone. Synthetic Metals. 101: 746-749.

Yang, D; Mattes, BR. (2008). Investigation of interaction among polyaniline, organic acid, and water. Synthetic Metals. 158: 654-660. http://dx.doi.org/10.1016/j.synthmet.2008.04.017.

Yang, DL; Adams, PN; Mattes, BR. (2001). Intrinsic viscosity measurement of dilute emeraldine base solutions for estimating the weight average molecular weight of polyaniline. Synthetic Metals. 119: 301-302.

Yang, DL; Mattes, BR. (2002). Polyaniline emeraldine base in N-methyl-2-pyrrolidinone containing secondary amine additives B - Characterization of solutions and thin films. Synthetic Metals. 129: 249-260.

Yang, JL; Stansberry, PG; Zondlo, JW; Stiller, AH. (2002). Characteristics and carbonization behaviors of coal extracts. Fuel Process Tech. 79: 207-215.

Yang, K; Wang, C; Wei, J, ie. (2007). A study on biocomposite of nano apatite/poly (1,4-phenylene-sulfide)-poly (2,4-phenylene sulfide acid). Composites Part B: Engineering. 38: 306-310. http://dx.doi.org/10.1016/j.compositesb.2006.06.008.

Yang, N; Tan, X; Ma, Z. (2008). A phase inversion/sintering process to fabricate nickel/yttria-stabilized zirconia hollow fibers as the anode support for micro-tubular solid oxide fuel cells. J Power Sources. 183: 14-19. http://dx.doi.org/10.1016/j.jpowsour.2008.05.006.

Yang, Q; Chung, T, aiS; Santoso, YE. (2007). Tailoring pore size and pore size distribution of kidney dialysis hollow fiber membranes via dual-bath coagulation approach. J Memb Sci. 290: 153-163. http://dx.doi.org/10.1016/j.memsci.2006.12.036.

Yang, S; Shen, C; Tian, Y; Zhang, X; Gao, HJ. (2014). Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. Nanoscale. 6: 13154-13162. http://dx.doi.org/10.1039/c4nr04349a.

Yang, S; Wang, X; Zhu, Y; Qiao, M; Chen, N, a. (2013). Isobaric vapor-liquid equilibrium data of the binary systems of octane with p, o, m-xylene at 20 kPa. Fluid Phase Equilibria. 344: 1-5. http://dx.doi.org/10.1016/j.fluid.2013.01.015.

Yang, X; Zhang, B; Liu, Z; Deng, B, o; Yu, M; Li, L; Jiang, H; Li, J. (2011). Preparation of the antifouling microfiltration membranes from poly(N,N-dimethylacrylamide) grafted poly(vinylidene fluoride) (PVDF) powder. J Mater Chem. 21: 11908-11915. http://dx.doi.org/10.1039/c1jm11348h.

Yang, XL; Larsen, JW; Silbernagel, BG. (1993). H-1 SPIN-ECHO NMR RELAXATION STUDIES OF DRIED AND SWOLLEN ARGONNE PREMIUM COALS. Energy Fuels. 7: 439-445.

Yang, XL; Silbernagel, BG; Larsen, JW. (1994). PHASE-BEHAVIOR AND MACROMOLECULAR STRUCTURE OF SWOLLEN COALS - A LOW-TEMPERATURE H-1 AND H-2 NMR-STUDY. Energy Fuels. 8: 266-275.

Fate Literature Search Results

Off Topic

Yang, Y; Hu, H, ao; Zhou, CH, ua; Xu, S; Sebo, B; Zhao, XZ. (2011). Novel agarose polymer electrolyte for quasi-solid state dye-sensitized solar cell. J Power Sources. 196: 2410-2415.

Yang, Y; Miao, L, ei; Hu, J; Liu, G; Tu, Y; Lin, S; Liu, F; Li, F, ei; Wu, Y, an; Zhang, G; Zou, H. (2014). Hydrophilization of polysulfone membranes using a binary graft copolymer. 2: 10410-10423. http://dx.doi.org/10.1039/c4ta01481b.

Yang, Y; Yang, D; Zhang, S; Wang, J, un; Jian, X. (2006). Preparation and characterization of poly(phthalazinone ether sulfone ketone) hollow fiber ultrafiltration membranes with excellent thermal stability. J Memb Sci. 280: 957-968. http://dx.doi.org/10.1016/j.memsci.2006.03.023.

Yang, YQ; Jian, XG; Yang, DL; Zhang, SH; Zou, LJ. (2006). Poly (phthalazinone ether sulfone ketone) (PPESK) hollow fiber asymmetric nanofiltration membranes: Preparation, morphologies and properties. J Memb Sci. 270: 1-12. http://dx.doi.org/10.1016/j.memsci.2005.06.036.

Yang, Z; Xue, Z; Liao, Y; Zhou, X; Zhou, J; Zhu, J; Xie, X. (2013). Hierarchical hybrids of carbon nanotubes in amphiphilic poly(ethylene oxide)-block-polyaniline through a facile method: from smooth to thorny. Langmuir. 29: 3757-3764. http://dx.doi.org/10.1021/la304283n.

Yang, ZY, u; Hu, Y, uF; Wang, Z, hiXin; Sun, Y, u; Jiang, CC; Chen, Y, uFei. (2014). Densities and Viscosities of the Binary and Ternary Aqueous Solutions of Pyrrolidone-Based Ionic Liquids at Different Temperatures and Atmospheric Pressure. Journal of Chemical and Engineering Data. 59: 1094-1104. http://dx.doi.org/10.1021/je4002009.

Yao, G, anB; Sun, Y, aP; Wang, L; Yi, JK; Meng, L; Zhang, X, u. (2014). Phase Equilibrium and Phase Diagram for the System of Benzene Dicarboxylic Acid plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 59: 2686-2692. http://dx.doi.org/10.1021/je500542j.

Yao, H; Zhang, S; Wang, J; Zhou, Q; Dong, H; Zhang, X. (2012). Densities and Viscosities of the Binary Mixtures of 1-Ethyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide with N-Methyl-2-pyrrolidone or Ethanol at T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 875-881. http://dx.doi.org/10.1021/je200922s.

Yao, P, ei; Xu, J, un; Wang, Y, i; Zhu, C. (2009). Preparation and characterization of soluble and DBSA doped polyaniline grafted multi-walled carbon nanotubes nano-composite. Journal of Materials Science: Materials in Electronics. 20: 891-898. http://dx.doi.org/10.1007/s10854-008-9812-0.

Yaug, L, i; Xi, G; Xi, Y. (2015). Recovery of Co, Mn, Ni, and Li from spent lithium ion batteries for the preparation of LiNixCoyMnzO2 cathode materials. Ceramics International. 41: 11498-11503. http://dx.doi.org/10.1016/j.ceramint.2015.05.115.

Yazdani, S; Hatami, M; Vahdat, SM. (2014). The chemistry concerned with the sonochemical-assisted synthesis of CeO2/poly(amic acid) nanocomposites. Turkish Journal of Chemistry. 38: 388-401. http://dx.doi.org/10.3906/kim-1306-33.

Yeon, Y; Lee, MY; Kim, SY; Lee, J; Kim, B; Park, B; In, I. (2015). Production of quasi-2D graphene nanosheets through the solvent exfoliation of pitch-based carbon fiber. Nanotechnology. 26: 375602. http://dx.doi.org/10.1088/0957-4484/26/37/375602.

Yeow, ML; Liu, YT; Li, K. (2005). Preparation of porous PVDF hollow fibre membrane via a phase inversion method using lithium perchlorate (LiClO4) as an additive. J Memb Sci. 258: 16-22. http://dx.doi.org/10.1016/j.memsci.2005.01.015.

Yigit, M; Seckin, T; Yigit, B; Koytepe, S. (2013). Synthesis and characterization of thermally stable camphor-based polyimide-clay nanocomposites. Turkish Journal of Chemistry. 37: 182-194. http://dx.doi.org/10.3906/kim-1202-65.

Yin, J; Shi, L; Zhu, MS; Han, LZ. (2000). Performance analysis of an absorption heat transformer with different working fluid combinations. Appl Energ. 67: 281-292.

Yin, J, un; Zhu, G; Deng, B. (2013). Multi-walled carbon nanotubes (MWNTs)/polysulfone (PSU) mixed matrix hollow fiber membranes for enhanced water treatment. J Memb Sci. 437: 237-248. http://dx.doi.org/10.1016/j.memsci.2013.03.021.

Yin, W; Ding, S; Xia, S; Ma, P; Huang, X; Zhu, Z. (2010). Cosolvent Selection for Benzene-Cyclohexane Separation in Extractive Distillation. Journal of Chemical and Engineering Data. 55: 3274-3277. http://dx.doi.org/10.1021/je100081v.

Ying, L; Kang, ET; Neoh, KG. (2002). Synthesis and characterization of poly(N-isopropylacrylamide)-graft-poly(vinylidene fluoride) copolymers and temperature-sensitive membranes. Langmuir. 18: 6416-6423. http://dx.doi.org/10.1021/la020241f.

Ying, L; Kang, ET; Neoh, KG. (2003). Characterization of membranes prepared from blends of poly(acrylic acid)-graft-poly(vinylidene fluoride) with poly(N-isopropylacrylamide) and their temperature- and pH-sensitive microfiltration. J Memb Sci. 224: 93-106. http://dx.doi.org/10.1016/j.memsci.2003.07.002.

Yong, W, aiFen; Li, F, uYun; Chung, T, aiS; Tong, Y, enWah. (2014). Molecular interaction, gas transport properties and plasticization behavior of cPIM-1/Torlon blend membranes. J Memb Sci. 462: 119-130. http://dx.doi.org/10.1016/j.memsci.2014.03.046.

Yoo, JE; Kim, JH; Kim, Y; Kim, CK. (2003). Novel ultrafiltration membranes prepared from the new miscible blends of polysulfone with poly(1-vinylpyrrolidone-co-styrene) copolymers. J Memb Sci. 216: 95-106. http://dx.doi.org/10.1016/S0376-7388(03)00062-0.

Yoo, SH; Jho, JY; Won, J; Park, HC; Kang, YS. (2000). Effect of solvent and cosolvent on the morphology and permeance of asymmetric polyimide membrane. J Ind Eng Chem. 6: 129-132.

Yoon, KH; Yang, BD. (2003). Preparation and characterization of matrix retaining electrolyte for a phosphoric acid fuel cell by non-volatile solvent, NMP. J Power Sources. 124: 47-51. http://dx.doi.org/10.1016/S0378-7753(03)00629-3.

Yoonessi, M; Shi, Y; Scheiman, DA; Lebron-Colon, M; Tigelaar, DM; Weiss, RA; Meador, MA. (2012). Graphene polyimide nanocomposites; thermal, mechanical, and high-temperature shape memory effects. ACS Nano. 6: 7644-7655. http://dx.doi.org/10.1021/nn302871y.

Yoshida, K; Shimomura, T; Ito, K; Hayakawa, R. (1999). Inclusion complex formation of cyclodextrin and polyaniline. Langmuir. 15: 910-913.

Yoshida, T; Takanohashi, T; Iino, M; Katoh, K. (2001). Dynamic viscoelastic measurement of coal extracts and residues. Energy Fuels. 15: 170-175. http://dx.doi.org/10.1021/ef000150v.

Yoshida, T; Takanohashi, T; Iino, M; Kumagai, H; Kato, K. (2004). Interactions among different fractions in the thermoplastic state of Goonyella coking coal. Energy Fuels. 18: 349-356. http://dx.doi.org/10.1021/ef034008g.

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). The effect of extraction condition on 'HyperCoal' production (I) - under room-temperature filtration. Fuel. 81: 1463-1469.

Fate Literature Search Results

Off Topic

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). Relationship between thermal extraction yield and softening temperature for coals. Energy Fuels. 16: 1006-1007. http://dx.doi.org/10.1021/ef010244k.

Yoshino, H; Timko, AG; Itani, T; Tanabe, H; Houlihan, FM; Nalamasu, O. (1999). Environmental stability of 193-nm single layer chemically amplified resists. 40: 345-349.

Youwei, C; Ge, P; Bianhua, W; Xia, G; Xi, L. (2011). Thermodynamic Study on the Adduct Crystallization of Terephthalic Acid with Amides. Journal of Chemical and Engineering Data. 56: 1020-1024. http://dx.doi.org/10.1021/je101018w.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2013). Kinetics of Michael addition polymerizations of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 53: 204-211. http://dx.doi.org/10.1002/pen.23248.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chiang, Y, uC; Lin, W; Jiang, J, yhC; Chern, CS. (2014). Effect of solvent proton affinity on the kinetics of michael addition polymerization of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 54: 559-568. http://dx.doi.org/10.1002/pen.23587.

Yu, F, uEn; Lee, H, aoYeh; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2014). Kinetics of polymerization of N,N '-bismaleimide-4, 4 '-diphenylmethane with barbituric acid. Taiwan Institute of Chemical Engineers Journal. 45: 2820-2826. http://dx.doi.org/10.1016/j.jtice.2014.06.003.

Yu, L; Wang, XH; Li, J; Jing, XB; Wang, FS. (1999). Soluble 2,5-dimercapto-1,3,4-thiadiazole/poly(o-toluidine) electroactive composite. J Electrochem Soc. 146: 1712-1716.

Yu, SJ, un; Baik, D, ooH; Jeong, YG, yu. (2014). Synthesis and characterization of poly(2-cyano-1,4-phenylene terephthalamide) and its copolymers by phosphorylation-assisted polycondensation reaction. Fibers and Polymers. 15: 2447-2452. http://dx.doi.org/10.1007/s12221-014-2447-2.

Yue, XM; Wei, XY; Sun, B; Zong, ZM; Song, LF; Wang, YH; Liu, FJ; Zhao, W; Fan, X; Zhao, YP. (2014). Difference in Molecular Composition of the Carbon Disulfide/Acetone-extractable Fraction between Xilinhaote Lignite and Geting Bituminous Coal. Energ Source Part A. 36: 2651-2659. http://dx.doi.org/10.1080/15567036.2011.621927.

Yun, SY; Kim, J; Ounaies, Z. (2006). Single-walled carbon nanotube/polyaniline coated cellulose based electro-active paper (EAPap) as hybrid actuator. Smart Materials and Structures. 15: N61-N65. http://dx.doi.org/10.1088/0964-1726/15/3/N02.

Yune, PS; Kilduff, JE; Belfort, G. (2011). Using co-solvents and high throughput to maximize protein resistance for poly(ethylene glycol)-grafted poly(ether sulfone) UF membranes. J Memb Sci. 370: 166-174. http://dx.doi.org/10.1016/j.memsci.2011.01.006.

Zackrisson, M; Avellan, L; Orlenius, J. (2010). Life cycle assessment of lithium-ion batteries for plug-in hybrid electric vehicles - Critical issues. J Clean Prod. 18: 1519-1529. http://dx.doi.org/10.1016/j.jclepro.2010.06.004.

Zahran, F; Morere, J; Cabanas, A; Renuncio, JAR; Pando, C. (2011). Role of excess molar enthalpies in supercritical antisolvent micronizations using dimethylsulfoxide as the polar solvent. Journal of Supercritical Fluids. 60: 45-50. http://dx.doi.org/10.1016/j.supflu.2011.02.015.

Zaky, MT; Mohamed, NH; Farag, AS. (2011). Separation of some paraffin wax grades using solvent extraction technique. Fuel Process Tech. 92: 2024-2029. http://dx.doi.org/10.1016/j.fuproc.2011.06.002.

Zaky, MT; Tawfik, SM. (2011). Production of lubricating base oil from slop wax by different subsequent refining techniques. Fuel Process Tech. 92: 447-451. http://dx.doi.org/10.1016/j.fuproc.2010.10.008.

Zare, EN; Lakouraj, MM; Moghadam, PN; Azimi, R. (2013). Novel polyfuran/functionalized multiwalled carbon nanotubes composites with improved conductivity: Chemical synthesis, characterization, and antioxidant activity. Polymer Composites. 34: 732-739. http://dx.doi.org/10.1002/pc.22476.

Zarrebini, M; Saghafi, R; Semnani, D; Mahmoudi, MR. (2015). High pressure injection technique for hypochlorite treatment of polysulfone hollow fibre membranes. Indian Journal of Fibre & Textile Research. 40: 405-413.

Zarth, CSP; Koschella, A; Pfeifer, A; Dorn, S; Heinze, T. (2011). Synthesis and characterization of novel amino cellulose esters. Cellulose. 18: 1315-1325. http://dx.doi.org/10.1007/s10570-011-9557-4.

Zawacka, NK; Andersen, TR; Andreasen, JW; Rossander, L, eaH; Dam, HF; Jorgensen, M; Krebs, FC. (2014). The influence of additives on the morphology and stability of roll-to-roll processed polymer solar cells studied through ex situ and in situ X-ray scattering. 2: 18644-18654. http://dx.doi.org/10.1039/c4ta03484h.

Zawadzki, M; Niedzicki, L; Wieczorek, W; Domanska, U. (2013). Estimation of extraction properties of new imidazolide anion based ionic liquids on the basis of activity coefficient at infinite dilution measurements. Separation and Purification Technology. 118: 242-254. http://dx.doi.org/10.1016/j.seppur.2013.07.006.

Zehioua, R; Coquelet, C; Meniai, AH. (2016). p-T-x Measurements for 1,1,1,2-Tetrafluoroethane (R134a) + N,N-Dimethylacetamide (DMA) and N-Methyl-2-pyrrolidone (NMP). Journal of Chemical and Engineering Data. 61: 912-919. http://dx.doi.org/10.1021/acs.jced.5b00747.

Zellers, ET; Sulewski, R. (1993). Modeling the temperature dependence of N-methylpyrrolidone permeation through butyl- and natural-rubber gloves. Am Ind Hyg Assoc J. 54: 465-479. http://dx.doi.org/10.1080/15298669391354991.

Zeman, L; Tkacik, G. (1988). THERMODYNAMIC ANALYSIS OF A MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 36: 119-140.

Zengin, H; Spencer, HG; Zengin, G; Gregory, RV. (2007). Studies of solution properties of polyaniline by membrane osmometry. Synthetic Metals. 157: 147-154. http://dx.doi.org/10.1016/j.synthmet.2007.01.001.

Zhai, GQ; Kang, ET; Neoh, KG. (2003). Poly(2-vinylpyridine)- and poly(4-vinylpyridine)-graft-poly(vinylidene fluoride) copolymers and their pH-sensitive microfiltration membranes. J Memb Sci. 217: 243-259. http://dx.doi.org/10.1016/S0376-7388(03)00140-6.

Zhai, GQ; Toh, SC; Tan, WL; Kang, ET; Neoh, KG; Huang, CC; Liaw, DJ. (2003). Poly(vinylidene fluoride) with grafted zwitterionic polymer side chains for electrolyte-responsive microfiltration membranes. Langmuir. 19: 7030-7037. http://dx.doi.org/10.1021/la034440q.

Zhai, GQ; Ying, L; Kang, ET; Neoh, KG. (2002). Poly(vinylidene fluoride) with grafted 4-vinylpyridine polymer side chains for pH-sensitive microfiltration membranes. J Mater Chem. 12: 3508-3515. http://dx.doi.org/10.1039/b206486c.

Fate Literature Search Results

Off Topic

Zhan, Y; Lu, Y; Peng, C; Lou, J, un. (2011). Solvothermal synthesis and mechanical characterization of single crystalline copper nanorings. J Cryst Growth. 325: 76-80. http://dx.doi.org/10.1016/j.jcrysgro.2011.04.031.

Zhang, CH; Zhang, ZQ; Li, QY; Cao, HL. (2005). Synthesis, characterization and properties of SiO2-polyimide hybrid film. Polymers and Polymer Composites. 13: 199-207.

Zhang, H; Wang, J; Chen, Y; Zhang, M. (2007). Solubility of sodium cefotaxime in different solvents. Journal of Chemical and Engineering Data. 52: 982-985. http://dx.doi.org/10.1021/je600564q.

Zhang, J, in; Chan, Y; Yu, Q. (2008). Plasma interface engineered coating systems for magnesium alloys. Progr Org Coating. 61: 28-37. http://dx.doi.org/10.1016/j.porgcoat.2007.08.010.

Zhang, L; He, G; Zhao, W, ei; Tan, M; Li, X. (2010). Effect of formamide additive on the structure and gas permeation performance of polyethermide membrane. Separation and Purification Technology. 73: 188-193. http://dx.doi.org/10.1016/j.seppur.2010.03.024.

Zhang, L, iu; Wang, Z, hi; Wu, J; Shi, G; Xu, H. (2017). Comparison of the homemade and commercial graphene in heightening mechanical properties of Al2O3 ceramic. Ceramics International. 43: 2143-2149. http://dx.doi.org/10.1016/j.ceramint.2016.10.195.

Zhang, Q; Naito, K; Kagawa, Y. (2009). Functionalization of Multi-Walled Carbon Nanotubes with a Silane Coupling Agent and Synthesis of Polyimide Nanocomposite. J Nanosci Nanotechnol. 9: 267-274. http://dx.doi.org/10.1166/jnn.2009.J062.

Zhang, Q; Shi, B. (2009). Effect of Isomeric Propanols on the Performances of Polyethersulfone Nanofiltration Membranes. Separation Science and Technology. 44: 3876-3887. http://dx.doi.org/10.1080/01496390903255986.

Zhang, Q; Wang, H; Fan, X; Chen, S; Yu, H; Quan, X. (2016). A controlled wet-spinning and dip-coating process for preparation of high-permeable TiO2 hollow fiber membranes. Water Sci Technol. 73: 725-733. http://dx.doi.org/10.2166/wst.2015.543.

Zhang, S, huJ; Bu, QQ; Li, Y, anF; Gong, CL; Xu, XY; Li, H, ui. (2011). High organosolubility and optical transparency of novel polyimides derived from 2 ',7 '-bis(4-amino-2-trifluoromethylphenoxy)-spiro (fluorene-9,9 '-xanthene). Mater Chem Phys. 128: 392-399. http://dx.doi.org/10.1016/j.matchemphys.2011.03.010.

Zhang, S; Sakai, R; Abe, T; Iyoda, T; Norimatsu, T; Nagai, K. (2011). Photoelectrochemical and Photocatalytic Properties of Biphasic Organic p- and n-Type Semiconductor Nanoparticles Fabricated by a Reprecipitation Process. 3: 1902-1909. http://dx.doi.org/10.1021/am200096p.

Zhang, S; Yin, C; Xing, D; Yang, D; Jian, X. (2010). Preparation of chloromethylated/quaternized poly(phthalazinone ether ketone) anion exchange membrane materials for vanadium redox flow battery applications. J Memb Sci. 363: 243-249. http://dx.doi.org/10.1016/j.memsci.2010.07.046.

Zhang, SF; Xu, B; Herod, AA; Kandiyoti, R. (1996). Hydrocracking reactivities of primary coal extracts prepared in a flowing-solvent reactor. Energy Fuels. 10: 733-742.

Zhang, W, enFei; Tang, L, iBin; Yu, S, iuF; Lau, S, huP. (2012). Observation of white-light amplified spontaneous emission from carbon nanodots under laser excitation. 2: 490-495.

Zhang, X; Fang, D; Lin, B, in; Dong, Y; Meng, G; Liu, X. (2009). Asymmetric porous cordierite hollow fiber membrane for microfiltration. J Alloy Comp. 487: 631-638. http://dx.doi.org/10.1016/j.jallcom.2009.08.028.

Zhang, X; Hu, J; Chang, Q; Wang, Y; Zhou, J, er; Zhao, T; Jiang, Y; Liu, X. (2015). Influences of internal coagulant composition on microstructure and properties of porous YSZ hollow fibre membranes for water treatment. Separation and Purification Technology. 147: 337-345. http://dx.doi.org/10.1016/j.seppur.2015.01.027.

Zhang, X; Ji, L; Zhang, S; Yang, W. (2007). Synthesis of a novel polyaniline-intercalated layered manganese oxide nanocomposite as electrode material for electrochemical capacitor. J Power Sources. 173: 1017-1023. http://dx.doi.org/10.1016/j.jpowsour.2007.08.083.

Zhang, X; Lang, W, anZ; Xu, H, aiP; Yan, X, i; Guo, Y, aJun; Chu, LF. (2014). Improved performances of PVDF/PFSA/O-MWNTs hollow fiber membranes and the synergism effects of two additives. J Memb Sci. 469: 458-470. http://dx.doi.org/10.1016/j.memsci.2014.07.009.

Zhang, X; Lang, W, anZ; Yan, X, i; Lou, Z, hiY; Chen, XF, an. (2016). Influences of the structure parameters of multi-walled carbon nanotubes(MWNTs) on PVDF/PFSA/O-MWNTs hollow fiber ultrafiltration membranes. J Memb Sci. 499: 179-190. http://dx.doi.org/10.1016/j.memsci.2015.10.034.

Zhang, X, in; Shi, B; Liu, X. (2013). Preparation of polysulfone ultrafiltration membranes modified by silver particles. Desalination and Water Treatment. 51: 3762-3767. http://dx.doi.org/10.1080/19443994.2013.781569.

Zhang, Y; Zhu, X; Guo, J; Huang, X. (2016). Controlling Palladium Nanocrystals by Solvent-Induced Strategy for Efficient Multiple Liquid Fuels Electrooxidation. 8: 20642-20649. http://dx.doi.org/10.1021/acsami.6b02818.

Zhang, Y; Zou, L; Ladewig, BP; Mulcahy, D. (2015). Synthesis and characterisation of superhydrophilic conductive heterogeneous PANI/PVDF anion-exchange membranes. Desalination. 362: 59-67. http://dx.doi.org/10.1016/j.desal.2015.02.004.

Zhang, YZ; Li, H; Lin, J; Li, R; Liang, XP. (2006). Preparation and characterization of zirconium oxide particles filled acrylonitrile-methyl acrylate-sodium sulfonate acrylate copolymer hybrid membranes. Desalination. 192: 198-206. http://dx.doi.org/10.1016/j.desal.2005.07.036.

Zhao, FY; Murakami, K; Shirai, M; Arai, M. (2000). Recyclable homogeneous/heterogeneous catalytic systems for Heck reaction through reversible transfer of palladium species between solvent and support. J Catal. 194: 479-483.

Zhao, LP; Wang, JG; Neoh, KG; Kang, ET. (2004). Electroactive polymer patterns with metal incorporation on a polymeric substrate. Polymer Engineering and Science. 44: 2061-2069. http://dx.doi.org/10.1002/pen.20210.

Zhao, S; Wang, Z, hi; Wang, J; Wang, S. (2014). The effect of pH of coagulation bath on tailoring the morphology and separation performance of polysulfone/polyaniline ultrafiltration membrane. J Memb Sci. 469: 316-325. http://dx.doi.org/10.1016/j.memsci.2014.06.054.

Zhao, S; Wang, Z, hi; Wang, J; Yang, S; Wang, S. (2011). PSf/PANI nanocomposite membrane prepared by in situ blending of PSf and PANI/NMP. J Memb Sci. 376: 83-95. http://dx.doi.org/10.1016/j.memsci.2011.04.008.

Zhao, S; Wang, Z, hi; Wei, X, in; Zhao, B; Wang, J; Yang, S; Wang, S. (2011). Performance improvement of polysulfone ultrafiltration membrane using PANiEB as both pore forming agent and hydrophilic modifier. J Memb Sci. 385: 251-262. http://dx.doi.org/10.1016/j.memsci.2011.10.006.

Fate Literature Search Results

Off Topic

Zhao, T; Jiang, H, ao; Ma, J, an. (2011). Surfactant-assisted electrochemical deposition of alpha-cobalt hydroxide for supercapacitors. J Power Sources. 196: 860-864. http://dx.doi.org/10.1016/j.jpowsour.2010.06.042.

Zhao, W; Ye, L; Zhang, S; Sun, M; Hou, J. (2015). A universal halogen-free solvent system for highly efficient polymer solar cells. 3: 12723-12729. http://dx.doi.org/10.1039/c4ta07029a.

Zhao, XY, an; Zong, Z, hiMin; Cao, JP, ei; Ma, Y, uM; Han, L, i; Liu, GF; Zhao, W, ei; Li, W, enY; Xie, K, eC; Bai, XF, ei; Wei, XY. (2008). Difference in chemical composition of carbon disulfide-extractable fraction between vitrinite and inertinite from Shenfu-Dongsheng and Pingshuo coals. Fuel. 87: 565-575. http://dx.doi.org/10.1016/j.fuel.2007.02.021.

Zhongchun, L; Aijun, G; Quanfa, Z. (2016). Facile Hydrothermal Synthesis of MnOOH Nanorods and Their Application. 45: 862-867.

Zhou, C; Hou, Z; Lu, X; Liu, Z; Bian, X; Shi, L; Li, L. (2010). Effect of Polyethersulfone Molecular Weight on Structure and Performance of Ultrafiltration Membranes. Ind Eng Chem Res. 49: 9988-9997. http://dx.doi.org/10.1021/ie100199h.

Zhou, D; Cheng, QY, i; Han, B. (2011). Solvothermal synthesis of homogeneous graphene dispersion with high concentration. Carbon. 49: 3920-3927. http://dx.doi.org/10.1016/j.carbon.2011.05.030.

Zhou, J; Ren, J; Lin, L, i; Deng, M. (2008). Morphology evolution of thickness-gradient membranes prepared by wet phase-inversion process. Separation and Purification Technology. 63: 484-486. http://dx.doi.org/10.1016/j.seppur.2008.05.019.

Zhu, H; Matsui, J; Yamamoto, S; Miyashita, T; Mitsuishi, M. (2015). Solvent-dependent properties of poly(vinylidene fluoride) monolayers at the air-water interface. Soft Matter. 11: 1962-1972. http://dx.doi.org/10.1039/c4sm02800g.

Zhu, X; Liang, Y; Pan, H; Jian, X; Zhang, Y. (2008). Synthesis and properties of novel H-bonded composite membranes from sulfonated poly(phthalazinone ether)s for PEMFC. J Memb Sci. 312: 59-65. http://dx.doi.org/10.1016/j.memsci.2007.12.058.

Zhu, Y, u; Higginbotham, AL; Tour, JM. (2009). Covalent Functionalization of Surfactant-Wrapped Graphene Nanoribbons. Chem Mater. 21: 5284-5291. http://dx.doi.org/10.1021/cm902939n.

Zivkovic, L, jS; Jegdic, BV; Popic, JP; Bajat, JB; Miskovic-Stankovic, VB. (2013). The influence of Ce-based coatings as pretreatments on corrosion stability of top powder polyester coating on AA6060. Progr Org Coating. 76: 1387-1395. http://dx.doi.org/10.1016/j.porgcoat.2013.04.017.

Zivkovic, NV; Serbanovic, SS; Kijevcanin, ML, j; Zivkovic, EM. (2013). Volumetric and Viscometric Behavior of Binary Systems 2-Butanol + PEG 200, + PEG 400, + Tetraethylene Glycol Dimethyl Ether, and plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 58: 3332-3341. http://dx.doi.org/10.1021/je400486p.

Zolfaghari, A; Mortaheb, HR; Meshkini, F. (2011). Removal of N-Methyl-2-pyrrolidone by Photocatalytic Degradation in a Batch Reactor. Ind Eng Chem Res. 50: 9569-9576. http://dx.doi.org/10.1021/ie200702b.

Zong, ZM; Peng, YL; Liu, ZG; Zhou, SL; Wu, L; Wang, XH; Wei, XY; Lee, CW. (2003). Convenient synthesis of N-methylpyrrolidine-2-thione and some thioamides. Korean J Chem Eng. 20: 235-238.

Zong, ZM; Peng, YL; Qin, ZH; Liu, JZ; Wu, L; Wang, XH; Liu, ZG; Zhou, SL; Wei, XY. (2000). Reaction of N-methyl-2-pyrrolidinone with carbon disulfide. Energy Fuels. 14: 734-735.

Zu, SZ; Zhou, D; Han, BH. (2013). Supramolecular surface modification and dispersion of graphene in water and organic solvents. J Nanosci Nanotechnol. 13: 946-953. http://dx.doi.org/10.1166/jnn.2013.6007.

Engineering/Occupational Exposure Literature Search Results

On Topic

Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. Int Arch Occup Environ Health. 73: 561-569.

Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. Int Arch Occup Environ Health. 65: 247-251. http://dx.doi.org/10.1007/BF00381198.

Arseneva, NS; Berkovich, S. R.; Vishnevskii, AV; Pilipenko, NN. (1990). GAS-CHROMATOGRAPHIC DETERMINATION OF N-METHYLPYRROLIDONE IN PETROLEUM-PRODUCTS. Chemistry and Technology of Fuels and Oils. 26: 319-321.

Bader, M; Keener, SA; Wrbitzky, R. (2005). Dermal absorption and urinary elimination of N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 78: 673-676. http://dx.doi.org/10.1007/s00420-005-0008-0.

Bader, M; Rosenberger, W; Rebe, T; Keener, SA; Brock, TH; Hemmerling, HJ; Wrbitzky, R. (2006). Ambient monitoring and biomonitoring of workers exposed to N-methyl-2-pyrrolidone in an industrial facility. Int Arch Occup Environ Health. 79: 357-364. http://dx.doi.org/10.1007/s00420-005-0065-4.

Bower, DB. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone [Letter]. J Occup Environ Med. 39: 393-394.

Campbell, HL; Striebig, BA. (1999). Evaluation of N-methylpyrrolidone and its oxidative products toxicity utilizing the microtox assay. Environ Sci Technol. 33: 1926-1930.

Cory, NJ. (2002). An update on environmental constraints. American Leather Chemists Association Journal. 97: 496-505.

Faggian, V; Scanferla, P; Paulussen, S; Zuin, S. (2014). Combining the European chemicals regulation and an (eco) toxicological screening for a safer membrane development. J Clean Prod. 83: 404-412. http://dx.doi.org/10.1016/j.jclepro.2014.07.017.

Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemichal paint-remover hazards. Arch Mal Prof Environ. 71: 30-37. http://dx.doi.org/10.1016/j.admp.2009.12.009.

Haufroid, V; Jaeger, VK; Jeggli, S; Eisenegger, R; Bernard, A; Friedli, D; Lison, D; Hotz, P. (2014). Biological monitoring and health effects of low-level exposure to N-methyl-2-pyrrolidone: a cross-sectional study. Int Arch Occup Environ Health. 87: 663-674. http://dx.doi.org/10.1007/s00420-013-0906-5.

Engineering/Occupational Exposure Literature Search Results

On Topic

Kim, BR; Kalis, EM; Dewulf, T; Andrews, KM. (2000). Henry's law constants for paint solvents and their implications on volatile organic compound emissions from automotive painting. Water Environ Res. 72: 65-74.

Lammens, TM; Franssen, MCR; Scott, EL; Sanders, JPM. (2012). Availability of protein-derived amino acids as feedstock for the production of bio-based chemicals. Biomass and Bioenergy. 44: 168-181. http://dx.doi.org/10.1016/j.biombioe.2012.04.021.

Lammens, TM; Potting, J; Sanders, JP; De Boer, IJ. (2011). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. Environ Sci Technol. 45: 8521-8528. http://dx.doi.org/10.1021/es201869e.

Lammens, TM; Potting, J; Sanders, JPM; De Boer, IJM. (2012). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. International Sugar Journal. 114: 83-90.

Langworth, S; Anundi, H; Friis, L; Johanson, G; Lind, ML; Soderman, E; Akesson, BA. (2001). Acute health effects common during graffiti removal. Int Arch Occup Environ Health. 74: 213-218. http://dx.doi.org/10.1007/s004200000211.

Lee, M; Ko, Y; Jun, Y. (2015). Efficient fiber-shaped perovskite photovoltaics using silver nanowires as top electrode. 3: 19310-19313. http://dx.doi.org/10.1039/c5ta02779a.

Lei, ZG; Arlt, W; Wasserscheid, P. (2006). Separation of 1-hexene and n-hexane with ionic liquids. Fluid Phase Equilibria. 241: 290-299. http://dx.doi.org/10.1016/j.fluid.2005.12.024.

Lunder, S; Woodruff, TJ; Axelrad, DA. (2004). An analysis of candidates for addition to the Clean Air Act list of hazardous air pollutants. Journal of the Air and Waste Management Association. 54: 157-171.

Meier, S; Schindler, BK; Koslitz, S; Koch, HM; Weiss, T; Käfferlein, HU; Brüning, T. (2013). Biomonitoring of exposure to N-methyl-2-pyrrolidone in workers of the automobile industry. Ann Occup Hyg. 57: 766-773. http://dx.doi.org/10.1093/annhyg/mes111.

Muenter, J; Blach, R. (2010). ECOLOGICAL TECHNOLOGY: NMP-FREE LEATHER FINISHING. American Leather Chemists Association Journal. 105: 303-308.

Nishimura, S; Yasui, H; Miyauchi, H; Kikuchi, Y; Kondo, N; Takebayashi, T; Tanaka, S; Mikoshiba, Y; Omae, K; Nomiyama, T. (2009). A cross-sectional observation of effect of exposure to N-methyl-2-pyrrolidone (NMP) on workers' health. Ind Health. 47: 355-362.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1996). Stillbirth after occupational exposure to N-methyl-2-pyrrolidone: A case report and review of the literature [Review]. J Occup Environ Med. 38: 705-713. http://dx.doi.org/10.1097/00043764-199607000-00014.

Xiaofei, E; Wada, Y; Nozaki, J; Miyauchi, H; Tanaka, S; Seki, Y; Koizumi, A. (2000). A linear pharmacokinetic model predicts usefulness of N-methyl-2-pyrrolidone (NMP) in plasma or urine as a biomarker for biological monitoring for NMP exposure. J Occup Health. 42: 321-327.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Abd El-Aty, DM; El-Din, OIS, if; Hassan, SI; Tawfik, SM; Hanafi, S. (2009). Evaluation of Some Organic Solvents for Refining Diesel Fuel Fraction. Petroleum Science and Technology. 27: 861-873. http://dx.doi.org/10.1080/10916460802096279.

Abdullah, N; Rahman, MA; Othman, MHD; Ismail, AF; Jaafar, J; Aziz, AA, bd. (2016). Preparation and characterization of self-cleaning alumina hollow fiber membrane using the phase inversion and sintering technique. Ceramics International. 42: 12312-12322. http://dx.doi.org/10.1016/j.ceramint.2016.05.003.

Aboudzadeh, N; Imani, M; Shokrgozar, MA; Khavandi, A; Javadpour, J; Shafieyan, Y; Farokhi, M. (2010). Fabrication and characterization of poly(D,L-lactide-co-glycolide)/hydroxyapatite nanocomposite scaffolds for bone tissue regeneration. J Biomed Mater Res A. 94: 137-145. http://dx.doi.org/10.1002/jbm.a.32673.

Adams, FV; Mulaba-Bafubiandi, AF. (2016). Synthesis and characterization of polysulphone/clay membrane: effect of natural clay differences. Desalination and Water Treatment. 57: 15772-15781. http://dx.doi.org/10.1080/19443994.2015.1077347.

Aerts, P; Genne, I; Kuypers, S; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-aerosil composite membranes Part 2. The influence of the addition of aerosil on the skin characteristics and membrane properties. J Memb Sci. 178: 1-11.

Aerts, P; Van Hoof, E; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-Aerosil composite membranes - Part 1. The influence of the addition of Aerosil on the formation process and membrane morphology. J Memb Sci. 176: 63-73.

Afzal, AB; Akhtar, MJ; Nadeem, M; Hassan, MM. (2009). Investigation of Structural and Electrical Properties of Polyaniline/Gold Nanocomposites. J Phys Chem C. 113: 17560-17565. http://dx.doi.org/10.1021/jp902725d.

Agarwal, P; Sharma, DK. (2011). Studies on the Desulfurization of Petroleum Coke by Organorefining and Other Chemical and Biochemical Techniques Under Milder Ambient Pressure Conditions. Petroleum Science and Technology. 29: 1482-1493. http://dx.doi.org/10.1080/10916460902839230.

Aguila-Hernandez, J; Gomez-Quintana, R; Murrieta-Guevara, F; Romero-Martinez, A; Trejo, A. (2001). Liquid density of aqueous blended alkanolamines and N-methylpyrrolidone as a function of concentration and temperature. Journal of Chemical and Engineering Data. 46: 861-867.

Aguila-Hernandez, J; Trejo, A; Garcia-Flores, BE; Molnar, R. (2008). Viscometric and volumetric behaviour of binary mixtures of sulfolane and N-methylpyrrolidone with monoethanolamine and diethanolamine in the range 303-373 K. Fluid Phase Equilibria. 267: 172-180. http://dx.doi.org/10.1016/j.fluid.2008.02.023.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2011). Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. Desalination. 278: 318-324. http://dx.doi.org/10.1016/j.desal.2011.05.046.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2016). Impact of membrane pore structure on protein detection sensitivity of affinity-based immunoassay. Polish Journal of Chemical Technology. 18: 97-103. http://dx.doi.org/10.1515/pjct-2016-0035.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Ahmad, AL; Sarif, M; Ismail, S. (2005). Development of an integrally skinned ultrafiltration membrane for wastewater treatment: effect of different formulations of PSf/NMP/PVP on flux and rejection. Desalination. 179: 257-263. http://dx.doi.org/10.1016/j.desal.2004.11.072.

Ahmad, I; Mccarthy, JE; Baranov, A; Gun'ko, YK. (2015). Development of Graphene Nano-Platelet Based Counter Electrodes for Solar Cells. Materials. 8: 5953-5973. http://dx.doi.org/10.3390/ma8095284.

Ahmed, S; Nelson, PA; Gallagher, KG; Dees, DW. (2016). Energy impact of cathode drying and solvent recovery during lithium-ion battery manufacturing. J Power Sources. 322: 169-178. http://dx.doi.org/10.1016/j.jpowsour.2016.04.102.

Ahn, CW, oo; Choi, JJ, in; Ryu, J; Hahn, BD; Kim, JW, oo; Yoon, WH, a; Choi, JH; Park, DS, oo. (2015). Microstructure and electrochemical properties of graphite and C-coated LiFePO4 films fabricated by aerosol deposition method for Li ion battery. Carbon. 82: 135-142. http://dx.doi.org/10.1016/j.carbon.2014.10.043.

Ahn, DK; Song, JJ; Ahn, HJ; Cho, JS; Moon, JT; Park, WW; Sohn, KY. (2013). The effect of Ni on the microstructures and electrochemical properties of Si-Ti base alloys for lithium secondary batteries. J Nanosci Nanotechnol. 13: 3522-3525. http://dx.doi.org/10.1166/jnn.2013.7330.

Ahn, J, inH; Kim, J, aeK; Kim, HS, oo; Kim, E, uiJ; Koo, K, eeK. (2009). Solubility of 1,1-Diamino-2,2-dinitroethylene in N,N-Dimethylformamide, Dimethyl Sulfoxide, and N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 54: 3259-3260. http://dx.doi.org/10.1021/je900235s.

Ahn, T; Kim, J, inWoo; Choi, Y; Yi, M, iHye. (2008). Hybridization of a low-temperature processable polyimide gate insulator for high performance pentacene thin-film transistors. Organic Electronics. 9: 711-720. http://dx.doi.org/10.1016/j.orgel.2008.05.003.

Akesson, B; Carnerup, MA; Jönsson, BA. (2004). Evaluation of exposure biomarkers from percutaneous absorption of N-methyl-2-pyrrolidone. Scand J Work Environ Health. 30: 306-312.

Akesson, B; Jönsson, BA. (2000). Biological monitoring of N-methyl-2-pyrrolidone using 5-hydroxy-N-methyl-2-pyrrolidone in plasma and urine as the biomarker. Scand J Work Environ Health. 26: 213-218.

Akesson, B; Paulsson, K. (1997). Experimental exposure of male volunteers to N-methyl-2-pyrrolidone (NMP): acute effects and pharmacokinetics of NMP in plasma and urine. Occup Environ Med. 54: 236-240.

Akshatha, A; Rajan, JS; Ramachandra, H. (2015). Laboratory Validation of Method of Solvent Extraction for Removal of Sulphur Compounds from Mineral Oil. I E E E Transactions on Dielectrics and Electrical Insulation. 22: 2572-2580. http://dx.doi.org/10.1109/TDEI.2015.005100.

Al Nagar, AM; El Shamy, EA. (2007). Base oil production. Part II: Dewaxing, finishing, and blending. Petroleum Science and Technology. 25: 853-866. http://dx.doi.org/10.1080/10916460500297088.

Alam, R; Mobin, M; Aslam, J. (2016). Investigation of anti-corrosive properties of poly(aniline-co-2-pyridylamine-co-2,3-xylidine) and its nanocomposite poly(aniline-co-2-pyridylamine-co-2,3-xylidine)/ZnO on mild steel in 0.1 M HCl. Appl Surf Sci. 368: 360-367. http://dx.doi.org/10.1016/j.apsusc.2016.02.034.

Alam, R; Mobin, M; Aslam, J. (2016). Polypyrrole/graphene nanosheets/rare earth ions/dodecyl benzene sulfonic acid nanocomposite as a highly effective anticorrosive coating. Surf Coating Tech. 307: 382-391. http://dx.doi.org/10.1016/j.surfcoat.2016.09.010.

Albuquerque, JE; Mattoso, LHC; Balogh, DT; Faria, RM; Masters, JG; Macdiarmid, AG. (2000). A simple method to estimate the oxidation state of polyanilines. Synthetic Metals. 113: 19-22.

Alcalde, R; Aparicio, S; Davila, MJ; Garcia, B; Leal, JM. (2008). Liquid-liquid equilibria of lactam containing binary systems. Fluid Phase Equilibria. 266: 90-100. http://dx.doi.org/10.1016/j.fluid.2008.02.008.

Alexie, M; Dumitru, F; Razvan, A; Pasare, L; Guran, C. (2010). New Membranes with Mercapto-2,6-pyridinediamides as Anion Recognition Fixed Sites. Rev Chim. 61: 1197-1201.

Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. Carbon. 46: 2059-2066. http://dx.doi.org/10.1016/j.carbon.2008.08.019.

Alfe, M; Barbella, R; Bruno, A; Minutolo, P; Ciajolo, A. (2005). Solution behaviour of C-60 fullerene in N-Methylpyrrolidinone/toluene mixtures. Carbon. 43: 665-667. http://dx.doi.org/10.1016/j.carbon.2004.10.017.

Ali, A; Ali, K; Kwon, K, iRin; Hyun, MT; Choi, KH. (2014). Electrohydrodynamic atomization approach to graphene/zinc oxide film fabrication for application in electronic devices. Journal of Materials Science: Materials in Electronics. 25: 1097-1104. http://dx.doi.org/10.1007/s10854-013-1693-1.

Ali, A; Jo, J; Yang, YJ, in; Choi, KH. (2014). Direct fabrication of graphene/zinc oxide composite film and its characterizations. Applied Physics A: Materials Science and Processing. 114: 323-330. http://dx.doi.org/10.1007/s00339-013-8136-y.

Aliabadi, M; Ghahremani, H; Izadkhah, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull. 21: 2120-2125.

Alici, B; Koytepe, S; Seckin, T. (2007). Synthesis of piperazine based polyimide in the presence of ionic liquids. Turkish Journal of Chemistry. 31: 569-578.

Aliev, SB; Samsonenko, DG; Rakhmanova, MI; Dybtsev, DN; Fedin, VP. (2014). Syntheses and Structural Characterization of Lithium Carboxylate Frameworks and Guest-Dependent Photoluminescence Study. Cryst Growth Des. 14: 4355-4363. http://dx.doi.org/10.1021/cg500477s.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Liquid-liquid equilibria for n-alkanes (C-12, C-14, C-17,) plus propylbenzene plus NMP mixtures at temperatures between 298 and 328 K. Fluid Phase Equilibria. 231: 163-170. http://dx.doi.org/10.1016/j.fluid.2005.01.012.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Measurement and correlation of phase equilibria for dodecane plus sec-butylbenzene plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 50: 1740-1746. http://dx.doi.org/10.1021/je050191r.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2006). Liquid–liquid equilibria measurements for ternary system of hexadecane + 1,3,5-trimethylbenzene + n -methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 51: 1026-1030. http://dx.doi.org/10.1021/je050513r.

Al-Jimaz, AS; Fandary, MS; Alkhaldi, K; Al-Kandary, JA; Fahim, MA. (2007). Extraction of aromatics from middle distillate using n -methyl-2-pyrrolidone : Experiment, modeling, and optimization. Ind Eng Chem Res. 46: 5686-5696. http://dx.doi.org/10.1021/ie060960f.

Alkhaldi, K; Fandary, MS; Al-Jimaz, AS; Al-Tuwaim, MS; Fahim, MA. (2009). Liquid-liquid equilibria of aromatics removal from middle distillate using NMP. Fluid Phase Equilibria. 286: 190-195. http://dx.doi.org/10.1016/j.fluid.2009.09.002.

Almasudy, AM; You, MP; Barbetti, MJ. (2015). Influence of fungicidal seed treatments and soil type on severity of root disease caused by Rhizoctonia solani AG-8 on wheat. Crop Protection. 75: 40-45. http://dx.doi.org/10.1016/j.cropro.2015.05.007.

Al-Muhareb, E; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of petroleum asphaltenes by size exclusion chromatography, UV-fluorescence and mass spectrometry. Petroleum Science and Technology. 25: 81-91. http://dx.doi.org/10.1080/10916460601054222.

Alonso Tristan, C; Antonio Gonzalez, J; Garcia De La Fuente, I; Carlos Cobos, J. (2013). Thermodynamics of Mixtures Containing a Very Strongly Polar Compound. 10. Liquid-Liquid Equilibria for N,N-Dimethylacetamide plus Selected Alkanes. Journal of Chemical and Engineering Data. 58: 2339-2344. http://dx.doi.org/10.1021/je400487e.

Alsalhy, QF; Ali, JM; Abbas, A, liA; Rashed, A, li; Van Der Bruggen, B; Balta, S. (2013). Enhancement of poly(phenyl sulfone) membranes with ZnO nanoparticles. Desalination and Water Treatment. 51: 6070-6081. http://dx.doi.org/10.1080/19443994.2013.764487.

Alvarez, AG; Martinez-Escandell, M; Molina-Sabio, M; Rodriguez-Reinoso, F. (1999). Pyrolysis of petroleum residues: analysis of semicokes by X-ray diffraction. Carbon. 37: 1627-1632.

Alvarez, P; Granda, M; Sutil, J; Menendez, R; Fernandez, JJ; Vina, JA; Morgan, TJ; Millan, M; Herod, AA; Kandiyoti, R. (2008). Characterization and Pyrolysis Behavior of Novel Anthracene Oil Derivatives. Energy Fuels. 22: 4077-4086. http://dx.doi.org/10.1021/ef800537a.

Alzari, V; Nuvoli, D; Scognamillo, S; Piccinini, M; Gioffredi, E; Malucelli, G; Marceddu, S; Sechi, M; Sanna, V; Mariani, A. (2011). Graphene-containing thermoresponsive nanocomposite hydrogels of poly(N-isopropylacrylamide) prepared by frontal polymerization. J Mater Chem. 21: 8727-8733. http://dx.doi.org/10.1039/c1jm11076d.

Aman-Pommier, F; Degobert, G; Jallut, C. (2016). Solubility of diazepam in water plus tert-butyl alcohol solvent mixtures: Part 1. Experimental data and thermodynamic analysis. Fluid Phase Equilibria. 408: 284-298. http://dx.doi.org/10.1016/j.fluid.2015.10.024.

Amarnath, CA; Hong, CE, ui; Kim, N, amH; Ku, B, onC; Kuila, T; Lee, JH, ee. (2011). Efficient synthesis of graphene sheets using pyrrole as a reducing agent. Carbon. 49: 3497-3502. http://dx.doi.org/10.1016/j.carbon.2011.04.048.

Amirilargani, M; Mohammadi, T. (2009). Effects of PEG on Morphology and Permeation Properties of Polyethersulfone Membranes. Separation Science and Technology. 44: 3854-3875. http://dx.doi.org/10.1080/01496390903182347.

Amirilargani, M; Saljoughi, E; Mohammadi, T. (2009). Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. Desalination. 249: 837-842. http://dx.doi.org/10.1016/j.desal.2009.01.041.

An, Y, i; Li, W; Li, Y, e; Huang, S; Ma, J; Shen, C; Xu, C. (2015). Design/optimization of energy-saving extractive distillation process by combining preconcentration column and extractive distillation column. Chem Eng Sci. 135: 166-178. http://dx.doi.org/10.1016/j.ces.2015.05.003.

Andrady, AL; Nunez, CM; Chiou, BS; Khan, SA. (2002). Rheology of concentrated solutions of hyperbranched polyesters. Polymer Engineering and Science. 42: 2065-2071.

Andreev, S; Purgina, D; Bashkatova, E; Garshev, A; Maerle, A; Andreev, I; Osipova, N; Shershakova, N; Khaitov, M. (2015). Study of Fullerene Aqueous Dispersion Prepared by Novel Dialysis Method: Simple Way to Fullerene Aqueous Solution. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 792-800. http://dx.doi.org/10.1080/1536383X.2014.998758.

Andreoli, E; Liao, KS; Cricini, A; Zhang, X, in; Soffiatti, R; Byrne, HJ; Curran, SA. (2014). Carbon black instead of multiwall carbon nanotubes for achieving comparable high electrical conductivities in polyurethane-based coatings. Thin Solid Films. 550: 558-563. http://dx.doi.org/10.1016/j.tsf.2013.11.047.

Andriano, KP; Chandrashekar, B; Mcenery, K; Dunn, RL; Moyer, K; Balliu, CM; Holland, KM; Garrett, S; Huffer, WE. (2000). Preliminary in vivo studies on the osteogenic potential of bone morphogenetic proteins delivered from an absorbable puttylike polymer matrix. J Biomed Mater Res. 53: 36-43.

Ansari, MO; Khan, MM; Ansari, SA; Raju, K; Lee, J; Cho, MH. (2014). Enhanced thermal stability under DC electrical conductivity retention and visible light activity of Ag/TiO_2@polyaniline nanocomposite film. 6: 8124-8133. http://dx.doi.org/10.1021/am500488e.

Ansari, MO; Yadav, SK; Cho, J; Mohammad, F. (2013). Thermal stability in terms of DC electrical conductivity retention and the efficacy of mixing technique in the preparation of nanocomposites of graphene/polyaniline over the carbon nanotubes/polyaniline. Composites Part B: Engineering. 47: 155-161. http://dx.doi.org/10.1016/j.compositesb.2012.10.042.

Ansari, SP; Mohammad, F. (2016). Electrical Conductivity Studies of Conducting Polymer Nanocomposites in Ambient Conditions. Polymers and Polymer Composites. 24: 273-280.

Antonopoulos, KA. (1992). ABSORPTION PANEL COOLING USING A TFE-NMP MIXTURE. 12: 203-210.

Antonova, IV; Kotin, IA; Soots, RA; Prinz, VY, a. (2012). Novel Graphene-Based Hybrid Material with Tunable Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 543-547. http://dx.doi.org/10.1080/1536383X.2012.656060.

Antonova, IV; Kotin, IA; Soots, RA; Volodin, VA; Prinz, VY. (2012). Tunable properties of few-layer graphene-N-methylpyrrolidone hybrid structures. Nanotechnology. 23: 315601. http://dx.doi.org/10.1088/0957-4484/23/31/315601.

Aparicio, S; Davila, MJ; Alcalde, R. (2009). Insights into the Coal Extractive Solvent N-Methyl-2-pyrrolidone plus Carbon Disulfide. Energy Fuels. 23: 1591-1602. http://dx.doi.org/10.1021/ef800838r.

Apicella, B; Barbella, R; Ciajolo, A; Tregrossi, A. (2003). Comparative analysis of the structure of carbon materials relevant in combustion. Chemosphere. 51: 1063-1069. http://dx.doi.org/10.1016/S0045-6535(02)00715-4.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. Energy Fuels. 17: 565-570. http://dx.doi.org/10.1021/ef020149r.

Arao, Y; Kubouchi, M. (2015). High-rate production of few-layer graphene by high-power probe sonication. Carbon. 95: 802-808. http://dx.doi.org/10.1016/j.carbon.2015.08.108.

Argyropoulos, J; Erdem, B; Bhattacharjee, D; Foley, P; Nanjundiah, K. (2009). Natural Oil Polyols for Waterborne Polyurethane Dispersions. 6: 44-49.

Aroon, MA; Ismail, AF; Montazer-Rahmati, MM; Matsuura, T. (2010). Morphology and permeation properties of polysulfone membranes for gas separation: Effects of non-solvent additives and co-solvent. Separation and Purification Technology. 72: 194-202. http://dx.doi.org/10.1016/j.seppur.2010.02.009.

Arthanareeswaran, G; Starov, VM. (2011). Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. Desalination. 267: 57-63. http://dx.doi.org/10.1016/j.desal.2010.09.006.

Asakawa, A, i; Oka, T; Sasaki, C; Asada, C; Nakamura, Y. (2016). Cholinium ionic liquid/cosolvent pretreatment for enhancing enzymatic saccharification of sugarcane bagasse. Ind Crop Prod. 86: 113-119. http://dx.doi.org/10.1016/j.indcrop.2016.03.046.

Ascanius, BE; Garcia, DM; Andersen, SI. (2004). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. Energy Fuels. 18: 1827-1831. http://dx.doi.org/10.1021/ef049807t.

Ascanius, BE; Merino-Garcia, D; Andersen, SI. (2005). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. (vol 18, pg 1827, 2004). Energy Fuels. 19: 328-328. http://dx.doi.org/10.1021/ef0496911.

Aschmann, SM; Atkinson, R. (1999). Atmospheric chemistry of 1-methyl-2-pyrrolidinone. Atmos Environ. 33: 591-599.

Aslan, M; Weingarth, D; Jaeckel, N; Atchison, JS; Grobelsek, I; Presser, V. (2014). Polyvinylpyrrolidone as binder for castable supercapacitor electrodes with high electrochemical performance in organic electrolytes. J Power Sources. 266: 374-383. http://dx.doi.org/10.1016/j.jpowsour.2014.05.031.

Astaneh, R; Erfan, M; Barzin, J; Mobedi, H; Moghimi, H, r. (2008). Effects of Ethyl Benzoate on Performance, Morphology, and Erosion of PLGA Implants Formed In Situ. Advances in Polymer Technology. 27: 17-26. http://dx.doi.org/10.1002/adv.20114.

Atchariyawut, S; Feng, C; Wang, R; Jiraratananon, R; Liang, DT. (2006). Effect of membrane structure on mass-transfer in the membrane gas-liquid contacting process using microporous PVDF hollow fibers. J Memb Sci. 285: 272-281. http://dx.doi.org/10.1016/j.memsci.2006.08.029.

Athawale, AA; Kulkarni, MV; Chabukswar, VV. (2002). Studies on chemically synthesized soluble acrylic acid doped polyaniline. Mater Chem Phys. 73: 106-110.

Attoui, M; Fernandez-Garcia, J; Cuevas, J; Vidal-De-Miguel, G; de La Mora, JF. (2013). Charge evaporation from nanometer polystyrene aerosols. J Aerosol Sci. 55: 149-156. http://dx.doi.org/10.1016/j.jaerosci.2012.08.008.

Avram, R; Calinescu, I; Vueric, E; Savu, D. (1991). OPTIMIZATION OF ANTHRACENE SEPARATION BY EXTRACTION .1. Rev Chim. 42: 279-282.

Azam, MA; Dorah, N; Seman, RNA, R; Manaf, NSA; Kudin, TIT. (2015). Electrochemical performance of activated carbon and graphene based supercapacitor. Materials Technology. 30: A14-A17. http://dx.doi.org/10.1179/1753555714Y.0000000229.

Azar, NS; Pourfath, M. (2016). Aggregation Kinetics and Stability Mechanisms of Pristine and Oxidized Nanocarbons in Polar Solvents. J Phys Chem C. 120: 16804-16814. http://dx.doi.org/10.1021/acs.jpcc.6b05318.

Azizi, S; Dezfuli, HT; Kargari, A, li; Peyghambarzadeh, SM. (2015). Experimental measurement and thermodynamic modeling of propylene and propane solubility in N-methyl pyrrolidone (NMP). Fluid Phase Equilibria. 387: 190-197. http://dx.doi.org/10.1016/j.fluid.2014.12.031.

Azizi, S; Kaghazchi, T; Kargari, A, li. (2015). Propylene/propane separation using N-methyl pyrrolidone/AgNO3 supported liquid membrane. Taiwan Institute of Chemical Engineers Journal. 57: 1-8. http://dx.doi.org/10.1016/j.jtice.2015.05.012.

Babitskaya, K; Konovalov, V; Sklyuev, P; Zhidkova, M; Sysueva, I. (2016). Studies on surface activity of petroleum sulfonates prepared from extracts of solvent refining. Petroleum Science and Technology. 34: 401-405. http://dx.doi.org/10.1080/10916466.2015.1132234.

Bacosca, I; Hamciuc, E; Bruma, M; Ignat, M. (2011). Poly(amide imide)s containing functional nitrile groups for high performance materials. React Funct Polym. 71: 905-915. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.05.011.

Bader, M; Wrbitzky, R; Blaszkewicz, M; Schäper, M; van Thriel, C. (2008). Human volunteer study on the inhalational and dermal absorption of N-methyl-2-pyrrolidone (NMP) from the vapour phase. Arch Toxicol. 82: 13-20. http://dx.doi.org/10.1007/s00204-007-0230-5.

Bader, M; Wrbitzky, R; Blaszkewicz, M; van Thriel, C. (2007). Human experimental exposure study on the uptake and urinary elimination of N-methyl-2-pyrrolidone (NMP) during simulated workplace conditions. Arch Toxicol. 81: 335-346. http://dx.doi.org/10.1007/s00204-006-0161-6.

Bae, J; Baek, I; Choi, H. (2017). Efficacy of piezoelectric electrospun nanofiber membrane for water treatment. Chem Eng J. 307: 670-678. http://dx.doi.org/10.1016/j.cej.2016.08.125.

Bae, SM, in; Sohn, KY; Park, W, onW. (2014). Electrochemical Properties of Melt Spun Si-Cu-Ti-Zr-Ni Alloy Powders for the Anode of Li-Ion Batteries. Electronic Materials Letters. 10: 795-800. http://dx.doi.org/10.1007/s13391-014-3379-0.

Bahadur, I; Singh, P; Kumar, S; Moodley, K; Mabaso, M; Redhi, G, an. (2014). Separation of Aromatic Solvents from the Reformate Fraction of an Oil Refining Process using Extraction by a Designed Ionic Liquid. Separation Science and Technology. 49: 1883-1888. http://dx.doi.org/10.1080/01496395.2014.900568.

Bai, L, u; Li, S, huNi; Zhai, QG, uo; Jiang, Y, uC; Hu, M, anC. (2016). Study of the Physicochemical and Excess Properties of Binary Systems Composed of Ionic Liquids ([C(n)mim]Cl, n=6, 8) and Three Dipolar Aprotic Solvents at T=288.15-333.15K. Chemical Engineering Communications. 203: 985-993. http://dx.doi.org/10.1080/00986445.2015.1114477.

Bai, L, u; Nie, Y, i; Huang, J; Li, Y, i; Dong, H; Zhang, X. (2013). Efficiently trapping asphaltene-type materials from direct coal liquefaction residue using alkylsulfate-based ionic liquids. Fuel. 112: 289-294. http://dx.doi.org/10.1016/j.fuel.2013.05.035.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Baik, KH; Vandenhove, L; Roland, B. (1991). COMPARATIVE-STUDY BETWEEN GAS-PHASE AND LIQUID-PHASE SILYLATION FOR THE DIFFUSION-ENHANCED SILYLATED RESIST PROCESS. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 9: 3399-3405.

Bajat, JB; Miskovic-Stankovic, VB; Bibic, N; Drazic, DM. (2007). The influence of zinc surface pretreatment on the adhesion of epoxy coating electrodeposited on hot-dip galvanized steel. Progr Org Coating. 58: 323-330. http://dx.doi.org/10.1016/j.porgcoat.2007.01.011.

Bajorek, A; Kabatc, J; Paczkowski, J. (2009). Novel, N-ethyl-2-styrylquinolinum iodides as fluorophores for monitoring of polymerization process, Part I. Dyes and Pigments. 82: 372-378. http://dx.doi.org/10.1016/j.dyepig.2009.02.009.

Balta, S; Buruiana, DL; Simionescu, CS; Tiron, LG; Bordei, M; van Der Bruggen, B. (2016). Influence of relative air humidity and casting time on the permeation properties of PSf nanofiltration membranes. Desalination and Water Treatment. 57: 13924-13929. http://dx.doi.org/10.1080/19443994.2015.1062435.

Balta, S; Sotto, A; Luis, P; Benea, L; Van Der Bruggen, B; Kim, J. (2012). A new outlook on membrane enhancement with nanoparticles: The alternative of ZnO. J Memb Sci. 389: 155-161. http://dx.doi.org/10.1016/j.memsci.2011.10.025.

Baltog, I; Mihut, L; Baibarac, M; Preda, N; Velula, T; Lefrant, S. (2005). Surface-enhanced Raman scattering, photoluminescence and viscosity studies on C-60 aggregates in N-metryl-2-pyrrolidinone. J Optoelect Adv Mater. 7: 2165-2172.

Banerjee, T; Sahoo, RK; Rath, SS; Kumar, R; Khanna, A. (2007). Multicomponent liquid-liquid equilibria prediction for aromatic extraction systems using COSMO-RS. Ind Eng Chem Res. 46: 1292-1304. http://dx.doi.org/10.1021/ie060647d.

Bang, GS; Nam, KW; Kim, JY; Shin, J; Choi, JW; Choi, SY. (2014). Effective liquid-phase exfoliation and sodium ion battery application of MoS2 nanosheets. 6: 7084-7089. http://dx.doi.org/10.1021/am4060222.

Bao, X; Wang, Y; Zhu, Q; Wang, N; Zhu, D; Wang, J; Yang, A; Yang, R. (2015). Efficient planar perovskite solar cells with large fill factor and excellent stability. J Power Sources. 297: 53-58. http://dx.doi.org/10.1016/j.jpowsour.2015.07.081.

Bao, ZX; Liu, CX; Pinto, NJ. (1997). Electrical conductivity of polyaniline as a function of pressure using a diamond anvil cell. Synthetic Metals. 87: 147-150.

Barbagini, F; Halder, S; Janssens, T, om; Kenis, K; Wostyn, K; Bearda, T; Quoc, TL, e; Leunissen, P; Mertens, P; Kim, KH; Andreas, M. (2009). Particle Removal Efficiency and Damage Analysis on Silicon Wafers after Megasonic Cleaning in Solvents. J Adhes Sci Tech. 23: 1709-1721. http://dx.doi.org/10.1163/016942409X12459095670430.

Barzin, J; Sadatnia, B. (2008). Correlation between macrovoid formation and the ternary phase diagram for polyethersulfone membranes prepared from two nearly similar solvents. J Memb Sci. 325: 92-97. http://dx.doi.org/10.1016/j.memsci.2008.07.003.

Bas, S; Sakintuna, B; Birkan, B; Menceloglu, Y; Taralp, A; Aktas, Z; Yurum, Y. (2005). Lyophilization-induced structural changes in solvent-swollen and supercritical carbon dioxide treated low-rank Turkish coals and characterization of their extracts. Energy Fuels. 19: 1056-1064. http://dx.doi.org/10.1021/ef049706v.

Basavaraja, C; Jung, G; yuHo; Huh, D; oS. (2015). Solubility and Electrochemical Properties of Chemically Modified Polyaniline-Gold/Camphor Sulfonic Acid Composites. Polymer Composites. 36: 245-252. http://dx.doi.org/10.1002/pc.22936.

Basch, A; Albering, JH. (2011). Preparation and characterization of core–shell battery materials for Li-ion batteries manufactured by substrate induced coagulation. J Power Sources. 196: 3290-3295. http://dx.doi.org/10.1016/j.jpowsour.2010.11.043.

Basri, H; Ismail, AF; Aziz, M. (2011). Polyethersulfone (PES) ultrafiltration (UF) membranes loaded with silver nitrate for bacteria removal. 2: 25-37.

Bastiat, G; Leroux, JC. (2009). Pharmaceutical organogels prepared from aromatic amino acid derivatives. J Mater Chem. 19: 3867-3877. http://dx.doi.org/10.1039/B822657A.

Bauer, W; Noetzel, D. (2014). Rheological properties and stability of NMP based cathode slurries for lithium ion batteries. Ceramics International. 40: 4591-4598. http://dx.doi.org/10.1016/j.ceramint.2013.08.137.

Begon, V; Suelves, I; Herod, AA; Dugwell, DR; Kandiyoti, R. (2000). Structural effects of sample ageing in hydrocracked coal liquefaction extracts. Fuel. 79: 1423-1429.

Begon, V; Suelves, I; Islas, CA; Millan, M; Dubau, C; Lazaro, MJ; Law, RV; Herod, AA; Dugwell, DR; Kandiyoti, R. (2003). Comparison of the quaternary aromatic carbon contents of a coal, a coal extract, and its hydrocracking products by NMR methods. Energy Fuels. 17: 1616-1629. http://dx.doi.org/10.1021/ef0300287.

Begon, V; Suelves, I; Li, W; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2002). Catalytic hydrocracking of primary maceral concentrate extracts prepared in a flowing solvent reactor. Fuel. 81: 185-202.

Behrouzi, M; Luckham, PF. (2008). Limitations of size-exclusion chromatography in analyzing petroleum asphaltenes: A proof by atomic force Microscopy. Energy Fuels. 22: 1792-1798. http://dx.doi.org/10.1021/ef800064q.

Beigzadeh, R; Rahimi, M; Shabanian, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. Fluid Phase Equilibria. 331: 48-57. http://dx.doi.org/10.1016/j.fluid.2012.06.025.

Belluomini, GJ; Pendergast, JG; Domke, CH; Ussing, BR. (2009). Performance of Several Ionic Liquids for the Separation of 1-Octene from n-Octane. Ind Eng Chem Res. 48: 11168-11174. http://dx.doi.org/10.1021/ie9009815.

Benehkohal, NP; Sussman, MJ; Chiu, HC; Uceda, M; Gauvin, R; Demopoulos, GP. (2015). Enabling Green Fabrication of Li-Ion Battery. Electrodes by Electrophoretic Deposition: Growth of Thick Binder-Free Mesoporous TiO2-Carbon Anode Films. J Electrochem Soc. 162: D3013-D3018. http://dx.doi.org/10.1149/2.0111511jes.

Bereznev, S; Konovalov, I; Opik, A; Kois, J. (2005). Hybrid CuInS2/polypyrrole and CuInS2/poly(3,4-ethylenedioxythiophene) photovoltaic structures. Synthetic Metals. 152: 81-84. http://dx.doi.org/10.1016/j.synthmet.2005.07.158.

Bergin, SD; Sun, Z; Streich, P; Hamilton, J; Coleman, JN. (2010). New Solvents for Nanotubes: Approaching the Dispersibility of Surfactants. J Phys Chem C. 114: 231-237. http://dx.doi.org/10.1021/jp908923m.

Bermejo, J; Menendez, R; Fernandez, AL; Granda, M; Suelves, I; Herod, AA; Kandiyoti, R. (2001). A comparative study of the composition of anthracene oil polymerized by different treatments. Fuel. 80: 2155-2162.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Bernauer, M; Dohnal, V. (2009). Temperature dependences of limiting activity coefficients and Henry's law constants for N-methylpyrrolidone, pyridine, and piperidine in water. Fluid Phase Equilibria. 282: 100-107. http://dx.doi.org/10.1016/j.fluid.2009.05.005.

Berrada, M; Anbaoui, Z; Lajrhed, N; Berrada, M; Knouzi, N; Vaultier, M; Sekiguchi, H; Carriere, F. (1997). Synthesis, characterization, and studies of heat-resistant poly(ether benzimidazole)s. Chem Mater. 9: 1989-1993.

Berrada, M; Carriere, F; Coutin, B; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Novel negative-type soluble photosensitive polyimides: Synthesis and characterization. Chem Mater. 8: 1029-1034.

Berrada, M; Carriere, F; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Photoinduced polymerization of bisimides as models for new soluble side-chain-substituted negative-type photosensitive polyimides. Chem Mater. 8: 1022-1028.

Berrueco, C; Alvarez, P; Venditti, S; Morgan, TJ; Herod, AA; Millan, M; Kandiyoti, R. (2009). Sample Contamination with NMP-oxidation Products and Byproduct-free NMP Removal from Sample Solutions. Energy Fuels. 23: 3008-3015. http://dx.doi.org/10.1021/ef900036m.

Berrueco, C; Venditti, S; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2008). Calibration of size-exclusion chromatography columns with 1-methyl-2-pyrrolidinone (NMP)/chloroform mixtures as eluent: Applications to petroleum-derived samples. Energy Fuels. 22: 3265-3274. http://dx.doi.org/10.1021/ef8003703.

Bhagat, SD. (1990). GAS-CHROMATOGRAPHIC METHOD TO MONITOR THE SYNTHESIS OF N-METHYL-2-PYRROLIDONE. 28: 71-74.

Bhagat, SD; Aswal, DS; Badoni, RP. (1989). DETERMINATION OF N-METHYLPYRROLIDONE IN LUBRICATING OIL SAMPLES BY GC. Fuel. 68: 796-799.

Bhoi, S; Dey, D; Banerjee, T; Mohanty, K. (2014). Solid-liquid equilibria predictions for the dissolution of brown coal in ionic liquids using a continuum solvation model. Fuel Process Tech. 126: 112-121. http://dx.doi.org/10.1016/j.fuproc.2014.04.019.

Bhosale, RR; Mahajani, VV. (2013). Kinetics of Absorption of Carbon Dioxide in Aqueous Solution of Ethylaminoethanol Modified with N-methyl-2-pyrolidone. Separation Science and Technology. 48: 2324-2337. http://dx.doi.org/10.1080/01496395.2013.805228.

Bicak, N; Bulutcu, N; Senkal, BF; Gazi, M. (2001). Modification of crosslinked glycidyl methacrylate-based polymers for boron-specific column extraction. React Funct Polym. 47: 175-184.

Bicak, N; Senkal, BF; Sezer, E. (2005). Preparation of organo-soluble polyanilines in ionic liquid. Synthetic Metals. 155: 105-109. http://dx.doi.org/10.1016/j.synthmet.2005.06.010.

Bindal, RC; Hanra, MS; Misra, BM. (1996). Novel solvent exchange cum immersion precipitation technique for the preparation of asymmetric polymeric membrane. J Memb Sci. 118: 23-29.

Bittrich, HJ; Lempe, DA; Reinhardt, K; Wustling, JU. (1996). Liquid-liquid equilibria in binary mixtures of N-methyl-alpha-pyrrolidone and saturated hydrocarbons .2. Fluid Phase Equilibria. 126: 115-125.

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, and Viscosity of N-Methyl-2-pyrrolidone plus Ethanolamine plus Water from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 3136-3141. http://dx.doi.org/10.1021/je300742t.

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone (NMP) plus Water plus Ethanol from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 1009-1014. http://dx.doi.org/10.1021/je201152j.

Blanco, B; Beltran, S; Cabezas, JL; Coca, J. (1997). Phase equilibria of binary systems formed by hydrocarbons from petroleum fractions and the solvents N-methylpyrrolidone and N,N-dimethylformamide .1. Isobaric vapor-liquid equilibria. Journal of Chemical and Engineering Data. 42: 938-942.

Blanco, B; Sanz, MT; Beltran, S; Cabezas, JL; Coca, J. (2002). Vapor-liquid equilibria of the ternary system benzene plus n-heptane plus N-methylpyrrolidone (NMP) at 101.33 kPa. Journal of Chemical and Engineering Data. 47: 1167-1170. http://dx.doi.org/10.1021/je020007r.

Blanco, C; Fleurot, O; Menendez, R; Santamaria, R; Bermejo, J; Edie, D. (1999). Contribution of the isotropic phase to the rheology of partially anisotropic coal-tar pitches. Carbon. 37: 1059-1064.

Blanco, C; Santamaria, R; Bermejo, J; Menendez, R. (2000). Separation and characterization of the isotropic phase and co-existing mesophase in thermally treated coal-tar pitches. Carbon. 38: 1169-1176.

Blazquez, JA; Iruin, JJ; Eceolaza, S; Marestin, C; Mercier, R; Mecerreyes, D; Miguel, O; Vela, A; Marcilla, R. (2005). Solvent and acidification method effects in the performance of new sulfonated copolyimides membranes in PEM-fuel cells. J Power Sources. 151: 63-68. http://dx.doi.org/10.1016/j.jpowsour.2005.02.082.

Bobyleva, LI; Abreimova, MA; Rybina, GV; Kryukov, SI; Moskvichev, YA. (2004). Synthesis of 2,5-dihydrofuran and tetrahydrofuran from 1,3-butadiene. Petroleum Chemistry. 44: 188-192.

Bodenes, L; Darwiche, A, li; Monconduit, L; Martinez, H. (2015). The Solid Electrolyte Interphase a key parameter of the high performance of Sb in sodium-ion batteries: Comparative X-ray Photoelectron Spectroscopy study of Sb/Na-ion and Sb/Li-ion batteries. J Power Sources. 273: 14-24. http://dx.doi.org/10.1016/j.jpowsour.2014.09.037.

Bodman, SD; Mcwhinnie, WR; Begon, V; Millan, M; Suelves, I; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2003). Metal-ion pillared clays as hydrocracking catalysts (II): effect of contact time on products from coal extracts and petroleum distillation residues. Fuel. 82: 2309-2321. http://dx.doi.org/10.1016/S0016-2361(03)00126-1.

Bodner, M; Espe, MP. (2003). Induced optical activity in polyaniline: Solvent and acid dependence. Synthetic Metals. 135: 403-404. http://dx.doi.org/10.1016/S0379-6779(02)00658-6.

Boger, A; Wheeler, K; Montali, A; Gruskin, E. (2009). NMP-modified PMMA bone cement with adapted mechanical and hardening properties for the use in cancellous bone augmentation. J Biomed Mater Res B Appl Biomater. 90: 760-766. http://dx.doi.org/10.1002/jbm.b.31345.

Bohloul, MR; Vatani, A; Peyghambarzadeh, SM. (2014). Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). Fluid Phase Equilibria. 365: 106-111. http://dx.doi.org/10.1016/j.fluid.2013.12.019.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Bondarenko, VE; Zhuravleva, TS; Efimov, ON; Nikolaeva, GV. (1997). Delay photoconductivity in polyaniline films from different solvents. Synthetic Metals. 84: 793-794.

Bondue, CJ; Abd-El-Latif, AA; Hegemann, P; Baltruschat, H. (2015). Quantitative Study for Oxygen Reduction and Evolution in Aprotic Organic Electrolytes at Gas Diffusion Electrodes by DEMS. J Electrochem Soc. 162: A479-A487. http://dx.doi.org/10.1149/2.0871503jes.

Bonyadi, S; Chung, T, aiS. (2009). Highly porous and macrovoid-free PVDF hollow fiber membranes for membrane distillation by a solvent-dope solution co-extrusion approach. J Memb Sci. 331: 66-74. http://dx.doi.org/10.1016/j.memsci.2009.01.014.

Boom, RM; Vandenboomgaard, T; Smolders, CA. (1994). MASS-TRANSFER AND THERMODYNAMICS DURING IMMERSION PRECIPITATION FOR A 2-POLYMER SYSTEM - EVALUATION WITH THE SYSTEM PES-PVP-NMP-WATER. J Memb Sci. 90: 231-249.

Boom, RM; Wienk, IM; Vandenboomgaard, T; Smolders, CA. (1992). MICROSTRUCTURES IN PHASE INVERSION MEMBRANES .2. THE ROLE OF A POLYMERIC ADDITIVE. J Memb Sci. 73: 277-292.

Borde, I; Jelinek, M; Daltrophe, NC. (1997). Working fluids for an absorption system based on R124 (2-chloro-1,1,1,2-tetrafluoroethane) and organic absorbents. International Journal of Refrigeration. 20: 256-266.

Bottino, A; Capannelli, G; Comite, A. (2002). Preparation and characterization of novel porous PVDF-ZrO2 composite membranes. Desalination. 146: 35-40.

Bottino, A; Capannelli, G; Comite, A. (2006). Novel porous membranes from chemically modified poly(vinylidene fluoride). J Memb Sci. 273: 20-24. http://dx.doi.org/10.1016/j.memsci.2005.09.026.

Bouchard, J; Cayla, A; Odent, S; Lutz, V; Devaux, E; Campagne, C. (2016). Processing and characterization of polyethersulfone wet-spun nanocomposite fibres containing multiwalled carbon nanotubes. Synthetic Metals. 217: 304-313. http://dx.doi.org/10.1016/j.synthmet.2016.04.007.

Bougot, MN; Dang, TMD; Le, NN; Dang, MC. (2013). Realization of stable and homogenous carbon nanotubes dispersion as ink for radio frequency identification applications. 4. http://dx.doi.org/10.1088/2043-6262/4/2/025008.

Bouyer, D; Pochat-Bohatier, C. (2013). Validation of Mass-Transfer Model for VIPS Process using In Situ Measurements Performed by Near-Infrared Spectroscopy. AIChE J. 59: 671-686. http://dx.doi.org/10.1002/aic.13839.

Bouyer, D; Werapun, W; Pochat-Bohatier, C; Deratani, A. (2010). Morphological properties of membranes fabricated by VIPS process using PEI/NMP/water system: SEM analysis and mass transfer modelling. J Memb Sci. 349: 97-112. http://dx.doi.org/10.1016/j.memsci.2009.11.036.

Bowen, WR; Doneva, TA; Yin, HB. (2001). Polysulfone-sulfonated poly(ether ether) ketone blend membranes: systematic synthesis and characterisation. J Memb Sci. 181: 253-263.

Bowen, WR; Doneva, TA; Yin, HB. (2002). The effect of sulfonated poly(ether ether ketone) additives on membrane formation and performance. Desalination. 145: 39-45.

Bracamonte, MV; Lacconi, GI; Urreta, SE; Foa Torres, LEF. (2014). On the Nature of Defects in Liquid-Phase Exfoliated Graphene. J Phys Chem C. 118: 15455-15459. http://dx.doi.org/10.1021/jp501930a.

Brown, RE; Lee, FM. (1994). EXTRACTIVE DISTILLATION PERFORMANCE. Chemical Engineering Communications. 128: 159-171.

Bruma, M; Schulz, B; Kopnick, T; Stiller, B; Mercer, F. (1999). Study of thin films made from aromatic polyamides with silicon and phenylquinoxaline rings in the main chain. Mater Sci Eng C. 8-9: 361-371.

Brunet, D; Mercier, R; Gallot, B. (2000). Liquid crystalline comb-like polyimides with biphenyl-based side groups. Liquid Crystals. 27: 483-489.

Bu, L; Wu, X; Wang, X; Liu, L. (2013). Liquid encapsulated electrostatic energy harvester for low-frequency vibrations. Journal of Intelligent Material Systems and Structures. 24: 61-69. http://dx.doi.org/10.1177/1045389X12459590.

Buerglova, K; Hlavac, J, an; Bartlett, JR. (2015). Synthesis of sol-gel silica particles in reverse micelles with mixed-solvent polar cores: tailoring nanoreactor structure and properties. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-3104-4.

Buncick, MC; Denton, DD. (1991). THE CURING KINETICS OF POLYAMIC ACID IN THE PRESENCE OF WATER-VAPOR. Journal of Vacuum Science and Technology A. 9: 350-354.

Buruiana, DL; Tiron, GL; Pintilie, S; Simionescu, CS; Balta, S. (2015). INFLUENCE OF THE TIO2 AND ZnO NANOPARTICLES ON THE PERMEATION PROPERTIES OF PSf MEMBRANES. 45: 354-357.

Butuzova, LF; Krzton, A; Saranchuk, VI; Isajeva, L. (1994). INFLUENCE OF OXYGEN ON THE BEHAVIOR OF OXYGEN-CONTAINING GROUPS OF SOFT COAL IN PYROLYSIS. Fuel. 73: 945-949.

Cagniant, D; Gruber, R; Lacordaire, C; Jasienko, S; Machnikowska, H; Salbut, PD; Bimer, J; Puttmann, W. (1990). SOLVOLYSIS OF 3 POLISH COAL SAMPLES BY TREATMENT WITH N-METHYL-2-PYRROLIDINONE AND AN NAOH/CH3OH MIXTURE. Fuel. 69: 902-910.

Cagniant, D; Gruber, R; Lacordaire, C; Legrand, AP; Sderi, D; Sfihi, H; Tougne, P; Quinton, MF; Bunte, G; Jasienko, S; Machinkowska, H. (1991). CHARACTERIZATION OF COALS AND THEIR MACERALS BY SOLID-STATE C-13 NMR AND FTIR. Fuel. 70: 675-681.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS FIELD-IONIZATION MASS-SPECTROMETRY OF EXTRACTS SEPARATED FROM A GAS COAL AND ITS MACERALS USING N-METHYL-2-PYRROLIDINONE. Energy Fuels. 6: 702-708.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS-FIELD IONIZATION MASS-SPECTROMETRY OF N-METHYL-2-PYRROLIDINONE EXTRACTS OF COALS. Energy Fuels. 6: 694-701.

Cai, H; Tian, L, i; Huang, B; Yang, G; Guan, D; Huang, H, ui. (2013). 1,1-Diamino-2,2-dintroethene (FOX-7) nanocrystals embedded in mesoporous carbon FDU-15. Microporous and Mesoporous Materials. 170: 20-25. http://dx.doi.org/10.1016/j.micromeso.2012.11.034.

Cai, H; Tian, L, i; Huang, H, ui; Li, J; Deng, J; Yang, G. (2012). The formation of energetic composites by embedding multi-nitro organic molecules in an ordered mesoporous carbon. Microporous and Mesoporous Materials. 163: 110-114. http://dx.doi.org/10.1016/j.micromeso.2012.07.007.

Cai, M; Zhu, M; Sun, Y; Qian, J. (2010). Synthesis and characterization of soluble aromatic poly(ether amide amide ether ketone ketone)s by electrophilic Friedel-Crafts solution polycondensation. React Funct Polym. 70: 182-188. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.11.011.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Cai, MF; Smart, RB. (1993). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE IN COAL EXTRACTS BY TGA-FTIR. Energy Fuels. 7: 52-56.

Cai, MF; Smart, RB. (1994). COMPARISON OF 7 WEST-VIRGINIA COALS WITH THEIR N-METHYL-2-PYRROLIDINONE-SOLUBLE EXTRACTS AND RESIDUES .1. DIFFUSE-REFLECTANCE INFRARED FOURIER-TRANSFORM SPECTROSCOPY. Energy Fuels. 8: 369-374.

Cai, S, hu; Cai, T; Liu, S; Yang, Q; He, J; Chen, L; Hu, J. (2014). Biodegradation of N-Methylpyrrolidone by Paracoccus sp NMD-4 and its degradation pathway. Int Biodeterior Biodegradation. 93: 70-77. http://dx.doi.org/10.1016/j.ibiod.2014.04.022.

Cai, X; Zhang, Q; Wang, S; Peng, J; Zhang, Y; Ma, H; Li, J; Zhai, M. (2014). Surfactant-assisted synthesis of reduced graphene oxide/polyaniline composites by gamma irradiation for supercapacitors. Journal of Materials Science. 49: 5667-5675. http://dx.doi.org/10.1007/s10853-014-8286-0.

Cai, Y; Li, J; Zhang, X; Zhang, Y. (2011). In-situ monitoring of polysulfone membrane formation via immersion precipitation using an ultrasonic through-transmission technique. Desalination and Water Treatment. 32: 214-225. http://dx.doi.org/10.5004/dwt.2011.2701.

Cai, ZP; Liang, Y; Li, WS; Xing, LD; Liao, YH. (2009). Preparation and performances of LiFePO4 cathode in aqueous solvent with polyacrylic acid as a binder. J Power Sources. 189: 547-551. http://dx.doi.org/10.1016/j.jpowsour.2008.10.040.

Cairns, DB; Khan, MA; Perruchot, C; Riede, A; Armes, SP. (2003). Synthesis and characterization of polypyrrole-coated poly(alkyl methacrylate) latex particles. Chem Mater. 15: 233-239. http://dx.doi.org/10.1021/cm020385f.

Calamba, K; Ringor, C; Pascua, C; Miyazawa, K. (2015). Pleated Surface Morphology of C-60 Fullerene Nanowhiskers Incorporated by Polyaniline in N-Methyl-2-Pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 709-714. http://dx.doi.org/10.1080/1536383X.2014.971118.

Calinescu, I; Avram, R. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .1. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALENE. Rev Chim. 45: 97-103.

Calinescu, I; Avram, R; Iovu, H. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .2. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALONE - KINETIC CONSTANTS DETERMINATION. Rev Chim. 45: 299-305.

Calinescu, I; Avram, R; Iovu, H. (1996). Cumene oxidation in the n-alkyl-pyridinium bromide. Rev Chim. 47: 10-14.

Can, W; Yan-Li, W; Liang, Z; Guang-Zhi, Y; Jun-He, Y; Wen-Ming, Q; Li-Cheng, L. (2012). Synthesis of Graphene with Microwave Irradiation in Liquid Phase. Wuji Cailiao Xuebao. 27: 769-774. http://dx.doi.org/10.3724/SP.J.1077.2012.11521.

Cao, C; Wang, R; Chung, TS; Liu, Y. (2002). Formation of high-performance 6FDA-2,6-DAT asymmetric composite hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 209: 309-319.

Cao, X; Li, C; Li, Y; Fang, F; Cui, X; Yao, Y; Wei, J. (2016). Enhanced performance of perovskite solar cells by modulating the Lewis acid-base reaction. Nanoscale. 8: 19804-19810. http://dx.doi.org/10.1039/c6nr07450b.

Caquineau, H; Menut, P; Deratani, A; Dupuy, C. (2003). Influence of the relative humidity on film formation by vapor induced phase separation. Polymer Engineering and Science. 43: 798-808.

Carter, R; Oakes, L; Cohn, AP; Holzgrafe, J; Zarick, HF; Chatterjee, S; Bardhan, R; Pint, CL. (2014). Solution Assembled Single-Walled Carbon Nanotube Foams: Superior Performance in Supercapacitors, Lithium-Ion, and Lithium-Air Batteries. J Phys Chem C. 118: 20137-20151. http://dx.doi.org/10.1021/jp5054502.

Casciola, M; Alberti, G; Donnadio, A; Pica, M; Marmottini, F; Bottino, A; Piaggio, P. (2005). Gels of zirconium phosphate in organic solvents and their use for the preparation of polymeric nanocomposites. J Mater Chem. 15: 4262-4267. http://dx.doi.org/10.1039/b506768e.

Cecchetto, L; Ambat, R; Davenport, AJ; Delabouglise, D; Petit, JP; Neel, O. (2007). Emeraldine base as corrosion protective layer on aluminium alloy AA5182, effect of the surface microstructure. Corrosion Sci. 49: 818-829. http://dx.doi.org/10.1016/j.corsci.2006.06.012.

Cerny, J; Pavlikova, H. (1994). STRUCTURAL-ANALYSIS OF LOW-RANK-COAL EXTRACTS AND THEIR RELATION TO PARENT COALS. Energy Fuels. 8: 375-379.

Chakrabarty, B; Ghoshal, AK; Purkait, AK. (2008). Preparation, characterization and performance studies of polysulfone membranes using PVP as an additive. J Memb Sci. 315: 36-47. http://dx.doi.org/10.1016/j.memsci.2008.02.027.

Chan, CY, i; Wang, Y; Wu, GW, ei; Diau, EW, eiG. (2016). Solvent-extraction crystal growth for highly efficient carbon-based mesoscopic perovskite solar cells free of hole conductors. 4: 3872-3878. http://dx.doi.org/10.1039/c6ta00912c.

Chandaliya, VK; Banerjee, PK; Biswas, P. (2012). OPTIMIZATION OF SOLVENT EXTRACTION PROCESS PARAMETERS OF INDIAN COAL. Mineral Processing and Extractive Metallurgy Review. 33: 246-259. http://dx.doi.org/10.1080/08827508.2011.584091.

Chandaliya, VK; Biswas, PP; Dash, PS. (2016). Organo-refining of high-ash Indian coals at bench scale. Fuel. 165: 425-431. http://dx.doi.org/10.1016/j.fuel.2015.10.048.

Chandramohan, A; Nagendiran, S; Alagar, M. (2012). Synthesis and characterization of polyhedral oligomeric silsesquioxane-siloxane-modified polyimide hybrid nanocomposites. Journal of Composite Materials. 46: 773-781. http://dx.doi.org/10.1177/0021998311410496.

Chang, C, haWen; Liou, GS. (2007). Stably anodic green electrochromic aromatic poly(amine-amide-imide)s: Synthesis and electrochromic properties. Organic Electronics. 8: 662-672. http://dx.doi.org/10.1016/j.orgel.2007.05.002.

Chang, C, haWen; Liou, GS. (2008). Novel anodic electrochromic aromatic polyamides with multi-stage oxidative coloring based on N, N, N ', N '-tetraphenyl-p-phenylenediamine derivatives. J Mater Chem. 18: 5638-5646. http://dx.doi.org/10.1039/b810750e.

Chang, C, haWen; Liou, GS; Hsiao, SH. (2007). Highly stable anodic green electrochromic aromatic polyamides: synthesis and electrochromic properties. J Mater Chem. 17: 1007-1015. http://dx.doi.org/10.1039/b613140a.

Chang, CC; Wei, KH; Chen, WC. (2003). Spin-coating of polyimide-silica hybrid optical thin films. J Electrochem Soc. 150: F147-F150. http://dx.doi.org/10.1149/1.1586925.

Chang, WX; Wan, H; Guan, GF; Yao, HQ. (2006). Isobaric vapor-liquid equilibria for water plus acetic acid plus (N-methyl pyrrolidone or N-methyl acetamide). Fluid Phase Equilibria. 242: 204-209. http://dx.doi.org/10.1016/j.fluid.2006.02.002.

Chang, X; Wang, Z; Quan, S; Xu, Y; Jiang, Z; Shao, L, u. (2014). Exploring the synergetic effects of graphene oxide (GO) and polyvinylpyrrodione (PVP) on poly(vinylylidenefluoride) (PVDF) ultrafiltration membrane performance. Appl Surf Sci. 316: 537-548. http://dx.doi.org/10.1016/j.apsusc.2014.07.202.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Chang, Y; Wu, WC; Chen, WC. (2001). Theoretical analysis on spin coating of polyimide precursor solutions. J Electrochem Soc. 148: F77-F81. http://dx.doi.org/10.1149/1.1357183.

Chaput, F; Lerouge, F; Tusseau-Nenez, S; Coulon, PE; Dujardin, C; Denis-Quanquin, S; Mpambani, F; Parola, S. (2011). Rare Earth Fluoride Nanoparticles Obtained Using Charge Transfer Complexes: A Versatile and Efficient Route toward Colloidal Suspensions and Monolithic Transparent Xerogels. Langmuir. 27: 5555-5561.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures. Journal of Supercritical Fluids. 55: 23-31. http://dx.doi.org/10.1016/j.supflu.2010.08.017.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures (Reprint from J. of Supercritical Fluids vol 55, pg 23-31, 2010). Journal of Supercritical Fluids. 55: 662-670.

Chauhan, NPS; Ameta, R; Ameta, R; Ameta, SC. (2011). Thermal and conducting behaviour of emeraldine base (EB) form of polyaniline (PANI). Indian J Chem Tech. 18: 118-122.

Chen, BH; Lei, ZG; Li, JW. (2003). Separation on aromatics and non-aromatics by extractive distillation with NMP. J Chem Eng Jpn. 36: 20-24.

Chen, C; Iino, M. (2001). Insight into the aggregation of coal derived material in solvent - an observation by size exclusion chromatography. Fuel. 80: 929-936.

Chen, C; Kurose, H; Iino, M. (1999). Pathway of TCNE interaction with coal to enhance its solubility in the NMP-CS2 mixed solvent. Energy Fuels. 13: 1180-1183.

Chen, GS; Hou, YJ; Knapp, H. (1995). DIFFUSION-COEFFICIENTS, KINEMATIC VISCOSITIES, AND REFRACTIVE-INDEXES FOR HEPTANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE,AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1005-1010.

Chen, GS; Knapp, H. (1995). DENSITIES AND EXCESS MOLAR VOLUMES FOR SULFOLANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE, AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1001-1004.

Chen, J, uiT; Chen, MC. (2008). Liquid-liquid equilibria for the quaternary systems of water plus N-methyl-2-pyrrolidone plus 1-hexanol plus NaCl, plus KCl, or plus KAc. Journal of Chemical and Engineering Data. 53: 217-222. http://dx.doi.org/10.1021/je700561p.

Chen, J, uiT; Chen, MC. (2008). Salting effect on the liquid-liquid equilibria for the ternary system water plus N-methyl-2-pyrrolidone+1-pentanol. Fluid Phase Equilibria. 266: 1-7. http://dx.doi.org/10.1016/j.fluid.2008.01.008.

Chen, L, ei; Yang, J; Liu, M. (2011). Kinetic Modeling of Coal Swelling in Solvent. Ind Eng Chem Res. 50: 2562-2568. http://dx.doi.org/10.1021/ie100628g.

Chen, S; Zhu, J; Han, Q; Wang, X, in. (2012). In situ assembly of Ag2O nanoparticles on low defect density carbon nanotubes. Mater Chem Phys. 136: 666-672. http://dx.doi.org/10.1016/j.matchemphys.2012.07.040.

Chen, SA; Lee, HT. (1992). POLYANILINE ACID DOPANT INTERACTION IN THE PRESENCE OF 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 47: 233-238.

Chen, SA; Lee, HT. (1993). DOPING BEHAVIOR OF POLYANILINE FILM CONTAINING 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 55: 1040-1044.

Chen, SA; Lin, LC. (1995). DOPING OF POLYANILINE VIA PSEUDOPROTONATION BY AN IONIC SALT. Adv Mater Deerfield. 7: 473-475.

Chen, X; Boulos, RA; Dobson, JF; Raston, CL. (2013). Shear induced formation of carbon and boron nitride nano-scrolls. Nanoscale. 5: 498-502. http://dx.doi.org/10.1039/c2nr33071g.

Chen, X; Ming, S; Wu, X; Chen, C; Asumana, C; Yu, G. (2013). Cu(I)-Based Ionic Liquids as Potential Absorbents to Separate Propylene and Propane. Separation Science and Technology. 48: 2317-2323. http://dx.doi.org/10.1080/01496395.2013.794836.

Chen, XH; Gonsalves, KE. (1997). Synthesis and properties of an aluminum nitride polyimide nanocomposite prepared by a nonaqueous suspension process. J Mater Res. 12: 1274-1286.

Chen, Y, ao; Zhang, B, in; Gao, Z, he; Chen, C; Zhao, S; Qin, Y. (2015). Functionalization of multiwalled carbon nanotubes with uniform polyurea coatings by molecular layer deposition. Carbon. 82: 470-478. http://dx.doi.org/10.1016/j.carbon.2014.10.090.

Chen, Y; Zhong, J; Wang, D; Liu, M, in; Liu, X. (2011). Preparation and dielectric properties of fullerene-doped polyarylene ether nitrile film. Journal of Materials Science: Materials in Electronics. 22: 304-308. http://dx.doi.org/10.1007/s10854-010-0133-8.

Cheng, L; Chen, Z; Jian, XG; Zheng, HB; Wang, ZY. (2002). Synthesis of poly (aryl amide imide)s derived from o-diphenyltrimellitic anhydride. Journal of Wuhan University of Technology--Materials Science Edition. 17: 90-93.

Cheng, Y; Hsu, C; Lan, K; Munoz, JC; Caparanga, AR; Soriano, AN; Li, M. (2009). Desmearing of FR4 Epoxy Resin Using NMP-Based Sweller. Journal of Electronic Materials. 38: 2368-2375. http://dx.doi.org/10.1007/s11664-009-0891-3.

Chervenick, SW. (1995). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE RETAINED IN COAL EXTRACTS BY THERMAL EXTRACTION GC-MS. Fuel. 74: 241-245.

Chiu, HC; Huang, J, unJie; Liu, CH; Suen, SY, i. (2006). Batch adsorption performance of methyl methacrylate/styrene copolymer membranes. React Funct Polym. 66: 1515-1524. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.04.011.

Choe, YS, on; Oh, KJ; Kim, M, inC; Park, SW. (2010). Chemical absorption of carbon dioxide into phenyl glycidyl ether solution containing THA-CP-MS41 catalyst. Korean J Chem Eng. 27: 1868-1875. http://dx.doi.org/10.1007/s11814-010-0309-1.

Choe, YS, on; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2010). Reaction Kinetics of Carbon Dioxide with Phenyl Glycidyl Ether by TEA-CP-MS41 Catalyst. J Jpn Petrol Inst. 53: 160-166.

Choi, B; Langlois, DA; Mack, N; Johnston, CM; Kim, Y, uS. (2014). The Effect of Cathode Structures on Nafion Membrane Durability. J Electrochem Soc. 161: F1154-F1162. http://dx.doi.org/10.1149/2.0151412jes.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Choi, HJ; Kang, J, iYe; Jeon, I, nYup; Eo, S, ooMi; Tan, LS; Baek, JB. (2012). Immobilization of platinum nanoparticles on 3,4-diaminobenzoyl-functionalized multi-walled carbon nanotube and its electrocatalytic activity. J Nanopart Res. 14. http://dx.doi.org/10.1007/s11051-011-0704-5.

Choi, J, aeH; Jegal, J; Kim, W, ooN. (2006). Fabrication and characterization of multi-walled carbon nanotubes/polymer blend membranes. J Memb Sci. 284: 406-415. http://dx.doi.org/10.1016/j.memsei.2006.08.013.

Choi, JS, ik; Son, W, onJin; Kim, J; Ahn, W, haS. (2008). Metal-organic framework MOF-5 prepared by microwave heating: Factors to be considered. Microporous and Mesoporous Materials. 116: 727-731. http://dx.doi.org/10.1016/j.micromeso.2008.04.033.

Choi, KH; Ali, A; Jo, J. (2013). Randomly oriented graphene flakes film fabrication from graphite dispersed in N-methyl-pyrrolidone by using electrohydrodynamic atomization technique. Journal of Materials Science: Materials in Electronics. 24: 4893-4900. http://dx.doi.org/10.1007/s10854-013-1494-6.

Choi, KH; Jung, JC. (2004). Synthesis and characterization of new aromatic polyamides with N ' N-di(4-n-alkylphenyl)benzodiimide unit on the main chain. Macromolecular Materials & Engineering. 289: 737-742. http://dx.doi.org/10.1002/mame.200400354.

Choi, M, inY; Choi, DJ, oo; Ahn, K, eyOne; Ro, I; Kim, YH, o; Suh, SH, ee. (2012). Fabrication of Copper Nanoparticles in a Thick Polyimide Film Cured by Rapid Thermal Annealing. J Nanosci Nanotechnol. 12: 3637-3640. http://dx.doi.org/10.1166/jnn.2012.5588.

Chong, HM; Hinder, SJ; Taylor, AC. (2016). Graphene nanoplatelet-modified epoxy: effect of aspect ratio and surface functionality on mechanical properties and toughening mechanisms. Journal of Materials Science. 51: 8764-8790. http://dx.doi.org/10.1007/s10853-016-0160-9.

Chong, KC; Lai, SO; Lau, WJ; Ooi, BS. (2014). Preparation, characterisation and performance of polyvinylidene fluoride membrane for sodium chloride rejection in direct contact membrane distillation. Mater Res Innovat. 18: 359-363. http://dx.doi.org/10.1179/1432891714Z.0000000001025.

Chong, KC; Lai, SO; Lee, KM; Lau, WJ; Ismail, AF; Ooi, BS. (2015). Characteristic and performance of polyvinylidene fluoride membranes blended with different additives in direct contact membrane distillation. Desalination and Water Treatment. 54: 3218-3226. http://dx.doi.org/10.1080/19443994.2014.910139.

Chou, W, eiYu; Jin, Y, iC; Duh, JG; Lu, CZ; Liao, SC. (2015). A facile approach to derive binder protective film on high voltage spinel cathode materials against high temperature degradation. Appl Surf Sci. 355: 1272-1278. http://dx.doi.org/10.1016/j.apsusc.2015.08.046.

Chow, ST; Ng, TL. (1983). THE BIODEGRADATION OF N-METHYL-2-PYRROLIDONE IN WATER BY SEWAGE BACTERIA. Water Res. 17: 117-118.

Chowdhury, S; Frazier, CE. (2013). Compressive-torsion DMA of yellow-poplar wood in organic media. Holzforschung. 67: 161-168. http://dx.doi.org/10.1515/hf-2011-0167.

Chu, CW; Kirby, DP; Murphy, PD. (1993). INTERACTIONS OF AMINOSILANE WITH ALUMINA AND SILICA SUBSTRATES DEPOSITED FROM NONAQUEOUS AND AQUEOUS-MEDIA. J Adhes Sci Tech. 7: 417-433.

Chung, IS; Park, CE; Ree, M; Kim, SY. (2001). Soluble polyimides containing benzimidazole rings for interlevel dielectrics. Chem Mater. 13: 2801-2806. http://dx.doi.org/10.1021/cm0008381.

Chung, TH, ao; Lee, W, enC. (2008). Preparation of styrene-based, magnetic polymer microspheres by a swelling and penetration process. React Funct Polym. 68: 1441-1447. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.003.

Chung, TH, ao; Pan, HC; Lee, W, enC. (2007). Preparation and application of magnetic poly(styrene-glycidyl methacrylate) microspheres. Journal of Magnetism and Magnetic Materials. 311: 36-40. http://dx.doi.org/10.1016/j.jmmm.2006.11.165.

Chung, TS; Kafchinski, ER; Foley, P. (1992). DEVELOPMENT OF ASYMMETRIC HOLLOW FIBERS FROM POLYIMIDES FOR AIR SEPARATION. J Memb Sci. 75: 181-195.

Chung, TS; Kafchinski, ER; Vora, R. (1994). DEVELOPMENT OF A DEFECT-FREE 6FDA-DURENE ASYMMETRIC HOLLOW-FIBER AND ITS COMPOSITE HOLLOW FIBERS. J Memb Sci. 88: 21-36.

Chung, TS; Qin, JJ; Gu, J. (2000). Effect of shear rate within the spinneret on morphology, separation performance and mechanical properties of ultrafiltration polyethersulfone hollow fiber membranes. Chem Eng Sci. 55: 1077-1091.

Chung, TS; Teoh, SK. (1999). The ageing phenomenon of polyethersulphone hollow fibre membranes for gas separation and their characteristics. J Memb Sci. 152: 175-188.

Chung, TS; Teoh, SK; Hu, XD. (1997). Formation of ultrathin high-performance polyethersulfone hollow-fiber membranes. J Memb Sci. 133: 161-175.

Chung, TS; Teoh, SK; Lau, WWY; Srinivasan, MP. (1998). Effect of shear stress within the spinneret on hollow fiber membrane morphology and separation performance. Ind Eng Chem Res. 37: 3930-3938.

Chylinski, K; Fras, Z; Malanowski, SK. (2004). Vapor-liquid equilibrium for propylene glycol+2-(2-hexyloxyethoxy) ethanol and 1-methyl-2-pyrrolidone+1-methoxypropan-2-ol. Journal of Chemical and Engineering Data. 49: 18-23. http://dx.doi.org/10.1021/je034096z.

Ciesielski, A; Haar, S; Aliprandi, A; El Garah, M; Tregnago, G; Cotella, GF; El Gemayel, M; Richard, F; Sun, H; Cacialli, F; Bonaccorso, F; Samorì, P. (2016). Modifying the Size of Ultrasound-Induced Liquid-Phase Exfoliated Graphene: From Nanosheets to Nanodots. ACS Nano. 10: 10768-10777. http://dx.doi.org/10.1021/acsnano.6b03823.

Clara, RA; de Doz, MG; Barnes, N; Solimo, HN. (2002). Influence of temperature on the liquid-to-liquid extraction of 1-propanol from aqueous solutions containing nitromethane. Fluid Phase Equilibria. 198: 267-279.

Clark, MD; Krishnamoorti, R. (2009). Dispersion of Functionalized Multiwalled Carbon Nanotubes. J Phys Chem C. 113: 20861-20868. http://dx.doi.org/10.1021/jp907221g.

Cody, GD; Obeng, M; Thiyagarajan, P. (1997). Characterization of the soluble and insoluble fractions of upper freeport coal in NMP/CS2 and pyridine using small angle neutron scattering. Energy Fuels. 11: 495-501.

Cohen, CS; Stansberry, PG; Stiller, AH; Hobbs, G; Vavro, K; Miller, MR. (1995). PRELIMINARY CHARACTERIZATION OF BIOREACTIVITY OF NOVEL CARBONACEOUS PITCHES EXTRACTED IN N-METHYLPYRROLIDONE. Energy Fuels. 9: 1051-1057.

Collins, JP; Noble, RD; Park, CH; Clark, NA. (1995). CONTINUED STUDIES OF AN ELECTROCONVECTIVE LIQUID MEMBRANE FOR GAS SEPARATION. J Memb Sci. 99: 249-257.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Comanescu, I; Filotti, L. (2010). Vapour-liquid Equilibrium Data for C5 Saturated-Unsaturated Hydrocarbons Solutions with Solvents Monopropylene Glycol, Dipropylene Glycol or N-Methyl-2-Pyrrolidone. Rev Chim. 61: 986-990.

Coonts, BA; Whitman, SL; O'Donnell, M; Polson, AM; Bogle, G; Garrett, S; Swanbom, DD; Fulfs, JC; Rodgers, PW; Southard, GL; Dunn, RL. (1998). Biodegradation and biocompatibility of a guided tissue regeneration barrier membrane formed from a liquid polymer material. J Biomed Mater Res. 42: 303-311.

Cowley, M. (2006). Skeletal isomerization of Fischer-Tropsch-derived pentenes: The effect of oxygenates. Energy Fuels. 20: 1771-1776. http://dx.doi.org/10.1021/ef0601162.

Creaser, CS; Lamarca, DG; dos Santos, LMF; Lobiundo, G; New, AP. (2003). On-line biodegradation monitoring of nitrogen-containing compounds by membrane inlet mass spectrometry. J Chem Tech Biotechnol. 78: 1193-1200. http://dx.doi.org/10.1002/jctb.918.

Crock, CA; Rogensues, AR; Shan, W; Tarabara, VV. (2013). Polymer nanocomposites with graphene-based hierarchical fillers as materials for multifunctional water treatment membranes. Water Res. 47: 3984-3996. http://dx.doi.org/10.1016/j.watres.2012.10.057.

Cuevas, RM; Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1995). EXPERIMENTAL LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - ETHANENITRILE AND BUTANENITRILE WITH N-ALKANES. Fluid Phase Equilibria. 107: 201-212.

Cui, KM; Tria, MC; Pernites, R; Binag, CA; Advincula, RC. (2011). PVK/MWNT electrodeposited conjugated polymer network nanocomposite films. ACS Applied Materials & Interfaces. 3: 2300-2308. http://dx.doi.org/10.1021/am200233k.

Cui, ZY; Li, ZW; Gao, ZH; Li, JQ. (1994). VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE(1)WATER(2) BINARY-SYSTEM BY AN EBULLIOMETER. Chinese Journal of Chemical Engineering. 2: 119-124.

Curti, E; de Britto, D; Campana, SP. (2003). Methylation of chitosan with iodomethane: Effect of reaction conditions on chemoselectivity and degree of substitution. Macromol Biosci. 3: 571-576. http://dx.doi.org/10.1002/mabi.200300030.

da Conceicao, TF; Scharnagl, N; Dietzel, W; Kainer, KU. (2011). Corrosion protection of magnesium AZ31 alloy using poly(ether imide) [PEI] coatings prepared by the dip coating method Influence of solvent and substrate pre-treatment. Corrosion Sci. 53: 338-346. http://dx.doi.org/10.1016/j.corsci.2010.09.040.

Daaou, M; Bendedouch, D; Modarressi, A, li; Rogalski, M. (2012). Properties of the Polar Fraction of Hassi-Messaoud Asphaltenes. Energy Fuels. 26: 5672-5678. http://dx.doi.org/10.1021/ef300573d.

Dabai, F; Paterson, N; Milian, M; Fennell, P; Kandiyoti, R. (2014). Tar Formation and Destruction in a Fixed Bed Reactor Simulating Downdraft Gasification: Effect of Reaction Conditions on Tar Cracking Products. Energy Fuels. 28: 1970-1982. http://dx.doi.org/10.1021/ef402293m.

Dabke, RB; Dhanabalan, A; Major, S; Talwar, SS; Lal, R; Contractor, AQ. (1998). Electrochemistry of polyaniline Langmuir-Blodgett films. Thin Solid Films. 335: 203-208.

D'Agostino, C; Stephens, JA; Parkinson, JD; Mantle, MD; Gladden, LF; Moggridge, GD. (2013). Prediction of the mutual diffusivity in acetone-chloroform liquid mixtures from the tracer diffusion coefficients. Chem Eng Sci. 95: 43-47. http://dx.doi.org/10.1016/j.ces.2013.03.033.

Dahe, GJ; Teotia, RS; Bellare, JR. (2012). The role of zeolite nanoparticles additive on morphology, mechanical properties and performance of polysulfone hollow fiber membranes. Chem Eng J. 197: 398-406. http://dx.doi.org/10.1016/j.cej.2012.05.037.

Dai, C; Dong, Y; Han, J; Lei, Z. (2015). Separation of benzene and thiophene with a mixture of N-methyl-2-pyrrolidinone (NMP) and ionic liquid as the entrainer. Fluid Phase Equilibria. 388: 142-150. http://dx.doi.org/10.1016/j.fluid.2015.01.005.

Dai, XH; Tan, YW; Xu, J. (2002). Formation of gold nanoparticles in the presence of o-anisidine and the dependence of the structure of poly(o-anisidine) on synthetic conditions. Langmuir. 18: 9010-9016. http://dx.doi.org/10.1021/la025926u.

Dai, XH; Wang, ZM; Pan, JM; Yuan, SS; Yan, YS; Liu, DM; Sun, L. (2014). Star-shaped poly(L-lactide)-b-poly(lactobionamidoethyl methacrylate) with porphyrin core: synthesis, self-assembly, singlet oxygen research and recognition properties. J Biomater Sci Polym Ed. 25: 1755-1770. http://dx.doi.org/10.1080/09205063.2014.946878.

Dai, ZW; Zou, XH; Chen, GQ. (2009). Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) as an injectable implant system for prevention of post-surgical tissue adhesion. Biomaterials. 30: 3075-3083. http://dx.doi.org/10.1016/j.biomaterials.2009.02.015.

Damaceanu, MD; Bruma, M. (2006). Study of some silicon-containing polyoxadiazole amide. Materiale Plastice. 43: 151-159.

Damm, C; Nacken, TJ; Peukert, W. (2015). Quantitative evaluation of delamination of graphite by wet media milling. Carbon. 81: 284-294. http://dx.doi.org/10.1016/j.carbon.2014.09.059.

Dandia, A; Taneja, H; Saha, M. (1997). Synthesis of novel spiro[indole-pyranoimidazole] and spiro[indole-pyranopyrrole] derivatives. Indian J Chem Tech. 4: 243-246.

Dang, H, aiSon; Jannasch, P. (2016). Alkali-stable and highly anion conducting poly(phenylene oxide)s carrying quaternary piperidinium cations. 4: 11924-11938. http://dx.doi.org/10.1039/c6ta01905f.

Darvishmanesh, S; Jansen, JC; Tasselli, F; Tocci, E; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Novel polyphenylsulfone membrane for potential use in solvent nanofiltration. J Memb Sci. 379: 60-68. http://dx.doi.org/10.1016/j.memsci.2011.05.045.

Darvishmanesh, S; Tasselli, F; Jansen, JC; Tocci, E; Bazzarelli, F; Bernardo, P; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Preparation of solvent stable polyphenylsulfone hollow fiber nanofiltration membranes. J Memb Sci. 384: 89-96. http://dx.doi.org/10.1016/j.memsci.2011.09.003.

Davila, MJ; Alcalde, R; Aparicio, S. (2009). Pyrrolidone Derivatives in Water Solution: An Experimental and Theoretical Perspective. Ind Eng Chem Res. 48: 1036-1050. http://dx.doi.org/10.1021/ie800911n.

Davila, MJ; Aparicio, S; Alcalde, R. (2009). Thermophysical Properties of Binary and Ternary Mixtures Containing Lactams and Methanol. Ind Eng Chem Res. 48: 10065-10076. http://dx.doi.org/10.1021/ie900822e.

Davila, MJ; Cabanas, A; Pando, C. (2007). Excess molar enthalpies for binary mixtures related to supercritical antisolvent precipitation: Carbon dioxide plus N-methyl-2-pyrrolidone. Journal of Supercritical Fluids. 42: 172-179. http://dx.doi.org/10.1016/j.supflu.2007.02.010.

Engineering/Occupational Exposure Literature Search Results

Off Topic

de Albuquerque, JE; Mattoso, LHC; Faria, RM; Masters, JG; Macdiarmid, AG. (2004). Study of the interconversion of polyaniline oxidation states by optical absorption spectroscopy. Synthetic Metals. 146: 1-10. http://dx.doi.org/10.1016/j.synthmet.2004.05.019.

de Freitas, LC; de Castro, LD. (2008). Correlations between quinoline and 1-methyl-2-pyrrolidinone insolubles in petroleum pitches. Fuel. 87: 2842-2845. http://dx.doi.org/10.1016/j.fuel.2008.01.015.

De Marco, I; Knauer, O; Cice, F; Braeuer, A; Reverchon, E. (2012). Interactions of phase equilibria, jet fluid dynamics and mass transfer during supercritical antisolvent micronization: The influence of solvents. Chem Eng J. 203: 71-80. http://dx.doi.org/10.1016/j.cej.2012.06.129.

De Marco, I; Rossmann, M; Prosapio, V; Reverchon, E; Braeuer, A. (2015). Control of particle size, at micrometric and nanometric range, using supercritical antisolvent precipitation from solvent mixtures: Application to PVP. Chem Eng J. 273: 344-352. http://dx.doi.org/10.1016/j.cej.2015.03.100.

Della Porta, G; Volpe, MC; Reverchon, E. (2006). Supercritical cleaning of rollers for printing and packaging industry. Journal of Supercritical Fluids. 37: 409-416. http://dx.doi.org/10.1016/j.supflu.2006.01.018.

Den, W; Ko, FH; Huang, TY. (2002). Treatment of organic wastewater discharged from semiconductor manufacturing process by ultraviolet/hydrogen peroxide and biodegradation. IEEE Trans Semicond Manuf. 15: 540-551. http://dx.doi.org/10.1109/TSM.2002.804903.

Deng, D; Han, G; Jiang, Y; Ai, N. (2015). Solubilities of Carbon Dioxide in Five Biobased Solvents. Journal of Chemical and Engineering Data. 60: 104-111. http://dx.doi.org/10.1021/je500812s.

Deng, Q; Qin, Z; Yang, Y; Song, W. (2015). Synthesis, characterization of triphenyltin grafted on SBA-15 mesoporous silica and its catalytic performance for the synthesis of 4-methylacetophenone. Chinese Journal of Chemical Engineering. 23: 384-388. http://dx.doi.org/10.1016/j.cjche.2013.12.001.

Deoliveira, JV; Uller, AMC. (1996). Solubility of pure 1,3 butadiene and methyl propene and their mixtures in pure n-methyl-2-pyrrolidone and in its aqueous solutions. Fluid Phase Equilibria. 118: 133-141.

Dhanabalan, A; Dabke, RB; Kumar, NP; Talwar, SS; Major, S; Lal, R; Contractor, AQ. (1997). A study of Langmuir and Langmuir-Blodgett films of polyaniline. Langmuir. 13: 4395-4400.

Dimitriev, OP; Pud, AA. (2011). Interaction of polyaniline with hydroxyl-ions in N-methylpyrrolidinone. Synthetic Metals. 161: 1813-1819. http://dx.doi.org/10.1016/j.synthmet.2011.06.006.

Dimitriev, OP; Smertenko, PS; Stiller, B; Brehmer, L. (2005). Polyaniline-transition metal salt complexes: insight into formation mechanisms. Synthetic Metals. 149: 187-192. http://dx.doi.org/10.1016/j.synthmet.2004.12.007.

Ding, J, un; Kong, Y; Yang, J. (2012). Preparation of Polyimide/Polyethylene Terephthalate Composite Membrane for Li-Ion Battery by Phase Inversion. J Electrochem Soc. 159: A1198-A1202. http://dx.doi.org/10.1149/2.023208jes.

Ding, M, an; Zhao, Y, unP; Dou, Y, ouQ; Wei, XY; Fan, X; Cao, J, inPei; Wang, Y, ueLun; Zong, Z, hiMin. (2015). Sequential extraction and thermal dissolution of Shengli lignite. Fuel Process Tech. 135: 20-24. http://dx.doi.org/10.1016/j.fuproc.2014.09.031.

Ding, MJ, ie; Zong, Z, hiMin; Zong, Y; Ou-Yang, XD; Huang, Y, aoGuo; Zhou, L, ei; Wang, F; Cao, JP, ei; Wei, XY. (2008). Isolation and identification of fatty acid amides from Shengli coal. Energy Fuels. 22: 2419-2421. http://dx.doi.org/10.1021/ef700499y.

Ding, X; Cao, Y; Zhao, H; Wang, L. (2013). Interfacial morphology between the two layers of the dual-layer asymmetric hollow fiber membranes fabricated by co-extrusion and dry-jet wet-spinning phase-inversion techniques. J Memb Sci. 444: 482-492. http://dx.doi.org/10.1016/j.memsci.2013.03.035.

Do Kim, S; Woo, KJ, ae; Jeong, SK; Rhim, YJ, un; Lee, S, iH. (2008). Production of low ash coal by thermal extraction with N-methyl-2-pyrrolidinone. Korean J Chem Eng. 25: 758-763.

Doetschman, DC; Mehlenbacher, RC; Ito, O. (1994). A STUDY OF COAL EXTRACTION WITH ELECTRON-PARAMAGNETIC-RESONANCE AND PROTON NUCLEAR-MAGNETIC-RESONANCE RELAXATION TECHNIQUES. Energy Fuels. 8: 907-919.

Domanka, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and ethers at atmospheric pressure. Fluid Phase Equilibria. 227: 135-143. http://dx.doi.org/10.1016/j.fluid.2004.11.006.

Domanska, U; Gloskowska, M. (2004). Experimental solid plus liquid equilibria and excess molar volumes of alkanol plus hexylamine mixtures - Analysis in terms of the ERAS, DISQUAC and Mod. UNIFAC models. Fluid Phase Equilibria. 216: 135-145. http://dx.doi.org/10.1016/j.fluid.2003.10.007.

Domanska, U; Lachwa, J. (2002). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and long-chain n-alkanols at atmospheric pressure. Fluid Phase Equilibria. 198: 1-14.

Domanska, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria and solid-compound formation in (N-methyl-2-pyrrolidinone plus phenol, or 3,5-dimethylphenol). Fluid Phase Equilibria. 232: 214-218. http://dx.doi.org/10.1016/j.fluid.2005.03.027.

Domanska, U; Lachwa, J; Gonzalez, JA. (2005). Thermodynamics of binary mixtures containing N-methyl-2-pyrrolidinone VLE measurements for systems with ethers - Comparison with the mod. UNIFAC (Do) and DISQUAC models - Predictions for VLE, G(m)(E), H-m(E) and SLE. Fluid Phase Equilibria. 235: 182-190. http://dx.doi.org/10.1016/j.fluid.2005.06.017.

Domanska, U; Lachwa, J; Letcher, TM. (2002). Densities, excess molar volumes, and excess molar enthalpies of (N-methyl-2-pyrrolidinone plus ketone) at T=298.15 K. Journal of Chemical and Engineering Data. 47: 1446-1452. http://dx.doi.org/10.1021/je020068p.

Domanska, U; Lukoshko, EV; Krolikowski, M. (2012). Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium tris(pentafluoroethyl)trifluorophosphate ([BMPYR][FAP]). Chem Eng J. 183: 261-270. http://dx.doi.org/10.1016/j.cej.2011.12.072.

Domanska, U; Marciniak, A; Krolikowska, M; Arasimowicz, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Hexyl-3-methylimidazolium Thiocyanate. Journal of Chemical and Engineering Data. 55: 2532-2536. http://dx.doi.org/10.1021/je900890u.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Domanski, M; Winnubst, L; Luttge, R; Lamers, E; Walboomers, XF; Jansen, J; Gardeniers, H. (2012). Production and characterization of miro- and nano-features in biomedical alumina and zirconia ceramics using a tape casting route. J Mater Sci Mater Med. 23: 1637-1644. http://dx.doi.org/10.1007/s10856-012-4635-1.

Domin, M; Herod, A; Kandiyoti, R; Larsen, JW; Lazaro, MJ; Li, S; Rahimi, P. (1999). A comparative study of bitumen molecular-weight distributions. Energy Fuels. 13: 552-557.

Domingo, P; Olaciregui, M; Gonzalez, N; Del Nino, A; De Blas, I; Gil, L. (2016). Effect of N-methyl-2-pyrrolidone and seminal plasma on cooled rabbit semen. Reproduction in Domestic Animals. 51: 87-88.

Donato, L; Greco, MC; Drioli, E. (2011). Preparation of molecularly imprinted membranes and evaluation of their performance in the selective recognition of dimethoate. Desalination and Water Treatment. 30: 171-177. http://dx.doi.org/10.5004/dwt.2011.1960.

Dong, H; Chen, D; Wang, K; Zhang, R. (2016). High-Yield Preparation and Electrochemical Properties of Few-Layer MoS2 Nanosheets by Exfoliating Natural Molybdenite Powders Directly via a Coupled Ultrasonication-Milling Process. Nanoscale Res Lett. 11: 409. http://dx.doi.org/10.1186/s11671-016-1622-3.

Dong, J, ie; Yin, C; Luo, W; Zhang, Q. (2013). Synthesis of organ-soluble copolyimides by one-step polymerization and fabrication of high performance fibers. Journal of Materials Science. 48: 7594-7602. http://dx.doi.org/10.1007/s10853-013-7576-2.

Dong, S; Alvarez, P; Paterson, N; Dugwell, DR; Kandiyoti, R. (2008). Investigating the formation mechanism of soot-like materials present in blast furnace coke samples. Energy Fuels. 22: 3317-3325. http://dx.doi.org/10.1021/ef800466h.

Dong, S; Paterson, N; Kazarian, SG; Dugwell, DR; Kandiyoti, R. (2007). Characterization of tuyere-level core-drill coke samples from blast furnace operation. Energy Fuels. 21: 3446-3454. http://dx.doi.org/10.1021/ef7003656.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2005). The fate of injectant coal in blast furnaces: The origin of extractable materials of high molecular mass in blast furnace carryover dusts. Progress in Natural Science. 15: 67-75.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2007). Investigating the fate of injectant coal in blast furnaces by size-exclusion chromatography. Energy Fuels. 21: 1062-1070. http://dx.doi.org/10.1021/ef060472k.

Du, C, unBin; Han, S; Zhong, Y, unHao; Yao, G, anB; Wang, J; Zhao, H. (2015). Determination and prediction of solid-liquid phase equilibrium for quaternary system of terephthalic acid plus isophthalic acid plus phthalic acid plus N-methyl-2-pyrrolidone at 303.15 K and 313.15 K. Fluid Phase Equilibria. 397: 103-110. http://dx.doi.org/10.1016/j.fluid.2015.03.042.

Du, PA, n; Ren, M, anN; Jiang, D, an; Zhao, ZH, ui; Ying, W, eiY. (2012). An experimental study on optimization utilization of deasphalted oil. Fuel Process Tech. 99: 64-68. http://dx.doi.org/10.1016/j.fuproc.2012.01.033.

Du, Z; Yin, T; Xia, Y; Cui, Z; Shen, W. (2013). The liquid-liquid coexistence curves of {x nitrobenzene + (1-x) 2-methylpentane} and {x nitrobenzene + (1-x) isooctane} in the critical region. Fluid Phase Equilibria. 358: 282-289. http://dx.doi.org/10.1016/j.fluid.2013.08.025.

Dubin, S; Gilje, S; Wang, K; Tung, VC; Cha, K; Hall, AS; Farrar, J; Varshneya, R; Yang, Y; Kaner, RB. (2010). A one-step, solvothermal reduction method for producing reduced graphene oxide dispersions in organic solvents. ACS Nano. 4: 3845-3852. http://dx.doi.org/10.1021/nn100511a.

Duereh, A; Sato, Y; Smith, RL, ee, J.,r; Inomata, H. (2015). Replacement of Hazardous Chemicals Used in Engineering Plastics with Safe and Renewable Hydrogen-Bond Donor and Acceptor Solvent-Pair Mixtures. 3: 1881-1889. http://dx.doi.org/10.1021/acssuschemeng.5b00474.

Duesselberg, D; Verreault, D; Koelsch, P; Staudt, C. (2011). Synthesis and characterization of novel, soluble sulfur-containing copolyimides with high refractive indices. Journal of Materials Science. 46: 4872-4879. http://dx.doi.org/10.1007/s10853-011-5399-6.

Dulinska-Molak, I, da; Ryszkowska, J; Kurzydlowski, KJ. (2010). Biocompatible polyurethane composites with calcite for tissue engineering. Przemysł Chemiczny. 89: 1614-1620.

Durbin, C; Hausman, R; Escobar, IC. (2013). An investigation of polymer dope and heating effects on hollow fiber membranes. Desalination and Water Treatment. 51: 6970-6977. http://dx.doi.org/10.1080/19443994.2013.797651.

Dutczak, SM; Cuperus, FP; Wessling, M; Stamatialis, DF. (2013). New crosslinking method of polyamide-imide membranes for potential application in harsh polar aprotic solvents. Separation and Purification Technology. 102: 142-146. http://dx.doi.org/10.1016/j.seppur.2012.10.018.

Dutczak, SM; Tanardi, CR; Kopec, KK; Wessling, M; Stamatialis, D. (2012). "Chemistry in a spinneret" to fabricate hollow fibers for organic solvent filtration. Separation and Purification Technology. 86: 183-189. http://dx.doi.org/10.1016/j.seppur.2011.11.003.

Dutta, M; Nicolosi, V; Obratzsova, E; Koos, AA; Crossley, A; Groben, N. (2011). Stable Dispersions of Nitrogen Containing Multi-Walled Carbon Nanotubes. 1: 201-209. http://dx.doi.org/10.1166/mex.2011.1029.

Dutta, PK. (2000). Synthesis of nitro-substituted aromatic polysulfide from bis(4-chloro-3-nitrophenyl) sulfone and sodium sulfide by activated nucleophilic displacement polymerization. Indian J Chem Tech. 7: 61-63.

Dygert, NL; Gies, AP; Schriver, KE; Haglund, RF, Jr. (2007). Deposition of polyimide precursor by resonant infrared laser ablation. Applied Physics A: Materials Science and Processing. 89: 481-487. http://dx.doi.org/10.1007/s00339-007-4155-x.

Dyrkacz, G. (2001). The nature of the binary solvent N-methylpyrrolidone/carbon disulfide. Energy Fuels. 15: 918-929. http://dx.doi.org/10.1021/ef010003e.

Dyrkacz, GR; Bloomquist, CAA. (2000). Changes in coal extractability with timed addition of tetracyanoethylene in carbon disulfide/N-methylpyrrolidone extractions. Energy Fuels. 14: 513-514.

Dyrkacz, GR; Bloomquist, CAA. (2001). Binary solvent extractions of upper freeport coal. Energy Fuels. 15: 1409-1413.

Dyrkacz, GR; Bloomquist, CAA. (2001). Solvent extraction of separated macerals in carbon disulfide/N-methylpyrrolidone. Energy Fuels. 15: 1403-1408.

Dzunuzovic, J; Jovanovic, S; Lechner, MD. (2010). CHARACTERIZATION OF THE COMMERCIAL HYPERBRANCHED POLYESTERS. Hemijska Industrija. 64: 547-553. http://dx.doi.org/10.2298/HEMIND101014060D.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Eberhardt, TL; Lebow, S; Reed, KG. (2012). Partial dissolution of ACQ-treated wood in lithium chloride/N-methyl-2-pyrrolidinone: separation of copper from potential lignocellulosic feedstocks. Chemosphere. 86: 797-801. http://dx.doi.org/10.1016/j.chemosphere.2011.11.020.

Ebrahim, S; Soliman, M; Abdel-Fattah, TM. (2011). Hybrid Inorganic-Organic Heterojunction Solar Cell. Journal of Electronic Materials. 40: 2033-2041. http://dx.doi.org/10.1007/s11664-011-1671-4.

Eghrary, SH; Zarghami, R; Martinez, F; Jouyban, A. (2012). Solubility of 2-Butyl-3-benzofuranyl 4-(2-(Diethylamino)ethoxy)-3,5-diiodophenyl Ketone Hydrochloride (Amiodarone HCl) in Ethanol plus Water and N-Methyl-2-pyrrolidone plus Water Mixtures at Various Temperatures. Journal of Chemical and Engineering Data. 57: 1544-1550. http://dx.doi.org/10.1021/je201268b.

Eifert, EJ; Vickers, LD. (2000). The dissolution vessel for plutonium pits at the U.S. DOE Pantex Plant. Health Phys. 78: S25-S27.

Einfeldt, L; Petzold, K; Gunther, W; Stein, A; Kussler, M; Klemm, D. (2001). Preparative and H-1 NMR investigation on regioselective silylation of starch dissolved in dimethyl sulfoxide. Macromol Biosci. 1: 341-347.

El Dib, G; Chakir, A. (2007). Temperature-dependence study of the gas-phase reactions of atmospheric NO3 radicals with a series of amides. Atmos Environ. 41: 5887-5896. http://dx.doi.org/10.1016/j.atmosenv.2007.03.038.

El Mansoury, A; Bushby, RJ; Karodia, N. (2012). Triphenylene-based discotic liquid crystals: star-shaped oligomers and branched-chain polymers. Liquid Crystals. 39: 1222-1230. http://dx.doi.org/10.1080/02678292.2012.707691.

El Naggar, AMA; Mostafa, MS; Zaky, MT. (2016). New trend for the pour point depression of a waxy petroleum fraction with in-situ desulphurization using (O2H & OH) radicals coupled with nanoparticles of titanium compounds. Fuel. 180: 218-227. http://dx.doi.org/10.1016/j.fuel.2016.04.031.

Elashnikov, R; Lyutakov, O; Kalachyova, Y; Solovyev, A; Svorcik, V. (2015). Tunable release of silver nanoparticles from temperature-responsive polymer blends. React Funct Polym. 93: 163-169. http://dx.doi.org/10.1016/j.reactfunctpolym.2015.06.010.

El-Gayar, MS, h; Ahmed, AEM; Gohar, GA; Hegazi, AH; Ibrahim, HM; Aly, AM. (2010). The Improvement of the Quality of Raffinate Obtained from Solvent Extraction of Lubricating Oils. Petroleum Science and Technology. 28: 1434-1444. http://dx.doi.org/10.1080/10916460903096772.

El-Gayar, MS, h; Gohar, GA; Ibrahim, AM; Ibrahim, HM; Aly, AM. (2008). Transformer oils prepared from the vacuum distillates of Egyptian crude paraffinic petroleum. Fuel Process Tech. 89: 254-261. http://dx.doi.org/10.1016/j.fuproc.2007.11.022.

Eliosajimenez, G; Trejo, A. (1993). HENRY LAW CONSTANT FOR PROPANE AND BUTANE IN SOLUTIONS OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 82: 191-197.

Elsner, T; Hradetzky, G; Bittrich, HJ. (1986). INVESTIGATIONS ON SELECTIVE SEPARATION PROCESSES .9. LIMITING ACTIVITY-COEFFICIENTS AND LIMITING SELECTIVITIES OF HYDROCARBONS IN N-METHYLPYRROLIDONE, ETHANEDIOLE AND THEIR MIXTURES. Chem Tech (Leipzig). 38: 120-121.

Ely, F; Matsumoto, A; Zoetebier, B; Peressinotto, VS; Hirata, MK; de Sousa, DA; Maciel, R. (2014). Handheld and automated ultrasonic spray deposition of conductive PEDOT:PSS films and their application in AC EL devices. Organic Electronics. 15: 1062-1070. http://dx.doi.org/10.1016/j.orgel.2014.02.022.

Ermolaeva, TN; Korenman, YI; Podolina, EA. (1997). Extractive concentration and potentiometric determination of phenolic antioxidants in water. Industrial Laboratory. 63: 387-388.

Esfahanizadeh, M; Sabbaghian, E; Mehdipour-Ataei, S; Jalilian, S; Babanzadeh, S. (2015). Synthesis and Characterization of New Polyureas with Improved Thermal Stability from a Novel Ether Keto Diamine. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21511.

Esguerra, DF; Hoffman, WP; Thies, MC. (2013). Fractionation of an oligomeric pyrene pitch via supercritical extraction. Journal of Supercritical Fluids. 79: 170-176. http://dx.doi.org/10.1016/j.supflu.2012.11.015.

Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Liquid crystallinity in trimer oligomers isolated from petroleum and pyrene pitches. Carbon. 79: 265-273. http://dx.doi.org/10.1016/j.carbon.2014.07.067.

Estevez, M; Vargas, S; Castano, VM; Rodriguez, JR; Lobland, HEH; Brostow, W. (2007). Novel wear resistant and low toxicity dental obturation materials. Mater Lett. 61: 3025-3029. http://dx.doi.org/10.1016/j.matlet.2006.10.068.

Eustaquio-Rincon, R; Esther Rebolledo-Libreros, M; Trejo, A; Molnar, R. (2008). Corrosion in aqueous solution of two alkanolamines with CO2 and H2S: N-methyldiethanolamine plus diethanolamine at 393 K. Ind Eng Chem Res. 47: 4726-4735. http://dx.doi.org/10.1021/ie071557r.

Eustaquiorincon, R; Molnar, R; Trejo, A. (1991). LIQUID LIQUID MISCIBILITY FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE + NORMAL-ALKANE AND PROPANENITRILE + NORMAL-ALKANE. Fluid Phase Equilibria. 68: 187-195.

Eustaquio-Rincon, R; Ramirez, LF; Trejo, A. (1998). Experimental liquid-liquid phase equilibria for binary systems: ethanenitrile with several hydrocarbon isomers. Fluid Phase Equilibria. 149: 177-189.

Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1993). LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE WITH SEVERAL HYDROCARBON ISOMERS. Fluid Phase Equilibria. 91: 187-201.

Evangelisti, C; Panziera, N; D'alessio, A; Bertinetti, L; Botavina, M; Vitulli, G. (2010). New monodispersed palladium nanoparticles stabilized by poly-(N-vinyl-2-pyrrolidone): Preparation, structural study and catalytic properties. J Catal. 272: 246-252. http://dx.doi.org/10.1016/j.jcat.2010.04.006.

Evenbratt, H; Nordstierna, L; Ericson, MB; Engström, S. (2013). Cubic and sponge phases in ether lipid-solvent-water ternary systems: phase behavior and NMR characterization. Langmuir. 29: 13058-13065. http://dx.doi.org/10.1021/la402732a.

Fabiyi, JS; Ogunleye, BM. (2015). MID-INFRARED SPECTROSCOPY AND DYNAMIC MECHANICAL ANALYSIS OF HEAT-TREATED OBECHE (Triplochiton scleroxylon) WOOD. 17: 5-16. http://dx.doi.org/10.4067/S0718-221X2015005000001.

Faghihi, K; Absalar, M; Hajibeygi, M. (2010). Synthesis and characterization of new optically active polyamides containing 2-(4-nitro-1,3-dioxoisoindolin-2-yl)succinic acid and aromatic diamines via direct polycondensation. Turkish Journal of Chemistry. 34: 81-90. http://dx.doi.org/10.3906/kim-0811-4.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Faghihi, K; Ashouri, M; Hajibeygi, M. (2013). High Temperature and Organosoluble Poly(amide-imide)s Based on 1,4-Bis[4-aminophenoxy]butane and Aromatic Diacids by Direct Polycondensation: Synthesis and Properties. High Temperature Materials and Processes. 32: 451-458. http://dx.doi.org/10.1515/htmp-2012-0164.

Faghihi, K; Dehnavi, N; Hajibeygi, M. (2014). New thermally stable poly(amide-imide)/montmorillonite reinforced nanocomposite based on N,N '-pyrromellitoyl-bis-L-valine: synthesis and characterization. Science and Engineering of Composite Materials. 21: 1-6. http://dx.doi.org/10.1515/secm-2012-0043.

Faghihi, K; Faramarzi, E; Shabanian, M. (2011). Thermal and Optical Properties of New Poly(amide-imide)/Nanocomposite Reinforced by Layer Silicate Containing Diphenyl Ether Moieties. High Temperature Materials and Processes. 30: 139-144. http://dx.doi.org/10.1515/HTMP.2011.020.

Faghihi, K; Hagibeygi, M. (2007). New aromatic polyamide with Azo and phosphine oxide groups in the main chain. Turkish Journal of Chemistry. 31: 65-73.

Faghihi, K, h; Hajibeygi, M. (2010). New flame retardant and optically active poly(amide-imide)s based on N-trimellitylimido-L-amino acid and phosphine oxide moiety in the main chain: synthesis and characterization. Materials Science. 28: 545-556.

Faghihi, K; Hajibeygi, M. (2013). Heat Resistant Poly(amide-imide)s Derived from N,N '-(4,4 '-Pyromellitoyl)-bis-L-phenyl Acetic Acid and Aromatic Diamines: Synthesis and Properties. High Temperature Materials and Processes. 32: 51-57. http://dx.doi.org/10.1515/htmp-2012-0059.

Faghihi, K; Hajibeygi, M; Shabanian, M. (2009). Synthesis and Characterization of New Copoly(amide-imide)s Based on Bicyclo[2,2,2]oct-7-ene-2,3,5,6-tetracarboxylic diimide and Azobenzene Group in the Main Chain. High Temperature Materials and Processes. 28: 379-386.

Faghihi, K; Mozafari, Z. (2008). Synthesis and Properties of Novel Photosensitive Poly(amide-imide)s Containing Chalcone Moiety and Aromatic Diamines in the Main Chain. Turkish Journal of Chemistry. 32: 673-683.

Faghihi, K; Mozaffari, Z. (2008). New polyamides derived from 2,5-bis[(4-carboxyanilino) carbonyl] pyridine and hydantoin derivatives: Synthesis and characterization. Turkish Journal of Chemistry. 32: 131-140.

Faghihi, K; Naderi-Ghomi, M; Hajibeygi, M. (2012). Synthesis and properties of new polyamide-organoclay nanocomposites containing pyrazine moiety in the main chain. Science and Engineering of Composite Materials. 19: 215-220. http://dx.doi.org/10.1515/secm-2011-0105.

Faghihi, K; Samiei, M; Hajibeygi, M. (2012). Photo and Thermal Behavior of New Reinforced Polyamide-nanocomposite Montmorillonite on 2,3-Pyrazin Dicarboxylic Acid. High Temperature Materials and Processes. 31: 267-272. http://dx.doi.org/10.1515/htmp-2011-0137.

Faghihi, K; Shabanian, M. (2011). Optical and Thermal Behaviors of Polyamide-Layered Silicate Nanocomposites Based on 4,4 '-Azodibenzoic Acid by Solution Intercalation Technique. High Temperature Materials and Processes. 30: 77-80. http://dx.doi.org/10.1515/HTMP.2011.010.

Faghihi, K; Shabanian, M; Aleyasin, N. (2010). New organosoluble copoly(ether-amide-imide)s based on N,N '-(4,4 '-diphenylether)bistrimellitimide in the main chain: synthesis and characterization. Asia-Pacific Journal of Chemical Engineering. 5: 915-918. http://dx.doi.org/10.1002/apj.413.

Faghihi, K; Shabanian, M; Alimohammadi, H. (2010). Synthesis and characterization of new optically active and organosoluble copoly amides containing phthalimide rings as a pendent group. Asia-Pacific Journal of Chemical Engineering. 5: 932-937. http://dx.doi.org/10.1002/apj.422.

Faghihi, K; Shabanian, M; Bolhasani, N. (2012). Synthesis and Preparation of New Reinforced Montmorillonite Poly(amides-imides) Based on N-trimellitimido-4-amino Benzoic Acid. High Temperature Materials and Processes. 30: 557-562. http://dx.doi.org/10.1515/HTMP.2011.113.

Faghihi, K; Shabanian, M; Dadfar, E. (2012). New Poly(amide-imide)/Nanocomposites Reinforced Silicate Nanoparticles Based on N-pyromellitimido-L-phenyl Alanine Containing Ether Moieties. High Temperature Materials and Processes. 31: 7-12. http://dx.doi.org/10.1515/HTMP.2011.122.

Faghihi, K; Shabanian, M; Hajibeygi, M. (2011). Synthesis and properties of new optically active and organosoluble poly(ester-imide)s containing L-valine moieties in the main chain by direct polycondensation reaction. Turkish Journal of Chemistry. 35: 279-289. http://dx.doi.org/10.3906/kim-1004-540.

Faghihi, K; Shabanian, M; Kazemi, S. (2009). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 28: 97-99.

Faghihi, K; Shabanian, M; Kazemi, S. (2010). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 29: 103-110.

Faghihi, K; Soleimani, M; Nezami, S; Shabanian, M. (2012). THERMAL AND OPTICAL PROPERTIES OF NEW POLY(AMIDE-IMIDE)-NANOCOMPOSITE REINFORCED BY LAYER SILICATE BASED ON CHIRAL N-TRIMELLITYLIMIDO-L-VALINE. Macedonian Journal of Chemistry and Chemical Engineering. 31: 79-87.

Fahim, MA; Elkilani, AS. (1990). PREDICTION OF OPTIMUM COMPOSITION OF THE MIXED-SOLVENT N-METHYLPYRROLIDONE ETHYLENE-GLYCOL FOR THE EXTRACTION OF AROMATICS. Separation Science and Technology. 25: 1803-1815.

Fakhouri, H; Pulpytel, J; Smith, W; Zolfaghari, A; Mortaheb, HR; Meshkini, F; Jafari, R; Sutter, E; Arefi-Khonsari, F. (2014). Control of the visible and UV light water splitting and photocatalysis of nitrogen doped TiO2 thin films deposited by reactive magnetron sputtering. Appl Catal B-Environ. 144: 12-21. http://dx.doi.org/10.1016/j.apcatb.2013.06.028.

Falconi, M; Focaroli, S; Teti, G; Salvatore, V; Durante, S; Nicolini, B; Orienti, I. (2014). Novel PLA microspheres with hydrophilic and bioadhesive surfaces for the controlled delivery of fenretinide. J Microencapsul. 31: 41-48. http://dx.doi.org/10.3109/02652048.2013.805838.

Fan, B; Chen, X; Zhou, T; Zhang, J; Xu, B. (2016). A sustainable process for the recovery of valuable metals from spent lithium-ion batteries. Waste Manag Res. 34: 474-481. http://dx.doi.org/10.1177/0734242X16634454.

Fan, J; Shi, Z; Zhang, L; Wang, J; Yin, J. (2012). Aramid nanofiber-functionalized graphene nanosheets for polymer reinforcement. Nanoscale. 4: 7046-7055. http://dx.doi.org/10.1039/c2nr31907a.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Fan, SC; Wang, YC; Li, CL; Lee, KR; Liaw, DJ; Huang, HP; Lai, JY. (2002). Effect of coagulation media on membrane formation and vapor permeation performance of novel aromatic polyamide membrane. J Memb Sci. 204: 67-79.

Fan, XH; Chen, Y, anP; Su, CS. (2016). Densities and viscosities of binary liquid mixtures of 1-ethyl-3-methylimidazolium tetrafluoroborate with acetone, methyl ethyl ketone, and N-methyl-2-pyrrolidone. Taiwan Institute of Chemical Engineers Journal. 61: 117-123. http://dx.doi.org/10.1016/j.jtice.2016.01.004.

Fang, H; Ren, C; Liu, Y; Lu, D; Winnubst, L; Chen, C. (2013). Phase-inversion tape casting and synchrotron-radiation computed tomography analysis of porous alumina. J Eur Ceram Soc. 33: 2049-2051. http://dx.doi.org/10.1016/j.jeurceramsoc.2013.02.032.

Fang, JK; Chiu, HC; Wu, JY; Suen, SY. (2004). Preparation of polysulfone-based cation-exchange membranes and their application in protein separation with a plate-and-frame module. React Funct Polym. 59: 171-183. http://dx.doi.org/10.1016/j.reactfunctpolym.2004.01.008.

Fashandi, H; Karimi, M. (2014). Comparative Studies on the Solvent Quality and Atmosphere Humidity for Electrospinning of Nanoporous Polyetherimide Fibers. Ind Eng Chem Res. 53: 235-245. http://dx.doi.org/10.1021/ie4028846.

Fashandi, H; Karimi, M. (2014). Evidence for the Impression of Phase Behavior of Nonsolvent/Solvent/Polymer Ternary System on Morphology of Polyethersulfone Electrospun Nanofibers. Fibers and Polymers. 15: 1375-1386. http://dx.doi.org/10.1007/s12221-014-1375-5.

Fashandi, H; Yegane, A; Abolhasani, MM. (2015). Interplay of Liquid-liquid and Solid-liquid Phase Separation Mechanisms in Porosity and Polymorphism Evolution Within Poly(vinylidene fluoride) Nanofibers. Fibers and Polymers. 16: 326-344. http://dx.doi.org/10.1007/s12221-015-0326-0.

Feng, C; Wang, R; Wu, Y; Li, G. (2010). Preliminary analysis of a linear pore pattern formed on poly(vinylidene fluoride-co-hexafluoro propylene) porous membrane surfaces. J Memb Sci. 352: 255-261. http://dx.doi.org/10.1016/j.memsci.2010.02.024.

Feng, L, an; Liu, Y, ueWen; Tang, XY, an; Piao, Y; Chen, S, huFen; Deng, SL, iu; Xie, S, uY; Wang, Y; Zheng, L, anSun. (2013). Propagative Exfoliation of High Quality Graphene. Chem Mater. 25: 4487-4496. http://dx.doi.org/10.1021/cm402880v.

Feng, L; Zheng, D; Huang, W; Ma, Z. (2016). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus Dimethyl Ether Triethylene Glycol, 1,1-Difluoroethane plus Dimethyl Ether Triethylene Glycol, and 1,1-Difluoroethane plus N-Methyl-2-pyrrolidone Systems. Journal of Chemical and Engineering Data. 61: 1146-1154. http://dx.doi.org/10.1021/acs.jced.5b00782.

Feng, T; Mao, D; Cui, X; Li, M; Song, K, un; Jiang, B; Lu, H, ua; Quan, W. (2016). A Filmy Black-Phosphorus Polyimide Saturable Absorber for Q-Switched Operation in an Erbium-Doped Fiber Laser. Materials. 9. http://dx.doi.org/10.3390/ma9110917.

Fernandez, MD; Fernandez, MJ; Hoces, P. (2008). Poly(vinyl acetal)s containing electron-donor groups: Synthesis in homogeneous phase and their thermal properties. React Funct Polym. 68: 39-56. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.012.

Fernandez-Merino, MJ; Guardia, L; Paredes, JI; Villar-Rodil, S; Solis-Fernandez, P; Martinez-Alonso, A; Tascon, JMD. (2010). Vitamin C Is an Ideal Substitute for Hydrazine in the Reduction of Graphene Oxide Suspensions. J Phys Chem C. 114: 6426-6432. http://dx.doi.org/10.1021/jp100603h.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .1. THE SYSTEM NORMAL-HEPTANE-TOLUENE-N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 15: 309-322.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .2. THE SYSTEM NORMAL-HEXANE BENZENE N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 18: 185-195.

Ferreira, PO; Bastos, JC; Medina, AG. (1987). INFINITE DILUTION ACTIVITY-COEFFICIENTS FOR AROMATIC AND NONAROMATIC COMPOUNDS IN N-METHYLPYRROLIDONE, ETHYLENE-GLYCOL, AND MIXTURES OF THE 2 SOLVENTS. Journal of Chemical and Engineering Data. 32: 25-31.

Fey, GTK; Hsieh, MC; Jaw, HK; Lee, TJ. (1993). A RECHARGEABLE LI/LIXCOO2 CELL INCORPORATING A LICF3SO3-NMP ELECTROLYTE. J Power Sources. 44: 673-680.

Feyzi, A; Faghihi, K. (2014). Synthesis and Characterization of New Poly(amide-imide)/organoclay Nanocomposites Derived from N,N '-(4,4 '-diphtaloyl)-bis-L-alpha-aminophenyl Acetic Diacid and 1,2-Bis(4-aminophenoxy) ethane. High Temperature Materials and Processes. 33: 95-105. http://dx.doi.org/10.1515/htmp-2013-0016.

Filimon, A; Albu, RM; Stoica, J; Avram, E. (2016). Blends based on ionic polysulfones with improved conformational and microstructural characteristics: Perspectives for biomedical applications. Composites Part B: Engineering. 93: 1-11. http://dx.doi.org/10.1016/j.compositesb.2016.02.062.

Fischer, K; Chen, J; Petri, M; Gmehling, J. (2002). Solubility of H2S and CO2 in N-octyl-2-pyrrolidone and of H2S in methanol and benzene. AIChE J. 48: 887-893.

Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria, activity coefficients at infinite dilution and heats of mixing for mixtures of N-methyl pyrrolidone-2 with C5 or C6 hydrocarbons and for hydrocarbon mixtures. Fluid Phase Equilibria. 119: 113-130.

Fischer, K; Gmehling, J. (2004). Influence of water on the vapor-liquid equilibria, activity coefficients at infinite dilution and enthalpies of mixing for mixtures of N-methyl-2-pyrrolidone with C5 or C6 hydrocarbons. Fluid Phase Equilibria. 218: 69-76. http://dx.doi.org/10.1016/j.fluid.2003.11.015.

Flores-Lopez, LZ; Caloca, J; Rogel-Hernandez, E; Espinoza-Gomez, H. (2014). Development of an enantioselective membrane from cellulose acetate propionate/cellulose acetate, for the separation of trans-stilbene oxide. Cellulose. 21: 1987-1995. http://dx.doi.org/10.1007/s10570-014-0252-0.

Fontaine, M; Castanet, Y; Mortreux, A; Petit, F. (1997). Rhodium-iodide catalyzed carbonylation of methyl formate into acetaldehyde or methyl acetate: Mechanistic aspects. J Catal. 167: 324-336.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Forati-Nezhad, M; Sadeghi, G; Yaghmaie, F; Alimohammadi, F. (2015). Affecting the morphology of silver deposition on carbon nanotube surface: From nanoparticles to dendritic (tree-like) nanostructures. Mater Sci Eng C. 46: 232-238. http://dx.doi.org/10.1016/j.msec.2014.10.039.

Forney, MW; Poler, JC. (2011). Significantly Enhanced Single-Walled Carbon Nanotube Dispersion Stability in Mixed Solvent Systems. J Phys Chem C. 115: 10531-10536. http://dx.doi.org/10.1021/jp202559m.

Fortin, F; Rouzaud, JN. (1993). THE ROLE OF THE MOLECULAR-COMPONENT IN COKE MICROTEXTURE FORMATION. Fuel. 72: 245-250.

Friesen, DA; Headley, JV; Langford, CH. (1999). The photooxidative degradation of N-methylpyrrolidinone in the presence of Cs3PW12O40 and TiO2 colloid photocatalysts. Environ Sci Technol. 33: 3193-3198.

Friler, JB; Cebe, P. (1993). DEVELOPMENT OF CRYSTALLINITY IN NEW-TPI POLYIMIDE. Polymer Engineering and Science. 33: 587-597.

Frycova, MS; Kocirik, M; Zikanova, A; Sysel, P; Bernauer, B; Krystl, V; Huttel, I; Hradil, J; Eic, M. (2005). Study of the accessibility of zeolite crystals in polyimide matrices. A route to coatings exhibiting selective permeation. AST. 23: 595-605.

Fu, C; Yang, X. (2013). Molecular simulation of interfacial mechanics for solvent exfoliation of graphene from graphite. Carbon. 55: 350-360. http://dx.doi.org/10.1016/j.carbon.2012.12.083.

Fu, GD; Wang, WC; Li, S; Kang, ET; Neoh, KG; Tseng, WT; Liaw, DJ. (2003). Nanoporous low-kappa polyimide films prepared from poly(amic acid)s with grafted poly(methylmethacrylate)/poly(acrylamide) side chains. J Mater Chem. 13: 2150-2156. http://dx.doi.org/10.1039/b304880b.

Fu, RQ; Julius, D; Hong, L; Lee, JY. (2008). PPO-based acid-base polymer blend membranes for direct methanol fuel cells. J Memb Sci. 322: 331-338. http://dx.doi.org/10.1016/j.memsci.2008.06.002.

Fu, X; Song, X; Zhang, Y. (2012). Facile preparation of graphene sheets from synthetic graphite. Mater Lett. 70: 181-184. http://dx.doi.org/10.1016/imatlet.2011.12.002.

Fu, YP; Weiss, RA. (1997). Protonation of polyaniline with lightly sulfonated polystyrene. Synthetic Metals. 84: 103-104.

Fujigaya, T; Yoo, J; Nakashima, N. (2011). A method for the coating of silica spheres with an ultrathin layer of pristine single-walled carbon nanotubes. Carbon. 49: 468-476. http://dx.doi.org/10.1016/j.carbon.2010.09.043.

Fujita, S; Sano, Y; Bhanage, BM; Arai, M. (2003). Kinetic analysis of hydrogenation of cinnamaldehyde with a ruthenium complex catalyst in several solvents. J Chem Eng Jpn. 36: 155-160.

Fujito, K; Hashimoto, T; Samonji, K; Speck, JS; Nakamura, S. (2004). Growth of AlN by the chemical vapor reaction process and its application to lateral overgrowth on patterned sapphire substrates. J Cryst Growth. 272: 370-376. http://dx.doi.org/10.1016/j.jcrysgro.2004.08.079.

Fujiwara, M; Ohsuga, H; Takanohashi, T; Iino, M. (1992). SWELLING OF THE EXTRACTS AND RESIDUES FROM CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Energy Fuels. 6: 859-862.

Fukushima, A; Kubota, H; Yuasa, S; Takahachi, T; Kadoriku, S; Miyake, K. (2007). Lift-off process for deep-submicron-size junctions using supercritical CO2. Journal of Magnetism and Magnetic Materials. 310: E687-E689. http://dx.doi.org/10.1016/j.jmmm.2006.10.927.

Fukushima, T; Oyama, T; Tomoi, M. (2003). Ionic-bonded negative photosensitive polyimides having pendant aminoalkyl (meth)acrylamide groups. React Funct Polym. 56: 59-73. http://dx.doi.org/10.1016/S1381-5148(03)00033-6.

Gaile, AA; Chistyakov, VN; Koldobskaya, LL; Kolesov, VV. (2011). DIESEL FUEL PRODUCTION BY EXTRACTION PURIFICATION OF DELAYED-COKING LIGHT GASOIL. Chemistry and Technology of Fuels and Oils. 47: 172-176.

Gaile, AA; Kostenko, AV; Zalischevskii, GD; Semenov, LV; Kaifadzhyan, EA. (2005). Increasing the quality of furnace residual fuel oils. Extraction treatment with N-methylpyrrolidone. Chemistry and Technology of Fuels and Oils. 41: 249-259.

Gaile, AA; Zalishchevskii, GD; Gafur, NN; Semenov, LV; Varshavskii, OM; Fedyanin, NP; Kaifadzhyan, EA. (2004). Separation of aromatic hydrocarbons from reformate. combined extraction fractionation-extraction. Chemistry and Technology of Fuels and Oils. 40: 131-136.

Gainar, I; Anitescu, G; Perisanu, S; Jianu, D. (1993). HIGH-PRESSURE ABSORPTION OF THE CO2+N2+H2 GASEOUS MIXTURE IN N-METHYL-PYRROLIDONE. Rev Chim. 44: 1054-1056.

Gale, E; Wirawan, RH; Silveira, RL; Pereira, CS; Johns, MA; Skaf, MS; Scott, JL. (2016). Directed Discovery of Greener Cosolvents: New Cosolvents for Use in Ionic Liquid Based Organic Electrolyte Solutions for Cellulose Dissolution. 4: 6200-6207. http://dx.doi.org/10.1021/acssuschemeng.6b02020.

Galgoci, EC; Hegedus, CR; Walker, FH; Tempel, DJ; Pepe, FR; Yoxheimer, KA; Boyce, AS. (2005). Solvent-free urethane-acrylic hybrid polymers for coatings. 2: 28-36.

Galisova, EV; Stepanova, VN; Romaskhina, LP. (1986). SODA AND POTASSIUM-PERMANGANATE EFFECT ON N-METHYLPYRROLIDONE TRANSFORMATION IN THE PRESENCE OF OXYGEN. 83-84.

Gao, G; Dong, L; Liu, X; Ye, G; Gu, Y, i. (2008). Structure and properties of novel PMDA/ODA/PABZ polyimide fibers. Polymer Engineering and Science. 48: 912-917. http://dx.doi.org/10.1002/pen.21036.

Gao, L, i; Tang, B; Wu, P. (2009). An experimental investigation of evaporation time and the relative humidity on a novel positively charged ultrafiltration membrane via dry-wet phase inversion. J Memb Sci. 326: 168-177. http://dx.doi.org/10.1016/j.memsci.2008.09.048.

Garcia, B; Alcalde, R; Aparicio, S; Davila, MJ; Leal, JM; Matos, JS. (2005). Comments on "densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic Amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-pyrrolidinone) at different temperatures" (George J.; Sastry N. V. J. Chem. Eng. Data 2004, 49, 235-242). Journal of Chemical and Engineering Data. 50: 293-294. http://dx.doi.org/10.1021/je0497911.

Garcia, B; Alcalde, R; Aparicio, S; Leal, JM; Trenzado, JL. (2003). Thermophysical behavior and temperature effect on the N-methylpyrrolidone plus (C-1-C-10) alkan-1-ols mixed solvents. Ind Eng Chem Res. 42: 920-928. http://dx.doi.org/10.1021/ie0205602.

Garcia, B; Aparicio, S; Alcalde, R; Davila, MJ; Leal, JM. (2004). Modeling the PVTx behavior of the N-methylpyrrolidinone/water mixed solvent. Ind Eng Chem Res. 43: 3205-3215. http://dx.doi.org/10.1021/ie049906u.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Garcia-Abuin, A; Gomez-Diaz, D; Dolores La Rubia, M; Lopez, A, naB; Navaza, JM. (2011). Density, Speed of Sound, Refractive Index, Viscosity, Surface Tension, and Excess Volume of N-Methyl-2-pyrrolidone+1-Amino-2-propanol {or Bis(2-hydroxypropyl)amine} from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 2904-2908. http://dx.doi.org/10.1021/je200121f.

Garcia-Abuin, A; Gomez-Diaz, D; La Rubia, MD; Navaza, JM. (2011). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone plus Ethanol (or Water or Ethanolamine) from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 646-651. http://dx.doi.org/10.1021/je100967k.

Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM; Vidal-Tato, I. (2008). Surface Tension of Aqueous Solutions of Short N-Alkyl-2-pyrrolidinones. Journal of Chemical and Engineering Data. 53: 2671-2674. http://dx.doi.org/10.1021/je800589e.

Garcia-Gimenez, P; Gil, L; Blanco, ST; Velasco, I; Otin, S. (2008). Densities and isothermal compressibilities at pressures up to 20 MPa of the systems 1-methyl-2-pyrrolidone plus 1-chloroalkane or plus alpha,omega-dichloroalkane. Journal of Chemical and Engineering Data. 53: 66-72. http://dx.doi.org/10.1021/je7003758.

Garcia-Ivars, J; Iborra-Clar, MI; Alcaina-Miranda, MI; Van Der Bruggen, B. (2015). Comparison between hydrophilic and hydrophobic metal nanoparticles on the phase separation phenomena during formation of asymmetric polyethersulphone membranes. J Memb Sci. 493: 709-722. http://dx.doi.org/10.1016/j.memsci.2015.07.009.

Garcia-Macias, P; John, P. (2004). Formation of natural indigo derived from woad (Isatis tinctoria L.) in relation to product purity. J Agric Food Chem. 52: 7891-7896. http://dx.doi.org/10.1021/jf0486803.

Garcia-Pacheco, R; Landaburu-Aguirre, J; Molina, S; Rodriguez-Saez, L; Teli, SB; Garcia-Calvo, E. (2015). Transformation of end-of-life RO membranes into NF and UF membranes: Evaluation of membrane performance. J Memb Sci. 495: 305-315. http://dx.doi.org/10.1016/j.memsci.2015.08.025.

Garcia-Tamayo, E; Valvo, M; Lafont, U; Locati, C; Munao, D; Kelder, EM. (2011). Nanostructured Fe2O3 and CuO composite electrodes for Li ion batteries synthesized and deposited in one step. J Power Sources. 196: 6425-6432. http://dx.doi.org/10.1016/j.jpowsour.2011.03.066.

Gardos, G; Kovacs, M; Kunszabo, T; Denes, F; Miko, F. (1983). INVESTIGATIONS ON ENERGY CONSERVING LUBRICATING OIL PRODUCING PROCESSES .3. RECOVERY OF THE SOLVENT N-METHYL-2-PYRROLIDONE. Hungarian Journal of Industrial Chemistry. 11: 435-441.

Garti, N; Kovacs, A. (1991). FACILITATED EMULSION LIQUID MEMBRANE SEPARATION OF COMPLEX HYDROCARBON MIXTURES. J Memb Sci. 56: 239-246.

Gasa, JV; Boob, S; Weiss, RA; Shaw, MT. (2006). Proton-exchange membranes composed of slightly sulfonated poly(ether ketone ketone) and highly sulfonated crosslinked polystyrene particles. J Memb Sci. 269: 177-186. http://dx.doi.org/10.1016/j.memsci.2005.06.033.

Gazi, M; Bicak, N. (2007). Selective boron extraction by polymer supported 2-hydroxylethylamino propylene glycol functions. React Funct Polym. 67: 936-942. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.019.

Ge, L; Zhu, Z; Rudolph, V. (2011). Enhanced gas permeability by fabricating functionalized multi-walled carbon nanotubes and polyethersulfone nanocomposite membrane. Separation and Purification Technology. 78: 76-82. http://dx.doi.org/10.1016/j.seppur.2011.01.024.

Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Interaction of N-methylpyrrolidone with doped polyaniline. Synthetic Metals. 84: 97-98.

Genne, I; Kuypers, S; Leysen, R. (1996). Effect of the addition of ZrO2 to polysulfone based UF membranes. J Memb Sci. 113: 343-350.

George, A; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2010). Fractionation of a coal tar pitch by ultra-filtration, and characterization by size exclusion chromatography, UV-fluorescence and laser desorption-mass spectroscopy. Fuel. 89: 2953-2970. http://dx.doi.org/10.1016/j.fuel.2010.04.011.

George, J; Sastry, NV. (2004). Densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-2-pyrrolidinone) at different temperatures. Journal of Chemical and Engineering Data. 49: 235-242. http://dx.doi.org/10.1021/je0340809.

Gerbaud, V; Teles Dos Santos, M; Pandya, N; Aubry, JM. (2017). Computer aided framework for designing bio-based commodity molecules with enhanced properties. Chem Eng Sci. 159: 177-193. http://dx.doi.org/10.1016/j.ces.2016.04.044.

Ghasem, NM; Al-Marzouqi, MH. (2011). Effects of Shear Rate, Temperature, and Polymer Composition on the Shear Stress of Polyethersulfone/1-Methyl-2-pyrrolidone Cast Solutions. Journal of Chemical and Engineering Data. 56: 4444-4448. http://dx.doi.org/10.1021/je2002978.

Ghasemi, F; Mohajerzadeh, S. (2016). Sequential Solvent Exchange Method for Controlled Exfoliation of MoS2 Suitable for Phototransistor Fabrication. 8: 31179-31191. http://dx.doi.org/10.1021/acsami.6b07211.

Ghorbanian, S; Tyman, JHP; Tychopoulos, V. (2000). The synthesis of symmetrical and unsymmetrical alkylaminonaphthalic-1,8-N-alkylimides. J Chem Tech Biotechnol. 75: 1127-1134.

Ghosh, UK; Pradhan, NC; Adhikari, B. (2006). Pervaporative recovery of N-methyl-2-pyrrolidone from dilute aqueous solution by using polyurethaneurea membranes. J Memb Sci. 285: 249-257. http://dx.doi.org/10.1016/j.memsci.2006.08.026.

Gierycz, P; Rogalski, M; Malanowski, S. (1985). VAPOR LIQUID EQUILIBRIA IN BINARY-SYSTEMS FORMED BY N-METHYLPYRROLIDONE WITH HYDROCARBONS AND HYDROXYL DERIVATIVES. Fluid Phase Equilibria. 22: 107-122.

Giles, NF; Wilson, HL; Wilding, WV. (1996). Phase equilibrium measurements on twelve binary mixtures. Journal of Chemical and Engineering Data. 41: 1223-1238.

Giray, ESV; Chen, C; Takanohashi, T; Iino, M. (2000). Increase of the extraction yields of coals by the addition of aromatic amines. Fuel. 79: 1533-1538.

Giri, CC; Sharma, DK. (2000). Kinetic studies and shrinking core model on solvolytic extraction of coal. Fuel Process Tech. 68: 97-109.

Giri, CC; Sharma, DK. (2000). Mass-transfer studies of solvent extraction of coals in N-methyl-2-pyrrolidone. Fuel. 79: 577-585.

Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. Journal of Chemical and Engineering Data. 48: 535-540. http://dx.doi.org/10.1021/je020065c.

Gnanakumari, P; Venkatesu, P; Mohan, KR; Rao, MVP; Prasad, DHL. (2007). Excess volumes and excess enthalpies of N-methyl-2-pyrrolidone with branched alcohols. Fluid Phase Equilibria. 252: 137-142. http://dx.doi.org/10.1016/j.fluid.2006.12.012.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Gnanasekaran, D; Walter, PA; Reddy, BSR. (2013). Influence of moieties on morphology, thermal, and dielectric properties in polyamide-polyhedral oligomeric silsequioxanes nanocomposites. Polymer Engineering and Science. 53: 1637-1644. http://dx.doi.org/10.1002/pen.23427.

Godbey, DJ; Buckley, LJ; Purdy, AP; Snow, AW. (1997). Copper diffusion in organic polymer resists and inter-level dielectrics. Thin Solid Films. 308: 470-474.

Godovsky, DY; Varfolomeev, AE; Zaretsky, DF; Chandrakanthi, RLN; Kundig, A; Weder, C; Caseri, W. (2001). Preparation of nanocomposites of polyaniline and inorganic semiconductors. J Mater Chem. 11: 2465-2469.

Gomes, TC; Constantino, CJL; Lopes, EM; Job, AE; Alves, N. (2012). Thermal inkjet printing of polyaniline on paper. Thin Solid Films. 520: 7200-7204. http://dx.doi.org/10.1016/j.tsf.2012.07.119.

Gomez, H; Ram, MK; Alvi, F; Villalba, P; Stefanakos, E; Kumar, A. (2011). Graphene-conducting polymer nanocomposite as novel electrode for supercapacitors. J Power Sources. 196: 4102-4108. http://dx.doi.org/10.1016/j.jpowsour.2010.11.002.

Gomolka, B; Gomolka, E. (1981). THE EFFECT OF N-METHYLPYRROLIDONE (NMP) ON THE ACTION OF ACTIVATED-SLUDGE. Acta Hydrochim Hydrobiol. 9: 555-572.

Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. Synthetic Metals. 90: 5-11.

Gong, P; Wang, Z; Wang, J; Wang, H; Li, Z; Fan, Z; Xu, Y, e; Han, X; Yang, S. (2012). One-pot sonochemical preparation of fluorographene and selective tuning of its fluorine coverage. J Mater Chem. 22: 16950-16956. http://dx.doi.org/10.1039/c2jm32294c.

Gonzalez, JA; Domanska, U; Lachwa, J. (2005). Thermodynamics of binary mixtures containing a very strongly polar compound. 7. Isothermal VLE measurements for NMP plus 2-propanol or plus 2-butanol systems. DISQUAC and ERAS characterization of NMP or N,N-dialkylamide plus 2-alkanol mixtures. Comparison with results from Dortmund UNIFAC. Ind Eng Chem Res. 44: 5795-5804. http://dx.doi.org/10.1021/ie0580046.

Goren, A; Mendes, J; Rodrigues, HM; Sousa, RE; Oliveira, J; Hilliou, L; Costa, CM; Silva, MM; Lanceros-Mendez, S. (2016). High performance screen-printed electrodes prepared by a green solvent approach for lithium-ion batteries. J Power Sources. 334: 65-77. http://dx.doi.org/10.1016/j.jpowsour.2016.10.019.

Graham, KR; Wieruszewski, PM; Stalder, R; Hartel, MJ; Mei, J; So, F; Reynolds, JR. (2012). Improved Performance of Molecular Bulk-Heterojunction Photovoltaic Cells through Predictable Selection of Solvent Additives. Adv Funct Mater. 22: 4801-4813. http://dx.doi.org/10.1002/adfm.201102456.

Gruber, D; Langenheim, D; Moollan, W; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 7. Results for various solutes with N-methyl-2-piperidone as stationary phase. Journal of Chemical and Engineering Data. 43: 226-229.

Gruber, D; Topphoff, M; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 9. Results for various solutes with the stationary phases 2-pyrrolidone and N-methylformamide. Journal of Chemical and Engineering Data. 43: 935-940.

Grushova, EI; Sharif, AS. (2014). Effect of polar organic substances on the distillates yield in atmospheric and vacuum distillation of crude oil. Petroleum Chemistry. 54: 225-228. http://dx.doi.org/10.1134/S0965544114030050.

Gryglewicz, G; Rutkowski, P; Yperman, J. (2004). Characterization of sulfur functionalities of supercritical extracts from coals of different rank, using reductive pyrolysis. Energy Fuels. 18: 1595-1602. http://dx.doi.org/10.1021/ef0498869.

Grzechowiak, JR; Masalska, A; Gorska, L. (2004). The extraction of aromatic hydrocarbons in relation to the nonaromatic hydrocarbon content in the feed. Przemysł Chemiczny. 83: 325-330.

Grzelczak, M; Mezzasalma, SA; Ni, W; Herasimenka, Y; Feruglio, L; Montini, T; Pérez-Juste, J; Fornasiero, P; Prato, M; Liz-Marzán, LM. (2012). Antibonding plasmon modes in colloidal gold nanorod clusters. Langmuir. 28: 8826-8833. http://dx.doi.org/10.1021/la203750d.

Guan, R; Dai, H; Li, CH; Liu, JH; Xu, J. (2006). Effect of casting solvent on the morphology and performance of sulfonated polyethersulfone membranes. J Memb Sci. 277: 148-156. http://dx.doi.org/10.1016/j.memsci.2005.10.025.

Guarino, G; Ortona, O; Sartorio, R; Vitagliano, V. (1985). DIFFUSION, VISCOSITY, AND REFRACTIVITY DATA ON THE SYSTEMS DIMETHYLFORMAMIDE WATER AND N-METHYLPYRROLIDONE WATER AT 5-DEGREES-C. Journal of Chemical and Engineering Data. 30: 366-368.

Gubernat, M; Tomala, J; Frohs, W; Fraczek-Szczypta, A; Blazewicz, S. (2016). De-agglomeration and homogenisation of nanoparticles in coal tar pitch-based carbon materials. J Nanopart Res. 18: 56. http://dx.doi.org/10.1007/s11051-016-3362-9.

Gudarzi, MM. (2016). Colloidal Stability of Graphene Oxide: Aggregation in Two Dimensions. Langmuir. 32: 5058-5068. http://dx.doi.org/10.1021/acs.langmuir.6b01012.

Gueye, MN; Carella, A; Massonnet, N; Yvenou, E; Brenet, S; Faure-Vincent, J; Pouget, S; Rieutord, F; Okuno, H; Benayad, A; Demadrille, R; Simonato, JP. (2016). Structure and Dopant Engineering in PEDOT Thin Films: Practical Tools for a Dramatic Conductivity Enhancement. Chem Mater. 28: 3462-3468. http://dx.doi.org/10.1021/acs.chemmater.6b01035.

Guillen, GR; Ramon, G; Kayehpour, HP; Kaner, RB; Hoek, EMV. (2013). Direct microscopic observation of membrane formation by nonsolvent induced phase separation. J Memb Sci. 431: 212-220. http://dx.doi.org/10.1016/j.memsci.2012.12.031.

Guo, SH. (2000). Solubility of Maoming oil shale kerogen. Oil Shale. 17: 11-16.

Guo, SH. (2000). Solvent extraction of Jordanian oil shale kerogen. Oil Shale. 17: 266-270.

Guo, SH; Li, SY; Qin, KZ. (2000). CS2/NMP extraction of immature source rock concentrates. Organic Geochemistry. 31: 1783-1795.

Guo, X, ia; Cheng, Y, ouwei; Wang, L, ijun; Li, X, i. (2008). Solubility of terephthalic acid in aqueous N-methyl pyrrolidone and N,N-dimethyl acetamide solvents at (303.2 to 363.2) K. Journal of Chemical and Engineering Data. 53: 1421-1423.

Guo, X, ia; Cui, C; Zhang, M; Huo, L; Huang, Y, e; Hou, J; Li, Y. (2012). High efficiency polymer solar cells based on poly(3-hexylthiophene)/indene-C-70 bisadduct with solvent additive. Energ Environ Sci. 5: 7943-7949. http://dx.doi.org/10.1039/c2ee21481d.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Guo, X, ia; Zhang, M; Cui, C; Hou, J; Li, Y. (2014). Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-C-60 Bisadduct Fabricated with Non-halogenated Solvents. ACS Applied Materials & Interfaces. 6: 8190-8198. http://dx.doi.org/10.1021/am500836u.

Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-buty1-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. Progr Org Coating. 76: 768-777. http://dx.doi.org/10.1016/j.porgcoat.2013.01.006.

Guo, Z; Zhang, H, an; Lu, S; Wang, Z; Tang, S; Shao, J; Sun, Z; Xie, H; Wang, H; Yu, X; Chu, PK. (2015). From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. Adv Funct Mater. 25: 6996-7002. http://dx.doi.org/10.1002/adfm.201502902.

Gupta, A; Arunachalam, V; Vasudevan, S. (2016). Liquid-Phase Exfoliation of MoS2 Nanosheets: The Critical Role of Trace Water. Journal of Physical Chemistry Letters. 7: 4884-4890. http://dx.doi.org/10.1021/acs.jpclett.6b02405.

Gupta, SK. (1999). Isothermal vapor-liquid equilibria of o-, m-, and p-xylene with N-methylpyrrolidone at 373.15 K and 393.15 K. Journal of Chemical and Engineering Data. 44: 23-25.

Gupta, SK; Rawat, BS. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRALIN AND 1-METHYLNAPHTHALENE WITH TRIETHYLENE GLYCOL AND N-METHYLPYRROLIDONE AT 160-DEGREES-C. Fluid Phase Equilibria. 63: 211-217.

Gupta, SK; Rawat, BS. (1992). ISOBARIC BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE WITH WATER AND TOLUENE AT 760 MMHG. Journal of Chemical and Engineering Data. 37: 139-140.

Gupta, SK; Rawat, BS. (1994). ISOTHERMAL BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF TETRAETHYLENE GLYCOL WITH N-DECANE AND 2-METHYLNAPHTHALENE AT 160-DEGREES-C. Fluid Phase Equilibria. 99: 241-248.

Gupta, SK; Rawat, BS; Goswami, AN; Nanoti, SM; Krishna, R. (1989). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE SYSTEMS - BENZENE TRIETHYLENE GLYCOL, TOLUENE TRIETHYLENE GLYCOL AND BENZENE N-METHYLPYRROLIDONE. Fluid Phase Equilibria. 46: 95-102.

Gutierrez, JP; Meindersma, GW; de Haan, AB. (2012). COSMO-RS-Based Ionic-Liquid Selection for Extractive Distillation Processes. Ind Eng Chem Res. 51: 11518-11529. http://dx.doi.org/10.1021/ie301506n.

Gzara, L; Rehan, ZA; Khan, SB; Alamry, KA; Albeirutty, MH; El-Shahawi, MS; Rashid, MI; Figoli, A; Drioli, E; Asiri, AM. (2016). Preparation and characterization of PES-cobalt nanocomposite membranes with enhanced anti-fouling properties and performances. Taiwan Institute of Chemical Engineers Journal. 65: 405-419. http://dx.doi.org/10.1016/j.jtice.2016.04.012.

Ha, CS; Park, HD; Frank, CW. (2000). Interfacial interaction in polyimide/silica hybrid composites by fluorescence spectroscopy. Chem Mater. 12: 839-844.

Ha, J; Park, J; Ha, J; Kim, D; Chung, S; Lee, C; Hong, Y. (2015). Selectively modulated inkjet printing of highly conductive and transparent foldable polymer electrodes for flexible polymer light-emitting diode applications. Organic Electronics. 19: 147-156. http://dx.doi.org/10.1016/j.orgel.2015.01.017.

Haar, S; Bruna, M; Lian, JX; Tomarchio, F; Olivier, Y; Mazzaro, R; Morandi, V; Moran, J; Ferrari, AC; Beljonne, D; Ciesielski, A; Samorì, P. (2016). Liquid-Phase Exfoliation of Graphite into Single- and Few-Layer Graphene with α-Functionalized Alkanes. Journal of Physical Chemistry Letters. 7: 2714-2721. http://dx.doi.org/10.1021/acs.jpclett.6b01260.

Haar, S; Ciesielski, A; Clough, J; Yang, H; Mazzaro, R; Richard, F; Conti, S; Merstorf, N; Cecchini, M; Morandi, V; Casiraghi, C; Samorì, P. (2015). A supramolecular strategy to leverage the liquid-phase exfoliation of graphene in the presence of surfactants: unraveling the role of the length of fatty acids. Small. 11: 1691-1702. http://dx.doi.org/10.1002/smll.201402745.

Hacimehmetoglu, S; Sinag, A; Tekes, AT; Misirlioglu, Z; Canel, M. (2007). Effect of various experimental parameters on the swelling and supercritical extraction properties of lignite. Energ Source Part A. 29: 607-618. http://dx.doi.org/10.1080/00908310500276908.

Hai-yong, D; Yan-bing, H; Bao-hua, L; Fei-yu, K. (2016). Controlled preparation and electrochemical performance of a flaky Li-4 Ti-5 O-12 - graphene hybrid with a high crystallinity. Xinxing Tancailiao. 31: 115-120.

Hajibeygi, M; Shabanian, M; Khodaei-Tehrani, M. (2016). New Heat Resistant Nanocomposites Reinforced Silicate Nanolayers Containing Triazine Rings Based on Polyamide: Synthesis, Characterization, and Flame Retardancy Study. Polymer Composites. 37: 188-198. http://dx.doi.org/10.1002/pc.23170.

Hall, PJ; Larsen, JW. (1993). EVIDENCE FOR THE FORMATION OF STABLE COAL-N-METHYLPYRROLIDINONE AND COAL-PYRIDINE GELS. Energy Fuels. 7: 47-51.

Hamciuc, C; Hamciuc, E; Bacosca, I; Olariu, M. (2010). Thermal and Electrical Properties of some Poly(ether-imide) Thin Films. Materiale Plastice. 47: 11-15.

Hamciuc, C; Hamciuc, E; Homocianu, M; Nicolescu, A; Carja, ID. (2015). Blue light-emitting polyamide and poly(amide-imide)s containing 1,3,4-oxadiazole ring in the side chain. Dyes and Pigments. 114: 110-123. http://dx.doi.org/10.1016/j.dyepig.2014.10.018.

Hamciuc, C; Hamciuc, E; Okrasa, L; Kalvachev, Y. (2012). The effect of zeolite L content on dielectric behavior and thermal stability of polyimide thin films. Journal of Materials Science. 47: 6354-6365. http://dx.doi.org/10.1007/s10853-012-6560-6.

Hamciuc, C; Hamciuc, E; Vlad, S; Olariu, M. (2008). Fluorinated Block Copolymers Containing Imide and 1,3,4-oxadiazole Rings. Materiale Plastice. 45: 356-361.

Hamciuc, E; Hamciuc, C; Bacosca, I; Cristea, M; Okrasa, L. (2011). Thermal and Electrical Properties of Nitrile-Containing Polyimide/BaTiO3 Composite Films. Polymer Composites. 32: 846-855. http://dx.doi.org/10.1002/pc.21108.

Hamciuc, E; Hamciuc, C; Carja, ID; Vlad-Bubulac, T; Ignat, M. (2013). Phthalonitrile-containing poly(amide imide)s with nanoactuation properties. Polymer Engineering and Science. 53: 334-342. http://dx.doi.org/10.1002/pen.23268.

Hamciuc, E; Hamciuc, C; Sava, I; Sava, M; Bruma, M. (2000). Synthesis and study of new fluorinated poly(imide-amide)s. Macromolecular Materials & Engineering. 283: 36-40.

Han, GL, u; Zhang, Q, iuGen; Zhu, A, iMei; Liu, QL, in. (2013). Pervaporation separation of methanol/methyl tert-butyl ether mixtures using polyarylethersulfone with cardo membranes. Separation and Purification Technology. 107: 211-218. http://dx.doi.org/10.1016/j.seppur.2013.01.039.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Han, HW; Ahn, DK, yu; Ahn, H, yoJun; Park, W, onW; Sohn, KY. (2011). MICROSTRUCTURES AND ELECTROCHEMICAL PROPERTIES OF RAPIDLY-SOLIDIFIED Si-Mn ALLOY. Reviews on Advanced Materials Science. 28: 74-78.

Han, J; Cho, YH; Kong, H; Han, S; Park, H. (2013). Preparation and characterization of novel acetylated cellulose ether (ACE) membranes for desalination applications. J Memb Sci. 428: 533-545. http://dx.doi.org/10.1016/j.memsci.2012.10.043.

Han, J; Yang, D; Zhang, S; Jian, X. (2009). Effects of dope compositions on the structure and performance of PPES hollow fiber ultrafiltration membranes. J Memb Sci. 345: 257-266. http://dx.doi.org/10.1016/j.memsci.2009.09.008.

Han, J; Yang, D; Zhang, S; Liu, X; Zhang, Z; Jian, X. (2010). Effects of compatibility difference in the mixed solvent system on the performance of PPES hollow fiber UF membrane. J Memb Sci. 365: 311-318. http://dx.doi.org/10.1016/j.memsci.2010.09.022.

Han, MJ; Bhattacharyya, D. (1994). MORPHOLOGY AND TRANSPORT STUDY OF PHASE INVERSION POLYSULFONE MEMBRANES. Chemical Engineering Communications. 128: 197-209.

Han, MJ; Nam, ST. (2002). Thermodynamic and rheological variation in polysulfone solution by PVP and its effect in the preparation of phase inversion membrane. J Memb Sci. 202: 55-61.

Han, W, ei; Liu, C; Bai, R. (2007). A novel method to prepare high chitosan content blend hollow fiber membranes using a non-acidic dope solvent for highly enhanced adsorptive performance. J Memb Sci. 302: 150-159. http://dx.doi.org/10.1016/j.memsci.2007.06.039.

Hasan, T; Scardaci, V; Tan, P; Rozhin, AG; Milne, WI; Ferrari, AC. (2007). Stabilization and "Debundling" of single-wall carbon nanotube dispersions in N-Methyl-2-pyrrolidone (NMP) by polyvinylpyrrolidone (PVP). J Phys Chem C. 111: 12594-12602. http://dx.doi.org/10.1021/jp0723012.

Hasan, T; Tan, PH; Bonaccorso, F; Rozhin, AG; Scardaci, V; Milne, WI; Ferrari, AC. (2008). Polymer-Assisted Isolation of Single Wall Carbon Nanotubes in Organic Solvents for Optical-Quality Nanotube-Polymer Composites. J Phys Chem C. 112: 20227-20232. http://dx.doi.org/10.1021/jp807036w.

Hasbullah, H; Kumbharkar, S; Ismail, AF; Li, K. (2012). Asymmetric hollow fibre membranes based on ring-substituted polyaniline and investigation towards its gas transport properties. J Memb Sci. 397: 38-50. http://dx.doi.org/10.1016/j.memsci.2012.01.007.

Hashim, NA; Liu, F, u; Abed, MRM; Li, K. (2012). Chemistry in spinning solutions: Surface modification of PVDF membranes during phase inversion. J Memb Sci. 415: 399-411. http://dx.doi.org/10.1016/j.memsci.2012.05.024.

Hasik, M; Kurkowska, I; Bernasik, A. (2006). Polyaniline incorporating cobalt ions from CoCl2 solutions. React Funct Polym. 66: 1703-1710. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.07.004.

Hayasaka, K; Takanohashi, T; Iino, M. (1996). Surface tension of coal extracts ill organic solvents. Energy Fuels. 10: 262-263.

He, F; Lam, KH, o; Fan, J; Chan, LH. (2014). Improved dielectric properties for chemically functionalized exfoliated graphite nanoplates/syndiotactic polystyrene composites prepared by a solution-blending method. Carbon. 80: 496-503. http://dx.doi.org/10.1016/j.carbon.2014.08.089.

He, LP; Sun, SY; Song, XF; Yu, JG. (2015). Recovery of cathode materials and Al from spent lithium-ion batteries by ultrasonic cleaning. Waste Manag. 46: 523-528. http://dx.doi.org/10.1016/j.wasman.2015.08.035.

He, W, ei; Huang, H, ua; Gao, J, fen; Winnubst, L; Chen, C, huS. (2014). Phase-inversion tape casting and oxygen permeation properties of supported ceramic membranes. J Memb Sci. 452: 294-299. http://dx.doi.org/10.1016/j.memsci.2013.09.063.

He, W; Liu, Z; Liu, Q; Shi, L, ei; Shi, X; Wu, J; Guo, X. (2017). Behavior of radicals during solvent extraction of three low rank bituminous coals. Fuel Process Tech. 156: 221-227. http://dx.doi.org/10.1016/j.fuproc.2016.10.029.

Heinrich, K; Jung, H. (1992). NEW CONCEPTS IN PARA-ARAMID FIBERS. Text Res J. 62: 771-775.

Heinze, T; Sarbova, V; Nagel, MCV. (2012). Simple synthesis of mixed cellulose acylate phosphonates applying n-propyl phosphonic acid anhydride. Cellulose. 19: 523-531. http://dx.doi.org/10.1007/s10570-011-9646-4.

Hendrix, K; Vaneynde, M; Koeckelberghs, G, uy; Vankelecom, I. (2013). Synthesis of modified poly(ether ether ketone) polymer for the preparation of ultrafiltration and nanofiltration membranes via phase inversion. J Memb Sci. 447: 96-106. http://dx.doi.org/10.1016/j.memsci.2013.07.006.

Henni, A; Hromek, JJ; Tontiwachwuthikul, P; Chakma, A. (2004). Volumetric properties and viscosities for aqueous N-methyl-2-pyrrolidone solutions from 25 degrees C to 70 degrees C. Journal of Chemical and Engineering Data. 49: 231-234. http://dx.doi.org/10.1021/je034073k.

Henni, A; Lal, D; Mather, AE. (1996). The solubility of ethane in N-methylpyrrolidinone. Can J Chem Eng. 74: 423-425.

Hernandez, Y; Nicolosi, V; Lotya, M; Blighe, FM; Sun, Z; De, S; Mcgovern, IT; Holland, B; Byrne, M; Gun'Ko, YK; Boland, JJ; Niraj, P; Duesberg, G; Krishnamurthy, S; Goodhue, R; Hutchison, J; Scardaci, V; Ferrari, AC; Coleman, JN. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. Nat Nanotechnol. 3: 563-568. http://dx.doi.org/10.1038/nnano.2008.215.

Herod, AA; Bartle, KD; Kandiyoti, R. (2007). Characterization of heavy hydrocarbons by chromatographic and mass spectrometric methods: An overview. Energy Fuels. 21: 2176-2203. http://dx.doi.org/10.1021/ef060642t.

Herod, AA; George, A; Islas, CA; Suelves, I; Kandiyoti, R. (2003). Trace-element partitioning between fractions of coal liquids during column chromatography and solvent separation. Energy Fuels. 17: 862-873. http://dx.doi.org/10.1021/ef020267e.

Herod, AA; Kandiyoti, R. (2008). Comment on "Limitations of Size-Exclusion Chromatography in Analyzing Petroleum Asphaltenes: A Proof by Atomic Force Microscopy" By M. Behrouzi and P. F. Luckham, Energy Fuels, 2008, 22 (3), 1792-17989 DOI: 10.1021/ef800064q. Energy Fuels. 22: 4307-4309. http://dx.doi.org/10.1021/ef8007147.

Herod, AA; Lazaro, MJ; Suelves, I; Dubau, C; Richaud, R; Shearman, J; Card, J; Jones, AR; Domin, M; Kandiyoti, R. (2000). Size exclusion chromatography of soots and coal-derived materials with 1-methyl-2-pyrrolidinone as eluent: Observations on high molecular mass material. Energy Fuels. 14: 1009-1020. http://dx.doi.org/10.1021/ef000023z.

Herod, AA; Shearman, J; Lazaro, MJ; Johnson, BR; Bartle, KD; Kandiyoti, R. (1998). Effect of LiBr addition to 1-methyl-2-pyrrolidinone in the size-exclusion chromatography of coal-derived materials. Energy Fuels. 12: 174-182.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Herod, AA; Zhang, SF; Johnson, BR; Bartle, KD; Kandiyoti, R. (1996). Solubility limitations in the determination of molecular mass distributions of coal liquefaction and hydrocracking products: 1-methyl-2-pyrrolidinone as mobile phase in size exclusion chromatography. Energy Fuels. 10: 743-750.

Hihara, T; Okada, Y; Morita, Z. (2000). The aggregation of triphenodioxazine reactive dyes in aqueous solution and on cellulosic and nylon substrates. Dyes and Pigments. 45: 131-143.

Hinkova, M; Stefanova, M; Ivanov, S; Antonov, T. (1992). GC-MS ANALYSIS OF THE RAFFINATE AND THE EXTRACT FRACTIONS OF HIGH BOILING ALKYLBENZENES. 45: 27-30.

Hinsberg, WD; Macdonald, SA; Clecak, NJ; Snyder, CD. (1994). AIRBORNE CONTAMINATION OF A CHEMICALLY AMPLIFIED RESIST .2. EFFECT OF POLYMER FILM PROPERTIES ON CONTAMINATION RATE. Chem Mater. 6: 481-488.

Hinsberg, WD; Macdonald, SA; Snyder, CD; Ito, H; Allen, RD. (1994). A TEST FOR CORRELATION BETWEEN RESIDUAL SOLVENT AND RATES OF N-METHYLPYRROLIDONE ABSORPTION BY POLYMER-FILMS. ACS Symp Ser Am Chem Soc. 537: 101-110.

Hiraoki, T; Kinjo, N; Miyazaki, K; Miura, O; Tsutsumi, A. (1996). Copper ion binding to N-phenylphthalamic acid studied by C-13 nuclear magnetic resonance and electron paramagnetic resonance: Model interaction of polyamic acid with copper. J Mater Chem. 6: 727-731.

Hirawan, R; Sinha, S; Iwarere, SA; Raal, JD; Naidoo, P; Ramjugernath, D. (2014). Vapor-Liquid Equilibrium Data for 1-Methyl-2-Pyrrolidone + (1-Butanol or 1-Hexene or Water) Binary Mixtures. Journal of Chemical and Engineering Data. 59: 1643-1650. http://dx.doi.org/10.1021/je500092v.

Ho, NL; Perez-Pellitero, J; Porcheron, F; Pellenq, RJM. (2012). Enhanced CO2 Solubility in Hybrid Adsorbents: Optimization of Solid Support and Solvent Properties for CO2 Capture. J Phys Chem C. 116: 3600-3607. http://dx.doi.org/10.1021/jp2099625.

Ho, NL; Porcheron, F; Pellenq, RJ. (2010). Experimental and molecular simulation investigation of enhanced CO2 solubility in hybrid adsorbents. Langmuir. 26: 13287-13296. http://dx.doi.org/10.1021/la1015934.

Holda, AK; Vankelecom, I, voFJ. (2014). Integrally skinned PSf-based SRNF-membranes prepared via phase inversion-Part B: Influence of low molecular weight additives. J Memb Sci. 450: 499-511. http://dx.doi.org/10.1016/j.memsci.2013.08.051.

Homayoonfal, M; Akbari, A. (2010). PREPARATION OF POLYSULFONE NANO-STRUCTURED MEMBRANE FOR SULPHATE IONS REMOVAL FROM WATER. Iranian Journal of Environmental Health Science and Engineering. 7: 407-412.

Homayoonfal, M; Mehrnia, MR; Shariaty-Niassar, M; Akbari, A; Sarrafzadeh, MH; Ismail, AF. (2015). Fabrication of magnetic nanocomposite membrane for separation of organic contaminant from water. Desalination and Water Treatment. 54: 3603-3609. http://dx.doi.org/10.1080/19443994.2014.923202.

Hong, U, ngGi; Park, H, aiW; Lee, J; Hwang, S; Song, I, nKyu. (2012). Hydrogenation of succinic acid to gamma-butyrolactone (GBL) over ruthenium catalyst supported on surfactant-templated mesoporous carbon. J Ind Eng Chem. 18: 462-468. http://dx.doi.org/10.1016/j.jiec.2011.11.054.

Horstmann, S; Fischer, K; Gmehling, J. (2004). Isothermal vapor-liquid equilibrium and excess enthalpy data for the binary systems water plus sulfolane and methanol plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 49: 1499-1503. http://dx.doi.org/10.1021/je034254m.

Hossain, MM; Park, O, kK; Hahn, J, aeR; Ku, B, onC. (2014). High yield and high concentration few-layer graphene sheets using solvent exfoliation of graphite with pre-thermal treatment in a sealed bath. Mater Lett. 123: 90-92. http://dx.doi.org/10.1016/j.matlet.2014.03.024.

Hosseinpour, D; Guthrie, JT; Berg, JC. (2007). The effect of additives on the quality of dispersion and physical properties of an automotive coating pigmented with TiO2. J Adhes Sci Tech. 21: 141-151. http://dx.doi.org/10.1163/156856107780437480.

Hou, R; Lan, X; Wang, T. (2015). Selective hydrogenation of acetylene on Pd/SiO2 in bulk liquid phase: A comparison with solid catalyst with ionic liquid layer (SCILL). Catalysis Today. 251: 47-52. http://dx.doi.org/10.1016/j.cattod.2014.09.006.

Hou, TH; Jensen, BJ; Hergenrother, PM. (1996). Processing and properties of IM7/PETI composites. Journal of Composite Materials. 30: 109-122.

Hradil, J; Sysel, P; Brozova, L; Kovarova, J; Kotek, J. (2007). Heterogeneous membranes based on a composite of a hypercrosslinked microparticle adsorbent and polyimide binder. React Funct Polym. 67: 432-441. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.004.

Hruljova, J; Oja, V. (2015). Application of DSC to study the promoting effect of a small amount of high donor number solvent on the solvent swelling of kerogen with non-covalent cross-links in non-polar solvents. Fuel. 147: 230-235. http://dx.doi.org/10.1016/j.fuel.2015.01.054.

Hsu, CH; Cohen, JD; Tietz, RF. (1993). POLYANILINE SPINNING SOLUTIONS AND FIBERS. Synthetic Metals. 59: 37-41.

Hsu, CH; Epstein, AJ. (1997). Processing of poly(o-toluidine) into fibers and their properties. Synthetic Metals. 84: 51-54.

Hu, F; Li, W; Zhang, J, i; Meng, W, ei. (2014). Effect of Graphene Oxide as a Dopant on the Electrochemical Performance of Graphene Oxide/Polyaniline Composite. Journal of Materials Science & Technology. 30: 321-327. http://dx.doi.org/10.1016/j.jmst.2013.10.009.

Hu, G; Li, H, ua; Wang, X; Zhang, Y. (2010). Measurement and Correlation of Griseofulvin Solubility in Different Solvents at Temperatures from (281.95 to 357.60) K. Journal of Chemical and Engineering Data. 55: 3969-3971. http://dx.doi.org/10.1021/je100030j.

Hu, L; Cheng, Q; Chen, D; Ma, M; Wu, K. (2015). Liquid-phase exfoliated graphene as highly-sensitive sensor for simultaneous determination of endocrine disruptors: diethylstilbestrol and estradiol. J Hazard Mater. 283: 157-163. http://dx.doi.org/10.1016/j.jhazmat.2014.08.067.

Hu, N; Gao, R; Wang, Y; Wang, Y; Chai, J; Yang, Z; Kong, ES; Zhang, Y. (2012). The preparation and characterization of non-covalently functionalized graphene. J Nanosci Nanotechnol. 12: 99-104. http://dx.doi.org/10.1166/jnn.2012.5139.

Huang, B, in; Qian, J; Wang, G; Cai, M. (2014). Synthesis and Properties of Novel Copolymers of Poly(ether ketone diphenyl ketone ether ketone ketone) and Poly(ether amide ether amide ether ketone ketone). Polymer Engineering and Science. 54: 1757-1764. http://dx.doi.org/10.1002/pen.23721.

Huang, G; Lv, C. (2013). Isobaric Vapor-Liquid Equilibria for Binary Systems Comprising 1-Chloro-2-ethylhexane, 2-Ethyl-1-hexanol, p-Xylene, and N-Methylpyrrolidone (NMP) at 40.0 kPa. Journal of Chemical and Engineering Data. 58: 279-284. http://dx.doi.org/10.1021/je300848z.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Huang, K; Xia, S; Zhang, X; Chen, YL, e; Wu, Y; Hu, XB. (2014). Comparative Study of the Solubilities of SO2 in Five Low Volatile Organic Solvents (Sulfolane, Ethylene Glycol, Propylene Carbonate, N-Methylimidazole, and N-Methylpyrrolidone). Journal of Chemical and Engineering Data. 59: 1202-1212. http://dx.doi.org/10.1021/je4007713.

Huang, SY; Fedkiw, PS. (2016). Pervaporation removal of water from ionic liquid solutions using Nafion membranes. Separation Science and Technology. 51: 2932-2939. http://dx.doi.org/10.1080/01496395.2016.1236816.

Huang, W; Mi, Y, ue; Li, Y, un; Zheng, D. (2015). An Aprotic Polar Solvent, Diglyme, Combined with Monoethanolamine to Form CO2 Capture Material: Solubility Measurement, Model Correlation, and Effect Evaluation. Ind Eng Chem Res. 54: 3430-3437. http://dx.doi.org/10.1021/ie504739t.

Huang, W; Yang, G; Chen, J, un; Chen, X, in; Zhang, C; Wang, Y; Shi, Q, iZ. (2013). Solvent Influence on Sizes of Channels in Three New Co(II) Complexes, Exhibiting an Active Replaceable Coordinated Site. Cryst Growth Des. 13: 66-73. http://dx.doi.org/10.1021/cg301146u.

Huang, WY; Xue, XQ; Zhang, DL; Chen, JH; Fang, JB; Yang, HJ; Jiang, BB; Kong, LZ; Liu, Y; Pu, HT. (2014). Influence of solvent on branching via atom transfer radical polymerisation using 1,6-bismaleimidohexane as branching agent. Mater Res Innovat. 18: 220-224. http://dx.doi.org/10.1179/1433075X14Y.0000000218.

Huang, Y; Liu, P; Wang, L, ei. (2013). PRODUCTION OF STABLE DISPERSIONS OF REDUCED GRAPHENE OXIDE USING INDOLE AS A REDUCTION AGENT. NANO. 8. http://dx.doi.org/10.1142/S1793292013500173.

Huang, Y, uF; Park, YI, l; Kuo, C; Xu, P; Williams, DJ; Wang, J; Lin, C, hiWen; Wang, HL, in. (2012). Low-Temperature Synthesis of Au/Polyaniline Nanocomposites: Toward Controlled Size, Morphology, and Size Dispersity. J Phys Chem C. 116: 11272-11277. http://dx.doi.org/10.1021/jp303538z.

Hubadillah, SK; Harun, Z; Othman, MHD; Ismail, AF; Salleh, W, anNWan; Basri, H; Yunos, MZ; Gani, P. (2016). Preparation and characterization of low cost porous ceramic membrane support from kaolin using phase inversion/sintering technique for gas separation: Effect of kaolin content and non-solvent coagulant bath. Chem Eng Res Des. 112: 24-35. http://dx.doi.org/10.1016/j.cherd.2016.06.007.

Hulubei, C. (2008). Maleimide-containing Polyamides. Materiale Plastice. 45: 228-231.

Hung, YM; Meier, KH. (2005). Acute (R) Confidor (imidacloprid-N-methyl pyrrolidone) insecticides intoxication with mimicking cholinergic syndrome. Toxicol Ind Health. 21: 137-140. http://dx.doi.org/10.1191/0748233705th217oa.

Hwang, K, yuSuk; Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ. (2009). Reaction kinetics between carbon dioxide and glycidyl methacrylate using trihexylamine immobilized ionic liquid on MCM41 catalyst. J Ind Eng Chem. 15: 854-859. http://dx.doi.org/10.1016/j.jiec.2009.09.012.

Hwang, T; Oh, JS, uk; Hong, JP, yo; Nam, G, iY; Bae, A, hH; Son, SI, k; Lee, GH, o; Sung, H, akK; Lee, Y; Nam, J, aeDo. (2012). One-step metal electroplating and patterning on a plastic substrate using an electrically-conductive layer of few-layer graphene. Carbon. 50: 612-621. http://dx.doi.org/10.1016/j.carbon.2011.09.020.

Hwang, T; Pu, L; Kim, SW, oo; Oh, YS, oo; Nam, J, aeDo. (2009). Synthesis and barrier properties of poly(vinylidene chloride-co-acrylonitrile)/SiO2 hybrid composites by sol-gel process. J Memb Sci. 345: 90-96. http://dx.doi.org/10.1016/j.memsci.2009.08.029.

Ichinohe, D; Arai, T; Kise, H. (1997). Synthesis of soluble polyaniline in reversed micellar systems. Synthetic Metals. 84: 75-76.

Icoglu, HI; Ogulata, RT. (2013). EFFECT OF AMBIENT PARAMETERS ON MORPHOLOGY OF ELECTROSPUN POLYETHERIMIDE (PEI) FIBERS. 23: 313-318.

Ihmels, EC; Gmehling, J. (2002). Liquid Densities of gamma-butyrolactone and N-methyl-2-pyrrolidone from 273 to 473 K and at pressures up to 40 MPa. Journal of Chemical and Engineering Data. 47: 1547-1552. http://dx.doi.org/10.1021/je0255877.

Iino, M. (2000). Network structure of coals and association behavior of coal-derived materials. Fuel Process Tech. 62: 89-101.

Iino, M; Takanohashi, T; Li, CQ; Kumagai, H. (2004). Increase in extraction yields of coals by water treatment. Energy Fuels. 18: 1414-1418. http://dx.doi.org/10.1021/ef034078n.

Iino, M; Takanohashi, T; Obara, S; Tsueta, H; Sanokawa, Y. (1989). CHARACTERIZATION OF THE EXTRACTS AND RESIDUES FROM CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Fuel. 68: 1588-1593.

Iino, M; Takanohashi, T; Ohsuga, H; Toda, K. (1988). EXTRACTION OF COALS WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE - EFFECT OF COAL RANK AND SYNERGISM OF THE MIXED-SOLVENT. Fuel. 67: 1639-1647.

Iino, M; Takanohashi, T; Shishido, T; Saito, I; Kumagai, H. (2007). Increase in extraction yields of coals by water treatment: Beulah-Zap lignite. Energy Fuels. 21: 205-208. http://dx.doi.org/10.1021/ef060099g.

Ikeda, Y; Wada, E; Harada, M; Chikazawa, T; Kikuchi, T; Mineo, H; Morita, Y; Nogami, M; Suzuki, K. (2004). A study on pyrrolidone derivatives as selective precipitant for uranyl ion in HNO3. J Alloy Comp. 374: 420-425. http://dx.doi.org/10.1016/j.jallcom.2003.11.050.

Irimia-Vladu, M; Fergus, JW. (2006). Suitability of emeraldine base polyaniline-PVA composite film for carbon dioxide sensing. Synthetic Metals. 156: 1401-1407. http://dx.doi.org/10.1016/j.synthmet.2006.11.005.

IRK. (2014). [Guide values for 1-methyl-2-pyrrolidone in indoor air. Report of the German Ad-hoc Working Group on indoor Guidelines of the Indoor Air Hygiene Committee and of the States' Supreme Health Authorities]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 57: 1232-1241. http://dx.doi.org/10.1007/s00103-014-2041-1.

Islas, CA; Suelves, I; Apicella, B; Herod, AA; Kandiyoti, R; Carter, JF; Li, WY. (2003). Structure and composition of coal tars: An attempt to correlate molecular structure with increasing molecular mass. Combust Sci Tech. 175: 775-791. http://dx.doi.org/10.1080/00102200390196359.

Ismail, AF; Mustaffar, MI; Illias, RM; Abdullah, MS. (2006). Effect of dope extrusion rate on morphology and performance of hollow fibers membrane for ultrafiltration. Separation and Purification Technology. 49: 10-19. http://dx.doi.org/10.1016/j.seppur.2005.08.001.

Ismail, AF; Norida, R; Rahman, WAW, A; Matsuura, T; Hashemifard, SA. (2011). Preparation and characterization of hyperthin-skinned and high performances asymmetric polyethersulfone membrane for gas separation. Desalination. 273: 93-104. http://dx.doi.org/10.1016/j.desal.2010.10.015.

Itani, T; Yoshino, H; Hashimoto, S; Yamana, M; Samoto, N; Kasama, K. (1997). Acid and base diffusion in chemically amplified DUV resists. Microelectron Eng. 35: 149-152.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Itaya, Y; Bessho, N. (1997). Drying of dielectric resin coatings in the presence of polycondensation. Drying Technology. 15: 427-440.

Ivanov, IV; Lotkhov, VA; Glebova, Y, uA; Chelyuskina, TV; Kulov, NN. (2014). Study of phase equilibrium in benzene-heptane-N-methylpyrrolidone system. Theoretical Foundations of Chemical Engineering. 48: 337-345. http://dx.doi.org/10.1134/S0040579514040186.

Ivanov, IV; Lotkhov, VA; Moiseeva, KA; Kulov, NN. (2016). Mass transfer in a packed extractive distillation column. Theoretical Foundations of Chemical Engineering. 50: 667-677. http://dx.doi.org/10.1134/S0040579516050304.

Ivanov, IV; Lotkhov, VA; Tikhonov, AY, u; Kulov, NN. (2015). Vapor-liquid-liquid phase equilibrium in four-component benzene-heptane-N-methylpyrrolidone-sulfolane system. Theoretical Foundations of Chemical Engineering. 49: 125-137. http://dx.doi.org/10.1134/S0040579515020049.

Izumi, CMS; Brito, HF; Ferreira, A, naMDC; Constantino, VRL; Temperini, MLA. (2009). Spectroscopic investigation of the interactions between emeraldine base polyaniline and Eu(III) ions. Synthetic Metals. 159: 377-384. http://dx.doi.org/10.1016/j.synthmet.2008.10.006.

Izumi, CMS; Ferreira, DC; Costa Ferreira, A, naMD; Temperini, MLA. (2009). The role of oxygen in the interaction of emeraldine base polyaniline with Cu(II) or Fe(III) ions in NMP solution. Synthetic Metals. 159: 1165-1173. http://dx.doi.org/10.1016/j.synthmet.2009.02.004.

Izumi, CMS; Rodrigues, DC; Temperini, MLA. (2010). The role of solvent on the doping of polyaniline with Fe(III) ions. Synthetic Metals. 160: 2552-2558. http://dx.doi.org/10.1016/j.synthmet.2010.10.004.

Jacob, KN; Kumar, SS; Thanigaivelan, A; Tarun, M; Mohan, D. (2014). Sulfonated polyethersulfone-based membranes for metal ion removal via a hybrid process. Journal of Materials Science. 49: 114-122. http://dx.doi.org/10.1007/s10853-013-7682-1.

Jain, R; Gregory, RV. (1995). Solubility and rheological characterization of polyaniline base in N-methyl-2-pyrrolidinone and N,N'-dimethylpropylene urea. Synthetic Metals. 74: 263-266.

Jalal, TA; Prada, IDC; Tayouo, R; Giannelis, EP; Nunes, SP. (2014). Reactive phase inversion for manufacture of asymmetric poly (ether imide sulfone) membranes. React Funct Polym. 85: 1-10. http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.018.

Jamali, SH; Ramdin, M; Becker, T, imM; Torres-Knoop, A; Dubbeldam, D; Buijs, W, im; Vlugt, TJH. (2017). Solubility of sulfur compounds in commercial physical solvents and an ionic liquid from Monte Carlo simulations. Fluid Phase Equilibria. 433: 50-55. http://dx.doi.org/10.1016/j.fluid.2016.11.015.

Jang, H; Lee, S; Jin, L; Pyo, J; Tan, F; Kim, K; Kim, W; Jeon, HS. (2015). Preparation of Novel Pyridine-Based Aromatic Polyimides and Effect of Fluorine Functionality. J Nanosci Nanotechnol. 15: 8451-8459. http://dx.doi.org/10.1166/jnn.2015.11444.

Jang, KS; Ko, HC; Moon, B; Lee, H. (2005). Observation of photoluminescence in polypyrrole micelles. Synthetic Metals. 150: 127-131. http://dx.doi.org/10.1016/j.synthmet.2005.01.013.

Jang, KS; Moon, BJ; Oh, EJ; Lee, HS. (2003). Characteristics of tantalum electrolytic capacitors using soluble polypyrrole electrolyte. J Power Sources. 124: 338-342. http://dx.doi.org/10.1016/S0378-7753(03)00594-9.

Jang, SH; Han, MG; Im, SS. (2000). Preparation and characterization of conductive polyaniline/silica hybrid composites prepared by sol-gel process. Synthetic Metals. 110: 17-23.

Jantas, R; Delczyk, B. (2005). Preparation characterisation and antibacterial properties of sucrose-1-naphtylacetic acid adduct. 13: 60-63.

Jawaid, A, li; Nepal, D; Park, K; Jespersen, M; Qualley, A; Mirau, P; Drummy, LF; Vaia, RA. (2016). Mechanism for Liquid Phase Exfoliation of MoS2. Chem Mater. 28: 337-348. http://dx.doi.org/10.1021/acs.chemmater.5b04224.

Jayasinghe, NS; Lucien, FP; Tran, T. (2005). Ion-exchange equilibria for [Au(CN)(2)](-)/Cl- and [Au(CN)(2)](-)/SCN- on purolite A500 in mixed solvents at 303 K. Ind Eng Chem Res. 44: 7496-7504. http://dx.doi.org/10.1021/ie0504304.

Jee, K, iY; Kim, N; Lee, YT. (2016). The effect of metal complex on pervaporation performance of composite membrane for separation of n-butanol/water mixture. J Ind Eng Chem. 44: 155-163. http://dx.doi.org/10.1016/j.jiec.2016.08.022.

Jee, K, iY; Lee, YT. (2014). Preparation and characterization of siloxane composite membranes for n-butanol concentration from ABE solution by pervaporation. J Memb Sci. 456: 1-10. http://dx.doi.org/10.1016/j.memsci.2013.12.061.

Jelinek, M; Borde, I. (1998). Single-and double-stage absorption cycles based on fluorocarbon refrigerants and organic absorbents. Applied Thermal Engineering. 18: 765-771.

Jeon, B, oY; Yi, J, unY; Park, D, ooH. (2014). Estimation on metabolic pathway of Pseudomonas sp SMIC-3 for 1-methyl-2-pyrrolidinone based on physiological and biochemical analyses. Korean J Chem Eng. 31: 475-484. http://dx.doi.org/10.1007/s11814-013-0231-4.

Jeon, I, nYup; Yu, D; Bae, S, eoY; Choi, HJ; Chang, DW; Dai, L; Baek, JB. (2011). Formation of Large-Area Nitrogen-Doped Graphene Film Prepared from Simple Solution Casting of Edge-Selectively Functionalized Graphite and Its Electrocatalytic Activity. Chem Mater. 23: 3987-3992. http://dx.doi.org/10.1021/cm201542m.

Jeon, IY; Choi, EK; Bae, SY; Baek, JB. (2010). Edge-Functionalization of Pyrene as a Miniature Graphene via Friedel-Crafts Acylation Reaction in Poly(Phosphoric Acid). Nanoscale Res Lett. 5: 1686-1691. http://dx.doi.org/10.1007/s11671-010-9697-8.

Jeon, S, eaHo; Xu, P; Mack, NH; Chiang, LY; Brown, L; Wang, HL, in. (2010). Understanding and Controlled Growth of Silver Nanoparticles Using Oxidized N-Methyl-pyrrolidone as a Reducing Agent. J Phys Chem C. 114: 36-40. http://dx.doi.org/10.1021/jp907757u.

Jia, Q; Xu, Y; Shen, J; Yang, H; Zhou, L, u. (2015). Effects of hydrophilic solvent and oxidation resistance post surface treatment on molecular structure and forward osmosis performance of polyamide thin-film composite (TFC) membranes. Appl Surf Sci. 356: 1105-1116. http://dx.doi.org/10.1016/j.apsusc.2015.08.129.

Jiang, B, in; Wang, B; Zhang, L; Sun, Y; Xiao, X; Yang, N, a; Dou, H. (2016). Preparation of poly(L-lactic acid) membrane from solvent mixture via immersion precipitation. Separation Science and Technology. 51: 2940-2947. http://dx.doi.org/10.1080/01496395.2016.1239638.

Jiang, H; Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Organic acid doped polyaniline derivatives. Synthetic Metals. 84: 125-126.

Jiang, H; Sun, X; Huang, M; Wang, Y; Li, D; Dong, S. (2006). Rapid self-assembly of oligo(o-phenylenediamine) into one-dimensional structures through a facile reprecipitation route. Langmuir. 22: 3358-3361. http://dx.doi.org/10.1021/la053091s.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Jiang, Q; Liu, C; Song, H; Shi, H, ui; Yao, Y; Xu, J; Zhang, G, e; Lu, B. (2013). Improved thermoelectric performance of PEDOT:PSS films prepared by polar-solvent vapor annealing method. Journal of Materials Science: Materials in Electronics. 24: 4240-4246. http://dx.doi.org/10.1007/s10854-013-1391-z.

Jiao, Z; Sun, Y, an; Yang, Q; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in the ionic liquid ethyl(2-hydroxyethyl)dimethyl-ammonium diethylphosphate using gas-liquid chromatography. Fluid Phase Equilibria. 325: 15-19. http://dx.doi.org/10.1016/j.fluid.2012.04.008.

Jim, M; Kim, KJ, oo. (2012). Effect of Supersaturation on Polymorphs of Clopidogrel Hydrogen Sulfate in Drowning-out Crystallization. Chem Eng Tech. 35: 995-1002. http://dx.doi.org/10.1002/ceat.201100717.

Jim, M; Kim, KJ, oo. (2012). Solubility of Forms I and II of Clopidogrel Hydrogen Sulfate in Formic Acid, N-Methylpyrrolidone, and N,N-Dimethylformamide. Journal of Chemical and Engineering Data. 57: 598-602. http://dx.doi.org/10.1021/je201128n.

Jin, SH, un; Lee, D, aiSoo. (2008). Preparation and Properties of the Nanocomposites Based on Poly(methyl methacrylate-co-butyl acrylate) and Multiwalled Carbon Nanotube. J Nanosci Nanotechnol. 8: 4675-4678. http://dx.doi.org/10.1166/jnn.2008.IC25.

Jing, X; Deng, R; Zheng, D. (2013). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus N,N-Dimethylacetamide, Fluoroethane plus N-Methyl-2-pyrrolidone, and 1,1,1,2-Tetrafluoroethane plus N,N-Dimethylacetamide Systems. Journal of Chemical and Engineering Data. 58: 3289-3296. http://dx.doi.org/10.1021/je4007822.

Johnson, BR; Bartle, KD; Cocksedge, M; Herod, AA; Kandiyoti, R. (1998). A test of the MALDI-MS calibration of SEC with N-methyl-2-pyrrolidinone for coal derived materials. Fuel. 77: 1527-1531.

Johnson, BR; Bartle, KD; Domin, M; Herod, AA; Kandiyoti, R. (1998). Absolute calibration of size exclusion chromatography for coal derivatives through MALDI-ms. Fuel. 77: 933-945.

Johnson, BR; Bartle, KD; Ross, AB; Herod, AA; Kandiyoti, R; Larsen, JW. (1999). Cf-252 plasma desorption and laser desorption mass spectrometry for the determination of molecular weight distribution of coal derivatives. Fuel. 78: 1659-1664.

Johnston, A; Florence, AJ; Shankland, N; Kennedy, AR; Shankland, K; Price, SL. (2007). Crystallization and crystal energy landscape of hydrochlorothiazide. Cryst Growth Des. 7: 705-712. http://dx.doi.org/10.1021/cg0606242.

Jones, LG; Darvin, CH; Hall, E. (1999). Process and Equipment Changes for Cleaner Production in Federal Facilities. 10.

Jongeneelen, FJ; Ten Berge, W. (2011). A Generic, Cross-Chemical Predictive PBTK Model with Multiple Entry Routes Running as Application in MS Excel; Design of the Model and Comparison of Predictions with Experimental Results. Ann Occup Hyg. 55: 841-864. http://dx.doi.org/10.1093/annhyg/mer075.

Jönsson, BA; Akesson, B. (2001). N-methylsuccinimide in plasma and urine as a biomarker of exposure to N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 74: 289-294.

Jönsson, BA; Akesson, B. (2003). Human experimental exposure to N-methyl-2-pyrrolidone (NMP): toxicokinetics of NMP, 5-hydroxy- N-methyl-2-pyrrolidone, N-methylsuccinimide and 2-hydroxy- N-methylsuccinimide (2-HMSI), and biological monitoring using 2-HMSI as a biomarker. Int Arch Occup Environ Health. 76: 267-274. http://dx.doi.org/10.1007/s00420-003-0438-5.

Jordan, KM; Iroh, JO. (1997). Effect of isothermal aging on post-imidization and glass transition temperature of LaRC-IA polyimide resin. Polymer Composites. 18: 397-404.

Jou, FY; Mather, AE. (2005). Solubility of carbon dioxide in an aqueous mixture of methyldiethanolamine and N-methylpyrrolidone at elevated pressures. Fluid Phase Equilibria. 228: 465-469. http://dx.doi.org/10.1016/j.fluid.2004.10.004.

Julinová, M; Kupec, J; Houser, J; Slavík, R; Marusincová, H; Cervenáková, L; Klívar, S. (2012). Removal of polyvinylpyrrolidone from wastewater using different methods. Water Environ Res. 84: 2123-2132. http://dx.doi.org/10.2175/106143012X13373575830999.

Julinova, M; Kupec, J, an; Slavik, R; Vaskova, M. (2013). INITIATING BIODEGRADATION OF POLYVINYLPYRROLIDONE IN AN AQUEOUS AEROBIC ENVIRONMENT: TECHNICAL NOTE. 20: 199-208. http://dx.doi.org/10.2478/eces-2013-0015.

Junaidi, MU; Leo, CP; Kamal, SN; Ahmad, AL. (2013). Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Sci Technol. 67: 2102-2109. http://dx.doi.org/10.2166/wst.2013.098.

Jung, RE; Kokovic, V; Jurisic, M; Yaman, D; Subramani, K; Weber, FE. (2011). Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res. 22: 802-807. http://dx.doi.org/10.1111/j.1600-0501.2010.02068.x.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension and interfacial tension of binary organic liquid mixtures. Journal of Chemical and Engineering Data. 48: 1500-1507. http://dx.doi.org/10.1021/je034062r.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension of pure liquids and binary liquid mixtures. Journal of Chemical and Engineering Data. 48: 580-586. http://dx.doi.org/10.1021/je0201323.

Kajekar, AJ; Dodamani, BM; Isloor, AM; Karim, ZA; Cheer, N; Ismail, AF; Shilton, SJ. (2015). Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection. Desalination. 365: 117-125. http://dx.doi.org/10.1016/j.desal.2015.02.028.

Kajiyama, M; Takehara, A; Mizumachi, H. (1996). Preparation of aramid/poly (ethersulphone) blends and their properties for hot-melt type adhesives. Journal of Adhesion. 57: 153-165.

Kakade, B; Patil, I; Lokanathan, M; Swami, A. (2015). Enhanced methanol electrooxidation at Pt skin@PdPt nanocrystals. 3: 17771-17779. http://dx.doi.org/10.1039/c5ta03736k.

Kakade, BA; Tamaki, T; Ohashi, H; Yamaguchi, T. (2012). Highly Active Bimetallic PdPt and CoPt Nanocrystals for Methanol Electro-oxidation. J Phys Chem C. 116: 7464-7470. http://dx.doi.org/10.1021/jp300140s.

Kakati, A; Maji, D; Das, S. (2017). Unveiling the wet chemical etching characteristics of polydimethylsiloxane film for soft micromachining applications. Journal of Micromechanics and Microengineering. 27. http://dx.doi.org/10.1088/1361-6439/27/1/015033.

Kameyama, A; Nishikubo, T. (1996). A novel synthesis of reactive polyethers with pendant chloromethyl group by polyaddition of bis(epoxide)s with aromatic dichlorides. React Funct Polym. 30: 235-239.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Kaneko, H; Morino, M; Takanohashi, T; Iino, M. (1996). Study of the interaction of aromatic compounds with coals by inverse liquid chromatography. Energy Fuels. 10: 1017-1021.

Kang, ET; Neoh, KG; Tan, KL. (1995). PROTONATION AND DEPROTONATION OF POLYANILINE FILMS AND POWDERS REVISITED. Synthetic Metals. 68: 141-144.

Kang, J; Wood, JD; Wells, SA; Lee, JH; Liu, X; Chen, KS; Hersam, MC. (2015). Solvent exfoliation of electronic-grade, two-dimensional black phosphorus. ACS Nano. 9: 3596-3604. http://dx.doi.org/10.1021/acsnano.5b01143.

Kang, KS; Chen, Y; Lim, HK; Cho, KY; Han, KJ; Kim, J. (2009). Performance enhancement of polymer Schottky diode by doping pentacene. Thin Solid Films. 517: 6096-6099. http://dx.doi.org/10.1016/j.tsf.2009.04.041.

Kang, KS, un; Han, KJ, un; Kim, J. (2009). Polymer-Based Flexible Schottky Diode Made With Pentacene-PEDOT:PSS. I E E E Transactions on Nanotechnology. 8: 627-630. http://dx.doi.org/10.1109/TNANO.2009.2019640.

Kang, MG; Kim, KM; Ryu, KS; Chang, SH; Park, NG; Hong, JS; Kim, KJ. (2004). Dye-sensitized TiO2 solar cells using polymer gel electrolytes based on PVdF-HFP. J Electrochem Soc. 151: E257-E260. http://dx.doi.org/10.1149/1.1759698.

Kang, YK; Kim, SK; Lee, CJ. (2004). Doping of polyaniline by thermal acid-base exchange reaction. Mater Sci Eng C. 24: 39-41. http://dx.doi.org/10.1016/j.msec.2003.09.047.

Kang, YS; Kim, HJ; Kim, UY. (1991). ASYMMETRIC MEMBRANE FORMATION VIA IMMERSION PRECIPITATION METHOD .1. KINETIC EFFECT. J Memb Sci. 60: 219-232.

Karaca, F. (2006). Molecular mass distribution and structural characterization of liquefaction products of a biomass waste material. Energy Fuels. 20: 383-387. http://dx.doi.org/10.1021/ef050369f.

Karaca, F; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Effect of salts on the SEC profiles of heavy hydrocarbon liquids: New approach with salts dissolved in solvents used for planar chromatography. Energy Fuels. 19: 187-199. http://dx.doi.org/10.1021/ef0498263.

Karaca, F; Islas, CA; Millan, M; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). The calibration of size exclusion chromatography columns: Molecular mass distributions of heavy hydrocarbon liquids. Energy Fuels. 18: 778-788. http://dx.doi.org/10.1021/ef030178h.

Karaca, F; Millan-Agorio, M; Morgan, TJ; Bull, ID; Herod, AA; Kandiyoti, R. (2008). The pentane- and toluene-soluble fractions of a petroleum residue and three coal tars by size exclusion chromatography and UV-fluorescence spectroscopy. Oil & Gas Science & Technology. 63: 129-137. http://dx.doi.org/10.2516/ogst:2007061.

Karaca, F; Morgan, TJ; Behrouzi, M; Herod, AA; Kandiyoti, R. (2005). Effect of several salts on the elution behaviour of heavy hydrocarbon liquids during size exclusion chromatography with 1-methyl-2-pyrrolidinone as eluent. Fuel. 84: 1805-1811. http://dx.doi.org/10.1016/j.fuel.2005.04.008.

Karatun, ON; Kapizova, NB. (2014). Extraction of Aromatic Hydrocarbons from Gasoline Fraction by Blended Extractants. Chemistry and Technology of Fuels and Oils. 50: 230-232. http://dx.doi.org/10.1007/s10553-014-0514-4.

Kardas, G; Solmaz, R. (2007). Electrochemical synthesis and characterization of a new conducting polymer: Polyrhodanine. Appl Surf Sci. 253: 3402-3407. http://dx.doi.org/10.1016/j.apsusc.2006.07.042.

Karimzadeh, R; Ghashghaee, M; Nouri, M. (2010). Effect of Solvent Dearomatization and Operating Conditions in Steam Pyrolysis of a Heavy Feedstock. Energy Fuels. 24: 1899-1907. http://dx.doi.org/10.1021/ef901139u.

Kashimura, N, ao; Takanohashi, T; Masaki, K; Shishido, T; Sato, S; Matsumura, A; Saito, I. (2006). Relationship between thermal extraction yield and oxygen-containing functional groups. Energy Fuels. 20: 2088-2092. http://dx.doi.org/10.1021/ef060194p.

Kato, R; Gmehling, J. (2004). Activity coefficients at infinite dilution of various solutes in the ionic liquids [MMIM](+)[CH3SO4](-), [MMIM](+)[CH3OC2H4SO4](-), [MMIM]+[(CH3)(2)PO4](-), [C5H5NC2H5](+)[(CF3SO2)(2)N](-) and [C5H5NH](+)[C2H5OC2H4OSO3](-). Fluid Phase Equilibria. 226: 37-44. http://dx.doi.org/10.1016/j.fluid.2004.08.039.

Kaune, G; Wang, W; Metwalli, E; Ruderer, M; Rossner, R; Roth, SV; Müller-Buschbaum, P. (2008). Layered TiO2: PVK nano-composite thin films for photovoltaic applications. TiO2: PVK nano-composite thin films. Eur Phys J E Soft Matter. 26: 73-79. http://dx.doi.org/10.1140/epje/i2007-10292-2.

Kaur, P; Srivastava, VC; Mall, ID, eo. (2012). Studies on Bi-Cyclic Aromatics Extraction using Furfural and N-Methyl Pyrrolidone (NMP) as Solvent. Separation Science and Technology. 47: 1762-1770. http://dx.doi.org/10.1080/01496395.2012.659783.

Kaushik, RS; Srivastava, M; Kumar, M; Mandal, S; Bahuguna, NN; Sharma, R; Anwar, M; Garg, MO. (2005). Evaluation of different packings in lube extraction system. Petroleum Science and Technology. 23: 437-443. http://dx.doi.org/10.1081/LFT-200031046.

Kawashima, H; Koyano, K; Takanohashi, T. (2013). Changes in nitrogen functionality due to solvent extraction of coal during HyperCoal production. Fuel Process Tech. 106: 275-280. http://dx.doi.org/10.1016/j.fuproc.2012.06.030.

Kawashima, H; Saito, I. (2004). Interactions of organic liquids with coals: Analysis by solid-state C-13 nuclear magnetic resonance. Energy Fuels. 18: 1723-1731. http://dx.doi.org/10.1021/ef040007s.

Kawashima, H; Takanohashi, T. (2001). Modification of model structures of upper freeport coal extracts using C-13 NMR chemical shift calculations. Energy Fuels. 15: 591-598.

Kawashima, N; Kameyama, A; Nishikubo, T; Nagai, T. (2003). Synthesis and photochemical reaction of polystyrenes with pendant donor-acceptor type norbornadienes containing carbamoyl chromophores. React Funct Polym. 55: 75-88.

Kazda, T; Krbal, M; Pouzar, M; Vondrak, J; Strakova, AF; Slavik, M; Wagner, T; Macak, JM. (2016). Highly efficient and stable cryo-ground sulphur cathode for Li-S batteries. J Power Sources. 331: 293-298. http://dx.doi.org/10.1016/j.jpowsour.2016.09.050.

Keener, SA; Wrbitzky, R; Bader, M. (2007). Human volunteer study on the influence of exposure duration and dilution of dermally applied N-methyl-2-pyrrolidone (NMP) on the urinary elimination of NMP metabolites. Int Arch Occup Environ Health. 80: 327-334. http://dx.doi.org/10.1007/s00420-006-0138-z.

Keller, TM. (1994). SYNTHESIS AND POLYMERIZATION OF MULTIPLE AROMATIC ETHER PHTHALONITRILES. Chem Mater. 6: 302-305.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Kerres, J; Cui, W; Disson, R; Neubrand, W. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by disproportionation of sulfinic acid groups. J Memb Sci. 139: 211-225.

Kerres, J; Cui, W; Junginger, M. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by alkylation of sulfinate groups with dihalogenoalkanes. J Memb Sci. 139: 227-241.

Khalaf, HI; Wady, AN; Daham, HK. (2013). Synthesis and characterization of new optically active poly(amide-imide)s derived from N,N'-(pyromellitoyl) bis-L-tyrosine and various diamines. 31: 43-51. http://dx.doi.org/10.2478/s13536-012-0077-1.

Khan, U; O'Connor, I, an; Gun'ko, YK; Coleman, JN. (2010). The preparation of hybrid films of carbon nanotubes and nano-graphite/graphene with excellent mechanical and electrical properties. Carbon. 48: 2825-2830. http://dx.doi.org/10.1016/j.carbon.2010.04.014.

Khan, U; Porwal, H; O'Neill, A; Nawaz, K; May, P; Coleman, JN. (2011). Solvent-exfoliated graphene at extremely high concentration. Langmuir. 27: 9077-9082. http://dx.doi.org/10.1021/la201797h.

Khare, VP; Greenberg, AR; Krantz, WB. (2005). Vapor-induced phase separation - effect of the humid air exposure step on membrane morphology Part I. Insights from mathematical modeling. J Memb Sci. 258: 140-156. http://dx.doi.org/10.1016/j.memsci.2005.03.015.

Kho, YW; Conrad, DC; Shick, RA; Knutson, BL. (2003). Solvent strength characterization of carbon dioxide expanded fluorinated solvents. Ind Eng Chem Res. 42: 6511-6517. http://dx.doi.org/10.1021/ie030669p.

Khodakarimi, S; Hekhmatshoar, MH; Nasiri, M; Moghaddam, MK; Abbasi, F. (2016). Effects of process and post-process treatments on the electrical conductivity of the PEDOT:PSS films. Journal of Materials Science: Materials in Electronics. 27: 1278-1285. http://dx.doi.org/10.1007/s10854-015-3886-2.

Khulbe, KC; Feng, CY; Hamad, F; Matsuura, T; Khayet, M. (2004). Structural and performance study of micro porous polyetherimide hollow fiber membranes prepared at different air-gap. J Memb Sci. 245: 191-198. http://dx.doi.org/10.1016/j.memsci.2004.06.061.

Khulbe, KC; Matsuura, T; Singh, S; Lamarche, G; Noh, SH. (2000). Study on fouling of ultrafiltration membrane by electron spin resonance. J Memb Sci. 167: 263-273.

Kiani, S; Mousavi, SM; Shahtahmassebi, N; Saljoughi, E. (2016). Preparation and characterization of polyphenylsulfone nanofibrous membranes for the potential use in liquid filtration. Desalination and Water Treatment. 57: 16250-16259. http://dx.doi.org/10.1080/19443994.2015.1079258.

Kierzkowska-Pawlak, H. (2008). Desorption of CO2 from aqueous solutions of N-methylpirrolidone. Przemysł Chemiczny. 87: 174-178.

Kierzkowska-Pawlak, H; Chacuk, A. (2010). Carbon Dioxide Desorption from Saturated Organic Solvents. Chem Eng Tech. 33: 74-81. http://dx.doi.org/10.1002/ceat.200900334.

Kihara, N; Yamamoto, R; Sasao, N; Shimada, T; Yuzawa, A; Okino, T; Ootera, Y; Kamata, Y; Kikitsu, A. (2012). Fabrication of 5 Tdot/in.(2) bit patterned media with servo pattern using directed self-assembly. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 30. http://dx.doi.org/10.1116/1.4763356.

Kim, BJ; Kang, MS; Pham, VH; Cuong, TV; Kim, E, uiJ; Chung, J, inSuk; Hur, SH; Cho, JH, o. (2011). Low-voltage solution-processed graphene transistors based on chemically and solvothermally reduced graphene oxide. J Mater Chem. 21: 13068-13073. http://dx.doi.org/10.1039/c1jm11691f.

Kim, CK, i; Lee, BC; Lee, YW, oo; Kim, HS, oo. (2009). Solvent effect on particle morphology in recrystallization of HMX (cyclotetramethylenetetranitramine) using supercritical carbon dioxide as antisolvent. Korean J Chem Eng. 26: 1125-1129. http://dx.doi.org/10.2478/s11814-009-0187-6.

Kim, D, ooY; Kim, KJ, oo. (2007). Solubility of cyclotrimethylenetrinitramine (RDX) in binary solvent mixtures. Journal of Chemical and Engineering Data. 52: 1946-1949. http://dx.doi.org/10.1021/je7002463.

Kim, D, ooY; Kim, KJ, oo. (2010). Semi-quantitative Study on the Inclusion in Cooling Crystallization of RDX Using Various Solvents. Propellants, Explosives, Pyrotechnics. 35: 38-45. http://dx.doi.org/10.1002/prep.200800116.

Kim, D, oH; Yun, Y; Bak, H; Cho, S, eY; Jin, HJ. (2011). Electro-conducting polymeric films prepared from the hybrids of carbon nanotubes and graphene nanosheets. Curr Appl Phys. 11: S376-S380. http://dx.doi.org/10.1016/j.cap.2011.03.052.

Kim, E; Yi, M, iHye; Ahn, T. (2016). Low-Temperature Processable, Photo-Curable Polyimides as Gate Insulators for Thin-Film Transistors. J Nanosci Nanotechnol. 16: 11762-11765. http://dx.doi.org/10.1166/jnn.2016.13589.

Kim, H; Lee, J; Ok, S; Choe, Y. (2012). Effects of pentacene-doped PEDOT:PSS as a hole-conducting layer on the performance characteristics of polymer photovoltaic cells. Nanoscale Res Lett. 7: 5. http://dx.doi.org/10.1186/1556-276X-7-5.

Kim, H; Mattevi, C; Kim, HJ; Mittal, A; Mkhoyan, KA; Riman, RE; Chhowalla, M. (2013). Optoelectronic properties of graphene thin films deposited by a Langmuir-Blodgett assembly. Nanoscale. 5: 12365-12374. http://dx.doi.org/10.1039/c3nr02907g.

Kim, IC; Lee, KH. (2004). Effect of poly(ethylene glycol) 200 on the formation of a polyetherimide asymmetric membrane and its performance in aqueous solvent mixture permeation. J Memb Sci. 230: 183-188. http://dx.doi.org/10.1016/j.memsci.2003.11.002.

Kim, IC; Lee, KH; Tak, TM. (2001). Preparation and characterization of integrally skinned uncharged polyetherimide asymmetric nanofiltration membrane. J Memb Sci. 183: 235-247.

Kim, IC; Yun, HG; Lee, KH. (2002). Preparation of asymmetric polyacrylonitrile membrane with small pore size by phase inversion and post-treatment process. J Memb Sci. 199: 75-84.

Kim, J, inWoo; Yi, M, iHye; Ahn, T. (2013). Surface energy control of soluble polyimide gate insulators by copolymerization method for high performance pentacene thin-film transistors. Thin Solid Films. 546: 147-152. http://dx.doi.org/10.1016/j.tsf.2013.05.042.

Kim, JH; Lee, KH. (1998). Effect of PEG additive on membrane formation by phase inversion. J Memb Sci. 138: 153-163.

Kim, JR; Jung, JH; Shin, WS; So, WW; Moon, SJ. (2011). Efficient TCO-free organic solar cells with modified poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate) anodes. J Nanosci Nanotechnol. 11: 326-330. http://dx.doi.org/10.1166/jnn.2011.3173.

Kim, K; Cho, H; Lee, S; Mun, M; Lee, D. (2016). Coal and solvent properties and their correlation with extraction yield under mild conditions. Korean J Chem Eng. 33: 2142-2159. http://dx.doi.org/10.1007/s11814-016-0062-1.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Kim, KJ. (2000). Spherulitic crystallization of 3-nitro-1,2,4-triazol-5-one in water plus N-methyl-2-pyrrolidone. J Cryst Growth. 208: 569-578.

Kim, KJ, oo; Kim, HS, oo; Sim, JS. (2013). Solubilities of Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine in gamma-Butyrolactone plus Water, Dimethylsulfoxide plus Water, and N-Methyl pyrrolidone plus Water. Journal of Chemical and Engineering Data. 58: 2410-2413. http://dx.doi.org/10.1021/je400199m.

Kim, KJ; Kim, KM. (2001). Nucleation kinetics in spherulitic crystallization of explosive compound: 3-nitro-1 2,4-triazol-5-one. Powder Technology. 119: 109-116.

Kim, KJ; Kim, KM. (2002). Growth kinetics in seeded cooling crystallization of 3-nitro-1,2,4-triazol-5-one in water-N-methylpyrrolidone. Powder Technology. 122: 46-53.

Kim, KM; Jeon, WS; Park, NG; Ryu, KS; Chang, SH. (2003). Effect of evaporation temperature on the crystalline properties of solution-cast films of poly(vinylidene fluoride)s. Korean J Chem Eng. 20: 934-941.

Kim, KM, an; Kim, J, inC; Ryu, KS, un. (2006). Characteristics of PVdF-HFP/TiO2 composite electrolytes prepared by a phase inversion technique using dimethyl acetamide solvent and water non-solvent. Macromolecular Materials & Engineering. 291: 1495-1502. http://dx.doi.org/10.1002/mame.200600299.

Kim, SG; Lee, K, ewHo. (2009). Effects of chemical transition of polyetherimide membranes having an integrally skinned asymmetric structure. Curr Appl Phys. 9: E51-E55. http://dx.doi.org/10.1016/j.cap.2009.03.005.

Kim, SR; Lee, KH; Jhon, MS. (1996). The effect of ZnCl2 on the formation of polysulfone membrane. J Memb Sci. 119: 59-64.

Kim, T; Kang, M; Choi, Y; Kim, H; Lee, W; Chang, H; Seung, D. (2007). Preparation of Nafion-Sulfonated Clay Nanocomposite Membrane for Direct Menthol Fuel Cells via a Film Coating Process. J Power Sources. 165: 1. http://dx.doi.org/10.1016/j.jpowsour.2006.11.055.

Kim, Y; Kim, S; Lee, B. (2012). Simulation of 1,3-butadiene extractive distillation process using N-methyl-2-pyrrolidone solvent. Korean J Chem Eng. 29: 1493-1499. http://dx.doi.org/10.1007/s11814-012-0075-3.

Kimijima, T; Zettsu, N; Yubuta, K; Hirata, K; Kami, K; Teshima, K. (2016). Molybdate flux growth of idiomorphic Li(Ni1/3Co1/3Mn1/3)O-2 single crystals and characterization of their capabilities as cathode materials for lithium-ion batteries. 4: 7289-7296. http://dx.doi.org/10.1039/c6ta01593j.

Kimura, H; Takahashi, D; Yamaguchi, T; Takeishi, M. (2000). Synthesis of optically active polyarylates having axially chiral binaphthylene unit. Sen'i Gakkaishi. 56: 169-174.

Kingsbury, BFK; Li, K. (2009). A morphological study of ceramic hollow fibre membranes. J Memb Sci. 328: 134-140. http://dx.doi.org/10.1016/j.memsci.2008.11.050.

Kinoshita, M; Sugamura, T; Shimoyama, Y. (2016). Effect of solvent species inside wet gel on fabrication of titania nanoparticle by supercritical carbon dioxide drying. Journal of Supercritical Fluids. 110: 90-96. http://dx.doi.org/10.1016/j.supflu.2015.12.015.

Kiyono, R; Koops, GH; Wessling, M; Strathmann, H. (2004). Mixed matrix microporous hollow fibers with ion-exchange functionality. J Memb Sci. 231: 109-115. http://dx.doi.org/10.1016/j.memsci.2003.11.008.

Kizildag, N; Ucar, N; Onen, A; Karacan, I. (2016). Polyacrylonitrile/polyaniline composite nano/microfiber webs produced by different dopants and solvents. Journal of Industrial Textiles. 46: 787-808. http://dx.doi.org/10.1177/1528083715598654.

Knoell, T; Safarik, J; Cormack, T; Riley, R; Lin, SW; Ridgway, H. (1999). Biofouling potentials of microporous polysulfone membranes containing a sulfonated polyether-ethersulfone/polyethersulfone block copolymer: correlation of membrane surface properties with bacterial attachment. J Memb Sci. 157: 117-138.

Kobayashi, T; Ohshiro, M; Nakamoto, K; Uchida, S. (2016). Decontamination of Extra-Diluted Radioactive Cesium in Fukushima Water Using Zeolite-Polymer Composite Fibers. Ind Eng Chem Res. 55: 6996-7002. http://dx.doi.org/10.1021/acs.iecr.6b00903.

Koch, A; Gruber, R; Cagniant, D; Duchene, JM. (1996). A physicochemical study of carbonization phases .2. Quenching experiments at the pilot scale. Fuel Process Tech. 48: 29-37.

Koch, A; Gruber, R; Cagniant, D; Henrion, P; Duchene, JM. (1996). A physicochemical study of carbonization phases .3. A method of predicting wall pressure by extraction with N-methyl-2-pyrrolidinone. Fuel Process Tech. 48: 39-50.

Koch, A; Gruber, R; Cagniant, D; Pajak, J; Krzton, A. (1995). A PHYSICOCHEMICAL STUDY OF CARBONIZATION PHASES .1. TARS MIGRATION AND COKING PRESSURE. Fuel Process Tech. 45: 135-153.

Kolinska, J; Podsiadly, R; Wysocki, S; Sokolowska, J. (2009). The photochemical behaviour of naphthoylenebenzimidazolone dyes in 1-methyl-2-pyrrolidone. Dyes and Pigments. 82: 238-243. http://dx.doi.org/10.1016/j.dyepig.2009.01.007.

Koning, C; Teuwen, L; Bulters, M. (1996). Synthesis, characterization, and mechanical properties of an injection moldable polyimide based on 1,4-diaminobutane. Polymer Engineering and Science. 36: 1347-1354.

Kono, H; Oeda, I; Nakamura, T. (2013). The preparation, swelling characteristics, and albumin adsorption and release behaviors of a novel chitosan-based polyampholyte hydrogel. React Funct Polym. 73: 97-107. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.08.016.

Konovalova, VV; Bryk, MT; Nigmatullin, RR; Gvozdyak, PI; Udilova, OF. (2000). Biocatalytic membranes for ultrafiltration treatment of wastewater containing dyes. 23: 651-656.

Kopec, KK; Dutczak, SM; Bolhuis-Versteeg, L; Wessling, M; Stamatialis, DF. (2011). Solvent-resistant P84-based mixed matrix membrane adsorbers. Separation and Purification Technology. 80: 306-314. http://dx.doi.org/10.1016/j.seppur.2011.05.012.

Kortunov, PV; Siskin, M; Baugh, LS; Calabro, DC. (2015). In Situ Nuclear Magnetic Resonance Mechanistic Studies of Carbon Dioxide Reactions with Liquid Amines in Non-aqueous Systems: Evidence for the Formation of Carbamic Acids and Zwitterionic Species. Energy Fuels. 29: 5940-5966. http://dx.doi.org/10.1021/acs.energyfuels.5b00985.

Kozhemyakina, NV; Eigler, S; Dinnebier, RE; Inayat, A; Schwieger, W; Hirsch, A. (2013). Effect of the Structure and Morphology of Natural, Synthetic and Post-processed Graphites on Their Dispersibility and Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 804-823. http://dx.doi.org/10.1080/1536383X.2012.702162.

Krajnc, M; Levec, J. (1994). CATALYTIC-OXIDATION OF TOXIC ORGANICS IN SUPERCRITICAL WATER. Appl Catal B-Environ. 3: L101-L107.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Krishnan, PS; Joshi, M; Bhargava, P; Valiyaveettil, S; He, C. (2005). Effect of heterocyclic based organoclays on the properties of polyimide-clay nanocomposites. J Nanosci Nanotechnol. 5: 1148-1157. http://dx.doi.org/10.1166/jnn.2005.171.

Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/pPDA copolyimides. Plastics, Rubber and Composites. 31: 289-294. http://dx.doi.org/10.1179/146580102225003146.

Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. Water Sci Technol. 71: 776-782. http://dx.doi.org/10.2166/wst.2015.031.

Krummen, M; Gmehling, R. (2004). Measurement of activity coefficients at infinite dilution in N-methyl-2-pyrrolidone and N-formylmorpholine and their mixtures with water using the dilutor technique. Fluid Phase Equilibria. 215: 283-294. http://dx.doi.org/10.1016/j.fluid.2003.10.010.

Krzton, A; Cagniant, D; Gruber, R; Pajak, J; Fortin, F; Rouzaud, JN. (1995). APPLICATION OF FOURIER SELF-DECONVOLUTION TO THE FT-IR CHARACTERIZATION OF COALS AND THEIR N-METHYL 2-PYRROLIDINONE EXTRACTION PRODUCTS. Fuel. 74: 217-225.

Ku, CY; Shieh, JM; Chiou, TB; Lin, HK; Lei, TF. (2000). Postexposure delay effect on linewidth variation in base added chemically amplified resist. J Electrochem Soc. 147: 3833-3839.

Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEG'ylation of chitosan via "click chemistry" reactions. React Funct Polym. 69: 771-778. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010.

Kulikov, AV; Kogan, YL; Fokeeva, LS. (1995). MOLECULAR MOBILITY IN POLYANILINE STUDIED BY ESR METHOD. Synthetic Metals. 69: 223-224.

Kulpinski, P; Czarnecki, P; Niekraszewicz, B; Jeszka, JK. (2016). Functional Nanocomposite Poly(phenylene sulphide) Fibres - Preliminary Studies. 24: 20-26. http://dx.doi.org/10.5604/12303666.1201129.

Kumar, S; Guria, C; Mandal, A. (2015). Synthesis, characterization and performance studies of polysulfone/bentonite nanoparticles mixed-matrix ultra-filtration membranes using oil field produced water. Separation and Purification Technology. 150: 145-158. http://dx.doi.org/10.1016/j.seppur.2015.06.029.

Kumar, S; Srivastava, M. (2015). Mesophase formation behavior in petroleum residues. 16: 171-182. http://dx.doi.org/10.5714/CL.2015.16.3.171.

Kumar, S; Srivastava, VC; Raghuvanshi, R; Nanoti, SM; Sudhir, N. (2015). Removal of Refractive Sulfur and Aromatic Compounds from Straight-Run, Fluidized Catalytic Cracking, and Coker Gas Oil Using N-Methyl-2-pyrrolidone in Batch and Packed-Bed Extractors. Energy Fuels. 29: 4634-4643. http://dx.doi.org/10.1021/acs.energyfuels.5b00834.

Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. Journal of Chemical and Engineering Data. 47: 425-427. http://dx.doi.org/10.1021/je0102661.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones. Journal of Chemical and Engineering Data. 55: 69-73. http://dx.doi.org/10.1021/je900262t.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones (vol 55, pg 69, 2010). Journal of Chemical and Engineering Data. 55: 2362-2362. http://dx.doi.org/10.1021/je1001126.

Kung, Y, iC; Hsiao, SH. (2011). Solution-processable, high-T-g, ambipolar polyimide electrochromics bearing pyrenylamine units. J Mater Chem. 21: 1746-1754. http://dx.doi.org/10.1039/c0jm02642e.

Kuo, CT; Chen, CH. (1999). Characterization of polyaniline doped with diphenyl phosphate. Synthetic Metals. 99: 163-167.

Kuo, CT; Chiou, WH. (1997). Field-effect transistor with polyaniline thin film as semiconductor. Synthetic Metals. 88: 23-30.

Kupareva, A; Maki-Arvela, P; Murzin, DY, u. (2013). Technology for rerefining used lube oils applied in Europe: a review. J Chem Tech Biotechnol. 88: 1780-1793. http://dx.doi.org/10.1002/jctb.4137.

Kupikowska-Stobba, B; Lewińska, D; Grzeczkowicz, M. (2014). Chemical method for retrieval of cells encapsulated in alginate-polyethersulfone microcapsules. 42: 151-160. http://dx.doi.org/10.3109/21691401.2013.800083.

Kurdi, J; Tremblay, AY. (2001). The influence of casting solution structure on the microporosity of polyetherimide gas separation membranes prepared by the coagulation post-leaching method. J Memb Sci. 184: 175-186.

Kurtan, U; Topkaya, R; Esir, S; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite: Its magnetic characterization. Ceramics International. 39: 6407-6413. http://dx.doi.org/10.1016/j.ceramint.2013.01.067.

Kuwabata, S; Idzu, T; Martin, CR; Yoneyama, H. (1998). Charge-discharge properties of composite films of polyaniline and crystalline V2O5 particles. J Electrochem Soc. 145: 2707-2710.

Kyrey, TO; Kyzyma, OA; Avdeev, MV; Tropin, TV; Korobov, MV; Aksenov, VL; Bulavin, LA. (2012). Absorption Characteristics of Fullerene C-60 in N-Methyl-2-Pirrolidone/Toluene Mixture. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 341-344. http://dx.doi.org/10.1080/1536383X.2012.655173.

Kyzyma, OA; Bulavin, LA; Aksenov, VL; Tropin, TV; Avdeev, MV; Korobov, MV; Snegir, SV; Rosta, L. (2008). Aggregation in C6(0)/NMP, C-60/NMP/water and C-60/NMP/toluene mixtures. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 610-615. http://dx.doi.org/10.1080/15363830802312982.

Kyzyma, OA; Korobov, MV; Avdeev, MV; Garamus, VM; Petrenko, VI; Aksenov, VL; Bulavin, LA. (2010). Solvatochromism and Fullerene Cluster Formation in C-60/N-methyl-2-pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 18: 458-461. http://dx.doi.org/10.1080/1536383X.2010.487778.

Labarre, ED; Calderon-Colon, X; Morris, M; Tiffany, J; Wetzel, E; Merkle, A; Trexler, M. (2015). Effect of a carbon nanotube coating on friction and impact performance of Kevlar. Journal of Materials Science. 50: 5431-5442. http://dx.doi.org/10.1007/s10853-015-9088-8.

Lai, C, hiYan; Groth, A; Gray, S; Duke, M. (2011). Investigation of the dispersion of nanoclays into PVDF for enhancement of physical membrane properties. Desalination and Water Treatment. 34: 251-256. http://dx.doi.org/10.5004/dwt.2011.2888.

Lakouraj, MM; Rahpaima, G; Azimi, R. (2016). ORGANOSOLUBLE XANTHONE-BASED POLYIMIDES: SYNTHESIS, CHARACTERIZATION, ANTIOXIDANT ACTIVITY AND HEAVY-METAL SORPTION. Materiali in Tehnologije. 50: 471-478. http://dx.doi.org/10.17222/mit.2013.250.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Lakshmi, DS; Figoli, A; Buonomenna, MG; Golemme, G; Drioli, E. (2012). Preparation and characterization of porous and nonporous polymeric microspheres by the phase inversion process. Advances in Polymer Technology. 31: 231-241. http://dx.doi.org/10.1002/adv.21281.

Lan, CH; Peng, CY; Lin, TS. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol. 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x.

Lang, W, anZ; Shen, JP; Wei, Y, iT; Wu, Q, iY; Wang, J; Guo, Y, aJun. (2013). Precipitation kinetics, morphologies, and properties of poly(vinyl butyral) hollow fiber ultrafiltration membranes with respect to polyvinylpyrrolidone molecular weight. Chem Eng J. 225: 25-33. http://dx.doi.org/10.1016/j.cej.2013.03.061.

Lang, W; Shen, JP; Zhang, Y; Yu, Y; Guo, Y; Liu, C. (2013). Preparation and characterizations of charged poly(vinyl butyral) hollow fiber ultrafiltration membranes with perfluorosulfonic acid as additive. J Memb Sci. 430: 1-10. http://dx.doi.org/10.1016/j.memsci.2012.10.039.

Late, DJ. (2016). Liquid exfoliation of black phosphorus nanosheets and its application as humidity sensor. Microporous and Mesoporous Materials. 225: 494-503. http://dx.doi.org/10.1016/j.micromeso.2016.01.031.

Lazaro, MJ; Herod, AA; Cocksedge, M; Domin, M; Kandiyoti, R. (1997). Molecular mass determinations in coal-derived liquids by MALDI mass spectrometry and size-exclusion chromatography. Fuel. 76: 1225-1233.

Lazaro, MJ; Islas, CA; Herod, AA; Kandiyoti, R. (1999). Calibration of size exclusion chromatography in 1-methyl-2-pyrrolidinone for coal-derived materials using standards and mass spectrometry. Energy Fuels. 13: 1212-1222.

Lazaro, MJ; Moliner, R; Suelves, I; Herod, AA; Kandiyoti, R. (2001). Characterisation of tars from the co-pyrolysis of waste lubricating oils with coal. Fuel. 80: 179-194.

Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilbria of some carbon dioxide plus organic binary systems. Journal of Chemical and Engineering Data. 50: 60-65. http://dx.doi.org/10.1021/je0498560.

Le, NL; Bettahalli, NMS; Nunes, SP; Chung, T, aiS. (2016). Outer-selective thin film composite (TFC) hollow fiber membranes for osmotic power generation. J Memb Sci. 505: 157-166. http://dx.doi.org/10.1016/j.memsci.2016.01.027.

Le, QT; Claes, M; Conard, T; Kesters, E; Lux, M; Vereecke, G. (2009). Removal of post-etch photoresist and sidewall residues using organic solvent and additive combined with physical forces. Microelectron Eng. 86: 181-185. http://dx.doi.org/10.1016/j.mee.2008.09.029.

Lederer, MO; Schuler, A; Ohmenhäuser, M. (1999). Reactivity of lysine moieties toward an epoxyhydroxylinoleic acid derivative: aminolysis versus hydrolysis. J Agric Food Chem. 47: 4611-4620.

Lee, BI; Wang, X; Kwon, SJ; Maie, H; Kota, R; Hwang, JH; Park, JG; Hu, M. (2006). Synthesis of high tetragonality nanoparticle BaTiO3. Microelectron Eng. 83: 463-470. http://dx.doi.org/10.1016/j.mee.2005.10.058.

Lee, BM, in; Jeong, J, inS; Lee, YH, o; Lee, BC; Kim, HS, oo; Kim, H; Lee, YW, oo. (2009). Supercritical Antisolvent Micronization of Cyclotrimethylenetrinitramin: Influence of the Organic Solvent. Ind Eng Chem Res. 48: 11162-11167. http://dx.doi.org/10.1021/ie900448w.

Lee, CJ; Wang, SS; Lin, GC; Hu, W; Chen, LT. (1995). PILOT PRODUCTION OF POLYSULFONE HOLLOW-FIBER FOR ULTRAFILTRATION USING ORTHOGONAL ARRAY EXPERIMENTATION. Ind Eng Chem Res. 34: 813-819.

Lee, CW; Jung, CY; Byun, HS. (2004). High pressure phase behavior of carbon dioxide+1-methyl-2-pyrrolidinone and carbon dioxide+1-ethyl-2-pyrrolidinone systems. Journal of Chemical and Engineering Data. 49: 53-57. http://dx.doi.org/10.1021/je0301545.

Lee, HE; Lee, TB; Kim, HS; Koo, KK. (2010). Prediction of the Growth Habit of 7-Amino-4,6-dinitrobenzofuroxan Mediated by Cosolvents. Cryst Growth Des. 10: 618-625. http://dx.doi.org/10.1021/cg901023s.

Lee, HJ; Won, J; Lee, H; Kang, YS. (2002). Solution properties of poly(amic acid)-NMP containing LiCl and their effects on membrane morphologies. J Memb Sci. 196: 267-277.

Lee, HR; Lee, YD. (1991). MATHEMATICAL-MODELS AND EXPERIMENTS FOR SWELLING PHENOMENA BEFORE DISSOLUTION OF A POLYMER FILM. Chem Eng Sci. 46: 1771-1779.

Lee, J, inH; Kim, HH, o; Kim, G, yuS; Zang, DS, ik; Choi, YM, in; Kim, H; Yi, DK, ee; Sigmund, WM; Paik, U. (2010). Evaluation of Surface Acid and Base Properties of LiFePO4 in Aqueous Medium with pH and Its Electrochemical Properties. J Phys Chem C. 114: 4466-4472. http://dx.doi.org/10.1021/jp9085552.

Lee, JH; Gomez, I; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. I. A symmetric system. Langmuir. 27: 6897-6904. http://dx.doi.org/10.1021/la200976d.

Lee, JH; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. II. An asymmetric system. Langmuir. 27: 10000-10006. http://dx.doi.org/10.1021/la202176u.

Lee, JK; Lee, W, ooJin; Cho, YJ, u; Park, D, ooH; Lee, YW, oo; Chung, J. (2010). Variation of bacterial community immobilized in polyethylene glycol carrier during mineralization of xenobiotics analyzed by TGGE technique. Korean J Chem Eng. 27: 1816-1821. http://dx.doi.org/10.1007/s11814-010-0291-7.

Lee, JY; Chaimongkalayon, N; Lim, J; Ha, HY; Moon, SH. (2016). Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. Water Sci Technol. 73: 3064-3071. http://dx.doi.org/10.2166/wst.2016.135.

Lee, KR; Liaw, DJ; Liaw, BY; Lai, JY. (1997). Selective separation of water from aqueous alcohol solution through fluorine-containing aromatic polyamide membranes by pervaporation. J Memb Sci. 131: 249-259.

Lee, KW. (1994). MODIFICATION OF POLYIMIDE SURFACE-MORPHOLOGY - RELATIONSHIP BETWEEN MODIFICATION DEPTH AND ADHESION STRENGTH. J Adhes Sci Tech. 8: 1077-1092.

Lee, KY; Huang, WS. (1993). EVALUATION AND APPLICATION OF A VERY HIGH-PERFORMANCE CHEMICALLY AMPLIFIED RESIST FOR ELECTRON-BEAM LITHOGRAPHY. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 11: 2807-2811.

Lee, S, uMin; Choi, I, nH; Myung, S, uWan; Park, J, ooY; Kim, I, nC; Kim, W, ooN; Lee, K, ewHo. (2008). Preparation and characterization of nickel hollow fiber membrane. Desalination. 233: 32-39. http://dx.doi.org/10.1016/j.desal.2007.09.024.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Lee, YM; Kim, JW; Choi, NS; Lee, JA; Seol, WH; Park, JK. (2005). Novel porous separator based on PVdF and PE non-woven matrix for rechargeable lithium batteries. J Power Sources. 139: 235-241. http://dx.doi.org/10.1016/j.jpowsour.2004.06.055.

Lee, YM; Nam, SY; Ha, SY. (1999). Pervaporation of water isopropanol mixtures through polyaniline membranes doped with poly(acrylic acid). J Memb Sci. 159: 41-46.

Legrand, AP; Sfihi, H; Sderi, D; Gruber, R; Cagniant, D. (1994). C-13 NMR SPECTROSCOPIC CHARACTERIZATION OF PRODUCTS OF SOLVOLYSIS OF COALS BY N-METHYL-2-PYRROLIDINONE. Fuel. 73: 836-839.

Lei, Z; Arlt, W; Wasserscheid, P. (2007). Selection of entrainers in the 1-hexene/n-hexane system with a limited solubility. Fluid Phase Equilibria. 260: 29-35. http://dx.doi.org/10.1016/j.fluid.2006.06.009.

Lei, Z, hiP; Cheng, L, uLu; Zhang, S, uF; Zhang, Y, anQiu; Shui, HF, u; Ren, S, hiB; Wang, Z, hiCai. (2015). Dissolution performance of coals in ionic liquid 1-butyl-3-methyl-imidazolium chloride. Fuel Process Tech. 129: 222-226. http://dx.doi.org/10.1016/j.fuproc.2014.09.021.

Lei, Z; Xu, S; Wan, J; Wu, P. (2016). Facile synthesis of N-rich carbon quantum dots by spontaneous polymerization and incision of solvents as efficient bioimaging probes and advanced electrocatalysts for oxygen reduction reaction. Nanoscale. 8: 2219-2226. http://dx.doi.org/10.1039/c5nr07335a.

Leijonmarck, S; Cornell, A, nn; Lindbergh, G; Wagberg, L. (2013). Single-paper flexible Li-ion battery cells through a paper-making process based on nano-fibrillated cellulose. 1: 4671-4677. http://dx.doi.org/10.1039/c3ta01532g.

Leo, CP; Kamil, NHA; Junaidi, MUM; Kamal, SNM; Ahmad, AL. (2013). The potential of SAPO-44 zeolite filler in fouling mitigation of polysulfone ultrafiltration membrane. Separation and Purification Technology. 103: 84-91. http://dx.doi.org/10.1016/j.seppur.2012.10.019.

Leo, CP; Lee, WPC; Ahmad, AL; Mohammad, AW. (2012). Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid. Separation and Purification Technology. 89: 51-56. http://dx.doi.org/10.1016/j.seppur.2012.01.002.

Letcher, TM; Domanska, U; Mwenesongole, E. (1998). The excess molar volumes of (N-methyl-2-pyrrolidone plus an alkanol or a hydrocarbon) at 298.15 K and the application of the Flory-Benson-Treszczanowicz and the Extended Real Associated Solution theories. Fluid Phase Equilibria. 149: 323-337.

Letcher, TM; Naicker, PK. (1998). Ternary Liquid−Liquid Equilibria for Mixtures of an n -Alkane + an Aromatic Hydrocarbon + N -Methyl-2-pyrrolidone at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 43: 1034-1038. http://dx.doi.org/10.1021/je980114e.

Levine, F; Escarsega, J; La Scala, J. (2012). Effect of isocyanate to hydroxyl index on the properties of clear polyurethane films. Progr Org Coating. 74: 572-581. http://dx.doi.org/10.1016/j.porgcoat.2012.02.004.

Lewis, GT; Nowling, GR; Hicks, RF; Cohen, Y. (2007). Inorganic surface nanostructuring by atmospheric pressure plasma-induced graft polymerization. Langmuir. 23: 10756-10764. http://dx.doi.org/10.1021/la700577p.

Li, CL; Wang, D, aM; Deratani, A; Quemener, D; Bouyer, D; Lai, JY, ih. (2010). Insight into the preparation of poly(vinylidene fluoride) membranes by vapor-induced phase separation. J Memb Sci. 361: 154-166. http://dx.doi.org/10.1016/j.memsci.2010.05.064.

Li, CQ; Ashida, S; Iino, M; Takanohashi, T. (2000). Coal dissolution by heat treatments in N-methyl-2-pyrrolidinone, 1,4,5,8,9,10-hexahydroanthracene, and their mixed solvents: A large synergistic effect of the mixed solvents. Energy Fuels. 14: 190-196.

Li, CQ; Takanohashi, T; Saito, I. (2004). Elucidation of mechanisms involved in acid pretreatment and thermal extraction during ashless coal production. Energy Fuels. 18: 97-101. http://dx.doi.org/10.1021/ef0340054.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 1. Effects of heat treatment conditions on the dissolution yield. Energy Fuels. 17: 762-767. http://dx.doi.org/10.1021/ef02028oz.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 2. Elucidation of mechanism by investigation of the structural changes of heat-treated coals. Energy Fuels. 17: 768-773. http://dx.doi.org/10.1021/ef0202790.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Role of N-methyl-2-pyrrolidinone in hydrogen donation from 9,10-dihydroanthracene to coal at 300 degrees C. Energy Fuels. 17: 1399-1400. http://dx.doi.org/10.1021/ef030057h.

Li, CQ; Takanohashi, T; Saito, I; Iino, M; Moriyama, R; Kumagai, H; Chiba, T. (2002). The Behavior of free radicals in coal at temperatures up to 300 degrees C in various organic solvents, using in situ EPR spectroscopy. Energy Fuels. 16: 1116-1120. http://dx.doi.org/10.1021/ef010296+.

Li, CQ; Takanohashi, T; Yoshida, T; Saito, I; Aoki, H; Mashimo, K. (2004). Effect of acid treatment on thermal extraction yield in ashless coal production. Fuel. 83: 727-732. http://dx.doi.org/10.1016/j.fuel.2003.06.002.

Li, D; Jiang, YD; Wu, ZM; Chen, XD; Li, YR. (2000). Fabrication of self-assembled polyaniline films by doping-induced deposition. Thin Solid Films. 360: 24-27.

Li, DQ; Evans, DG; Duan, X. (2002). Solid-liquid equilibria of terephthalaldehydic acid in different solvents. Journal of Chemical and Engineering Data. 47: 1220-1221. http://dx.doi.org/10.1021/je020039e.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubilities of terephthalaldehydic, p-toluic, benzoic, terephthalic, and isophthalic acids in N-methyl-2-pyrrolidone from 295.65 K to 371.35 K. Journal of Chemical and Engineering Data. 46: 172-173.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubility of 4-methylbenzoic acid between 288 K and 370 K. Journal of Chemical and Engineering Data. 46: 234-236.

Li, DS; Long, SR, u; Zhang, G; Yang, J, ie. (2013). Preparation of the Poly(arylene sulfide sulfone)/Multi-Walled Carbon Nanotubes Composites via In Situ Polymerization. J Nanosci Nanotechnol. 13: 3920-3927. http://dx.doi.org/10.1166/jnn.2013.6901.

Li, F, aT; Kou, CG; Sun, Z; Hao, YJ; Liu, R; Zhao, D, iS. (2012). Deep extractive and oxidative desulfurization of dibenzothiophene with C5H9NO center dot SnCl2 coordinated ionic liquid. J Hazard Mater. 205: 164-170. http://dx.doi.org/10.1016/j.jhazmat.2011.12.054.

Li, F, aT; Wu, B; Liu, R; Wang, XJ; Chen, L; Zhao, D, iS. (2015). An inexpensive N-methyl-2-pyrrolidone-based ionic liquid as efficient extractant and catalyst for desulfurization of dibenzothiophene. Chem Eng J. 274: 192-199. http://dx.doi.org/10.1016/j.cej.2015.04.027.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Li, H; Song, J; Tan, X; Jin, Y; Liu, S. (2015). Preparation of spiral porous stainless steel hollow fiber membranes by a modified phase inversion-sintering technique. J Memb Sci. 489: 292-298. http://dx.doi.org/10.1016/j.memsci.2015.04.037.

Li, J; Shao, J, ia; Ge, Q; Wang, G; Wang, Z; Yan, Y. (2012). Influences of the zeolite loading and particle size in composite hollow fiber supports on properties of zeolite NaA membranes. Microporous and Mesoporous Materials. 160: 10-17. http://dx.doi.org/10.1016/j.micromeso.2012.04.039.

Li, J, inS; Wu, S, iWei; Lu, K, aiTai. (2016). Study on Preparation of Insensitive and Spherical High Bulk Density Nitroguanidine with Controllable Particle Size. Propellants, Explosives, Pyrotechnics. 41: 312-320. http://dx.doi.org/10.1002/prep.201500153.

Li, K; Wang, DL; Koe, CC; Teo, WK. (1998). Use of asymmetric hollow fibre modules for elimination of H2S from gas streams via a membrane absorption method. Chem Eng Sci. 53: 1111-1119.

Li, L; Yan, B. (2009). BiVO4/Bi2O3 submicrometer sphere composite: Microstructure and photocatalytic activity under visible-light irradiation. J Alloy Comp. 476: 624-628. http://dx.doi.org/10.1016/j.jallcom.2008.09.083.

Li, L, i; Yang, J; Chen, X; Hao, X. (2009). Rheological characterization of 2-acrylamido-2-methyl-1-propanesulfonic acid-doped polyaniline solution. Synthetic Metals. 159: 2462-2468. http://dx.doi.org/10.1016/j.synthmet.2009.08.012.

Li, L; Yin, Z; Li, F; Xiang, T, ao; Chen, Y, ao; Zhao, C. (2010). Preparation and characterization of poly(acrylonitrile-acrylic acid-N-vinyl pyrrolidinone) terpolymer blended polyethersulfone membranes. J Memb Sci. 349: 56-64. http://dx.doi.org/10.1016/j.memsci.2009.11.018.

Li, M, ei; Zhang, Y; Yang, L; Liu, Y; Ma, J. (2015). Excellent electrochemical performance of homogeneous polypyrrole/graphene composites as electrode material for supercapacitors. Journal of Materials Science: Materials in Electronics. 26: 485-492. http://dx.doi.org/10.1007/s10854-014-2425-x.

Li, Q, unS; Yi, ZM; Su, MG, ao; Sun, X, uF. (2008). Solubility of Naphthalene in Isobutyl Acetate, n-Butyric Acid, Ethyl Acetate, N-Methyl Pyrrolidone, N,N-Dimethylformamide, and Tetrahydrofuran. Journal of Chemical and Engineering Data. 53: 2701-2703. http://dx.doi.org/10.1021/je800428r.

Li, QS; Su, MG; Wang, S. (2007). Solubility of 2-(4-ethylbenzoyl)benzoic acid in eleven organic solvents between 279.55 K and 343.15 K. Journal of Chemical and Engineering Data. 52: 2477-2479. http://dx.doi.org/10.1021/je700426k.

Li, QS; Wang, DW; Yi, ZM. (2010). Solubility of Sulpiride in Pure Organic Solvents between (278 and 333) K. Journal of Chemical and Engineering Data. 55: 4066-4067. http://dx.doi.org/10.1021/je1002016.

Li, S; Zhang, X; Zhao, J; Meng, F; Xu, G; Yong, Z; Jia, J; Zhang, Z; Li, Q. (2012). Enhancement of carbon nanotube fibres using different solvents and polymers. Compos Sci Tech. 72: 1402-1407. http://dx.doi.org/10.1016/j.compscitech.2012.05.013.

Li, TD; Gan, LM; Chew, CH; Teo, WK; Gan, LH. (1997). Hollow-fiber membranes coated with polymerizable bicontinuous microemulsions. J Memb Sci. 133: 177-187.

Li, W; Xiao, A; Lucht, BL; Smart, MC; Ratnakumar, BV. (2008). Surface analysis of electrodes from cells containing electrolytes with stabilizing additives exposed to high temperature. J Electrochem Soc. 155: A648-A657. http://dx.doi.org/10.1149/1.2949507.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2004). Analysis of solvent extracts from coal liquefaction in a flowing solvent reactor. Fuel Process Tech. 85: 1671-1687. http://dx.doi.org/10.1016/j.fuproc.2003.12.012.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2005). Analysis of recovered solvents from coal liquefaction in a flowing-solvent reactor by SEC and UV-fluorescence. Energy Sources. 27: 987-995. http://dx.doi.org/10.1080/00908310490449414.

Li, WY; Suelves, I; Lazaro, MJ; Zhang, SF; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). Solvent degradation during coal liquefaction in a flowing-solvent reactor. Fuel. 83: 157-179. http://dx.doi.org/10.1016/S0016-2361(03)00242-4.

Li, X, ue; Chung, T, aiS. (2014). Thin-film composite P84 co-polyimide hollow fiber membranes for osmotic power generation. Appl Energ. 114: 600-610. http://dx.doi.org/10.1016/j.apenergy.2013.10.037.

Li, X; Liu, C; Zhang, S; Yu, G; Jian, X. (2012). Acid doped polybenzimidazoles containing 4-phenyl phthalazinone moieties for high-temperature PEMFC. J Memb Sci. 423: 128-135. http://dx.doi.org/10.1016/j.memsci.2012.08.005.

Li, X; Zheng, D; Zhang, M, in; Dong, L, i. (2014). Vapor-liquid equilibrium measurement of 1,1,1,3,3-pentafluoropropane plus N,N-dimethylformamide/diethylene glycol dimethyl ether/N-methyl-2-pyrrolidone working fluids for absorption power cycle. Fluid Phase Equilibria. 366: 1-8. http://dx.doi.org/10.1016/j.fluid.2014.01.007.

Li, Y, i; Loh, K. (2007). Hybrid-hollow-fiber membrane bioreactor for cometabolic transformation of 4-chlorophenol in the presence of phenol. J Environ Eng. 133: 404-410. http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(404).

Li, Y; Loh, KC. (2006). Activated carbon impregnated polysulfone hollow fiber membrane for cell immobilization and cometabolic biotransformation of 4-chlorophenol in the presence of phenol. J Memb Sci. 276: 81-90. http://dx.doi.org/10.1016/j.memsci.2005.09.034.

Li, ZF; Kang, ET; Neoh, KG; Tan, KL. (1997). Effect of thermal processing conditions on the intrinsic oxidation states and mechanical properties of polyaniline films. Synthetic Metals. 87: 45-52.

Li, ZS; Jiang, CZ. (2000). Determination of the nonsolvent-polymer interaction parameter X 13 in the casting solutions. J Memb Sci. 174: 87-96.

Li, ZS; Ren, JZ; Fane, AG; Li, DF; Wong, FS. (2006). Influence of solvent on the structure and performance of cellulose acetate membranes. J Memb Sci. 279: 601-607. http://dx.doi.org/10.1016/j.memsci.2005.12.054.

Liaros, N; Iliopoulos, K; Stylianakis, MM; Koudoumas, E; Couris, S. (2013). Optical limiting action of few layered graphene oxide dispersed in different solvents. Optical Materials. 36: 112-117. http://dx.doi.org/10.1016/j.optmat.2013.04.036.

Liaw, DJ; Liaw, BY; Hsu, PN; Hwang, CY. (2001). Synthesis and characterization of new highly organosoluble poly(ether imide)s bearing a noncoplanar 2,2 '-dimethyl-4,4 '-biphenyl unit and kink diphenylmethylene linkage. Chem Mater. 13: 1811-1816.

Liaw, DJ; Liaw, BY; Li, LJ; Sillion, B; Mercier, R; Thiria, R; Sekiguchi, H. (1998). Synthesis and characterization of new soluble polyimides from 3,3 ',4,4 '-benzhydrol tetracarboxylic dianhydride and various diamines. Chem Mater. 10: 734-739.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Liedtke, V; Huttinger, KJ. (1996). Mesophase pitches as matrix precursor of carbon fiber reinforced carbon .1. Mesophase pitch preparation and characterization. Carbon. 34: 1057-1066.

Lim, CH; Yoo, YJ. (2000). Synthesis of ortho-directed polyaniline using horseradish peroxidase. Process Biochemistry. 36: 233-241.

Lim, HY; Jeong, SK; Suh, JS; Oh, EJ; Park, YW; Ryu, KS; Yo, CH. (1995). PREPARATION AND PROPERTIES OF FULLERENE DOPED POLYANILINE. Synthetic Metals. 70: 1463-1464.

Lim, J, un; Kim, M, inC; Goh, M; Yeo, H; Shin, DG; Ku, B, onC; You, N, amHo. (2013). Synthesis and characterization of polybenzoxazole/graphene oxide composites via in situ polymerization. 14: 251-254. http://dx.doi.org/10.5714/CL.2013.14.4.251.

Lin, DW; Bettinger, CJ; Ferreira, JP; Wang, CL; Bao, Z. (2011). A cell-compatible conductive film from a carbon nanotube network adsorbed on poly-L-lysine. ACS Nano. 5: 10026-10032. http://dx.doi.org/10.1021/nn203870c.

Lin, H, e; Zhu, SG; Zhang, L, in; Peng, X, inHua; Li, HZ. (2013). Synthesis and First Principles Investigation of HMX/NMP Cocrystal Explosive. Journal of Energetic Materials. 31: 261-272. http://dx.doi.org/10.1080/07370652.2012.716492.

Lin, HW, ei; Tan, CS. (2015). Preparation of polyamic acid and polyimide nanoparticles by compressed fluid antisolvent and thermal imidization. Journal of Supercritical Fluids. 99: 103-111. http://dx.doi.org/10.1016/j.supflu.2015.01.028.

Lin, WJ; Chen, WC. (2001). Theoretical analysis of the baking process in two polymer/solvent systems: PMMA/anisole and PMDA-ODA/NMP. J Electrochem Soc. 148: G620-G626. http://dx.doi.org/10.1149/1.1406495.

Linek, J; Wichterle, I; Marsh, KN. (1996). Vapor-liquid equilibria for N-methyl-2-pyrrolidone plus benzene, plus toluene, plus heptane, and plus methylcyclohexane. Journal of Chemical and Engineering Data. 41: 1212-1218.

Lingyun, Y; Mengru, W; Yun, G; Surui, L; Yanqing, W; Changsheng, Z; Wei, D; Jing, J; Wei, L. (2014). Rapid Determination of 2-Butanone, 2-Pyrrolidone and N-Methyl Pyrrolidone in Leather by UPLC. Journal of the Society of Leather Technologists and Chemists. 98: 182-184.

Liu, F, uS; Li, Z; Yu, S; Cui, X; Xie, C; Ge, XP. (2009). Methanolysis and Hydrolysis of Polycarbonate Under Moderate Conditions. Journal of Polymers and the Environment. 17: 208-211. http://dx.doi.org/10.1007/s10924-009-0140-0.

Liu, FJ; Wei, XY; Fan, M; Zong, Z, hiMin. (2016). Separation and structural characterization of the value-added chemicals from mild degradation of lignites: A review. Appl Energ. 170: 415-436. http://dx.doi.org/10.1016/j.apenergy.2016.02.131.

Liu, G; Wang, H; Jiang, Y. (2013). Recrystallization and Micronization of Camptothecin by the Supercritical Antisolvent Process: Influence of Solvents. Ind Eng Chem Res. 52: 15049-15056. http://dx.doi.org/10.1021/ie401173g.

Liu, H; Venkatraman, SS. (2012). Effect of polymer type on the dynamics of phase inversion and drug release in injectable in situ gelling systems. J Biomater Sci Polym Ed. 23: 251-266. http://dx.doi.org/10.1163/092050610X549171.

Liu, H; Zeng, X; Kong, X; Bian, S; Chen, J. (2012). A simple two-step method to fabricate highly transparent ITO/polymer nanocomposite films. Appl Surf Sci. 258: 8564-8569. http://dx.doi.org/10.1016/j.apsusc.2012.05.049.

Liu, HT; Ishizuka, T; Takanohashi, T; Iino, M. (1993). EFFECT OF TCNE ADDITION ON THE EXTRACTION OF COALS AND SOLUBILITY OF COAL EXTRACTS. Energy Fuels. 7: 1108-1111.

Liu, J; Xiao, X; Shi, Y; Wan, C. (2014). Fabrication of a superhydrophobic surface from porous polymer using phase separation. Appl Surf Sci. 297: 33-39. http://dx.doi.org/10.1016/j.apsusc.2014.01.053.

Liu, K, unlin; Lee, HC; Wang, B, oYan; Lue, SJ; Lu, CY; Tsai, L, iD; Fang, J; Chao, C, hiY. (2015). Sulfonated poly(styrene-block-(ethylene-ran-butylene)-block-styrene (SSEBS)-zirconium phosphate (ZrP) composite membranes for direct methanol fuel cells. J Memb Sci. 495: 110-120. http://dx.doi.org/10.1016/j.memsci.2015.08.017.

Liu, L, iQi; Xiang, HB; Huang, Z; Chen, L, ei; Yu, J, unR; Zhu, J; Hu, Z, uM. (2013). Calculation of the phase diagram of a btda-tdi/mdi co-polyimide/N-methyl-2-pyrrolidinone/water system in the phase separation process. Text Res J. 83: 553-565. http://dx.doi.org/10.1177/0040517512456762.

Liu, MJ; Gregory, RV. (1995). SPECTRAL STUDIES AND THERMAL-PROPERTIES OF A URETHANE-SUBSTITUTED POLYTHIOPHENE. Synthetic Metals. 72: 45-49.

Liu, P. (2009). Synthesis and characterization of organo-soluble conducting polyaniline doped with oleic acid. Synthetic Metals. 159: 148-152. http://dx.doi.org/10.1016/j.synthmet.2008.08.006.

Liu, P; Huang, Y; Wang, L, ei. (2013). Synthesis of reduced graphene oxide using indole as a reducing agent and preparation of reduced graphene oxide-Ag nanocomposites. Synthetic Metals. 167: 25-30. http://dx.doi.org/10.1016/j.synthmet.2013.01.021.

Liu, S. (2007). Thin porous glass tubes. Mater Chem Phys. 103: 147-152. http://dx.doi.org/10.1016/j.matchemphys.2007.02.004.

Liu, SM; Gavalas, GR. (2004). Glass-carbon composite hollow fibers. Ind Eng Chem Res. 43: 3137-3140. http://dx.doi.org/10.1021/ie0308644.

Liu, SM; Li, K. (2003). Preparation TiO2/Al2O3 composite hollow fibre membranes. J Memb Sci. 218: 269-277. http://dx.doi.org/10.1016/S0376-7388(03)00184-4.

Liu, SM; Li, K; Hughes, R. (2003). Preparation of porous aluminium oxide (Al2O3) hollow fibre membranes by a combined phase-inversion and sintering method. Ceramics International. 29: 875-881. http://dx.doi.org/10.1016/S0272-8842(03)00030-0.

Liu, X, in; He, S; Liu, S; Jia, H; Chen, L, in; Zhang, B; Zhang, L; Lin, J, un. (2017). The roles of solvent type and amount of residual solvent on determining the structure and performance of sulfonated poly(ether ether ketone) proton exchange membranes. J Memb Sci. 523: 163-172. http://dx.doi.org/10.1016/j.memsci.2016.10.007.

Liu, X; Huang, J, iaQi; Zhang, Q; Liu, X, inYan; Peng, HJ, ie; Zhu, W; Wei, F, ei. (2012). N-Methyl-2-pyrrolidone-assisted solvothermal synthesis of nanosize orthorhombic lithium iron phosphate with improved Li-storage performance. J Mater Chem. 22: 18908-18914. http://dx.doi.org/10.1039/c2jm32962j.

Liu, Y; Koops, GH; Strathmann, H. (2003). Characterization of morphology controlled polyethersulfone hollow fiber membranes by the addition of polyethylene glycol to the dope and bore liquid solution. J Memb Sci. 223: 187-199. http://dx.doi.org/10.1016/S0376-7388(03)00322-3.

Liu, Y; Lee, JY; Kang, ET; Wang, P; Tan, KL. (2001). Synthesis, characterization and electrochemical transport properties of the poly(ethyleneglycol)-grafted poly(vinylidenefluoride) nanoporous membranes. React Funct Polym. 47: 201-213.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Liu, Y; Wang, B; Jing, X. (2011). Thermal Properties of Hyperbranched Polyborate Functionalized Multiwall Carbon Nanotube/Polybenzoxazine Composites. Polymer Composites. 32: 1352-1361. http://dx.doi.org/10.1002/pc.21158.

Liu, Z; Bai, Y; Sun, D; Xiao, C; Zhang, Y. (2015). Preparation and Performance of Sulfonated Polysulfone Flat Ultrafiltration Membranes. Polymer Engineering and Science. 55: 1003-1011. http://dx.doi.org/10.1002/pen.23968.

Livazovic, S; Li, Z; Behzad, AR; Peinemann, KV; Nunes, SP. (2015). Cellulose multilayer membranes manufacture with ionic liquid. J Memb Sci. 490: 282-293. http://dx.doi.org/10.1016/j.memsci.2015.05.009.

Loegel, TN; Danielson, ND; Borton, DJ; Hurt, MR; Kenttaemaa, HI. (2012). Separation of Asphaltenes by Reversed-Phase Liquid Chromatography with Fraction Characterization. Energy Fuels. 26: 2850-2857. http://dx.doi.org/10.1021/ef201919x.

Loh, CH; Wang, R. (2013). Insight into the role of amphiphilic pluronic block copolymer as pore-forming additive in PVDF membrane formation. J Memb Sci. 446: 492-503. http://dx.doi.org/10.1016/j.memsci.2013.07.016.

Lohokare, H; Bhole, Y; Taralkar, S; Kharul, U. (2011). Poly(acrylonitrile) based ultrafiltration membranes: Optimization of preparation parameters. Desalination. 282: 46-53. http://dx.doi.org/10.1016/j.desal.2011.04.009.

Lu, L; Zhu, Y; Shi, C; Pei, YT. (2016). Large-scale synthesis of defect-selective graphene quantum dots by ultrasonic-assisted liquid-phase exfoliation. Carbon. 109: 373-383. http://dx.doi.org/10.1016/j.carbon.2016.08.023.

Lu, X; Arias Chavez, LH; Romero-Vargas Castrillón, S; Ma, J; Elimelech, M. (2015). Influence of active layer and support layer surface structures on organic fouling propensity of thin-film composite forward osmosis membranes. Environ Sci Technol. 49: 1436-1444. http://dx.doi.org/10.1021/es5044062.

Lu, X; Wang, R; Hao, L; Yang, F, an; Jiao, W; Zhang, J; Peng, P; Liu, W. (2016). Preparation of quantum dots from MoO3 nanosheets by UV irradiation and insight into morphology changes. 4: 11449-11456. http://dx.doi.org/10.1039/c6tc04006c.

Lue, SJ; Wu, Y, unL; Tung, YL; Shih, CM; Wang, Y, iC; Li, J, unR. (2015). Functional titanium oxide nano-particles as electron lifetime, electrical conductance enhancer, and long-term performance booster in quasi-solid-state electrolyte for dye-sensitized solar cells. J Power Sources. 274: 1283-1291. http://dx.doi.org/10.1016/j.jpowsour.2014.10.194.

Lukic, J; Orlovic, A; Spiteller, M; Jovanovic, J; Skala, D. (2006). Re-refining of waste mineral insulating oil by extraction with N-methyl-2-pyrrolidone. Separation and Purification Technology. 51: 150-156. http://dx.doi.org/10.1016/j.seppur.2005.12.029.

Lukic, JM; Nikolic, D; Mandic, V; Glisic, SB; Antonovic, D; Orlovic, AM. (2012). Removal of Sulfur Compounds from Mineral Insulating Oils by Extractive Refining with N-Methyl-2-pyrrolidone. Ind Eng Chem Res. 51: 4472-4477. http://dx.doi.org/10.1021/ie300450e.

Lyutakov, O; Kalachyova, Y; Solovyev, A; Vytykacova, S; Svanda, J; Siegel, J; Ulbrich, P; Svorcik, V. (2015). One-step preparation of antimicrobial silver nanoparticles in polymer matrix. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-2935-3.

Ma, KX; Sourirajan, S; Zhang, H; Lau, WWY. (1995). STANDARDIZATION IN THE PRODUCTION AND TESTING PROCEDURES FOR POLYETHERSULFONE HOLLOW-FIBER ULTRAFILTRATION MEMBRANES. Separation Science and Technology. 30: 3025-3044.

Ma, PS; Xia, Q. (2001). Determination and correlation for solubility of aromatic acids in solvents. Chinese Journal of Chemical Engineering. 9: 39-44.

Ma, Q; Zhao, W; Li, X; Li, L; Wang, Z. (2013). Study of an environment-friendly surface pretreatment of ABS-polycarbonate surface for adhesion improvement. International Journal of Adhesion and Adhesives. 44: 243-249. http://dx.doi.org/10.1016/j.ijadhadh.2013.03.010.

Ma, Y; Promthaveepong, K; Li, N, an. (2016). Shape-controllable gold nanostructures and their SERS enhancement. 3. http://dx.doi.org/10.1088/2053-1591/3/10/105009.

Macdonald, DD; Dunay, D; Hanlon, G; Hyne, JB. (1971). PROPERTIES OF N-METHYL-2-PYRROLIDINONE-WATER SYSTEM. Can J Chem Eng. 49: 420-+.

Mae, K; Maki, T; Araki, J; Miura, K. (1997). Extraction of low-rank coals oxidized with hydrogen peroxide in conventionally used solvents at room temperature. Energy Fuels. 11: 825-831.

Maeda, S; Hongyou, S; Kunitou, K; Mishima, K. (2002). Dyeing cellulose fibers with reactive disperse dyes in supercritical carbon dioxide. Text Res J. 72: 240-244.

Maeng, J, uS; Choi, DJ, oo; Ahn, K, eyone; Kim, YH, o. (2014). Synthesis of Dual Nanoparticles Embedded in Polyimide and Their Optical Properties. Electronic Materials Letters. 10: 1019-1025. http://dx.doi.org/10.1007/s13391-014-4166-7.

Magaraphan, R; Lilayuthalert, W; Sirivat, A; Schwank, JW. (2001). Preparation, structure, properties and thermal behavior of rigid-rod polyimide/montmorillonite nanocomposites. Compos Sci Tech. 61: 1253-1264.

Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 101-110. http://dx.doi.org/10.1016/j.supflu.2006.03.027.

Makgato, MH; Moitsheki, LJ; Shoko, L; Kgobane, BL; Morgan, DL; Focke, WW. (2009). Alkali-assisted coal extraction with polar aprotic solvents. Fuel Process Tech. 90: 591-598. http://dx.doi.org/10.1016/j.fuproc.2008.12.016.

Malanowski, S; Bittrich, HJ; Lempe, D; Reinhardt, K; Wustling, JU. (1994). LIQUID - LIQUID EQUILIBRIA IN BINARY-MIXTURES OF N-METHYL-ALPHA-PYRROLIDONE AND SATURATED-HYDROCARBONS. Fluid Phase Equilibria. 98: 163-171.

Mallakpour, S; Dinari, M. (2010). Environmentally Friendly Methodology for Preparation of Amino Acid Containing Polyamides. Journal of Polymers and the Environment. 18: 705-713. http://dx.doi.org/10.1007/s10924-010-0253-5.

Mallakpour, S; Kolahdoozan, M. (2008). Synthesis and properties of novel soluble aromatic polyamides derived from 5-(2-phthalimidyl-3-methyl butanoylamino)isophthalic acid and aromatic diamines. React Funct Polym. 68: 91-96. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.007.

Mallakpour, S; Rafiee, Z. (2009). Expeditious synthesis of novel aromatic polyamides from 5-[3-phenyl-2-(9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboximido)propanoylamino]isophthalic acid and various diamines using microwave-assisted polycondensation. React Funct Polym. 69: 252-258. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.01.003.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. React Funct Polym. 68: 1459-1466. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004.

Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing l-Tyrosine Moiety Under Green Media. Journal of Polymers and the Environment. 18: 685-695. http://dx.doi.org/10.1007/s10924-010-0234-8.

Mallakpour, S; Zadehnazari, A. (2013). Synthesis and Characterization of Novel Heat Stable and Processable Optically Active Poly(Amide-Imide) Nanostructures Bearing Hydroxyl Pendant Group in an Ionic Green Medium. Journal of Polymers and the Environment. 21: 132-140. http://dx.doi.org/10.1007/s10924-012-0442-5.

Maloka, IE; Ibrahim, SY. (2004). Physical properties of aqueous N-methyl pyrrolidone at different temperatures. Petroleum Science and Technology. 22: 1571-1579. http://dx.doi.org/10.1081/LPET-200027883.

Mancini, M; Nobili, F; Tossici, R; Wohlfahrt-Mehrens, M; Marassi, R. (2011). High performance, environmentally friendly and low cost anodes for lithium-ion battery based on TiO2 anatase and water soluble binder carboxymethyl cellulose. J Power Sources. 196: 9665-9671. http://dx.doi.org/10.1016/j.jpowsour.2011.07.028.

Mankin, M, axN; Mazumder, V; Sun, S. (2011). One-Pot Synthesis of Pt Nanocubes and Nanopods via Burst Nucleation and Controlled Secondary Growth. Chem Mater. 23: 132-136. http://dx.doi.org/10.1021/cm101938e.

Manna, K; Hsieh, CY, u; Lo, SC; Li, Y, anS; Huang, HN; Chiang, W, eiH. (2016). Graphene and graphene-analogue nanosheets produced by efficient water-assisted liquid exfoliation of layered materials. Carbon. 105: 551-555. http://dx.doi.org/10.1016/j.carbon.2016.04.065.

Manna, K; Huang, HN; Li, W, eiT; Ho, Y, aoH; Chiang, W, eiH. (2016). Toward Understanding the Efficient Exfoliation of Layered Materials by Water-Assisted Cosolvent Liquid-Phase Exfoliation. Chem Mater. 28: 7586-7593. http://dx.doi.org/10.1021/acs.chemmater.6b01203.

Mansourizadeh, A; Ismail, AF. (2010). Effect of additives on the structure and performance of polysulfone hollow fiber membranes for CO2 absorption. J Memb Sci. 348: 260-267. http://dx.doi.org/10.1016/j.memsci.2009.11.010.

Manzu, D; Pasare, L; Rata, D; Albu, BG; Ficai, A; Guran, C. (2010). SYNTHESIS AND CHARACTERIZATION OF THE NEW HYBRID COMPOSITE MEMBRANES BASED ON THE ORGANO-SUBSTITUTED PHOSPHAZENE AND SiO2 NETWORK. 40: 65-70.

Mar Bernal, M; Alvarez, L; Giovanelli, E; Arnaiz, A; Ruiz-Gonzalez, L; Casado, S; Granados, D; Pizarro, A, naM; Castellanos-Gomez, A; Perez, EM. (2016). Luminescent transition metal dichalcogenide nanosheets through one-step liquid phase exfoliation. 3. http://dx.doi.org/10.1088/2053-1583/3/3/035014.

Marciniak, A; Wlazlo, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Butyl-3-methyl-pyridinium Trifluoromethanesulfonate. Journal of Chemical and Engineering Data. 55: 3208-3211. http://dx.doi.org/10.1021/je1000582.

Marigliano, ACG; de Doz, MBG; Solimo, HN. (1998). Influence of temperature on the liquid-liquid equilibria containing two pairs of partially miscible liquids. Water plus nitromethane plus 1-butanol ternary system. Fluid Phase Equilibria. 149: 309-322.

Marotovaler, MM; Andresen, JM; Snape, CE. (1997). Quantification by in situ H-1 nmr of the contributions from pyridine-extractables and metaplast to the generation of coal plasticity. Fuel. 76: 1301-1308.

Masaki, K; Yoshida, T; Li, CQ; Takanohashi, T; Saito, I. (2004). The effects of pretreatment and the addition of polar compounds on the production of "HyperCoal" from subbituminous coals. Energy Fuels. 18: 995-1000. http://dx.doi.org/10.1021/ef049970o.

Masuda, K; Okuma, O; Kanaji, M; Matsumara, T. (1996). Chromatographic characterization of preasphaltenes in liquefied products from Victorian brown coal. Fuel. 75: 1065-1070.

Mathews, JP; Burgess-Clifford, C; Painter, P. (2015). Interactions of Illinois No. 6 Bituminous Coal with Solvents: A Review of Solvent Swelling and Extraction Literature. Energy Fuels. 29: 1279-1294. http://dx.doi.org/10.1021/ef502548x.

Matsumae, T; Koehler, AD; Greenlee, JD; Anderson, TJ; Baumgart, H; Jernigan, GG; Hobart, KD; Kub, FJ. (2015). Temporary Bonding with Polydimethylglutarimide Based Lift Off Resist as a Layer Transfer Platform. 4: P190-P194. http://dx.doi.org/10.1149/2.0031507jss.

Matsumoto, T; Hori, N; Takahashi, M. (1996). Microscopic phase separation and long-time relaxation behavior in three-component heterogeneous blend systems. Langmuir. 12: 5563-5569.

Matsumoto, Y; Sudoh, M; Suzuki, Y. (1999). Preparation of composite UF membranes of sulfonated polysulfone coated on ceramics. J Memb Sci. 158: 55-62.

Matsunaga, D; Tamaki, T; Ichimura, K. (2003). Azo-pendant polyamides which have the potential to photoalign chromonic lyotropic liquid crystals. J Mater Chem. 13: 1558-1564. http://dx.doi.org/10.1039/b300254c.

Maximous, N; Nakhla, G; Wan, W; Wong, K. (2009). Preparation, characterization and performance of Al2O3/PES membrane for wastewater filtration. J Memb Sci. 341: 67-75. http://dx.doi.org/10.1016/j.memsci.2009.05.040.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1988). Aneuploidy induction in Saccharomyces cerevisiae by two solvent compounds, 1-methyl-2-pyrrolidinone and 2-pyrrolidinone. Environ Mol Mutagen. 11: 31-40.

Mcgrath, JE; Grubbs, H; Woodard, MH; Rogers, ME; Gungor, A; Joseph, WA; Mercier, R; Brennan, A. (1994). DEVELOPMENT OF NEW POLYMERIC MATRICES FOR HIGH-PERFORMANCE COMPOSITES. Composite Structures. 27: 7-16.

Meeks, KA; Clark, BR; Cano, JE; Apblett, CA; Pantoya, ML. (2015). Effects of rheological properties on reactivity of energetic thin films. Combust Flame. 162: 3288-3293. http://dx.doi.org/10.1016/j.combustflame.2015.05.018.

Mehdipour-Ataei, S; Babanzadeh, S. (2007). New types of heat-resistant, flame-retardant ferrocene-based polyamides with improved solubility. React Funct Polym. 67: 883-892. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.012.

Mehdipour-Ataei, S; Mosslemin, MH; Shafieezadeh, M. (2006). Preparation of poly(ether amide imide)s from five different methods and investigation of properties. React Funct Polym. 66: 403-412. http://dx.doi.org/10.1016/j.reactfunctpolym.2005.09.001.

Mellace, A; Hanson, JE; Griepenburg, J. (2005). Hyperbranched poly(phenylene sulfide) and poly(phenylene sulfone). Chem Mater. 17: 1812-1817. http://dx.doi.org/10.1021/cm048376p.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Melzer, WM; Schrodter, F; Knapp, H. (1989). SOLUBILITIES OF METHANE, PROPANE AND CARBON-DIOXIDE IN SOLVENT MIXTURES CONSISTING OF WATER, N,N-DIMETHYLFORMAMIDE, AND N-METHYL-2-PYRROLIDONE. Fluid Phase Equilibria. 49: 167-186.

Meneghello, G; Parker, DJ; Ainsworth, BJ; Perera, SP; Chaudhuri, JB; Ellis, MJ; De Bank, PA. (2009). Fabrication and characterization of poly(lactic-co-glycolic acid)/polyvinyl alcohol blended hollow fibre membranes for tissue engineering applications. J Memb Sci. 344: 55-61. http://dx.doi.org/10.1016/j.memsci.2009.07.034.

Menendez, R; Blanco, C; Santamaria, R; Bermejo, J; Suelves, I; Herod, AA; Kandiyoti, R. (2001). On the chemical composition of thermally treated coal-tar pitches. Energy Fuels. 15: 214-223. http://dx.doi.org/10.1021/ef000191r.

Menendez, R; Blanco, C; Santamaria, R; Dominguez, A; Blanco, CG; Suelves, I; Herod, AA; Morgan, TG; Kandiyoti, R. (2002). Effects of air-blowing on the molecular size and structure of coal-tar pitch components. Energy Fuels. 16: 1540-1549. http://dx.doi.org/10.1021/ef0200929.

Menendez, R; Fleurot, O; Blanco, C; Santamaria, R; Bermejo, J; Edie, D. (1998). Chemical and rheological characterization of air-blown coal-tar pitches. Carbon. 36: 973-979.

Meng, L; Kang, S; Zhang, X; Wu, Y; Sun, R. (2012). Comparative Characterization of Lignins Extracted from Cotton Stalk Based on Complete Dissolution in Different Systems. Ind Eng Chem Res. 51: 9858-9866. http://dx.doi.org/10.1021/ie301118e.

Meng, Q; Jin, J; Wang, R; Kuan, HC; Ma, J; Kawashima, N; Michelmore, A; Zhu, S; Wang, CH. (2014). Processable 3-nm thick graphene platelets of high electrical conductivity and their epoxy composites. Nanotechnology. 25: 125707. http://dx.doi.org/10.1088/0957-4484/25/12/125707.

Menut, P; Su, YS; Chinpa, W; Pochat-Bohatier, C; Deratani, A; Wang, DM; Huguet, P; Kuo, CY; Lai, JY; Dupuy, C. (2008). A top surface liquid layer during membrane formation using vapor-induced phase separation (VIPS) - Evidence and mechanism of formation. J Memb Sci. 310: 278-288. http://dx.doi.org/10.1016/j.memsci.2007.11.016.

Meshalkin, YP; Svetlichnyi, VA; Svetlichnaya, NN; Kopylova, TN. (2005). Three-photon absorption of radiation from a Ti : sapphire laser by methylstyrylbenzene. Quantum Electronics. 35: 649-652. http://dx.doi.org/10.1070/QE2005v035n07ABEH003408.

Meyer, J; Hoffmann, H; Miller, DJ; Lang, FP. (2000). Fibrille formation by modified polyethylene terephthalate soil-release polymers in aqueous solution. Tenside Surfactants Detergents. 37: 373-380.

Miao, XQ; Sourirajan, S; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .2. Effects of fiber extrusion pressure (EP) and PVP concentration in the spinning solution. Separation Science and Technology. 31: 327-348.

Miao, XQ; Sourirajan, S; Zhang, H; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .1. Effects of water (internal coagulant) flow rate (WFR) and length of air gap (LAG). Separation Science and Technology. 31: 141-172.

Michel, M; Desai, JA; Biswas, C; Kaul, AB. (2016). Engineering chemically exfoliated dispersions of two-dimensional graphite and molybdenum disulphide for ink-jet printing. Nanotechnology. 27: 485602. http://dx.doi.org/10.1088/0957-4484/27/48/485602.

Mierzwa, JC; Vecitis, CD; Carvalho, J; Arieta, V; Verlage, M. (2012). Anion dopant effects on the structure and performance of polyethersulfone membranes. J Memb Sci. 421: 91-102. http://dx.doi.org/10.1016/j.memsci.2012.06.039.

Mihu, G; Mihalache, I; Bodor, M; Mircea, O; Graur, I. (2016). Tribological Characterization of Modified Epoxy Systems. Materiale Plastice. 53: 298-303.

Millan, M; Adell, C; Hinojosa, C; Herod, AA; Dugwell, D; Kandiyoti, R. (2007). Effect of catalyst deactivation and reaction time on hydrocracking heavy hydrocarbon liquids. Energy Fuels. 21: 1370-1378. http://dx.doi.org/10.1021/ef060466o.

Millan, M; Behrouzi, M; Karaca, F; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Characterising high mass materials in heavy oil fractions by size exclusion chromatography and MALDI-mass spectrometry. Catalysis Today. 109: 154-161. http://dx.doi.org/10.1016/j.cattod.2005.08.017.

Milton, AJ; Monkman, AP. (1993). THERMAL-ANALYSIS OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 57: 3571-3575.

Mirmohseni, A; Oladegaragoze, A. (2000). Anti-corrosive properties of polyaniline coating on iron. Synthetic Metals. 114: 105-108.

Miyauchi, M; Ishida, Y; Ogasawara, T; Yokota, R. (2013). Synthesis and characterization of soluble phenylethynyl-terminated imide oligomers derived from pyromellitic dianhydride and 2-phenyl-4,4 '-diaminodiphenyl ether. React Funct Polym. 73: 340-345. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.04.019.

Mobarakabad, P; Moghadassi, AR; Hosseini, SM. (2015). Fabrication and characterization of poly(phenylene ether-ether sulfone) based nanofiltration membranes modified by titanium dioxide nanoparticles for water desalination. Desalination. 365: 227-233. http://dx.doi.org/10.1016/j.desal.2015.03.002.

Mobin, M; Alam, R; Aslam, J. (2016). Investigation of the Corrosion Behavior of Poly(Aniline-co-o-Anisidine)/ZnO Nanocomposite Coating on Low-Carbon Steel. Journal of Materials Engineering and Performance. 25: 3017-3030. http://dx.doi.org/10.1007/s11665-016-2145-x.

Mobin, M; Tanveer, N. (2012). Corrosion performance of chemically synthesized poly(aniline-co-o-toluidine) copolymer coating on mild steel. JCT Research. 9: 27-38. http://dx.doi.org/10.1007/s11998-011-9328-z.

Mochida, I; Motoshima, N; Nakagawara, H; Korai, Y. (1991). MULTISTAGE COKING FOR MORE TAR AND FORMED-COKE OF HIGHER STRENGTH .4. FORMED COKING OF RESIDUES EXTRACTED FROM HEAT-TREATED SINGLE COALS WITH A MIXED-SOLVENT OF N-METHYLPYRROLIDINONE AND CARBON-DISULFIDE. Fuel. 70: 529-532.

Mochizuki, A; Teranishi, T; Ueda, M; Omote, T. (1994). NOVEL PHOTOSENSITIVE POLYIMIDE PRECURSOR BASED ON POLYISOIMIDE USING NIFEDIPINE AS A DISSOLUTION INHIBITOR. ACS Symp Ser Am Chem Soc. 579: 242-252.

Modesto-Lopez, LB; Miettinen, M; Riikonen, J; Torvela, T; Pfuller, C; Lehto, VP; Lahde, A; Jokiniemi, J. (2015). Films of Graphene Nanomaterials Formed by Ultrasonic Spraying of Their Stable Suspensions. Aerosol Sci Technol. 49: 45-56. http://dx.doi.org/10.1080/02786826.2014.991438.

Mohamed, NA; Fahml, MM; Al-Ghamdi, RF. (2005). Synthesis and characterization of novel wholly aromatic azopolyamide-hydrazides. React Funct Polym. 63: 185-197. http://dx.doi.org/10.1016/j.reactfunctpolyn.2005.010.

Mohamed, NH. (2012). Competitive study on separation and characterization of microcrystalline waxes using two deoiling techniques. Fuel Process Tech. 96: 116-122. http://dx.doi.org/10.1016/j.fuproc.2011.12.019.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Mohammad, TA; Johari, MMN, M; Ghani, LAA. (2009). Preliminary evaluation of a hydrophilic microfiltration membrane in treating high strength wastewater. Desalination and Water Treatment. 10: 272-280.

Mohammadi, T; Saljoughi, E. (2009). Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes. Desalination. 243: 1-7. http://dx.doi.org/10.1016/j.desal.2008.04.010.

Moideen, IK; Isloor, AM; Garudachari, B; Ismail, AF. (2016). The effect of glycine betaine additive on the PPSU/PSF ultrafiltration membrane performance. Desalination and Water Treatment. 57: 24788-24798. http://dx.doi.org/10.1080/19443994.2016.1156581.

Moise, A; Corlateanu, E; Luca, C; Popescu, G; Batranescu, G. (2000). Rheological behaviour of some polysulphone solutions. Rev Chim. 51: 633-637.

Mojtahedi, YM; Mehrnia, MR; Homayoonfal, M. (2013). Fabrication of Al2O3/PSf nanocomposite membranes: efficiency comparison of coating and blending methods in modification of filtration performance. Desalination and Water Treatment. 51: 6736-6742. http://dx.doi.org/10.1080/19443994.2013.769918.

Mokoena, K; Van Der Walt, TJ; Morgan, TJ; Herod, AA; Kandiyoti, R. (2008). Heat treatment of medium-temperature Sasol-Lurgi gasifier coal-tar pitch for polymerizing to higher value products. Fuel. 87: 751-760. http://dx.doi.org/10.1016/j.fuel.2007.05.006.

Molinari, R; Poerio, T. (2009). Preparation, characterisation and testing of catalytic polymeric membranes in the oxidation of benzene to phenol. Appl Catal A-Gen. 358: 119-128. http://dx.doi.org/10.1016/j.apcata.2009.01.044.

Molinari, R; Poerio, T; Argurio, P. (2009). Liquid-phase oxidation of benzene to phenol using CuO catalytic polymeric membranes. Desalination. 241: 22-28. http://dx.doi.org/10.1016/j.desal.2007.11.081.

Moniruzzaman, M; Goto, M. (2011). Ionic Liquids: Future Solvents and Reagents for Pharmaceuticals. J Chem Eng Jpn. 44: 370-381.

Monkman, AP; Adams, P. (1991). OPTICAL AND ELECTRONIC-PROPERTIES OF STRETCH-ORIENTED SOLUTION-CAST POLYANILINE FILMS. Synthetic Metals. 40: 87-96.

Monkman, AP; Adams, P. (1991). STRUCTURAL CHARACTERIZATION OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 41: 891-896.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2010). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin: Exploring new miscible conditions. Journal of Supercritical Fluids. 51: 399-403. http://dx.doi.org/10.1016/j.supflu.2009.10.007.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, CM; Martínez de la ossa, EJ. (2011). Supercritical Antisolvent Precipitation of Ampicillin in Complete Miscibility Conditions. Ind Eng Chem Res. 50: 2343-2347. http://dx.doi.org/10.1021/ie101334v.

Montes, A; Wehner, L; Pereyra, C; Martinez de la Ossa, EJ. (2016). Mangiferin nanoparticles precipitation by supercritical antisolvent process. Journal of Supercritical Fluids. 112: 44-50. http://dx.doi.org/10.1016/j.supflu.2016.02.008.

Montibon, E; Lestelius, M; Jarnstrom, L; Love, KT. (2010). Electroconductive paper - a study of polymer deposition and conductivity influenced by sheet forming and fibre beating. Nordic Pulp & Paper Research Journal. 25: 473-480.

Moreau, JP; Vachon, PJ; Huneau, MC. (2001). Elevated glycemia and local inflammation after injecting N-methyl-2-pyrrolidone (NMP) into the marginal ear vein of rabbits. Contemp Top Lab Anim Sci. 40: 38-40.

Moretti, A; Kim, G, ukTae; Bresser, D; Renger, K; Paillard, E; Marassi, R; Winter, M; Passerini, S. (2013). Investigation of different binding agents for nanocrystalline anatase TiO2 anodes and its application in a novel, green lithium-ion battery. J Power Sources. 221: 419-426. http://dx.doi.org/10.1016/j.jpowsour.2012.07.142.

Morgan, TJ; Alvarez-Rodriguez, P; George, A; Herod, AA; Kandiyoti, R. (2010). Characterization of Maya Crude Oil Maltenes and Asphaltenes in Terms of Structural Parameters Calculated from Nuclear Magnetic Resonance (NMR) Spectroscopy and Laser Desorption-Mass Spectroscopy (LD-MS). Energy Fuels. 24: 3977-3989. http://dx.doi.org/10.1021/ef100320t.

Morgan, TJ; George, A; Alvarez, P; Herod, AA; Millan, M; Kandiyoti, R. (2009). Isolation of Size Exclusion Chromatography Elution-Fractions of Coal and Petroleum-Derived Samples and Analysis by Laser Desorption Mass Spectrometry. Energy Fuels. 23: 6003-6014. http://dx.doi.org/10.1021/ef9006966.

Morgan, TJ; George, A; Davis, DB; Herod, AA; Kandiyoti, R. (2008). Optimization of H-1 and C-13 NMR methods for structural characterization of acetone and pyridine soluble/insoluble fractions of a coal tar pitch. Energy Fuels. 22: 1824-1835. http://dx.doi.org/10.1021/ef700715w.

Morgan, TJ; Morden, WE; Al-Muhareb, E; Herod, AA; Kandiyoti, R. (2006). Essential oils investigated by size exclusion chromatography and gas chromatography-mass spectrometry. Energy Fuels. 20: 734-737. http://dx.doi.org/10.1021/ef050364i.

Morihama, ACD; Mierzwa, JC. (2014). CLAY NANOPARTICLES EFFECTS ON PERFORMANCE AND MORPHOLOGY OF POLY(VINYLIDENE FLUORIDE) MEMBRANES. Brazilian Journal of Chemical Engineering. 31: 79-93.

Morino, M; Kaneko, H; Takanohashi, T; Iino, M. (1996). Inverse size exclusion chromatography using extraction residues or extracts of coals as a stationary phase. Energy Fuels. 10: 1012-1016.

Mosescu, N; Stejaru, D; Kalmutchi, G. (1977). DETERMINATION OF N-METHYLPYROLIDONE USED AS SOLVENT IN EXTRACTION PROCESS OF AROMATIC-HYDROCARBONS BY UV-ABSORPTION SPECTROPHOTOMETRY. Rev Chim. 28: 272-274.

Moss, RA; Fujiyama, R; Zhang, HM; Chung, YC; Mcsorley, K. (1993). IODOSOBENZOATE MICROEMULSION REAGENTS FOR THE CLEAVAGE OF A REACTIVE PHOSPHATE. Langmuir. 9: 2902-2906.

Mottu, F; Gailloud, P; Massuelle, D; Rofenacht, DA; Doelker, E. (2000). In vitro assessment of new embolic liquids prepared from preformed polymers and water-miscible solvents for aneurysm treatment. Biomaterials. 21: 803-811.

Mottu, F; Laurent, A; Rufenacht, DA; Doelker, E. (2000). Organic solvents for pharmaceutical parenterals and embolic liquids: A review of toxicity data [Review]. PDA J Pharm Sci Technol. 54: 456-469.

Mottu, F; Stelling, MJ; Rufenacht, DA; Doelker, E. (2001). Comparative hemolytic activity of undiluted organic water-miscible solvents for intravenous and intra-arterial injection. PDA J Pharm Sci Technol. 55: 16-23.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Mousavi, SM; Saljoughi, E; Ghasemipour, Z; Hosseini, SA. (2012). Preparation and characterization of modified polysulfone membranes with high hydrophilic property using variation in coagulation bath temperature and addition of surfactant. Polymer Engineering and Science. 52: 2196-2205. http://dx.doi.org/10.1002/pen.23179.

Mullin, CA. (2015). Effects of 'inactive' ingredients on bees. 10: 194-200. http://dx.doi.org/10.1016/cois.2015.05.006.

Mullins, OC; Martinez-Haya, B; Marshall, AG. (2008). Contrasting perspective on asphaltene molecular weight. This comment vs the overview of A. A. Herod, K. D. Bartle, and R. Kandiyoti. Energy Fuels. 22: 1765-1773. http://dx.doi.org/10.1021/ef700714z.

Mundhwa, M; Elmahmudi, S; Maham, Y; Henni, A, mr. (2009). Molar Heat Capacity of Aqueous Sulfolane, 4-Formylmorpholine, 1-Methyl-2-pyrrolidinone, and Triethylene Glycol Dimethyl Ether Solutions from (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 54: 2895-2901. http://dx.doi.org/10.1021/je800999s.

Murray, AA; Blau, W. (2013). Nonlinear Properties of Graphene Dispersions and Thin Films at a Wavelength of 1.2 mu m. Journal of Nanoelectronics and Optoelectronics. 8: 23-27. http://dx.doi.org/10.1166/jno.2013.1425.

Murray, TJ. (2008). Poly(amide-imides): Wire enamels with excellent thermal and chemical properties. Macromolecular Materials & Engineering. 293: 350-360. http://dx.doi.org/10.1002/mame.200700365.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF CARBON-DIOXIDE IN BINARY-MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Journal of Chemical and Engineering Data. 37: 4-7.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF HYDROGEN-SULFIDE IN MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 73: 167-174.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1993). GAS SOLUBILITY OF CARBON-DIOXIDE AND HYDROGEN-SULFIDE IN MIXTURES OF SULFOLANE WITH MONOETHANOLAMINE. Fluid Phase Equilibria. 86: 225-231.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1994). GAS SOLUBILITY OF HYDROGEN-SULFIDE AND CARBON-DIOXIDE IN MIXTURES OF SULFOLANE WITH DIETHANOLAMINE AT DIFFERENT TEMPERATURES. Fluid Phase Equilibria. 95: 163-174.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (1998). Solubility of CO2 in aqueous mixtures of diethanolamine with methyldiethanolamine and 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 150: 721-729.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (2000). Gas-liquid equilibrium of H2S and CO2 in binary mixtures of monoethanolamine and diethanolamine with physical solvents. Lat Am Appl Res. 30: 33-39.

Nabavi, K; Mahdavian, M; Ghaffarian, V; Zabihi, E. (2016). Polyacrylonitrile/starch semi-biodegradable blend membrane: preparation, morphology and performance. Desalination and Water Treatment. 57: 495-504. http://dx.doi.org/10.1080/19443994.2014.976842.

Nag, D; Biswas, P; Chandaliya, VK; Banerjee, PK. (2011). Characterization of Solvent Extract of an Indian Coal. International Journal of Coal Preparation and Utilization. 31: 1-8. http://dx.doi.org/10.1080/19392699.2010.517484.

Naganuma, T; Naito, K; Kyono, J; Kagawa, Y. (2009). Influence of prepreg conditions on the void occurrence and tensile properties of woven glass fiber-reinforced polyimide composites. Compos Sci Tech. 69: 2428-2433. http://dx.doi.org/10.1016/j.compscitech.2009.06.012.

Nagareddy, VK; Chan, H, uaK; Hernandez, SC; Wheeler, VD; Nyakiti, LO; Myers-Ward, RL; Eddy, CR, Jr; Goss, JP; Wright, NG; Walton, SG; Gaskill, DK; Horsfall, AB. (2013). Improved Chemical Detection and Ultra-Fast Recovery Using Oxygen Functionalized Epitaxial Graphene Sensors. IEEE Sens J. 13: 2810-2817. http://dx.doi.org/10.1109/JSEN.2013.2259154.

Nagendran, A; Vidya, S; Mohan, D. (2008). Preparation and characterization of cellulose acetate-sulfonated poly (ether imide) blend ultrafiltration membranes and their applications. Soft Materials. 6: 45-64. http://dx.doi.org/10.1080/15394450802046887.

Nagpal, JM; Rawat, BS. (1981). LIQUID-LIQUID EQUILIBRIA FOR TOLUENE-HEPTANE-N-METHYL PYRROLIDONE AND BENZENE-HEPTANE SOLVENTS. J Chem Tech Biotechnol. 31: 146-150.

Naidoo, RD; Letcher, TM; Ramjugernath, D. (2001). Ternary liquid-liquid equilibra for pseudoternary mixtures containing an n-alkane plus an aromatic hydrocarbon plus {N-methyl-2-pyrrolidinone plus a solvent} at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 46: 1375-1380.

Nakamura, K; Takanohashi, T; Iino, M; Kumagai, H; Sato, M; Yokoyama, S; Sanada, Y. (1995). A MODEL STRUCTURE OF ZAO-ZHUANG BITUMINOUS COAL. Energy Fuels. 9: 1003-1010.

Nakano, K; Sarashina, E; Uemura, Y; Hatate, Y. (1996). Vapor-liquid equilibria of minute amounts of N-methylsuccinimide and water in N-methyl-2-pyrrolidone. J Chem Eng Jpn. 29: 371-372.

Nalamasu, O; Houlihan, FM; Cirelli, RA; Timko, AG; Watson, GP; Hutton, RS; Kometani, JM; Reichmanis, E; Gabor, A; Medina, A; Slater, S. (1998). 193 nm single layer resist strategies, concepts, and recent results. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 16: 3716-3721.

Nasiri, M; Abbasi, F. (2015). Relationships between processing conditions, morphology, and I-V characteristics in P3HT:PCBM solar cells. Journal of Materials Science: Materials in Electronics. 26: 2639-2646. http://dx.doi.org/10.1007/s10854-015-2738-4.

Nasouri, K; Shoushtari, AM; Mojtahedi, MRM. (2015). Thermodynamic Studies on Polyvinylpyrrolidone Solution Systems Used for Fabrication of Electrospun Nanostructures: Effects of the Solvent. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21495.

Nayak, J; Mahadeva, SK; Kim, J. (2012). Characteristics of flexible electrode made on cellulose by soluble polypyrrole coating. Institution of Mechanical Engineers Proceedings Part C: Journal of Mechanical Engineering Science. 226: 2605-2609. http://dx.doi.org/10.1177/0954406212439965.

Nechifor, M. (2009). Synthesis and properties of some aromatic polyamides with coumarin chromophores. React Funct Polym. 69: 27-35. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.10.006.

Nelson, DJ; Nagarajan, PS; Brammer, CN; Perumal, PT. (2010). Effect of Single-Walled Carbon Nanotube Association upon H NMR Spectra of Representative Organonitrogen Compounds. J Phys Chem C. 114: 10140-10147. http://dx.doi.org/10.1021/jp1017746.

Nemati-Kande, E; Shekaari, H. (2013). Salting-out effect of sodium, potassium, carbonate, sulfite, tartrate and thiosulfate ions on aqueous mixtures of acetonitrile or 1-methyl-2-pyrrolidone: A liquid-liquid equilibrium study. Fluid Phase Equilibria. 360: 357-366. http://dx.doi.org/10.1016/j.fluid.2013.09.028.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Neoh, KG; Pun, MY; Kang, ET; Tan, KL. (1995). POLYANILINE TREATED WITH ORGANIC-ACIDS - DOPING CHARACTERISTICS AND STABILITY. Synthetic Metals. 73: 209-215.

Nguyen, BPN; Mariage, N; Fredon, R; Kelder, EM; Lestriez, B. (2015). Manufacturing of LiNi0.5Mn1.5O4 Positive Composite Electrodes with Industry-Relevant Surface Capacities for Lithium Ion-Cells. J Electrochem Soc. 162: A1451-A1459. http://dx.doi.org/10.1149/2.0261508jes.

Nguyen, EP; Carey, BJ; Daeneke, T; Ou, JZ; Latham, K, ay; Zhuiykov, S; Kalantar-Zadeh, K. (2015). Investigation of Two-Solvent Grinding-Assisted Liquid Phase Exfoliation of Layered MoS2. Chem Mater. 27: 53-59. http://dx.doi.org/10.1021/cm502915f.

Ni, H; Yan, L; Ma, C; Xu, C; Shi, Q. (2016). Molecular Composition of Soxhlet N-Methyl-2-pyrrolidinone Extracts from a Lignite. Energy Fuels. 30: 9285-9292. http://dx.doi.org/10.1021/acs.energyfuels.6b01990.

Niemczewski, B. (2001). N-methylpyrrolidone and dowanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. Institute of Metal Finishing Transactions. 79: 68-72.

Nigmatullin, VR; Nigmatullin, IR; Sharipov, AK, h. (2007). Two-stage lube stock refining from sulfides. Petroleum Chemistry. 47: 127-130. http://dx.doi.org/10.1134/S0965544107020119.

Nigmatullin, VR; Telyashev, EG; Nigmatullin, IR; Dovgopolyi, EE; Nigmatullin, RG. (2011). PRODUCTION OF TRANSFORMER OIL WITH IMPROVED ELECTRICAL CHARACTERISTICS. Chemistry and Technology of Fuels and Oils. 47: 12-14.

Niu, H, u; Chen, S; Jin, S; Shu, Q; Li, L; Shang, F. (2016). Dissolution Properties of Dihydroxylammonium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate and Disodium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate in Water. Journal of Energetic Materials. 34: 416-425. http://dx.doi.org/10.1080/07370652.2015.1114048.

Nohr, M; Horn, W; Wiegner, K; Richter, M; Lorenz, W. (2014). Development of a material with reproducible emission of selected volatile organic compounds - µ-Chamber study. Chemosphere. 107: 224-229. http://dx.doi.org/10.1016/j.chemosphere.2013.12.047.

Noll, O; Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria and enthalpies of mixing for the binary system water plus N-methyl-2-pyrrolidone in the temperature range 80-140 degrees C. Journal of Chemical and Engineering Data. 41: 1434-1438.

Noorani, S; Simonsen, J; Atre, S. (2007). Nano-enabled microtechnology: polysulfone nanocomposites incorporating cellulose nanocrystals. Cellulose. 14: 577-584. http://dx.doi.org/10.1007/s10570-007-9119-y.

Noordkamp, ER; Grotenhuis, JTC; Rulkens, WH. (1997). Selection of an efficient extraction method for the determination of polycyclic aromatic hydrocarbons in contaminated soil and sediment. Chemosphere. 35: 1907-1917.

Norinaga, K; Iino, M. (2000). Evaluation of the thermoplasticity of upper freeport coal and its extracts using dynamic viscoelasticity. Energy Fuels. 14: 929-935.

Norinaga, K; Kuniya, M; Iino, M. (2000). Viscoelastic properties of concentrated solution of coal with N-methyl-2-pyrrolidinone. Energy Fuels. 14: 1121-1122.

Norinaga, K; Kuniya, M; Iino, M. (2002). Effect of associative interaction on the dynamic viscoelastic property of coal concentrated solution. Energy Fuels. 16: 62-68. http://dx.doi.org/10.1021/ef010154f.

Nosyrev, IE; Gruber, R; Cagniant, D; Krzton, A; Pajak, J; Stefanova, MD; Grishchuk, S. (1996). DRIFT spectroscopic characterization of coal samples modified by chemical treatments. Fuel. 75: 1549-1556.

Nouri, M; Sedighi, M; Ghasemi, M; Mohammadi, M. (2013). Evaluation of solvent dearomatization effect in heavy feedstock thermal cracking to light olefin: An optimization study. Korean J Chem Eng. 30: 1700-1709. http://dx.doi.org/10.1007/s11814-013-0118-4.

Ogulata, RT; Icoglu, HI. (2015). Interaction between effects of ambient parameters and those of other important parameters on electrospinning of PEI/NMP solution. J Text Inst. 106: 57-66. http://dx.doi.org/10.1080/00405000.2014.902561.

Oh, KJ; Mun, SM, an; Kim, SS, oo; Park, SW. (2011). Chemical absorption of carbon dioxide into oxirane solution containing ID-CP-MS41 catalyst. Korean J Chem Eng. 28: 567-574. http://dx.doi.org/10.1007/s11814-010-0388-z.

Oh, S, eY; Kim, SH; Chi, YS; Kang, T, aeJin. (2012). Fabrication of oxide-free graphene suspension and transparent thin films using amide solvent and thermal treatment. Appl Surf Sci. 258: 8837-8844. http://dx.doi.org/10.1016/j.apsusc.2012.05.101.

Ohno, M; Takata, T; Endo, T. (1996). Synthesis and properties of poly(arylene-ether-ketone)s containing a dimethylnaphthalene skeleton in the main chain. React Funct Polym. 30: 149-156.

Ohtani, A; Abe, M; Ezoe, M; Doi, T; Miyata, T; Miyake, A. (1993). SYNTHESIS AND PROPERTIES OF HIGH-MOLECULAR-WEIGHT SOLUBLE POLYANILINE AND ITS APPLICATION TO THE 4MB-CAPACITY BARIUM FERRITE FLOPPY DISKS ANTISTATIC COATING. Synthetic Metals. 57: 3696-3701.

Ohya, H; Shiki, S; Kawakami, H. (2009). Fabrication study of polysulfone hollow-fiber microfiltration membranes: Optimal dope viscosity for nucleation and growth. J Memb Sci. 326: 293-302. http://dx.doi.org/10.1016/j.memsci.2008.10.001.

Oikawa, E; Katoh, K; Aoki, T. (1991). CHARACTERISTICS OF REVERSE-OSMOSIS MEMBRANES PREPARED FROM SCHIFF-BASES OF POLYALLYLAMINE IN APROTIC-SOLVENTS AND SEPARATION OF INORGANIC AND ORGANIC SOLUTES THROUGH THE MEMBRANES. Separation Science and Technology. 26: 569-584.

Olivo, M; Fu, CY; Raghavan, V; Lau, WK. (2012). New frontier in hypericin-mediated diagnosis of cancer with current optical technologies [Review]. Ann Biomed Eng. 40: 460-473. http://dx.doi.org/10.1007/s10439-011-0462-7.

Omidvar, M; Soltanieh, M; Mousavi, SM; Saljoughi, E; Moarefian, A; Saffaran, H. (2015). Preparation of hydrophilic nanofiltration membranes for removal of pharmaceuticals from water. 13: 42. http://dx.doi.org/10.1186/s40201-015-0201-3.

Onah, EJ. (2003). Synthesis of polyfluoroesters, polyfluoroamic acid, polyfluoroimide, and polyfluoroacrylates: Formation and characterization of their ultrathin films. Chem Mater. 15: 4104-4112. http://dx.doi.org/10.1021/cm020728+.

Onah, EJ; Oertel, U; Froeck, C; Kratzmuller, T; Steinert, V; Bayer, T; Hartmann, L; Haussler, L; Lunkwitz, K. (2002). Ultrathin films from fluorine containing polymers: Fabrication and characterization. Macromolecular Materials & Engineering. 287: 412-419.

Onciu, M. (2007). Synthesis and characterization of novel aromatic polyamides containing pendent coumarin groups. J Optoelect Adv Mater. 9: 1014-1018.

Engineering/Occupational Exposure Literature Search Results

Off Topic

O'Neill, A; Khan, U; Coleman, JN. (2012). Preparation of High Concentration Dispersions of Exfoliated MoS2 with Increased Flake Size. Chem Mater. 24: 2414-2421. http://dx.doi.org/10.1021/cm301515z.

O'Neill, A; Khan, U; Nirmalraj, PN; Boland, J; Coleman, JN. (2011). Graphene Dispersion and Exfoliation in Low Boiling Point Solvents. J Phys Chem C. 115: 5422-5428. http://dx.doi.org/10.1021/jp110942e.

Ong, R; Chung, T. (2012). Fabrication and positron annihilation spectroscopy (PAS) characterization of cellulose triacetate membranes for forward osmosis. J Memb Sci. 394: 230-240. http://dx.doi.org/10.1016/j.memsci.2011.12.046.

Opaprakasit, P; Painter, PC. (2004). Swelling of clays in N-methyl-2-pyrrolidinone/carbon disulfide mixed solvents. Energy Fuels. 18: 1704-1708. http://dx.doi.org/10.1021/ef034093s.

Opaprakasit, P; Scaroni, AW; Painter, PC. (2002). Ionomer-like structures and pi-cation interactions in argonne premium coals. Energy Fuels. 16: 543-551. http://dx.doi.org/10.1021/ef0100799.

Othman, N, urH; Wu, Z; Li, K. (2014). A micro-structured La0.6Sr0.4Co0.2Fe0.8O3-delta hollow fibre membrane reactor for oxidative coupling of methane. J Memb Sci. 468: 31-41. http://dx.doi.org/10.1016/j.memsci.2014.05.051.

Ouradi, A; Nguyen, QT; Benaboura, A. (2014). Polysulfone-AN69 blend membranes and its surface modification by polyelectrolyte-layer deposit Preparation and characterization. J Memb Sci. 454: 20-35. http://dx.doi.org/10.1016/j.memsci.2013.11.048.

Padaki, M; Isloor, AM; Ismail, AF; Abdullah, MS. (2012). Synthesis, characterization and desalination study of novel PSAB and mPSAB blend membranes with Polysulfone (PSf). Desalination. 295: 35-42. http://dx.doi.org/10.1016/j.desal.2012.03.014.

Padashbarmchi, Z; Hamidian, AH; Khorasani, N; Kazemzad, M; Mccabe, A; Halog, A. (2015). Environmental life cycle assessments of emerging anode materials for Li-ion batteries-metal oxide NPs. Environ Prog Sustain Energy. 34: 1740-1747. http://dx.doi.org/10.1002/ep.12148.

Pagidi, A; Saranya, R; Arthanareeswaran, G; Ismail, AF; Matsuura, T. (2014). Enhanced oil-water separation using polysulfone membranes modified with polymeric additives. Desalination. 344: 280-288. http://dx.doi.org/10.1016/j.desal.2014.03.033.

Pai, IT; Chiou, DW; Hon, MH; Leu, IC. (2009). Hierarchical structure formation induced by dewetting in an imprinting process. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 27: 2858-2861. http://dx.doi.org/10.1116/1.3253615.

Painter, P; Sobkowiak, M; Mathews, J; Scaroni, A. (2004). Concerning the nature of coal solutions and suspensions. Energy Fuels. 18: 1104-1107. http://dx.doi.org/10.1021/ef049976d.

Pajak, J; Cagniant, D; Gruber, R. (1994). HYDROGEN-TRANSFER FROM TETRALIN TO COALS - REACTIVITY OF BITUMINOUS COALS AND THEIR PRODUCTS OF EXTRACTION WITH N-METHYL-2-PYRROLIDINONE. Fuel. 73: 866-870.

Pak, S, eoH; Jeon, YW, oo; Shin, MS; Koh, HC. (2016). Preparation of Cellulose Acetate Hollow-Fiber Membranes for CO2/CH4 Separation. Environ Eng Sci. 33: 17-24. http://dx.doi.org/10.1089/ees.2015.0201.

Pal, A; Bhardwaj, RK. (2002). Excess molar volumes and Viscosities for binary mixtures of 2-propoxyethanol and of 2-isopropoxyethanol with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 47: 1128-1134. http://dx.doi.org/10.1021/je010315+.

Pal, A; Kumar, A. (2005). Excess molar volumes and kinematic viscosities for binary mixtures of dipropylene glycol monobutyl ether and dipropylene glycol tert-butyl ether with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 50: 856-862. http://dx.doi.org/10.1021/je049657g.

Pal, A; Singh, YP. (1995). EXCESS MOLAR VOLUMES AND APPARENT MOLAR VOLUMES OF SOME AMIDE PLUS WATER-SYSTEMS AT 303.15 AND 308.15 K. Journal of Chemical and Engineering Data. 40: 818-822.

Palczewska-Tulinska, M; Oracz, P. (2007). Vapor pressures of 1-methyl-2-pyrrolidone, 1-methyl-azepan-2-one, and 1,2-epoxy-3-chloropropane. Journal of Chemical and Engineering Data. 52: 2468-2471. http://dx.doi.org/10.1021/je700398k.

Pan, J; Yao, H; Xu, L; Ou, H; Huo, P; Li, X; Yan, Y. (2011). Selective Recognition of 2,4,6-Trichlorophenol by Molecularly Imprinted Polymers Based on Magnetic Halloysite Nanotubes Composites. J Phys Chem C. 115: 5440-5449. http://dx.doi.org/10.1021/jp111120x.

Panda, S; Gardas, RL. (2015). Measurement and correlation for the thermophysical properties of novel pyrrolidonium ionic liquids: Effect of temperature and alkyl chain length on anion. Fluid Phase Equilibria. 386: 65-74. http://dx.doi.org/10.1016/j.fluid.2014.11.024.

Pande, S; Sharma, DK. (2001). Studies of kinetics of diffusion of N-methyl-2-pyrrolidone (NMP), ethylenediamine (EDA), and NMP+EDA (1 : 1, vol/vol) mixed solvent system in chinakuri coal by solvent swelling techniques. Energy Fuels. 15: 1063-1068.

Pande, S; Sharma, DK. (2002). Ethylenediamine-assisted solvent extraction of coal in N-methyl-2-pyrrolidone: Synergistic effect of ethylenediamine on extraction of coal in N-methyl-2-pyrrolidone. Energy Fuels. 16: 194-204. http://dx.doi.org/10.1021/ef0001742.

Panziera, N; Pertici, P; Barazzone, L; Caporusso, AM; Vitulli, G; Salvadori, P; Borsacchi, S; Geppi, M; Veracini, CA; Martra, G; Bertinetti, L. (2007). MVS-derived palladium nanoparticles deposited on polydimethylphosphazene as recyclable catalysts for Heck-type reactions: Preparation, structural study, and catalytic activity. J Catal. 246: 351-361. http://dx.doi.org/10.1016/j.jcat.2006.12.017.

Paredes, JI; Villar-Rodil, S; Martínez-Alonso, A; Tascón, JM. (2008). Graphene oxide dispersions in organic solvents. Langmuir. 24: 10560-10564. http://dx.doi.org/10.1021/la801744a.

Park, HC; Hong, JM; Ha, SY; Kang, YS; Ahn, KH. (1998). Effects of humidity on the morphology of microporous membranes. J Ind Eng Chem. 4: 31-38.

Park, HC; Kim, YP; Kim, HY; Kang, YS. (1999). Membrane formation by water vapor induced phase inversion. J Memb Sci. 156: 169-178.

Park, HH, ee; Deshwal, B, alRaj; Kim, I, nWon; Lee, HK. (2008). Absorption of SO2 from flue gas using PVDF hollow fiber membranes in a gas-liquid contactor. J Memb Sci. 319: 29-37. http://dx.doi.org/10.1016/j.memsci.2008.03.023.

Park, JH; Raza, F; Jeon, S, uJi; Yim, D; Kim, H, yeIn; Kang, T, aeW; Kim, JH, o. (2016). Oxygen-mediated formation of MoSx-doped hollow carbon dots for visible light-driven photocatalysis. 4: 14796-14803. http://dx.doi.org/10.1039/c6ta04278c.

Park, LS; Oh, HS; Lee, TH; Kim, SH; Hwang, JS. (2000). Synthesis and thermal properties of poly(phenylene sulfide-co-phenylene sulfide ketone). J Ind Eng Chem. 6: 331-337.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Park, SW; Choi, BS; Park, DW; Kim, SS. (2005). Kinetics of the reaction between carbon dioxide and glycidyl methacrylate using 18-crown-6 as a catalyst. J Ind Eng Chem. 11: 527-532.

Park, SW; Jang, CH. (2011). Effects of carbonization and solvent-extraction on change in fuel characteristics of sewage sludge. Bioresour Technol. 102: 8205-8210. http://dx.doi.org/10.1016/j.biortech.2011.05.072.

Parker, DH; Chatterjee, K; Wurz, P; Lykke, KR; Pellin, MJ; Stock, LM. (1992). FULLERENES AND GIANT FULLERENES - SYNTHESIS, SEPARATION, AND MASS-SPECTROMETRIC CHARACTERIZATION. Carbon. 30: 1167-1182.

Pastore, BM; Savelski, MJ; Slater, CS; Richetti, FA. (2016). Life cycle assessment of N-methyl-2-pyrrolidone reduction strategies in the manufacture of resin precursors. Clean Tech Environ Pol. 18: 2635-2647. http://dx.doi.org/10.1007/s10098-016-1180-5.

Patel, RB; Carlson, AN; Solorio, L; Exner, AA. (2010). Characterization of formulation parameters affecting low molecular weight drug release from in situ forming drug delivery systems. J Biomed Mater Res A. 94: 476-484. http://dx.doi.org/10.1002/jbm.a.32724.

Paul-Dauphin, S; Karaca, F; Morgan, TJ; Millan-Agorio, M; Herod, AA; Kandiyoti, R. (2007). Probing size exclusion mechanisms of complex hydrocarbon mixtures: The effect of altering eluent compositions. Energy Fuels. 21: 3484-3489. http://dx.doi.org/10.1021/ef`700410e.

Pei, X; Yan, Y, eHai; Yan, L; Yang, P, an; Wang, J; Xu, R; Chan-Park, MB. (2010). A magnetically responsive material of single-walled carbon nanotubes functionalized with magnetic ionic liquid. Carbon. 48: 2501-2505. http://dx.doi.org/10.1016/j.carbon.2010.03.023.

Pereira, CC; Nobrega, R; Borges, CP. (2001). Membranes obtained by simultaneous casting of two polymer solutions. J Memb Sci. 192: 11-26.

Pereira, CC; Nobrega, R; Peinemann, KV; Borges, CP. (2003). Hollow fiber membranes obtained by simultaneous spinning of two polymer solutions: a morphological study. J Memb Sci. 226: 35-50. http://dx.doi.org/10.1016/j.memsci.2003.07.011.

Petreus, O; Avram, E; Serbezeanu, D. (2010). Synthesis and Characterization of Phosphorus-Containing Polysulfone. Polymer Engineering and Science. 50: 48-56. http://dx.doi.org/10.1002/pen.21508.

Petro, R; Borodulin, P; Schlesinger, TE; Schlesinger, M. (2016). Liquid Exfoliated Graphene: A Practical Method for Increasing Loading and Producing Thin Films. 5: P36-P40. http://dx.doi.org/10.1149/2.0111602jss.

Petzold, K; Koschella, A; Klemm, D; Heublein, B. (2003). Silylation of cellulose and starch - selectivity, structure analysis, and subsequent reactions. Cellulose. 10: 251-269.

Phaechamud, T; Mahadlek, J; Chuenbarn, T. (2016). In situ forming gel comprising bleached shellac loaded with antimicrobial drugs for periodontitis treatment. Materials & Design. 89: 294-303. http://dx.doi.org/10.1016/j.matdes.2015.09.138.

Phaechamud, T; Yodkhum, K; Charoenteeraboon, J; Tabata, Y. (2015). Chitosan-aluminum monostearate composite sponge dressing containing asiaticoside for wound healing and angiogenesis promotion in chronic wound. Mater Sci Eng C. 50: 210-225. http://dx.doi.org/10.1016/j.msec.2015.02.003.

Pham, M; Schideman, L; Scott, J; Rajagopalan, N; Plewa, MJ. (2013). Chemical and biological characterization of wastewater generated from hydrothermal liquefaction of Spirulina. Environ Sci Technol. 47: 2131-2138. http://dx.doi.org/10.1021/es304532c.

Pham, VH; Cuong, TV; Hur, SH; Oh, E; Kim, EJ; Shin, EW; Chung, JS. (2011). Chemical functionalization of graphene sheets by solvothermal reduction of a graphene oxide suspension in N-methyl-2-pyrrolidone. J Mater Chem. 21: 3371. http://dx.doi.org/10.1039/c0jm02790a.

Pham, VH; Dang, TT; Cuong, TV; Hur, SH; Kong, BS; Kim, E, uiJ; Chung, J, inSuk. (2012). Synthesis of highly concentrated suspension of chemically converted graphene in organic solvents: Effect of temperature on the extent of reduction and dispersibility. Korean J Chem Eng. 29: 680-685. http://dx.doi.org/10.1007/s11814-011-0232-0.

Pham, VH; Kim, KH; Jung, DW, on; Singh, K; Oh, E, unS; Chung, J, inSuk. (2013). Liquid phase co-exfoliated MoS2-graphene composites as anode materials for lithium ion batteries. J Power Sources. 244: 280-286. http://dx.doi.org/10.1016/j.jpowsour.2013.01.053.

Pielichowski, J; Tecza, W; Rakoczy, J; Zadrozna, G; Szpakiewicz, B. (1992). FURFURAL AND N-METHYLPYRROLIDONE IN LUBRICATING OIL REFINING - A COMPARATIVE-STUDY. 45: 131-134.

Pindoria, RV; Chatzakis, IN; Lim, JY; Herod, AA; Dugwell, DR; Kandiyoti, R. (1999). Hydropyrolysis of sugar cane bagasse: effect of sample configuration on bio-oil yields and structures from two bench-scale reactors. Fuel. 78: 55-63.

Pindoria, RV; Lim, JY; Hawkes, JE; Lazaro, MJ; Herod, AA; Kandiyoti, R. (1997). Structural characterization of biomass pyrolysis tars/oils from eucalyptus wood waste: effect of H-2 pressure and sample configuration. Fuel. 76: 1013-1023.

Pinto, BP; de Santa Maria, LC; Sena, ME. (2007). Sulfonated poly(ether imide): A versatile route to prepare functionalized polymers by homogenous sulfonation. Mater Lett. 61: 2540-2543. http://dx.doi.org/10.1016/j.matlet.2006.09.060.

Pipatmanomai, S; Herod, AA; Morgan, TJ; Paterson, N; Dugwell, DR; Kandiyoti, R. (2004). The fate of volatiles from injectant coals and soot formation in blast furnaces. Energy Fuels. 18: 68-76. http://dx.doi.org/10.1021/ef030101t.

Pirhonen, EM; Pohjonen, TH; Weber, FE. (2006). Novel membrane for guided bone regeneration. Int J Artif Organs. 29: 834-840.

Pivovarov, AT; Ramazanova, AR; Pivovarova, NA; Nemov, IV. (2009). PRODUCTION OF AUTOMOBILE GASOLINES FROM ASTRAKHAN GAS CONDENSATE RESIDUAL FUEL OIL. Chemistry and Technology of Fuels and Oils. 45: 246-248.

Plisko, TV; Bildyukevich, AV; Volkov, VV; Osipov, NN. (2015). Formation of hollow fiber membranes doped with multiwalled carbon nanotube dispersions. Petroleum Chemistry. 55: 318-332. http://dx.doi.org/10.1134/S0965544115040064.

Plucinski, PK; Bavykin, DV; Kolaczkowski, ST; Lapkin, AA. (2005). Application of a structured multifunctional reactor for the oxidation of a liquid organic feedstock. Catalysis Today. 105: 479-483. http://dx.doi.org/10.1016/j.cattod.2005.06.021.

Polaczek, J; Kzeslak, A; Tecza, T; Lisicki, Z. (1992). NEW PROCESS OF COAL-TAR DERIVED ANTHRACENE ISOLATION AND PURIFICATION. Przemysł Chemiczny. 71: 15-25.

Powala, D; Orzechowski, A; Maranda, A. (2011). Low sensitive high explosives. 4,10-Dinitro-2,6,8,12-tetraoxa-4,10-diazatetracyclo[5.5.0.05,903,11]dodecane. Przemysł Chemiczny. 90: 112-118.

Prado-Perez, AJ; Rodriguez-Arevalo, J; Diaz-Teijeiro, MF. (2014). Performance assessment of a cavity ring-down laser spectrometer: achieving better precision and accuracy in the measurement of delta O-18 and delta H-2 in liquid water samples. Meas Sci Technol. 25. http://dx.doi.org/10.1088/0957-0233/25/1/015801.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Praneeth, K; Kalyani, S; Ravikumar, YVL; Tardio, J; Sridhar, S. (2013). Development of polyethersulfone and polyacrylonitrile hollow fiber membranes for clarification of surface water and fungal enzyme broth. Water Science and Technology: Water Supply. 13: 44-55. http://dx.doi.org/10.2166/ws.2012.074.

Przewloka, SR; Shearer, BJ. (2002). The further chemistry of ellagic acid III. The effect of wick action upon moisture uptake and movement in ellagate treated Pinus radiata wood. Holzforschung. 56: 632-638.

Pulyalina, AY, u; Polotskaya, GA; Veremeychik, KY, u; Goikhman, MY, a; Podeshvo, IV; Toikka, AM. (2015). Ethanol purification from methanol via pervaporation using polybenzoxazinoneimide membrane. Fuel Process Tech. 139: 178-185. http://dx.doi.org/10.1016/j.fuproc.2015.07.023.

Pulyalina, AY, u; Toikka, AM; Polotskaya, GA. (2014). Investigation of Pervaporation Membranes Based on Polycarbamide: Effect of Residual Solvent. Petroleum Chemistry. 54: 573-579. http://dx.doi.org/10.1134/S096554411407010X.

Pundlik, MD; Sitharaman, B; Kaur, I. (2001). Gas chromatographic determination of 1,4-dioxane in benzene. Journal of Sci Ind Res. 60: 401-404.

Purdy, AP; Godbey, D; Buckley, L. (1997). The dissolution of copper in common solvents used for low dielectric polymers. Thin Solid Films. 308: 486-489.

Qadir, A; Chiesa, M; Abbas, A, li. (2014). In silico design of solvents for carbon capture with simultaneous optimisation of operating conditions. Int J Greenhouse Gas Control. 30: 179-187. http://dx.doi.org/10.1016/j.ijggc.2014.08.023.

Qian, B; Li, J, ie; Wei, Q; Bai, P; Fang, B; Zhao, C. (2009). Preparation and characterization of pH-sensitive polyethersulfone hollow fiber membrane for flux control. J Memb Sci. 344: 297-303. http://dx.doi.org/10.1016/j.memsci.2009.08.026.

Qin, C; Shen, J; Hu, Y; Ye, M. (2009). Facile attachment of magnetic nanoparticles to carbon nanotubes via robust linkages and its fabrication of magnetic nanocomposites. Compos Sci Tech. 69: 427-431. http://dx.doi.org/10.1016/j.compscitech.2008.11.011.

Qin, JJ; Chung, TS. (1999). Effect of dope flow rate on the morphology, separation performance, thermal and mechanical properties of ultrafiltration hollow fibre membranes. J Memb Sci. 157: 35-51.

Qin, JJ; Chung, TS; Cao, C; Vora, RH. (2005). Effect of temperature on intrinsic permeation properties of 6FDA-Durene/1,3-phenylenediamine (mPDA) copolyimide and fabrication of its hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 250: 95-103. http://dx.doi.org/10.1016/j.memsci.2004.10.021.

Qin, JJ; Li, Y; Lee, LS; Lee, H. (2003). Cellulose acetate hollow fiber ultrafiltration membranes made from CA/PVP 360 K/NMP/water. J Memb Sci. 218: 173-183. http://dx.doi.org/10.1016/S0376-7388(03)00170-4.

Qin, JJ; Oo, MH; Cao, YM; Lee, LS. (2005). Development of a LCST membrane forming system for cellulose acetate ultrafiltration hollow fiber. Separation and Purification Technology. 42: 291-295. http://dx.doi.org/10.1016/j.seppur.2004.07.015.

Qin, JJ; Oo, MH; Li, Y. (2005). Hollow fiber ultrafiltration membranes with enhanced flux for humic acid removal. J Memb Sci. 247: 119-125. http://dx.doi.org/10.1016/j.memsci.2004.09.016.

Qin, JJ; Wang, R; Chung, TS. (2000). Investigation of shear stress effect within a spinneret on flux, separation and thermomechanical properties of hollow fiber ultrafiltration membranes. J Memb Sci. 175: 197-213.

Qin, P; Han, B; Chen, C; Takuji, S; Li, J; Sun, B. (2009). Poly (phthalazinone ether sulfone ketone) properties and their effect on the membrane morphology and performance. Desalination and Water Treatment. 11: 157-166. http://dx.doi.org/10.5004/dwt.2009.793.

Qin, Y; Yuan, M; Li, L; Li, W; Xue, J. (2012). Formulation and evaluation of in situ forming PLA implant containing tinidazole for the treatment of periodontitis. J Biomed Mater Res B Appl Biomater. 100: 2197-2202. http://dx.doi.org/10.1002/jbm.b.32788.

Qin, Z, hiH; Chen, H; Yan, Y, uJie; Li, CS; Rong, L, iMan; Yang, XQ, in. (2015). FTIR quantitative analysis upon solubility of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent to coal petrographic constituents. Fuel Process Tech. 133: 14-19. http://dx.doi.org/10.1016/j.fuproc.2015.01.001.

Qing, X; Peisheng, M. (2007). Measurement and correlation for solubility of dimethyl-2,6-naphthalene dicarboxylate in organic solvents. Chinese Journal of Chemical Engineering. 15: 215-220.

Qu, Y; Liang, S; Zou, K, ai; Li, S; Liu, L; Zhao, J; Piao, G. (2011). Effect of solvent type on the formation of tubular fullerene nanofibers. Mater Lett. 65: 562-564. http://dx.doi.org/10.1016/j.matlet.2010.10.075.

Qu, Y; Yu, W; Liang, S; Li, S; Zhao, J; Piao, G. (2011). Structure and Morphology Characteristics of Fullerene C-60 Nanotubes Fabricated with N-Methyl-2-pyrrolidone as a Good Solvent. Journal of Nanomaterials. http://dx.doi.org/10.1155/2011/706293.

Quanxing, C; Jie, Y; Shengru, L. (2007). Synthesis and characterization of novel polyarylene sulfide. Journal of Wuhan University of Technology--Materials Science Edition. 22: 276-278. http://dx.doi.org/10.1007/s11595-005-2276-7.

Quijada-Maldonado, E; Meindersma, GW; de Haan, AB. (2016). Pilot plant study on the extractive distillation of toluene-methylcyclohexane mixtures using NMP and the ionic liquid [hmim] [TCB] as solvents. Separation and Purification Technology. 166: 196-204. http://dx.doi.org/10.1016/j.seppur.2016.04.041.

Quintana, M; Spyrou, K; Grzelczak, M; Browne, WR; Rudolf, P; Prato, M. (2010). Functionalization of graphene via 1,3-dipolar cycloaddition. ACS Nano. 4: 3527-3533. http://dx.doi.org/10.1021/nn100883p.

Radhakrishnan, S; Prakash, S; Rao, CRK; Vijayan, M. (2009). Organically Soluble Bifunctional Polyaniline-Magnetite Composites for Sensing and Supercapacitor Applications. Electrochemical and Solid-State Letters. 12: A84-A87. http://dx.doi.org/10.1149/1.3074315.

Rafiee, Z; Golriz, L. (2014). Synthesis and Study of New Poly(ester-imide)s Containing Triptycene Groups. Polymer Engineering and Science. 54: 2252-2257. http://dx.doi.org/10.1002/pen.23780.

Rafiee, Z; Mallakpour, S; Khalili, S. (2014). Preparation and Characterization of Polyimide/Titania Nanohybrid Films. Polymer Composites. 35: 1486-1493. http://dx.doi.org/10.1002/pc.22802.

Rafienia, M; Mirzadeh, H; Mirzadeh, H; Mobedi, H; Jamshidi, A. (2007). In vitro evaluation of drug solubility and gamma irradiation on the release of betamethasone under simulated in vivo conditions. J Bioact Compat Polymer. 22: 443-459. http://dx.doi.org/10.1177/0883911507080110.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO2 separation from natural gas. J Memb Sci. 378: 444-452. http://dx.doi.org/10.1016/j.memsci.2011.05.025.

Raghu, AV; Gadaginamath, GS; Mathew, NT; Halligudi, SB; Aminabhavi, TM. (2007). Synthesis and characterization of novel polyurethanes based on 4,4 '-[1,4-phenylenedi-diazene-2,1-dlyl] bis(2-carboxyphenol) and 4,4 '-[1,4-phenylenedi-diazene-2,1-diyl] bis(2-chlorophenol) hard segments. React Funct Polym. 67: 503-514. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.003.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Development of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 86: 215-220. http://dx.doi.org/10.1016/j.seppur.2011.11.007.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Effect of bore fluid composition on structure and performance of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 88: 99-106. http://dx.doi.org/10.1016/j.seppur.2011.12.012.

Rahbari-Sisakht, M; Ismail, AF; Rana, D; Matsuura, T. (2012). Effect of different additives on the physical and chemical CO2 absorption in polyetherimide hollow fiber membrane contactor system. Separation and Purification Technology. 98: 472-480. http://dx.doi.org/10.1016/j.seppur.2012.06.033.

Rahman, M; Samanta, A; Gupta, R. (2013). Production and characterization of ash-free coal from low-rank Canadian coal by solvent extraction. Fuel Process Tech. 115: 88-98. http://dx.doi.org/10.1016/j.fuproc.2013.04.008.

Rajasingam, R; Jayasinghe, NS; Lucien, FP; Tran, T. (2006). Selective elution of the gold cyanide complex from anion exchange resin using mixed solvents. Miner Eng. 19: 896-903. http://dx.doi.org/10.1016/j.mineng.2005.09.054.

Rajasingam, R; Lioe, L; Pham, QT; Lucien, FP. (2004). Solubility of carbon dioxide in dimethylsulfoxide and N-methyl-2-pyrrolidone at elevated pressure. Journal of Supercritical Fluids. 31: 227-234. http://dx.doi.org/10.1016/j.supflu.2003.12.003.

Rambausek, L; Bruneel, E, ls; De Mey, G; Van Langenhove, L. (2014). POLYIMIDE DIELECTRIC LAYER ON FILAMENTS FOR ORGANIC FIELD EFFECT TRANSISTORS: CHOICE OF SOLVENT, SOLUTION COMPOSITION AND DIP-COATING SPEED. 14: 121-134. http://dx.doi.org/10.2478/aut-2014-0008.

Ratner, J; Kahana, N; Warshawsky, A; Krongauz, V. (1996). Photochromic polysulfones .2. Photochromic properties of polymeric polysulfone carrying pendant spiropyran and spirooxazine groups. Ind Eng Chem Res. 35: 1307-1315.

Ravi, A; Praveen, T; Rao, CRK; Narayan, R; Raju, KVS, N. (2015). Polyurethane-tetraaniline conducting composites: synthesis and their anti-corrosion performance. Pigment & Resin Technology. 44: 306-312. http://dx.doi.org/10.1108/PRT-05-2014-0043.

Ravula, S; Baker, SN; Kamath, G; Baker, GA. (2015). Ionic liquid-assisted exfoliation and dispersion: stripping graphene and its two-dimensional layered inorganic counterparts of their inhibitions. Nanoscale. 7: 4338-4353. http://dx.doi.org/10.1039/c4nr01524j.

Rawson, BV; Cocker, J; Evans, PG; Wheeler, JP; Akrill, PM. (2005). Internal contamination of gloves: routes and consequences. Ann Occup Hyg. 49: 535-541. http://dx.doi.org/10.1093/annhyg/mei015.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of CO2 in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 218: 261-267. http://dx.doi.org/10.1016/j.fluid.2003.12.012.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of H2S in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol at 313, 343, and 393 K in the range 2.5-1036 kPa. Fluid Phase Equilibria. 224: 83-88. http://dx.doi.org/10.1016/j.fluid.2004.06.049.

Reddy, KR; Kumar, DBK; Rao, GS; Sairam, PVS; Anila, P; Rambabu, C. (2012). Activity Coefficients and Excess Gibbs Energies for Binary Mixtures of N-Methyl-2-pyrrolidone with Some Substituted Ethanols. Journal of Chemical and Engineering Data. 57: 1412-1416. http://dx.doi.org/10.1021/je3002078.

Reddy, KR; Kumar, DBK; Rao, GS; Sri, PBS; Rambabu, C. (2012). Vapor-liquid equilibria and excess molar volumes of N-methyl-2-pyrrolidone with 2-alkoxyethanols. Fluid Phase Equilibria. 336: 52-58. http://dx.doi.org/10.1016/j.fluid.2012.08.030.

Rehan, ZA; Gzara, L; Khan, SB; Alamry, KA; El-Shahawi, MS; Albeirutty, MH; Figoli, A; Drioli, E; Asiri, AM. (2016). Synthesis and Characterization of Silver Nanoparticles-Filled Polyethersulfone Membranes for Antibacterial and Anti-Biofouling Application. Recent Pat Nanotechnol. 10: 231-251. http://dx.doi.org/10.2174/1872210510666160429145228.

Reine, TA; Eldridge, RB. (2005). Absorption equilibrium and kinetics for ethylene-ethane separation with a novel solvent. Ind Eng Chem Res. 44: 7505-7510. http://dx.doi.org/10.1021/ie0488546.

Reitze, JD; Przewloka, SR; Shearer, BJ. (2001). The further chemistry of ellagic acid I. Synthesis of tetramethylellagic acid and associated polymer precursors. Holzforschung. 55: 171-175.

Ren, C; Liu, T; Maturavongsadit, P; Luckanagul, JA; Chen, F. (2015). Effect of PEG additive on anode microstructure and cell performance of anode-supported MT-SOFCs fabricated by phase inversion method. J Power Sources. 279: 774-780. http://dx.doi.org/10.1016/j.jpowsour.2014.12.140.

Ren, HM; Ding, YH; Chang, FH; He, X; Feng, JQ; Wang, CF; Jiang, Y; Zhang, P. (2012). Flexible free-standing TiO2/graphene/PVdF films as anode materials for lithium-ion batteries. Appl Surf Sci. 263: 54-57. http://dx.doi.org/10.1016/j.apsusc.2012.08.107.

Ren, J; Li, Z. (2012). Development of asymmetric BTDA-TDI/MDI (P84) copolyimide flat sheet and hollow fiber membranes for ultrafiltration: Morphology transition and membrane performance. Desalination. 285: 336-344. http://dx.doi.org/10.1016/j.desal.2011.10.024.

Ren, J; Li, Z; Wong, FS; Li, D. (2005). Development of asymmetric BTDA-TDI/MDI (P84) co-polyimide hollow fiber membranes for ultrafiltration: the influence of shear rate and approaching ratio on membrane morphology and performance. J Memb Sci. 248: 177-188. http://dx.doi.org/10.1016/j.memsci.2004.09.031.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric flat sheet and thickness-gradient membranes by wet phase-inversion process. Desalination. 253: 1-8. http://dx.doi.org/10.1016/j.desal.2009.12.001.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric polyetherimide flat sheet membranes with different thickness by wet phase-inversion process. Separation and Purification Technology. 74: 119-129. http://dx.doi.org/10.1016/j.seppur.2010.05.014.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Ren, JZ; Chung, TS; Li, DF; Wang, R; Liu, Y. (2002). Development of asymmetric 6FDA-2,6 DAT hollow fiber membranes for CO2/CH4 separation - 1. The influence of dope composition and rheology on membrane morphology and separation performance. J Memb Sci. 207: 227-240.

Ren, JZ; Li, ZS; Wong, FS. (2004). Membrane structure control of BTDA-TDI/MDI (P84) co-polyimide asymmetric membranes by wet-phase inversion process. J Memb Sci. 241: 305-314. http://dx.doi.org/10.1016/j.memsci.2004.06.001.

Reverchon, E; Cardea, S. (2005). Formation of polysulfone membranes by supercritical CO2. Journal of Supercritical Fluids. 35: 140-146. http://dx.doi.org/10.1016/j.supflu.2004.12.007.

Reverchon, E; De Marco, I; Caputo, G; Della Porta, G. (2003). Pilot scale micronization of amoxicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 26: 1-7.

Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. Powder Technology. 106: 23-29.

Reverchon, E; Della Porta, G; Falivene, MG. (2000). Process parameters and morphology in amoxicillin micro and submicro particles generation by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 17: 239-248.

Reybier, K; Malugani, JP; Fantini, S; Herlem, M; Fahys, B. (2002). Electrodeposition of Keggin-type heteropolyanions on different electrode surfaces from nonaqueous media. J Electrochem Soc. 149: E96-E101. http://dx.doi.org/10.1149/1.1447945.

Rey-Raap, N; Piedboeuf, MLC; Arenillas, A, na; Angel Menendez, J; Leonard, AF; Job, N. (2016). Aqueous and organic inks of carbon xerogels as models for studying the role of porosity in lithium-ion battery electrodes. Materials & Design. 109: 282-288. http://dx.doi.org/10.1016/j.matdes.2016.07.007.

Riaz, U; Ahmad, S; Ashraf, SM. (2009). Effect of solvent on the characteristics of nanostructured composites of poly (1-naphthylamine) with poly (vinyl alcohol). Curr Appl Phys. 9: 581-587. http://dx.doi.org/10.1016/j.cap.2008.05.012.

Riele, M; Snijder, ED; Vanswaaij, WPM. (1995). DIFFUSION-COEFFICIENTS AT INFINITE DILUTION IN WATER AND IN N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 34-36.

Rikabi, AAK, K; Balaban , M; Harabor, I; Albu, PC; Segarceanu, M; Nechifor, G. (2016). Iono-molecular Separation with Composite Membranes I. Preparation and characterization of membranes with polysulfone matrix. Rev Chim. 67: 1658-1665.

Rodriguez-Reinoso, F; Martinez-Escandell, M; Torregrosa, P; Marsh, H; de Salazar, CG; Romero-Palazon, E. (2001). Pyrolysis of petroleum residues III. Kinetics of pyrolysis. Carbon. 39: 61-71.

Rodriguez-Valero, AA; Martinez-Escandell, M; Rodriguez-Reinoso, F. (2002). Production of high-strength carbon artifacts from petroleum residues: Influence of the solvent used to prepare mesophase powder. Energy Fuels. 16: 1087-1094. http://dx.doi.org/10.1021/ef010293x.

Ronova, IA; Nikitin, LN; Tereschenko, GF; Bruma, M. (2012). SUPERCRITICAL CARBON DIOXIDE SWELLING OF POLYHETEROARYLENES SYNTHESISED IN N-METHYLPYRROLIDONE. Balkan Tribological Association Journal. 18: 425-443.

Roy, S; Wang, K; Khasamba, G. (2014). Use of N-Methyl-2-pyrrolidone (NMP) As a Solvent in the In Vitro Cytogenetic Assay. Environ Mol Mutagen. 55: S42-S42.

Royals, MA; Fujita, SM; Yewey, GL; Rodriguez, J; Schultheiss, PC; Dunn, RL. (1999). Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys. J Biomed Mater Res. 45: 231-239.

Ruble, GR; Giardino, OZ; Fossceco, SL; Cosmatos, D; Knapp, RJ; Barlow, NJ. (2006). The effect of commonly used vehicles on canine hematology and clinical chemistry values. Contemp Top Lab Anim Sci. 45: 25-29.

Růžička, J; Fusková, J; Křížek, K; Měrková, M; Černotová, A; Smělík, M. (2016). Microbial degradation of N-methyl-2-pyrrolidone in surface water and bacteria responsible for the process. Water Sci Technol. 73: 643-647. http://dx.doi.org/10.2166/wst.2015.540.

Ruzicka, K; Fulem, M; Mahnel, T; Cervinka, C. (2015). Recommended vapor pressures for aniline, nitromethane, 2-aminoethanol, and 1-methyl-2-pyrrolidone. Fluid Phase Equilibria. 406: 34-46. http://dx.doi.org/10.1016/j.fluid.2015.06.045.

Ryu, H, oSuk; Kim, BW; Park, J, inWoo; Nam, T, aeH; Cho, KK, oo; Kim, K, iWon; Ahn, J, ouH; Ahn, H, yoJun. (2016). Effect of solvents on the electrochemical properties of binder-free sulfur cathode films in lithium-sulfur batteries. Materials Research Bulletin. 82: 102-108. http://dx.doi.org/10.1016/j.materresbull.2016.03.027.

Ryu, Y; Yin, L; Yu, C. (2012). Dramatic electrical conductivity improvement of carbon nanotube networks by simultaneous de-bundling and hole-doping with chlorosulfonic acid. J Mater Chem. 22: 6959-6964. http://dx.doi.org/10.1039/c2jm16000e.

Sadeghi, I; Aroujalian, A; Raisi, A; Dabir, B; Fathizadeh, M. (2013). Surface modification of polyethersulfone ultrafiltration membranes by corona air plasma for separation of oil/water emulsions. J Memb Sci. 430: 24-36. http://dx.doi.org/10.1016/j.memsci.2012.11.051.

Saenger, KL; Tong, HM. (1991). LASER INTERFEROMETRY - A MEASUREMENT TECHNIQUE FOR DIFFUSION STUDIES IN THIN POLYMER-FILMS. Polymer Engineering and Science. 31: 432-435.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2014). Novel method for treatment of hollow fiber membranes using hypochlorite. J Text Inst. 105: 962-970. http://dx.doi.org/10.1080/00405000.2013.866333.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2015). The effect of bore fluid type on performance of treated polysulfone hollow-fiber membrane. Text Res J. 85: 281-293. http://dx.doi.org/10.1177/0040517514521122.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR. (1998). Liquid-liquid equilibrium studies on toluene plus heptane plus solvent. Journal of Chemical and Engineering Data. 43: 422-426.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR; Raghuram, MV. (1999). Extraction of aromatics from naphtha reformate using combination solvents. Indian J Chem Tech. 6: 85-89.

Sahin, S. (2010). Phase Equilibria for Liquid Mixtures of (an Alkane plus Toluene plus Dimethyl Phthalate). Journal of Chemical and Engineering Data. 55: 1204-1208. http://dx.doi.org/10.1021/je900592b.

Sahin, Y; Pekmez, K; Yildiz, A. (2002). Electrochemical synthesis of self-doped polyaniline in fluorosulfonic acid/acetonitrile solution. Synthetic Metals. 129: 107-115.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Saimani, S; Dal-Cin, MM; Kumar, A; Kingston, DM. (2010). Separation performance of asymmetric membranes based on PEGDa/PEI semi-interpenetrating polymer network in pure and binary gas mixtures of CO2, N-2 and CH4. J Memb Sci. 362: 353-359. http://dx.doi.org/10.1016/j.memsci.2010.06.045.

Saini, P; Bhandari, H; Choudhary, V; Dhawan, SK. (2008). Thermal, spectroscopic and electrical transport properties of processable poly(aniline-co-alkylaniline) copolymers. Indian Journal of Engineering and Materials Sciences. 15: 497-504.

Saini, P; Choudhary, V. (2013). Structural details, electrical properties, and electromagnetic interference shielding response of processable copolymers of aniline. Journal of Materials Science. 48: 797-804. http://dx.doi.org/10.1007/s10853-012-6797-0.

Sainz, R; Benito, AM; Martinez, MT; Galindo, JF; Sotres, J; Baro, AM; Corraze, B; Chauvet, O; Dalton, AB; Baughman, RH; Maser, WK. (2005). A soluble and highly functional polyaniline-carbon nanotube composite. Nanotechnology. 16: S150-S154. http://dx.doi.org/10.1088/0957-4484/16/5/003.

Saito, K; Nishimura, N; Sasaki, S; Oishi, Y; Shibasaki, Y. (2013). Synthesis of polyguanamines from 2-N,N-dibutylamino-4,6-dichloro-1,3,5-triazine with aromatic diamines. React Funct Polym. 73: 756-763. http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.005.

Sakaguchi, Y; Kaji, A; Konagaya, S. (2006). Influence of the addition of tertiary amine on the sequence length of aromatic polyamide copolymers in the solution polycondensation. Sen'i Gakkaishi. 62: 150-154.

Sakanishi, K; Saito, I; Ishom, F; Watanabe, I; Mochida, I; Okuyama, N; Deguchi, T; Simazaki, K. (2002). Characterization and elution behaviors of organically associated minerals in coals during acid treatment and solvent extraction. Fuel. 81: 1471-1475.

Salem, A; Hamad, EZ. (1995). LIQUID-LIQUID EQUILIBRIUM OF THE 5 COMPONENT SYSTEM OF N-HEXANE-N-HEPTANE-TOLUENE-O-XYLENE-PROPYLENE CARBONATE. Fluid Phase Equilibria. 108: 231-241.

Saljoughi, E; Amirilargani, M; Mohammadi, T. (2010). Effect of PEG additive and coagulation bath temperature on the morphology, permeability and thermal/chemical stability of asymmetric CA membranes. Desalination. 262: 72-78. http://dx.doi.org/10.1016/j.desal.2010.05.046.

Saljoughi, E; Mohammadi, T. (2009). Cellulose acetate (CA)/polyvinylpyrrolidone (PVP) blend asymmetric membranes: Preparation, morphology and performance. Desalination. 249: 850-854. http://dx.doi.org/10.1016/j.desal.2008.12.066.

Saljoughi, E; Sadrzadeh, M; Mohammadi, T. (2009). Effect of preparation variables on morphology and pure water permeation flux through asymmetric cellulose acetate membranes. J Memb Sci. 326: 627-634. http://dx.doi.org/10.1016/j.memsci.2008.10.044.

Samal, M; Acharya, S; Yi, DK; Lee, JS; Samal, S. (2015). C60 Cheese Sticks: Supramolecular Architecture of an Amphiphilic Fullerene Pentapod. J Nanosci Nanotechnol. 15: 6847-6851. http://dx.doi.org/10.1166/jnn.2015.10647.

Sang, J, un; Yu, L; Xie, S; Zhang, F; Zhang, X; Lin, W, ei. (2015). Simultaneous Determination of N-methyl-2-pyrrolidone (NMP) and N-Ethyl-2-pyrrolidone (NEP) in Leather by Gas Chromatography-Mass Spectrometry. Journal of the Society of Leather Technologists and Chemists. 99: 134-138.

Sanip, SM; Ismail, AF; Aziz, M; Soga, T. (2009). Functionalized Carbon Nanotubes for Mixed Matrix Membrane. I E I C E Transactions on Electronics. E92C: 1427-1431. http://dx.doi.org/10.1587/transele.E92.C.1427.

Santoro, S; Drioli, E; Figoli, A. (2016). Development of Novel ECTFE Coated PP Composite Hollow-Fiber Membranes. 6. http://dx.doi.org/10.3390/coatings6030040.

Sato, K; Sugimoto, K; Shimotsuma, N; Kikuchi, T; Kyotani, T; Kurata, T. (2012). Development of practically available up-scaled high-silica CHA-type zeolite membranes for industrial purpose in dehydration of N-methyl pyrrolidone solution. J Memb Sci. 409: 82-95. http://dx.doi.org/10.1016/j.memsci.2012.03.032.

Sava, I. (2006). Study and synthesis of aromatic polyimides by reaction of 3,3'-dimethyl-4,4'diaminodiphenylmethane. Materiale Plastice. 43: 15-19.

SAVITSKA.TI; Murenkov, AM; PROTSENK.VF. (1970). DETERMONATION OF N-METHYLPYRROLIDONE IN WATER BY INFRARED ABSORPTION SPECTROSCOPY. Industrial Laboratory. 36: 691-&.

Schneider, D; Weber, FE; Grunder, U; Andreoni, C; Burkhardt, R; Jung, RE. (2014). A randomized controlled clinical multicenter trial comparing the clinical and histological performance of a new, modified polylactide-co-glycolide acid membrane to an expanded polytetrafluorethylene membrane in guided bone regeneration procedures. Clin Oral Implants Res. 25: 150-158. http://dx.doi.org/10.1111/clr.12132.

Schult, CJ; Neely, BJ; Robinson, RL; Gasem, KAM; Todd, BA. (2001). Infinite-dilution activity coefficients for several solutes in hexadecane and in n-methyl-2-pyrrolidone (NMP): experimental measurements and UNIFAC predictions. Fluid Phase Equilibria. 179: 117-129.

Schultz, C; Kraft, V; Pyschik, M; Weber, S; Schappacher, F; Winter, M; Nowak, S. (2015). Separation and Quantification of Organic Electrolyte Components in Lithium-Ion Batteries via a Developed HPLC Method. J Electrochem Soc. 162: A629-A634. http://dx.doi.org/10.1149/2.0401504jes.

Schutzius, TM; Bayer, IS; Tiwari, MK; Megaridis, CM. (2011). Novel Fluoropolymer Blends for the Fabrication of Sprayable Multifunctional Superhydrophobic Nanostructured Composites. Ind Eng Chem Res. 50: 11117-11123. http://dx.doi.org/10.1021/ie200814r.

Schymura, S; Kuehnast, M; Lutz, V; Jagiella, S; Dettlaff-Weglikowska, U; Roth, S; Giesselmann, F; Tschierske, C; Scalia, G; Lagerwall, J, an. (2010). Towards Efficient Dispersion of Carbon Nanotubes in Thermotropic Liquid Crystals. Adv Funct Mater. 20: 3350-3357. http://dx.doi.org/10.1002/adfm.201000539.

Scully, M; Petty, MC; Monkman, AP. (1993). OPTICAL-PROPERTIES OF POLYANILINE THIN-FILMS. Synthetic Metals. 55: 183-187.

Seckin, T; Gultek, A; Koytepe, S. (2005). Synthesis and characterization of novel hyperbranched polyimides based on silsesquioxane nanocomposite networks. Turkish Journal of Chemistry. 29: 49-59.

Sedghi, R; Moazzami, HR; Davarani, SSH; Nabid, MR; Keshtkar, A, liR. (2017). A one step electrospinning process for the preparation of polyaniline modified TiO2/polyacrylonitile nanocomposite with enhanced photocatalytic activity. J Alloy Comp. 695: 1073-1079. http://dx.doi.org/10.1016/j.jallcom.2016.10.232.

Engineering/Occupational Exposure Literature Search Results

Off Topic

See-Toh, YH; Silva, M; Livingston, A. (2008). Controlling molecular weight cut-off curves for highly solvent stable organic solvent nanofiltration (OSN) membranes. J Memb Sci. 324: 220-232. http://dx.doi.org/10.1016/j.memsci.2008.07.023.

Semblante, GU, y; Tampubolon, SDR; You, SJ, ie; Lin, Y, iF; Chang, TC; Yen, FC. (2013). Fouling reduction in membrane reactor through magnetic particles. J Memb Sci. 435: 62-70. http://dx.doi.org/10.1016/j.memsci.2013.02.003.

Sen, D; Ghosh, AK; Mazumder, S; Bindal, RC; Tewari, PK. (2014). Novel polysulfone-spray-dried silica composite membrane for water purification: Preparation, characterization and performance evaluation. Separation and Purification Technology. 123: 79-86. http://dx.doi.org/10.1016/j.seppur.2013.12.019.

Seneker, SD; Potter, TA. (1991). SOLVENT AND CATALYST EFFECTS IN THE REACTION OF DICYCLOHEXYLMETHANE DIISOCYANATE WITH ALCOHOLS AND WATER. J Coating Tech. 63: 19-23.

Sengupta, PP; Barik, S; Adhikari, B. (2006). Polyaniline as a gas-sensor material. 21: 263-270. http://dx.doi.org/10.1080/10426910500464602.

Serban, B; Bercu, M; Voicu, SI; Nechifor, AC; Cobianu, C. (2006). Synthesis and characterization of a novel functionalized conductive beta-cyclodextrine-doped polyaniline. Rev Chim. 57: 978-980.

Serbezeanu, D; Vlad-Bubulac, T; Hamciuc, C. (2011). New Phosphorus-containing Copoly(ester-amide-imide) Synthesis and characterization. Materiale Plastice. 48: 7-11.

Sergeant, GD; Stubington, JF; Barrett, D; Phillipps, I. (1995). CHARACTERISTICS OF A LUBRICATING OIL BASE STOCK PRODUCED FROM RUNDLE SHALE OIL. Fuel Process Tech. 41: 147-157.

Shabanian, M; Hajibeygi, M. (2013). Magnetic Heat Resistant Poly(amide-imide) Nanocomposite Derived from Bisphenol A: Synthesis and Properties. Polymer Composites. 34: 1682-1689. http://dx.doi.org/10.1002/pc.22569.

Shamsabadi, AA; Kargari, A, li; Babaheidari, MB; Laki, S; Ajami, H. (2013). Role of critical concentration of PEI in NMP solutions on gas permeation characteristics of PEI gas separation membranes. J Ind Eng Chem. 19: 677-685. http://dx.doi.org/10.1016/j.jiec.2012.10.006.

Shao, F; Hao, C; Ni, L, ei; Zhang, Y; Du, R; Meng, J; Liu, Z; Xiao, C. (2014). Experimental and theoretical research on N-methyl-2-pyrrolidone concentration by vacuum membrane distillation using polypropylene hollow fiber membrane. J Memb Sci. 452: 157-164. http://dx.doi.org/10.1016/j.memsci.2013.09.041.

Shao, L; Chung, TS; Wensley, G; Goh, SH; Pramoda, KP. (2004). Casting solvent effects on morphologies, gas transport properties of a novel 6FDA/PMDA-TMMDA copolyimide membrane and its derived carbon membranes. J Memb Sci. 244: 77-87. http://dx.doi.org/10.1016/j.memsci.2004.07.005.

Shao, P; Huang, RYM; Feng, X; Anderson, W; Pal, R; Burns, CM. (2005). Composite membranes with an integrated skin layer: preparation, structural characteristics and pervaporation performance. J Memb Sci. 254: 1-11. http://dx.doi.org/10.1016/j.memsci.2004.08.034.

Sharma, AL; Srivastava, A. (2007). Ion beam induced modifications in nitroso substituted polyaniline: Spectral and electrical studies. Curr Appl Phys. 7: 650-654. http://dx.doi.org/10.1016/j.cap.2007.02.001.

Sharma, DK. (2010). Enhancing the Steam Gasification Reactivity of Coal by Boosting the Factors Affecting the Gasification Reactions in the Stepwise Coal Conversion. Energ Source Part A. 32: 1727-1736. http://dx.doi.org/10.1080/15567030902882927.

Sharma, S; Kumar, D. (2010). Study on solvatochromic behaviour of polyaniline and alkyl substituted polyanilines. Indian Journal of Engineering and Materials Sciences. 17: 231-237.

Sharma, SC; Sheshadri, TS; Krishna, M; Murthy, HNN; Jose, J. (2009). Influence of Solvents on the MWCNT/Adhesive Grade Epoxy Nanocomposites Preparation. Journal of Reinforced Plastics and Composites. 28: 2805-2812. http://dx.doi.org/10.1177/0731684408093977.

Shaver, TN. (1984). FATE OF ETHEPHON AND N-METHYL-2-PYRROLIDONE IN SOIL AND COTTON PLANTS. Arch Environ Contam Toxicol. 13: 335-340.

Shayanfar, A, li; Acree, WE, Jr; Jouyban, A. (2009). Solubility of Clonazepam, Diazepam, Lamotrigine, and Phenobarbital in N-Methyl-2-pyrrolidone plus Water Mixtures at 298.2 K. Journal of Chemical and Engineering Data. 54: 2964-2966. http://dx.doi.org/10.1021/je9000153.

Shen, J; Hu, Y; Shi, M, in; Li, N, a; Ma, H; Ye, M. (2010). One Step Synthesis of Graphene Oxide-Magnetic Nanoparticle Composite. J Phys Chem C. 114: 1498-1503. http://dx.doi.org/10.1021/jp909756r.

Shen, JL; Iino, M. (1994). HEAT-TREATMENT OF COALS IN HYDROGEN-DONATING SOLVENTS AT TEMPERATURES AS LOW AS 175-300-DEGREES-C. Energy Fuels. 8: 978-983.

Shen, JL; Takanohashi, T; Iino, M. (1992). THERMAL-BEHAVIOR OF COALS AT TEMPERATURES AS LOW AS 100-350 DEGREES-C - HEAT-TREATMENT OF THF-INSOLUBLE EXTRACT FROM CS2-NMP MIXED-SOLVENT EXTRACTION OF ZAO-ZHUANG COAL. Energy Fuels. 6: 854-858.

Shen, L; Xu, X; Lu, W, ei; Shi, B, o. (2016). Aluminum nitride shaping by non-aqueous gelcasting of low-viscosity and high solid-loading slurry. Ceramics International. 42: 5569-5574. http://dx.doi.org/10.1016/j.ceramint.2015.12.036.

Shen, SY; Dong, RX; Shih, PT; Ramamurthy, V; Lin, JJ; Ho, KC. (2014). Novel polymer gel electrolyte with organic solvents for quasi-solid-state dye-sensitized solar cells. 6: 18489-18496. http://dx.doi.org/10.1021/am505394v.

Shen, X; Abro, R; Alhumaydhi, IA; Abdeltawab, AA; Al-Enizi, AM; Chen, X; Yu, G. (2017). Separation of propylene and propane by functional mixture of imidazolintum chloride ionic liquid - Organic solvent - Cuprous salt. Separation and Purification Technology. 175: 177-184. http://dx.doi.org/10.1016/j.seppur.2016.11.023.

Shi, FF; Yu, SH. (1998). Electron beam stabilization and dissolution behaviors of advanced deep UV photoresist for sub 0.3 mu m microelectronics fabrication. Thin Solid Films. 322: 254-258.

Shieh, JJ; Chung, TS. (1998). Effect of liquid-liquid demixing on the membrane morphology, gas permeation, thermal and mechanical properties of cellulose acetate hollow fibers. J Memb Sci. 140: 67-79.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. Ind Eng Chem Res. 38: 2650-2658.

Shim, J; Yun, JM; Yun, T; Kim, P; Lee, KE; Lee, WJ; Ryoo, R; Pine, DJ; Yi, GR; Kim, SO. (2014). Two-minute assembly of pristine large-area graphene based films. Nano Lett. 14: 1388-1393. http://dx.doi.org/10.1021/nl404446f.

Shim, YB; Park, JH. (2000). Humidity sensor using chemically synthesized poly(1,5-diaminonaphthalene) doped with carbon. J Electrochem Soc. 147: 381-385.

Shin, DW; Lee, JH; Kim, YH; Yu, SM; Park, SY; Yoo, JB. (2009). A role of HNO3 on transparent conducting film with single-walled carbon nanotubes. Nanotechnology. 20: 475703. http://dx.doi.org/10.1088/0957-4484/20/47/475703.

Shin, HJ, un; Jeon, SS, oo; Im, SS. (2011). CNT/PEDOT core/shell nanostructures as a counter electrode for dye-sensitized solar cells. Synthetic Metals. 161: 1284-1288. http://dx.doi.org/10.1016/j.synthmet.2011.04.024.

Shin, K; Jeon, H; Park, CE, on; Kim, Y; Cho, H; Lee, G; Han, JH, un. (2010). A low voltage operational single-walled carbon nanotube thin-film transistor containing a high capacitance gate dielectric layer produced by layer-by-layer deposition. Organic Electronics. 11: 1403-1407. http://dx.doi.org/10.1016/j.orgel.2010.05.012.

Shin, SH; Hwang, IC; Park, SJ; In, SJ. (2012). Liquid–liquid equilibria and thermo physical properties for 1-methyl-2-pyrrolidinone+heterocyclic nitrogen compounds+hexadecane systems at 298.15K. J Ind Eng Chem. 18: 848-854. http://dx.doi.org/10.1016/j.jiec.2011.11.143.

Shin, SJ; Kim, JP; Kim, HJ; Jeon, JH; Min, BR. (2005). Preparation and characterization of polyethersulfone microfiltration membranes. Desalination. 186: 1-10. http://dx.doi.org/10.1016/j.desal.2005.03.092.

Shui, H; Lin, C; Zhang, M; Wang, Z; Zheng, M. (2010). Comparison of the associative structure of two different types of rich coals and their coking properties. Fuel. 89: 1647-1653. http://dx.doi.org/10.1016/j.fuel.2009.08.011.

Shui, H; Liu, J; Wang, Z; Cao, M; Wei, X. (2009). Effect of pre-swelling of coal at mild temperatures on its hydro-liquefaction properties. Fuel Process Tech. 90: 1047-1051. http://dx.doi.org/10.1016/j.fuproc.2009.03.022.

Shui, H; Norinaga, K; Iino, M. (2002). Characterizations of aggregation states of coal soluble constituents at solid state. Energy Fuels. 16: 69-73. http://dx.doi.org/10.1021/ef010162w.

Shui, H; Wang, Z. (2010). Effect of Solvent Pretreatments on the Aggregation Behavior of Upper Freeport Coal. Energy Fuels. 24: 1063-1068. http://dx.doi.org/10.1021/ef9008482.

Shui, H; Wang, Z; Cao, M. (2008). Effect of pre-swelling of coal on its solvent extraction and liquefaction properties. Fuel. 87: 2908-2913. http://dx.doi.org/10.1016/j.fuel.2008.04.028.

Shui, H; Zhou, Y, an; Li, H; Wang, Z; Lei, Z; Ren, S; Pan, C; Wang, W. (2013). Thermal dissolution of Shenfu coal in different solvents. Fuel. 108: 385-390. http://dx.doi.org/10.1016/j.fuel.2012.11.005.

Shui, HF. (2005). Effect of coal extracted with NMP on its aggregation. Fuel. 84: 939-941. http://dx.doi.org/10.1016/j.fuel.2004.12.001.

Shui, HF; Norinaga, K; Iino, M. (2001). Effect of tetrabutylammonium acetate addition on the aggregation of coal molecules at solution and solid states. Energy Fuels. 15: 487-491. http://dx.doi.org/10.1021/ef000230z.

Shui, HF; Wang, ZC. (2007). Viscoelastic properties and adsorption behaviors of two kinds of pyridine insoluble fractions of coal extracts with different aggregated states. Energy Fuels. 21: 2827-2830. http://dx.doi.org/10.1021/ef0701034.

Shui, HF; Wang, ZC; Gao, JS. (2006). Examination of the role of CS2 in the CS2/NMP mixed solvents to coal extraction. Fuel Process Tech. 87: 185-190. http://dx.doi.org/10.1016/j.fuproc.2004.11.017.

Shui, HF; Zhou, H. (2004). Viscosity and fractal dimension of coal soluble constituents in solution. Fuel Process Tech. 85: 1529-1538. http://dx.doi.org/10.1016/j.fuproc.2003.10.024.

Sieben, JM; Anson-Casaos, A; Martinez, MT; Morallon, E. (2013). Single-walled carbon nanotube buckypapers as electrocatalyst supports for methanol oxidation. J Power Sources. 242: 7-14. http://dx.doi.org/10.1016/j.jpowsour.2013.05.044.

Sikder, J; Pereira, C; Palchoudhury, S; Vohra, K; Basumatary, D; Pal, P. (2009). Synthesis and characterization of cellulose acetate-polysulfone blend microfiltration membrane for separation of microbial cells from lactic acid fermentation broth. Desalination. 249: 802-808. http://dx.doi.org/10.1016/j.desal.2008.11.024.

Silva, A, naJC; Nogueira, VC; Santos, TEA; Buck, CJT; Worrall, DR; Tonholo, J; Mortimer, RJ; Ribeiro, AS. (2015). Copolymerisation as a way to enhance the electrochromic properties of an alkylthiophene oligomer and a pyrrole derivative: copolymer of 3,3 ''' dihexyl-2,2 ':5 ',2 '':5 '',2 ' '''-quaterthiophene with (R)-(-)-3-(1-pyrrolyl)propyl-N-(3,5-dinitrobenzoyl)-alpha-phenylglycinate. Solar Energy Materials and Solar Cells. 134: 122-132. http://dx.doi.org/10.1016/j.solmat.2014.11.037.

Simionescu, S; Teodorescu, S; Ion, RM; Nechifor, G. (2016). Polymer Membranes for Selective Separation of Ionizing Forms of TPPS4 as Drug Photodynamic Therapy. Materiale Plastice. 53: 194-197.

Simone, S; Figoli, A; Criscuoli, A; Carnevale, MC; Alfadul, SM; Al-Romaih, HS; Al Shabouna, FS; Al-Harbi, OA; Drioli, E. (2014). Effect of selected spinning parameters on PVDF hollow fiber morphology for potential application in desalination by VMD. Desalination. 344: 28-35. http://dx.doi.org/10.1016/j.desal.2014.03.004.

Simone, S; Figoli, A; Santoro, S; Galiano, F; Alfadul, SM; Al-Harbi, OA; Drioli, E. (2012). Preparation and characterization of ECTFE solvent resistant membranes and their application in pervaporation of toluene/water mixtures. Separation and Purification Technology. 90: 147-161. http://dx.doi.org/10.1016/j.seppur.2012.02.022.

Singh, ID; Ramaswamy, V; Kothiyal, V. (1990). ESTIMATION OF RESIDUAL N-METHYL-2-PYRROLIDONE IN LUBE EQUILIBRIUM PHASES BY INFRARED-SPECTROSCOPY. 28: 43-44.

Singh, V; Purkait, MK; Chandaliya, VK; Biswas, PP; Banerjee, PK; Das, C. (2012). Development of membrane based technology for the separation of coal from organic solvent. Desalination. 299: 123-128. http://dx.doi.org/10.1016/j.desal.2012.05.033.

Sinh, L, eH; Hong, JM, i; Son, BT; Trung, NN; Bae, J, inY. (2012). Thermal, dielectric, and rheological properties of aluminum nitride/liquid crystalline copoly(ester amide) composite for the application of thermal interface materials. Polymer Composites. 33: 2140-2146. http://dx.doi.org/10.1002/pc.22355.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Sinha, MK; Purkait, MK. (2014). Enhancement of hydrophilicity of poly(vinylidene fluoride-co-hexafluoropropylene) (PVDF-HFP) membrane using various alcohols as nonsolvent additives. Desalination. 338: 106-114. http://dx.doi.org/10.1016/j.desal.2014.02.002.

Sinha, MK; Purkait, MK. (2014). Preparation and characterization of novel pegylated hydrophilic pH responsive polysulfone ultrafiltration membrane. J Memb Sci. 464: 20-32. http://dx.doi.org/10.1016/j.memsci.2014.03.067.

Sitarek, K; Stetkiewicz, J. (2008). Assessment of reproductive toxicity and gonadotoxic potential of N-methyl-2-pyrrolidone in male rats. Int J Occup Med Environ Health. 21: 73-80. http://dx.doi.org/10.2478/v10001-008-0006-z.

Smith, JM; Katsoulis, DE. (1995). GELATION OF SILICONE FLUIDS USING 1,3/2,4-DIBENZYLIDENE SORBITOL. J Mater Chem. 5: 1899-1903.

Solimo, HN; Dedoz, MBG. (1995). INFLUENCE OF TEMPERATURE ON THE LIQUID-TO-LIQUID EXTRACTION OF 4-HYDROXY-4-METHYL-2-PENTANONE FROM AQUEOUS-SOLUTIONS WITH BENZYL ALCOHOL. Fluid Phase Equilibria. 107: 213-227.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone - Reply. J Occup Environ Med. 39: 394-394.

Soltanpour, S; Bastami, Z; Sadeghilar, S; Kouhestani, M; Pouya, F; Jouyban, A. (2013). Solubility of Clonazepam and Diazepam in Polyethylene Glycol 200, Propylene Glycol, N-Methyl Pyrrolidone, Ethanol, and Water at (298.2 to 318.2) K and in Binary and Ternary Mixtures of Polyethylene Glycol 200, Propylene Glycol, and Water at 298.2 K. Journal of Chemical and Engineering Data. 58: 307-314. http://dx.doi.org/10.1021/je3009842.

Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2009). Absorption of carbon dioxide into glycidyl methacrylate solution containing the triethylamine immobilized ionic liquid on MCM-41 catalyst. Korean J Chem Eng. 26: 783-790. http://dx.doi.org/10.1007/s11814-009-0131-9.

Song, YI; Kim, GY; Choi, HK; Jeong, HJ; Kim, KK; Yang, CM; Lim, SC; An, KH; Jung, KT; Lee, YH. (2006). Fabrication of carbon nanotube field emitters using a dip-coating method. Chemical Vapor Deposition. 12: 375-379. http://dx.doi.org/10.1002/cvde.200506442.

Sonmez, O; Giray, ES. (2011). An Investigation of the Effect of Pre-swelling on the Extraction Yield of Two Different Ranked Turkish Coals. Energ Source Part A. 33: 1901-1911. http://dx.doi.org/10.1080/15567030903503159.

Sonmez, O; Giray, ES. (2011). Producing ashless coal extracts by microwave irradiation. Fuel. 90: 2125-2131. http://dx.doi.org/10.1016/j.fuel.2011.02.006.

Sonmez, O; Gozmen, B; Cakir, MO; Cevik, T. (2015). Response Surface Methodological Approach to Optimize Microwave-assisted Extraction of Cayirhan Lignite. Energ Source Part A. 37: 2458-2466. http://dx.doi.org/10.1080/15567036.2012.721053.

Sotto, A; Boromand, A; Balta, S; Darvishmanash, S; Kim, J; Van der Bruggen, B. (2011). Nanofiltration membranes enhanced with TiO sub(2) nanoparticles: a comprehensive study. Desalination and Water Treatment. 34: 179-183. http://dx.doi.org/10.5004/dwt.2011.2787.

Sotto, A; Boromand, A; Balta, S; Kim, J; Van Der Bruggen, B. (2011). Doping of polyethersulfone nanofiltration membranes: antifouling effect observed at ultralow concentrations of TiO2 nanoparticles. J Mater Chem. 21: 10311-10320. http://dx.doi.org/10.1039/c1jm11040c.

Spasojević, V; Šerbanović, S; Djordjević, B; Kijevčanin, M. (2013). Densities, Viscosities, and Refractive Indices of Aqueous Alkanolamine Solutions as Potential Carbon Dioxide Removal Reagents. Journal of Chemical and Engineering Data. 58: 84-92. http://dx.doi.org/10.1021/je300938w.

Spasojevic, V, ukD; Serbanovic, SP; Stefanovic, P; Kijevcanin, ML, j. (2014). Review of techological methods and experimental determination of thermodynamic and transport properties of reagents for carbon dioxide removal from flue gases. Hemijska Industrija. 68: 123-134. http://dx.doi.org/10.2298/HEMIND130312039S.

Sresht, V; Pádua, AA; Blankschtein, D. (2015). Liquid-Phase Exfoliation of Phosphorene: Design Rules from Molecular Dynamics Simulations. ACS Nano. 9: 8255-8268. http://dx.doi.org/10.1021/acsnano.5b02683.

Srivastava, M; Kumar, M; Singh, R; Agarwal, UC; Garg, MO. (2011). Clarified Oil from Fluid Catalytic Cracking as an Additional Source of Group II Base Oil Components. Petroleum Science and Technology. 29: 172-182. http://dx.doi.org/10.1080/10916460903058095.

Stejskal, J; Hajna, M; Kasparkova, V; Humpolicek, P; Zhigunov, A; Trchova, M. (2014). Purification of a conducting polymer, polyaniline, for biomedical applications. Synthetic Metals. 195: 286-293. http://dx.doi.org/10.1016/j.synthmet.2014.06.020.

Stejskal, J; Kratochvil, P; Radhakrishnan, N. (1993). POLYANILINE DISPERSIONS .2. UV-VIS ABSORPTION-SPECTRA. Synthetic Metals. 61: 225-231.

Stengl, V; Bakardjieva, S; Henych, J; Lang, K; Kormunda, M. (2013). Blue and green luminescence of reduced graphene oxide quantum dots. Carbon. 63: 537-546. http://dx.doi.org/10.1016/j.carbon.2013.07.031.

Stepanova, VN; Galtsova, EV; Romashkina, LP. (1984). N-METHYLPYRROLIDONE TRANSFORMATION IN ACETYLENE ISOLATION CONDITIONS. 594-596.

Stepanova, VN; Kolesnikova, EV; Bochkareva, TP; Rastegaeva, NP. (1991). IDENTIFICATION OF N-METHYLSUCCINIMIDE AS AN OXIDATION-PRODUCT OF N-METHYLPYRROLIDONE. 125-125.

Stillman, D; Krupp, L; La, YH, ye. (2014). Mesh-reinforced thin film composite membranes for forward osmosis applications: The structure-performance relationship. J Memb Sci. 468: 308-316. http://dx.doi.org/10.1016/j.memsci.2014.06.015.

Stock, LM; Obeng, M. (1997). Oxidation and decarboxylation. A reaction sequence for the study of aromatic structural elements in Pocahontas No. 3 coal. Energy Fuels. 11: 987-997.

Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. AIHA J. 63: 62-71.

Su, Y; Jian, XG; Zhang, SH; Yan, C. (2006). Preparation of novel PPES-B UF membrane with good thermal stability: The effect of additives on membrane performance and cross-section morphology. J Memb Sci. 271: 205-214. http://dx.doi.org/10.1016/j.memsci.2005.07.017.

Suelves, I; Islas, CA; Herod, AA; Kandiyoti, R. (2001). Comparison of fractionation methods for the structural characterization of petroleum residues. Energy Fuels. 15: 429-437.

Sugiura, T; Ogawa, H. (2009). Enthalpies of solution, partial molar volumes and isentropic compressibilities of polycyclic aromatic hydrocarbons in 1-methyl-2-pyrrolidone at 298.15 K. Fluid Phase Equilibria. 277: 29-34. http://dx.doi.org/10.1016/j.fluid.2008.11.006.

Sukhishvili, SA; Granick, S. (1997). Formation and characterization of covalently bound polyelectrolyte brushes. Langmuir. 13: 4935-4938.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Sun, G; Chen, G; Liu, Z; Chen, M. (2010). Preparation, crystallization, electrical conductivity and thermal stability of syndiotactic polystyrene/carbon nanotube composites. Carbon. 48: 1434-1440. http://dx.doi.org/10.1016/j.carbon.2009.12.037.

Sun, H; Castillo, AED, elRio; Monaco, S; Capasso, A; Ansaldo, A; Prato, M; Dinh, D, ucAnh; Pellegrini, V; Scrosati, B; Manna, L; Bonaccorso, F. (2016). Binder-free graphene as an advanced anode for lithium batteries. 4: 6886-6895. http://dx.doi.org/10.1039/c5ta08553e.

Sun, J; Liu, X; Fang, Z; Mao, S; Zhang, L; Rohani, S; Lu, J, ie. (2016). Solubility Measurement and Simulation of Rivaroxaban (Form I) in Solvent Mixtures from 273.15 to 323.15 K. Journal of Chemical and Engineering Data. 61: 495-503. http://dx.doi.org/10.1021/acs.jced.5b00667.

Sun, XF; Sun, R; Sun, JX. (2002). Acetylation of rice straw with or without catalysts and its characterization as a natural sorbent in oil spill cleanup. J Agric Food Chem. 50: 6428-6433. http://dx.doi.org/10.1021/jf020392o.

Sun, Y, e; Wang, X; Feng, T; Yu, G; Wang, F. (2014). Evaluation of Coal Extraction with Supercritical Carbon Dioxide/1Methyl-2-pyrrolidone Mixed Solvent. Energy Fuels. 28: 816-824. http://dx.doi.org/10.1021/ef401682g.

Sun, Z; O'Connor, I, an; Bergin, SD; Coleman, JN. (2009). Effects of Ambient Conditions on Solvent-Nanotube Dispersions: Exposure to Water and Temperature Variation. J Phys Chem C. 113: 1260-1266. http://dx.doi.org/10.1021/jp807371r.

Sun, Z; Poeller, S; Huang, X; Guschin, D; Taetz, C; Ebbinghaus, P; Masa, J; Erbe, A; Kilzer, A; Schuhmann, W; Muhler, M. (2013). High-yield exfoliation of graphite in acrylate polymers: A stable few-layer graphene nanofluid with enhanced thermal conductivity. Carbon. 64: 288-294. http://dx.doi.org/10.1016/j.carbon.2013.07.063.

Sundararajan, GP; van Ooij, WJ. (2000). Silane based pretreatments for automotive steels. Surf Eng. 16: 315-320.

Sung, KA; Jung, H, oY; Kim, W, anK; Cho, K, iYun; Park, JK, i. (2007). Influence of dispersion solvent for catalyst ink containing sulfonated poly(ether ether ketone) on cathode behaviour in a direct methanol fuel cell. J Power Sources. 169: 271-275. http://dx.doi.org/10.1016/j.jpowsour.2007.03.056.

Sunitha, K; Rani, KY; Moulik, S; Satyanarayana, SV; Sridhar, S. (2013). Separation of NMP/water mixtures by nanocomposite PEBA membrane: Part I. Membrane synthesis, characterization and pervaporation performance. Desalination. 330: 1-8. http://dx.doi.org/10.1016/j.desal.2013.09.016.

Suppino, RS; Gomez Cobo, AJ. (2014). Influence of Solvent Nature on Extractive Distillation of the Benzene Hydrogenation Products. Ind Eng Chem Res. 53: 16397-16405. http://dx.doi.org/10.1021/ie501753n.

Suppino, RS; Landers, R; Gomez Cobo, AJ. (2013). Partial hydrogenation of benzene on Ru catalysts: Effects of additives in the reaction medium. Appl Catal A-Gen. 452: 9-16. http://dx.doi.org/10.1016/j.apcata.2012.11.034.

Svanda, J; Gromov, MV; Kalachyova, Y; Postnikov, PS; Svorcik, V; Lyutakov, O. (2016). Preparation of ordered silver angular nanoparticles array in block copolymer film for surface-enhanced Raman spectroscopy. J Nanopart Res. 18. http://dx.doi.org/10.1007/s11051-016-3599-3.

Svensson, H; Edfeldt, J; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Solubility of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 27: 247-254. http://dx.doi.org/10.1016/j.ijggc.2014.06.004.

Svensson, H; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Heat of absorption of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 30: 1-8. http://dx.doi.org/10.1016/j.ijggc.2014.08.022.

Swallow, KC; Taghizadeh, K; Weakland, S; Plummer, EF; Busby, WF; Lafleur, AL. (1995). PHOTOOXIDATION OF SELECTED POLYCYCLIC AROMATIC-HYDROCARBONS IN AQUEOUS-ORGANIC MEDIA IN THE PRESENCE OF TI(IV)OXIDE. Int J Environ Anal Chem. 60: 113-122.

Swier, S; Ramani, V; Fenton, JM; Kunz, HR; Shaw, MT; Weiss, RA. (2005). Polymer blends based on sulfonated poly(ether ketone ketone) and poly(ether sulfone) as proton exchange membranes for fuel cells. J Memb Sci. 256: 122-133. http://dx.doi.org/10.1016/j.memsci.2005.02.013.

Swier, S; Shaw, MT; Weiss, RA. (2006). Morphology control of sulfonated poly(ether ketone ketone) poly(ether imide) blends and their use in proton-exchange membranes. J Memb Sci. 270: 22-31. http://dx.doi.org/10.1016/j.memsci.2005.06.037.

Tachibana, Y, u; Nogami, M; Sugiyama, Y; Ikeda, Y. (2011). Kinetic and Mechanistic Studies on Reactions of Pyrrolidone Derivatives with Ozone. Ozone: Science and Engineering. 33: 470-482. http://dx.doi.org/10.1080/01919512.2011.615720.

Tae, G; Kornfield, JA; Hubbell, JA. (2005). Sustained release of human growth hormone from in situ forming hydrogels using self-assembly of fluoroalkyl-ended poly(ethylene glycol). Biomaterials. 26: 5259-5266. http://dx.doi.org/10.1016/j.biomaterials.2005.01.042.

Tai, CC; Wang, Y, unH. (2013). Development of Adsorbent Hollow Fibres for Environmental Applications. AST. 31: 85-97. http://dx.doi.org/10.1260/0263-6174.31.1.85.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (1999). Effects of solvents on the hydrogenation of mono-aromatic compounds using noble-metal catalysts. Energy Fuels. 13: 1191-1196.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (2002). Catalytic hydrogenation of extracts from coal and their thermal reactivity. Energy Fuels. 16: 12-17. http://dx.doi.org/10.1021/ef010142u.

Takahashi, K; Norinaga, K; Masui, Y; Iino, M. (2001). Effect of addition of various salts on coal extraction with carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent. Energy Fuels. 15: 141-146.

Takanohashi, T; Fengjuan, X; Saito, I; Sanokawa, Y; Iino, M. (2000). Effect of lighter constituents on the solubility of heavy constituents of coals. Fuel. 79: 955-960.

Takanohashi, T; Iino, M. (1990). EXTRACTION OF ARGONNE PREMIUM COAL SAMPLES WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE AND ESR PARAMETERS OF THEIR EXTRACTS AND RESIDUES. Energy Fuels. 4: 452-455.

Takanohashi, T; Iino, M. (1991). INSOLUBILIZATION OF COAL SOLUBLE CONSTITUENTS IN SOME BITUMINOUS COALS BY REFLUXING WITH PYRIDINE. Energy Fuels. 5: 708-711.

Takanohashi, T; Iino, M; Mainwaring, DE. (1998). Viscoelastic behaviors of Loy Yang coal-N-methyl-2-pyrrolidinone mixtures. Energy Fuels. 12: 476-478.

Takanohashi, T; Iino, M; Nakamura, K. (1994). ESTIMATION OF LENGTH OF INTERCLUSTER BOND IN COAL BY DENSITY SIMULATION OF COAL MOLECULAR-MODEL. Kagaku Kogaku Ronbunshu. 20: 959-964.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Takanohashi, T; Iino, M; Nakamura, K. (1994). EVALUATION OF ASSOCIATION OF SOLVENT-SOLUBLE MOLECULES OF BITUMINOUS COAL BY COMPUTER-SIMULATION. Energy Fuels. 8: 395-398.

Takanohashi, T; Iino, M; Nakamura, K. (1998). Simulation of interaction of coal associates with solvents using the molecular dynamics calculation. Energy Fuels. 12: 1168-1173.

Takanohashi, T; Iino, M; Nishioka, M. (1995). INVESTIGATION OF ASSOCIATED STRUCTURE OF UPPER FREEPORT COAL BY SOLVENT SWELLING. Energy Fuels. 9: 788-793.

Takanohashi, T; Kawashima, H. (2002). Construction of a model structure for upper freeport coal using C-13 NMR chemical shift calculations. Energy Fuels. 16: 379-387. http://dx.doi.org/10.1021/ef0101154.

Takanohashi, T; Kawashima, H; Yoshida, T; Iino, M. (2002). The nature of the aggregated structure of upper freeport coal. Energy Fuels. 16: 6-11. http://dx.doi.org/10.1021/ef0101255.

Takanohashi, T; Kudo, T; Iino, M. (1998). Coal gels formed by coal-solvent interactions. Energy Fuels. 12: 470-475.

Takanohashi, T; Nakamura, K; Iino, M. (1999). Computer simulation of methanol swelling of coal molecules. Energy Fuels. 13: 922-926.

Takanohashi, T; Nakano, K; Kaiho, M; Yamada, O; Saito, I. (2004). Study of the interaction of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvents with Argonne premium coals using an inverse liquid chromatography technique. Energy Fuels. 18: 450-454. http://dx.doi.org/10.1021/ef0340211.

Takanohashi, T; Nakano, K; Yamada, O; Kaiho, M; Ishizuka, A; Mashimo, K. (2000). An inverse liquid chromatography study of the interaction of organic compounds with argonne premium coals. Energy Fuels. 14: 720-726.

Takanohashi, T; Ohkawa, T; Yanagida, T; Lino, M. (1993). EFFECT OF MACERAL COMPOSITION ON THE EXTRACTION OF BITUMINOUS COALS WITH CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE. Fuel. 72: 51-55.

Takanohashi, T; Terao, Y; Iino, M; Yun, YS; Suuberg, EM. (1999). Irreversible structural changes in coals during heating. Energy Fuels. 13: 506-512.

Takanohashi, T; Terao, Y; Yoshida, T; Iino, M. (2000). Adsorption and diffusion of alcohol vapors by argonne premium coals. Energy Fuels. 14: 915-919. http://dx.doi.org/10.1021/ef000014q.

Takanohashi, T; Yanagida, T; Iino, M; Mainwaring, DE. (1996). Extraction and swelling of low-rank coals with various solvents at room temperature. Energy Fuels. 10: 1128-1132.

Takanohashi, T; Yoshida, T; Iino, M; Katoh, K. (1998). Effect of heavy solvent-soluble constituents on coal fluidity. Energy Fuels. 12: 913-917.

Takanohashi, T; Yoshida, T; Kawashima, H. (2002). Molecular simulation of relaxation behaviors of coal-aggregated structures. Fuel Process Tech. 77: 53-60.

Takayama, S; Ostuni, E; Qian, XP; Mcdonald, JC; Jiang, XY; Leduc, P; Wu, MH; Ingber, DE; Whitesides, GM. (2001). Topographical micropatterning of poly(dimethylsiloxane) using laminar flows of liquids in capillaries. Adv Mater Deerfield. 13: 570-+.

Takebayashi, Y; Sue, K; Yoda, S; Hakuta, Y; Furuya, T. (2012). Solubility of Terephthalic Acid in Subcritical Water. Journal of Chemical and Engineering Data. 57: 1810-1816. http://dx.doi.org/10.1021/je300263z.

Tam, CM; Dalcin, M; Guiver, MD. (1993). POLYSULFONE MEMBRANES .4. PERFORMANCE EVALUATION OF RADEL-A/PVP MEMBRANES. J Memb Sci. 78: 123-134.

Tam, CM; Matsuura, T; Tweddle, TA; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .3. PERFORMANCE EVALUATION OF POLYETHERSULFONE PVP MEMBRANES. Separation Science and Technology. 28: 2621-2633.

Tam, CM; Tweddle, TA; Kutowy, O; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .2. PERFORMANCE COMPARISON OF POLYSULFONE-POLY-(N-VINYL-PYRROLIDONE) MEMBRANES. Desalination. 89: 275-287.

Tan, LS; Shariff, AM; Lau, KK; Bustam, MA. (2015). Impact of high pressure on high concentration carbon dioxide capture from natural gas by monoethanolamine/N-methyl-2-pyrrolidone solvent in absorption packed column. Int J Greenhouse Gas Control. 34: 25-30. http://dx.doi.org/10.1016/j.ijggc.2014.12.020.

Tan, X; Liu, N, an; Meng, B, o; Liu, S. (2011). Morphology control of the perovskite hollow fibre membranes for oxygen separation using different bore fluids. J Memb Sci. 378: 308-318. http://dx.doi.org/10.1016/j.memsci.2011.05.012.

Tan, X; Song, J; Meng, X; Meng, B, o. (2012). Preparation and characterization of BaCe0.95Th0.05O3-alpha hollow fibre membranes for hydrogen permeation. J Eur Ceram Soc. 32: 2351-2357. http://dx.doi.org/10.1016/j.jeurceramsoc.2012.03.004.

Tan, X; Wang, Z; Li, K. (2010). Effects of Sintering on the Properties of La0.6Sr0.4Co0.2Fe0.8O3-delta Perovskite Hollow Fiber Membranes. Ind Eng Chem Res. 49: 2895-2901. http://dx.doi.org/10.1021/ie901403u.

Tan, XY; Li, K. (2006). Oxidative coupling of methane in a perovskite hollow-fiber membrane reactor. Ind Eng Chem Res. 45: 142-149. http://dx.doi.org/10.1021/ie0506320.

Tan, XY; Liu, SM; Li, K. (2001). Preparation and characterization of inorganic hollow fiber membranes. J Memb Sci. 188: 87-95.

Tang, MS; Whitcher, TJ; Yeoh, KH; Chua, CL; Woon, KL; Show, PL; Lin, YK; Ling, TC. (2014). The removal of metallic single-walled carbon nanotubes using an aqueous two-phase system. J Nanosci Nanotechnol. 14: 3398-3402. http://dx.doi.org/10.1166/jnn.2014.8680.

Tang, MSY; Show, P, auL; Lin, Y, uK; Woon, K, aiLin; Tan, CP; Ling, T, auC. (2014). Separation of single-walled carbon nanotubes using aqueous two-phase system. Separation and Purification Technology. 125: 136-141. http://dx.doi.org/10.1016/j.seppur.2014.01.044.

Tang, XD; Hu, T, ao; Li, JJ; Wang, F; Qing, D, aY. (2015). Desulfurization of Kerosene by the Electrochemical Oxidation and Extraction Process. Energy Fuels. 29: 2097-2103. http://dx.doi.org/10.1021/ef502437m.

Tang, XF; Yang, ZG, uo; Liang, J, iaHui. (2017). Efficient strategy of chlorine-assisted liquid-phase exfoliation of graphite. Journal of Materials Science. 52: 3786-3793. http://dx.doi.org/10.1007/s10853-016-0600-6.

Tang, Z; Kang, H; Wei, Q; Guo, B; Zhang, L; Jia, D. (2013). Incorporation of graphene into polyester/carbon nanofibers composites for better multi-stimuli responsive shape memory performances. Carbon. 64: 487-498. http://dx.doi.org/10.1016/j.carbon.2013.07.103.

Tanveer, N; Mobin, M. (2012). Anti-corrosive properties of poly (2-pyridylamine-co-aniline-co-2,3-xylidine) terpolymer coating on mild steel in different corrosive environments. Progr Org Coating. 75: 231-240. http://dx.doi.org/10.1016/j.porgcoat.2012.05.002.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. J Memb Sci. 269: 66-74. http://dx.doi.org/10.1016/j.memsci.2005.06.019.

Tao, J; Kishimoto, T; Suzuki, S; Hamada, M; Nakajima, N. (2016). Superior cellulose-protective effects of cosolvent during enhanced dissolution in imidazolium ionic liquid. Holzforschung. 70: 519-525. http://dx.doi.org/10.1515/hf-2015-0116.

Tao, L; Guohua, M; Tongjiang, P. (2015). Mechanism of Preparing Spherical Nano-sized Silver Particles via o-Phenylenediamine Reduction Process in Water-NMPD Mixed Solution System. 44: 1071-1074.

Tao, XT; Watanabe, T; Kono, K; Deguchi, T; Nakayama, M; Miyata, S. (1996). Synthesis and characterization of poly(aryl ether chalcone)s for second harmonic generation. Chem Mater. 8: 1326-1332.

Tatar, A; Barati, A, li; Yarahmadi, A, li; Najafi, A; Lee, M; Bahadori, A. (2016). Prediction of carbon dioxide solubility in aqueous mixture of methyldiethanolamine and N-methylpyrrolidone using intelligent models. Int J Greenhouse Gas Control. 47: 122-136. http://dx.doi.org/10.1016/j.ijggc.2016.01.048.

Taylor, P. (1989). M-PYROL - A PRACTICAL REPLACEMENT SOLVENT. Plat Surf Finish. 76: 42-43.

Telu, S; Parkin, S; Robertson, LW; Lehmler, HJ. (2010). Improved syntheses of non-dioxin-like polychlorinated biphenyls (PCBs) and some of their sulfur-containing metabolites. Environ Int. 36: 828-834. http://dx.doi.org/10.1016/j.envint.2009.01.013.

Temtem, M; Casimiro, T; Aguiar-Ricardo, A, na. (2006). Solvent power and depressurization rate effects in the formation of polysulfone membranes with CO2-assisted phase inversion method. J Memb Sci. 283: 244-252. http://dx.doi.org/10.1016/j.memsci.2006.06.037.

Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2007). Controlled submicro particle formation of ampicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 308-316. http://dx.doi.org/10.1016/j.supflu.2006.07.003.

Tenorio, A; Gordillo, MD; Pereyra, CM; de La Ossa, EJM. (2008). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin. Journal of Supercritical Fluids. 44: 230-237. http://dx.doi.org/10.1016/j.supflu.2007.10.009.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez de la Ossa, EJ. (2007). Relative importance of the operating conditions involved in the formation of nanoparticles of ampicillin by supercritical antisolvent precipitation. Ind Eng Chem Res. 46: 114-123. http://dx.doi.org/10.1021/ie0606441.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez De la Ossa, EJ. (2010). Supercritical Antisolvent Process Applied to the Pharmaceutical Industry. Part Sci Technol. 28: 262-266. http://dx.doi.org/10.1080/02726351.2010.481589.

Teow, YH; Ahmad, AL; Lim, JK; Ooi, BS. (2012). Preparation and characterization of PVDF/TiO2 mixed matrix membrane via in situ colloidal precipitation method. Desalination. 295 (Jun 1: 61-69. http://dx.doi.org/10.1016/j.desal.2012.03.019.

Thampi, A; Babu, K; Verma, S. (2013). Large scale solvothermal synthesis and a strategy to obtain stable Langmuir-Blodgett film of CoFe2O4 nanoparticles. J Alloy Comp. 564: 143-150. http://dx.doi.org/10.1016/j.jallcom.2013.02.139.

Thiruvasagam, P; Shiva, C; Sundararaman, C; Venkatesan, D. (2011). Synthesis and Characterization of New Diimide Diols and Processable Poly(esterimide)s Derived Therefrom. Polymers and Polymer Composites. 19: 763-771.

Thong, PSP; Kho, KW; Zheng, W; Harris, M; Soo, KC; Olivo, M. (2007). Development of a laser confocal endomicroscope for in vivo fluorescence imaging. Journal of Mechanics in Medicine and Biology. 7: 11-18.

Thripuranthaka, M; Rout, CS; Late, DJ. (2014). MoS2 nanoparticles and h-BN nanosheets from direct exfoliation of bulk powder: one-step synthesis method. 1. http://dx.doi.org/10.1088/2053-1591/1/3/035038.

Thuery, P; Harrowfield, J. (2014). Uranyl Ion Complexes with all-cis-1,3,5-Cyclohexanetricarboxylate: Unexpected Framework and Nanotubular Assemblies. Cryst Growth Des. 14: 4214-4225. http://dx.doi.org/10.1021/cg500828s.

Thuery, P; Harrowfield, J. (2014). Uranyl-Organic Frameworks with Polycarboxylates: Unusual Effects of a Coordinating Solvent. Cryst Growth Des. 14: 1314-1323. http://dx.doi.org/10.1021/cg4018163.

Thuyavan, YL; Anantharaman, N; Arthanareeswaran, G; Ismail, AF. (2016). Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. J Chem Tech Biotechnol. 91: 2568-2581. http://dx.doi.org/10.1002/jctb.4846.

Tian, B, in; Qiao, Y, yun; Tian, Y, yu; Xie, K, eC; Liu, Q; Zhou, H, aiF. (2016). FTIR study on structural changes of different-rank coals caused by single/multiple extraction with cyclohexanone and NMP/CS2 mixed solvent. Fuel Process Tech. 154: 210-218. http://dx.doi.org/10.1016/j.fuproc.2016.08.035.

Tian, M; Yin, Y; Yang, C, hi; Zhao, B; Song, J; Liu, J; Li, X, ueMei; He, T, ao. (2015). CF4 plasma modified highly interconnective porous polysulfone membranes for direct contact membrane distillation (DCMD). Desalination. 369: 105-114. http://dx.doi.org/10.1016/j.desal.2015.05.002.

Tian, S; Hou, Y; Wu, W; Ren, S; Pang, K, un. (2012). Physical Properties of 1-Butyl-3-methylimidazolium Tetrafluoroborate/N-Methyl-2-pyrrolidone Mixtures and the Solubility of CO2 in the System at Elevated Pressures. Journal of Chemical and Engineering Data. 57: 756-763. http://dx.doi.org/10.1021/je200886J.

Tian, X; Wang, Z, hi; Zhao, S; Li, S; Wang, J; Wang, S. (2014). The influence of the nonsolvent intrusion through the casting film bottom surface on the macrovoid formation. J Memb Sci. 464: 8-19. http://dx.doi.org/10.1016/j.memsci.2014.03.049.

Tian, Y; Yao, Y, ue; Zhi, Y; Yan, L; Lut, S. (2015). Combined Extraction-Oxidation System for Oxidative Desulfurization (ODS) of a Model Fuel. Energy Fuels. 29: 618-625. http://dx.doi.org/10.1021/ef502396b.

Tiano, AL; Gibbons, L; Tsui, M; Applin, SI; Silva, R; Park, C; Fay, CC. (2016). Thermodynamic approach to boron nitride nanotube solubility and dispersion. Nanoscale. 8: 4348-4359. http://dx.doi.org/10.1039/c5nr08259e.

Timko, AG; Houlihan, FM; Cirelli, RA; Nalamasu, O; Yoshino, H; Itani, T; Tanabe, H; Kasama, K. (1999). Environmental stability of 193 nm single layer chemically amplified resists. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 17: 101-108.

Timoshenko, A; Anokhina, E; Akhapkina, O. (2016). Energy-Saving Hydrocarbon Distillation with Coupled Heat and Material Flows. Chem Eng Tech. 39: 2251-2264. http://dx.doi.org/10.1002/ceat.201500645.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Timoshenko, AV; Anokhina, EA; Morgunov, AV; Rudakov, DG. (2015). Application of the partially thermally coupled distillation flowsheets for the extractive distillation of ternary azeotropic mixtures. Chem Eng Res Des. 104: 139-155. http://dx.doi.org/10.1016/j.cherd.2015.07.007.

Tkacik, G; Zeman, L. (1987). COMPONENT MOBILITY ANALYSIS IN THE MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 31: 273-288.

Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. J Memb Sci. 301: 3-10. http://dx.doi.org/10.1016/j.memsci.2007.06.034.

Tokur, M; Algul, H; Cetinkaya, T; Uysal, M; Akbulut, H. (2016). Improved Electrochemical Performance of Lithium Oxygen Batteries with N-methyl-2-pyrrolidone Based Composite Polymer Electrolytes. J Electrochem Soc. 163: A1326-A1335. http://dx.doi.org/10.1149/2.0961607jes.

Tomasevic-Ilic, T; Pesic, J; Milosevic, I; Vujin, J; Matkovic, A; Spasenovic, M; Gajic, R. (2016). Transparent and conductive films from liquid phase exfoliated graphene. Optical and Quantum Electronics. 48: 319-319. http://dx.doi.org/10.1007/s11082-016-0591-1.

Tomikawa, M; Harris, FW; Cheng, SZD; Galentier, E. (1996). Synthesis and photo-induced solution properties of new rigid-rod polyimides. React Funct Polym. 30: 101-107.

Tominaga, K; Takashima, W; Kaneto, K. (2010). Electrochemical activity of polyaniline based on mixed dopants and cation movement toward high pH region. Thin Solid Films. 519: 978-981. http://dx.doi.org/10.1016/j.tsf.2010.08.025.

Topkaya, R; Kurtan, U; Junejo, Y; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite with ethylene glycol: Its magnetic characterization. Materials Research Bulletin. 48: 3247-3253. http://dx.doi.org/10.1016/j.materresbull.2013.04.071.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. Fluid Phase Equilibria. 200: 1-10.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2003). Experimental study and modelling using the ERAS-model of the excess molar volume of acetonitrile-alkanol mixtures at different temperatures and atmospheric pressure. Fluid Phase Equilibria. 210: 287-306. http://dx.doi.org/10.1016/S0378-3812(03)00167-5.

Torrestiana-Sanchez, B; Ortiz-Basurto, RI; Brito-De La Fuente, E. (1999). Effect of nonsolvents on properties of spinning solutions and polyethersulfone hollow fiber ultrafiltration membranes. J Memb Sci. 152: 19-28.

Torrisi, F; Hasan, T; Wu, W; Sun, Z; Lombardo, A; Kulmala, TS; Hsieh, GW; Jung, S; Bonaccorso, F; Paul, PJ; Chu, D; Ferrari, AC. (2012). Inkjet-printed graphene electronics. ACS Nano. 6: 2992-3006. http://dx.doi.org/10.1021/nn2044609.

Trampe, DB; Eckert, CA. (1993). A DEW-POINT TECHNIQUE FOR LIMITING ACTIVITY-COEFFICIENTS IN NONIONIC SOLUTIONS. AIChE J. 39: 1045-1050.

Trejo, F; Ancheyta, J; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of asphaltenes from hydrotreated products by SEC, LDMS, MALDI, NMR, and XRD. Energy Fuels. 21: 2121-2128. http://dx.doi.org/10.1021/ef060621z.

Treptow, F; Jungbauer, A; Hellgardt, K. (2006). Halide diffusion in polyaniline membranes. J Memb Sci. 270: 115-122. http://dx.doi.org/10.1016/j.memsci.2005.03.060.

Troitsky, VI; Berzina, TS; Fontana, MP. (2002). Langmuir-Blodgett assemblies with patterned conductive polyaniline layers. Mater Sci Eng C. 22: 239-244.

Tsai, CM, in; Wu, GW, ei; Narra, S; Chang, HM; Mohanta, N; Wu, H, uiP; Wang, CL; Diau, EW, eiG. (2017). Control of preferred orientation with slow crystallization for carbon-based mesoscopic perovskite solar cells attaining efficiency 15%. 5: 739-747. http://dx.doi.org/10.1039/c6ta09036b.

Tsai, H, uiAn; Chen, Y, aL; Lee, KR; Lai, JY, ih. (2012). Preparation of heat-treated PAN hollow fiber membranes for pervaporation of NMP/H2O mixtures. Separation and Purification Technology. 100: 97-105. http://dx.doi.org/10.1016/j.seppur.2012.09.005.

Tsai, HA; Hong, MJ; Huang, GS; Wang, YC; Li, CL; Lee, KR; Lai, JY. (2002). Effect of DGDE additive on the morphology and pervaporation performances of asymmetric PSf hollow fiber membranes. J Memb Sci. 208: 233-245.

Tsutsumi, H. (1995). SYNTHESIS OF POST-POLYMERIZABLE POLYANILINE-P-STYRENESULFONIC ACID COMPOSITE AND ITS APPLICATION TO SCHOTTKY DIODE. Synthetic Metals. 69: 143-144.

Tsutsumi, H; Doi, H. (1995). Conductivity enhancement by aggregate formation of sodium deoxycholate in poly(N-vinyl-2-pyrrolidinone) gel. J Electrochem Soc. 142: 4215-4218.

Tsutsumi, H; Doi, H; Oishi, T. (1997). Helical aggregate formation of cholate salts in poly(N-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement. J Power Sources. 68: 364-367.

Tsutsumi, H; Nakagawa, Y; Tamura, K. (1995). Single-film electrochromic devices with polymer gel films containing aromatic electrochromics. Solar Energy Materials and Solar Cells. 39: 341-348.

Tu, T, seT; Lee, M; Kuo, ST, iz; Den, W. (2016). Citric acid-modified carbon chemical filtration for cleanroom air quality control: Study on N-methyl-2-pyrrolidone and the interference of co-existing toluene. Indoor Built Environ. 25: 772-785. http://dx.doi.org/10.1177/1420326X15591638.

UBA. (2015). [Monograph for N-Methyl-pyrrolidone (NMP) and human biomonitoring values for the metabolites 5-Hydroxy-NMP and 2-Hydroxy-N-methylsuccinimide]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1175-1191. http://dx.doi.org/10.1007/s00103-015-2217-3.

UBA. (2015). [Not Available]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1041-1052. http://dx.doi.org/10.1007/s00103-015-2210-x.

Ueda, H; Hacker, MC; Haesslein, A; Jo, S; Ammon, DM; Borazjani, RN; Kunzler, JF; Salamone, JC; Mikos, AG. (2007). Injectable, in situ forming poly(propylene fumarate)-based ocular drug delivery systems. J Biomed Mater Res A. 83: 656-666. http://dx.doi.org/10.1002/jbm.a.31226.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Uliana, C; Vigo, F; Traverso, P. (1994). ULTRAFILTRATION MEMBRANES PREPARED BY STYRENE-GRAFTED POLYVINYLPYRROLIDONE. Separation Science and Technology. 29: 1621-1637.

Umek, P; Vrbanic, D; Remskar, M; Mertelj, T; Venturini, P; Pejovnik, S; Mihailovic, D. (2002). An effective surfactant-free isolation procedure for single-wall carbon nanotubes. Carbon. 40: 2581-2585.

Uosaki, Y; Kawamura, K; Moriyoshi, T. (1996). Static relative permittivities of water plus 1-methyl-2-pyrrolidinone and water plus 1,3-dimethyl-2-imidazolidinone mixtures under pressures up to 300 MPa at 298.15 K. Journal of Chemical and Engineering Data. 41: 1525-1528.

Uppal, R; Ramaswamy, GN. (2011). Cellulose Submicron Fibers. Journal of Engineered Fabrics and Fibers. 6: 39-45.

Uribe-Vargas, V; Trejo, A. (2004). Vapor-liquid equilibrium of nitrogen in an equimolar hexane plus decane mixture at temperatures of 258, 273, and 298 K and pressures to 20 MPa. Fluid Phase Equilibria. 220: 137-145. http://dx.doi.org/10.1016/j.fluid.2004.03.009.

Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehoej, J. (1995). Permeability of commercial solvents through living human skin. Am Ind Hyg Assoc J. 56: 651-660. http://dx.doi.org/10.1080/15428119591016665.

Usula, M; Matteoli, E; Leonelli, F; Mocci, F; Marincola, FC; Gontrani, L; Porcedda, S. (2014). Thermo-physical properties of ammonium-based ionic liquid plus N-methyl-2-pyrrolidone mixtures at 298.15 K. Fluid Phase Equilibria. 383: 49-54. http://dx.doi.org/10.1016/j.fluid.2014.09.031.

Vaidya, PD; Mahajani, VV. (2005). Kinetics of the reaction of CO2 with aqueous formulated solution containing monoethanolamine, N-methyl-2-pyrrolidone, and diethylene glycol. Ind Eng Chem Res. 44: 1868-1873. http://dx.doi.org/10.1021/ie049226r.

Vakili-Nezhaad, GR; Modarress, H; Mansoori, GA. (1999). Solvent extraction of aromatic components from lube-oil cut by N-methylpyrrolidone (NMP). Chem Eng Tech. 22: 847-853.

Valentin, E; Auvray, S; Goethals, J; Lewenstein, J; Capes, L; Filoramo, A; Ribayrol, A; Tsui, R; Bourgoin, JP; Patillon, JN. (2002). High-density selective placement methods for carbon nanotubes. Microelectron Eng. 61-2: 491-496.

Van Dam, MHH; Corriou, JP; Midoux, N; Lamine, AS; Roizard, C. (1999). Modeling and measurement of sulfur dioxide absorption rate in a laminar falling film reactor. Chem Eng Sci. 54: 5311-5318.

Van Niekerk, D; Castro-Marcano, F; Colina, CM; Mathews, JP. (2011). Solvent Swelling Extent of Permian-Aged Vitrinite- and Inertinite-Rich Coals: Experiments and Modeling Using the Perturbed-Chain Statistical Associating Fluid Theory (PC-SAFT). Energy Fuels. 25: 2559-2564. http://dx.doi.org/10.1021/ef2001508.

Van Niekerk, D; Halleck, PM; Mathews, JP. (2010). Solvent swelling behavior of Permian-aged South African vitrinite-rich and inertinite-rich coals. Fuel. 89: 19-25. http://dx.doi.org/10.1016/j.fuel.2009.06.028.

Van Niekerk, D; Mathews, JP. (2011). Molecular dynamic simulation of coal-solvent interactions in Permian-aged South African coals. Fuel Process Tech. 92: 729-734. http://dx.doi.org/10.1016/j.fuproc.2010.08.011.

van Veen, HM; Rietkerk, MDA; Shanahan, DP; van Tuel, MMA; Kreiter, R; Castricum, HL; ten Elshof, JE; Vente, JF. (2011). Pushing membrane stability boundaries with HybSi (R) pervaporation membranes. J Memb Sci. 380: 124-131. http://dx.doi.org/10.1016/j.memsci.2011.06.040.

Vandam, MHH; Lamine, AS; Roizard, D; Lochon, P; Roizard, C. (1997). Selective sulfur dioxide removal using organic solvents. Ind Eng Chem Res. 36: 4628-4637.

Vanherck, K; Vandezande, P; Aldea, SO; Vankelecom, I, voFJ. (2008). Cross-linked polyimide membranes for solvent resistant nanofiltration in aprotic solvents. J Memb Sci. 320: 468-476. http://dx.doi.org/10.1016/j.memsci.2008.04.026.

Vanooij, WJ; Edwards, RA; Sabata, A; Zappia, J. (1993). TESTING THE ADHESION OF PAINT FILMS TO METALS BY SWELLING IN N-METHYL PYRROLIDONE. J Adhes Sci Tech. 7: 897-917.

Vanthof, JA; Reuvers, AJ; Boom, RM; Rolevink, HHM; Smolders, CA. (1992). PREPARATION OF ASYMMETRIC GAS SEPARATION MEMBRANES WITH HIGH SELECTIVITY BY A DUAL-BATH COAGULATION METHOD. J Memb Sci. 70: 17-30.

Varadarajan, TK; Parvathy, R; Ramakrishna, TV; Kalidas, C. (1995). GIBBS ENERGIES OF SOLVATION AND SOLVENT TRANSPORT OF SOME SILVER(I) SALTS IN WATER PLUS N-METHYL-2-PYRROLIDINONE AT 30-DEGREES-C. Journal of Chemical and Engineering Data. 40: 883-886.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1997). Ion solvation of some copper(II) salts in water plus N-methyl-2-pyrrolidinone solvent mixtures at 30 degrees C. Journal of Chemical and Engineering Data. 42: 453-457.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1998). Ion-solvation behavior of some copper(II) salts in isodielectric solvent mixtures of methanol and N-methyl-2-pyrrolidinone at 30 degrees C. Journal of Chemical and Engineering Data. 43: 527-531.

Varfolomeev, MA; Rakipov, IT; Solomonov, BN; Marczak, W. (2016). Speed of Sound, Density, and Related Thermodynamic Excess Properties of Binary Mixtures of 2-Pyrrolidone and N-Methyl-2-pyrrolidone with Acetonitrile and Chloroform. Journal of Chemical and Engineering Data. 61: 1032-1046. http://dx.doi.org/10.1021/acs.jced.5b00474.

Vasu, K; Pramoda, K; Moses, K; Govindaraj, A; Rao, CNR. (2014). Single-walled nanohorns and other nanocarbons generated by submerged arc discharge between carbon electrodes in liquid argon and other media. 1. http://dx.doi.org/10.1088/2053-1591/1/1/015001.

Vayisoglu, ES; Harput, OB; Johnson, BR; Frere, B; Bartle, KD. (1997). Characterization of oil shales by extraction with N-methylpyrrolidone. Fuel. 76: 353-357.

Vega, A; Diez, F; Esteban, R; Coca, J. (1997). Solvent selection for cyclohexane-cyclohexene-benzene separation by extractive distillation using non-steady-state gas chromatography. Ind Eng Chem Res. 36: 803-807.

Venancio, EC; Wang, P, enC; Toledo, OY; Macdiarmid, AG. (2007). First preparation of optical quality films of nano/micro hollow spheres of polymers of aniline. Synthetic Metals. 157: 758-763. http://dx.doi.org/10.1016/j.synthmet.2007.08.006.

Venault, A; Chang, Y; Wu, J, iaRu; Wang, D, aM. (2014). Influence of solvent composition and non-solvent activity on the crystalline morphology of PVDF membranes prepared by VIPS process and on their arising mechanical properties. Taiwan Institute of Chemical Engineers Journal. 45: 1087-1097. http://dx.doi.org/10.1016/j.jtice.2013.08.014.

Verma, S; Pravarthana, D. (2011). One-pot synthesis of highly monodispersed ferrite nanocrystals: surface characterization and magnetic properties. Langmuir. 27: 13189-13197. http://dx.doi.org/10.1021/la202394n.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Vieira, HS; Andrada, DM; Mendonça, R; Santos, AP; Martins, MD; Macedo, WA; Gorgulho, HF; Pimenta, LP; Moreira, RL; Jorio, A; Pimenta, MA; Furtado, CA. (2007). Decarboxylation of oxidized single-wall carbon nanotubes. J Nanosci Nanotechnol. 7: 3421-3430. http://dx.doi.org/10.1166/jnn.2007.832.

Vishnevskii, AV; Konoplev, VP; Kravchenko, ZA; Shreider, AV; Shenushen, YK; Fateeva, TV. (1992). CORROSIVITY OF N-METHYL PYRROLIDONE IN SOLVENT TREATMENT OF OILS. Chemistry and Technology of Fuels and Oils. 28: 18-19.

Vlad-Bubulac, T; Serbezeanu, D; Hamciuc, C. (2010). New Phosphorus-Containing Polyesterimides. Synthesis and Characterization. Materiale Plastice. 47: 440-445.

Vodnar, I. (1991). SULFUR-DIOXIDE RECOVERY FROM INDUSTRIAL GAS WITH DEVICES PROVIDED WITH FILM FORMING TUBES. Rev Chim. 42: 71-73.

Vogel, C; Komber, H; Quetschke, A; Butwilowski, W; Poetschke, A; Schlenstedt, K; Meier-Haack, J. (2011). Side-chain sulfonated random and multiblock poly(ether sulfone)s for PEM applications. React Funct Polym. 71: 828-842. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.04.006.

Vriezekolk, EJ; Kemperman, AJB; Girones, M; de Vos, WM; Nijmeijer, K. (2013). A solvent-shrinkage method for producing polymeric microsieves with sub-micron size pores. J Memb Sci. 446: 10-18. http://dx.doi.org/10.1016/j.memsci.2013.06.014.

Vu, D-L; Lee, CG, on. (2016). Oxidation of ash-free coal from sub-bituminous and bituminous coals in a direct carbon fuel cell. Korean J Chem Eng. 33: 507-513. http://dx.doi.org/10.1007/s11814-015-0164-1.

Vyas, A; Iroh, JO. (2014). Morphology and Structure of Nylon-6 Crystallized in Epoxy Resin Matrix. Polymer Engineering and Science. 54: 858-866. http://dx.doi.org/10.1002/pen.23616.

Vygodskii, YS; Sapozhnikov, DA; Bayminov, BA; Semjonov, SL; Kosolapov, AF; Plastinin, EA. (2016). In situ synthesis of copolymers based on polyvinylpyrrolidone and condensation polymers and their use as optical fiber coatings. Progr Org Coating. 99: 210-215. http://dx.doi.org/10.1016/j.porgcoat.2016.05.023.

Walker, RJ; Schwartz, CH; Wildman, DJ. (1984). VAPOR-PRESSURE AND HEAT OF SOLUTION OF SULFUR-DIOXIDE IN 1-METHYL-2-PYRROLIDONE AND ITS AQUEOUS-SOLUTION. Can J Chem Eng. 62: 135-141.

Wan, Q, un; Guo, X, ia; Wang, Z; Li, W; Guo, B; Ma, W, ei; Zhang, M; Li, Y. (2016). 10.8% Efficiency Polymer Solar Cells Based on PTB7-Th and PC71BM via Binary Solvent Additives Treatment. Adv Funct Mater. 26: 6635-6640. http://dx.doi.org/10.1002/adfm.201602181.

Wang, B; Gao, X, in; Piao, G. (2014). Controllable preparation of fullerene nanotubes. Mater Lett. 115: 82-84. http://dx.doi.org/10.1016/j.matlet.2013.10.023.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. Mater Chem Phys. 143: 773-778. http://dx.doi.org/10.1016/j.matchemphys.2013.10.012.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. Mater Chem Phys. 144: 553-559. http://dx.doi.org/10.1016/j.matchemphys.2014.01.039.

Wang, CG; Schindler, JL; Kannewurf, CR; Kanatzidis, MG. (1995). POLY(3,4-ETHYLENEDITHIATHIOPHENE) - A NEW SOLUBLE CONDUCTIVE POLYTHIOPHENE DERIVATIVE. Chem Mater. 7: 58-68.

Wang, D; Li, K; Teo, WK. (2000). ACS SYMPOSIUM SERIESPreparation of poly(ether sulfone) and poly(ether imide) hollow fiber membranes for gas separation: Effect of interval coagulant.

Wang, DH; Mirau, P; Li, B; Li, CY; Baek, JB; Tan, LS. (2008). Solubilization of carbon nanofibers with a covalently attached hyperbranched poly(ether ketone). Chem Mater. 20: 1502-1515. http://dx.doi.org/10.1021/cm702857z.

Wang, DL; Li, K; Teo, WK. (1995). EFFECTS OF TEMPERATURE AND PRESSURE ON GAS PERMSELECTION PROPERTIES IN ASYMMETRIC MEMBRANES. J Memb Sci. 105: 89-101.

Wang, DL; Li, K; Teo, WK. (1996). Polyethersulfone hollow fiber gas separation membranes prepared from NMP/alcohol solvent systems. J Memb Sci. 115: 85-108.

Wang, DL; Li, K; Teo, WK. (1998). Preparation and characterization of polyetherimide asymmetric hollow fiber membranes for gas separation. J Memb Sci. 138: 193-201.

Wang, DL; Li, K; Teo, WK. (2000). Highly permeable polyethersulfone hollow fiber gas separation membranes prepared using water as non-solvent additive. J Memb Sci. 176: 147-158.

Wang, DL; Li, K; Teo, WK. (2000). Preparation of annular hollow fibre membranes. J Memb Sci. 166: 31-39.

Wang, DL; Li, K; Teo, WK. (2002). Preparation of asymmetric polyetherimide hollow fibre membrane with high gas selectivities. J Memb Sci. 208: 419-426.

Wang, DL; Teo, WK; Li, K. (2002). Preparation and characterization of high-flux polysulfone hollow fibre gas separation membranes. J Memb Sci. 204: 247-256.

Wang, F; Hickner, M; Kim, YS; Zawodzinski, TA; Mcgrath, JE. (2002). Direct polymerization of sulfonated poly(arylene ether sulfone) random (statistical) copolymers: candidates for new proton exchange membranes. J Memb Sci. 197: 231-242.

Wang, F, ei; Yang, H, ui; Kang, Y, ao; Zhang, J. (2012). Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. J Mater Chem. 22: 19732-19737. http://dx.doi.org/10.1039/c2jm34506d.

Wang, G; Lee, KH; Lee, W, onHyo; Kang, N, aRae; Shin, DW, on; Zhuang, Y; Lee, YM, oo; Guiver, MD. (2015). Soluble sulfonated polybenzothiazoles containing naphthalene for use as proton exchange membranes. J Memb Sci. 490: 346-353. http://dx.doi.org/10.1016/j.memsci.2015.05.005.

Wang, GC; Yang, ZY; Li, XW; Li, CZ. (2005). Synthesis of poly(aniline-co-o-anisidine)-intercalated graphite oxide composite by delamination/reassembling method. Carbon. 43: 2564-2570. http://dx.doi.org/10.1016/j.carbon.2005.05.008.

Wang, H; Takarada, T. (2003). Characterization of high-temperature coal tar and supercritical-water extracts of coal by laser desorption ionization-mass spectrometry. Fuel Process Tech. 81: 247-258. http://dx.doi.org/10.1016/S0378-3820(03)00025-0.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Wang, H, ui; Xie, K, ai; Wang, L; Han, Y, u. (2012). N-methyl-2-pyrrolidone as a solvent for the non-aqueous electrolyte of rechargeable Li-air batteries. J Power Sources. 219: 263-271. http://dx.doi.org/10.1016/j.jpowsour.2012.07.065.

Wang, HH; Wu, S, huP. (2006). Synthesis of poly(amide-imide) copolymers from 3,3 '-dinitrobenzidine. 38: 46-53.

Wang, J, un; Blau, WJ. (2008). Solvent effect on optical limiting properties of single-walled carbon nanotube dispersions. J Phys Chem C. 112: 2298-2303. http://dx.doi.org/10.1021/jp709926r.

Wang, J, un; Fruchtl, D; Sun, Z; Coleman, JN; Blau, WJ. (2010). Control of Optical Limiting of Carbon Nanotube Dispersions by Changing Solvent Parameters. J Phys Chem C. 114: 6148-6156. http://dx.doi.org/10.1021/jp9117248.

Wang, J; Li, CQ; Sakanishi, K; Nakazato, T; Tao, H; Takanohashi, T; Takarada, T; Saito, I. (2005). Investigation of the remaining major and trace elements in clean coal generated by organic solvent extraction. Fuel. 84: 1487-1493. http://dx.doi.org/10.1016/j.fuel.2005.01.012.

Wang, JG; Neoh, KG; Kang, ET. (2003). Polyaniline-palladium composite coatings for metallization of polyethylene substrate. Appl Surf Sci. 218: 231-244. http://dx.doi.org/10.1016/S0169-4332(03)00672-X.

Wang, K, unLi; Liou, W, unTai; Liaw, D, erJ; Chen, W, enT. (2008). A novel fluorescent poly(pyridine-imide) acid chemosensor. Dyes and Pigments. 78: 93-100. http://dx.doi.org/10.1016/j.dyepig.2007.10.015.

Wang, KY; Matsuura, T; Chung, TS; Guo, WF. (2004). The effects of flow angle and shear rate within the spinneret on the separation performance of poly (ethersulfone) (PES) ultrafiltration hollow fiber membranes. J Memb Sci. 240: 67-79. http://dx.doi.org/10.1016/j.memsci.2004.04.012.

Wang, L, ei; Pan, K, ai; Li, L, i; Cao, B. (2014). Surface Hydrophilicity and Structure of Hydrophilic Modified PVDF Membrane by Nonsolvent Induced Phase Separation and Their Effect on Oil/Water Separation Performance. Ind Eng Chem Res. 53: 6401-6408. http://dx.doi.org/10.1021/ie4042388.

Wang, LJ; Li, ZS; Ren, JZ; Li, SG; Jiang, CZ. (2006). Preliminary studies on the gelation time of poly(ether sulfones) membrane-forming system with an elongation method. J Memb Sci. 275: 46-51. http://dx.doi.org/10.1016/j.memsci.2005.08.019.

Wang, P, enC; Macdiarmid, AG. (2008). Vapor phase secondary doping of polyaniline (emeraldine salt) thin films with o-chlorophenol investigated by UV-VIS-NIR: Effects of primary dopants, substrate surfaces, and pre-treatments of organic vapors. React Funct Polym. 68: 201-207. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.09.002.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2001). Synthesis, characterization and anti-fouling properties of poly(ethylene glycol) grafted poly(vinylidene fluoride) copolymer membranes. J Mater Chem. 11: 783-789.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2002). Preparation and characterization of semi-conductive poly(vinylidene fluoride)/polyaniline blends and membranes. Appl Surf Sci. 193: 36-45.

Wang, P; Tang, Y; Yu, Z; Gu, J; Kong, J. (2015). Advanced Aromatic Polymers with Excellent Antiatomic Oxygen Performance Derived from Molecular Precursor Strategy and Copolymerization of Polyhedral Oligomeric Silsesquioxane. 7: 20144-20155. http://dx.doi.org/10.1021/acsami.5b05490.

Wang, P; Wang, K, ai; Zhang, J; Luo, G. (2015). Kinetic study of reactions of aniline and benzoyl chloride in a microstructured chemical system. AIChE J. 61: 3804-3811. http://dx.doi.org/10.1002/aic.14891.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of 4-carboxybenzaldehyde and 1,4-benzenedicarboxylic acid in N-methyl-2-pyrrolidone (343.2 to 468.2) K in the temperature range from. Journal of Chemical and Engineering Data. 50: 243-245. http://dx.doi.org/10.1021/je049706p.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of terephthalic acid in dimethyl sulfoxide plus water and in N,N-dimethylformamide plus water from (301.4 to 373.7) K. Journal of Chemical and Engineering Data. 50: 719-721. http://dx.doi.org/10.1021/je049577c.

Wang, S; Wang, W; Yu, L; Zhan, Z; Sun, D. (2016). The fast fabrication of flexible electronic devices of graphene composites. Nanotechnology. 27: 31LT01. http://dx.doi.org/10.1088/0957-4484/27/31/31LT01.

Wang, SM; Wang, Z; Zhang, Y; Wu, WJ; Liu, DZ; Zhang, XM. (2005). Experimental study of the control of pore sizes of porous membranes applying chemicals methods. Desalination. 177: 7-13. http://dx.doi.org/10.1016/j.desal.2004.12.003.

Wang, THF; Lin, TJ; Yang, DJ; Antonelli, JA; Yasuda, HK. (1996). Corrosion protection of cold-rolled steel by low temperature plasma inter-face engineering .1. Enhancement of E-coat adhesion. Progr Org Coating. 28: 291-297.

Wang, W; Jin, Z; Liu, H, ui. (2011). A Green and Air Pressure Solution Synthesis of CuInSe2 Nanocrystals Using 1-methyl-2-Pyrrolidinone as Hot Solvent. Journal of the American Ceramic Society. 94: 2571-2577. http://dx.doi.org/10.1111/j.1551-2916.2011.04414.x.

Wang, W; Jin, Z; Liu, H, ui; Du, H. (2011). Preparation and characteristics of CuInSe2 thin films by dip-coating method using its nanocrystal ink. Mater Lett. 65: 2895-2898. http://dx.doi.org/10.1016/j.matlet.2011.06.055.

Wang, W; Qin, Y; Qian, F; Ye, L; Hao, W; Yuan, L, i; Jin, F. (2014). Partitioning of elements from coal by different solvents extraction. Fuel. 125: 73-80. http://dx.doi.org/10.1016/j.fuel.2014.01.098.

Wang, W, ei; Yun, Z, hi; Tang, Z; Gui, X, ia. (2016). Solubilities of CO2 in some glycol ethers under high pressure by experimental determination and correlation. Chinese Journal of Chemical Engineering. 24: 373-378. http://dx.doi.org/10.1016/j.cjche.2015.08.007.

Wang, WC; Ong, GT; Lim, SL; Vora, RH; Kang, ET; Neoh, KG. (2003). Synthesis and characterization of fluorinated polyimide with grafted poly(N-isopropylacrylamide) side chains and the temperature-sensitive microfiltration membranes. Ind Eng Chem Res. 42: 3740-3749. http://dx.doi.org/10.1021/ie0302342.

Wang, WC; Vora, RH; Kang, ET; Neoh, KG; Liaw, DJ. (2003). pH-sensitive fluorinated polyimides with grafted acid and base side chains. Ind Eng Chem Res. 42: 784-794. http://dx.doi.org/10.1021/ie020830g.

Wang, X; Gao, J, ia; Zhang, J; Zhang, X; Guo, R. (2015). Theoretical and Experimental Studies on Acetylene Absorption in a Polytetrafluoroethylene Hollow-Fiber Membrane Contactor. Chem Eng Tech. 38: 215-222. http://dx.doi.org/10.1002/ceat.201400338.

Wang, X; Meng, G; Zhu, C; Huang, Z; Qian, Y; Sun, K; Zhu, X. (2013). A Generic Synthetic Approach to Large-Scale Pristine-Graphene/Metal-Nanoparticles Hybrids. Adv Funct Mater. 23: 5771-5777. http://dx.doi.org/10.1002/adfm.201301409.

Wang, X; Shi, L; Yin, J; Zhu, MS. (2002). A two-stage heat transformer with H2O/LiBr for the first stage and 2,2,2-trifluoroethanol (TFE)/N-methyl-2-pyrrolidone (NMP) for the second stage. Appl Energ. 71: 235-249.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Wang, X; Wang, Y; Li, X, ue; Liu, B, o; Zhao, J. (2015). A facile synthesis of copper sulfides composite with lithium-storage properties. J Power Sources. 281: 185-191. http://dx.doi.org/10.1016/j.jpowsour.2015.01.172.

Wang, XM; Naito, H; Sone, Y; Segami, G; Kuwajima, S. (2005). New additives to improve the first-cycle charge-discharge performance of a graphite anode for lithium-ion cells. J Electrochem Soc. 152: A1996-A2001.

Wang, Y, i; Meng, Y; Wang, S; Li, C; Shi, W, ei; Chen, J; Wang, J; Huang, R. (2015). Direct Solvent-Derived Polymer-Coated Nitrogen-Doped Carbon Nanodots with High Water Solubility for Targeted Fluorescence Imaging of Glioma. Small. 11: 3575-3581. http://dx.doi.org/10.1002/smll.201403718.

Wang, Y, an; Shi, Z; Yin, J, ie. (2011). Boron nitride nanosheets: large-scale exfoliation in methanesulfonic acid and their composites with polybenzimidazole. J Mater Chem. 21: 11371-11377. http://dx.doi.org/10.1039/c1jm10342c.

Wang, YC; Fan, SC; Lee, KR; Li, CL; Huang, SH; Tsai, HA; Lai, JY. (2004). Polyamide/SDS-clay hybrid nanocomposite membrane application to water-ethanol mixture pervaporation separation. J Memb Sci. 239: 219-226. http://dx.doi.org/10.1016/j.memsci.2004.03.037.

Wang, Z; Li, L; Shui, H; Wang, Z; Cui, X; Ren, S; Lei, Z; Kang, S. (2011). Study on the aggregation of coal liquefied preasphaltene in organic solvents by UV-vis and fluorescence spectrophotometry. Fuel. 90: 305-311. http://dx.doi.org/10.1016/j.fuel.2010.08.009.

Wang, Z; Yang, N; Meng, B, o; Tan, X; Li, K. (2009). Preparation and Oxygen Permeation Properties of Highly Asymmetric La0.6Sr0.4Co0.2Fe0.8O3-alpha Perovskite Hollow-Fiber Membranes. Ind Eng Chem Res. 48: 510-516. http://dx.doi.org/10.1021/ie8010462.

Wang, Z; Yang, X; Chen, MY. (2014). Assembly of Patterned Graphene Film Aided by Wetting/Nonwetting Surface on Liquid Interface. I E E E Transactions on Nanotechnology. 13: 589-593. http://dx.doi.org/10.1109/TNANO.2014.2312951.

Watchanida, C; Denis, B; Celine, PB; Andre, D; Dupuy, C. (2006). Effect of a drying pretreatment on morphology of porous poly(Ether-Imide) membrane prepared using vapor-induced phase separation. Drying Technology. 24: 1317-1326. http://dx.doi.org/10.1080/07373930600846697.

Wath, SB; Katariya, MN; Singh, SK; Kanade, GS; Vaidya, AN. (2015). Separation of WPCBs by dissolution of brominated epoxy resins using DMSO and NMP: A comparative study. Chem Eng J. 280: 391-398. http://dx.doi.org/10.1016/j.cej.2015.06.007.

Wawro, D; Steplewski, W; Ciechanska, D; Krucinska, I; Wesolowska, E, wa. (2007). The effect of solvent type on the mechanical properties of dibutyrylchitin (DBC) fibres. 15: 14-18.

Webb, RL; Langford, SC; Dickinson, JT; Lippert, TK. (1998). Sensitization of PMMA to laser ablation at 308 nm. Appl Surf Sci. 127: 815-820.

Weber, T; Bechthold, M; Winkler, T; Dauselt, J; Terfort, A. (2013). Direct grafting of anti-fouling polyglycerol layers to steel and other technically relevant materials. Colloids Surf B Biointerfaces. 111: 360-366. http://dx.doi.org/10.1016/j.colsurfb.2013.05.026.

Wee, SB, ok; An, G, yeS; Han, J, inS; Oh, HC; Choi, SC. (2016). Co-dispersion behavior and interactions of nano-ZrB2 and nano-SiC in a non-aqueous solvent. Ceramics International. 42: 4658-4662. http://dx.doi.org/10.1016/j.ceramint.2015.11.039.

Wei, XY; Shen, JL; Takanohashi, T; Iino, M. (1989). EFFECT OF EXTRACTABLE SUBSTANCES ON COAL DISSOLUTION - USE OF A CARBON-DISULFIDE N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AS AN EXTRACTION SOLVENT FOR DISSOLUTION REACTION-PRODUCTS. Energy Fuels. 3: 575-579.

Weidlich, U; Rohm, HJ; Gmehling, J. (1987). MEASUREMENT OF GAMMA-INFINITY USING GLC .2. RESULTS FOR THE STATIONARY PHASES N-FORMYLMORPHOLINE AND N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 32: 450-453.

Weigel, P; Gensrich, J; Wagenknecht, W. (1996). Model investigations on the effect of an intermediate derivatization on structure and properties of regenerated cellulose filaments. 50: 483-490.

Wen, TC; Chen, JB; Gopalan, A. (2002). Soluble and methane sulfonic acid doped poly(diphenylamine) - synthesis and characterization. Mater Lett. 57: 280-290.

Weng, CJ; Chang, C, hiHao; Lin, IL, i; Yeh, J, uiM; Wei, Y, en; Hsu, CL; Chen, P, oHan. (2012). Advanced anticorrosion coating materials prepared from fluoro-polyaniline-silica composites with synergistic effect of superhydrophobicity and redox catalytic capability. Surf Coating Tech. 207: 42-49. http://dx.doi.org/10.1016/j.surfcoat.2012.04.097.

Weng, W, enLu; Chen, J, uiT; Yang, J, eiWai; Chang, J, iS. (2007). Isothermal vapor-liquid equilibria of binary mixtures of nitrogen with dimethyl sulfoxide, N-Methyl-2-pyrrolidone, and diethylene glycol monobutyl ether at elevated pressures. Journal of Chemical and Engineering Data. 52: 511-516. http://dx.doi.org/10.1021/je6005357.

Weyten, H; Servaes, F; Mertens, M; Buekenhoudt, A; Cornelis, J; Vandriessche, I; Hoste, S. (1995). YBa2Cu3O7-x superconductive tapes and wires: A peritectic sintering procedure to improve the quality. Journal of Materials Science. 30: 6047-6052.

Wheaton, CJ; Savage, A; Shukla, A; Neiffer, D; Qu, W; Sun, Y; Lasley, BL. (2011). The use of long acting subcutaneous levonorgestrel (LNG) gel depot as an effective contraceptive option for cotton-top tamarins (Saguinus oedipus). Zoo Biology. 30: 498-522. http://dx.doi.org/10.1002/zoo.20354.

White, CM; Rohar, PC; Veloski, GA; Anderson, RR. (1997). Practical notes on the use of N-methyl-2-pyrrolidinone as a solvent for extraction of coal and coal-related materials. Energy Fuels. 11: 1105-1106.

Willey, AD; Holt, JM; Larsen, BA; Blackburn, JL; Liddiard, S; Abbott, J; Coffin, M; Vanfleet, RR; Davis, RC. (2014). Thin films of carbon nanotubes via ultrasonic spraying of suspensions in N-methyl-2-pyrrolidone and N-cyclohexyl-2-pyrrolidone. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 32. http://dx.doi.org/10.1116/1.4861370.

Williams, JC; Meador, MA, nnB; Mccorkle, L; Mueller, C; Wilmoth, N. (2014). Synthesis and Properties of Step-Growth Polyamide Aerogels Cross-linked with Triacid Chlorides. Chem Mater. 26: 4163-4171. http://dx.doi.org/10.1021/cm5012313.

Wolkoff, P. (1998). Impact of air velocity, temperature, humidity, and air on long-term VOC emissions from building products. Atmos Environ. 32: 2659-2668.

Won, J; Park, HC; Kim, UY; Kang, YS; Yoo, SH; Jho, JY. (1999). The effect of dope solution characteristics on the membrane morphology and gas transport properties: PES/gamma-BL/NMP system. J Memb Sci. 162: 247-255.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Wong, DP; Tseng, H, anP; Chen, Y, itT; Hwang, BJ, oe; Chen, L, iC; Chen, KH. (2013). A stable silicon/graphene composite using solvent exchange method as anode material for lithium ion batteries. Carbon. 63: 397-403. http://dx.doi.org/10.1016/j.carbon.2013.06.095.

Woo, HY; Shim, HK; Lee, KS. (1999). A new NLO polyurethane with a tricyanovinyl group. Synthetic Metals. 101: 136-137.

Woo, HY; Shim, HK; Lee, KS; Jeong, MY; Lim, TK. (1999). An alternate synthetic approach for soluble nonlinear optical polyimides. Chem Mater. 11: 218-226.

Wood, DL, III; Li, J; Daniel, C. (2015). Prospects for reducing the processing cost of lithium ion batteries. J Power Sources. 275: 234-242.

Wu, B; Cheng, Y; Li, X, i. (2012). Thermodynamic Properties and Crystal Structures of the Adductive 2,6-Naphthalenedicarboxylic Acid Crystallization with N,N-Dimethyl Acetamide and N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 57: 406-411. http://dx.doi.org/10.1021/je2009973.

Wu, D; Zhao, L, in; Vakharia, VK; Salim, W; Ho, WSW. (2016). Synthesis and characterization of nanoporous polyethersulfone membrane as support for composite membrane in CO2 separation: From lab to pilot scale. J Memb Sci. 510: 58-71. http://dx.doi.org/10.1016/j.memsci.2016.03.022.

Wu, F; Ngothai, Y; Wei, J; Liu, C; O'Neill, B; Wu, Y. (2012). Premixed, injectable PLA-modified calcium deficient apatite biocement (cd-AB) with washout resistance. Colloids Surf B Biointerfaces. 92: 113-120. http://dx.doi.org/10.1016/j.colsurfb.2011.11.037.

Wu, L, iLi; Chang, W, eiX; Guan, G, uoF. (2007). Extractants design based on an improved genetic algorithm. Ind Eng Chem Res. 46: 1254-1258. http://dx.doi.org/10.1021/ie060022f.

Wu, L; Sun, J; Wang, Q. (2006). Poly(vinylidene fluoride)/polyethersulfone blend membranes: Effects of solvent sort, polyethersulfone and polyvinylpyrrolidone concentration on their properties and morphology. J Memb Sci. 285: 290-298. http://dx.doi.org/10.1016/j.memsci.2006.08.033.

Wu, Y, an; Zhu, H; Feng, L, i; Zhang, L; Xing, S. (2016). Effects of 1-methyl-2-pyrrolidinone (NMP) on polyamide-polysulfone TFC membrane pore morphology and ICP and membrane performance in forward osmosis. Desalination and Water Treatment. 57: 7637-7649. http://dx.doi.org/10.1080/19443994.2015.1035680.

Wycisk, R; Pintauro, PN. (1996). Sulfonated polyphosphazene ion-exchange membranes. J Memb Sci. 119: 155-160.

Xi, J; Li, Z; Yu, L; Yin, B; Wang, L, ei; Liu, L, e; Qiu, X; Chen, L. (2015). Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. J Power Sources. 285: 195-204. http://dx.doi.org/10.1016/j.jpowsour.2015.03.104.

Xia, YN; Wiesinger, JM; Macdiarmid, AG; Epstein, AJ. (1995). CAMPHORSULFONIC ACID FULLY DOPED POLYANILINE EMERALDINE SALT - CONFORMATIONS IN DIFFERENT SOLVENTS STUDIED BY AN ULTRAVIOLET-VISIBLE NEAR-INFRARED SPECTROSCOPIC METHOD. Chem Mater. 7: 443-445.

Xiao, G; Tong, K; Zhou, L; Xiao, J; Sun, S; Li, P; Yu, J. (2012). Adsorption and Desorption Behavior of Lithium Ion in Spherical PVC-MnO2 Ion Sieve. Ind Eng Chem Res. 51: 10921-10929. http://dx.doi.org/10.1021/ie300087s.

Xiao, Z; Camino, FE. (2009). The fabrication of carbon nanotube field-effect transistors with semiconductors as the source and drain contact materials. Nanotechnology. 20: 135205. http://dx.doi.org/10.1088/0957-4484/20/13/135205.

Xiao, Z; Sharma, H; Zhu, MY; Pearson, T. (2010). Dielectrophoresis-assisted deposition and alignment of single-walled carbon nanotubes for electronic-device fabrication. Journal of Vacuum Science and Technology A. 28: 750-754. http://dx.doi.org/10.1116/1.3378151.

Xie, L; Sha, J, in; Ma, Y; Han, J. (2013). Thermal Reduction of Graphene Oxide in Organic Solvents for Producing Colloidal Suspensions of Reduced Graphene Oxide Sheets. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 901-915. http://dx.doi.org/10.1080/1536383X.2013.826196.

Xie, X; Huang, B, in; Zhou, W; Cai, M. (2016). Synthesis and Properties of Novel Copolymers of Poly(ether ketone ether ketone ketone) and Poly(ether ketone ketone ether ketone ketone) Containing 1,4-Naphthylene Moieties. Polymer Engineering and Science. 56: 566-572. http://dx.doi.org/10.1002/pen.24281.

Xie, YL; Wang, MJ; Yao, SJ. (2009). Preparation and characterization of biocompatible microcapsules of sodium cellulose sulfate/chitosan by means of layer-by-layer self-assembly. Langmuir. 25: 8999-9005. http://dx.doi.org/10.1021/la9014338.

Xilong, W; Xiaoyan, S; Zhexu, Z; Xuemei, L; Xingwei, L; Cheng, Y; Yuxi, L. (2016). Preparation and Mechanical Properties of Hard Metals Using Graphene as Carbon Source. 45: 3262-3266.

Xing, DY, u; Peng, N, a; Chung, T, aiS. (2010). Formation of Cellulose Acetate Membranes via Phase Inversion Using Ionic Liquid, [BMIM]SCN, As the Solvent. Ind Eng Chem Res. 49: 8761-8769. http://dx.doi.org/10.1021/ie1007085.

Xiong, J; Jiang, F; Shi, H; Xu, J; Liu, C; Zhou, W; Jiang, Q; Zhu, Z; Hu, Y. (2015). Liquid Exfoliated Graphene as Dopant for Improving the Thermoelectric Power Factor of Conductive PEDOT:PSS Nanofilm with Hydrazine Treatment. 7: 14917-14925. http://dx.doi.org/10.1021/acsami.5b03692.

Xu, HJ; Zhang, CF; Zheng, ZS. (2002). Selective H2S removal by nonaqueous methyldiethanolamine solutions in an experimental apparatus. Ind Eng Chem Res. 41: 2953-2956. http://dx.doi.org/10.1021/ie0109253.

Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). 3: 2628-2633. http://dx.doi.org/10.1039/c4ta05640j.

Xu, SM; Liu, YL; Zhang, LS. (2001). Performance research of self regenerated absorption heat transformer cycle using TFE-NMP as working fluids. International Journal of Refrigeration. 24: 510-518.

Xu, W, enLin; Mao, F; Zhao, HK, un; Wang, Y, aQ; Wang, J, in. (2007). Solubility of anthracene in N,N-dimethyformamide, N,N-dimethylacetamide, and N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 52: 553-554. http://dx.doi.org/10.1021/je060454x.

Xu, W, u; Viswanathan, VV; Wang, D; Towne, SA; Xiao, J, ie; Nie, Z; Hu, D; Zhang, J, iG. (2011). Investigation on the charging process of Li(2)O(2)-based air electrodes in Li-O(2) batteries with organic carbonate electrolytes. J Power Sources. 196: 3894-3899. http://dx.doi.org/10.1016/j.jpowsour.2010.12.065.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Xu, Y; Wang, Z; Guo, Z; Huang, H, ao; Xiao, Q; Zhang, H, an; Yu, X, ueF. (2016). Solvothermal Synthesis and Ultrafast Photonics of Black Phosphorus Quantum Dots. 4: 1223-1229. http://dx.doi.org/10.1002/adom.201600214.

Xue, L; Zhao, F; Xing, X; Zhou, Z; Wang, K, ai; Gao, H; Yi, J; Xu, S; Hu, R. (2011). Dissolution Properties of 1,2,4-Triazole Nitrate in N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 56: 259-262. http://dx.doi.org/10.1021/je100838m.

Yamamura, M; Matsumoto, H; Mawatari, Y; Kage, H. (2013). Drying-induced reduction in electrical resistivity of carbon black-polyamideimide nanocomposite films. Chemical Engineering and Processing: Process Intensification. 70: 17-20. http://dx.doi.org/10.1016/j.cep.2013.05.012.

Yan, B; Gu, J; Xiao, X. (2010). LnPO(4): RE3+ (La = La, Gd; RE = Eu, Tb) nanocrystals: solvo-thermal synthesis, microstructure and photoluminescence. J Nanopart Res. 12: 2145-2152. http://dx.doi.org/10.1007/s11051-009-9776-x.

Yan, JS; Lau, WWY. (1998). Effect of internal coagulant on morphology of polysulfone hollow fiber membranes. I. Separation Science and Technology. 33: 33-55.

Yan, X; Zheng, D; Zhang, M, in; Yang, W. (2015). Isothermal vapor-liquid equilibrium measurements and assessments of 1,1,1,3,3,3-hexafluoropropane plus N,N-dimethylformamide/N-methyl-2-pyrrolidone working pairs for absorption power cycles. Fluid Phase Equilibria. 406: 27-33. http://dx.doi.org/10.1016/j.fluid.2015.08.003.

Yang, C; He, G; He, Y; Ma, P. (2008). Densities and viscosities of N,N-dimethylformamide plus N-methyl-2-pyrrolidinone and plus dimethyl sulfoxide in the temperature range (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 53: 1639-1642. http://dx.doi.org/10.1021/je800138b.

Yang, CP; Chen, RS; Wei, CS. (2002). Synthesis and properties of new soluble poly(amide-imide-imide)s. Polymer Engineering and Science. 42: 1220-1230.

Yang, CP; Chen, RS; Wei, CS. (2003). Synthesis and properties of new soluble poly(amide-imide-imide)s based on tetraimide-dicarboxylic acid condensed from ODPA, BAPP and p-ABA, and various aromatic diamines. Mater Chem Phys. 77: 226-235.

Yang, CP; Hsiao, SH; Yang, HW. (2000). Synthesis and characterization of new aromatic poly(amide-imide)s derived from 1,4-bis(4-aminophenoxy)-2-t-butylbenzene and various bis(trimellitimide)s. Mater Chem Phys. 64: 116-122.

Yang, CS; Ma, PS; Zhou, Q. (2004). Excess molar volumes and viscosities of binary mixtures of p-xylene with cyclohexane, n-heptane, n-octane, sulfolane, N-methyl-2-pyrrolidone and acetic acid at 303.15 K and 323.15 K and atmospheric pressure. Chinese Journal of Chemical Engineering. 12: 700-706.

Yang, CS; Xu, W; Ma, PS. (2004). Thermodynamic properties of binary mixtures of p-xylene with cyclohexane, heptane, octane, and N-methyl-2-pyrrolidone at several temperatures. Journal of Chemical and Engineering Data. 49: 1794-1801. http://dx.doi.org/10.1021/je04776w.

Yang, CS; Yu, WL; Ma, PS. (2005). Densities and viscosities of binary mixtures of ethylbenzene plus N-methyl-2-pyrrolidone, ethylbenzene plus sulfolane, and styrene plus octane from (303.15 to 353.15) K and atmospheric pressure. Journal of Chemical and Engineering Data. 50: 1197-1203. http://dx.doi.org/10.1021/je049572f.

Yang, D; Adams, PN; Brown, L; Mattes, BR. (2006). Impact of hydrogen bonds in polyaniline. AMPSA(n)/acid solutions. Synthetic Metals. 156: 1225-1235. http://dx.doi.org/10.1016/j.synthmet.2006.09.002.

Yang, D; Fadeev, AG; Adams, PN; Mattes, BR. (2007). GPC characterization of emeraldine, base in NMP containing ionic liquids. Synthetic Metals. 157: 988-996. http://dx.doi.org/10.1016/j.synthmet.2007.10.002.

Yang, D; Mattes, BR. (1999). Investigation of gel inhibitor assisted dissolution of polyaniline: A case study for emeraldine base, 2-methyl-aziridine, and N-methyl-pyrrolidone. Synthetic Metals. 101: 746-749.

Yang, D; Mattes, BR. (2008). Investigation of interaction among polyaniline, organic acid, and water. Synthetic Metals. 158: 654-660. http://dx.doi.org/10.1016/j.synthmet.2008.04.017.

Yang, DL; Adams, PN; Mattes, BR. (2001). Intrinsic viscosity measurement of dilute emeraldine base solutions for estimating the weight average molecular weight of polyaniline. Synthetic Metals. 119: 301-302.

Yang, DL; Mattes, BR. (2002). Polyaniline emeraldine base in N-methyl-2-pyrrolidinone containing secondary amine additives B - Characterization of solutions and thin films. Synthetic Metals. 129: 249-260.

Yang, JL; Stansberry, PG; Zondlo, JW; Stiller, AH. (2002). Characteristics and carbonization behaviors of coal extracts. Fuel Process Tech. 79: 207-215.

Yang, K; Wang, C; Wei, J, ie. (2007). A study on biocomposite of nano apatite/poly (1,4-phenylene-sulfide)-poly (2,4-phenylene sulfide acid). Composites Part B: Engineering. 38: 306-310. http://dx.doi.org/10.1016/j.compositesb.2006.06.008.

Yang, N; Tan, X; Ma, Z. (2008). A phase inversion/sintering process to fabricate nickel/yttria-stabilized zirconia hollow fibers as the anode support for micro-tubular solid oxide fuel cells. J Power Sources. 183: 14-19. http://dx.doi.org/10.1016/j.jpowsour.2008.05.006.

Yang, Q; Chung, T, aiS; Santoso, YE. (2007). Tailoring pore size and pore size distribution of kidney dialysis hollow fiber membranes via dual-bath coagulation approach. J Memb Sci. 290: 153-163. http://dx.doi.org/10.1016/j.memsci.2006.12.036.

Yang, S; Shen, C; Tian, Y; Zhang, X; Gao, HJ. (2014). Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. Nanoscale. 6: 13154-13162. http://dx.doi.org/10.1039/c4nr04349a.

Yang, S; Wang, X; Zhu, Y; Qiao, M; Chen, N, a. (2013). Isobaric vapor-liquid equilibrium data of the binary systems of octane with p, o, m-xylene at 20 kPa. Fluid Phase Equilibria. 344: 1-5. http://dx.doi.org/10.1016/j.fluid.2013.01.015.

Yang, X; Zhang, B; Liu, Z; Deng, B, o; Yu, M; Li, L; Jiang, H; Li, J. (2011). Preparation of the antifouling microfiltration membranes from poly(N,N-dimethylacrylamide) grafted poly(vinylidene fluoride) (PVDF) powder. J Mater Chem. 21: 11908-11915. http://dx.doi.org/10.1039/c1jm11348h.

Yang, XL; Larsen, JW; Silbernagel, BG. (1993). H-1 SPIN-ECHO NMR RELAXATION STUDIES OF DRIED AND SWOLLEN ARGONNE PREMIUM COALS. Energy Fuels. 7: 439-445.

Yang, XL; Silbernagel, BG; Larsen, JW. (1994). PHASE-BEHAVIOR AND MACROMOLECULAR STRUCTURE OF SWOLLEN COALS - A LOW-TEMPERATURE H-1 AND H-2 NMR-STUDY. Energy Fuels. 8: 266-275.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Yang, Y; Hu, H, ao; Zhou, CH, ua; Xu, S; Sebo, B; Zhao, XZ. (2011). Novel agarose polymer electrolyte for quasi-solid state dye-sensitized solar cell. J Power Sources. 196: 2410-2415.

Yang, Y; Miao, L, ei; Hu, J; Liu, G; Tu, Y; Lin, S; Liu, F; Li, F, ei; Wu, Y, an; Zhang, G; Zou, H. (2014). Hydrophilization of polysulfone membranes using a binary graft copolymer. 2: 10410-10423. http://dx.doi.org/10.1039/c4ta01481b.

Yang, Y; Yang, D; Zhang, S; Wang, J, un; Jian, X. (2006). Preparation and characterization of poly(phthalazinone ether sulfone ketone) hollow fiber ultrafiltration membranes with excellent thermal stability. J Memb Sci. 280: 957-968. http://dx.doi.org/10.1016/j.memsci.2006.03.023.

Yang, YQ; Jian, XG; Yang, DL; Zhang, SH; Zou, LJ. (2006). Poly (phthalazinone ether sulfone ketone) (PPESK) hollow fiber asymmetric nanofiltration membranes: Preparation, morphologies and properties. J Memb Sci. 270: 1-12. http://dx.doi.org/10.1016/j.memsci.2005.06.036.

Yang, Z; Xue, Z; Liao, Y; Zhou, X; Zhou, J; Zhu, J; Xie, X. (2013). Hierarchical hybrids of carbon nanotubes in amphiphilic poly(ethylene oxide)-block-polyaniline through a facile method: from smooth to thorny. Langmuir. 29: 3757-3764. http://dx.doi.org/10.1021/la304283n.

Yang, ZY, u; Hu, Y, uF; Wang, Z, hiXin; Sun, Y, u; Jiang, CC; Chen, Y, uFei. (2014). Densities and Viscosities of the Binary and Ternary Aqueous Solutions of Pyrrolidone-Based Ionic Liquids at Different Temperatures and Atmospheric Pressure. Journal of Chemical and Engineering Data. 59: 1094-1104. http://dx.doi.org/10.1021/je4002009.

Yao, G, anB; Sun, Y, aP; Wang, L; Yi, JK; Meng, L; Zhang, X, u. (2014). Phase Equilibrium and Phase Diagram for the System of Benzene Dicarboxylic Acid plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 59: 2686-2692. http://dx.doi.org/10.1021/je500542j.

Yao, H; Zhang, S; Wang, J; Zhou, Q; Dong, H; Zhang, X. (2012). Densities and Viscosities of the Binary Mixtures of 1-Ethyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide with N-Methyl-2-pyrrolidone or Ethanol at T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 875-881. http://dx.doi.org/10.1021/je200922s.

Yao, P, ei; Xu, J, un; Wang, Y, i; Zhu, C. (2009). Preparation and characterization of soluble and DBSA doped polyaniline grafted multi-walled carbon nanotubes nano-composite. Journal of Materials Science: Materials in Electronics. 20: 891-898. http://dx.doi.org/10.1007/s10854-008-9812-0.

Yaug, L, i; Xi, G; Xi, Y. (2015). Recovery of Co, Mn, Ni, and Li from spent lithium ion batteries for the preparation of LiNixCoyMnzO2 cathode materials. Ceramics International. 41: 11498-11503. http://dx.doi.org/10.1016/j.ceramint.2015.05.115.

Yazdani, S; Hatami, M; Vahdat, SM. (2014). The chemistry concerned with the sonochemical-assisted synthesis of CeO2/poly(amic acid) nanocomposites. Turkish Journal of Chemistry. 38: 388-401. http://dx.doi.org/10.3906/kim-1306-33.

Yeon, Y; Lee, MY; Kim, SY; Lee, J; Kim, B; Park, B; In, I. (2015). Production of quasi-2D graphene nanosheets through the solvent exfoliation of pitch-based carbon fiber. Nanotechnology. 26: 375602. http://dx.doi.org/10.1088/0957-4484/26/37/375602.

Yeow, ML; Liu, YT; Li, K. (2005). Preparation of porous PVDF hollow fibre membrane via a phase inversion method using lithium perchlorate (LiClO4) as an additive. J Memb Sci. 258: 16-22. http://dx.doi.org/10.1016/j.memsci.2005.01.015.

Yigit, M; Seckin, T; Yigit, B; Koytepe, S. (2013). Synthesis and characterization of thermally stable camphor-based polyimide-clay nanocomposites. Turkish Journal of Chemistry. 37: 182-194. http://dx.doi.org/10.3906/kim-1202-65.

Yin, J; Shi, L; Zhu, MS; Han, LZ. (2000). Performance analysis of an absorption heat transformer with different working fluid combinations. Appl Energ. 67: 281-292.

Yin, J, un; Zhu, G; Deng, B. (2013). Multi-walled carbon nanotubes (MWNTs)/polysulfone (PSU) mixed matrix hollow fiber membranes for enhanced water treatment. J Memb Sci. 437: 237-248. http://dx.doi.org/10.1016/j.memsci.2013.03.021.

Yin, W; Ding, S; Xia, S; Ma, P; Huang, X; Zhu, Z. (2010). Cosolvent Selection for Benzene-Cyclohexane Separation in Extractive Distillation. Journal of Chemical and Engineering Data. 55: 3274-3277. http://dx.doi.org/10.1021/je100081v.

Ying, L; Kang, ET; Neoh, KG. (2002). Synthesis and characterization of poly(N-isopropylacrylamide)-graft-poly(vinylidene fluoride) copolymers and temperature-sensitive membranes. Langmuir. 18: 6416-6423. http://dx.doi.org/10.1021/la020241f.

Ying, L; Kang, ET; Neoh, KG. (2003). Characterization of membranes prepared from blends of poly(acrylic acid)-graft-poly(vinylidene fluoride) with poly(N-isopropylacrylamide) and their temperature- and pH-sensitive microfiltration. J Memb Sci. 224: 93-106. http://dx.doi.org/10.1016/j.memsci.2003.07.002.

Yong, W, aiFen; Li, F, uYun; Chung, T, aiS; Tong, Y, enWah. (2014). Molecular interaction, gas transport properties and plasticization behavior of cPIM-1/Torlon blend membranes. J Memb Sci. 462: 119-130. http://dx.doi.org/10.1016/j.memsci.2014.03.046.

Yoo, JE; Kim, JH; Kim, Y; Kim, CK. (2003). Novel ultrafiltration membranes prepared from the new miscible blends of polysulfone with poly(1-vinylpyrrolidone-co-styrene) copolymers. J Memb Sci. 216: 95-106. http://dx.doi.org/10.1016/S0376-7388(03)00062-0.

Yoo, SH; Jho, JY; Won, J; Park, HC; Kang, YS. (2000). Effect of solvent and cosolvent on the morphology and permeance of asymmetric polyimide membrane. J Ind Eng Chem. 6: 129-132.

Yoon, KH; Yang, BD. (2003). Preparation and characterization of matrix retaining electrolyte for a phosphoric acid fuel cell by non-volatile solvent, NMP. J Power Sources. 124: 47-51. http://dx.doi.org/10.1016/S0378-7753(03)00629-3.

Yoonessi, M; Shi, Y; Scheiman, DA; Lebron-Colon, M; Tigelaar, DM; Weiss, RA; Meador, MA. (2012). Graphene polyimide nanocomposites; thermal, mechanical, and high-temperature shape memory effects. ACS Nano. 6: 7644-7655. http://dx.doi.org/10.1021/nn302871y.

Yoshida, K; Shimomura, T; Ito, K; Hayakawa, R. (1999). Inclusion complex formation of cyclodextrin and polyaniline. Langmuir. 15: 910-913.

Yoshida, T; Takanohashi, T; Iino, M; Katoh, K. (2001). Dynamic viscoelastic measurement of coal extracts and residues. Energy Fuels. 15: 170-175. http://dx.doi.org/10.1021/ef000150v.

Yoshida, T; Takanohashi, T; Iino, M; Kumagai, H; Kato, K. (2004). Interactions among different fractions in the thermoplastic state of Goonyella coking coal. Energy Fuels. 18: 349-356. http://dx.doi.org/10.1021/ef034008g.

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). The effect of extraction condition on 'HyperCoal' production (I) - under room-temperature filtration. Fuel. 81: 1463-1469.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). Relationship between thermal extraction yield and softening temperature for coals. Energy Fuels. 16: 1006-1007. http://dx.doi.org/10.1021/ef010244k.

Yoshino, H; Timko, AG; Itani, T; Tanabe, H; Houlihan, FM; Nalamasu, O. (1999). Environmental stability of 193-nm single layer chemically amplified resists. 40: 345-349.

Youwei, C; Ge, P; Bianhua, W; Xia, G; Xi, L. (2011). Thermodynamic Study on the Adduct Crystallization of Terephthalic Acid with Amides. Journal of Chemical and Engineering Data. 56: 1020-1024. http://dx.doi.org/10.1021/je101018w.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2013). Kinetics of Michael addition polymerizations of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 53: 204-211. http://dx.doi.org/10.1002/pen.23248.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chiang, Y, uC; Lin, W; Jiang, J, yhC; Chern, CS. (2014). Effect of solvent proton affinity on the kinetics of michael addition polymerization of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 54: 559-568. http://dx.doi.org/10.1002/pen.23587.

Yu, F, uEn; Lee, H, aoYeh; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2014). Kinetics of polymerization of N,N '-bismaleimide-4, 4 '-diphenylmethane with barbituric acid. Taiwan Institute of Chemical Engineers Journal. 45: 2820-2826. http://dx.doi.org/10.1016/j.jtice.2014.06.003.

Yu, L; Wang, XH; Li, J; Jing, XB; Wang, FS. (1999). Soluble 2,5-dimercapto-1,3,4-thiadiazole/poly(o-toluidine) electroactive composite. J Electrochem Soc. 146: 1712-1716.

Yu, SJ, un; Baik, D, ooH; Jeong, YG, yu. (2014). Synthesis and characterization of poly(2-cyano-1,4-phenylene terephthalamide) and its copolymers by phosphorylation-assisted polycondensation reaction. Fibers and Polymers. 15: 2447-2452. http://dx.doi.org/10.1007/s12221-014-2447-2.

Yue, XM; Wei, XY; Sun, B; Zong, ZM; Song, LF; Wang, YH; Liu, FJ; Zhao, W; Fan, X; Zhao, YP. (2014). Difference in Molecular Composition of the Carbon Disulfide/Acetone-extractable Fraction between Xilinhaote Lignite and Geting Bituminous Coal. Energ Source Part A. 36: 2651-2659. http://dx.doi.org/10.1080/15567036.2011.621927.

Yun, SY; Kim, J; Ounaies, Z. (2006). Single-walled carbon nanotube/polyaniline coated cellulose based electro-active paper (EAPap) as hybrid actuator. Smart Materials and Structures. 15: N61-N65. http://dx.doi.org/10.1088/0964-1726/15/3/N02.

Yune, PS; Kilduff, JE; Belfort, G. (2011). Using co-solvents and high throughput to maximize protein resistance for poly(ethylene glycol)-grafted poly(ether sulfone) UF membranes. J Memb Sci. 370: 166-174. http://dx.doi.org/10.1016/j.memsci.2011.01.006.

Zackrisson, M; Avellan, L; Orlenius, J. (2010). Life cycle assessment of lithium-ion batteries for plug-in hybrid electric vehicles - Critical issues. J Clean Prod. 18: 1519-1529. http://dx.doi.org/10.1016/j.jclepro.2010.06.004.

Zahran, F; Morere, J; Cabanas, A; Renuncio, JAR; Pando, C. (2011). Role of excess molar enthalpies in supercritical antisolvent micronizations using dimethylsulfoxide as the polar solvent. Journal of Supercritical Fluids. 60: 45-50. http://dx.doi.org/10.1016/j.supflu.2011.02.015.

Zaky, MT; Mohamed, NH; Farag, AS. (2011). Separation of some paraffin wax grades using solvent extraction technique. Fuel Process Tech. 92: 2024-2029. http://dx.doi.org/10.1016/j.fuproc.2011.06.002.

Zaky, MT; Tawfik, SM. (2011). Production of lubricating base oil from slop wax by different subsequent refining techniques. Fuel Process Tech. 92: 447-451. http://dx.doi.org/10.1016/j.fuproc.2010.10.008.

Zare, EN; Lakouraj, MM; Moghadam, PN; Azimi, R. (2013). Novel polyfuran/functionalized multiwalled carbon nanotubes composites with improved conductivity: Chemical synthesis, characterization, and antioxidant activity. Polymer Composites. 34: 732-739. http://dx.doi.org/10.1002/pc.22476.

Zarrebini, M; Saghafi, R; Semnani, D; Mahmoudi, MR. (2015). High pressure injection technique for hypochlorite treatment of polysulfone hollow fibre membranes. Indian Journal of Fibre & Textile Research. 40: 405-413.

Zarth, CSP; Koschella, A; Pfeifer, A; Dorn, S; Heinze, T. (2011). Synthesis and characterization of novel amino cellulose esters. Cellulose. 18: 1315-1325. http://dx.doi.org/10.1007/s10570-011-9557-4.

Zawacka, NK; Andersen, TR; Andreasen, JW; Rossander, L, eaH; Dam, HF; Jorgensen, M; Krebs, FC. (2014). The influence of additives on the morphology and stability of roll-to-roll processed polymer solar cells studied through ex situ and in situ X-ray scattering. 2: 18644-18654. http://dx.doi.org/10.1039/c4ta03484h.

Zawadzki, M; Niedzicki, L; Wieczorek, W; Domanska, U. (2013). Estimation of extraction properties of new imidazolide anion based ionic liquids on the basis of activity coefficient at infinite dilution measurements. Separation and Purification Technology. 118: 242-254. http://dx.doi.org/10.1016/j.seppur.2013.07.006.

Zehioua, R; Coquelet, C; Meniai, AH. (2016). p-T-x Measurements for 1,1,1,2-Tetrafluoroethane (R134a) + N,N-Dimethylacetamide (DMA) and N-Methyl-2-pyrrolidone (NMP). Journal of Chemical and Engineering Data. 61: 912-919. http://dx.doi.org/10.1021/acs.jced.5b00747.

Zellers, ET; Sulewski, R. (1993). Modeling the temperature dependence of N-methylpyrrolidone permeation through butyl- and natural-rubber gloves. Am Ind Hyg Assoc J. 54: 465-479. http://dx.doi.org/10.1080/15298669391354991.

Zeman, L; Tkacik, G. (1988). THERMODYNAMIC ANALYSIS OF A MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 36: 119-140.

Zengin, H; Spencer, HG; Zengin, G; Gregory, RV. (2007). Studies of solution properties of polyaniline by membrane osmometry. Synthetic Metals. 157: 147-154. http://dx.doi.org/10.1016/j.synthmet.2007.01.001.

Zhai, GQ; Kang, ET; Neoh, KG. (2003). Poly(2-vinylpyridine)- and poly(4-vinylpyridine)-graft-poly(vinylidene fluoride) copolymers and their pH-sensitive microfiltration membranes. J Memb Sci. 217: 243-259. http://dx.doi.org/10.1016/S0376-7388(03)00140-6.

Zhai, GQ; Toh, SC; Tan, WL; Kang, ET; Neoh, KG; Huang, CC; Liaw, DJ. (2003). Poly(vinylidene fluoride) with grafted zwitterionic polymer side chains for electrolyte-responsive microfiltration membranes. Langmuir. 19: 7030-7037. http://dx.doi.org/10.1021/la034440q.

Zhai, GQ; Ying, L; Kang, ET; Neoh, KG. (2002). Poly(vinylidene fluoride) with grafted 4-vinylpyridine polymer side chains for pH-sensitive microfiltration membranes. J Mater Chem. 12: 3508-3515. http://dx.doi.org/10.1039/b206486c.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Zhan, Y; Lu, Y; Peng, C; Lou, J, un. (2011). Solvothermal synthesis and mechanical characterization of single crystalline copper nanorings. J Cryst Growth. 325: 76-80. http://dx.doi.org/10.1016/j.jcrysgro.2011.04.031.

Zhang, CH; Zhang, ZQ; Li, QY; Cao, HL. (2005). Synthesis, characterization and properties of SiO2-polyimide hybrid film. Polymers and Polymer Composites. 13: 199-207.

Zhang, H; Wang, J; Chen, Y; Zhang, M. (2007). Solubility of sodium cefotaxime in different solvents. Journal of Chemical and Engineering Data. 52: 982-985. http://dx.doi.org/10.1021/je600564q.

Zhang, J, in; Chan, Y; Yu, Q. (2008). Plasma interface engineered coating systems for magnesium alloys. Progr Org Coating. 61: 28-37. http://dx.doi.org/10.1016/j.porgcoat.2007.08.010.

Zhang, L; He, G; Zhao, W, ei; Tan, M; Li, X. (2010). Effect of formamide additive on the structure and gas permeation performance of polyethermide membrane. Separation and Purification Technology. 73: 188-193. http://dx.doi.org/10.1016/j.seppur.2010.03.024.

Zhang, L, iu; Wang, Z, hi; Wu, J; Shi, G; Xu, H. (2017). Comparison of the homemade and commercial graphene in heightening mechanical properties of Al2O3 ceramic. Ceramics International. 43: 2143-2149. http://dx.doi.org/10.1016/j.ceramint.2016.10.195.

Zhang, Q; Naito, K; Kagawa, Y. (2009). Functionalization of Multi-Walled Carbon Nanotubes with a Silane Coupling Agent and Synthesis of Polyimide Nanocomposite. J Nanosci Nanotechnol. 9: 267-274. http://dx.doi.org/10.1166/jnn.2009.J062.

Zhang, Q; Shi, B. (2009). Effect of Isomeric Propanols on the Performances of Polyethersulfone Nanofiltration Membranes. Separation Science and Technology. 44: 3876-3887. http://dx.doi.org/10.1080/01496390903255986.

Zhang, Q; Wang, H; Fan, X; Chen, S; Yu, H; Quan, X. (2016). A controlled wet-spinning and dip-coating process for preparation of high-permeable TiO2 hollow fiber membranes. Water Sci Technol. 73: 725-733. http://dx.doi.org/10.2166/wst.2015.543.

Zhang, S, huJ; Bu, QQ; Li, Y, anF; Gong, CL; Xu, XY; Li, H, ui. (2011). High organosolubility and optical transparency of novel polyimides derived from 2 ',7 '-bis(4-amino-2-trifluoromethylphenoxy)-spiro (fluorene-9,9 '-xanthene). Mater Chem Phys. 128: 392-399. http://dx.doi.org/10.1016/j.matchemphys.2011.03.010.

Zhang, S; Sakai, R; Abe, T; Iyoda, T; Norimatsu, T; Nagai, K. (2011). Photoelectrochemical and Photocatalytic Properties of Biphasic Organic p- and n-Type Semiconductor Nanoparticles Fabricated by a Reprecipitation Process. 3: 1902-1909. http://dx.doi.org/10.1021/am200096p.

Zhang, S; Yin, C; Xing, D; Yang, D; Jian, X. (2010). Preparation of chloromethylated/quaternized poly(phthalazinone ether ketone) anion exchange membrane materials for vanadium redox flow battery applications. J Memb Sci. 363: 243-249. http://dx.doi.org/10.1016/j.memsci.2010.07.046.

Zhang, SF; Xu, B; Herod, AA; Kandiyoti, R. (1996). Hydrocracking reactivities of primary coal extracts prepared in a flowing-solvent reactor. Energy Fuels. 10: 733-742.

Zhang, W, enFei; Tang, L, iBin; Yu, S, iuF; Lau, S, huP. (2012). Observation of white-light amplified spontaneous emission from carbon nanodots under laser excitation. 2: 490-495.

Zhang, X; Fang, D; Lin, B, in; Dong, Y; Meng, G; Liu, X. (2009). Asymmetric porous cordierite hollow fiber membrane for microfiltration. J Alloy Comp. 487: 631-638. http://dx.doi.org/10.1016/j.jallcom.2009.08.028.

Zhang, X; Hu, J; Chang, Q; Wang, Y; Zhou, J, er; Zhao, T; Jiang, Y; Liu, X. (2015). Influences of internal coagulant composition on microstructure and properties of porous YSZ hollow fibre membranes for water treatment. Separation and Purification Technology. 147: 337-345. http://dx.doi.org/10.1016/j.seppur.2015.01.027.

Zhang, X; Ji, L; Zhang, S; Yang, W. (2007). Synthesis of a novel polyaniline-intercalated layered manganese oxide nanocomposite as electrode material for electrochemical capacitor. J Power Sources. 173: 1017-1023. http://dx.doi.org/10.1016/j.jpowsour.2007.08.083.

Zhang, X; Lang, W, anZ; Xu, H, aiP; Yan, X, i; Guo, Y, aJun; Chu, LF. (2014). Improved performances of PVDF/PFSA/O-MWNTs hollow fiber membranes and the synergism effects of two additives. J Memb Sci. 469: 458-470. http://dx.doi.org/10.1016/j.memsci.2014.07.009.

Zhang, X; Lang, W, anZ; Yan, X, i; Lou, Z, hiY; Chen, XF, an. (2016). Influences of the structure parameters of multi-walled carbon nanotubes(MWNTs) on PVDF/PFSA/O-MWNTs hollow fiber ultrafiltration membranes. J Memb Sci. 499: 179-190. http://dx.doi.org/10.1016/j.memsci.2015.10.034.

Zhang, X, in; Shi, B; Liu, X. (2013). Preparation of polysulfone ultrafiltration membranes modified by silver particles. Desalination and Water Treatment. 51: 3762-3767. http://dx.doi.org/10.1080/19443994.2013.781569.

Zhang, Y; Zhu, X; Guo, J; Huang, X. (2016). Controlling Palladium Nanocrystals by Solvent-Induced Strategy for Efficient Multiple Liquid Fuels Electrooxidation. 8: 20642-20649. http://dx.doi.org/10.1021/acsami.6b02818.

Zhang, Y; Zou, L; Ladewig, BP; Mulcahy, D. (2015). Synthesis and characterisation of superhydrophilic conductive heterogeneous PANI/PVDF anion-exchange membranes. Desalination. 362: 59-67. http://dx.doi.org/10.1016/j.desal.2015.02.004.

Zhang, YZ; Li, H; Lin, J; Li, R; Liang, XP. (2006). Preparation and characterization of zirconium oxide particles filled acrylonitrile-methyl acrylate-sodium sulfonate acrylate copolymer hybrid membranes. Desalination. 192: 198-206. http://dx.doi.org/10.1016/j.desal.2005.07.036.

Zhao, FY; Murakami, K; Shirai, M; Arai, M. (2000). Recyclable homogeneous/heterogeneous catalytic systems for Heck reaction through reversible transfer of palladium species between solvent and support. J Catal. 194: 479-483.

Zhao, LP; Wang, JG; Neoh, KG; Kang, ET. (2004). Electroactive polymer patterns with metal incorporation on a polymeric substrate. Polymer Engineering and Science. 44: 2061-2069. http://dx.doi.org/10.1002/pen.20210.

Zhao, S; Wang, Z, hi; Wang, J; Wang, S. (2014). The effect of pH of coagulation bath on tailoring the morphology and separation performance of polysulfone/polyaniline ultrafiltration membrane. J Memb Sci. 469: 316-325. http://dx.doi.org/10.1016/j.memsci.2014.06.054.

Zhao, S; Wang, Z, hi; Wang, J; Yang, S; Wang, S. (2011). PSf/PANI nanocomposite membrane prepared by in situ blending of PSf and PANI/NMP. J Memb Sci. 376: 83-95. http://dx.doi.org/10.1016/j.memsci.2011.04.008.

Zhao, S; Wang, Z, hi; Wei, X, in; Zhao, B; Wang, J; Yang, S; Wang, S. (2011). Performance improvement of polysulfone ultrafiltration membrane using PANiEB as both pore forming agent and hydrophilic modifier. J Memb Sci. 385: 251-262. http://dx.doi.org/10.1016/j.memsci.2011.10.006.

Engineering/Occupational Exposure Literature Search Results

Off Topic

Zhao, T; Jiang, H, ao; Ma, J, an. (2011). Surfactant-assisted electrochemical deposition of alpha-cobalt hydroxide for supercapacitors. J Power Sources. 196: 860-864. http://dx.doi.org/10.1016/j.jpowsour.2010.06.042.

Zhao, W; Ye, L; Zhang, S; Sun, M; Hou, J. (2015). A universal halogen-free solvent system for highly efficient polymer solar cells. 3: 12723-12729. http://dx.doi.org/10.1039/c4ta07029a.

Zhao, XY, an; Zong, Z, hiMin; Cao, JP, ei; Ma, Y, uM; Han, L, i; Liu, GF; Zhao, W, ei; Li, W, enY; Xie, K, eC; Bai, XF, ei; Wei, XY. (2008). Difference in chemical composition of carbon disulfide-extractable fraction between vitrinite and inertinite from Shenfu-Dongsheng and Pingshuo coals. Fuel. 87: 565-575. http://dx.doi.org/10.1016/j.fuel.2007.02.021.

Zhongchun, L; Aijun, G; Quanfa, Z. (2016). Facile Hydrothermal Synthesis of MnOOH Nanorods and Their Application. 45: 862-867.

Zhou, C; Hou, Z; Lu, X; Liu, Z; Bian, X; Shi, L; Li, L. (2010). Effect of Polyethersulfone Molecular Weight on Structure and Performance of Ultrafiltration Membranes. Ind Eng Chem Res. 49: 9988-9997. http://dx.doi.org/10.1021/ie100199h.

Zhou, D; Cheng, QY, i; Han, B. (2011). Solvothermal synthesis of homogeneous graphene dispersion with high concentration. Carbon. 49: 3920-3927. http://dx.doi.org/10.1016/j.carbon.2011.05.030.

Zhou, J; Ren, J; Lin, L, i; Deng, M. (2008). Morphology evolution of thickness-gradient membranes prepared by wet phase-inversion process. Separation and Purification Technology. 63: 484-486. http://dx.doi.org/10.1016/j.seppur.2008.05.019.

Zhu, H; Matsui, J; Yamamoto, S; Miyashita, T; Mitsuishi, M. (2015). Solvent-dependent properties of poly(vinylidene fluoride) monolayers at the air-water interface. Soft Matter. 11: 1962-1972. http://dx.doi.org/10.1039/c4sm02800g.

Zhu, X; Liang, Y; Pan, H; Jian, X; Zhang, Y. (2008). Synthesis and properties of novel H-bonded composite membranes from sulfonated poly(phthalazinone ether)s for PEMFC. J Memb Sci. 312: 59-65. http://dx.doi.org/10.1016/j.memsci.2007.12.058.

Zhu, Y, u; Higginbotham, AL; Tour, JM. (2009). Covalent Functionalization of Surfactant-Wrapped Graphene Nanoribbons. Chem Mater. 21: 5284-5291. http://dx.doi.org/10.1021/cm902939n.

Zivkovic, L, jS; Jegdic, BV; Popic, JP; Bajat, JB; Miskovic-Stankovic, VB. (2013). The influence of Ce-based coatings as pretreatments on corrosion stability of top powder polyester coating on AA6060. Progr Org Coating. 76: 1387-1395. http://dx.doi.org/10.1016/j.porgcoat.2013.04.017.

Zivkovic, NV; Serbanovic, SS; Kijevcanin, ML, j; Zivkovic, EM. (2013). Volumetric and Viscometric Behavior of Binary Systems 2-Butanol + PEG 200, + PEG 400, + Tetraethylene Glycol Dimethyl Ether, and plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 58: 3332-3341. http://dx.doi.org/10.1021/je400486p.

Zolfaghari, A; Mortaheb, HR; Meshkini, F. (2011). Removal of N-Methyl-2-pyrrolidone by Photocatalytic Degradation in a Batch Reactor. Ind Eng Chem Res. 50: 9569-9576. http://dx.doi.org/10.1021/ie200702b.

Zong, ZM; Peng, YL; Liu, ZG; Zhou, SL; Wu, L; Wang, XH; Wei, XY; Lee, CW. (2003). Convenient synthesis of N-methylpyrrolidine-2-thione and some thioamides. Korean J Chem Eng. 20: 235-238.

Zong, ZM; Peng, YL; Qin, ZH; Liu, JZ; Wu, L; Wang, XH; Liu, ZG; Zhou, SL; Wei, XY. (2000). Reaction of N-methyl-2-pyrrolidinone with carbon disulfide. Energy Fuels. 14: 734-735.

Zu, SZ; Zhou, D; Han, BH. (2013). Supramolecular surface modification and dispersion of graphene in water and organic solvents. J Nanosci Nanotechnol. 13: 946-953. http://dx.doi.org/10.1166/jnn.2013.6007.

Exposure Literature Search Results

On Topic

Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. Int Arch Occup Environ Health. 65: 247-251. http://dx.doi.org/10.1007/BF00381198.

Bader, M; Keener, SA; Wrbitzky, R. (2005). Dermal absorption and urinary elimination of N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 78: 673-676. http://dx.doi.org/10.1007/s00420-005-0008-0.

Keener, SA; Wrbitzky, R; Bader, M. (2007). Human volunteer study on the influence of exposure duration and dilution of dermally applied N-methyl-2-pyrrolidone (NMP) on the urinary elimination of NMP metabolites. Int Arch Occup Environ Health. 80: 327-334. http://dx.doi.org/10.1007/s00420-006-0138-z.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1996). Stillbirth after occupational exposure to N-methyl-2-pyrrolidone: A case report and review of the literature [Review]. J Occup Environ Med. 38: 705-713. http://dx.doi.org/10.1097/00043764-199607000-00014.

Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehoej, J. (1995). Permeability of commercial solvents through living human skin. Am Ind Hyg Assoc J. 56: 651-660. http://dx.doi.org/10.1080/15428119591016665.

Wolkoff, P. (1998). Impact of air velocity, temperature, humidity, and air on long-term VOC emissions from building products. Atmos Environ. 32: 2659-2668.

Exposure Literature Search Results

Off Topic

Abd El-Aty, DM; El-Din, OIS, if; Hassan, SI; Tawfik, SM; Hanafi, S. (2009). Evaluation of Some Organic Solvents for Refining Diesel Fuel Fraction. Petroleum Science and Technology. 27: 861-873. http://dx.doi.org/10.1080/10916460802096279.

Abdullah, N; Rahman, MA; Othman, MHD; Ismail, AF; Jaafar, J; Aziz, AA, bd. (2016). Preparation and characterization of self-cleaning alumina hollow fiber membrane using the phase inversion and sintering technique. Ceramics International. 42: 12312-12322. http://dx.doi.org/10.1016/j.ceramint.2016.05.003.

Exposure Literature Search Results

Off Topic

Aboudzadeh, N; Imani, M; Shokrgozar, MA; Khavandi, A; Javadpour, J; Shafieyan, Y; Farokhi, M. (2010). Fabrication and characterization of poly(D,L-lactide-co-glycolide)/hydroxyapatite nanocomposite scaffolds for bone tissue regeneration. J Biomed Mater Res A. 94: 137-145. http://dx.doi.org/10.1002/jbm.a.32673.

Adams, FV; Mulaba-Bafubiandi, AF. (2016). Synthesis and characterization of polysulphone/clay membrane: effect of natural clay differences. Desalination and Water Treatment. 57: 15772-15781. http://dx.doi.org/10.1080/19443994.2015.1077347.

Aerts, P; Genne, I; Kuypers, S; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-aerosil composite membranes Part 2. The influence of the addition of aerosil on the skin characteristics and membrane properties. J Memb Sci. 178: 1-11.

Aerts, P; Van Hoof, E; Leysen, R; Vankelecom, IFJ; Jacobs, PA. (2000). Polysulfone-Aerosil composite membranes - Part 1. The influence of the addition of Aerosil on the formation process and membrane morphology. J Memb Sci. 176: 63-73.

Afzal, AB; Akhtar, MJ; Nadeem, M; Hassan, MM. (2009). Investigation of Structural and Electrical Properties of Polyaniline/Gold Nanocomposites. J Phys Chem C. 113: 17560-17565. http://dx.doi.org/10.1021/jp902725d.

Agarwal, P; Sharma, DK. (2011). Studies on the Desulfurization of Petroleum Coke by Organorefining and Other Chemical and Biochemical Techniques Under Milder Ambient Pressure Conditions. Petroleum Science and Technology. 29: 1482-1493. http://dx.doi.org/10.1080/10916460902839230.

Aguila-Hernandez, J; Gomez-Quintana, R; Murrieta-Guevara, F; Romero-Martinez, A; Trejo, A. (2001). Liquid density of aqueous blended alkanolamines and N-methylpyrrolidone as a function of concentration and temperature. Journal of Chemical and Engineering Data. 46: 861-867.

Aguila-Hernandez, J; Trejo, A; Garcia-Flores, BE; Molnar, R. (2008). Viscometric and volumetric behaviour of binary mixtures of sulfolane and N-methylpyrrolidone with monoethanolamine and diethanolamine in the range 303-373 K. Fluid Phase Equilibria. 267: 172-180. http://dx.doi.org/10.1016/j.fluid.2008.02.023.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2011). Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. Desalination. 278: 318-324. http://dx.doi.org/10.1016/j.desal.2011.05.046.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2016). Impact of membrane pore structure on protein detection sensitivity of affinity-based immunoassay. Polish Journal of Chemical Technology. 18: 97-103. http://dx.doi.org/10.1515/pjct-2016-0035.

Ahmad, AL; Sarif, M; Ismail, S. (2005). Development of an integrally skinned ultrafiltration membrane for wastewater treatment: effect of different formulations of PSf/NMP/PVP on flux and rejection. Desalination. 179: 257-263. http://dx.doi.org/10.1016/j.desal.2004.11.072.

Ahmad, I; Mccarthy, JE; Baranov, A; Gun'ko, YK. (2015). Development of Graphene Nano-Platelet Based Counter Electrodes for Solar Cells. Materials. 8: 5953-5973. http://dx.doi.org/10.3390/ma8095284.

Ahmed, S; Nelson, PA; Gallagher, KG; Dees, DW. (2016). Energy impact of cathode drying and solvent recovery during lithium-ion battery manufacturing. J Power Sources. 322: 169-178. http://dx.doi.org/10.1016/j.jpowsour.2016.04.102.

Ahn, CW, oo; Choi, JJ, in; Ryu, J; Hahn, BD; Kim, JW, oo; Yoon, WH, a; Choi, JH; Park, DS, oo. (2015). Microstructure and electrochemical properties of graphite and C-coated LiFePO4 films fabricated by aerosol deposition method for Li ion battery. Carbon. 82: 135-142. http://dx.doi.org/10.1016/j.carbon.2014.10.043.

Ahn, DK; Song, JJ; Ahn, HJ; Cho, JS; Moon, JT; Park, WW; Sohn, KY. (2013). The effect of Ni on the microstructures and electrochemical properties of Si-Ti base alloys for lithium secondary batteries. J Nanosci Nanotechnol. 13: 3522-3525. http://dx.doi.org/10.1166/jnn.2013.7330.

Ahn, J, inH; Kim, J, aeK; Kim, HS, oo; Kim, E, uiJ; Koo, K, eeK. (2009). Solubility of 1,1-Diamino-2,2-dinitroethylene in N,N-Dimethylformamide, Dimethyl Sulfoxide, and N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 54: 3259-3260. http://dx.doi.org/10.1021/je900235s.

Ahn, T; Kim, J, inWoo; Choi, Y; Yi, M, iHye. (2008). Hybridization of a low-temperature processable polyimide gate insulator for high performance pentacene thin-film transistors. Organic Electronics. 9: 711-720. http://dx.doi.org/10.1016/j.orgel.2008.05.003.

Akesson, B; Carnerup, MA; Jönsson, BA. (2004). Evaluation of exposure biomarkers from percutaneous absorption of N-methyl-2-pyrrolidone. Scand J Work Environ Health. 30: 306-312.

Akesson, B; Jönsson, BA. (2000). Biological monitoring of N-methyl-2-pyrrolidone using 5-hydroxy-N-methyl-2-pyrrolidone in plasma and urine as the biomarker. Scand J Work Environ Health. 26: 213-218.

Akesson, B; Paulsson, K. (1997). Experimental exposure of male volunteers to N-methyl-2-pyrrolidone (NMP): acute effects and pharmacokinetics of NMP in plasma and urine. Occup Environ Med. 54: 236-240.

Akshatha, A; Rajan, JS; Ramachandra, H. (2015). Laboratory Validation of Method of Solvent Extraction for Removal of Sulphur Compounds from Mineral Oil. I E E E Transactions on Dielectrics and Electrical Insulation. 22: 2572-2580. http://dx.doi.org/10.1109/TDEI.2015.005100.

Al Nagar, AM; El Shamy, EA. (2007). Base oil production. Part II: Dewaxing, finishing, and blending. Petroleum Science and Technology. 25: 853-866. http://dx.doi.org/10.1080/10916460500297088.

Alam, R; Mobin, M; Aslam, J. (2016). Investigation of anti-corrosive properties of poly(aniline-co-2-pyridylamine-co-2,3-xylidine) and its nanocomposite poly(aniline-co-2-pyridylamine-co-2,3-xylidine)/ZnO on mild steel in 0.1 M HCl. Appl Surf Sci. 368: 360-367. http://dx.doi.org/10.1016/j.apsusc.2016.02.034.

Alam, R; Mobin, M; Aslam, J. (2016). Polypyrrole/graphene nanosheets/rare earth ions/dodecyl benzene sulfonic acid nanocomposite as a highly effective anticorrosive coating. Surf Coating Tech. 307: 382-391. http://dx.doi.org/10.1016/j.surfcoat.2016.09.010.

Albuquerque, JE; Mattoso, LHC; Balogh, DT; Faria, RM; Masters, JG; Macdiarmid, AG. (2000). A simple method to estimate the oxidation state of polyanilines. Synthetic Metals. 113: 19-22.

Alcalde, R; Aparicio, S; Davila, MJ; Garcia, B; Leal, JM. (2008). Liquid-liquid equilibria of lactam containing binary systems. Fluid Phase Equilibria. 266: 90-100. http://dx.doi.org/10.1016/j.fluid.2008.02.008.

Exposure Literature Search Results

Off Topic

Alexie, M; Dumitru, F; Razvan, A; Pasare, L; Guran, C. (2010). New Membranes with Mercapto-2,6-pyridinediamides as Anion Recognition Fixed Sites. Rev Chim. 61: 1197-1201.

Alfe, M; Apicella, B; Tregrossi, A; Ciajolo, A. (2008). Identification of large polycyclic aromatic hydrocarbons in carbon particulates formed in a fuel-rich premixed ethylene flame. Carbon. 46: 2059-2066. http://dx.doi.org/10.1016/j.carbon.2008.08.019.

Alfe, M; Barbella, R; Bruno, A; Minutolo, P; Ciajolo, A. (2005). Solution behaviour of C-60 fullerene in N-Methylpyrrolidinone/toluene mixtures. Carbon. 43: 665-667. http://dx.doi.org/10.1016/j.carbon.2004.10.017.

Ali, A; Ali, K; Kwon, K, iRin; Hyun, MT; Choi, KH. (2014). Electrohydrodynamic atomization approach to graphene/zinc oxide film fabrication for application in electronic devices. Journal of Materials Science: Materials in Electronics. 25: 1097-1104. http://dx.doi.org/10.1007/s10854-013-1693-1.

Ali, A; Jo, J; Yang, YJ, in; Choi, KH. (2014). Direct fabrication of graphene/zinc oxide composite film and its characterizations. Applied Physics A: Materials Science and Processing. 114: 323-330. http://dx.doi.org/10.1007/s00339-013-8136-y.

Aliabadi, M; Ghahremani, H; Izadkhah, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull. 21: 2120-2125.

Alici, B; Koytepe, S; Seckin, T. (2007). Synthesis of piperazine based polyimide in the presence of ionic liquids. Turkish Journal of Chemistry. 31: 569-578.

Aliev, SB; Samsonenko, DG; Rakhmanova, MI; Dybtsev, DN; Fedin, VP. (2014). Syntheses and Structural Characterization of Lithium Carboxylate Frameworks and Guest-Dependent Photoluminescence Study. Cryst Growth Des. 14: 4355-4363. http://dx.doi.org/10.1021/cg500477s.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Liquid-liquid equilibria for n-alkanes (C-12, C-14, C-17,) plus propylbenzene plus NMP mixtures at temperatures between 298 and 328 K. Fluid Phase Equilibria. 231: 163-170. http://dx.doi.org/10.1016/j.fluid.2005.01.012.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2005). Measurement and correlation of phase equilibria for dodecane plus sec-butylbenzene plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 50: 1740-1746. http://dx.doi.org/10.1021/je050191r.

Al-Jimaz, AS; Fandary, MS; Al-Kandary, JA; Fahim, MA. (2006). Liquid–liquid equilibria measurements for ternary system of hexadecane + 1,3,5-trimethylbenzene + n -methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 51: 1026-1030. http://dx.doi.org/10.1021/je050513r.

Al-Jimaz, AS; Fandary, MS; Alkhaldi, K; Al-Kandary, JA; Fahim, MA. (2007). Extraction of aromatics from middle distillate using n -methyl-2-pyrrolidone : Experiment, modeling, and optimization. Ind Eng Chem Res. 46: 5686-5696. http://dx.doi.org/10.1021/ie060960f.

Alkhaldi, K; Fandary, MS; Al-Jimaz, AS; Al-Tuwaim, MS; Fahim, MA. (2009). Liquid-liquid equilibria of aromatics removal from middle distillate using NMP. Fluid Phase Equilibria. 286: 190-195. http://dx.doi.org/10.1016/j.fluid.2009.09.002.

Almasudy, AM; You, MP; Barbetti, MJ. (2015). Influence of fungicidal seed treatments and soil type on severity of root disease caused by Rhizoctonia solani AG-8 on wheat. Crop Protection. 75: 40-45. http://dx.doi.org/10.1016/j.cropro.2015.05.007.

Al-Muhareb, E; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of petroleum asphaltenes by size exclusion chromatography, UV-fluorescence and mass spectrometry. Petroleum Science and Technology. 25: 81-91. http://dx.doi.org/10.1080/10916460601054222.

Alonso Tristan, C; Antonio Gonzalez, J; Garcia De La Fuente, I; Carlos Cobos, J. (2013). Thermodynamics of Mixtures Containing a Very Strongly Polar Compound. 10. Liquid-Liquid Equilibria for N,N-Dimethylacetamide plus Selected Alkanes. Journal of Chemical and Engineering Data. 58: 2339-2344. http://dx.doi.org/10.1021/je400487e.

Alsalhy, QF; Ali, JM; Abbas, A, liA; Rashed, A, li; Van Der Bruggen, B; Balta, S. (2013). Enhancement of poly(phenyl sulfone) membranes with ZnO nanoparticles. Desalination and Water Treatment. 51: 6070-6081. http://dx.doi.org/10.1080/19443994.2013.764487.

Alvarez, AG; Martinez-Escandell, M; Molina-Sabio, M; Rodriguez-Reinoso, F. (1999). Pyrolysis of petroleum residues: analysis of semicokes by X-ray diffraction. Carbon. 37: 1627-1632.

Alvarez, P; Granda, M; Sutil, J; Menendez, R; Fernandez, JJ; Vina, JA; Morgan, TJ; Millan, M; Herod, AA; Kandiyoti, R. (2008). Characterization and Pyrolysis Behavior of Novel Anthracene Oil Derivatives. Energy Fuels. 22: 4077-4086. http://dx.doi.org/10.1021/ef800537a.

Alzari, V; Nuvoli, D; Scognamillo, S; Piccinini, M; Gioffredi, E; Malucelli, G; Marceddu, S; Sechi, M; Sanna, V; Mariani, A. (2011). Graphene-containing thermoresponsive nanocomposite hydrogels of poly(N-isopropylacrylamide) prepared by frontal polymerization. J Mater Chem. 21: 8727-8733. http://dx.doi.org/10.1039/c1jm11076d.

Aman-Pommier, F; Degobert, G; Jallut, C. (2016). Solubility of diazepam in water plus tert-butyl alcohol solvent mixtures: Part 1. Experimental data and thermodynamic analysis. Fluid Phase Equilibria. 408: 284-298. http://dx.doi.org/10.1016/j.fluid.2015.10.024.

Amarnath, CA; Hong, CE, ui; Kim, N, amH; Ku, B, onC; Kuila, T; Lee, JH, ee. (2011). Efficient synthesis of graphene sheets using pyrrole as a reducing agent. Carbon. 49: 3497-3502. http://dx.doi.org/10.1016/j.carbon.2011.04.048.

Amirilargani, M; Mohammadi, T. (2009). Effects of PEG on Morphology and Permeation Properties of Polyethersulfone Membranes. Separation Science and Technology. 44: 3854-3875. http://dx.doi.org/10.1080/01496390903182347.

Amirilargani, M; Saljoughi, E; Mohammadi, T. (2009). Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. Desalination. 249: 837-842. http://dx.doi.org/10.1016/j.desal.2009.01.041.

An, Y, i; Li, W; Li, Y, e; Huang, S; Ma, J; Shen, C; Xu, C. (2015). Design/optimization of energy-saving extractive distillation process by combining preconcentration column and extractive distillation column. Chem Eng Sci. 135: 166-178. http://dx.doi.org/10.1016/j.ces.2015.05.003.

Andrady, AL; Nunez, CM; Chiou, BS; Khan, SA. (2002). Rheology of concentrated solutions of hyperbranched polyesters. Polymer Engineering and Science. 42: 2065-2071.

Exposure Literature Search Results

Off Topic

Andreev, S; Purgina, D; Bashkatova, E; Garshev, A; Maerle, A; Andreev, I; Osipova, N; Shershakova, N; Khaitov, M. (2015). Study of Fullerene Aqueous Dispersion Prepared by Novel Dialysis Method: Simple Way to Fullerene Aqueous Solution. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 792-800. http://dx.doi.org/10.1080/1536383X.2014.998758.

Andreoli, E; Liao, KS; Cricini, A; Zhang, X, in; Soffiatti, R; Byrne, HJ; Curran, SA. (2014). Carbon black instead of multiwall carbon nanotubes for achieving comparable high electrical conductivities in polyurethane-based coatings. Thin Solid Films. 550: 558-563. http://dx.doi.org/10.1016/j.tsf.2013.11.047.

Andriano, KP; Chandrashekar, B; Mcenery, K; Dunn, RL; Moyer, K; Balliu, CM; Holland, KM; Garrett, S; Huffer, WE. (2000). Preliminary in vivo studies on the osteogenic potential of bone morphogenetic proteins delivered from an absorbable puttylike polymer matrix. J Biomed Mater Res. 53: 36-43.

Ansari, MO; Khan, MM; Ansari, SA; Raju, K; Lee, J; Cho, MH. (2014). Enhanced thermal stability under DC electrical conductivity retention and visible light activity of Ag/TiO_2@polyaniline nanocomposite film. 6: 8124-8133. http://dx.doi.org/10.1021/am500488e.

Ansari, MO; Yadav, SK; Cho, J; Mohammad, F. (2013). Thermal stability in terms of DC electrical conductivity retention and the efficacy of mixing technique in the preparation of nanocomposites of graphene/polyaniline over the carbon nanotubes/polyaniline. Composites Part B: Engineering. 47: 155-161. http://dx.doi.org/10.1016/j.compositesb.2012.10.042.

Ansari, SP; Mohammad, F. (2016). Electrical Conductivity Studies of Conducting Polymer Nanocomposites in Ambient Conditions. Polymers and Polymer Composites. 24: 273-280.

Antonopoulos, KA. (1992). ABSORPTION PANEL COOLING USING A TFE-NMP MIXTURE. 12: 203-210.

Antonova, IV; Kotin, IA; Soots, RA; Prinz, VY, a. (2012). Novel Graphene-Based Hybrid Material with Tunable Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 543-547. http://dx.doi.org/10.1080/1536383X.2012.656060.

Antonova, IV; Kotin, IA; Soots, RA; Volodin, VA; Prinz, VY. (2012). Tunable properties of few-layer graphene-N-methylpyrrolidone hybrid structures. Nanotechnology. 23: 315601. http://dx.doi.org/10.1088/0957-4484/23/31/315601.

Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. Int Arch Occup Environ Health. 73: 561-569.

Aparicio, S; Davila, MJ; Alcalde, R. (2009). Insights into the Coal Extractive Solvent N-Methyl-2-pyrrolidone plus Carbon Disulfide. Energy Fuels. 23: 1591-1602. http://dx.doi.org/10.1021/ef800838r.

Apicella, B; Barbella, R; Ciajolo, A; Tregrossi, A. (2003). Comparative analysis of the structure of carbon materials relevant in combustion. Chemosphere. 51: 1063-1069. http://dx.doi.org/10.1016/S0045-6535(02)00715-4.

Apicella, B; Ciajolo, A; Barbella, R; Tregrossi, A; Morgan, TJ; Herod, AA; Kandiyoti, R. (2003). Size exclusion chromatography of particulate produced in fuel-rich combustion of different fuels. Energy Fuels. 17: 565-570. http://dx.doi.org/10.1021/ef020149r.

Arao, Y; Kubouchi, M. (2015). High-rate production of few-layer graphene by high-power probe sonication. Carbon. 95: 802-808. http://dx.doi.org/10.1016/j.carbon.2015.08.108.

Argyropoulos, J; Erdem, B; Bhattacharjee, D; Foley, P; Nanjundiah, K. (2009). Natural Oil Polyols for Waterborne Polyurethane Dispersions. 6: 44-49.

Aroon, MA; Ismail, AF; Montazer-Rahmati, MM; Matsuura, T. (2010). Morphology and permeation properties of polysulfone membranes for gas separation: Effects of non-solvent additives and co-solvent. Separation and Purification Technology. 72: 194-202. http://dx.doi.org/10.1016/j.seppur.2010.02.009.

Arseneva, NS; Berkovich, S. R.; Vishnevskii, AV; Pilipenko, NN. (1990). GAS-CHROMATOGRAPHIC DETERMINATION OF N-METHYLPYRROLIDONE IN PETROLEUM-PRODUCTS. Chemistry and Technology of Fuels and Oils. 26: 319-321.

Arthanareeswaran, G; Starov, VM. (2011). Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. Desalination. 267: 57-63. http://dx.doi.org/10.1016/j.desal.2010.09.006.

Asakawa, A, i; Oka, T; Sasaki, C; Asada, C; Nakamura, Y. (2016). Cholinium ionic liquid/cosolvent pretreatment for enhancing enzymatic saccharification of sugarcane bagasse. Ind Crop Prod. 86: 113-119. http://dx.doi.org/10.1016/j.indcrop.2016.03.046.

Ascanius, BE; Garcia, DM; Andersen, SI. (2004). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. Energy Fuels. 18: 1827-1831. http://dx.doi.org/10.1021/ef049807t.

Ascanius, BE; Merino-Garcia, D; Andersen, SI. (2005). Analysis of asphaltenes subfractionated by N-methyl-2-pyrrolidone. (vol 18, pg 1827, 2004). Energy Fuels. 19: 328-328. http://dx.doi.org/10.1021/ef0496911.

Aschmann, SM; Atkinson, R. (1999). Atmospheric chemistry of 1-methyl-2-pyrrolidinone. Atmos Environ. 33: 591-599.

Aslan, M; Weingarth, D; Jaeckel, N; Atchison, JS; Grobelsek, I; Presser, V. (2014). Polyvinylpyrrolidone as binder for castable supercapacitor electrodes with high electrochemical performance in organic electrolytes. J Power Sources. 266: 374-383. http://dx.doi.org/10.1016/j.jpowsour.2014.05.031.

Astaneh, R; Erfan, M; Barzin, J; Mobedi, H; Moghimi, H, r. (2008). Effects of Ethyl Benzoate on Performance, Morphology, and Erosion of PLGA Implants Formed In Situ. Advances in Polymer Technology. 27: 17-26. http://dx.doi.org/10.1002/adv.20114.

Atchariyawut, S; Feng, C; Wang, R; Jiraratananon, R; Liang, DT. (2006). Effect of membrane structure on mass-transfer in the membrane gas-liquid contacting process using microporous PVDF hollow fibers. J Memb Sci. 285: 272-281. http://dx.doi.org/10.1016/j.memsci.2006.08.029.

Athawale, AA; Kulkarni, MV; Chabukswar, VV. (2002). Studies on chemically synthesized soluble acrylic acid doped polyaniline. Mater Chem Phys. 73: 106-110.

Attoui, M; Fernandez-Garcia, J; Cuevas, J; Vidal-De-Miguel, G; de La Mora, JF. (2013). Charge evaporation from nanometer polystyrene aerosols. J Aerosol Sci. 55: 149-156. http://dx.doi.org/10.1016/j.jaerosci.2012.08.008.

Avram, R; Calinescu, I; Vueric, E; Savu, D. (1991). OPTIMIZATION OF ANTHRACENE SEPARATION BY EXTRACTION .1. Rev Chim. 42: 279-282.

Azam, MA; Dorah, N; Seman, RNA, R; Manaf, NSA; Kudin, TIT. (2015). Electrochemical performance of activated carbon and graphene based supercapacitor. Materials Technology. 30: A14-A17. http://dx.doi.org/10.1179/1753555714Y.0000000229.

Exposure Literature Search Results

Off Topic

Azar, NS; Pourfath, M. (2016). Aggregation Kinetics and Stability Mechanisms of Pristine and Oxidized Nanocarbons in Polar Solvents. J Phys Chem C. 120: 16804-16814. http://dx.doi.org/10.1021/acs.jpcc.6b05318.

Azizi, S; Dezfuli, HT; Kargari, A, li; Peyghambarzadeh, SM. (2015). Experimental measurement and thermodynamic modeling of propylene and propane solubility in N-methyl pyrrolidone (NMP). Fluid Phase Equilibria. 387: 190-197. http://dx.doi.org/10.1016/j.fluid.2014.12.031.

Azizi, S; Kaghazchi, T; Kargari, A, li. (2015). Propylene/propane separation using N-methyl pyrrolidone/AgNO3 supported liquid membrane. Taiwan Institute of Chemical Engineers Journal. 57: 1-8. http://dx.doi.org/10.1016/j.jtice.2015.05.012.

Babitskaya, K; Konovalov, V; Sklyuev, P; Zhidkova, M; Sysueva, I. (2016). Studies on surface activity of petroleum sulfonates prepared from extracts of solvent refining. Petroleum Science and Technology. 34: 401-405. http://dx.doi.org/10.1080/10916466.2015.1132234.

Bacosca, I; Hamciuc, E; Bruma, M; Ignat, M. (2011). Poly(amide imide)s containing functional nitrile groups for high performance materials. React Funct Polym. 71: 905-915. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.05.011.

Bader, M; Rosenberger, W; Rebe, T; Keener, SA; Brock, TH; Hemmerling, HJ; Wrbitzky, R. (2006). Ambient monitoring and biomonitoring of workers exposed to N-methyl-2-pyrrolidone in an industrial facility. Int Arch Occup Environ Health. 79: 357-364. http://dx.doi.org/10.1007/s00420-005-0065-4.

Bader, M; Wrbitzky, R; Blaszkewicz, M; Schäper, M; van Thriel, C. (2008). Human volunteer study on the inhalational and dermal absorption of N-methyl-2-pyrrolidone (NMP) from the vapour phase. Arch Toxicol. 82: 13-20. http://dx.doi.org/10.1007/s00204-007-0230-5.

Bader, M; Wrbitzky, R; Blaszkewicz, M; van Thriel, C. (2007). Human experimental exposure study on the uptake and urinary elimination of N-methyl-2-pyrrolidone (NMP) during simulated workplace conditions. Arch Toxicol. 81: 335-346. http://dx.doi.org/10.1007/s00204-006-0161-6.

Bae, J; Baek, I; Choi, H. (2017). Efficacy of piezoelectric electrospun nanofiber membrane for water treatment. Chem Eng J. 307: 670-678. http://dx.doi.org/10.1016/j.cej.2016.08.125.

Bae, SM, in; Sohn, KY; Park, W, onW. (2014). Electrochemical Properties of Melt Spun Si-Cu-Ti-Zr-Ni Alloy Powders for the Anode of Li-Ion Batteries. Electronic Materials Letters. 10: 795-800. http://dx.doi.org/10.1007/s13391-014-3379-0.

Bahadur, I; Singh, P; Kumar, S; Moodley, K; Mabaso, M; Redhi, G, an. (2014). Separation of Aromatic Solvents from the Reformate Fraction of an Oil Refining Process using Extraction by a Designed Ionic Liquid. Separation Science and Technology. 49: 1883-1888. http://dx.doi.org/10.1080/01496395.2014.900568.

Bai, L, u; Li, S, huNi; Zhai, QG, uo; Jiang, Y, uC; Hu, M, anC. (2016). Study of the Physicochemical and Excess Properties of Binary Systems Composed of Ionic Liquids ([C(n)mim]Cl, n=6, 8) and Three Dipolar Aprotic Solvents at T=288.15-333.15K. Chemical Engineering Communications. 203: 985-993. http://dx.doi.org/10.1080/00986445.2015.1114477.

Bai, L, u; Nie, Y, i; Huang, J; Li, Y, i; Dong, H; Zhang, X. (2013). Efficiently trapping asphaltene-type materials from direct coal liquefaction residue using alkylsulfate-based ionic liquids. Fuel. 112: 289-294. http://dx.doi.org/10.1016/j.fuel.2013.05.035.

Baik, KH; Vandenhove, L; Roland, B. (1991). COMPARATIVE-STUDY BETWEEN GAS-PHASE AND LIQUID-PHASE SILYLATION FOR THE DIFFUSION-ENHANCED SILYLATED RESIST PROCESS. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 9: 3399-3405.

Bajat, JB; Miskovic-Stankovic, VB; Bibic, N; Drazic, DM. (2007). The influence of zinc surface pretreatment on the adhesion of epoxy coating electrodeposited on hot-dip galvanized steel. Progr Org Coating. 58: 323-330. http://dx.doi.org/10.1016/j.porgcoat.2007.01.011.

Bajorek, A; Kabatc, J; Paczkowski, J. (2009). Novel, N-ethyl-2-styrylquinolinum iodides as fluorophores for monitoring of polymerization process, Part I. Dyes and Pigments. 82: 372-378. http://dx.doi.org/10.1016/j.dyepig.2009.02.009.

Balta, S; Buruiana, DL; Simionescu, CS; Tiron, LG; Bordei, M; van Der Bruggen, B. (2016). Influence of relative air humidity and casting time on the permeation properties of PSf nanofiltration membranes. Desalination and Water Treatment. 57: 13924-13929. http://dx.doi.org/10.1080/19443994.2015.1062435.

Balta, S; Sotto, A; Luis, P; Benea, L; Van Der Bruggen, B; Kim, J. (2012). A new outlook on membrane enhancement with nanoparticles: The alternative of ZnO. J Memb Sci. 389: 155-161. http://dx.doi.org/10.1016/j.memsci.2011.10.025.

Baltog, I; Mihut, L; Baibarac, M; Preda, N; Velula, T; Lefrant, S. (2005). Surface-enhanced Raman scattering, photoluminescence and viscosity studies on C-60 aggregates in N-metryl-2-pyrrolidinone. J Optoelect Adv Mater. 7: 2165-2172.

Banerjee, T; Sahoo, RK; Rath, SS; Kumar, R; Khanna, A. (2007). Multicomponent liquid-liquid equilibria prediction for aromatic extraction systems using COSMO-RS. Ind Eng Chem Res. 46: 1292-1304. http://dx.doi.org/10.1021/ie060647d.

Bang, GS; Nam, KW; Kim, JY; Shin, J; Choi, JW; Choi, SY. (2014). Effective liquid-phase exfoliation and sodium ion battery application of MoS2 nanosheets. 6: 7084-7089. http://dx.doi.org/10.1021/am4060222.

Bao, X; Wang, Y; Zhu, Q; Wang, N; Zhu, D; Wang, J; Yang, A; Yang, R. (2015). Efficient planar perovskite solar cells with large fill factor and excellent stability. J Power Sources. 297: 53-58. http://dx.doi.org/10.1016/j.jpowsour.2015.07.081.

Bao, ZX; Liu, CX; Pinto, NJ. (1997). Electrical conductivity of polyaniline as a function of pressure using a diamond anvil cell. Synthetic Metals. 87: 147-150.

Barbagini, F; Halder, S; Janssens, T, om; Kenis, K; Wostyn, K; Bearda, T; Quoc, TL, e; Leunissen, P; Mertens, P; Kim, KH; Andreas, M. (2009). Particle Removal Efficiency and Damage Analysis on Silicon Wafers after Megasonic Cleaning in Solvents. J Adhes Sci Tech. 23: 1709-1721. http://dx.doi.org/10.1163/016942409X12459095670430.

Barzin, J; Sadatnia, B. (2008). Correlation between macrovoid formation and the ternary phase diagram for polyethersulfone membranes prepared from two nearly similar solvents. J Memb Sci. 325: 92-97. http://dx.doi.org/10.1016/j.memsci.2008.07.003.

Bas, S; Sakintuna, B; Birkan, B; Menceloglu, Y; Taralp, A; Aktas, Z; Yurum, Y. (2005). Lyophilization-induced structural changes in solvent-swollen and supercritical carbon dioxide treated low-rank Turkish coals and characterization of their extracts. Energy Fuels. 19: 1056-1064. http://dx.doi.org/10.1021/ef049706v.

Basavaraja, C; Jung, G, yuHo; Huh, D, oS. (2015). Solubility and Electrochemical Properties of Chemically Modified Polyaniline-Gold/Camphor Sulfonic Acid Composites. Polymer Composites. 36: 245-252. http://dx.doi.org/10.1002/pc.22936.

Exposure Literature Search Results

Off Topic

Basch, A; Albering, JH. (2011). Preparation and characterization of core–shell battery materials for Li-ion batteries manufactured by substrate induced coagulation. J Power Sources. 196: 3290-3295. http://dx.doi.org/10.1016/j.jpowsour.2010.11.043.

Basri, H; Ismail, AF; Aziz, M. (2011). Polyethersulfone (PES) ultrafiltration (UF) membranes loaded with silver nitrate for bacteria removal. 2: 25-37.

Bastiat, G; Leroux, JC. (2009). Pharmaceutical organogels prepared from aromatic amino acid derivatives. J Mater Chem. 19: 3867-3877. http://dx.doi.org/10.1039/B822657A.

Bauer, W; Noetzel, D. (2014). Rheological properties and stability of NMP based cathode slurries for lithium ion batteries. Ceramics International. 40: 4591-4598. http://dx.doi.org/10.1016/j.ceramint.2013.08.137.

Begon, V; Suelves, I; Herod, AA; Dugwell, DR; Kandiyoti, R. (2000). Structural effects of sample ageing in hydrocracked coal liquefaction extracts. Fuel. 79: 1423-1429.

Begon, V; Suelves, I; Islas, CA; Millan, M; Dubau, C; Lazaro, MJ; Law, RV; Herod, AA; Dugwell, DR; Kandiyoti, R. (2003). Comparison of the quaternary aromatic carbon contents of a coal, a coal extract, and its hydrocracking products by NMR methods. Energy Fuels. 17: 1616-1629. http://dx.doi.org/10.1021/ef0300287.

Begon, V; Suelves, I; Li, W; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2002). Catalytic hydrocracking of primary maceral concentrate extracts prepared in a flowing solvent reactor. Fuel. 81: 185-202.

Behrouzi, M; Luckham, PF. (2008). Limitations of size-exclusion chromatography in analyzing petroleum asphaltenes: A proof by atomic force Microscopy. Energy Fuels. 22: 1792-1798. http://dx.doi.org/10.1021/ef800064q.

Beigzadeh, R; Rahimi, M; Shabanian, SR. (2012). Developing a feed forward neural network multilayer model for prediction of binary diffusion coefficient in liquids. Fluid Phase Equilibria. 331: 48-57. http://dx.doi.org/10.1016/j.fluid.2012.06.025.

Belluomini, GJ; Pendergast, JG; Domke, CH; Ussing, BR. (2009). Performance of Several Ionic Liquids for the Separation of 1-Octene from n-Octane. Ind Eng Chem Res. 48: 11168-11174. http://dx.doi.org/10.1021/ie9009815.

Benehkohal, NP; Sussman, MJ; Chiu, HC; Uceda, M; Gauvin, R; Demopoulos, GP. (2015). Enabling Green Fabrication of Li-Ion Battery. Electrodes by Electrophoretic Deposition: Growth of Thick Binder-Free Mesoporous TiO2-Carbon Anode Films. J Electrochem Soc. 162: D3013-D3018. http://dx.doi.org/10.1149/2.0111511jes.

Bereznev, S; Konovalov, I; Opik, A; Kois, J. (2005). Hybrid CuInS2/polypyrrole and CuInS2/poly(3,4-ethylenedioxythiophene) photovoltaic structures. Synthetic Metals. 152: 81-84. http://dx.doi.org/10.1016/j.synthmet.2005.07.158.

Bergin, SD; Sun, Z; Streich, P; Hamilton, J; Coleman, JN. (2010). New Solvents for Nanotubes: Approaching the Dispersibility of Surfactants. J Phys Chem C. 114: 231-237. http://dx.doi.org/10.1021/jp908923m.

Bermejo, J; Menendez, R; Fernandez, AL; Granda, M; Suelves, I; Herod, AA; Kandiyoti, R. (2001). A comparative study of the composition of anthracene oil polymerized by different treatments. Fuel. 80: 2155-2162.

Bernauer, M; Dohnal, V. (2009). Temperature dependences of limiting activity coefficients and Henry's law constants for N-methylpyrrolidone, pyridine, and piperidine in water. Fluid Phase Equilibria. 282: 100-107. http://dx.doi.org/10.1016/j.fluid.2009.05.005.

Berrada, M; Anbaoui, Z; Lajrhed, N; Berrada, M; Knouzi, N; Vaultier, M; Sekiguchi, H; Carriere, F. (1997). Synthesis, characterization, and studies of heat-resistant poly(ether benzimidazole)s. Chem Mater. 9: 1989-1993.

Berrada, M; Carriere, F; Coutin, B; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Novel negative-type soluble photosensitive polyimides: Synthesis and characterization. Chem Mater. 8: 1029-1034.

Berrada, M; Carriere, F; Monjol, P; Sekiguchi, H; Mercier, R. (1996). Photoinduced polymerization of bisimides as models for new soluble side-chain-substituted negative-type photosensitive polyimides. Chem Mater. 8: 1022-1028.

Berrueco, C; Alvarez, P; Venditti, S; Morgan, TJ; Herod, AA; Millan, M; Kandiyoti, R. (2009). Sample Contamination with NMP-oxidation Products and Byproduct-free NMP Removal from Sample Solutions. Energy Fuels. 23: 3008-3015. http://dx.doi.org/10.1021/ef900036m.

Berrueco, C; Venditti, S; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2008). Calibration of size-exclusion chromatography columns with 1-methyl-2-pyrrolidinone (NMP)/chloroform mixtures as eluent: Applications to petroleum-derived samples. Energy Fuels. 22: 3265-3274. http://dx.doi.org/10.1021/ef8003703.

Bhagat, SD. (1990). GAS-CHROMATOGRAPHIC METHOD TO MONITOR THE SYNTHESIS OF N-METHYL-2-PYRROLIDONE. 28: 71-74.

Bhagat, SD; Aswal, DS; Badoni, RP. (1989). DETERMINATION OF N-METHYLPYRROLIDONE IN LUBRICATING OIL SAMPLES BY GC. Fuel. 68: 796-799.

Bhoi, S; Dey, D; Banerjee, T; Mohanty, K. (2014). Solid-liquid equilibria predictions for the dissolution of brown coal in ionic liquids using a continuum solvation model. Fuel Process Tech. 126: 112-121. http://dx.doi.org/10.1016/j.fuproc.2014.04.019.

Bhosale, RR; Mahajani, VV. (2013). Kinetics of Absorption of Carbon Dioxide in Aqueous Solution of Ethylaminoethanol Modified with N-methyl-2-pyrolidone. Separation Science and Technology. 48: 2324-2337. http://dx.doi.org/10.1080/01496395.2013.805228.

Bicak, N; Bulutcu, N; Senkal, BF; Gazi, M. (2001). Modification of crosslinked glycidyl methacrylate-based polymers for boron-specific column extraction. React Funct Polym. 47: 175-184.

Bicak, N; Senkal, BF; Sezer, E. (2005). Preparation of organo-soluble polyanilines in ionic liquid. Synthetic Metals. 155: 105-109. http://dx.doi.org/10.1016/j.synthmet.2005.06.010.

Bindal, RC; Hanra, MS; Misra, BM. (1996). Novel solvent exchange cum immersion precipitation technique for the preparation of asymmetric polymeric membrane. J Memb Sci. 118: 23-29.

Bittrich, HJ; Lempe, DA; Reinhardt, K; Wustling, JU. (1996). Liquid-liquid equilibria in binary mixtures of N-methyl-alpha-pyrrolidone and saturated hydrocarbons .2. Fluid Phase Equilibria. 126: 115-125.

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, and Viscosity of N-Methyl-2-pyrrolidone plus Ethanolamine plus Water from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 3136-3141. http://dx.doi.org/10.1021/je300742t.

Exposure Literature Search Results

Off Topic

Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM. (2012). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone (NMP) plus Water plus Ethanol from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 1009-1014. http://dx.doi.org/10.1021/je201152j.

Blanco, B; Beltran, S; Cabezas, JL; Coca, J. (1997). Phase equilibria of binary systems formed by hydrocarbons from petroleum fractions and the solvents N-methylpyrrolidone and N,N-dimethylformamide .1. Isobaric vapor-liquid equilibria. Journal of Chemical and Engineering Data. 42: 938-942.

Blanco, B; Sanz, MT; Beltran, S; Cabezas, JL; Coca, J. (2002). Vapor-liquid equilibria of the ternary system benzene plus n-heptane plus N-methylpyrrolidone (NMP) at 101.33 kPa. Journal of Chemical and Engineering Data. 47: 1167-1170. http://dx.doi.org/10.1021/je020007r.

Blanco, C; Fleurot, O; Menendez, R; Santamaria, R; Bermejo, J; Edie, D. (1999). Contribution of the isotropic phase to the rheology of partially anisotropic coal-tar pitches. Carbon. 37: 1059-1064.

Blanco, C; Santamaria, R; Bermejo, J; Menendez, R. (2000). Separation and characterization of the isotropic phase and co-existing mesophase in thermally treated coal-tar pitches. Carbon. 38: 1169-1176.

Blazquez, JA; Iruin, JJ; Eceolaza, S; Marestin, C; Mercier, R; Mecerreyes, D; Miguel, O; Vela, A; Marcilla, R. (2005). Solvent and acidification method effects in the performance of new sulfonated copolyimides membranes in PEM-fuel cells. J Power Sources. 151: 63-68. http://dx.doi.org/10.1016/j.jpowsour.2005.02.082.

Bobyleva, LI; Abreimova, MA; Rybina, GV; Kryukov, SI; Moskvichev, YA. (2004). Synthesis of 2,5-dihydrofuran and tetrahydrofuran from 1,3-butadiene. Petroleum Chemistry. 44: 188-192.

Bodenes, L; Darwiche, A, li; Monconduit, L; Martinez, H. (2015). The Solid Electrolyte Interphase a key parameter of the high performance of Sb in sodium-ion batteries: Comparative X-ray Photoelectron Spectroscopy study of Sb/Na-ion and Sb/Li-ion batteries. J Power Sources. 273: 14-24. http://dx.doi.org/10.1016/j.jpowsour.2014.09.037.

Bodman, SD; Mcwhinnie, WR; Begon, V; Millan, M; Suelves, I; Lazaro, MJ; Herod, AA; Kandiyoti, R. (2003). Metal-ion pillared clays as hydrocracking catalysts (II): effect of contact time on products from coal extracts and petroleum distillation residues. Fuel. 82: 2309-2321. http://dx.doi.org/10.1016/S0016-2361(03)00126-1.

Bodner, M; Espe, MP. (2003). Induced optical activity in polyaniline: Solvent and acid dependence. Synthetic Metals. 135: 403-404. http://dx.doi.org/10.1016/S0379-6779(02)00658-6.

Boger, A; Wheeler, K; Montali, A; Gruskin, E. (2009). NMP-modified PMMA bone cement with adapted mechanical and hardening properties for the use in cancellous bone augmentation. J Biomed Mater Res B Appl Biomater. 90: 760-766. http://dx.doi.org/10.1002/jbm.b.31345.

Bohloul, MR; Vatani, A; Peyghambarzadeh, SM. (2014). Experimental and theoretical study of CO2 solubility in N-methyl-2-pyrrolidone (NMP). Fluid Phase Equilibria. 365: 106-111. http://dx.doi.org/10.1016/j.fluid.2013.12.019.

Bondarenko, VE; Zhuravleva, TS; Efimov, ON; Nikolaeva, GV. (1997). Delay photoconductivity in polyaniline films from different solvents. Synthetic Metals. 84: 793-794.

Bondue, CJ; Abd-El-Latif, AA; Hegemann, P; Baltruschat, H. (2015). Quantitative Study for Oxygen Reduction and Evolution in Aprotic Organic Electrolytes at Gas Diffusion Electrodes by DEMS. J Electrochem Soc. 162: A479-A487. http://dx.doi.org/10.1149/2.0871503jes.

Bonyadi, S; Chung, T, aiS. (2009). Highly porous and macrovoid-free PVDF hollow fiber membranes for membrane distillation by a solvent-dope solution co-extrusion approach. J Memb Sci. 331: 66-74. http://dx.doi.org/10.1016/j.memsci.2009.01.014.

Boom, RM; Vandenboomgaard, T; Smolders, CA. (1994). MASS-TRANSFER AND THERMODYNAMICS DURING IMMERSION PRECIPITATION FOR A 2-POLYMER SYSTEM - EVALUATION WITH THE SYSTEM PES-PVP-NMP-WATER. J Memb Sci. 90: 231-249.

Boom, RM; Wienk, IM; Vandenboomgaard, T; Smolders, CA. (1992). MICROSTRUCTURES IN PHASE INVERSION MEMBRANES .2. THE ROLE OF A POLYMERIC ADDITIVE. J Memb Sci. 73: 277-292.

Borde, I; Jelinek, M; Daltrophe, NC. (1997). Working fluids for an absorption system based on R124 (2-chloro-1,1,1,2-tetrafluoroethane) and organic absorbents. International Journal of Refrigeration. 20: 256-266.

Bottino, A; Capannelli, G; Comite, A. (2002). Preparation and characterization of novel porous PVDF-ZrO2 composite membranes. Desalination. 146: 35-40.

Bottino, A; Capannelli, G; Comite, A. (2006). Novel porous membranes from chemically modified poly(vinylidene fluoride). J Memb Sci. 273: 20-24. http://dx.doi.org/10.1016/j.memsci.2005.09.026.

Bouchard, J; Cayla, A; Odent, S; Lutz, V; Devaux, E; Campagne, C. (2016). Processing and characterization of polyethersulfone wet-spun nanocomposite fibres containing multiwalled carbon nanotubes. Synthetic Metals. 217: 304-313. http://dx.doi.org/10.1016/j.synthmet.2016.04.007.

Bougot, MN; Dang, TMD; Le, NN; Dang, MC. (2013). Realization of stable and homogenous carbon nanotubes dispersion as ink for radio frequency identification applications. 4. http://dx.doi.org/10.1088/2043-6262/4/2/025008.

Bouyer, D; Pochat-Bohatier, C. (2013). Validation of Mass-Transfer Model for VIPS Process using In Situ Measurements Performed by Near-Infrared Spectroscopy. AIChE J. 59: 671-686. http://dx.doi.org/10.1002/aic.13839.

Bouyer, D; Werapun, W; Pochat-Bohatier, C; Deratani, A. (2010). Morphological properties of membranes fabricated by VIPS process using PEI/NMP/water system: SEM analysis and mass transfer modelling. J Memb Sci. 349: 97-112. http://dx.doi.org/10.1016/j.memsci.2009.11.036.

Bowen, WR; Doneva, TA; Yin, HB. (2001). Polysulfone-sulfonated poly(ether ether) ketone blend membranes: systematic synthesis and characterisation. J Memb Sci. 181: 253-263.

Bowen, WR; Doneva, TA; Yin, HB. (2002). The effect of sulfonated poly(ether ether ketone) additives on membrane formation and performance. Desalination. 145: 39-45.

Bower, DB. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone [Letter]. J Occup Environ Med. 39: 393-394.

Exposure Literature Search Results

Off Topic

Bracamonte, MV; Lacconi, GI; Urreta, SE; Foa Torres, LEF. (2014). On the Nature of Defects in Liquid-Phase Exfoliated Graphene. J Phys Chem C. 118: 15455-15459. http://dx.doi.org/10.1021/jp501930a.

Brown, RE; Lee, FM. (1994). EXTRACTIVE DISTILLATION PERFORMANCE. Chemical Engineering Communications. 128: 159-171.

Bruma, M; Schulz, B; Kopnick, T; Stiller, B; Mercer, F. (1999). Study of thin films made from aromatic polyamides with silicon and phenylquinoxaline rings in the main chain. Mater Sci Eng C. 8-9: 361-371.

Brunet, D; Mercier, R; Gallot, B. (2000). Liquid crystalline comb-like polyimides with biphenyl-based side groups. Liquid Crystals. 27: 483-489.

Bu, L; Wu, X; Wang, X; Liu, L. (2013). Liquid encapsulated electrostatic energy harvester for low-frequency vibrations. Journal of Intelligent Material Systems and Structures. 24: 61-69. http://dx.doi.org/10.1177/1045389X12459590.

Buerglova, K; Hlavac, J, an; Bartlett, JR. (2015). Synthesis of sol-gel silica particles in reverse micelles with mixed-solvent polar cores: tailoring nanoreactor structure and properties. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-3104-4.

Buncick, MC; Denton, DD. (1991). THE CURING KINETICS OF POLYAMIC ACID IN THE PRESENCE OF WATER-VAPOR. Journal of Vacuum Science and Technology A. 9: 350-354.

Buruiana, DL; Tiron, GL; Pintilie, S; Simionescu, CS; Balta, S. (2015). INFLUENCE OF THE TIO2 AND ZnO NANOPARTICLES ON THE PERMEATION PROPERTIES OF PSf MEMBRANES. 45: 354-357.

Butuzova, LF; Krzton, A; Saranchuk, VI; Isajeva, L. (1994). INFLUENCE OF OXYGEN ON THE BEHAVIOR OF OXYGEN-CONTAINING GROUPS OF SOFT COAL IN PYROLYSIS. Fuel. 73: 945-949.

Cagniant, D; Gruber, R; Lacordaire, C; Jasienko, S; Machnikowska, H; Salbut, PD; Bimer, J; Puttmann, W. (1990). SOLVOLYSIS OF 3 POLISH COAL SAMPLES BY TREATMENT WITH N-METHYL-2-PYRROLIDINONE AND AN NAOH/CH3OH MIXTURE. Fuel. 69: 902-910.

Cagniant, D; Gruber, R; Lacordaire, C; Legrand, AP; Sderi, D; Sfihi, H; Tougne, P; Quinton, MF; Bunte, G; Jasienko, S; Machinkowska, H. (1991). CHARACTERIZATION OF COALS AND THEIR MACERALS BY SOLID-STATE C-13 NMR AND FTIR. Fuel. 70: 675-681.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS FIELD-IONIZATION MASS-SPECTROMETRY OF EXTRACTS SEPARATED FROM A GAS COAL AND ITS MACERALS USING N-METHYL-2-PYRROLIDINONE. Energy Fuels. 6: 702-708.

Cagniant, D; Gruber, R; Lacordairewilhelm, C; Schulten, HR. (1992). PYROLYSIS-FIELD IONIZATION MASS-SPECTROMETRY OF N-METHYL-2-PYRROLIDINONE EXTRACTS OF COALS. Energy Fuels. 6: 694-701.

Cai, H; Tian, L, i; Huang, B; Yang, G; Guan, D; Huang, H, ui. (2013). 1,1-Diamino-2,2-dintroethene (FOX-7) nanocrystals embedded in mesoporous carbon FDU-15. Microporous and Mesoporous Materials. 170: 20-25. http://dx.doi.org/10.1016/j.micromeso.2012.11.034.

Cai, H; Tian, L, i; Huang, H, ui; Li, J; Deng, J; Yang, G. (2012). The formation of energetic composites by embedding multi-nitro organic molecules in an ordered mesoporous carbon. Microporous and Mesoporous Materials. 163: 110-114. http://dx.doi.org/10.1016/j.micromeso.2012.07.007.

Cai, M; Zhu, M; Sun, Y; Qian, J. (2010). Synthesis and characterization of soluble aromatic poly(ether amide amide ether ketone ketone)s by electrophilic Friedel-Crafts solution polycondensation. React Funct Polym. 70: 182-188. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.11.011.

Cai, MF; Smart, RB. (1993). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE IN COAL EXTRACTS BY TGA-FTIR. Energy Fuels. 7: 52-56.

Cai, MF; Smart, RB. (1994). COMPARISON OF 7 WEST-VIRGINIA COALS WITH THEIR N-METHYL-2-PYRROLIDINONE-SOLUBLE EXTRACTS AND RESIDUES .1. DIFFUSE-REFLECTANCE INFRARED FOURIER-TRANSFORM SPECTROSCOPY. Energy Fuels. 8: 369-374.

Cai, S, hu; Cai, T; Liu, S; Yang, Q; He, J; Chen, L; Hu, J. (2014). Biodegradation of N-Methylpyrrolidone by Paracoccus sp NMD-4 and its degradation pathway. Int Biodeterior Biodegradation. 93: 70-77. http://dx.doi.org/10.1016/j.ibiod.2014.04.022.

Cai, X; Zhang, Q; Wang, S; Peng, J; Zhang, Y; Ma, H; Li, J; Zhai, M. (2014). Surfactant-assisted synthesis of reduced graphene oxide/polyaniline composites by gamma irradiation for supercapacitors. Journal of Materials Science. 49: 5667-5675. http://dx.doi.org/10.1007/s10853-014-8286-0.

Cai, Y; Li, J; Zhang, X; Zhang, Y. (2011). In-situ monitoring of polysulfone membrane formation via immersion precipitation using an ultrasonic through-transmission technique. Desalination and Water Treatment. 32: 214-225. http://dx.doi.org/10.5004/dwt.2011.2701.

Cai, ZP; Liang, Y; Li, WS; Xing, LD; Liao, YH. (2009). Preparation and performances of LiFePO4 cathode in aqueous solvent with polyacrylic acid as a binder. J Power Sources. 189: 547-551. http://dx.doi.org/10.1016/j.jpowsour.2008.10.040.

Cairns, DB; Khan, MA; Perruchot, C; Riede, A; Armes, SP. (2003). Synthesis and characterization of polypyrrole-coated poly(alkyl methacrylate) latex particles. Chem Mater. 15: 233-239. http://dx.doi.org/10.1021/cm020385f.

Calamba, K; Ringor, C; Pascua, C; Miyazawa, K. (2015). Pleated Surface Morphology of C-60 Fullerene Nanowhiskers Incorporated by Polyaniline in N-Methyl-2-Pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 23: 709-714. http://dx.doi.org/10.1080/1536383X.2014.971118.

Calinescu, I; Avram, R. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .1. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALENE. Rev Chim. 45: 97-103.

Calinescu, I; Avram, R; Iovu, H. (1994). 1-NAPHTHOL PRODUCTION FROM TETRALINE .2. TETRALINE CATALYTIC-OXIDATION TO 1-TETRALONE - KINETIC CONSTANTS DETERMINATION. Rev Chim. 45: 299-305.

Calinescu, I; Avram, R; Iovu, H. (1996). Cumene oxidation in the n-alkyl-pyridinium bromide. Rev Chim. 47: 10-14.

Campbell, HL; Striebig, BA. (1999). Evaluation of N-methylpyrrolidone and its oxidative products toxicity utilizing the microtox assay. Environ Sci Technol. 33: 1926-1930.

Can, W; Yan-Li, W; Liang, Z; Guang-Zhi, Y; Jun-He, Y; Wen-Ming, Q; Li-Cheng, L. (2012). Synthesis of Graphene with Microwave Irradiation in Liquid Phase. Wuji Cailiao Xuebao. 27: 769-774. http://dx.doi.org/10.3724/SP.J.1077.2012.11521.

Cao, C; Wang, R; Chung, TS; Liu, Y. (2002). Formation of high-performance 6FDA-2,6-DAT asymmetric composite hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 209: 309-319.

Cao, X; Li, C; Li, Y; Fang, F; Cui, X; Yao, Y; Wei, J. (2016). Enhanced performance of perovskite solar cells by modulating the Lewis acid-base reaction. Nanoscale. 8: 19804-19810. http://dx.doi.org/10.1039/c6nr07450b.

Exposure Literature Search Results

Off Topic

Caquineau, H; Menut, P; Deratani, A; Dupuy, C. (2003). Influence of the relative humidity on film formation by vapor induced phase separation. Polymer Engineering and Science. 43: 798-808.

Carter, R; Oakes, L; Cohn, AP; Holzgrafe, J; Zarick, HF; Chatterjee, S; Bardhan, R; Pint, CL. (2014). Solution Assembled Single-Walled Carbon Nanotube Foams: Superior Performance in Supercapacitors, Lithium-Ion, and Lithium-Air Batteries. J Phys Chem C. 118: 20137-20151. http://dx.doi.org/10.1021/jp5054502.

Casciola, M; Alberti, G; Donnadio, A; Pica, M; Marmottini, F; Bottino, A; Piaggio, P. (2005). Gels of zirconium phosphate in organic solvents and their use for the preparation of polymeric nanocomposites. J Mater Chem. 15: 4262-4267. http://dx.doi.org/10.1039/b506768e.

Cecchetto, L; Ambat, R; Davenport, AJ; Delabouglise, D; Petit, JP; Neel, O. (2007). Emeraldine base as corrosion protective layer on aluminium alloy AA5182, effect of the surface microstructure. Corrosion Sci. 49: 818-829. http://dx.doi.org/10.1016/j.corsci.2006.06.012.

Cerny, J; Pavlikova, H. (1994). STRUCTURAL-ANALYSIS OF LOW-RANK-COAL EXTRACTS AND THEIR RELATION TO PARENT COALS. Energy Fuels. 8: 375-379.

Chakrabarty, B; Ghoshal, AK; Purkait, AK. (2008). Preparation, characterization and performance studies of polysulfone membranes using PVP as an additive. J Memb Sci. 315: 36-47. http://dx.doi.org/10.1016/j.memsci.2008.02.027.

Chan, CY, i; Wang, Y; Wu, GW, ei; Diau, EW, eiG. (2016). Solvent-extraction crystal growth for highly efficient carbon-based mesoscopic perovskite solar cells free of hole conductors. 4: 3872-3878. http://dx.doi.org/10.1039/c6ta00912c.

Chandaliya, VK; Banerjee, PK; Biswas, P. (2012). OPTIMIZATION OF SOLVENT EXTRACTION PROCESS PARAMETERS OF INDIAN COAL. Mineral Processing and Extractive Metallurgy Review. 33: 246-259. http://dx.doi.org/10.1080/08827508.2011.584091.

Chandaliya, VK; Biswas, PP; Dash, PS. (2016). Organo-refining of high-ash Indian coals at bench scale. Fuel. 165: 425-431. http://dx.doi.org/10.1016/j.fuel.2015.10.048.

Chandramohan, A; Nagendiran, S; Alagar, M. (2012). Synthesis and characterization of polyhedral oligomeric silsesquioxane-siloxane-modified polyimide hybrid nanocomposites. Journal of Composite Materials. 46: 773-781. http://dx.doi.org/10.1177/0021998311410496.

Chang, C, haWen; Liou, GS. (2007). Stably anodic green electrochromic aromatic poly(amine-amide-imide)s: Synthesis and electrochromic properties. Organic Electronics. 8: 662-672. http://dx.doi.org/10.1016/j.orgel.2007.05.002.

Chang, C, haWen; Liou, GS. (2008). Novel anodic electrochromic aromatic polyamides with multi-stage oxidative coloring based on N, N, N ', N '-tetraphenyl-p-phenylenediamine derivatives. J Mater Chem. 18: 5638-5646. http://dx.doi.org/10.1039/b810750e.

Chang, C, haWen; Liou, GS; Hsiao, SH. (2007). Highly stable anodic green electrochromic aromatic polyamides: synthesis and electrochromic properties. J Mater Chem. 17: 1007-1015. http://dx.doi.org/10.1039/b613140a.

Chang, CC; Wei, KH; Chen, WC. (2003). Spin-coating of polyimide-silica hybrid optical thin films. J Electrochem Soc. 150: F147-F150. http://dx.doi.org/10.1149/1.1586925.

Chang, WX; Wan, H; Guan, GF; Yao, HQ. (2006). Isobaric vapor-liquid equilibria for water plus acetic acid plus (N-methyl pyrrolidone or N-methyl acetamide). Fluid Phase Equilibria. 242: 204-209. http://dx.doi.org/10.1016/j.fluid.2006.02.002.

Chang, X; Wang, Z; Quan, S; Xu, Y; Jiang, Z; Shao, L, u. (2014). Exploring the synergetic effects of graphene oxide (GO) and polyvinylpyrrodione (PVP) on poly(vinylylidenefluoride) (PVDF) ultrafiltration membrane performance. Appl Surf Sci. 316: 537-548. http://dx.doi.org/10.1016/j.apsusc.2014.07.202.

Chang, Y; Wu, WC; Chen, WC. (2001). Theoretical analysis on spin coating of polyimide precursor solutions. J Electrochem Soc. 148: F77-F81. http://dx.doi.org/10.1149/1.1357183.

Chaput, F; Lerouge, F; Tusseau-Nenez, S; Coulon, PE; Dujardin, C; Denis-Quanquin, S; Mpambani, F; Parola, S. (2011). Rare Earth Fluoride Nanoparticles Obtained Using Charge Transfer Complexes: A Versatile and Efficient Route toward Colloidal Suspensions and Monolithic Transparent Xerogels. Langmuir. 27: 5555-5561.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures. Journal of Supercritical Fluids. 55: 23-31. http://dx.doi.org/10.1016/j.supflu.2010.08.017.

Charin, RM; Corazza, ML; Ndiaye, PM; Mazutti, MA; Oliveira, JV. (2010). Phase equilibrium data and thermodynamic modeling of the system propane plus NMP plus methanol at high pressures (Reprint from J. of Supercritical Fluids vol 55, pg 23-31, 2010). Journal of Supercritical Fluids. 55: 662-670.

Chauhan, NPS; Ameta, R; Ameta, R; Ameta, SC. (2011). Thermal and conducting behaviour of emeraldine base (EB) form of polyaniline (PANI). Indian J Chem Tech. 18: 118-122.

Chen, BH; Lei, ZG; Li, JW. (2003). Separation on aromatics and non-aromatics by extractive distillation with NMP. J Chem Eng Jpn. 36: 20-24.

Chen, C; Iino, M. (2001). Insight into the aggregation of coal derived material in solvent - an observation by size exclusion chromatography. Fuel. 80: 929-936.

Chen, C; Kurose, H; Iino, M. (1999). Pathway of TCNE interaction with coal to enhance its solubility in the NMP-CS2 mixed solvent. Energy Fuels. 13: 1180-1183.

Chen, GS; Hou, YJ; Knapp, H. (1995). DIFFUSION-COEFFICIENTS, KINEMATIC VISCOSITIES, AND REFRACTIVE-INDEXES FOR HEPTANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE,AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1005-1010.

Chen, GS; Knapp, H. (1995). DENSITIES AND EXCESS MOLAR VOLUMES FOR SULFOLANE PLUS ETHYLBENZENE, SULFOLANE PLUS 1-METHYLNAPHTHALENE, WATER PLUS N,N-DIMETHYLFORMAMIDE, WATER PLUS METHANOL, WATER PLUS N-FORMYLMORPHOLINE, AND WATER PLUS N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 1001-1004.

Chen, J, uiT; Chen, MC. (2008). Liquid-liquid equilibria for the quaternary systems of water plus N-methyl-2-pyrrolidone plus 1-hexanol plus NaCl, plus KCl, or plus KAc. Journal of Chemical and Engineering Data. 53: 217-222. http://dx.doi.org/10.1021/je700561p.

Exposure Literature Search Results

Off Topic

Chen, J, uiT; Chen, MC. (2008). Salting effect on the liquid-liquid equilibria for the ternary system water plus N-methyl-2-pyrrolidone+1-pentanol. Fluid Phase Equilibria. 266: 1-7. http://dx.doi.org/10.1016/j.fluid.2008.01.008.

Chen, L, ei; Yang, J; Liu, M. (2011). Kinetic Modeling of Coal Swelling in Solvent. Ind Eng Chem Res. 50: 2562-2568. http://dx.doi.org/10.1021/ie100628g.

Chen, S; Zhu, J; Han, Q; Wang, X, in. (2012). In situ assembly of Ag2O nanoparticles on low defect density carbon nanotubes. Mater Chem Phys. 136: 666-672. http://dx.doi.org/10.1016/j.matchemphys.2012.07.040.

Chen, SA; Lee, HT. (1992). POLYANILINE ACID DOPANT INTERACTION IN THE PRESENCE OF 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 47: 233-238.

Chen, SA; Lee, HT. (1993). DOPING BEHAVIOR OF POLYANILINE FILM CONTAINING 1-METHYL-2-PYRROLIDONE. Synthetic Metals. 55: 1040-1044.

Chen, SA; Lin, LC. (1995). DOPING OF POLYANILINE VIA PSEUDOPROTONATION BY AN IONIC SALT. Adv Mater Deerfield. 7: 473-475.

Chen, X; Boulos, RA; Dobson, JF; Raston, CL. (2013). Shear induced formation of carbon and boron nitride nano-scrolls. Nanoscale. 5: 498-502. http://dx.doi.org/10.1039/c2nr33071g.

Chen, X; Ming, S; Wu, X; Chen, C; Asumana, C; Yu, G. (2013). Cu(I)-Based Ionic Liquids as Potential Absorbents to Separate Propylene and Propane. Separation Science and Technology. 48: 2317-2323. http://dx.doi.org/10.1080/01496395.2013.794836.

Chen, XH; Gonsalves, KE. (1997). Synthesis and properties of an aluminum nitride polyimide nanocomposite prepared by a nonaqueous suspension process. J Mater Res. 12: 1274-1286.

Chen, Y, ao; Zhang, B, in; Gao, Z, he; Chen, C; Zhao, S; Qin, Y. (2015). Functionalization of multiwalled carbon nanotubes with uniform polyurea coatings by molecular layer deposition. Carbon. 82: 470-478. http://dx.doi.org/10.1016/j.carbon.2014.10.090.

Chen, Y; Zhong, J; Wang, D; Liu, M, in; Liu, X. (2011). Preparation and dielectric properties of fullerene-doped polyarylene ether nitrile film. Journal of Materials Science: Materials in Electronics. 22: 304-308. http://dx.doi.org/10.1007/s10854-010-0133-8.

Cheng, L; Chen, Z; Jian, XG; Zheng, HB; Wang, ZY. (2002). Synthesis of poly (aryl amide imide)s derived from o-diphenyltrimellitic anhydride. Journal of Wuhan University of Technology--Materials Science Edition. 17: 90-93.

Cheng, Y; Hsu, C; Lan, K; Munoz, JC; Caparanga, AR; Soriano, AN; Li, M. (2009). Desmearing of FR4 Epoxy Resin Using NMP-Based Sweller. Journal of Electronic Materials. 38: 2368-2375. http://dx.doi.org/10.1007/s11664-009-0891-3.

Chervenick, SW. (1995). QUANTITATIVE-ANALYSIS OF N-METHYL-2-PYRROLIDINONE RETAINED IN COAL EXTRACTS BY THERMAL EXTRACTION GC-MS. Fuel. 74: 241-245.

Chiu, HC; Huang, J, unJie; Liu, CH; Suen, SY, i. (2006). Batch adsorption performance of methyl methacrylate/styrene copolymer membranes. React Funct Polym. 66: 1515-1524. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.04.011.

Choe, YS, on; Oh, KJ; Kim, M, inC; Park, SW. (2010). Chemical absorption of carbon dioxide into phenyl glycidyl ether solution containing THA-CP-MS41 catalyst. Korean J Chem Eng. 27: 1868-1875. http://dx.doi.org/10.1007/s11814-010-0309-1.

Choe, YS, on; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2010). Reaction Kinetics of Carbon Dioxide with Phenyl Glycidyl Ether by TEA-CP-MS41 Catalyst. J Jpn Petrol Inst. 53: 160-166.

Choi, B; Langlois, DA; Mack, N; Johnston, CM; Kim, Y, uS. (2014). The Effect of Cathode Structures on Nafion Membrane Durability. J Electrochem Soc. 161: F1154-F1162. http://dx.doi.org/10.1149/2.0151412jes.

Choi, HJ; Kang, J, iYe; Jeon, I, nYup; Eo, S, ooMi; Tan, LS; Baek, JB. (2012). Immobilization of platinum nanoparticles on 3,4-diaminobenzoyl-functionalized multi-walled carbon nanotube and its electrocatalytic activity. J Nanopart Res. 14. http://dx.doi.org/10.1007/s11051-011-0704-5.

Choi, J, aeH; Jegal, J; Kim, W, ooN. (2006). Fabrication and characterization of multi-walled carbon nanotubes/polymer blend membranes. J Memb Sci. 284: 406-415. http://dx.doi.org/10.1016/j.memsei.2006.08.013.

Choi, JS, ik; Son, W, onJin; Kim, J; Ahn, W, haS. (2008). Metal-organic framework MOF-5 prepared by microwave heating: Factors to be considered. Microporous and Mesoporous Materials. 116: 727-731. http://dx.doi.org/10.1016/j.micromeso.2008.04.033.

Choi, KH; Ali, A; Jo, J. (2013). Randomly oriented graphene flakes film fabrication from graphite dispersed in N-methyl-pyrrolidone by using electrohydrodynamic atomization technique. Journal of Materials Science: Materials in Electronics. 24: 4893-4900. http://dx.doi.org/10.1007/s10854-013-1494-6.

Choi, KH; Jung, JC. (2004). Synthesis and characterization of new aromatic polyamides with N ' N-di(4-n-alkylphenyl)benzodiimide unit on the main chain. Macromolecular Materials & Engineering. 289: 737-742. http://dx.doi.org/10.1002/mame.200400354.

Choi, M, inY; Choi, DJ, oo; Ahn, K, eyOne; Ro, I; Kim, YH, o; Suh, SH, ee. (2012). Fabrication of Copper Nanoparticles in a Thick Polyimide Film Cured by Rapid Thermal Annealing. J Nanosci Nanotechnol. 12: 3637-3640. http://dx.doi.org/10.1166/jnn.2012.5588.

Chong, HM; Hinder, SJ; Taylor, AC. (2016). Graphene nanoplatelet-modified epoxy: effect of aspect ratio and surface functionality on mechanical properties and toughening mechanisms. Journal of Materials Science. 51: 8764-8790. http://dx.doi.org/10.1007/s10853-016-0160-9.

Chong, KC; Lai, SO; Lau, WJ; Ooi, BS. (2014). Preparation, characterisation and performance of polyvinylidene fluoride membrane for sodium chloride rejection in direct contact membrane distillation. Mater Res Innovat. 18: 359-363. http://dx.doi.org/10.1179/1432891714Z.0000000001025.

Chong, KC; Lai, SO; Lee, KM; Lau, WJ; Ismail, AF; Ooi, BS. (2015). Characteristic and performance of polyvinylidene fluoride membranes blended with different additives in direct contact membrane distillation. Desalination and Water Treatment. 54: 3218-3226. http://dx.doi.org/10.1080/19443994.2014.910139.

Chou, W, eiYu; Jin, Y, iC; Duh, JG; Lu, CZ; Liao, SC. (2015). A facile approach to derive binder protective film on high voltage spinel cathode materials against high temperature degradation. Appl Surf Sci. 355: 1272-1278. http://dx.doi.org/10.1016/j.apsusc.2015.08.046.

Chow, ST; Ng, TL. (1983). THE BIODEGRADATION OF N-METHYL-2-PYRROLIDONE IN WATER BY SEWAGE BACTERIA. Water Res. 17: 117-118.

Chowdhury, S; Frazier, CE. (2013). Compressive-torsion DMA of yellow-poplar wood in organic media. Holzforschung. 67: 161-168. http://dx.doi.org/10.1515/hf-2011-0167.

Exposure Literature Search Results

Off Topic

Chu, CW; Kirby, DP; Murphy, PD. (1993). INTERACTIONS OF AMINOSILANE WITH ALUMINA AND SILICA SUBSTRATES DEPOSITED FROM NONAQUEOUS AND AQUEOUS-MEDIA. J Adhes Sci Tech. 7: 417-433.

Chung, IS; Park, CE; Ree, M; Kim, SY. (2001). Soluble polyimides containing benzimidazole rings for interlevel dielectrics. Chem Mater. 13: 2801-2806. http://dx.doi.org/10.1021/cm0008381.

Chung, TH, ao; Lee, W, enC. (2008). Preparation of styrene-based, magnetic polymer microspheres by a swelling and penetration process. React Funct Polym. 68: 1441-1447. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.003.

Chung, TH, ao; Pan, HC; Lee, W, enC. (2007). Preparation and application of magnetic poly(styrene-glycidyl methacrylate) microspheres. Journal of Magnetism and Magnetic Materials. 311: 36-40. http://dx.doi.org/10.1016/j.jmmm.2006.11.165.

Chung, TS; Kafchinski, ER; Foley, P. (1992). DEVELOPMENT OF ASYMMETRIC HOLLOW FIBERS FROM POLYIMIDES FOR AIR SEPARATION. J Memb Sci. 75: 181-195.

Chung, TS; Kafchinski, ER; Vora, R. (1994). DEVELOPMENT OF A DEFECT-FREE 6FDA-DURENE ASYMMETRIC HOLLOW-FIBER AND ITS COMPOSITE HOLLOW FIBERS. J Memb Sci. 88: 21-36.

Chung, TS; Qin, JJ; Gu, J. (2000). Effect of shear rate within the spinneret on morphology, separation performance and mechanical properties of ultrafiltration polyethersulfone hollow fiber membranes. Chem Eng Sci. 55: 1077-1091.

Chung, TS; Teoh, SK. (1999). The ageing phenomenon of polyethersulphone hollow fibre membranes for gas separation and their characteristics. J Memb Sci. 152: 175-188.

Chung, TS; Teoh, SK; Hu, XD. (1997). Formation of ultrathin high-performance polyethersulfone hollow-fiber membranes. J Memb Sci. 133: 161-175.

Chung, TS; Teoh, SK; Lau, WWY; Srinivasan, MP. (1998). Effect of shear stress within the spinneret on hollow fiber membrane morphology and separation performance. Ind Eng Chem Res. 37: 3930-3938.

Chylinski, K; Fras, Z; Malanowski, SK. (2004). Vapor-liquid equilibrium for propylene glycol+2-(2-hexyloxyethoxy) ethanol and 1-methyl-2-pyrrolidone+1-methoxypropan-2-ol. Journal of Chemical and Engineering Data. 49: 18-23. http://dx.doi.org/10.1021/je034096z.

Ciesielski, A; Haar, S; Aliprandi, A; El Garah, M; Tregnago, G; Cotella, GF; El Gemayel, M; Richard, F; Sun, H; Cacialli, F; Bonaccorso, F; Samorì, P. (2016). Modifying the Size of Ultrasound-Induced Liquid-Phase Exfoliated Graphene: From Nanosheets to Nanodots. ACS Nano. 10: 10768-10777. http://dx.doi.org/10.1021/acsnano.6b03823.

Clara, RA; de Doz, MG; Barnes, N; Solimo, HN. (2002). Influence of temperature on the liquid-to-liquid extraction of 1-propanol from aqueous solutions containing nitromethane. Fluid Phase Equilibria. 198: 267-279.

Clark, MD; Krishnamoorti, R. (2009). Dispersion of Functionalized Multiwalled Carbon Nanotubes. J Phys Chem C. 113: 20861-20868. http://dx.doi.org/10.1021/jp907221g.

Cody, GD; Obeng, M; Thiyagarajan, P. (1997). Characterization of the soluble and insoluble fractions of upper freeport coal in NMP/CS2 and pyridine using small angle neutron scattering. Energy Fuels. 11: 495-501.

Cohen, CS; Stansberry, PG; Stiller, AH; Hobbs, G; Vavro, K; Miller, MR. (1995). PRELIMINARY CHARACTERIZATION OF BIOREACTIVITY OF NOVEL CARBONACEOUS PITCHES EXTRACTED IN N-METHYLPYRROLIDONE. Energy Fuels. 9: 1051-1057.

Collins, JP; Noble, RD; Park, CH; Clark, NA. (1995). CONTINUED STUDIES OF AN ELECTROCONVECTIVE LIQUID MEMBRANE FOR GAS SEPARATION. J Memb Sci. 99: 249-257.

Comanescu, I; Filotti, L. (2010). Vapour-liquid Equilibrium Data for C5 Saturated-Unsaturated Hydrocarbons Solutions with Solvents Monopropylene Glycol, Dipropylene Glycol or N-Methyl-2-Pyrrolidone. Rev Chim. 61: 986-990.

Coonts, BA; Whitman, SL; O'Donnell, M; Polson, AM; Bogle, G; Garrett, S; Swanbom, DD; Fulfs, JC; Rodgers, PW; Southard, GL; Dunn, RL. (1998). Biodegradation and biocompatibility of a guided tissue regeneration barrier membrane formed from a liquid polymer material. J Biomed Mater Res. 42: 303-311.

Cory, NJ. (2002). An update on environmental constraints. American Leather Chemists Association Journal. 97: 496-505.

Cowley, M. (2006). Skeletal isomerization of Fischer-Tropsch-derived pentenes: The effect of oxygenates. Energy Fuels. 20: 1771-1776. http://dx.doi.org/10.1021/ef0601162.

Creaser, CS; Lamarca, DG; dos Santos, LMF; Lobiundo, G; New, AP. (2003). On-line biodegradation monitoring of nitrogen-containing compounds by membrane inlet mass spectrometry. J Chem Tech Biotechnol. 78: 1193-1200. http://dx.doi.org/10.1002/jctb.918.

Crock, CA; Rogensues, AR; Shan, W; Tarabara, VV. (2013). Polymer nanocomposites with graphene-based hierarchical fillers as materials for multifunctional water treatment membranes. Water Res. 47: 3984-3996. http://dx.doi.org/10.1016/j.watres.2012.10.057.

Cuevas, RM; Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1995). EXPERIMENTAL LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - ETHANENITRILE AND BUTANENITRILE WITH N-ALKANES. Fluid Phase Equilibria. 107: 201-212.

Cui, KM; Tria, MC; Pernites, R; Binag, CA; Advincula, RC. (2011). PVK/MWNT electrodeposited conjugated polymer network nanocomposite films. ACS Applied Materials & Interfaces. 3: 2300-2308. http://dx.doi.org/10.1021/am200233k.

Cui, ZY; Li, ZW; Gao, ZH; Li, JQ. (1994). VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE(1)WATER(2) BINARY-SYSTEM BY AN EBULLIOMETER. Chinese Journal of Chemical Engineering. 2: 119-124.

Curti, E; de Britto, D; Campana, SP. (2003). Methylation of chitosan with iodomethane: Effect of reaction conditions on chemoselectivity and degree of substitution. Macromol Biosci. 3: 571-576. http://dx.doi.org/10.1002/mabi.200300030.

da Conceicao, TF; Scharnagl, N; Dietzel, W; Kainer, KU. (2011). Corrosion protection of magnesium AZ31 alloy using poly(ether imide) [PEI] coatings prepared by the dip coating method Influence of solvent and substrate pre-treatment. Corrosion Sci. 53: 338-346. http://dx.doi.org/10.1016/j.corsci.2010.09.040.

Daaou, M; Bendedouch, D; Modarressi, A, li; Rogalski, M. (2012). Properties of the Polar Fraction of Hassi-Messaoud Asphaltenes. Energy Fuels. 26: 5672-5678. http://dx.doi.org/10.1021/ef300573d.

Exposure Literature Search Results

Off Topic

Dabai, F; Paterson, N; Milian, M; Fennell, P; Kandiyoti, R. (2014). Tar Formation and Destruction in a Fixed Bed Reactor Simulating Downdraft Gasification: Effect of Reaction Conditions on Tar Cracking Products. Energy Fuels. 28: 1970-1982. http://dx.doi.org/10.1021/ef402293m.

Dabke, RB; Dhanabalan, A; Major, S; Talwar, SS; Lal, R; Contractor, AQ. (1998). Electrochemistry of polyaniline Langmuir-Blodgett films. Thin Solid Films. 335: 203-208.

D'Agostino, C; Stephens, JA; Parkinson, JD; Mantle, MD; Gladden, LF; Moggridge, GD. (2013). Prediction of the mutual diffusivity in acetone-chloroform liquid mixtures from the tracer diffusion coefficients. Chem Eng Sci. 95: 43-47. http://dx.doi.org/10.1016/j.ces.2013.03.033.

Dahe, GJ; Teotia, RS; Bellare, JR. (2012). The role of zeolite nanoparticles additive on morphology, mechanical properties and performance of polysulfone hollow fiber membranes. Chem Eng J. 197: 398-406. http://dx.doi.org/10.1016/j.cej.2012.05.037.

Dai, C; Dong, Y; Han, J; Lei, Z. (2015). Separation of benzene and thiophene with a mixture of N-methyl-2-pyrrolidinone (NMP) and ionic liquid as the entrainer. Fluid Phase Equilibria. 388: 142-150. http://dx.doi.org/10.1016/j.fluid.2015.01.005.

Dai, XH; Tan, YW; Xu, J. (2002). Formation of gold nanoparticles in the presence of o-anisidine and the dependence of the structure of poly(o-anisidine) on synthetic conditions. Langmuir. 18: 9010-9016. http://dx.doi.org/10.1021/la025926u.

Dai, XH; Wang, ZM; Pan, JM; Yuan, SS; Yan, YS; Liu, DM; Sun, L. (2014). Star-shaped poly(L-lactide)-b-poly(lactobionamidoethyl methacrylate) with porphyrin core: synthesis, self-assembly, singlet oxygen research and recognition properties. J Biomater Sci Polym Ed. 25: 1755-1770. http://dx.doi.org/10.1080/09205063.2014.946878.

Dai, ZW; Zou, XH; Chen, GQ. (2009). Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) as an injectable implant system for prevention of post-surgical tissue adhesion. Biomaterials. 30: 3075-3083. http://dx.doi.org/10.1016/j.biomaterials.2009.02.015.

Damaceanu, MD; Bruma, M. (2006). Study of some silicon-containing polyoxadiazole amide. Materiale Plastice. 43: 151-159.

Damm, C; Nacken, TJ; Peukert, W. (2015). Quantitative evaluation of delamination of graphite by wet media milling. Carbon. 81: 284-294. http://dx.doi.org/10.1016/j.carbon.2014.09.059.

Dandia, A; Taneja, H; Saha, M. (1997). Synthesis of novel spiro[indole-pyranoimidazole] and spiro[indole-pyranopyrrole] derivatives. Indian J Chem Tech. 4: 243-246.

Dang, H, aiSon; Jannasch, P. (2016). Alkali-stable and highly anion conducting poly(phenylene oxide)s carrying quaternary piperidinium cations. 4: 11924-11938. http://dx.doi.org/10.1039/c6ta01905f.

Darvishmanesh, S; Jansen, JC; Tasselli, F; Tocci, E; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Novel polyphenylsulfone membrane for potential use in solvent nanofiltration. J Memb Sci. 379: 60-68. http://dx.doi.org/10.1016/j.memsci.2011.05.045.

Darvishmanesh, S; Tasselli, F; Jansen, JC; Tocci, E; Bazzarelli, F; Bernardo, P; Luis, P; Degreve, J; Drioli, E; Van der Bruggen, B. (2011). Preparation of solvent stable polyphenylsulfone hollow fiber nanofiltration membranes. J Memb Sci. 384: 89-96. http://dx.doi.org/10.1016/j.memsci.2011.09.003.

Davila, MJ; Alcalde, R; Aparicio, S. (2009). Pyrrolidone Derivatives in Water Solution: An Experimental and Theoretical Perspective. Ind Eng Chem Res. 48: 1036-1050. http://dx.doi.org/10.1021/ie800911n.

Davila, MJ; Aparicio, S; Alcalde, R. (2009). Thermophysical Properties of Binary and Ternary Mixtures Containing Lactams and Methanol. Ind Eng Chem Res. 48: 10065-10076. http://dx.doi.org/10.1021/ie900822e.

Davila, MJ; Cabanas, A; Pando, C. (2007). Excess molar enthalpies for binary mixtures related to supercritical antisolvent precipitation: Carbon dioxide plus N-methyl-2-pyrrolidone. Journal of Supercritical Fluids. 42: 172-179. http://dx.doi.org/10.1016/j.supflu.2007.02.010.

de Albuquerque, JE; Mattoso, LHC; Faria, RM; Masters, JG; Macdiarmid, AG. (2004). Study of the interconversion of polyaniline oxidation states by optical absorption spectroscopy. Synthetic Metals. 146: 1-10. http://dx.doi.org/10.1016/j.synthmet.2004.05.019.

de Freitas, LC; de Castro, LD. (2008). Correlations between quinoline and 1-methyl-2-pyrrolidinone insolubles in petroleum pitches. Fuel. 87: 2842-2845. http://dx.doi.org/10.1016/j.fuel.2008.01.015.

De Marco, I; Knauer, O; Cice, F; Braeuer, A; Reverchon, E. (2012). Interactions of phase equilibria, jet fluid dynamics and mass transfer during supercritical antisolvent micronization: The influence of solvents. Chem Eng J. 203: 71-80. http://dx.doi.org/10.1016/j.cej.2012.06.129.

De Marco, I; Rossmann, M; Prosapio, V; Reverchon, E; Braeuer, A. (2015). Control of particle size, at micrometric and nanometric range, using supercritical antisolvent precipitation from solvent mixtures: Application to PVP. Chem Eng J. 273: 344-352. http://dx.doi.org/10.1016/j.cej.2015.03.100.

Della Porta, G; Volpe, MC; Reverchon, E. (2006). Supercritical cleaning of rollers for printing and packaging industry. Journal of Supercritical Fluids. 37: 409-416. http://dx.doi.org/10.1016/j.supflu.2006.01.018.

Den, W; Ko, FH; Huang, TY. (2002). Treatment of organic wastewater discharged from semiconductor manufacturing process by ultraviolet/hydrogen peroxide and biodegradation. IEEE Trans Semicond Manuf. 15: 540-551. http://dx.doi.org/10.1109/TSM.2002.804903.

Deng, D; Han, G; Jiang, Y; Ai, N. (2015). Solubilities of Carbon Dioxide in Five Biobased Solvents. Journal of Chemical and Engineering Data. 60: 104-111. http://dx.doi.org/10.1021/je500812s.

Deng, Q; Qin, Z; Yang, Y; Song, W. (2015). Synthesis, characterization of triphenyltin grafted on SBA-15 mesoporous silica and its catalytic performance for the synthesis of 4-methylacetophenone. Chinese Journal of Chemical Engineering. 23: 384-388. http://dx.doi.org/10.1016/j.cjche.2013.12.001.

Deoliveira, JV; Uller, AMC. (1996). Solubility of pure 1,3 butadiene and methyl propene and their mixtures in pure n-methyl-2-pyrrolidone and in its aqueous solutions. Fluid Phase Equilibria. 118: 133-141.

Dhanabalan, A; Dabke, RB; Kumar, NP; Talwar, SS; Major, S; Lal, R; Contractor, AQ. (1997). A study of Langmuir and Langmuir-Blodgett films of polyaniline. Langmuir. 13: 4395-4400.

Dimitriev, OP; Pud, AA. (2011). Interaction of polyaniline with hydroxyl-ions in N-methylpyrrolidinone. Synthetic Metals. 161: 1813-1819. http://dx.doi.org/10.1016/j.synthmet.2011.06.006.

Exposure Literature Search Results

Off Topic

Dimitriev, OP; Smertenko, PS; Stiller, B; Brehmer, L. (2005). Polyaniline-transition metal salt complexes: insight into formation mechanisms. Synthetic Metals. 149: 187-192. http://dx.doi.org/10.1016/j.synthmet.2004.12.007.

Ding, J, un; Kong, Y; Yang, J. (2012). Preparation of Polyimide/Polyethylene Terephthalate Composite Membrane for Li-Ion Battery by Phase Inversion. J Electrochem Soc. 159: A1198-A1202. http://dx.doi.org/10.1149/2.023208jes.

Ding, M, an; Zhao, Y, unP; Dou, Y, ouQ; Wei, XY; Fan, X; Cao, J, inPei; Wang, Y, ueLun; Zong, Z, hiMin. (2015). Sequential extraction and thermal dissolution of Shengli lignite. Fuel Process Tech. 135: 20-24. http://dx.doi.org/10.1016/j.fuproc.2014.09.031.

Ding, MJ, ie; Zong, Z, hiMin; Zong, Y; Ou-Yang, XD; Huang, Y, aoGuo; Zhou, L, ei; Wang, F; Cao, JP, ei; Wei, XY. (2008). Isolation and identification of fatty acid amides from Shengli coal. Energy Fuels. 22: 2419-2421. http://dx.doi.org/10.1021/ef700499y.

Ding, X; Cao, Y; Zhao, H; Wang, L. (2013). Interfacial morphology between the two layers of the dual-layer asymmetric hollow fiber membranes fabricated by co-extrusion and dry-jet wet-spinning phase-inversion techniques. J Memb Sci. 444: 482-492. http://dx.doi.org/10.1016/j.memsci.2013.03.035.

Do Kim, S; Woo, KJ, ae; Jeong, SK; Rhim, YJ, un; Lee, S, iH. (2008). Production of low ash coal by thermal extraction with N-methyl-2-pyrrolidinone. Korean J Chem Eng. 25: 758-763.

Doetschman, DC; Mehlenbacher, RC; Ito, O. (1994). A STUDY OF COAL EXTRACTION WITH ELECTRON-PARAMAGNETIC-RESONANCE AND PROTON NUCLEAR-MAGNETIC-RESONANCE RELAXATION TECHNIQUES. Energy Fuels. 8: 907-919.

Domanka, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and ethers at atmospheric pressure. Fluid Phase Equilibria. 227: 135-143. http://dx.doi.org/10.1016/j.fluid.2004.11.006.

Domanska, U; Gloskowska, M. (2004). Experimental solid plus liquid equilibria and excess molar volumes of alkanol plus hexylamine mixtures - Analysis in terms of the ERAS, DISQUAC and Mod. UNIFAC models. Fluid Phase Equilibria. 216: 135-145. http://dx.doi.org/10.1016/j.fluid.2003.10.007.

Domanska, U; Lachwa, J. (2002). (Solid plus liquid) phase equilibria of binary mixtures containing N-methyl-2-pyrrolidinone and long-chain n-alkanols at atmospheric pressure. Fluid Phase Equilibria. 198: 1-14.

Domanska, U; Lachwa, J. (2005). (Solid plus liquid) phase equilibria and solid-compound formation in (N-methyl-2-pyrrolidinone plus phenol, or 3,5-dimethylphenol). Fluid Phase Equilibria. 232: 214-218. http://dx.doi.org/10.1016/j.fluid.2005.03.027.

Domanska, U; Lachwa, J; Gonzalez, JA. (2005). Thermodynamics of binary mixtures containing N-methyl-2-pyrrolidinone VLE measurements for systems with ethers - Comparison with the mod. UNIFAC (Do) and DISQUAC models - Predictions for VLE, G(m)(E), H-m(E) and SLE. Fluid Phase Equilibria. 235: 182-190. http://dx.doi.org/10.1016/j.fluid.2005.06.017.

Domanska, U; Lachwa, J; Letcher, TM. (2002). Densities, excess molar volumes, and excess molar enthalpies of (N-methyl-2-pyrrolidinone plus ketone) at T=298.15 K. Journal of Chemical and Engineering Data. 47: 1446-1452. http://dx.doi.org/10.1021/je020068p.

Domanska, U; Lukoshko, EV; Krolikowski, M. (2012). Measurements of activity coefficients at infinite dilution for organic solutes and water in the ionic liquid 1-butyl-1-methylpyrrolidinium tris(pentafluoroethyl)trifluorophosphate ([BMPYR][FAP]). Chem Eng J. 183: 261-270. http://dx.doi.org/10.1016/j.cej.2011.12.072.

Domanska, U; Marciniak, A; Krolikowska, M; Arasimowicz, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Hexyl-3-methylimidazolium Thiocyanate. Journal of Chemical and Engineering Data. 55: 2532-2536. http://dx.doi.org/10.1021/je900890u.

Domanski, M; Winnubst, L; Luttge, R; Lamers, E; Walboomers, XF; Jansen, J; Gardeniers, H. (2012). Production and characterization of miro- and nano-features in biomedical alumina and zirconia ceramics using a tape casting route. J Mater Sci Mater Med. 23: 1637-1644. http://dx.doi.org/10.1007/s10856-012-4635-1.

Domin, M; Herod, A; Kandiyoti, R; Larsen, JW; Lazaro, MJ; Li, S; Rahimi, P. (1999). A comparative study of bitumen molecular-weight distributions. Energy Fuels. 13: 552-557.

Domingo, P; Olaciregui, M; Gonzalez, N; Del Nino, A; De Blas, I; Gil, L. (2016). Effect of N-methyl-2-pyrrolidone and seminal plasma on cooled rabbit semen. Reproduction in Domestic Animals. 51: 87-88.

Donato, L; Greco, MC; Drioli, E. (2011). Preparation of molecularly imprinted membranes and evaluation of their performance in the selective recognition of dimethoate. Desalination and Water Treatment. 30: 171-177. http://dx.doi.org/10.5004/dwt.2011.1960.

Dong, H; Chen, D; Wang, K; Zhang, R. (2016). High-Yield Preparation and Electrochemical Properties of Few-Layer MoS2 Nanosheets by Exfoliating Natural Molybdenite Powders Directly via a Coupled Ultrasonication-Milling Process. Nanoscale Res Lett. 11: 409. http://dx.doi.org/10.1186/s11671-016-1622-3.

Dong, J, ie; Yin, C; Luo, W; Zhang, Q. (2013). Synthesis of organ-soluble copolyimides by one-step polymerization and fabrication of high performance fibers. Journal of Materials Science. 48: 7594-7602. http://dx.doi.org/10.1007/s10853-013-7576-2.

Dong, S; Alvarez, P; Paterson, N; Dugwell, DR; Kandiyoti, R. (2008). Investigating the formation mechanism of soot-like materials present in blast furnace coke samples. Energy Fuels. 22: 3317-3325. http://dx.doi.org/10.1021/ef800466h.

Dong, S; Paterson, N; Kazarian, SG; Dugwell, DR; Kandiyoti, R. (2007). Characterization of tuyere-level core-drill coke samples from blast furnace operation. Energy Fuels. 21: 3446-3454. http://dx.doi.org/10.1021/ef7003656.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2005). The fate of injectant coal in blast furnaces: The origin of extractable materials of high molecular mass in blast furnace carryover dusts. Progress in Natural Science. 15: 67-75.

Dong, S; Wu, L; Paterson, N; Herod, AA; Dugwell, DR; Kandiyoti, R. (2007). Investigating the fate of injectant coal in blast furnaces by size-exclusion chromatography. Energy Fuels. 21: 1062-1070. http://dx.doi.org/10.1021/ef060472k.

Du, C, unBin; Han, S; Zhong, Y, unHao; Yao, G, anB; Wang, J; Zhao, H. (2015). Determination and prediction of solid-liquid phase equilibrium for quaternary system of terephthalic acid plus isophthalic acid plus phthalic acid plus N-methyl-2-pyrrolidone at 303.15 K and 313.15 K. Fluid Phase Equilibria. 397: 103-110. http://dx.doi.org/10.1016/j.fluid.2015.03.042.

Du, PA, n; Ren, M, anN; Jiang, D, an; Zhao, ZH, ui; Ying, W, eiY. (2012). An experimental study on optimization utilization of deasphalted oil. Fuel Process Tech. 99: 64-68. http://dx.doi.org/10.1016/j.fuproc.2012.01.033.

Exposure Literature Search Results

Off Topic

Du, Z; Yin, T; Xia, Y; Cui, Z; Shen, W. (2013). The liquid-liquid coexistence curves of {x nitrobenzene + (1-x) 2-methylpentane} and {x nitrobenzene + (1-x) isooctane} in the critical region. Fluid Phase Equilibria. 358: 282-289. http://dx.doi.org/10.1016/j.fluid.2013.08.025.

Dubin, S; Gilje, S; Wang, K; Tung, VC; Cha, K; Hall, AS; Farrar, J; Varshneya, R; Yang, Y; Kaner, RB. (2010). A one-step, solvothermal reduction method for producing reduced graphene oxide dispersions in organic solvents. ACS Nano. 4: 3845-3852. http://dx.doi.org/10.1021/nn100511a.

Duereh, A; Sato, Y; Smith, RL, ee, J.,r; Inomata, H. (2015). Replacement of Hazardous Chemicals Used in Engineering Plastics with Safe and Renewable Hydrogen-Bond Donor and Acceptor Solvent-Pair Mixtures. 3: 1881-1889. http://dx.doi.org/10.1021/acssuschemeng.5b00474.

Duesselberg, D; Verreault, D; Koelsch, P; Staudt, C. (2011). Synthesis and characterization of novel, soluble sulfur-containing copolyimides with high refractive indices. Journal of Materials Science. 46: 4872-4879. http://dx.doi.org/10.1007/s10853-011-5399-6.

Dulinska-Molak, I, da; Ryszkowska, J; Kurzydlowski, KJ. (2010). Biocompatible polyurethane composites with calcite for tissue engineering. Przemysł Chemiczny. 89: 1614-1620.

Durbin, C; Hausman, R; Escobar, IC. (2013). An investigation of polymer dope and heating effects on hollow fiber membranes. Desalination and Water Treatment. 51: 6970-6977. http://dx.doi.org/10.1080/19443994.2013.797651.

Dutczak, SM; Cuperus, FP; Wessling, M; Stamatialis, DF. (2013). New crosslinking method of polyamide-imide membranes for potential application in harsh polar aprotic solvents. Separation and Purification Technology. 102: 142-146. http://dx.doi.org/10.1016/j.seppur.2012.10.018.

Dutczak, SM; Tanardi, CR; Kopec, KK; Wessling, M; Stamatialis, D. (2012). "Chemistry in a spinneret" to fabricate hollow fibers for organic solvent filtration. Separation and Purification Technology. 86: 183-189. http://dx.doi.org/10.1016/j.seppur.2011.11.003.

Dutta, M; Nicolosi, V; Obratzsova, E; Koos, AA; Crossley, A; Groben, N. (2011). Stable Dispersions of Nitrogen Containing Multi-Walled Carbon Nanotubes. 1: 201-209. http://dx.doi.org/10.1166/mex.2011.1029.

Dutta, PK. (2000). Synthesis of nitro-substituted aromatic polysulfide from bis(4-chloro-3-nitrophenyl) sulfone and sodium sulfide by activated nucleophilic displacement polymerization. Indian J Chem Tech. 7: 61-63.

Dygert, NL; Gies, AP; Schriver, KE; Haglund, RF, Jr. (2007). Deposition of polyimide precursor by resonant infrared laser ablation. Applied Physics A: Materials Science and Processing. 89: 481-487. http://dx.doi.org/10.1007/s00339-007-4155-x.

Dyrkacz, G. (2001). The nature of the binary solvent N-methylpyrrolidone/carbon disulfide. Energy Fuels. 15: 918-929. http://dx.doi.org/10.1021/ef010003e.

Dyrkacz, GR; Bloomquist, CAA. (2000). Changes in coal extractability with timed addition of tetracyanoethylene in carbon disulfide/N-methylpyrrolidone extractions. Energy Fuels. 14: 513-514.

Dyrkacz, GR; Bloomquist, CAA. (2001). Binary solvent extractions of upper freeport coal. Energy Fuels. 15: 1409-1413.

Dyrkacz, GR; Bloomquist, CAA. (2001). Solvent extraction of separated macerals in carbon disulfide/N-methylpyrrolidone. Energy Fuels. 15: 1403-1408.

Dzunuzovic, J; Jovanovic, S; Lechner, MD. (2010). CHARACTERIZATION OF THE COMMERCIAL HYPERBRANCHED POLYESTERS. Hemijska Industrija. 64: 547-553. http://dx.doi.org/10.2298/HEMIND101014060D.

Eberhardt, TL; Lebow, S; Reed, KG. (2012). Partial dissolution of ACQ-treated wood in lithium chloride/N-methyl-2-pyrrolidinone: separation of copper from potential lignocellulosic feedstocks. Chemosphere. 86: 797-801. http://dx.doi.org/10.1016/j.chemosphere.2011.11.020.

Ebrahim, S; Soliman, M; Abdel-Fattah, TM. (2011). Hybrid Inorganic-Organic Heterojunction Solar Cell. Journal of Electronic Materials. 40: 2033-2041. http://dx.doi.org/10.1007/s11664-011-1671-4.

Eghrary, SH; Zarghami, R; Martinez, F; Jouyban, A. (2012). Solubility of 2-Butyl-3-benzofuranyl 4-(2-(Diethylamino)ethoxy)-3,5-diiodophenyl Ketone Hydrochloride (Amiodarone HCl) in Ethanol plus Water and N-Methyl-2-pyrrolidone plus Water Mixtures at Various Temperatures. Journal of Chemical and Engineering Data. 57: 1544-1550. http://dx.doi.org/10.1021/je201268b.

Eifert, EJ; Vickers, LD. (2000). The dissolution vessel for plutonium pits at the U.S. DOE Pantex Plant. Health Phys. 78: S25-S27.

Einfeldt, L; Petzold, K; Gunther, W; Stein, A; Kussler, M; Klemm, D. (2001). Preparative and H-1 NMR investigation on regioselective silylation of starch dissolved in dimethyl sulfoxide. Macromol Biosci. 1: 341-347.

El Dib, G; Chakir, A. (2007). Temperature-dependence study of the gas-phase reactions of atmospheric NO3 radicals with a series of amides. Atmos Environ. 41: 5887-5896. http://dx.doi.org/10.1016/j.atmosenv.2007.03.038.

El Mansoury, A; Bushby, RJ; Karodia, N. (2012). Triphenylene-based discotic liquid crystals: star-shaped oligomers and branched-chain polymers. Liquid Crystals. 39: 1222-1230. http://dx.doi.org/10.1080/02678292.2012.707691.

El Naggar, AMA; Mostafa, MS; Zaky, MT. (2016). New trend for the pour point depression of a waxy petroleum fraction with in-situ desulphurization using (O2H & OH) radicals coupled with nanoparticles of titanium compounds. Fuel. 180: 218-227. http://dx.doi.org/10.1016/j.fuel.2016.04.031.

Elashnikov, R; Lyutakov, O; Kalachyova, Y; Solovyev, A; Svorcik, V. (2015). Tunable release of silver nanoparticles from temperature-responsive polymer blends. React Funct Polym. 93: 163-169. http://dx.doi.org/10.1016/j.reactfunctpolym.2015.06.010.

El-Gayar, MS, h; Ahmed, AEM; Gohar, GA; Hegazi, AH; Ibrahim, HM; Aly, AM. (2010). The Improvement of the Quality of Raffinate Obtained from Solvent Extraction of Lubricating Oils. Petroleum Science and Technology. 28: 1434-1444. http://dx.doi.org/10.1080/10916460903096772.

El-Gayar, MS, h; Gohar, GA; Ibrahim, AM; Ibrahim, HM; Aly, AM. (2008). Transformer oils prepared from the vacuum distillates of Egyptian crude paraffinic petroleum. Fuel Process Tech. 89: 254-261. http://dx.doi.org/10.1016/j.fuproc.2007.11.022.

Eliosajimenez, G; Trejo, A. (1993). HENRY LAW CONSTANT FOR PROPANE AND BUTANE IN SOLUTIONS OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 82: 191-197.

Exposure Literature Search Results

Off Topic

Elsner, T; Hradetzky, G; Bittrich, HJ. (1986). INVESTIGATIONS ON SELECTIVE SEPARATION PROCESSES .9. LIMITING ACTIVITY-COEFFICIENTS AND LIMITING SELECTIVITIES OF HYDROCARBONS IN N-METHYLPYRROLIDONE, ETHANEDIOLE AND THEIR MIXTURES. Chem Tech (Leipzig). 38: 120-121.

Ely, F; Matsumoto, A; Zoetebier, B; Peressinotto, VS; Hirata, MK; de Sousa, DA; Maciel, R. (2014). Handheld and automated ultrasonic spray deposition of conductive PEDOT:PSS films and their application in AC EL devices. Organic Electronics. 15: 1062-1070. http://dx.doi.org/10.1016/j.orgel.2014.02.022.

Ermolaeva, TN; Korenman, YI; Podolina, EA. (1997). Extractive concentration and potentiometric determination of phenolic antioxidants in water. Industrial Laboratory. 63: 387-388.

Esfahanizadeh, M; Sabbaghian, E; Mehdipour-Ataei, S; Jalilian, S; Babanzadeh, S. (2015). Synthesis and Characterization of New Polyureas with Improved Thermal Stability from a Novel Ether Keto Diamine. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21511.

Esguerra, DF; Hoffman, WP; Thies, MC. (2013). Fractionation of an oligomeric pyrene pitch via supercritical extraction. Journal of Supercritical Fluids. 79: 170-176. http://dx.doi.org/10.1016/j.supflu.2012.11.015.

Esguerra, DF; Hoffman, WP; Thies, MC. (2014). Liquid crystallinity in trimer oligomers isolated from petroleum and pyrene pitches. Carbon. 79: 265-273. http://dx.doi.org/10.1016/j.carbon.2014.07.067.

Estevez, M; Vargas, S; Castano, VM; Rodriguez, JR; Lobland, HEH; Brostow, W. (2007). Novel wear resistant and low toxicity dental obturation materials. Mater Lett. 61: 3025-3029. http://dx.doi.org/10.1016/j.matlet.2006.10.068.

Eustaquio-Rincon, R; Esther Rebolledo-Libreros, M; Trejo, A; Molnar, R. (2008). Corrosion in aqueous solution of two alkanolamines with CO2 and H2S: N-methyldiethanolamine plus diethanolamine at 393 K. Ind Eng Chem Res. 47: 4726-4735. http://dx.doi.org/10.1021/ie071557r.

Eustaquiorincon, R; Molnar, R; Trejo, A. (1991). LIQUID LIQUID MISCIBILITY FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE + NORMAL-ALKANE AND PROPANENITRILE + NORMAL-ALKANE. Fluid Phase Equilibria. 68: 187-195.

Eustaquio-Rincon, R; Ramirez, LF; Trejo, A. (1998). Experimental liquid-liquid phase equilibria for binary systems: ethanenitrile with several hydrocarbon isomers. Fluid Phase Equilibria. 149: 177-189.

Eustaquiorincon, R; Romeromartinez, A; Trejo, A. (1993). LIQUID-LIQUID MISCIBILITY CURVES FOR BINARY-SYSTEMS - N-METHYLPYRROLIDONE WITH SEVERAL HYDROCARBON ISOMERS. Fluid Phase Equilibria. 91: 187-201.

Evangelisti, C; Panziera, N; D'alessio, A; Bertinetti, L; Botavina, M; Vitulli, G. (2010). New monodispersed palladium nanoparticles stabilized by poly-(N-vinyl-2-pyrrolidone): Preparation, structural study and catalytic properties. J Catal. 272: 246-252. http://dx.doi.org/10.1016/j.jcat.2010.04.006.

Evenbratt, H; Nordstierna, L; Ericson, MB; Engström, S. (2013). Cubic and sponge phases in ether lipid-solvent-water ternary systems: phase behavior and NMR characterization. Langmuir. 29: 13058-13065. http://dx.doi.org/10.1021/la402732a.

Fabiyi, JS; Ogunleye, BM. (2015). MID-INFRARED SPECTROSCOPY AND DYNAMIC MECHANICAL ANALYSIS OF HEAT-TREATED OBECHE (Triplochiton scleroxylon) WOOD. 17: 5-16. http://dx.doi.org/10.4067/S0718-221X2015005000001.

Faggian, V; Scanferla, P; Paulussen, S; Zuin, S. (2014). Combining the European chemicals regulation and an (eco) toxicological screening for a safer membrane development. J Clean Prod. 83: 404-412. http://dx.doi.org/10.1016/j.jclepro.2014.07.017.

Faghihi, K; Absalar, M; Hajibeygi, M. (2010). Synthesis and characterization of new optically active polyamides containing 2-(4-nitro-1,3-dioxoisoindolin-2-yl)succinic acid and aromatic diamines via direct polycondensation. Turkish Journal of Chemistry. 34: 81-90. http://dx.doi.org/10.3906/kim-0811-4.

Faghihi, K; Ashouri, M; Hajibeygi, M. (2013). High Temperature and Organosoluble Poly(amide-imide)s Based on 1,4-Bis[4-aminophenoxy]butane and Aromatic Diacids by Direct Polycondensation: Synthesis and Properties. High Temperature Materials and Processes. 32: 451-458. http://dx.doi.org/10.1515/htmp-2012-0164.

Faghihi, K; Dehnavi, N; Hajibeygi, M. (2014). New thermally stable poly(amide-imide)/montmorillonite reinforced nanocomposite based on N,N '-pyrromellitoyl-bis-L-valine: synthesis and characterization. Science and Engineering of Composite Materials. 21: 1-6. http://dx.doi.org/10.1515/secm-2012-0043.

Faghihi, K; Faramarzi, E; Shabanian, M. (2011). Thermal and Optical Properties of New Poly(amide-imide)/Nanocomposite Reinforced by Layer Silicate Containing Diphenyl Ether Moieties. High Temperature Materials and Processes. 30: 139-144. http://dx.doi.org/10.1515/HTMP.2011.020.

Faghihi, K; Hagibeygi, M. (2007). New aromatic polyamide with Azo and phosphine oxide groups in the main chain. Turkish Journal of Chemistry. 31: 65-73.

Faghihi, K, h; Hajibeygi, M. (2010). New flame retardant and optically active poly(amide-imide)s based on N-trimellitylimido-L-amino acid and phosphine oxide moiety in the main chain: synthesis and characterization. Materials Science. 28: 545-556.

Faghihi, K; Hajibeygi, M. (2013). Heat Resistant Poly(amide-imide)s Derived from N,N '-(4,4 '-Pyromellitoyl)-bis-L-phenyl Acetic Acid and Aromatic Diamines: Synthesis and Properties. High Temperature Materials and Processes. 32: 51-57. http://dx.doi.org/10.1515/htmp-2012-0059.

Faghihi, K; Hajibeygi, M; Shabanian, M. (2009). Synthesis and Characterization of New Copoly(amide-imide)s Based on Bicyclo[2,2,2]oct-7-ene-2,3,5,6-tetracarboxylic diimide and Azobenzene Group in the Main Chain. High Temperature Materials and Processes. 28: 379-386.

Faghihi, K; Mozafari, Z. (2008). Synthesis and Properties of Novel Photosensitive Poly(amide-imide)s Containing Chalcone Moiety and Aromatic Diamines in the Main Chain. Turkish Journal of Chemistry. 32: 673-683.

Faghihi, K; Mozaffari, Z. (2008). New polyamides derived from 2,5-bis[(4-carboxyanilino) carbonyl] pyridine and hydantoin derivatives: Synthesis and characterization. Turkish Journal of Chemistry. 32: 131-140.

Faghihi, K; Naderi-Ghomi, M; Hajibeygi, M. (2012). Synthesis and properties of new polyamide-organoclay nanocomposites containing pyrazine moiety in the main chain. Science and Engineering of Composite Materials. 19: 215-220. http://dx.doi.org/10.1515/secm-2011-0105.

Exposure Literature Search Results

Off Topic

Faghihi, K; Samiei, M; Hajibeygi, M. (2012). Photo and Thermal Behavior of New Reinforced Polyamide-nanocomposite Montmorillonite on 2,3-Pyrazin Dicarboxylic Acid. High Temperature Materials and Processes. 31: 267-272. http://dx.doi.org/10.1515/htmp-2011-0137.

Faghihi, K; Shabanian, M. (2011). Optical and Thermal Behaviors of Polyamide-Layered Silicate Nanocomposites Based on 4,4 '-Azodibenzoic Acid by Solution Intercalation Technique. High Temperature Materials and Processes. 30: 77-80. http://dx.doi.org/10.1515/HTMP.2011.010.

Faghihi, K; Shabanian, M; Aleyasin, N. (2010). New organosoluble copoly(ether-amide-imide)s based on N,N '-(4,4 '-diphenylether)bistrimellitimide in the main chain: synthesis and characterization. Asia-Pacific Journal of Chemical Engineering. 5: 915-918. http://dx.doi.org/10.1002/apj.413.

Faghihi, K; Shabanian, M; Alimohammadi, H. (2010). Synthesis and characterization of new optically active and organosoluble copoly amides containing phthalimide rings as a pendent group. Asia-Pacific Journal of Chemical Engineering. 5: 932-937. http://dx.doi.org/10.1002/apj.422.

Faghihi, K; Shabanian, M; Bolhasani, N. (2012). Synthesis and Preparation of New Reinforced Montmorillonite Poly(amides-imides) Based on N-trimellitimido-4-amino Benzoic Acid. High Temperature Materials and Processes. 30: 557-562. http://dx.doi.org/10.1515/HTMP.2011.113.

Faghihi, K; Shabanian, M; Dadfar, E. (2012). New Poly(amide-imide)/Nanocomposites Reinforced Silicate Nanoparticles Based on N-pyromellitimido-L-phenyl Alanine Containing Ether Moieties. High Temperature Materials and Processes. 31: 7-12. http://dx.doi.org/10.1515/HTMP.2011.122.

Faghihi, K; Shabanian, M; Hajibeygi, M. (2011). Synthesis and properties of new optically active and organosoluble poly(ester-imide)s containing L-valine moieties in the main chain by direct polycondensation reaction. Turkish Journal of Chemistry. 35: 279-289. http://dx.doi.org/10.3906/kim-1004-540.

Faghihi, K; Shabanian, M; Kazemi, S. (2009). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 28: 97-99.

Faghihi, K; Shabanian, M; Kazemi, S. (2010). Thermally Stable and Optically Active New Organosoluble Copolyamides based on N-Phthaloyl-L-glutamic Acid in the Main Chain Synthesis and Characterization. High Temperature Materials and Processes. 29: 103-110.

Faghihi, K; Soleimani, M; Nezami, S; Shabanian, M. (2012). THERMAL AND OPTICAL PROPERTIES OF NEW POLY(AMIDE-IMIDE)-NANOCOMPOSITE REINFORCED BY LAYER SILICATE BASED ON CHIRAL N-TRIMELLITYLIMIDO-L-VALINE. Macedonian Journal of Chemistry and Chemical Engineering. 31: 79-87.

Fahim, MA; Elkilani, AS. (1990). PREDICTION OF OPTIMUM COMPOSITION OF THE MIXED-SOLVENT N-METHYLPYRROLIDONE ETHYLENE-GLYCOL FOR THE EXTRACTION OF AROMATICS. Separation Science and Technology. 25: 1803-1815.

Fakhouri, H; Pulpytel, J; Smith, W; Zolfaghari, A; Mortaheb, HR; Meshkini, F; Jafari, R; Sutter, E; Arefi-Khonsari, F. (2014). Control of the visible and UV light water splitting and photocatalysis of nitrogen doped TiO2 thin films deposited by reactive magnetron sputtering. Appl Catal B-Environ. 144: 12-21. http://dx.doi.org/10.1016/j.apcatb.2013.06.028.

Falconi, M; Focaroli, S; Teti, G; Salvatore, V; Durante, S; Nicolini, B; Orienti, I. (2014). Novel PLA microspheres with hydrophilic and bioadhesive surfaces for the controlled delivery of fenretinide. J Microencapsul. 31: 41-48. http://dx.doi.org/10.3109/02652048.2013.805838.

Fan, B; Chen, X; Zhou, T; Zhang, J; Xu, B. (2016). A sustainable process for the recovery of valuable metals from spent lithium-ion batteries. Waste Manag Res. 34: 474-481. http://dx.doi.org/10.1177/0734242X16634454.

Fan, J; Shi, Z; Zhang, L; Wang, J; Yin, J. (2012). Aramid nanofiber-functionalized graphene nanosheets for polymer reinforcement. Nanoscale. 4: 7046-7055. http://dx.doi.org/10.1039/c2nr31907a.

Fan, SC; Wang, YC; Li, CL; Lee, KR; Liaw, DJ; Huang, HP; Lai, JY. (2002). Effect of coagulation media on membrane formation and vapor permeation performance of novel aromatic polyamide membrane. J Memb Sci. 204: 67-79.

Fan, XH; Chen, Y, anP; Su, CS. (2016). Densities and viscosities of binary liquid mixtures of 1-ethyl-3-methylimidazolium tetrafluoroborate with acetone, methyl ethyl ketone, and N-methyl-2-pyrrolidone. Taiwan Institute of Chemical Engineers Journal. 61: 117-123. http://dx.doi.org/10.1016/j.jtice.2016.01.004.

Fang, H; Ren, C; Liu, Y; Lu, D; Winnubst, L; Chen, C. (2013). Phase-inversion tape casting and synchrotron-radiation computed tomography analysis of porous alumina. J Eur Ceram Soc. 33: 2049-2051. http://dx.doi.org/10.1016/j.jeurceramsoc.2013.02.032.

Fang, JK; Chiu, HC; Wu, JY; Suen, SY. (2004). Preparation of polysulfone-based cation-exchange membranes and their application in protein separation with a plate-and-frame module. React Funct Polym. 59: 171-183. http://dx.doi.org/10.1016/j.reactfunctpolym.2004.01.008.

Fashandi, H; Karimi, M. (2014). Comparative Studies on the Solvent Quality and Atmosphere Humidity for Electrospinning of Nanoporous Polyetherimide Fibers. Ind Eng Chem Res. 53: 235-245. http://dx.doi.org/10.1021/ie4028846.

Fashandi, H; Karimi, M. (2014). Evidence for the Impression of Phase Behavior of Nonsolvent/Solvent/Polymer Ternary System on Morphology of Polyethersulfone Electrospun Nanofibers. Fibers and Polymers. 15: 1375-1386. http://dx.doi.org/10.1007/s12221-014-1375-5.

Fashandi, H; Yegane, A; Abolhasani, MM. (2015). Interplay of Liquid-liquid and Solid-liquid Phase Separation Mechanisms in Porosity and Polymorphism Evolution Within Poly(vinylidene fluoride) Nanofibers. Fibers and Polymers. 16: 326-344. http://dx.doi.org/10.1007/s12221-015-0326-0.

Feng, C; Wang, R; Wu, Y; Li, G. (2010). Preliminary analysis of a linear pore pattern formed on poly(vinylidene fluoride-co-hexafluoro propylene) porous membrane surfaces. J Memb Sci. 352: 255-261. http://dx.doi.org/10.1016/j.memsci.2010.02.024.

Feng, L, an; Liu, Y, ueWen; Tang, XY, an; Piao, Y; Chen, S, huFen; Deng, SL, iu; Xie, S, uY; Wang, Y; Zheng, L, anSun. (2013). Propagative Exfoliation of High Quality Graphene. Chem Mater. 25: 4487-4496. http://dx.doi.org/10.1021/cm402880v.

Feng, L; Zheng, D; Huang, W; Ma, Z. (2016). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus Dimethyl Ether Triethylene Glycol, 1,1-Difluoroethane plus Dimethyl Ether Triethylene Glycol, and 1,1-Difluoroethane plus N-Methyl-2-pyrrolidone Systems. Journal of Chemical and Engineering Data. 61: 1146-1154. http://dx.doi.org/10.1021/acs.jced.5b00782.

Exposure Literature Search Results

Off Topic

Feng, T; Mao, D; Cui, X; Li, M; Song, K, un; Jiang, B; Lu, H, ua; Quan, W. (2016). A Filmy Black-Phosphorus Polyimide Saturable Absorber for Q-Switched Operation in an Erbium-Doped Fiber Laser. Materials. 9. http://dx.doi.org/10.3390/ma9110917.

Fernandez, MD; Fernandez, MJ; Hoces, P. (2008). Poly(vinyl acetal)s containing electron-donor groups: Synthesis in homogeneous phase and their thermal properties. React Funct Polym. 68: 39-56. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.012.

Fernandez-Merino, MJ; Guardia, L; Paredes, JI; Villar-Rodil, S; Solis-Fernandez, P; Martinez-Alonso, A; Tascon, JMD. (2010). Vitamin C Is an Ideal Substitute for Hydrazine in the Reduction of Graphene Oxide Suspensions. J Phys Chem C. 114: 6426-6432. http://dx.doi.org/10.1021/jp100603h.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .1. THE SYSTEM NORMAL-HEPTANE-TOLUENE-N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 15: 309-322.

Ferreira, PO; Barbosa, D; Medina, AG. (1984). PHASE-EQUILIBRIA FOR THE SEPARATION OF AROMATIC AND NONAROMATIC COMPOUNDS USING MIXED-SOLVENTS .2. THE SYSTEM NORMAL-HEXANE BENZENE N-METHYLPYRROLIDONE MONOETHYLENEGLYCOL. Fluid Phase Equilibria. 18: 185-195.

Ferreira, PO; Bastos, JC; Medina, AG. (1987). INFINITE DILUTION ACTIVITY-COEFFICIENTS FOR AROMATIC AND NONAROMATIC COMPOUNDS IN N-METHYLPYRROLIDONE, ETHYLENE-GLYCOL, AND MIXTURES OF THE 2 SOLVENTS. Journal of Chemical and Engineering Data. 32: 25-31.

Fey, GTK; Hsieh, MC; Jaw, HK; Lee, TJ. (1993). A RECHARGEABLE LI/LIXCOO2 CELL INCORPORATING A LICF3SO3-NMP ELECTROLYTE. J Power Sources. 44: 673-680.

Feyzi, A; Faghihi, K. (2014). Synthesis and Characterization of New Poly(amide-imide)/organoclay Nanocomposites Derived from N,N '-(4,4 '-diphtaloyl)-bis-L-alpha-aminophenyl Acetic Diacid and 1,2-Bis(4-aminophenoxy) ethane. High Temperature Materials and Processes. 33: 95-105. http://dx.doi.org/10.1515/htmp-2013-0016.

Filimon, A; Albu, RM; Stoica, J; Avram, E. (2016). Blends based on ionic polysulfones with improved conformational and microstructural characteristics: Perspectives for biomedical applications. Composites Part B: Engineering. 93: 1-11. http://dx.doi.org/10.1016/j.compositesb.2016.02.062.

Fischer, K; Chen, J; Petri, M; Gmehling, J. (2002). Solubility of H2S and CO2 in N-octyl-2-pyrrolidone and of H2S in methanol and benzene. AIChE J. 48: 887-893.

Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria, activity coefficients at infinite dilution and heats of mixing for mixtures of N-methyl pyrrolidone-2 with C5 or C6 hydrocarbons and for hydrocarbon mixtures. Fluid Phase Equilibria. 119: 113-130.

Fischer, K; Gmehling, J. (2004). Influence of water on the vapor-liquid equilibria, activity coefficients at infinite dilution and enthalpies of mixing for mixtures of N-methyl-2-pyrrolidone with C5 or C6 hydrocarbons. Fluid Phase Equilibria. 218: 69-76. http://dx.doi.org/10.1016/j.fluid.2003.11.015.

Flores-Lopez, LZ; Caloca, J; Rogel-Hernandez, E; Espinoza-Gomez, H. (2014). Development of an enantioselective membrane from cellulose acetate propionate/cellulose acetate, for the separation of trans-stilbene oxide. Cellulose. 21: 1987-1995. http://dx.doi.org/10.1007/s10570-014-0252-0.

Fontaine, M; Castanet, Y; Mortreux, A; Petit, F. (1997). Rhodium-iodide catalyzed carbonylation of methyl formate into acetaldehyde or methyl acetate: Mechanistic aspects. J Catal. 167: 324-336.

Forati-Nezhad, M; Sadeghi, G; Yaghmaie, F; Alimohammadi, F. (2015). Affecting the morphology of silver deposition on carbon nanotube surface: From nanoparticles to dendritic (tree-like) nanostructures. Mater Sci Eng C. 46: 232-238. http://dx.doi.org/10.1016/j.msec.2014.10.039.

Forney, MW; Poler, JC. (2011). Significantly Enhanced Single-Walled Carbon Nanotube Dispersion Stability in Mixed Solvent Systems. J Phys Chem C. 115: 10531-10536. http://dx.doi.org/10.1021/jp202559m.

Fortin, F; Rouzaud, JN. (1993). THE ROLE OF THE MOLECULAR-COMPONENT IN COKE MICROTEXTURE FORMATION. Fuel. 72: 245-250.

Friesen, DA; Headley, JV; Langford, CH. (1999). The photooxidative degradation of N-methylpyrrolidinone in the presence of Cs3PW12O40 and TiO2 colloid photocatalysts. Environ Sci Technol. 33: 3193-3198.

Friler, JB; Cebe, P. (1993). DEVELOPMENT OF CRYSTALLINITY IN NEW-TPI POLYIMIDE. Polymer Engineering and Science. 33: 587-597.

Frycova, MS; Kocirik, M; Zikanova, A; Sysel, P; Bernauer, B; Krystl, V; Huttel, I; Hradil, J; Eic, M. (2005). Study of the accessibility of zeolite crystals in polyimide matrices. A route to coatings exhibiting selective permeation. AST. 23: 595-605.

Fu, C; Yang, X. (2013). Molecular simulation of interfacial mechanics for solvent exfoliation of graphene from graphite. Carbon. 55: 350-360. http://dx.doi.org/10.1016/j.carbon.2012.12.083.

Fu, GD; Wang, WC; Li, S; Kang, ET; Neoh, KG; Tseng, WT; Liaw, DJ. (2003). Nanoporous low-kappa polyimide films prepared from poly(amic acid)s with grafted poly(methylmethacrylate)/poly(acrylamide) side chains. J Mater Chem. 13: 2150-2156. http://dx.doi.org/10.1039/b304880b.

Fu, RQ; Julius, D; Hong, L; Lee, JY. (2008). PPO-based acid-base polymer blend membranes for direct methanol fuel cells. J Memb Sci. 322: 331-338. http://dx.doi.org/10.1016/j.memsci.2008.06.002.

Fu, X; Song, X; Zhang, Y. (2012). Facile preparation of graphene sheets from synthetic graphite. Mater Lett. 70: 181-184. http://dx.doi.org/10.1016/imatlet.2011.12.002.

Fu, YP; Weiss, RA. (1997). Protonation of polyaniline with lightly sulfonated polystyrene. Synthetic Metals. 84: 103-104.

Fujigaya, T; Yoo, J; Nakashima, N. (2011). A method for the coating of silica spheres with an ultrathin layer of pristine single-walled carbon nanotubes. Carbon. 49: 468-476. http://dx.doi.org/10.1016/j.carbon.2010.09.043.

Fujita, S; Sano, Y; Bhanage, BM; Arai, M. (2003). Kinetic analysis of hydrogenation of cinnamaldehyde with a ruthenium complex catalyst in several solvents. J Chem Eng Jpn. 36: 155-160.

Exposure Literature Search Results

Off Topic

Fujito, K; Hashimoto, T; Samonji, K; Speck, JS; Nakamura, S. (2004). Growth of AlN by the chemical vapor reaction process and its application to lateral overgrowth on patterned sapphire substrates. J Cryst Growth. 272: 370-376. http://dx.doi.org/10.1016/j.jcrysgro.2004.08.079.

Fujiwara, M; Ohsuga, H; Takanohashi, T; Iino, M. (1992). SWELLING OF THE EXTRACTS AND RESIDUES FROM CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Energy Fuels. 6: 859-862.

Fukushima, A; Kubota, H; Yuasa, S; Takahachi, T; Kadoriku, S; Miyake, K. (2007). Lift-off process for deep-submicron-size junctions using supercritical CO2. Journal of Magnetism and Magnetic Materials. 310: E687-E689. http://dx.doi.org/10.1016/j.jmmm.2006.10.927.

Fukushima, T; Oyama, T; Tomoi, M. (2003). Ionic-bonded negative photosensitive polyimides having pendant aminoalkyl (meth)acrylamide groups. React Funct Polym. 56: 59-73. http://dx.doi.org/10.1016/S1381-5148(03)00033-6.

Gaile, AA; Chistyakov, VN; Koldobskaya, LL; Kolesov, VV. (2011). DIESEL FUEL PRODUCTION BY EXTRACTION PURIFICATION OF DELAYED-COKING LIGHT GASOIL. Chemistry and Technology of Fuels and Oils. 47: 172-176.

Gaile, AA; Kostenko, AV; Zalischevskii, GD; Semenov, LV; Kaifadzhyan, EA. (2005). Increasing the quality of furnace residual fuel oils. Extraction treatment with N-methylpyrrolidone. Chemistry and Technology of Fuels and Oils. 41: 249-259.

Gaile, AA; Zalishchevskii, GD; Gafur, NN; Semenov, LV; Varshavskii, OM; Fedyanin, NP; Kaifadzhyan, EA. (2004). Separation of aromatic hydrocarbons from reformate. combined extraction fractionation-extraction. Chemistry and Technology of Fuels and Oils. 40: 131-136.

Gainar, I; Anitescu, G; Perisanu, S; Jianu, D. (1993). HIGH-PRESSURE ABSORPTION OF THE CO2+N2+H2 GASEOUS MIXTURE IN N-METHYL-PYRROLIDONE. Rev Chim. 44: 1054-1056.

Gale, E; Wirawan, RH; Silveira, RL; Pereira, CS; Johns, MA; Skaf, MS; Scott, JL. (2016). Directed Discovery of Greener Cosolvents: New Cosolvents for Use in Ionic Liquid Based Organic Electrolyte Solutions for Cellulose Dissolution. 4: 6200-6207. http://dx.doi.org/10.1021/acssuschemeng.6b02020.

Galgoci, EC; Hegedus, CR; Walker, FH; Tempel, DJ; Pepe, FR; Yoxheimer, KA; Boyce, AS. (2005). Solvent-free urethane-acrylic hybrid polymers for coatings. 2: 28-36.

Galisova, EV; Stepanova, VN; Romaskhina, LP. (1986). SODA AND POTASSIUM-PERMANGANATE EFFECT ON N-METHYLPYRROLIDONE TRANSFORMATION IN THE PRESENCE OF OXYGEN. 83-84.

Gao, G; Dong, L; Liu, X; Ye, G; Gu, Y, i. (2008). Structure and properties of novel PMDA/ODA/PABZ polyimide fibers. Polymer Engineering and Science. 48: 912-917. http://dx.doi.org/10.1002/pen.21036.

Gao, L, i; Tang, B; Wu, P. (2009). An experimental investigation of evaporation time and the relative humidity on a novel positively charged ultrafiltration membrane via dry-wet phase inversion. J Memb Sci. 326: 168-177. http://dx.doi.org/10.1016/j.memsci.2008.09.048.

Garcia, B; Alcalde, R; Aparicio, S; Davila, MJ; Leal, JM; Matos, JS. (2005). Comments on "densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic Amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-pyrrolidinone) at different temperatures" (George J.; Sastry N. V. J. Chem. Eng. Data 2004, 49, 235-242). Journal of Chemical and Engineering Data. 50: 293-294. http://dx.doi.org/10.1021/je0497911.

Garcia, B; Alcalde, R; Aparicio, S; Leal, JM; Trenzado, JL. (2003). Thermophysical behavior and temperature effect on the N-methylpyrrolidone plus (C-1-C-10) alkan-1-ols mixed solvents. Ind Eng Chem Res. 42: 920-928. http://dx.doi.org/10.1021/ie0205602.

Garcia, B; Aparicio, S; Alcalde, R; Davila, MJ; Leal, JM. (2004). Modeling the PVTx behavior of the N-methylpyrrolidinone/water mixed solvent. Ind Eng Chem Res. 43: 3205-3215. http://dx.doi.org/10.1021/ie049906u.

Garcia-Abuin, A; Gomez-Diaz, D; Dolores La Rubia, M; Lopez, A, naB; Navaza, JM. (2011). Density, Speed of Sound, Refractive Index, Viscosity, Surface Tension, and Excess Volume of N-Methyl-2-pyrrolidone+1-Amino-2-propanol {or Bis(2-hydroxypropyl)amine} from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 2904-2908. http://dx.doi.org/10.1021/je200121f.

Garcia-Abuin, A; Gomez-Diaz, D; La Rubia, MD; Navaza, JM. (2011). Density, Speed of Sound, Viscosity, Refractive Index, and Excess Volume of N-Methyl-2-pyrrolidone plus Ethanol (or Water or Ethanolamine) from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 56: 646-651. http://dx.doi.org/10.1021/je100967k.

Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM; Vidal-Tato, I. (2008). Surface Tension of Aqueous Solutions of Short N-Alkyl-2-pyrrolidinones. Journal of Chemical and Engineering Data. 53: 2671-2674. http://dx.doi.org/10.1021/je800589e.

Garcia-Gimenez, P; Gil, L; Blanco, ST; Velasco, I; Otin, S. (2008). Densities and isothermal compressibilities at pressures up to 20 MPa of the systems 1-methyl-2-pyrrolidone plus 1-chloroalkane or plus alpha,omega-dichloroalkane. Journal of Chemical and Engineering Data. 53: 66-72. http://dx.doi.org/10.1021/je7003758.

Garcia-Ivars, J; Iborra-Clar, MI; Alcaina-Miranda, MI; Van Der Bruggen, B. (2015). Comparison between hydrophilic and hydrophobic metal nanoparticles on the phase separation phenomena during formation of asymmetric polyethersulphone membranes. J Memb Sci. 493: 709-722. http://dx.doi.org/10.1016/j.memsci.2015.07.009.

Garcia-Macias, P; John, P. (2004). Formation of natural indigo derived from woad (Isatis tinctoria L.) in relation to product purity. J Agric Food Chem. 52: 7891-7896. http://dx.doi.org/10.1021/jf0486803.

Garcia-Pacheco, R; Landaburu-Aguirre, J; Molina, S; Rodriguez-Saez, L; Teli, SB; Garcia-Calvo, E. (2015). Transformation of end-of-life RO membranes into NF and UF membranes: Evaluation of membrane performance. J Memb Sci. 495: 305-315. http://dx.doi.org/10.1016/j.memsci.2015.08.025.

Garcia-Tamayo, E; Valvo, M; Lafont, U; Locati, C; Munao, D; Kelder, EM. (2011). Nanostructured Fe2O3 and CuO composite electrodes for Li ion batteries synthesized and deposited in one step. J Power Sources. 196: 6425-6432. http://dx.doi.org/10.1016/j.jpowsour.2011.03.066.

Gardos, G; Kovacs, M; Kunszabo, T; Denes, F; Miko, F. (1983). INVESTIGATIONS ON ENERGY CONSERVING LUBRICATING OIL PRODUCING PROCESSES .3. RECOVERY OF THE SOLVENT N-METHYL-2-PYRROLIDONE. Hungarian Journal of Industrial Chemistry. 11: 435-441.

Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemichal paint-remover hazards. Arch Mal Prof Environ. 71: 30-37. http://dx.doi.org/10.1016/j.admp.2009.12.009.

Garti, N; Kovacs, A. (1991). FACILITATED EMULSION LIQUID MEMBRANE SEPARATION OF COMPLEX HYDROCARBON MIXTURES. J Memb Sci. 56: 239-246.

Exposure Literature Search Results

Off Topic

Gasa, JV; Boob, S; Weiss, RA; Shaw, MT. (2006). Proton-exchange membranes composed of slightly sulfonated poly(ether ketone ketone) and highly sulfonated crosslinked polystyrene particles. J Memb Sci. 269: 177-186. http://dx.doi.org/10.1016/j.memsci.2005.06.033.

Gazi, M; Bicak, N. (2007). Selective boron extraction by polymer supported 2-hydroxylethylamino propylene glycol functions. React Funct Polym. 67: 936-942. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.019.

Ge, L; Zhu, Z; Rudolph, V. (2011). Enhanced gas permeability by fabricating functionalized multi-walled carbon nanotubes and polyethersulfone nanocomposite membrane. Separation and Purification Technology. 78: 76-82. http://dx.doi.org/10.1016/j.seppur.2011.01.024.

Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Interaction of N-methylpyrrolidone with doped polyaniline. Synthetic Metals. 84: 97-98.

Genne, I; Kuypers, S; Leysen, R. (1996). Effect of the addition of ZrO2 to polysulfone based UF membranes. J Memb Sci. 113: 343-350.

George, A; Morgan, TJ; Alvarez, P; Millan, M; Herod, AA; Kandiyoti, R. (2010). Fractionation of a coal tar pitch by ultra-filtration, and characterization by size exclusion chromatography, UV-fluorescence and laser desorption-mass spectroscopy. Fuel. 89: 2953-2970. http://dx.doi.org/10.1016/j.fuel.2010.04.011.

George, J; Sastry, NV. (2004). Densities, viscosities, speeds of sound, and relative permittivities for water plus cyclic amides (2-pyrrolidinone, 1-methyl-2-pyrrolidinone, and 1-vinyl-2-pyrrolidinone) at different temperatures. Journal of Chemical and Engineering Data. 49: 235-242. http://dx.doi.org/10.1021/je0340809.

Gerbaud, V; Teles Dos Santos, M; Pandya, N; Aubry, JM. (2017). Computer aided framework for designing bio-based commodity molecules with enhanced properties. Chem Eng Sci. 159: 177-193. http://dx.doi.org/10.1016/j.ces.2016.04.044.

Ghasem, NM; Al-Marzouqi, MH. (2011). Effects of Shear Rate, Temperature, and Polymer Composition on the Shear Stress of Polyethersulfone/1-Methyl-2-pyrrolidone Cast Solutions. Journal of Chemical and Engineering Data. 56: 4444-4448. http://dx.doi.org/10.1021/je2002978.

Ghasemi, F; Mohajerzadeh, S. (2016). Sequential Solvent Exchange Method for Controlled Exfoliation of MoS2 Suitable for Phototransistor Fabrication. 8: 31179-31191. http://dx.doi.org/10.1021/acsami.6b07211.

Ghorbanian, S; Tyman, JHP; Tychopoulos, V. (2000). The synthesis of symmetrical and unsymmetrical alkylaminonaphthalic-1,8-N-alkylimides. J Chem Tech Biotechnol. 75: 1127-1134.

Ghosh, UK; Pradhan, NC; Adhikari, B. (2006). Pervaporative recovery of N-methyl-2-pyrrolidone from dilute aqueous solution by using polyurethaneurea membranes. J Memb Sci. 285: 249-257. http://dx.doi.org/10.1016/j.memsci.2006.08.026.

Gierycz, P; Rogalski, M; Malanowski, S. (1985). VAPOR LIQUID EQUILIBRIA IN BINARY-SYSTEMS FORMED BY N-METHYLPYRROLIDONE WITH HYDROCARBONS AND HYDROXYL DERIVATIVES. Fluid Phase Equilibria. 22: 107-122.

Giles, NF; Wilson, HL; Wilding, WV. (1996). Phase equilibrium measurements on twelve binary mixtures. Journal of Chemical and Engineering Data. 41: 1223-1238.

Giray, ESV; Chen, C; Takanohashi, T; Iino, M. (2000). Increase of the extraction yields of coals by the addition of aromatic amines. Fuel. 79: 1533-1538.

Giri, CC; Sharma, DK. (2000). Kinetic studies and shrinking core model on solvolytic extraction of coal. Fuel Process Tech. 68: 97-109.

Giri, CC; Sharma, DK. (2000). Mass-transfer studies of solvent extraction of coals in N-methyl-2-pyrrolidone. Fuel. 79: 577-585.

Gnanakumari, P; Rao, MVP; Prasad, DHL; Kumar, YVL, R. (2003). Vapor-liquid equilibria and excess molar enthalpies for N-methyl-2-pyrrolidone with chloroethanes and chloroethenes. Journal of Chemical and Engineering Data. 48: 535-540. http://dx.doi.org/10.1021/je020065c.

Gnanakumari, P; Venkatesu, P; Mohan, KR; Rao, MVP; Prasad, DHL. (2007). Excess volumes and excess enthalpies of N-methyl-2-pyrrolidone with branched alcohols. Fluid Phase Equilibria. 252: 137-142. http://dx.doi.org/10.1016/j.fluid.2006.12.012.

Gnanasekaran, D; Walter, PA; Reddy, BSR. (2013). Influence of moieties on morphology, thermal, and dielectric properties in polyamide-polyhedral oligomeric silsequioxanes nanocomposites. Polymer Engineering and Science. 53: 1637-1644. http://dx.doi.org/10.1002/pen.23427.

Godbey, DJ; Buckley, LJ; Purdy, AP; Snow, AW. (1997). Copper diffusion in organic polymer resists and inter-level dielectrics. Thin Solid Films. 308: 470-474.

Godovsky, DY; Varfolomeev, AE; Zaretsky, DF; Chandrakanthi, RLN; Kundig, A; Weder, C; Caseri, W. (2001). Preparation of nanocomposites of polyaniline and inorganic semiconductors. J Mater Chem. 11: 2465-2469.

Gomes, TC; Constantino, CJL; Lopes, EM; Job, AE; Alves, N. (2012). Thermal inkjet printing of polyaniline on paper. Thin Solid Films. 520: 7200-7204. http://dx.doi.org/10.1016/j.tsf.2012.07.119.

Gomez, H; Ram, MK; Alvi, F; Villalba, P; Stefanakos, E; Kumar, A. (2011). Graphene-conducting polymer nanocomposite as novel electrode for supercapacitors. J Power Sources. 196: 4102-4108. http://dx.doi.org/10.1016/j.jpowsour.2010.11.002.

Gomolka, B; Gomolka, E. (1981). THE EFFECT OF N-METHYLPYRROLIDONE (NMP) ON THE ACTION OF ACTIVATED-SLUDGE. Acta Hydrochim Hydrobiol. 9: 555-572.

Goncalves, D; Dossantos, DS; Mattoso, LHC; Karasz, FE; Akcelrud, L; Faria, RM. (1997). Poly(o-methoxyaniline): solubility, deprotonation-protonation process in solution and cast films. Synthetic Metals. 90: 5-11.

Gong, P; Wang, Z; Wang, J; Wang, H; Li, Z; Fan, Z; Xu, Y, e; Han, X; Yang, S. (2012). One-pot sonochemical preparation of fluorographene and selective tuning of its fluorine coverage. J Mater Chem. 22: 16950-16956. http://dx.doi.org/10.1039/c2jm32294c.

Gonzalez, JA; Domanska, U; Lachwa, J. (2005). Thermodynamics of binary mixtures containing a very strongly polar compound. 7. Isothermal VLE measurements for NMP plus 2-propanol or plus 2-butanol systems. DISQUAC and ERAS characterization of NMP or N,N-dialkylamide plus 2-alkanol mixtures. Comparison with results from Dortmund UNIFAC. Ind Eng Chem Res. 44: 5795-5804. http://dx.doi.org/10.1021/ie0580046.

Goren, A; Mendes, J; Rodrigues, HM; Sousa, RE; Oliveira, J; Hilliou, L; Costa, CM; Silva, MM; Lanceros-Mendez, S. (2016). High performance screen-printed electrodes prepared by a green solvent approach for lithium-ion batteries. J Power Sources. 334: 65-77. http://dx.doi.org/10.1016/j.jpowsour.2016.10.019.

Exposure Literature Search Results

Off Topic

Graham, KR; Wieruszewski, PM; Stalder, R; Hartel, MJ; Mei, J; So, F; Reynolds, JR. (2012). Improved Performance of Molecular Bulk-Heterojunction Photovoltaic Cells through Predictable Selection of Solvent Additives. Adv Funct Mater. 22: 4801-4813. http://dx.doi.org/10.1002/adfm.201102456.

Gruber, D; Langenheim, D; Moollan, W; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 7. Results for various solutes with N-methyl-2-piperidone as stationary phase. Journal of Chemical and Engineering Data. 43: 226-229.

Gruber, D; Topphoff, M; Gmehling, J. (1998). Measurement of activity coefficients at infinite dilution using gas-liquid chromatography. 9. Results for various solutes with the stationary phases 2-pyrrolidone and N-methylformamide. Journal of Chemical and Engineering Data. 43: 935-940.

Grushova, EI; Sharif, AS. (2014). Effect of polar organic substances on the distillates yield in atmospheric and vacuum distillation of crude oil. Petroleum Chemistry. 54: 225-228. http://dx.doi.org/10.1134/S0965544114030050.

Gryglewicz, G; Rutkowski, P; Yperman, J. (2004). Characterization of sulfur functionalities of supercritical extracts from coals of different rank, using reductive pyrolysis. Energy Fuels. 18: 1595-1602. http://dx.doi.org/10.1021/ef0498869.

Grzechowiak, JR; Masalska, A; Gorska, L. (2004). The extraction of aromatic hydrocarbons in relation to the nonaromatic hydrocarbon content in the feed. Przemysł Chemiczny. 83: 325-330.

Grzelczak, M; Mezzasalma, SA; Ni, W; Herasimenka, Y; Feruglio, L; Montini, T; Pérez-Juste, J; Fornasiero, P; Prato, M; Liz-Marzán, LM. (2012). Antibonding plasmon modes in colloidal gold nanorod clusters. Langmuir. 28: 8826-8833. http://dx.doi.org/10.1021/la203750d.

Guan, R; Dai, H; Li, CH; Liu, JH; Xu, J. (2006). Effect of casting solvent on the morphology and performance of sulfonated polyethersulfone membranes. J Memb Sci. 277: 148-156. http://dx.doi.org/10.1016/j.memsci.2005.10.025.

Guarino, G; Ortona, O; Sartorio, R; Vitagliano, V. (1985). DIFFUSION, VISCOSITY, AND REFRACTIVITY DATA ON THE SYSTEMS DIMETHYLFORMAMIDE WATER AND N-METHYLPYRROLIDONE WATER AT 5-DEGREES-C. Journal of Chemical and Engineering Data. 30: 366-368.

Gubernat, M; Tomala, J; Frohs, W; Fraczek-Szczypta, A; Blazewicz, S. (2016). De-agglomeration and homogenisation of nanoparticles in coal tar pitch-based carbon materials. J Nanopart Res. 18: 56. http://dx.doi.org/10.1007/s11051-016-3362-9.

Gudarzi, MM. (2016). Colloidal Stability of Graphene Oxide: Aggregation in Two Dimensions. Langmuir. 32: 5058-5068. http://dx.doi.org/10.1021/acs.langmuir.6b01012.

Gueye, MN; Carella, A; Massonnet, N; Yvenou, E; Brenet, S; Faure-Vincent, J; Pouget, S; Rieutord, F; Okuno, H; Benayad, A; Demadrille, R; Simonato, JP. (2016). Structure and Dopant Engineering in PEDOT Thin Films: Practical Tools for a Dramatic Conductivity Enhancement. Chem Mater. 28: 3462-3468. http://dx.doi.org/10.1021/acs.chemmater.6b01035.

Guillen, GR; Ramon, G; Kayehpour, HP; Kaner, RB; Hoek, EMV. (2013). Direct microscopic observation of membrane formation by nonsolvent induced phase separation. J Memb Sci. 431: 212-220. http://dx.doi.org/10.1016/j.memsci.2012.12.031.

Guo, SH. (2000). Solubility of Maoming oil shale kerogen. Oil Shale. 17: 11-16.

Guo, SH. (2000). Solvent extraction of Jordanian oil shale kerogen. Oil Shale. 17: 266-270.

Guo, SH; Li, SY; Qin, KZ. (2000). CS2/NMP extraction of immature source rock concentrates. Organic Geochemistry. 31: 1783-1795.

Guo, X, ia; Cheng, Y, ouwei; Wang, L, ijun; Li, X, i. (2008). Solubility of terephthalic acid in aqueous N-methyl pyrrolidone and N,N-dimethyl acetamide solvents at (303.2 to 363.2) K. Journal of Chemical and Engineering Data. 53: 1421-1423.

Guo, X, ia; Cui, C; Zhang, M; Huo, L; Huang, Y, e; Hou, J; Li, Y. (2012). High efficiency polymer solar cells based on poly(3-hexylthiophene)/indene-C-70 bisadduct with solvent additive. Energ Environ Sci. 5: 7943-7949. http://dx.doi.org/10.1039/c2ee21481d.

Guo, X, ia; Zhang, M; Cui, C; Hou, J; Li, Y. (2014). Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-C-60 Bisadduct Fabricated with Non-halogenated Solvents. ACS Applied Materials & Interfaces. 6: 8190-8198. http://dx.doi.org/10.1021/am500836u.

Guo, YZ; Shen, DX; Ni, HJ; Liu, J, inG; Yang, S, hiY. (2013). Organosoluble semi-alicyclic polyimides derived from 3,4-dicarboxy-1,2,3,4-tetrahydro-6-tert-buty1-1-naphthalene succinic dianhydride and aromatic diamines: Synthesis, characterization and thermal degradation investigation. Progr Org Coating. 76: 768-777. http://dx.doi.org/10.1016/j.porgcoat.2013.01.006.

Guo, Z; Zhang, H, an; Lu, S; Wang, Z; Tang, S; Shao, J; Sun, Z; Xie, H; Wang, H; Yu, X; Chu, PK. (2015). From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. Adv Funct Mater. 25: 6996-7002. http://dx.doi.org/10.1002/adfm.201502902.

Gupta, A; Arunachalam, V; Vasudevan, S. (2016). Liquid-Phase Exfoliation of MoS2 Nanosheets: The Critical Role of Trace Water. Journal of Physical Chemistry Letters. 7: 4884-4890. http://dx.doi.org/10.1021/acs.jpclett.6b02405.

Gupta, SK. (1999). Isothermal vapor-liquid equilibria of o-, m-, and p-xylene with N-methylpyrrolidone at 373.15 K and 393.15 K. Journal of Chemical and Engineering Data. 44: 23-25.

Gupta, SK; Rawat, BS. (1991). ISOTHERMAL VAPOR-LIQUID-EQUILIBRIA OF TETRALIN AND 1-METHYLNAPHTHALENE WITH TRIETHYLENE GLYCOL AND N-METHYLPYRROLIDONE AT 160-DEGREES-C. Fluid Phase Equilibria. 63: 211-217.

Gupta, SK; Rawat, BS. (1992). ISOBARIC BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF N-METHYLPYRROLIDONE WITH WATER AND TOLUENE AT 760 MMHG. Journal of Chemical and Engineering Data. 37: 139-140.

Gupta, SK; Rawat, BS. (1994). ISOTHERMAL BINARY AND TERNARY VAPOR-LIQUID-EQUILIBRIA OF TETRAETHYLENE GLYCOL WITH N-DECANE AND 2-METHYLNAPHTHALENE AT 160-DEGREES-C. Fluid Phase Equilibria. 99: 241-248.

Gupta, SK; Rawat, BS; Goswami, AN; Nanoti, SM; Krishna, R. (1989). ISOBARIC VAPOR-LIQUID-EQUILIBRIA OF THE SYSTEMS - BENZENE TRIETHYLENE GLYCOL, TOLUENE TRIETHYLENE GLYCOL AND BENZENE N-METHYLPYRROLIDONE. Fluid Phase Equilibria. 46: 95-102.

Gutierrez, JP; Meindersma, GW; de Haan, AB. (2012). COSMO-RS-Based Ionic-Liquid Selection for Extractive Distillation Processes. Ind Eng Chem Res. 51: 11518-11529. http://dx.doi.org/10.1021/ie301506n.

Exposure Literature Search Results

Off Topic

Gzara, L; Rehan, ZA; Khan, SB; Alamry, KA; Albeirutty, MH; El-Shahawi, MS; Rashid, MI; Figoli, A; Drioli, E; Asiri, AM. (2016). Preparation and characterization of PES-cobalt nanocomposite membranes with enhanced anti-fouling properties and performances. Taiwan Institute of Chemical Engineers Journal. 65: 405-419. http://dx.doi.org/10.1016/j.jtice.2016.04.012.

Ha, CS; Park, HD; Frank, CW. (2000). Interfacial interaction in polyimide/silica hybrid composites by fluorescence spectroscopy. Chem Mater. 12: 839-844.

Ha, J; Park, J; Ha, J; Kim, D; Chung, S; Lee, C; Hong, Y. (2015). Selectively modulated inkjet printing of highly conductive and transparent foldable polymer electrodes for flexible polymer light-emitting diode applications. Organic Electronics. 19: 147-156. http://dx.doi.org/10.1016/j.orgel.2015.01.017.

Haar, S; Bruna, M; Lian, JX; Tomarchio, F; Olivier, Y; Mazzaro, R; Morandi, V; Moran, J; Ferrari, AC; Beljonne, D; Ciesielski, A; Samorì, P. (2016). Liquid-Phase Exfoliation of Graphite into Single- and Few-Layer Graphene with α-Functionalized Alkanes. Journal of Physical Chemistry Letters. 7: 2714-2721. http://dx.doi.org/10.1021/acs.jpclett.6b01260.

Haar, S; Ciesielski, A; Clough, J; Yang, H; Mazzaro, R; Richard, F; Conti, S; Merstorf, N; Cecchini, M; Morandi, V; Casiraghi, C; Samorì, P. (2015). A supramolecular strategy to leverage the liquid-phase exfoliation of graphene in the presence of surfactants: unraveling the role of the length of fatty acids. Small. 11: 1691-1702. http://dx.doi.org/10.1002/smll.201402745.

Hacimehmetoglu, S; Sinag, A; Tekes, AT; Misirlioglu, Z; Canel, M. (2007). Effect of various experimental parameters on the swelling and supercritical extraction properties of lignite. Energ Source Part A. 29: 607-618. http://dx.doi.org/10.1080/00908310500276908.

Hai-yong, D; Yan-bing, H; Bao-hua, L; Fei-yu, K. (2016). Controlled preparation and electrochemical performance of a flaky Li-4 Ti-5 O-12 - graphene hybrid with a high crystallinity. Xinxing Tancailiao. 31: 115-120.

Hajibeygi, M; Shabanian, M; Khodaei-Tehrani, M. (2016). New Heat Resistant Nanocomposites Reinforced Silicate Nanolayers Containing Triazine Rings Based on Polyamide: Synthesis, Characterization, and Flame Retardancy Study. Polymer Composites. 37: 188-198. http://dx.doi.org/10.1002/pc.23170.

Hall, PJ; Larsen, JW. (1993). EVIDENCE FOR THE FORMATION OF STABLE COAL-N-METHYLPYRROLIDINONE AND COAL-PYRIDINE GELS. Energy Fuels. 7: 47-51.

Hamciuc, C; Hamciuc, E; Bacosca, I; Olariu, M. (2010). Thermal and Electrical Properties of some Poly(ether-imide) Thin Films. Materiale Plastice. 47: 11-15.

Hamciuc, C; Hamciuc, E; Homocianu, M; Nicolescu, A; Carja, ID. (2015). Blue light-emitting polyamide and poly(amide-imide)s containing 1,3,4-oxadiazole ring in the side chain. Dyes and Pigments. 114: 110-123. http://dx.doi.org/10.1016/j.dyepig.2014.10.018.

Hamciuc, C; Hamciuc, E; Okrasa, L; Kalvachev, Y. (2012). The effect of zeolite L content on dielectric behavior and thermal stability of polyimide thin films. Journal of Materials Science. 47: 6354-6365. http://dx.doi.org/10.1007/s10853-012-6560-6.

Hamciuc, C; Hamciuc, E; Vlad, S; Olariu, M. (2008). Fluorinated Block Copolymers Containing Imide and 1,3,4-oxadiazole Rings. Materiale Plastice. 45: 356-361.

Hamciuc, E; Hamciuc, C; Bacosca, I; Cristea, M; Okrasa, L. (2011). Thermal and Electrical Properties of Nitrile-Containing Polyimide/BaTiO3 Composite Films. Polymer Composites. 32: 846-855. http://dx.doi.org/10.1002/pc.21108.

Hamciuc, E; Hamciuc, C; Carja, ID; Vlad-Bubulac, T; Ignat, M. (2013). Phthalonitrile-containing poly(amide imide)s with nanoactuation properties. Polymer Engineering and Science. 53: 334-342. http://dx.doi.org/10.1002/pen.23268.

Hamciuc, E; Hamciuc, C; Sava, I; Sava, M; Bruma, M. (2000). Synthesis and study of new fluorinated poly(imide-amide)s. Macromolecular Materials & Engineering. 283: 36-40.

Han, GL, u; Zhang, Q, iuGen; Zhu, A, iMei; Liu, QL, in. (2013). Pervaporation separation of methanol/methyl tert-butyl ether mixtures using polyarylethersulfone with cardo membranes. Separation and Purification Technology. 107: 211-218. http://dx.doi.org/10.1016/j.seppur.2013.01.039.

Han, HW; Ahn, DK, yu; Ahn, H, yoJun; Park, W, onW; Sohn, KY. (2011). MICROSTRUCTURES AND ELECTROCHEMICAL PROPERTIES OF RAPIDLY-SOLIDIFIED Si-Mn ALLOY. Reviews on Advanced Materials Science. 28: 74-78.

Han, J; Cho, YH; Kong, H; Han, S; Park, H. (2013). Preparation and characterization of novel acetylated cellulose ether (ACE) membranes for desalination applications. J Memb Sci. 428: 533-545. http://dx.doi.org/10.1016/j.memsci.2012.10.043.

Han, J; Yang, D; Zhang, S; Jian, X. (2009). Effects of dope compositions on the structure and performance of PPES hollow fiber ultrafiltration membranes. J Memb Sci. 345: 257-266. http://dx.doi.org/10.1016/j.memsci.2009.09.008.

Han, J; Yang, D; Zhang, S; Liu, X; Zhang, Z; Jian, X. (2010). Effects of compatibility difference in the mixed solvent system on the performance of PPES hollow fiber UF membrane. J Memb Sci. 365: 311-318. http://dx.doi.org/10.1016/j.memsci.2010.09.022.

Han, MJ; Bhattacharyya, D. (1994). MORPHOLOGY AND TRANSPORT STUDY OF PHASE INVERSION POLYSULFONE MEMBRANES. Chemical Engineering Communications. 128: 197-209.

Han, MJ; Nam, ST. (2002). Thermodynamic and rheological variation in polysulfone solution by PVP and its effect in the preparation of phase inversion membrane. J Memb Sci. 202: 55-61.

Han, W, ei; Liu, C; Bai, R. (2007). A novel method to prepare high chitosan content blend hollow fiber membranes using a non-acidic dope solvent for highly enhanced adsorptive performance. J Memb Sci. 302: 150-159. http://dx.doi.org/10.1016/j.memsci.2007.06.039.

Hasan, T; Scardaci, V; Tan, P; Rozhin, AG; Milne, WI; Ferrari, AC. (2007). Stabilization and "Debundling" of single-wall carbon nanotube dispersions in N-Methyl-2-pyrrolidone (NMP) by polyvinylpyrrolidone (PVP). J Phys Chem C. 111: 12594-12602. http://dx.doi.org/10.1021/jp0723012.

Hasan, T; Tan, PH; Bonaccorso, F; Rozhin, AG; Scardaci, V; Milne, WI; Ferrari, AC. (2008). Polymer-Assisted Isolation of Single Wall Carbon Nanotubes in Organic Solvents for Optical-Quality Nanotube-Polymer Composites. J Phys Chem C. 112: 20227-20232. http://dx.doi.org/10.1021/jp807036w.

Hasbullah, H; Kumbharkar, S; Ismail, AF; Li, K. (2012). Asymmetric hollow fibre membranes based on ring-substituted polyaniline and investigation towards its gas transport properties. J Memb Sci. 397: 38-50. http://dx.doi.org/10.1016/j.memsci.2012.01.007.

Exposure Literature Search Results

Off Topic

Hashim, NA; Liu, F, u; Abed, MRM; Li, K. (2012). Chemistry in spinning solutions: Surface modification of PVDF membranes during phase inversion. J Memb Sci. 415: 399-411. http://dx.doi.org/10.1016/j.memsci.2012.05.024.

Hasik, M; Kurkowska, I; Bernasik, A. (2006). Polyaniline incorporating cobalt ions from CoCl2 solutions. React Funct Polym. 66: 1703-1710. http://dx.doi.org/10.1016/j.reactfunctpolym.2006.07.004.

Haufroid, V; Jaeger, VK; Jeggli, S; Eisenegger, R; Bernard, A; Friedli, D; Lison, D; Hotz, P. (2014). Biological monitoring and health effects of low-level exposure to N-methyl-2-pyrrolidone: a cross-sectional study. Int Arch Occup Environ Health. 87: 663-674. http://dx.doi.org/10.1007/s00420-013-0906-5.

Hayasaka, K; Takanohashi, T; Iino, M. (1996). Surface tension of coal extracts ill organic solvents. Energy Fuels. 10: 262-263.

He, F; Lam, KH, o; Fan, J; Chan, LH. (2014). Improved dielectric properties for chemically functionalized exfoliated graphite nanoplates/syndiotactic polystyrene composites prepared by a solution-blending method. Carbon. 80: 496-503. http://dx.doi.org/10.1016/j.carbon.2014.08.089.

He, LP; Sun, SY; Song, XF; Yu, JG. (2015). Recovery of cathode materials and Al from spent lithium-ion batteries by ultrasonic cleaning. Waste Manag. 46: 523-528. http://dx.doi.org/10.1016/j.wasman.2015.08.035.

He, W, ei; Huang, H, ua; Gao, J, fen; Winnubst, L; Chen, C, huS. (2014). Phase-inversion tape casting and oxygen permeation properties of supported ceramic membranes. J Memb Sci. 452: 294-299. http://dx.doi.org/10.1016/j.memsci.2013.09.063.

He, W; Liu, Z; Liu, Q; Shi, L, ei; Shi, X; Wu, J; Guo, X. (2017). Behavior of radicals during solvent extraction of three low rank bituminous coals. Fuel Process Tech. 156: 221-227. http://dx.doi.org/10.1016/j.fuproc.2016.10.029.

Heinrich, K; Jung, H. (1992). NEW CONCEPTS IN PARA-ARAMID FIBERS. Text Res J. 62: 771-775.

Heinze, T; Sarbova, V; Nagel, MCV. (2012). Simple synthesis of mixed cellulose acylate phosphonates applying n-propyl phosphonic acid anhydride. Cellulose. 19: 523-531. http://dx.doi.org/10.1007/s10570-011-9646-4.

Hendrix, K; Vaneynde, M; Koeckelberghs, G, uy; Vankelecom, I. (2013). Synthesis of modified poly(ether ether ketone) polymer for the preparation of ultrafiltration and nanofiltration membranes via phase inversion. J Memb Sci. 447: 96-106. http://dx.doi.org/10.1016/j.memsci.2013.07.006.

Henni, A; Hromek, JJ; Tontiwachwuthikul, P; Chakma, A. (2004). Volumetric properties and viscosities for aqueous N-methyl-2-pyrrolidone solutions from 25 degrees C to 70 degrees C. Journal of Chemical and Engineering Data. 49: 231-234. http://dx.doi.org/10.1021/je034073k.

Henni, A; Lal, D; Mather, AE. (1996). The solubility of ethane in N-methylpyrrolidinone. Can J Chem Eng. 74: 423-425.

Hernandez, Y; Nicolosi, V; Lotya, M; Blighe, FM; Sun, Z; De, S; Mcgovern, IT; Holland, B; Byrne, M; Gun'Ko, YK; Boland, JJ; Niraj, P; Duesberg, G; Krishnamurthy, S; Goodhue, R; Hutchison, J; Scardaci, V; Ferrari, AC; Coleman, JN. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. Nat Nanotechnol. 3: 563-568. http://dx.doi.org/10.1038/nnano.2008.215.

Herod, AA; Bartle, KD; Kandiyoti, R. (2007). Characterization of heavy hydrocarbons by chromatographic and mass spectrometric methods: An overview. Energy Fuels. 21: 2176-2203. http://dx.doi.org/10.1021/ef060642t.

Herod, AA; George, A; Islas, CA; Suelves, I; Kandiyoti, R. (2003). Trace-element partitioning between fractions of coal liquids during column chromatography and solvent separation. Energy Fuels. 17: 862-873. http://dx.doi.org/10.1021/ef020267e.

Herod, AA; Kandiyoti, R. (2008). Comment on "Limitations of Size-Exclusion Chromatography in Analyzing Petroleum Asphaltenes: A Proof by Atomic Force Microscopy" By M. Behrouzi and P. F. Luckham, Energy Fuels, 2008, 22 (3), 1792-17989 DOI: 10.1021/ef800064q. Energy Fuels. 22: 4307-4309. http://dx.doi.org/10.1021/ef8007147.

Herod, AA; Lazaro, MJ; Suelves, I; Dubau, C; Richaud, R; Shearman, J; Card, J; Jones, AR; Domin, M; Kandiyoti, R. (2000). Size exclusion chromatography of soots and coal-derived materials with 1-methyl-2-pyrrolidinone as eluent: Observations on high molecular mass material. Energy Fuels. 14: 1009-1020. http://dx.doi.org/10.1021/ef000023z.

Herod, AA; Shearman, J; Lazaro, MJ; Johnson, BR; Bartle, KD; Kandiyoti, R. (1998). Effect of LiBr addition to 1-methyl-2-pyrrolidinone in the size-exclusion chromatography of coal-derived materials. Energy Fuels. 12: 174-182.

Herod, AA; Zhang, SF; Johnson, BR; Bartle, KD; Kandiyoti, R. (1996). Solubility limitations in the determination of molecular mass distributions of coal liquefaction and hydrocracking products: 1-methyl-2-pyrrolidinone as mobile phase in size exclusion chromatography. Energy Fuels. 10: 743-750.

Hihara, T; Okada, Y; Morita, Z. (2000). The aggregation of triphenodioxazine reactive dyes in aqueous solution and on cellulosic and nylon substrates. Dyes and Pigments. 45: 131-143.

Hinkova, M; Stefanova, M; Ivanov, S; Antonov, T. (1992). GC-MS ANALYSIS OF THE RAFFINATE AND THE EXTRACT FRACTIONS OF HIGH BOILING ALKYLBENZENES. 45: 27-30.

Hinsberg, WD; Macdonald, SA; Clecak, NJ; Snyder, CD. (1994). AIRBORNE CONTAMINATION OF A CHEMICALLY AMPLIFIED RESIST .2. EFFECT OF POLYMER FILM PROPERTIES ON CONTAMINATION RATE. Chem Mater. 6: 481-488.

Hinsberg, WD; Macdonald, SA; Snyder, CD; Ito, H; Allen, RD. (1994). A TEST FOR CORRELATION BETWEEN RESIDUAL SOLVENT AND RATES OF N-METHYLPYRROLIDONE ABSORPTION BY POLYMER-FILMS. ACS Symp Ser Am Chem Soc. 537: 101-110.

Hiraoki, T; Kinjo, N; Miyazaki, K; Miura, O; Tsutsumi, A. (1996). Copper ion binding to N-phenylphthalamic acid studied by C-13 nuclear magnetic resonance and electron paramagnetic resonance: Model interaction of polyamic acid with copper. J Mater Chem. 6: 727-731.

Hirawan, R; Sinha, S; Iwarere, SA; Raal, JD; Naidoo, P; Ramjugernath, D. (2014). Vapor-Liquid Equilibrium Data for 1-Methyl-2-Pyrrolidone + (1-Butanol or 1-Hexene or Water) Binary Mixtures. Journal of Chemical and Engineering Data. 59: 1643-1650. http://dx.doi.org/10.1021/je500092v.

Ho, NL; Perez-Pellitero, J; Porcheron, F; Pellenq, RJM. (2012). Enhanced CO2 Solubility in Hybrid Adsorbents: Optimization of Solid Support and Solvent Properties for CO2 Capture. J Phys Chem C. 116: 3600-3607. http://dx.doi.org/10.1021/jp2099625.

Ho, NL; Porcheron, F; Pellenq, RJ. (2010). Experimental and molecular simulation investigation of enhanced CO2 solubility in hybrid adsorbents. Langmuir. 26: 13287-13296. http://dx.doi.org/10.1021/la1015934.

Exposure Literature Search Results

Off Topic

Holda, AK; Vankelecom, I, voFJ. (2014). Integrally skinned PSf-based SRNF-membranes prepared via phase inversion-Part B: Influence of low molecular weight additives. J Memb Sci. 450: 499-511. http://dx.doi.org/10.1016/j.memsci.2013.08.051.

Homayoonfal, M; Akbari, A. (2010). PREPARATION OF POLYSULFONE NANO-STRUCTURED MEMBRANE FOR SULPHATE IONS REMOVAL FROM WATER. Iranian Journal of Environmental Health Science and Engineering. 7: 407-412.

Homayoonfal, M; Mehrnia, MR; Shariaty-Niassar, M; Akbari, A; Sarrafzadeh, MH; Ismail, AF. (2015). Fabrication of magnetic nanocomposite membrane for separation of organic contaminant from water. Desalination and Water Treatment. 54: 3603-3609. http://dx.doi.org/10.1080/19443994.2014.923202.

Hong, U, ngGi; Park, H, aiW; Lee, J; Hwang, S; Song, I, nKyu. (2012). Hydrogenation of succinic acid to gamma-butyrolactone (GBL) over ruthenium catalyst supported on surfactant-templated mesoporous carbon. J Ind Eng Chem. 18: 462-468. http://dx.doi.org/10.1016/j.jiec.2011.11.054.

Horstmann, S; Fischer, K; Gmehling, J. (2004). Isothermal vapor-liquid equilibrium and excess enthalpy data for the binary systems water plus sulfolane and methanol plus N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 49: 1499-1503. http://dx.doi.org/10.1021/je034254m.

Hossain, MM; Park, O, kK; Hahn, J, aeR; Ku, B, onC. (2014). High yield and high concentration few-layer graphene sheets using solvent exfoliation of graphite with pre-thermal treatment in a sealed bath. Mater Lett. 123: 90-92. http://dx.doi.org/10.1016/j.matlet.2014.03.024.

Hosseinpour, D; Guthrie, JT; Berg, JC. (2007). The effect of additives on the quality of dispersion and physical properties of an automotive coating pigmented with TiO2. J Adhes Sci Tech. 21: 141-151. http://dx.doi.org/10.1163/156856107780437480.

Hou, R; Lan, X; Wang, T. (2015). Selective hydrogenation of acetylene on Pd/SiO2 in bulk liquid phase: A comparison with solid catalyst with ionic liquid layer (SCILL). Catalysis Today. 251: 47-52. http://dx.doi.org/10.1016/j.cattod.2014.09.006.

Hou, TH; Jensen, BJ; Hergenrother, PM. (1996). Processing and properties of IM7/PETI composites. Journal of Composite Materials. 30: 109-122.

Hradil, J; Sysel, P; Brozova, L; Kovarova, J; Kotek, J. (2007). Heterogeneous membranes based on a composite of a hypercrosslinked microparticle adsorbent and polyimide binder. React Funct Polym. 67: 432-441. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.004.

Hruljova, J; Oja, V. (2015). Application of DSC to study the promoting effect of a small amount of high donor number solvent on the solvent swelling of kerogen with non-covalent cross-links in non-polar solvents. Fuel. 147: 230-235. http://dx.doi.org/10.1016/j.fuel.2015.01.054.

Hsu, CH; Cohen, JD; Tietz, RF. (1993). POLYANILINE SPINNING SOLUTIONS AND FIBERS. Synthetic Metals. 59: 37-41.

Hsu, CH; Epstein, AJ. (1997). Processing of poly(o-toluidine) into fibers and their properties. Synthetic Metals. 84: 51-54.

Hu, F; Li, W; Zhang, J, i; Meng, W, ei. (2014). Effect of Graphene Oxide as a Dopant on the Electrochemical Performance of Graphene Oxide/Polyaniline Composite. Journal of Materials Science & Technology. 30: 321-327. http://dx.doi.org/10.1016/j.jmst.2013.10.009.

Hu, G; Li, H, ua; Wang, X; Zhang, Y. (2010). Measurement and Correlation of Griseofulvin Solubility in Different Solvents at Temperatures from (281.95 to 357.60) K. Journal of Chemical and Engineering Data. 55: 3969-3971. http://dx.doi.org/10.1021/je100030j.

Hu, L; Cheng, Q; Chen, D; Ma, M; Wu, K. (2015). Liquid-phase exfoliated graphene as highly-sensitive sensor for simultaneous determination of endocrine disruptors: diethylstilbestrol and estradiol. J Hazard Mater. 283: 157-163. http://dx.doi.org/10.1016/j.jhazmat.2014.08.067.

Hu, N; Gao, R; Wang, Y; Wang, Y; Chai, J; Yang, Z; Kong, ES; Zhang, Y. (2012). The preparation and characterization of non-covalently functionalized graphene. J Nanosci Nanotechnol. 12: 99-104. http://dx.doi.org/10.1166/jnn.2012.5139.

Huang, B, in; Qian, J; Wang, G; Cai, M. (2014). Synthesis and Properties of Novel Copolymers of Poly(ether ketone diphenyl ketone ether ketone ketone) and Poly(ether amide ether amide ether ketone ketone). Polymer Engineering and Science. 54: 1757-1764. http://dx.doi.org/10.1002/pen.23721.

Huang, G; Lv, C. (2013). Isobaric Vapor-Liquid Equilibria for Binary Systems Comprising 1-Chloro-2-ethylhexane, 2-Ethyl-1-hexanol, p-Xylene, and N-Methylpyrrolidone (NMP) at 40.0 kPa. Journal of Chemical and Engineering Data. 58: 279-284. http://dx.doi.org/10.1021/je300848z.

Huang, K; Xia, S; Zhang, X; Chen, YL, e; Wu, Y; Hu, XB. (2014). Comparative Study of the Solubilities of SO2 in Five Low Volatile Organic Solvents (Sulfolane, Ethylene Glycol, Propylene Carbonate, N-Methylimidazole, and N-Methylpyrrolidone). Journal of Chemical and Engineering Data. 59: 1202-1212. http://dx.doi.org/10.1021/je4007713.

Huang, SY; Fedkiw, PS. (2016). Pervaporation removal of water from ionic liquid solutions using Nafion membranes. Separation Science and Technology. 51: 2932-2939. http://dx.doi.org/10.1080/01496395.2016.1236816.

Huang, W; Mi, Y, ue; Li, Y, un; Zheng, D. (2015). An Aprotic Polar Solvent, Diglyme, Combined with Monoethanolamine to Form CO2 Capture Material: Solubility Measurement, Model Correlation, and Effect Evaluation. Ind Eng Chem Res. 54: 3430-3437. http://dx.doi.org/10.1021/ie504739t.

Huang, W; Yang, G; Chen, J, un; Chen, X, in; Zhang, C; Wang, Y; Shi, Q, iZ. (2013). Solvent Influence on Sizes of Channels in Three New Co(II) Complexes, Exhibiting an Active Replaceable Coordinated Site. Cryst Growth Des. 13: 66-73. http://dx.doi.org/10.1021/cg301146u.

Huang, WY; Xue, XQ; Zhang, DL; Chen, JH; Fang, JB; Yang, HJ; Jiang, BB; Kong, LZ; Liu, Y; Pu, HT. (2014). Influence of solvent on branching via atom transfer radical polymerisation using 1,6-bismaleimidohexane as branching agent. Mater Res Innovat. 18: 220-224. http://dx.doi.org/10.1179/1433075X14Y.0000000218.

Huang, Y; Liu, P; Wang, L, ei. (2013). PRODUCTION OF STABLE DISPERSIONS OF REDUCED GRAPHENE OXIDE USING INDOLE AS A REDUCTION AGENT. NANO. 8. http://dx.doi.org/10.1142/S1793292013500173.

Huang, Y, uF; Park, YI, l; Kuo, C; Xu, P; Williams, DJ; Wang, J; Lin, C, hiWen; Wang, HL, in. (2012). Low-Temperature Synthesis of Au/Polyaniline Nanocomposites: Toward Controlled Size, Morphology, and Size Dispersity. J Phys Chem C. 116: 11272-11277. http://dx.doi.org/10.1021/jp303538z.

Hubadillah, SK; Harun, Z; Othman, MHD; Ismail, AF; Salleh, W, anNWan; Basri, H; Yunos, MZ; Gani, P. (2016). Preparation and characterization of low cost porous ceramic membrane support from kaolin using phase inversion/sintering technique for gas separation: Effect of kaolin content and non-solvent coagulant bath. Chem Eng Res Des. 112: 24-35. http://dx.doi.org/10.1016/j.cherd.2016.06.007.

Hulubei, C. (2008). Maleimide-containing Polyamides. Materiale Plastice. 45: 228-231.

Exposure Literature Search Results

Off Topic

Hung, YM; Meier, KH. (2005). Acute (R) Confidor (imidacloprid-N-methyl pyrrolidone) insecticides intoxication with mimicking cholinergic syndrome. Toxicol Ind Health. 21: 137-140. http://dx.doi.org/10.1191/0748233705th217oa.

Hwang, K, yuSuk; Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ. (2009). Reaction kinetics between carbon dioxide and glycidyl methacrylate using trihexylamine immobilized ionic liquid on MCM41 catalyst. J Ind Eng Chem. 15: 854-859. http://dx.doi.org/10.1016/j.jiec.2009.09.012.

Hwang, T; Oh, JS, uk; Hong, JP, yo; Nam, G, iY; Bae, A, hH; Son, SI, k; Lee, GH, o; Sung, H, akK; Lee, Y; Nam, J, aeDo. (2012). One-step metal electroplating and patterning on a plastic substrate using an electrically-conductive layer of few-layer graphene. Carbon. 50: 612-621. http://dx.doi.org/10.1016/j.carbon.2011.09.020.

Hwang, T; Pu, L; Kim, SW, oo; Oh, YS, oo; Nam, J, aeDo. (2009). Synthesis and barrier properties of poly(vinylidene chloride-co-acrylonitrile)/SiO2 hybrid composites by sol-gel process. J Memb Sci. 345: 90-96. http://dx.doi.org/10.1016/j.memsci.2009.08.029.

Ichinohe, D; Arai, T; Kise, H. (1997). Synthesis of soluble polyaniline in reversed micellar systems. Synthetic Metals. 84: 75-76.

Icoglu, HI; Ogulata, RT. (2013). EFFECT OF AMBIENT PARAMETERS ON MORPHOLOGY OF ELECTROSPUN POLYETHERIMIDE (PEI) FIBERS. 23: 313-318.

Ihmels, EC; Gmehling, J. (2002). Liquid Densities of gamma-butyrolactone and N-methyl-2-pyrrolidone from 273 to 473 K and at pressures up to 40 MPa. Journal of Chemical and Engineering Data. 47: 1547-1552. http://dx.doi.org/10.1021/je0255877.

Iino, M. (2000). Network structure of coals and association behavior of coal-derived materials. Fuel Process Tech. 62: 89-101.

Iino, M; Takanohashi, T; Li, CQ; Kumagai, H. (2004). Increase in extraction yields of coals by water treatment. Energy Fuels. 18: 1414-1418. http://dx.doi.org/10.1021/ef034078n.

Iino, M; Takanohashi, T; Obara, S; Tsueta, H; Sanokawa, Y. (1989). CHARACTERIZATION OF THE EXTRACTS AND RESIDUES FROM CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT EXTRACTION. Fuel. 68: 1588-1593.

Iino, M; Takanohashi, T; Ohsuga, H; Toda, K. (1988). EXTRACTION OF COALS WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE - EFFECT OF COAL RANK AND SYNERGISM OF THE MIXED-SOLVENT. Fuel. 67: 1639-1647.

Iino, M; Takanohashi, T; Shishido, T; Saito, I; Kumagai, H. (2007). Increase in extraction yields of coals by water treatment: Beulah-Zap lignite. Energy Fuels. 21: 205-208. http://dx.doi.org/10.1021/ef060099g.

Ikeda, Y; Wada, E; Harada, M; Chikazawa, T; Kikuchi, T; Mineo, H; Morita, Y; Nogami, M; Suzuki, K. (2004). A study on pyrrolidone derivatives as selective precipitant for uranyl ion in HNO3. J Alloy Comp. 374: 420-425. http://dx.doi.org/10.1016/j.jallcom.2003.11.050.

Irimia-Vladu, M; Fergus, JW. (2006). Suitability of emeraldine base polyaniline-PVA composite film for carbon dioxide sensing. Synthetic Metals. 156: 1401-1407. http://dx.doi.org/10.1016/j.synthmet.2006.11.005.

IRK. (2014). [Guide values for 1-methyl-2-pyrrolidone in indoor air. Report of the German Ad-hoc Working Group on indoor Guidelines of the Indoor Air Hygiene Committee and of the States' Supreme Health Authorities]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 57: 1232-1241. http://dx.doi.org/10.1007/s00103-014-2041-1.

Islas, CA; Suelves, I; Apicella, B; Herod, AA; Kandiyoti, R; Carter, JF; Li, WY. (2003). Structure and composition of coal tars: An attempt to correlate molecular structure with increasing molecular mass. Combust Sci Tech. 175: 775-791. http://dx.doi.org/10.1080/00102200390196359.

Ismail, AF; Mustaffar, MI; Illias, RM; Abdullah, MS. (2006). Effect of dope extrusion rate on morphology and performance of hollow fibers membrane for ultrafiltration. Separation and Purification Technology. 49: 10-19. http://dx.doi.org/10.1016/j.seppur.2005.08.001.

Ismail, AF; Norida, R; Rahman, WAW, A; Matsuura, T; Hashemifard, SA. (2011). Preparation and characterization of hyperthin-skinned and high performances asymmetric polyethersulfone membrane for gas separation. Desalination. 273: 93-104. http://dx.doi.org/10.1016/j.desal.2010.10.015.

Itani, T; Yoshino, H; Hashimoto, S; Yamana, M; Samoto, N; Kasama, K. (1997). Acid and base diffusion in chemically amplified DUV resists. Microelectron Eng. 35: 149-152.

Itaya, Y; Bessho, N. (1997). Drying of dielectric resin coatings in the presence of polycondensation. Drying Technology. 15: 427-440.

Ivanov, IV; Lotkhov, VA; Glebova, Y, uA; Chelyuskina, TV; Kulov, NN. (2014). Study of phase equilibrium in benzene-heptane-N-methylpyrrolidone system. Theoretical Foundations of Chemical Engineering. 48: 337-345. http://dx.doi.org/10.1134/S0040579514040186.

Ivanov, IV; Lotkhov, VA; Moiseeva, KA; Kulov, NN. (2016). Mass transfer in a packed extractive distillation column. Theoretical Foundations of Chemical Engineering. 50: 667-677. http://dx.doi.org/10.1134/S0040579516050304.

Ivanov, IV; Lotkhov, VA; Tikhonov, AY, u; Kulov, NN. (2015). Vapor-liquid-liquid phase equilibrium in four-component benzene-heptane-N-methylpyrrolidone-sulfolane system. Theoretical Foundations of Chemical Engineering. 49: 125-137. http://dx.doi.org/10.1134/S0040579515020049.

Izumi, CMS; Brito, HF; Ferreira, A, naMDC; Constantino, VRL; Temperini, MLA. (2009). Spectroscopic investigation of the interactions between emeraldine base polyaniline and Eu(III) ions. Synthetic Metals. 159: 377-384. http://dx.doi.org/10.1016/j.synthmet.2008.10.006.

Izumi, CMS; Ferreira, DC; Costa Ferreira, A, naMD; Temperini, MLA. (2009). The role of oxygen in the interaction of emeraldine base polyaniline with Cu(II) or Fe(III) ions in NMP solution. Synthetic Metals. 159: 1165-1173. http://dx.doi.org/10.1016/j.synthmet.2009.02.004.

Izumi, CMS; Rodrigues, DC; Temperini, MLA. (2010). The role of solvent on the doping of polyaniline with Fe(III) ions. Synthetic Metals. 160: 2552-2558. http://dx.doi.org/10.1016/j.synthmet.2010.10.004.

Jacob, KN; Kumar, SS; Thanigaivelan, A; Tarun, M; Mohan, D. (2014). Sulfonated polyethersulfone-based membranes for metal ion removal via a hybrid process. Journal of Materials Science. 49: 114-122. http://dx.doi.org/10.1007/s10853-013-7682-1.

Jain, R; Gregory, RV. (1995). Solubility and rheological characterization of polyaniline base in N-methyl-2-pyrrolidinone and N,N'-dimethylpropylene urea. Synthetic Metals. 74: 263-266.

Jalal, TA; Prada, IDC; Tayouo, R; Giannelis, EP; Nunes, SP. (2014). Reactive phase inversion for manufacture of asymmetric poly (ether imide sulfone) membranes. React Funct Polym. 85: 1-10. http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.018.

Exposure Literature Search Results

Off Topic

Jamali, SH; Ramdin, M; Becker, T, imM; Torres-Knoop, A; Dubbeldam, D; Buijs, W, im; Vlugt, TJH. (2017). Solubility of sulfur compounds in commercial physical solvents and an ionic liquid from Monte Carlo simulations. Fluid Phase Equilibria. 433: 50-55. http://dx.doi.org/10.1016/j.fluid.2016.11.015.

Jang, H; Lee, S; Jin, L; Pyo, J; Tan, F; Kim, K; Kim, W; Jeon, HS. (2015). Preparation of Novel Pyridine-Based Aromatic Polyimides and Effect of Fluorine Functionality. J Nanosci Nanotechnol. 15: 8451-8459. http://dx.doi.org/10.1166/jnn.2015.11444.

Jang, KS; Ko, HC; Moon, B; Lee, H. (2005). Observation of photoluminescence in polypyrrole micelles. Synthetic Metals. 150: 127-131. http://dx.doi.org/10.1016/j.synthmet.2005.01.013.

Jang, KS; Moon, BJ; Oh, EJ; Lee, HS. (2003). Characteristics of tantalum electrolytic capacitors using soluble polypyrrole electrolyte. J Power Sources. 124: 338-342. http://dx.doi.org/10.1016/S0378-7753(03)00594-9.

Jang, SH; Han, MG; Im, SS. (2000). Preparation and characterization of conductive polyaniline/silica hybrid composites prepared by sol-gel process. Synthetic Metals. 110: 17-23.

Jantas, R; Delczyk, B. (2005). Preparation characterisation and antibacterial properties of sucrose-1-naphtylacetic acid adduct. 13: 60-63.

Jawaid, A, li; Nepal, D; Park, K; Jespersen, M; Qualley, A; Mirau, P; Drummy, LF; Vaia, RA. (2016). Mechanism for Liquid Phase Exfoliation of MoS2. Chem Mater. 28: 337-348. http://dx.doi.org/10.1021/acs.chemmater.5b04224.

Jayasinghe, NS; Lucien, FP; Tran, T. (2005). Ion-exchange equilibria for [Au(CN)(2)](-)/Cl- and [Au(CN)(2)](-)/SCN- on purolite A500 in mixed solvents at 303 K. Ind Eng Chem Res. 44: 7496-7504. http://dx.doi.org/10.1021/ie0504304.

Jee, K, iY; Kim, N; Lee, YT. (2016). The effect of metal complex on pervaporation performance of composite membrane for separation of n-butanol/water mixture. J Ind Eng Chem. 44: 155-163. http://dx.doi.org/10.1016/j.jiec.2016.08.022.

Jee, K, iY; Lee, YT. (2014). Preparation and characterization of siloxane composite membranes for n-butanol concentration from ABE solution by pervaporation. J Memb Sci. 456: 1-10. http://dx.doi.org/10.1016/j.memsci.2013.12.061.

Jelinek, M; Borde, I. (1998). Single-and double-stage absorption cycles based on fluorocarbon refrigerants and organic absorbents. Applied Thermal Engineering. 18: 765-771.

Jeon, B, oY; Yi, J, unY; Park, D, ooH. (2014). Estimation on metabolic pathway of Pseudomonas sp SMIC-3 for 1-methyl-2-pyrrolidinone based on physiological and biochemical analyses. Korean J Chem Eng. 31: 475-484. http://dx.doi.org/10.1007/s11814-013-0231-4.

Jeon, I, nYup; Yu, D; Bae, S, eoY; Choi, HJ; Chang, DW; Dai, L; Baek, JB. (2011). Formation of Large-Area Nitrogen-Doped Graphene Film Prepared from Simple Solution Casting of Edge-Selectively Functionalized Graphite and Its Electrocatalytic Activity. Chem Mater. 23: 3987-3992. http://dx.doi.org/10.1021/cm201542m.

Jeon, IY; Choi, EK; Bae, SY; Baek, JB. (2010). Edge-Functionalization of Pyrene as a Miniature Graphene via Friedel-Crafts Acylation Reaction in Poly(Phosphoric Acid). Nanoscale Res Lett. 5: 1686-1691. http://dx.doi.org/10.1007/s11671-010-9697-8.

Jeon, S, eaHo; Xu, P; Mack, NH; Chiang, LY; Brown, L; Wang, HL, in. (2010). Understanding and Controlled Growth of Silver Nanoparticles Using Oxidized N-Methyl-pyrrolidone as a Reducing Agent. J Phys Chem C. 114: 36-40. http://dx.doi.org/10.1021/jp907757u.

Jia, Q; Xu, Y; Shen, J; Yang, H; Zhou, L, u. (2015). Effects of hydrophilic solvent and oxidation resistance post surface treatment on molecular structure and forward osmosis performance of polyamide thin-film composite (TFC) membranes. Appl Surf Sci. 356: 1105-1116. http://dx.doi.org/10.1016/j.apsusc.2015.08.129.

Jiang, B, in; Wang, B; Zhang, L; Sun, Y; Xiao, X; Yang, N, a; Dou, H. (2016). Preparation of poly(L-lactic acid) membrane from solvent mixture via immersion precipitation. Separation Science and Technology. 51: 2940-2947. http://dx.doi.org/10.1080/01496395.2016.1239638.

Jiang, H; Geng, YH; Li, J; Jing, XB; Wang, FS. (1997). Organic acid doped polyaniline derivatives. Synthetic Metals. 84: 125-126.

Jiang, H; Sun, X; Huang, M; Wang, Y; Li, D; Dong, S. (2006). Rapid self-assembly of oligo(o-phenylenediamine) into one-dimensional structures through a facile reprecipitation route. Langmuir. 22: 3358-3361. http://dx.doi.org/10.1021/la053091s.

Jiang, Q; Liu, C; Song, H; Shi, H, ui; Yao, Y; Xu, J; Zhang, G, e; Lu, B. (2013). Improved thermoelectric performance of PEDOT:PSS films prepared by polar-solvent vapor annealing method. Journal of Materials Science: Materials in Electronics. 24: 4240-4246. http://dx.doi.org/10.1007/s10854-013-1391-z.

Jiao, Z; Sun, Y, an; Yang, Q; Wang, X. (2012). Activity coefficients at infinite dilution of organic solutes in the ionic liquid ethyl(2-hydroxyethyl)dimethyl-ammonium diethylphosphate using gas-liquid chromatography. Fluid Phase Equilibria. 325: 15-19. http://dx.doi.org/10.1016/j.fluid.2012.04.008.

Jim, M; Kim, KJ, oo. (2012). Effect of Supersaturation on Polymorphs of Clopidogrel Hydrogen Sulfate in Drowning-out Crystallization. Chem Eng Tech. 35: 995-1002. http://dx.doi.org/10.1002/ceat.201100717.

Jim, M; Kim, KJ, oo. (2012). Solubility of Forms I and II of Clopidogrel Hydrogen Sulfate in Formic Acid, N-Methylpyrrolidone, and N,N-Dimethylformamide. Journal of Chemical and Engineering Data. 57: 598-602. http://dx.doi.org/10.1021/je201128n.

Jin, SH, un; Lee, D, aiSoo. (2008). Preparation and Properties of the Nanocomposites Based on Poly(methyl methacrylate-co-butyl acrylate) and Multiwalled Carbon Nanotube. J Nanosci Nanotechnol. 8: 4675-4678. http://dx.doi.org/10.1166/jnn.2008.IC25.

Jing, X; Deng, R; Zheng, D. (2013). Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium of Fluoroethane plus N,N-Dimethylacetamide, Fluoroethane plus N-Methyl-2-pyrrolidone, and 1,1,1,2-Tetrafluoroethane plus N,N-Dimethylacetamide Systems. Journal of Chemical and Engineering Data. 58: 3289-3296. http://dx.doi.org/10.1021/je4007822.

Johnson, BR; Bartle, KD; Cocksedge, M; Herod, AA; Kandiyoti, R. (1998). A test of the MALDI-MS calibration of SEC with N-methyl-2-pyrrolidinone for coal derived materials. Fuel. 77: 1527-1531.

Johnson, BR; Bartle, KD; Domin, M; Herod, AA; Kandiyoti, R. (1998). Absolute calibration of size exclusion chromatography for coal derivatives through MALDI-ms. Fuel. 77: 933-945.

Johnson, BR; Bartle, KD; Ross, AB; Herod, AA; Kandiyoti, R; Larsen, JW. (1999). Cf-252 plasma desorption and laser desorption mass spectrometry for the determination of molecular weight distribution of coal derivatives. Fuel. 78: 1659-1664.

Johnston, A; Florence, AJ; Shankland, N; Kennedy, AR; Shankland, K; Price, SL. (2007). Crystallization and crystal energy landscape of hydrochlorothiazide. Cryst Growth Des. 7: 705-712. http://dx.doi.org/10.1021/cg0606242.

Exposure Literature Search Results

Off Topic

Jones, LG; Darvin, CH; Hall, E. (1999). Process and Equipment Changes for Cleaner Production in Federal Facilities. 10.

Jongeneelen, FJ; Ten Berge, W. (2011). A Generic, Cross-Chemical Predictive PBTK Model with Multiple Entry Routes Running as Application in MS Excel; Design of the Model and Comparison of Predictions with Experimental Results. Ann Occup Hyg. 55: 841-864. http://dx.doi.org/10.1093/annhyg/mer075.

Jönsson, BA; Akesson, B. (2001). N-methylsuccinimide in plasma and urine as a biomarker of exposure to N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 74: 289-294.

Jönsson, BA; Akesson, B. (2003). Human experimental exposure to N-methyl-2-pyrrolidone (NMP): toxicokinetics of NMP, 5-hydroxy- N-methyl-2-pyrrolidone, N-methylsuccinimide and 2-hydroxy- N-methylsuccinimide (2-HMSI), and biological monitoring using 2-HMSI as a biomarker. Int Arch Occup Environ Health. 76: 267-274. http://dx.doi.org/10.1007/s00420-003-0438-5.

Jordan, KM; Iroh, JO. (1997). Effect of isothermal aging on post-imidization and glass transition temperature of LaRC-IA polyimide resin. Polymer Composites. 18: 397-404.

Jou, FY; Mather, AE. (2005). Solubility of carbon dioxide in an aqueous mixture of methyldiethanolamine and N-methylpyrrolidone at elevated pressures. Fluid Phase Equilibria. 228: 465-469. http://dx.doi.org/10.1016/j.fluid.2004.10.004.

Julinová, M; Kupec, J; Houser, J; Slavík, R; Marusincová, H; Cervenáková, L; Klívar, S. (2012). Removal of polyvinylpyrrolidone from wastewater using different methods. Water Environ Res. 84: 2123-2132. http://dx.doi.org/10.2175/106143012X13373575830999.

Julinova, M; Kupec, J, an; Slavik, R; Vaskova, M. (2013). INITIATING BIODEGRADATION OF POLYVINYLPYRROLIDONE IN AN AQUEOUS AEROBIC ENVIRONMENT: TECHNICAL NOTE. 20: 199-208. http://dx.doi.org/10.2478/eces-2013-0015.

Junaidi, MU; Leo, CP; Kamal, SN; Ahmad, AL. (2013). Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Sci Technol. 67: 2102-2109. http://dx.doi.org/10.2166/wst.2013.098.

Jung, RE; Kokovic, V; Jurisic, M; Yaman, D; Subramani, K; Weber, FE. (2011). Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res. 22: 802-807. http://dx.doi.org/10.1111/j.1600-0501.2010.02068.x.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension and interfacial tension of binary organic liquid mixtures. Journal of Chemical and Engineering Data. 48: 1500-1507. http://dx.doi.org/10.1021/je034062r.

Kahl, H; Wadewitz, T; Winkelmann, J. (2003). Surface tension of pure liquids and binary liquid mixtures. Journal of Chemical and Engineering Data. 48: 580-586. http://dx.doi.org/10.1021/je0201323.

Kajekar, AJ; Dodamani, BM; Isloor, AM; Karim, ZA; Cheer, N; Ismail, AF; Shilton, SJ. (2015). Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection. Desalination. 365: 117-125. http://dx.doi.org/10.1016/j.desal.2015.02.028.

Kajiyama, M; Takehara, A; Mizumachi, H. (1996). Preparation of aramid/poly (ethersulphone) blends and their properties for hot-melt type adhesives. Journal of Adhesion. 57: 153-165.

Kakade, B; Patil, I; Lokanathan, M; Swami, A. (2015). Enhanced methanol electrooxidation at Pt skin@PdPt nanocrystals. 3: 17771-17779. http://dx.doi.org/10.1039/c5ta03736k.

Kakade, BA; Tamaki, T; Ohashi, H; Yamaguchi, T. (2012). Highly Active Bimetallic PdPt and CoPt Nanocrystals for Methanol Electro-oxidation. J Phys Chem C. 116: 7464-7470. http://dx.doi.org/10.1021/jp300140s.

Kakati, A; Maji, D; Das, S. (2017). Unveiling the wet chemical etching characteristics of polydimethylsiloxane film for soft micromachining applications. Journal of Micromechanics and Microengineering. 27. http://dx.doi.org/10.1088/1361-6439/27/1/015033.

Kameyama, A; Nishikubo, T. (1996). A novel synthesis of reactive polyethers with pendant chloromethyl group by polyaddition of bis(epoxide)s with aromatic dichlorides. React Funct Polym. 30: 235-239.

Kaneko, H; Morino, M; Takanohashi, T; Iino, M. (1996). Study of the interaction of aromatic compounds with coals by inverse liquid chromatography. Energy Fuels. 10: 1017-1021.

Kang, ET; Neoh, KG; Tan, KL. (1995). PROTONATION AND DEPROTONATION OF POLYANILINE FILMS AND POWDERS REVISITED. Synthetic Metals. 68: 141-144.

Kang, J; Wood, JD; Wells, SA; Lee, JH; Liu, X; Chen, KS; Hersam, MC. (2015). Solvent exfoliation of electronic-grade, two-dimensional black phosphorus. ACS Nano. 9: 3596-3604. http://dx.doi.org/10.1021/acsnano.5b01143.

Kang, KS; Chen, Y; Lim, HK; Cho, KY; Han, KJ; Kim, J. (2009). Performance enhancement of polymer Schottky diode by doping pentacene. Thin Solid Films. 517: 6096-6099. http://dx.doi.org/10.1016/j.tsf.2009.04.041.

Kang, KS, un; Han, KJ, un; Kim, J. (2009). Polymer-Based Flexible Schottky Diode Made With Pentacene-PEDOT:PSS. I E E E Transactions on Nanotechnology. 8: 627-630. http://dx.doi.org/10.1109/TNANO.2009.2019640.

Kang, MG; Kim, KM; Ryu, KS; Chang, SH; Park, NG; Hong, JS; Kim, KJ. (2004). Dye-sensitized TiO2 solar cells using polymer gel electrolytes based on PVdF-HFP. J Electrochem Soc. 151: E257-E260. http://dx.doi.org/10.1149/1.1759698.

Kang, YK; Kim, SK; Lee, CJ. (2004). Doping of polyaniline by thermal acid-base exchange reaction. Mater Sci Eng C. 24: 39-41. http://dx.doi.org/10.1016/j.msec.2003.09.047.

Kang, YS; Kim, HJ; Kim, UY. (1991). ASYMMETRIC MEMBRANE FORMATION VIA IMMERSION PRECIPITATION METHOD .1. KINETIC EFFECT. J Memb Sci. 60: 219-232.

Karaca, F. (2006). Molecular mass distribution and structural characterization of liquefaction products of a biomass waste material. Energy Fuels. 20: 383-387. http://dx.doi.org/10.1021/ef050369f.

Karaca, F; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Effect of salts on the SEC profiles of heavy hydrocarbon liquids: New approach with salts dissolved in solvents used for planar chromatography. Energy Fuels. 19: 187-199. http://dx.doi.org/10.1021/ef0498263.

Karaca, F; Islas, CA; Millan, M; Behrouzi, M; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). The calibration of size exclusion chromatography columns: Molecular mass distributions of heavy hydrocarbon liquids. Energy Fuels. 18: 778-788. http://dx.doi.org/10.1021/ef030178h.

Exposure Literature Search Results

Off Topic

Karaca, F; Millan-Agorio, M; Morgan, TJ; Bull, ID; Herod, AA; Kandiyoti, R. (2008). The pentane- and toluene-soluble fractions of a petroleum residue and three coal tars by size exclusion chromatography and UV-fluorescence spectroscopy. Oil & Gas Science & Technology. 63: 129-137. http://dx.doi.org/10.2516/ogst:2007061.

Karaca, F; Morgan, TJ; Behrouzi, M; Herod, AA; Kandiyoti, R. (2005). Effect of several salts on the elution behaviour of heavy hydrocarbon liquids during size exclusion chromatography with 1-methyl-2-pyrrolidinone as eluent. Fuel. 84: 1805-1811. http://dx.doi.org/10.1016/j.fuel.2005.04.008.

Karatun, ON; Kapizova, NB. (2014). Extraction of Aromatic Hydrocarbons from Gasoline Fraction by Blended Extractants. Chemistry and Technology of Fuels and Oils. 50: 230-232. http://dx.doi.org/10.1007/s10553-014-0514-4.

Kardas, G; Solmaz, R. (2007). Electrochemical synthesis and characterization of a new conducting polymer: Polyrhodanine. Appl Surf Sci. 253: 3402-3407. http://dx.doi.org/10.1016/j.apsusc.2006.07.042.

Karimzadeh, R; Ghashghaee, M; Nouri, M. (2010). Effect of Solvent Dearomatization and Operating Conditions in Steam Pyrolysis of a Heavy Feedstock. Energy Fuels. 24: 1899-1907. http://dx.doi.org/10.1021/ef901139u.

Kashimura, N, ao; Takanohashi, T; Masaki, K; Shishido, T; Sato, S; Matsumura, A; Saito, I. (2006). Relationship between thermal extraction yield and oxygen-containing functional groups. Energy Fuels. 20: 2088-2092. http://dx.doi.org/10.1021/ef060194p.

Kato, R; Gmehling, J. (2004). Activity coefficients at infinite dilution of various solutes in the ionic liquids [MMIM](+)[CH3SO4](-), [MMIM](+)[CH3OC2H4SO4](-), [MMIM]+[(CH3)(2)PO4](-), [C5H5NC2H5](+)[(CF3SO2)(2)N](-) and [C5H5NH](+)[C2H5OC2H4OSO3](-). Fluid Phase Equilibria. 226: 37-44. http://dx.doi.org/10.1016/j.fluid.2004.08.039.

Kaune, G; Wang, W; Metwalli, E; Ruderer, M; Rossner, R; Roth, SV; Müller-Buschbaum, P. (2008). Layered TiO2: PVK nano-composite thin films for photovoltaic applications. TiO2: PVK nano-composite thin films. Eur Phys J E Soft Matter. 26: 73-79. http://dx.doi.org/10.1140/epje/i2007-10292-2.

Kaur, P; Srivastava, VC; Mall, ID, eo. (2012). Studies on Bi-Cyclic Aromatics Extraction using Furfural and N-Methyl Pyrrolidone (NMP) as Solvent. Separation Science and Technology. 47: 1762-1770. http://dx.doi.org/10.1080/01496395.2012.659783.

Kaushik, RS; Srivastava, M; Kumar, M; Mandal, S; Bahuguna, NN; Sharma, R; Anwar, M; Garg, MO. (2005). Evaluation of different packings in lube extraction system. Petroleum Science and Technology. 23: 437-443. http://dx.doi.org/10.1081/LFT-200031046.

Kawashima, H; Koyano, K; Takanohashi, T. (2013). Changes in nitrogen functionality due to solvent extraction of coal during HyperCoal production. Fuel Process Tech. 106: 275-280. http://dx.doi.org/10.1016/j.fuproc.2012.06.030.

Kawashima, H; Saito, I. (2004). Interactions of organic liquids with coals: Analysis by solid-state C-13 nuclear magnetic resonance. Energy Fuels. 18: 1723-1731. http://dx.doi.org/10.1021/ef040007s.

Kawashima, H; Takanohashi, T. (2001). Modification of model structures of upper freeport coal extracts using C-13 NMR chemical shift calculations. Energy Fuels. 15: 591-598.

Kawashima, N; Kameyama, A; Nishikubo, T; Nagai, T. (2003). Synthesis and photochemical reaction of polystyrenes with pendant donor-acceptor type norbornadienes containing carbamoyl chromophores. React Funct Polym. 55: 75-88.

Kazda, T; Krbal, M; Pouzar, M; Vondrak, J; Strakova, AF; Slavik, M; Wagner, T; Macak, JM. (2016). Highly efficient and stable cryo-ground sulphur cathode for Li-S batteries. J Power Sources. 331: 293-298. http://dx.doi.org/10.1016/j.jpowsour.2016.09.050.

Keller, TM. (1994). SYNTHESIS AND POLYMERIZATION OF MULTIPLE AROMATIC ETHER PHTHALONITRILES. Chem Mater. 6: 302-305.

Kerres, J; Cui, W; Disson, R; Neubrand, W. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by disproportionation of sulfinic acid groups. J Memb Sci. 139: 211-225.

Kerres, J; Cui, W; Junginger, M. (1998). Development and characterization of crosslinked ionomer membranes based upon sulfinated and sulfonated PSU - Crosslinked PSU blend membranes by alkylation of sulfinate groups with dihalogenoalkanes. J Memb Sci. 139: 227-241.

Khalaf, HI; Wady, AN; Daham, HK. (2013). Synthesis and characterization of new optically active poly(amide-imide)s derived from N,N'-(pyromellitoyl) bis-L-tyrosine and various diamines. 31: 43-51. http://dx.doi.org/10.2478/s13536-012-0077-1.

Khan, U; O'Connor, I, an; Gun'ko, YK; Coleman, JN. (2010). The preparation of hybrid films of carbon nanotubes and nano-graphite/graphene with excellent mechanical and electrical properties. Carbon. 48: 2825-2830. http://dx.doi.org/10.1016/j.carbon.2010.04.014.

Khan, U; Porwal, H; O'Neill, A; Nawaz, K; May, P; Coleman, JN. (2011). Solvent-exfoliated graphene at extremely high concentration. Langmuir. 27: 9077-9082. http://dx.doi.org/10.1021/la201797h.

Khare, VP; Greenberg, AR; Krantz, WB. (2005). Vapor-induced phase separation - effect of the humid air exposure step on membrane morphology Part I. Insights from mathematical modeling. J Memb Sci. 258: 140-156. http://dx.doi.org/10.1016/j.memsci.2005.03.015.

Kho, YW; Conrad, DC; Shick, RA; Knutson, BL. (2003). Solvent strength characterization of carbon dioxide expanded fluorinated solvents. Ind Eng Chem Res. 42: 6511-6517. http://dx.doi.org/10.1021/ie030669p.

Khodakarimi, S; Hekhmatshoar, MH; Nasiri, M; Moghaddam, MK; Abbasi, F. (2016). Effects of process and post-process treatments on the electrical conductivity of the PEDOT:PSS films. Journal of Materials Science: Materials in Electronics. 27: 1278-1285. http://dx.doi.org/10.1007/s10854-015-3886-2.

Khulbe, KC; Feng, CY; Hamad, F; Matsuura, T; Khayet, M. (2004). Structural and performance study of micro porous polyetherimide hollow fiber membranes prepared at different air-gap. J Memb Sci. 245: 191-198. http://dx.doi.org/10.1016/j.memsci.2004.06.061.

Khulbe, KC; Matsuura, T; Singh, S; Lamarche, G; Noh, SH. (2000). Study on fouling of ultrafiltration membrane by electron spin resonance. J Memb Sci. 167: 263-273.

Kiani, S; Mousavi, SM; Shahtahmassebi, N; Saljoughi, E. (2016). Preparation and characterization of polyphenylsulfone nanofibrous membranes for the potential use in liquid filtration. Desalination and Water Treatment. 57: 16250-16259. http://dx.doi.org/10.1080/19443994.2015.1079258.

Kierzkowska-Pawlak, H. (2008). Desorption of CO2 from aqueous solutions of N-methylpirrolidone. Przemysł Chemiczny. 87: 174-178.

Exposure Literature Search Results

Off Topic

Kierzkowska-Pawlak, H; Chacuk, A. (2010). Carbon Dioxide Desorption from Saturated Organic Solvents. Chem Eng Tech. 33: 74-81. http://dx.doi.org/10.1002/ceat.200900334.

Kihara, N; Yamamoto, R; Sasao, N; Shimada, T; Yuzawa, A; Okino, T; Ootera, Y; Kamata, Y; Kikitsu, A. (2012). Fabrication of 5 Tdot/in.(2) bit patterned media with servo pattern using directed self-assembly. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 30. http://dx.doi.org/10.1116/1.4763356.

Kim, BJ; Kang, MS; Pham, VH; Cuong, TV; Kim, E, uiJ; Chung, J, inSuk; Hur, SH; Cho, JH, o. (2011). Low-voltage solution-processed graphene transistors based on chemically and solvothermally reduced graphene oxide. J Mater Chem. 21: 13068-13073. http://dx.doi.org/10.1039/c1jm11691f.

Kim, BR; Kalis, EM; Dewulf, T; Andrews, KM. (2000). Henry's law constants for paint solvents and their implications on volatile organic compound emissions from automotive painting. Water Environ Res. 72: 65-74.

Kim, CK, i; Lee, BC; Lee, YW, oo; Kim, HS, oo. (2009). Solvent effect on particle morphology in recrystallization of HMX (cyclotetramethylenetetranitramine) using supercritical carbon dioxide as antisolvent. Korean J Chem Eng. 26: 1125-1129. http://dx.doi.org/10.2478/s11814-009-0187-6.

Kim, D, ooY; Kim, KJ, oo. (2007). Solubility of cyclotrimethylenetrinitramine (RDX) in binary solvent mixtures. Journal of Chemical and Engineering Data. 52: 1946-1949. http://dx.doi.org/10.1021/je7002463.

Kim, D, ooY; Kim, KJ, oo. (2010). Semi-quantitative Study on the Inclusion in Cooling Crystallization of RDX Using Various Solvents. Propellants, Explosives, Pyrotechnics. 35: 38-45. http://dx.doi.org/10.1002/prep.200800116.

Kim, D, oH; Yun, Y; Bak, H; Cho, S, eY; Jin, HJ. (2011). Electro-conducting polymeric films prepared from the hybrids of carbon nanotubes and graphene nanosheets. Curr Appl Phys. 11: S376-S380. http://dx.doi.org/10.1016/j.cap.2011.03.052.

Kim, E; Yi, M, iHye; Ahn, T. (2016). Low-Temperature Processable, Photo-Curable Polyimides as Gate Insulators for Thin-Film Transistors. J Nanosci Nanotechnol. 16: 11762-11765. http://dx.doi.org/10.1166/jnn.2016.13589.

Kim, H; Lee, J; Ok, S; Choe, Y. (2012). Effects of pentacene-doped PEDOT:PSS as a hole-conducting layer on the performance characteristics of polymer photovoltaic cells. Nanoscale Res Lett. 7: 5. http://dx.doi.org/10.1186/1556-276X-7-5.

Kim, H; Mattevi, C; Kim, HJ; Mittal, A; Mkhoyan, KA; Riman, RE; Chhowalla, M. (2013). Optoelectronic properties of graphene thin films deposited by a Langmuir-Blodgett assembly. Nanoscale. 5: 12365-12374. http://dx.doi.org/10.1039/c3nr02907g.

Kim, IC; Lee, KH. (2004). Effect of poly(ethylene glycol) 200 on the formation of a polyetherimide asymmetric membrane and its performance in aqueous solvent mixture permeation. J Memb Sci. 230: 183-188. http://dx.doi.org/10.1016/j.memsci.2003.11.002.

Kim, IC; Lee, KH; Tak, TM. (2001). Preparation and characterization of integrally skinned uncharged polyetherimide asymmetric nanofiltration membrane. J Memb Sci. 183: 235-247.

Kim, IC; Yun, HG; Lee, KH. (2002). Preparation of asymmetric polyacrylonitrile membrane with small pore size by phase inversion and post-treatment process. J Memb Sci. 199: 75-84.

Kim, J, inWoo; Yi, M, iHye; Ahn, T. (2013). Surface energy control of soluble polyimide gate insulators by copolymerization method for high performance pentacene thin-film transistors. Thin Solid Films. 546: 147-152. http://dx.doi.org/10.1016/j.tsf.2013.05.042.

Kim, JH; Lee, KH. (1998). Effect of PEG additive on membrane formation by phase inversion. J Memb Sci. 138: 153-163.

Kim, JR; Jung, JH; Shin, WS; So, WW; Moon, SJ. (2011). Efficient TCO-free organic solar cells with modified poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate) anodes. J Nanosci Nanotechnol. 11: 326-330. http://dx.doi.org/10.1166/jnn.2011.3173.

Kim, K; Cho, H; Lee, S; Mun, M; Lee, D. (2016). Coal and solvent properties and their correlation with extraction yield under mild conditions. Korean J Chem Eng. 33: 2142-2159. http://dx.doi.org/10.1007/s11814-016-0062-1.

Kim, KJ. (2000). Spherulitic crystallization of 3-nitro-1,2,4-triazol-5-one in water plus N-methyl-2-pyrrolidone. J Cryst Growth. 208: 569-578.

Kim, KJ, oo; Kim, HS, oo; Sim, JS. (2013). Solubilities of Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine in gamma-Butyrolactone plus Water, Dimethylsulfoxide plus Water, and N-Methyl pyrrolidone plus Water. Journal of Chemical and Engineering Data. 58: 2410-2413. http://dx.doi.org/10.1021/je400199m.

Kim, KJ; Kim, KM. (2001). Nucleation kinetics in spherulitic crystallization of explosive compound: 3-nitro-1 2,4-triazol-5-one. Powder Technology. 119: 109-116.

Kim, KJ; Kim, KM. (2002). Growth kinetics in seeded cooling crystallization of 3-nitro-1,2,4-triazol-5-one in water-N-methylpyrrolidone. Powder Technology. 122: 46-53.

Kim, KM; Jeon, WS; Park, NG; Ryu, KS; Chang, SH. (2003). Effect of evaporation temperature on the crystalline properties of solution-cast films of poly(vinylidene fluoride)s. Korean J Chem Eng. 20: 934-941.

Kim, KM, an; Kim, J, inC; Ryu, KS, un. (2006). Characteristics of PVdF-HFP/TiO2 composite electrolytes prepared by a phase inversion technique using dimethyl acetamide solvent and water non-solvent. Macromolecular Materials & Engineering. 291: 1495-1502. http://dx.doi.org/10.1002/mame.200600299.

Kim, SG; Lee, K, ewHo. (2009). Effects of chemical transition of polyetherimide membranes having an integrally skinned asymmetric structure. Curr Appl Phys. 9: E51-E55. http://dx.doi.org/10.1016/j.cap.2009.03.005.

Kim, SR; Lee, KH; Jhon, MS. (1996). The effect of ZnCl2 on the formation of polysulfone membrane. J Memb Sci. 119: 59-64.

Kim, T; Kang, M; Choi, Y; Kim, H; Lee, W; Chang, H; Seung, D. (2007). Preparation of Nafion-Sulfonated Clay Nanocomposite Membrane for Direct Menthol Fuel Cells via a Film Coating Process. J Power Sources. 165: 1. http://dx.doi.org/10.1016/j.jpowsour.2006.11.055.

Kim, Y; Kim, S; Lee, B. (2012). Simulation of 1,3-butadiene extractive distillation process using N-methyl-2-pyrrolidone solvent. Korean J Chem Eng. 29: 1493-1499. http://dx.doi.org/10.1007/s11814-012-0075-3.

Kimijima, T; Zettsu, N; Yubuta, K; Hirata, K; Kami, K; Teshima, K. (2016). Molybdate flux growth of idiomorphic Li(Ni1/3Co1/3Mn1/3)O-2 single crystals and characterization of their capabilities as cathode materials for lithium-ion batteries. 4: 7289-7296. http://dx.doi.org/10.1039/c6ta01593j.

Exposure Literature Search Results

Off Topic

Kimura, H; Takahashi, D; Yamaguchi, T; Takeishi, M. (2000). Synthesis of optically active polyarylates having axially chiral binaphthylene unit. Sen'i Gakkaishi. 56: 169-174.

Kingsbury, BFK; Li, K. (2009). A morphological study of ceramic hollow fibre membranes. J Memb Sci. 328: 134-140. http://dx.doi.org/10.1016/j.memsci.2008.11.050.

Kinoshita, M; Sugamura, T; Shimoyama, Y. (2016). Effect of solvent species inside wet gel on fabrication of titania nanoparticle by supercritical carbon dioxide drying. Journal of Supercritical Fluids. 110: 90-96. http://dx.doi.org/10.1016/j.supflu.2015.12.015.

Kiyono, R; Koops, GH; Wessling, M; Strathmann, H. (2004). Mixed matrix microporous hollow fibers with ion-exchange functionality. J Memb Sci. 231: 109-115. http://dx.doi.org/10.1016/j.memsci.2003.11.008.

Kizildag, N; Ucar, N; Onen, A; Karacan, I. (2016). Polyacrylonitrile/polyaniline composite nano/microfiber webs produced by different dopants and solvents. Journal of Industrial Textiles. 46: 787-808. http://dx.doi.org/10.1177/1528083715598654.

Knoell, T; Safarik, J; Cormack, T; Riley, R; Lin, SW; Ridgway, H. (1999). Biofouling potentials of microporous polysulfone membranes containing a sulfonated polyether-ethersulfone/polyethersulfone block copolymer: correlation of membrane surface properties with bacterial attachment. J Memb Sci. 157: 117-138.

Kobayashi, T; Ohshiro, M; Nakamoto, K; Uchida, S. (2016). Decontamination of Extra-Diluted Radioactive Cesium in Fukushima Water Using Zeolite-Polymer Composite Fibers. Ind Eng Chem Res. 55: 6996-7002. http://dx.doi.org/10.1021/acs.iecr.6b00903.

Koch, A; Gruber, R; Cagniant, D; Duchene, JM. (1996). A physicochemical study of carbonization phases .2. Quenching experiments at the pilot scale. Fuel Process Tech. 48: 29-37.

Koch, A; Gruber, R; Cagniant, D; Henrion, P; Duchene, JM. (1996). A physicochemical study of carbonization phases .3. A method of predicting wall pressure by extraction with N-methyl-2-pyrrolidinone. Fuel Process Tech. 48: 39-50.

Koch, A; Gruber, R; Cagniant, D; Pajak, J; Krzton, A. (1995). A PHYSICOCHEMICAL STUDY OF CARBONIZATION PHASES .1. TARS MIGRATION AND COKING PRESSURE. Fuel Process Tech. 45: 135-153.

Kolinska, J; Podsiadly, R; Wysocki, S; Sokolowska, J. (2009). The photochemical behaviour of naphthoylenebenzimidazolone dyes in 1-methyl-2-pyrrolidone. Dyes and Pigments. 82: 238-243. http://dx.doi.org/10.1016/j.dyepig.2009.01.007.

Koning, C; Teuwen, L; Bulters, M. (1996). Synthesis, characterization, and mechanical properties of an injection moldable polyimide based on 1,4-diaminobutane. Polymer Engineering and Science. 36: 1347-1354.

Kono, H; Oeda, I; Nakamura, T. (2013). The preparation, swelling characteristics, and albumin adsorption and release behaviors of a novel chitosan-based polyampholyte hydrogel. React Funct Polym. 73: 97-107. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.08.016.

Konovalova, VV; Bryk, MT; Nigmatullin, RR; Gvozdyak, PI; Udilova, OF. (2000). Biocatalytic membranes for ultrafiltration treatment of wastewater containing dyes. 23: 651-656.

Kopec, KK; Dutczak, SM; Bolhuis-Versteeg, L; Wessling, M; Stamatialis, DF. (2011). Solvent-resistant P84-based mixed matrix membrane adsorbers. Separation and Purification Technology. 80: 306-314. http://dx.doi.org/10.1016/j.seppur.2011.05.012.

Kortunov, PV; Siskin, M; Baugh, LS; Calabro, DC. (2015). In Situ Nuclear Magnetic Resonance Mechanistic Studies of Carbon Dioxide Reactions with Liquid Amines in Non-aqueous Systems: Evidence for the Formation of Carbamic Acids and Zwitterionic Species. Energy Fuels. 29: 5940-5966. http://dx.doi.org/10.1021/acs.energyfuels.5b00985.

Kozhemyakina, NV; Eigler, S; Dinnebier, RE; Inayat, A; Schwieger, W; Hirsch, A. (2013). Effect of the Structure and Morphology of Natural, Synthetic and Post-processed Graphites on Their Dispersibility and Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 804-823. http://dx.doi.org/10.1080/1536383X.2012.702162.

Krajnc, M; Levec, J. (1994). CATALYTIC-OXIDATION OF TOXIC ORGANICS IN SUPERCRITICAL WATER. Appl Catal B-Environ. 3: L101-L107.

Krishnan, PS; Joshi, M; Bhargava, P; Valiyaveettil, S; He, C. (2005). Effect of heterocyclic based organoclays on the properties of polyimide-clay nanocomposites. J Nanosci Nanotechnol. 5: 1148-1157. http://dx.doi.org/10.1166/jnn.2005.171.

Krishnan, PSG; Vora, RH; Veeramani, S. (2002). Thermal degradation kinetics of 6FDA/durene diamine/pPDA copolyimides. Plastics, Rubber and Composites. 31: 289-294. http://dx.doi.org/10.1179/146580102225003146.

Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. Water Sci Technol. 71: 776-782. http://dx.doi.org/10.2166/wst.2015.031.

Krummen, M; Gmehling, R. (2004). Measurement of activity coefficients at infinite dilution in N-methyl-2-pyrrolidone and N-formylmorpholine and their mixtures with water using the dilutor technique. Fluid Phase Equilibria. 215: 283-294. http://dx.doi.org/10.1016/j.fluid.2003.10.010.

Krzton, A; Cagniant, D; Gruber, R; Pajak, J; Fortin, F; Rouzaud, JN. (1995). APPLICATION OF FOURIER SELF-DECONVOLUTION TO THE FT-IR CHARACTERIZATION OF COALS AND THEIR N-METHYL 2-PYRROLIDINONE EXTRACTION PRODUCTS. Fuel. 74: 217-225.

Ku, CY; Shieh, JM; Chiou, TB; Lin, HK; Lei, TF. (2000). Postexposure delay effect on linewidth variation in base added chemically amplified resist. J Electrochem Soc. 147: 3833-3839.

Kulbokaite, R; Ciuta, G; Netopilik, M; Makuska, R. (2009). N-PEG'ylation of chitosan via "click chemistry" reactions. React Funct Polym. 69: 771-778. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.06.010.

Kulikov, AV; Kogan, YL; Fokeeva, LS. (1995). MOLECULAR MOBILITY IN POLYANILINE STUDIED BY ESR METHOD. Synthetic Metals. 69: 223-224.

Kulpinski, P; Czarnecki, P; Niekraszewicz, B; Jeszka, JK. (2016). Functional Nanocomposite Poly(phenylene sulphide) Fibres - Preliminary Studies. 24: 20-26. http://dx.doi.org/10.5604/12303666.1201129.

Kumar, S; Guria, C; Mandal, A. (2015). Synthesis, characterization and performance studies of polysulfone/bentonite nanoparticles mixed-matrix ultra-filtration membranes using oil field produced water. Separation and Purification Technology. 150: 145-158. http://dx.doi.org/10.1016/j.seppur.2015.06.029.

Kumar, S; Srivastava, M. (2015). Mesophase formation behavior in petroleum residues. 16: 171-182. http://dx.doi.org/10.5714/CL.2015.16.3.171.

Exposure Literature Search Results

Off Topic

Kumar, S; Srivastava, VC; Raghuvanshi, R; Nanoti, SM; Sudhir, N. (2015). Removal of Refractive Sulfur and Aromatic Compounds from Straight-Run, Fluidized Catalytic Cracking, and Coker Gas Oil Using N-Methyl-2-pyrrolidone in Batch and Packed-Bed Extractors. Energy Fuels. 29: 4634-4643. http://dx.doi.org/10.1021/acs.energyfuels.5b00834.

Kumari, PG; Radhamma, M; Sekhar, GC; Rao, MVP. (2002). Excess volumes and speeds of sound of N-methyl-2-pyrrolidone with chloroethanes and chloroethenes at 303.15 K. Journal of Chemical and Engineering Data. 47: 425-427. http://dx.doi.org/10.1021/je0102661.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones. Journal of Chemical and Engineering Data. 55: 69-73. http://dx.doi.org/10.1021/je900262t.

Kumari, PG; Venkatesu, P; Hofman, T; Rao, MVP. (2010). Excess Molar Enthalpies and Vapor-Liquid Equilibrium for N-Methyl-2-pyrrolidone with Ketones (vol 55, pg 69, 2010). Journal of Chemical and Engineering Data. 55: 2362-2362. http://dx.doi.org/10.1021/je1001126.

Kung, Y, iC; Hsiao, SH. (2011). Solution-processable, high-T-g, ambipolar polyimide electrochromics bearing pyrenylamine units. J Mater Chem. 21: 1746-1754. http://dx.doi.org/10.1039/c0jm02642e.

Kuo, CT; Chen, CH. (1999). Characterization of polyaniline doped with diphenyl phosphate. Synthetic Metals. 99: 163-167.

Kuo, CT; Chiou, WH. (1997). Field-effect transistor with polyaniline thin film as semiconductor. Synthetic Metals. 88: 23-30.

Kupareva, A; Maki-Arvela, P; Murzin, DY, u. (2013). Technology for rerefining used lube oils applied in Europe: a review. J Chem Tech Biotechnol. 88: 1780-1793. http://dx.doi.org/10.1002/jctb.4137.

Kupikowska-Stobba, B; Lewińska, D; Grzeczkowicz, M. (2014). Chemical method for retrieval of cells encapsulated in alginate-polyethersulfone microcapsules. 42: 151-160. http://dx.doi.org/10.3109/21691401.2013.800083.

Kurdi, J; Tremblay, AY. (2001). The influence of casting solution structure on the microporosity of polyetherimide gas separation membranes prepared by the coagulation post-leaching method. J Memb Sci. 184: 175-186.

Kurtan, U; Topkaya, R; Esir, S; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite: Its magnetic characterization. Ceramics International. 39: 6407-6413. http://dx.doi.org/10.1016/j.ceramint.2013.01.067.

Kuwabata, S; Idzu, T; Martin, CR; Yoneyama, H. (1998). Charge-discharge properties of composite films of polyaniline and crystalline V2O5 particles. J Electrochem Soc. 145: 2707-2710.

Kyrey, TO; Kyzyma, OA; Avdeev, MV; Tropin, TV; Korobov, MV; Aksenov, VL; Bulavin, LA. (2012). Absorption Characteristics of Fullerene C-60 in N-Methyl-2-Pirrolidone/Toluene Mixture. Fullerenes, Nanotubes, and Carbon Nanostructures. 20: 341-344. http://dx.doi.org/10.1080/1536383X.2012.655173.

Kyzyma, OA; Bulavin, LA; Aksenov, VL; Tropin, TV; Avdeev, MV; Korobov, MV; Snegir, SV; Rosta, L. (2008). Aggregation in C6(0)/NMP, C-60/NMP/water and C-60/NMP/toluene mixtures. Fullerenes, Nanotubes, and Carbon Nanostructures. 16: 610-615. http://dx.doi.org/10.1080/15363830802312982.

Kyzyma, OA; Korobov, MV; Avdeev, MV; Garamus, VM; Petrenko, VI; Aksenov, VL; Bulavin, LA. (2010). Solvatochromism and Fullerene Cluster Formation in C-60/N-methyl-2-pyrrolidone. Fullerenes, Nanotubes, and Carbon Nanostructures. 18: 458-461. http://dx.doi.org/10.1080/1536383X.2010.487778.

Labarre, ED; Calderon-Colon, X; Morris, M; Tiffany, J; Wetzel, E; Merkle, A; Trexler, M. (2015). Effect of a carbon nanotube coating on friction and impact performance of Kevlar. Journal of Materials Science. 50: 5431-5442. http://dx.doi.org/10.1007/s10853-015-9088-8.

Lai, C, hiYan; Groth, A; Gray, S; Duke, M. (2011). Investigation of the dispersion of nanoclays into PVDF for enhancement of physical membrane properties. Desalination and Water Treatment. 34: 251-256. http://dx.doi.org/10.5004/dwt.2011.2888.

Lakouraj, MM; Rahpaima, G; Azimi, R. (2016). ORGANOSOLUBLE XANTHONE-BASED POLYIMIDES: SYNTHESIS, CHARACTERIZATION, ANTIOXIDANT ACTIVITY AND HEAVY-METAL SORPTION. Materiali in Tehnologije. 50: 471-478. http://dx.doi.org/10.17222/mit.2013.250.

Lakshmi, DS; Figoli, A; Buonomenna, MG; Golemme, G; Drioli, E. (2012). Preparation and characterization of porous and nonporous polymeric microspheres by the phase inversion process. Advances in Polymer Technology. 31: 231-241. http://dx.doi.org/10.1002/adv.21281.

Lammens, TM; Franssen, MCR; Scott, EL; Sanders, JPM. (2012). Availability of protein-derived amino acids as feedstock for the production of bio-based chemicals. Biomass and Bioenergy. 44: 168-181. http://dx.doi.org/10.1016/j.biombioe.2012.04.021.

Lammens, TM; Potting, J; Sanders, JP; De Boer, IJ. (2011). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. Environ Sci Technol. 45: 8521-8528. http://dx.doi.org/10.1021/es201869e.

Lammens, TM; Potting, J; Sanders, JPM; De Boer, IJM. (2012). Environmental comparison of biobased chemicals from glutamic acid with their petrochemical equivalents. International Sugar Journal. 114: 83-90.

Lan, CH; Peng, CY; Lin, TS. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol. 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x.

Lang, W, anZ; Shen, JP; Wei, Y, iT; Wu, Q, iY; Wang, J; Guo, Y, aJun. (2013). Precipitation kinetics, morphologies, and properties of poly(vinyl butyral) hollow fiber ultrafiltration membranes with respect to polyvinylpyrrolidone molecular weight. Chem Eng J. 225: 25-33. http://dx.doi.org/10.1016/j.cej.2013.03.061.

Lang, W; Shen, JP; Zhang, Y; Yu, Y; Guo, Y; Liu, C. (2013). Preparation and characterizations of charged poly(vinyl butyral) hollow fiber ultrafiltration membranes with perfluorosulfonic acid as additive. J Memb Sci. 430: 1-10. http://dx.doi.org/10.1016/j.memsci.2012.10.039.

Langworth, S; Anundi, H; Friis, L; Johanson, G; Lind, ML; Soderman, E; Akesson, BA. (2001). Acute health effects common during graffiti removal. Int Arch Occup Environ Health. 74: 213-218. http://dx.doi.org/10.1007/s004200000211.

Late, DJ. (2016). Liquid exfoliation of black phosphorus nanosheets and its application as humidity sensor. Microporous and Mesoporous Materials. 225: 494-503. http://dx.doi.org/10.1016/j.micromeso.2016.01.031.

Lazaro, MJ; Herod, AA; Cocksedge, M; Domin, M; Kandiyoti, R. (1997). Molecular mass determinations in coal-derived liquids by MALDI mass spectrometry and size-exclusion chromatography. Fuel. 76: 1225-1233.

Exposure Literature Search Results

Off Topic

Lazaro, MJ; Islas, CA; Herod, AA; Kandiyoti, R. (1999). Calibration of size exclusion chromatography in 1-methyl-2-pyrrolidinone for coal-derived materials using standards and mass spectrometry. Energy Fuels. 13: 1212-1222.

Lazaro, MJ; Moliner, R; Suelves, I; Herod, AA; Kandiyoti, R. (2001). Characterisation of tars from the co-pyrolysis of waste lubricating oils with coal. Fuel. 80: 179-194.

Lazzaroni, MJ; Bush, D; Brown, JS; Eckert, CA. (2005). High-pressure vapor-liquid equilbria of some carbon dioxide plus organic binary systems. Journal of Chemical and Engineering Data. 50: 60-65. http://dx.doi.org/10.1021/je0498560.

Le, NL; Bettahalli, NMS; Nunes, SP; Chung, T, aiS. (2016). Outer-selective thin film composite (TFC) hollow fiber membranes for osmotic power generation. J Memb Sci. 505: 157-166. http://dx.doi.org/10.1016/j.memsci.2016.01.027.

Le, QT; Claes, M; Conard, T; Kesters, E; Lux, M; Vereecke, G. (2009). Removal of post-etch photoresist and sidewall residues using organic solvent and additive combined with physical forces. Microelectron Eng. 86: 181-185. http://dx.doi.org/10.1016/j.mee.2008.09.029.

Lederer, MO; Schuler, A; Ohmenhäuser, M. (1999). Reactivity of lysine moieties toward an epoxyhydroxylinoleic acid derivative: aminolysis versus hydrolysis. J Agric Food Chem. 47: 4611-4620.

Lee, BI; Wang, X; Kwon, SJ; Maie, H; Kota, R; Hwang, JH; Park, JG; Hu, M. (2006). Synthesis of high tetragonality nanoparticle BaTiO3. Microelectron Eng. 83: 463-470. http://dx.doi.org/10.1016/j.mee.2005.10.058.

Lee, BM, in; Jeong, J, inS; Lee, YH, o; Lee, BC; Kim, HS, oo; Kim, H; Lee, YW, oo. (2009). Supercritical Antisolvent Micronization of Cyclotrimethylenetrinitramin: Influence of the Organic Solvent. Ind Eng Chem Res. 48: 11162-11167. http://dx.doi.org/10.1021/ie900448w.

Lee, CJ; Wang, SS; Lin, GC; Hu, W; Chen, LT. (1995). PILOT PRODUCTION OF POLYSULFONE HOLLOW-FIBER FOR ULTRAFILTRATION USING ORTHOGONAL ARRAY EXPERIMENTATION. Ind Eng Chem Res. 34: 813-819.

Lee, CW; Jung, CY; Byun, HS. (2004). High pressure phase behavior of carbon dioxide+1-methyl-2-pyrrolidinone and carbon dioxide+1-ethyl-2-pyrrolidinone systems. Journal of Chemical and Engineering Data. 49: 53-57. http://dx.doi.org/10.1021/je0301545.

Lee, HE; Lee, TB; Kim, HS; Koo, KK. (2010). Prediction of the Growth Habit of 7-Amino-4,6-dinitrobenzofuroxan Mediated by Cosolvents. Cryst Growth Des. 10: 618-625. http://dx.doi.org/10.1021/cg901023s.

Lee, HJ; Won, J; Lee, H; Kang, YS. (2002). Solution properties of poly(amic acid)-NMP containing LiCl and their effects on membrane morphologies. J Memb Sci. 196: 267-277.

Lee, HR; Lee, YD. (1991). MATHEMATICAL-MODELS AND EXPERIMENTS FOR SWELLING PHENOMENA BEFORE DISSOLUTION OF A POLYMER FILM. Chem Eng Sci. 46: 1771-1779.

Lee, J, inH; Kim, HH, o; Kim, G, yuS; Zang, DS, ik; Choi, YM, in; Kim, H; Yi, DK, ee; Sigmund, WM; Paik, U. (2010). Evaluation of Surface Acid and Base Properties of LiFePO4 in Aqueous Medium with pH and Its Electrochemical Properties. J Phys Chem C. 114: 4466-4472. http://dx.doi.org/10.1021/jp9085552.

Lee, JH; Gomez, I; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. I. A symmetric system. Langmuir. 27: 6897-6904. http://dx.doi.org/10.1021/la200976d.

Lee, JH; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. II. An asymmetric system. Langmuir. 27: 10000-10006. http://dx.doi.org/10.1021/la202176u.

Lee, JK; Lee, W, ooJin; Cho, YJ, u; Park, D, ooH; Lee, YW, oo; Chung, J. (2010). Variation of bacterial community immobilized in polyethylene glycol carrier during mineralization of xenobiotics analyzed by TGGE technique. Korean J Chem Eng. 27: 1816-1821. http://dx.doi.org/10.1007/s11814-010-0291-7.

Lee, JY; Chaimongkalayon, N; Lim, J; Ha, HY; Moon, SH. (2016). Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. Water Sci Technol. 73: 3064-3071. http://dx.doi.org/10.2166/wst.2016.135.

Lee, KR; Liaw, DJ; Liaw, BY; Lai, JY. (1997). Selective separation of water from aqueous alcohol solution through fluorine-containing aromatic polyamide membranes by pervaporation. J Memb Sci. 131: 249-259.

Lee, KW. (1994). MODIFICATION OF POLYIMIDE SURFACE-MORPHOLOGY - RELATIONSHIP BETWEEN MODIFICATION DEPTH AND ADHESION STRENGTH. J Adhes Sci Tech. 8: 1077-1092.

Lee, KY; Huang, WS. (1993). EVALUATION AND APPLICATION OF A VERY HIGH-PERFORMANCE CHEMICALLY AMPLIFIED RESIST FOR ELECTRON-BEAM LITHOGRAPHY. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 11: 2807-2811.

Lee, M; Ko, Y; Jun, Y. (2015). Efficient fiber-shaped perovskite photovoltaics using silver nanowires as top electrode. 3: 19310-19313. http://dx.doi.org/10.1039/c5ta02779a.

Lee, S, uMin; Choi, I, nH; Myung, S, uWan; Park, J, ooY; Kim, I, nC; Kim, W, ooN; Lee, K, ewHo. (2008). Preparation and characterization of nickel hollow fiber membrane. Desalination. 233: 32-39. http://dx.doi.org/10.1016/j.desal.2007.09.024.

Lee, YM; Kim, JW; Choi, NS; Lee, JA; Seol, WH; Park, JK. (2005). Novel porous separator based on PVdF and PE non-woven matrix for rechargeable lithium batteries. J Power Sources. 139: 235-241. http://dx.doi.org/10.1016/j.jpowsour.2004.06.055.

Lee, YM; Nam, SY; Ha, SY. (1999). Pervaporation of water isopropanol mixtures through polyaniline membranes doped with poly(acrylic acid). J Memb Sci. 159: 41-46.

Legrand, AP; Sfihi, H; Sderi, D; Gruber, R; Cagniant, D. (1994). C-13 NMR SPECTROSCOPIC CHARACTERIZATION OF PRODUCTS OF SOLVOLYSIS OF COALS BY N-METHYL-2-PYRROLIDINONE. Fuel. 73: 836-839.

Lei, Z; Arlt, W; Wasserscheid, P. (2007). Selection of entrainers in the 1-hexene/n-hexane system with a limited solubility. Fluid Phase Equilibria. 260: 29-35. http://dx.doi.org/10.1016/j.fluid.2006.06.009.

Lei, Z, hiP; Cheng, L, uLu; Zhang, S, uF; Zhang, Y, anQiu; Shui, HF, u; Ren, S, hiB; Wang, Z, hiCai. (2015). Dissolution performance of coals in ionic liquid 1-butyl-3-methyl-imidazolium chloride. Fuel Process Tech. 129: 222-226. http://dx.doi.org/10.1016/j.fuproc.2014.09.021.

Lei, Z; Xu, S; Wan, J; Wu, P. (2016). Facile synthesis of N-rich carbon quantum dots by spontaneous polymerization and incision of solvents as efficient bioimaging probes and advanced electrocatalysts for oxygen reduction reaction. Nanoscale. 8: 2219-2226. http://dx.doi.org/10.1039/c5nr07335a.

Exposure Literature Search Results

Off Topic

Lei, ZG; Arlt, W; Wasserscheid, P. (2006). Separation of 1-hexene and n-hexane with ionic liquids. Fluid Phase Equilibria. 241: 290-299. http://dx.doi.org/10.1016/j.fluid.2005.12.024.

Leijonmarck, S; Cornell, A, nn; Lindbergh, G; Wagberg, L. (2013). Single-paper flexible Li-ion battery cells through a paper-making process based on nano-fibrillated cellulose. 1: 4671-4677. http://dx.doi.org/10.1039/c3ta01532g.

Leo, CP; Kamil, NHA; Junaidi, MUM; Kamal, SNM; Ahmad, AL. (2013). The potential of SAPO-44 zeolite filler in fouling mitigation of polysulfone ultrafiltration membrane. Separation and Purification Technology. 103: 84-91. http://dx.doi.org/10.1016/j.seppur.2012.10.019.

Leo, CP; Lee, WPC; Ahmad, AL; Mohammad, AW. (2012). Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid. Separation and Purification Technology. 89: 51-56. http://dx.doi.org/10.1016/j.seppur.2012.01.002.

Letcher, TM; Domanska, U; Mwenesongole, E. (1998). The excess molar volumes of (N-methyl-2-pyrrolidone plus an alkanol or a hydrocarbon) at 298.15 K and the application of the Flory-Benson-Treszczanowicz and the Extended Real Associated Solution theories. Fluid Phase Equilibria. 149: 323-337.

Letcher, TM; Naicker, PK. (1998). Ternary Liquid−Liquid Equilibria for Mixtures of an n -Alkane + an Aromatic Hydrocarbon + N -Methyl-2-pyrrolidone at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 43: 1034-1038. http://dx.doi.org/10.1021/je980114e.

Levine, F; Escarsega, J; La Scala, J. (2012). Effect of isocyanate to hydroxyl index on the properties of clear polyurethane films. Progr Org Coating. 74: 572-581. http://dx.doi.org/10.1016/j.porgcoat.2012.02.004.

Lewis, GT; Nowling, GR; Hicks, RF; Cohen, Y. (2007). Inorganic surface nanostructuring by atmospheric pressure plasma-induced graft polymerization. Langmuir. 23: 10756-10764. http://dx.doi.org/10.1021/la700577p.

Li, CL; Wang, D, aM; Deratani, A; Quemener, D; Bouyer, D; Lai, JY, ih. (2010). Insight into the preparation of poly(vinylidene fluoride) membranes by vapor-induced phase separation. J Memb Sci. 361: 154-166. http://dx.doi.org/10.1016/j.memsci.2010.05.064.

Li, CQ; Ashida, S; Iino, M; Takanohashi, T. (2000). Coal dissolution by heat treatments in N-methyl-2-pyrrolidinone, 1,4,5,8,9,10-hexahydroanthracene, and their mixed solvents: A large synergistic effect of the mixed solvents. Energy Fuels. 14: 190-196.

Li, CQ; Takanohashi, T; Saito, I. (2004). Elucidation of mechanisms involved in acid pretreatment and thermal extraction during ashless coal production. Energy Fuels. 18: 97-101. http://dx.doi.org/10.1021/ef0340054.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 1. Effects of heat treatment conditions on the dissolution yield. Energy Fuels. 17: 762-767. http://dx.doi.org/10.1021/ef02028oz.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Coal dissolution by heat treatment at temperatures up to 300 degrees C in N-methyl-2-pyrrolidinone with addition of lithium halide. 2. Elucidation of mechanism by investigation of the structural changes of heat-treated coals. Energy Fuels. 17: 768-773. http://dx.doi.org/10.1021/ef0202790.

Li, CQ; Takanohashi, T; Saito, I; Iino, M. (2003). Role of N-methyl-2-pyrrolidinone in hydrogen donation from 9,10-dihydroanthracene to coal at 300 degrees C. Energy Fuels. 17: 1399-1400. http://dx.doi.org/10.1021/ef030057h.

Li, CQ; Takanohashi, T; Saito, I; Iino, M; Moriyama, R; Kumagai, H; Chiba, T. (2002). The Behavior of free radicals in coal at temperatures up to 300 degrees C in various organic solvents, using in situ EPR spectroscopy. Energy Fuels. 16: 1116-1120. http://dx.doi.org/10.1021/ef010296+.

Li, CQ; Takanohashi, T; Yoshida, T; Saito, I; Aoki, H; Mashimo, K. (2004). Effect of acid treatment on thermal extraction yield in ashless coal production. Fuel. 83: 727-732. http://dx.doi.org/10.1016/j.fuel.2003.06.002.

Li, D; Jiang, YD; Wu, ZM; Chen, XD; Li, YR. (2000). Fabrication of self-assembled polyaniline films by doping-induced deposition. Thin Solid Films. 360: 24-27.

Li, DQ; Evans, DG; Duan, X. (2002). Solid-liquid equilibria of terephthalaldehydic acid in different solvents. Journal of Chemical and Engineering Data. 47: 1220-1221. http://dx.doi.org/10.1021/je020039e.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubilities of terephthalaldehydic, p-toluic, benzoic, terephthalic, and isophthalic acids in N-methyl-2-pyrrolidone from 295.65 K to 371.35 K. Journal of Chemical and Engineering Data. 46: 172-173.

Li, DQ; Liu, DZ; Wang, FA. (2001). Solubility of 4-methylbenzoic acid between 288 K and 370 K. Journal of Chemical and Engineering Data. 46: 234-236.

Li, DS; Long, SR, u; Zhang, G; Yang, J, ie. (2013). Preparation of the Poly(arylene sulfide sulfone)/Multi-Walled Carbon Nanotubes Composites via In Situ Polymerization. J Nanosci Nanotechnol. 13: 3920-3927. http://dx.doi.org/10.1166/jnn.2013.6901.

Li, F, aT; Kou, CG; Sun, Z; Hao, YJ; Liu, R; Zhao, D, iS. (2012). Deep extractive and oxidative desulfurization of dibenzothiophene with C5H9NO center dot SnCl2 coordinated ionic liquid. J Hazard Mater. 205: 164-170. http://dx.doi.org/10.1016/j.jhazmat.2011.12.054.

Li, F, aT; Wu, B; Liu, R; Wang, XJ; Chen, L; Zhao, D, iS. (2015). An inexpensive N-methyl-2-pyrrolidone-based ionic liquid as efficient extractant and catalyst for desulfurization of dibenzothiophene. Chem Eng J. 274: 192-199. http://dx.doi.org/10.1016/j.cej.2015.04.027.

Li, H; Song, J; Tan, X; Jin, Y; Liu, S. (2015). Preparation of spiral porous stainless steel hollow fiber membranes by a modified phase inversion-sintering technique. J Memb Sci. 489: 292-298. http://dx.doi.org/10.1016/j.memsci.2015.04.037.

Li, J; Shao, J, ia; Ge, Q; Wang, G; Wang, Z; Yan, Y. (2012). Influences of the zeolite loading and particle size in composite hollow fiber supports on properties of zeolite NaA membranes. Microporous and Mesoporous Materials. 160: 10-17. http://dx.doi.org/10.1016/j.micromeso.2012.04.039.

Li, J, inS; Wu, S, iWei; Lu, K, aiTai. (2016). Study on Preparation of Insensitive and Spherical High Bulk Density Nitroguanidine with Controllable Particle Size. Propellants, Explosives, Pyrotechnics. 41: 312-320. http://dx.doi.org/10.1002/prep.201500153.

Li, K; Wang, DL; Koe, CC; Teo, WK. (1998). Use of asymmetric hollow fibre modules for elimination of H2S from gas streams via a membrane absorption method. Chem Eng Sci. 53: 1111-1119.

Li, L; Yan, B. (2009). BiVO4/Bi2O3 submicrometer sphere composite: Microstructure and photocatalytic activity under visible-light irradiation. J Alloy Comp. 476: 624-628. http://dx.doi.org/10.1016/j.jallcom.2008.09.083.

Exposure Literature Search Results

Off Topic

Li, L, i; Yang, J; Chen, X; Hao, X. (2009). Rheological characterization of 2-acrylamido-2-methyl-1-propanesulfonic acid-doped polyaniline solution. Synthetic Metals. 159: 2462-2468. http://dx.doi.org/10.1016/j.synthmet.2009.08.012.

Li, L; Yin, Z; Li, F; Xiang, T, ao; Chen, Y, ao; Zhao, C. (2010). Preparation and characterization of poly(acrylonitrile-acrylic acid-N-vinyl pyrrolidinone) terpolymer blended polyethersulfone membranes. J Memb Sci. 349: 56-64. http://dx.doi.org/10.1016/j.memsci.2009.11.018.

Li, M, ei; Zhang, Y; Yang, L; Liu, Y; Ma, J. (2015). Excellent electrochemical performance of homogeneous polypyrrole/graphene composites as electrode material for supercapacitors. Journal of Materials Science: Materials in Electronics. 26: 485-492. http://dx.doi.org/10.1007/s10854-014-2425-x.

Li, Q, unS; Yi, ZM; Su, MG, ao; Sun, X, uF. (2008). Solubility of Naphthalene in Isobutyl Acetate, n-Butyric Acid, Ethyl Acetate, N-Methyl Pyrrolidone, N,N-Dimethylformamide, and Tetrahydrofuran. Journal of Chemical and Engineering Data. 53: 2701-2703. http://dx.doi.org/10.1021/je800428r.

Li, QS; Su, MG; Wang, S. (2007). Solubility of 2-(4-ethylbenzoyl)benzoic acid in eleven organic solvents between 279.55 K and 343.15 K. Journal of Chemical and Engineering Data. 52: 2477-2479. http://dx.doi.org/10.1021/je700426k.

Li, QS; Wang, DW; Yi, ZM. (2010). Solubility of Sulpiride in Pure Organic Solvents between (278 and 333) K. Journal of Chemical and Engineering Data. 55: 4066-4067. http://dx.doi.org/10.1021/je1002016.

Li, S; Zhang, X; Zhao, J; Meng, F; Xu, G; Yong, Z; Jia, J; Zhang, Z; Li, Q. (2012). Enhancement of carbon nanotube fibres using different solvents and polymers. Compos Sci Tech. 72: 1402-1407. http://dx.doi.org/10.1016/j.compscitech.2012.05.013.

Li, TD; Gan, LM; Chew, CH; Teo, WK; Gan, LH. (1997). Hollow-fiber membranes coated with polymerizable bicontinuous microemulsions. J Memb Sci. 133: 177-187.

Li, W; Xiao, A; Lucht, BL; Smart, MC; Ratnakumar, BV. (2008). Surface analysis of electrodes from cells containing electrolytes with stabilizing additives exposed to high temperature. J Electrochem Soc. 155: A648-A657. http://dx.doi.org/10.1149/1.2949507.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2004). Analysis of solvent extracts from coal liquefaction in a flowing solvent reactor. Fuel Process Tech. 85: 1671-1687. http://dx.doi.org/10.1016/j.fuproc.2003.12.012.

Li, WY; Feng, J; Xie, KC; Kandiyoti, R. (2005). Analysis of recovered solvents from coal liquefaction in a flowing-solvent reactor by SEC and UV-fluorescence. Energy Sources. 27: 987-995. http://dx.doi.org/10.1080/00908310490449414.

Li, WY; Suelves, I; Lazaro, MJ; Zhang, SF; Morgan, TJ; Herod, AA; Kandiyoti, R. (2004). Solvent degradation during coal liquefaction in a flowing-solvent reactor. Fuel. 83: 157-179. http://dx.doi.org/10.1016/S0016-2361(03)00242-4.

Li, X, ue; Chung, T, aiS. (2014). Thin-film composite P84 co-polyimide hollow fiber membranes for osmotic power generation. Appl Energ. 114: 600-610. http://dx.doi.org/10.1016/j.apenergy.2013.10.037.

Li, X; Liu, C; Zhang, S; Yu, G; Jian, X. (2012). Acid doped polybenzimidazoles containing 4-phenyl phthalazinone moieties for high-temperature PEMFC. J Memb Sci. 423: 128-135. http://dx.doi.org/10.1016/j.memsci.2012.08.005.

Li, X; Zheng, D; Zhang, M, in; Dong, L, i. (2014). Vapor-liquid equilibrium measurement of 1,1,1,3,3-pentafluoropropane plus N,N-dimethylformamide/diethylene glycol dimethyl ether/N-methyl-2-pyrrolidone working fluids for absorption power cycle. Fluid Phase Equilibria. 366: 1-8. http://dx.doi.org/10.1016/j.fluid.2014.01.007.

Li, Y, i; Loh, K. (2007). Hybrid-hollow-fiber membrane bioreactor for cometabolic transformation of 4-chlorophenol in the presence of phenol. J Environ Eng. 133: 404-410. http://dx.doi.org/10.1061/(ASCE)0733-9372(2007)133:4(404).

Li, Y; Loh, KC. (2006). Activated carbon impregnated polysulfone hollow fiber membrane for cell immobilization and cometabolic biotransformation of 4-chlorophenol in the presence of phenol. J Memb Sci. 276: 81-90. http://dx.doi.org/10.1016/j.memsci.2005.09.034.

Li, ZF; Kang, ET; Neoh, KG; Tan, KL. (1997). Effect of thermal processing conditions on the intrinsic oxidation states and mechanical properties of polyaniline films. Synthetic Metals. 87: 45-52.

Li, ZS; Jiang, CZ. (2000). Determination of the nonsolvent-polymer interaction parameter X 13 in the casting solutions. J Memb Sci. 174: 87-96.

Li, ZS; Ren, JZ; Fane, AG; Li, DF; Wong, FS. (2006). Influence of solvent on the structure and performance of cellulose acetate membranes. J Memb Sci. 279: 601-607. http://dx.doi.org/10.1016/j.memsci.2005.12.054.

Liaros, N; Iliopoulos, K; Stylianakis, MM; Koudoumas, E; Couris, S. (2013). Optical limiting action of few layered graphene oxide dispersed in different solvents. Optical Materials. 36: 112-117. http://dx.doi.org/10.1016/j.optmat.2013.04.036.

Liaw, DJ; Liaw, BY; Hsu, PN; Hwang, CY. (2001). Synthesis and characterization of new highly organosoluble poly(ether imide)s bearing a noncoplanar 2,2 '-dimethyl-4,4 '-biphenyl unit and kink diphenylmethylene linkage. Chem Mater. 13: 1811-1816.

Liaw, DJ; Liaw, BY; Li, LJ; Sillion, B; Mercier, R; Thiria, R; Sekiguchi, H. (1998). Synthesis and characterization of new soluble polyimides from 3,3 ',4,4 '-benzhydrol tetracarboxylic dianhydride and various diamines. Chem Mater. 10: 734-739.

Liedtke, V; Huttinger, KJ. (1996). Mesophase pitches as matrix precursor of carbon fiber reinforced carbon .1. Mesophase pitch preparation and characterization. Carbon. 34: 1057-1066.

Lim, CH; Yoo, YJ. (2000). Synthesis of ortho-directed polyaniline using horseradish peroxidase. Process Biochemistry. 36: 233-241.

Lim, HY; Jeong, SK; Suh, JS; Oh, EJ; Park, YW; Ryu, KS; Yo, CH. (1995). PREPARATION AND PROPERTIES OF FULLERENE DOPED POLYANILINE. Synthetic Metals. 70: 1463-1464.

Lim, J, un; Kim, M, inC; Goh, M; Yeo, H; Shin, DG; Ku, B, onC; You, N, amHo. (2013). Synthesis and characterization of polybenzoxazole/graphene oxide composites via in situ polymerization. 14: 251-254. http://dx.doi.org/10.5714/CL.2013.14.4.251.

Lin, DW; Bettinger, CJ; Ferreira, JP; Wang, CL; Bao, Z. (2011). A cell-compatible conductive film from a carbon nanotube network adsorbed on poly-L-lysine. ACS Nano. 5: 10026-10032. http://dx.doi.org/10.1021/nn203870c.

Lin, H, e; Zhu, SG; Zhang, L, in; Peng, X, inHua; Li, HZ. (2013). Synthesis and First Principles Investigation of HMX/NMP Cocrystal Explosive. Journal of Energetic Materials. 31: 261-272. http://dx.doi.org/10.1080/07370652.2012.716492.

Exposure Literature Search Results

Off Topic

Lin, HW, ei; Tan, CS. (2015). Preparation of polyamic acid and polyimide nanoparticles by compressed fluid antisolvent and thermal imidization. Journal of Supercritical Fluids. 99: 103-111. http://dx.doi.org/10.1016/j.supflu.2015.01.028.

Lin, WJ; Chen, WC. (2001). Theoretical analysis of the baking process in two polymer/solvent systems: PMMA/anisole and PMDA-ODA/NMP. J Electrochem Soc. 148: G620-G626. http://dx.doi.org/10.1149/1.1406495.

Linek, J; Wichterle, I; Marsh, KN. (1996). Vapor-liquid equilibria for N-methyl-2-pyrrolidone plus benzene, plus toluene, plus heptane, and plus methylcyclohexane. Journal of Chemical and Engineering Data. 41: 1212-1218.

Lingyun, Y; Mengru, W; Yun, G; Surui, L; Yanqing, W; Changsheng, Z; Wei, D; Jing, J; Wei, L. (2014). Rapid Determination of 2-Butanone, 2-Pyrrolidone and N-Methyl Pyrrolidone in Leather by UPLC. Journal of the Society of Leather Technologists and Chemists. 98: 182-184.

Liu, F, uS; Li, Z; Yu, S; Cui, X; Xie, C; Ge, XP. (2009). Methanolysis and Hydrolysis of Polycarbonate Under Moderate Conditions. Journal of Polymers and the Environment. 17: 208-211. http://dx.doi.org/10.1007/s10924-009-0140-0.

Liu, FJ; Wei, XY; Fan, M; Zong, Z, hiMin. (2016). Separation and structural characterization of the value-added chemicals from mild degradation of lignites: A review. Appl Energ. 170: 415-436. http://dx.doi.org/10.1016/j.apenergy.2016.02.131.

Liu, G; Wang, H; Jiang, Y. (2013). Recrystallization and Micronization of Camptothecin by the Supercritical Antisolvent Process: Influence of Solvents. Ind Eng Chem Res. 52: 15049-15056. http://dx.doi.org/10.1021/ie401173g.

Liu, H; Venkatraman, SS. (2012). Effect of polymer type on the dynamics of phase inversion and drug release in injectable in situ gelling systems. J Biomater Sci Polym Ed. 23: 251-266. http://dx.doi.org/10.1163/092050610X549171.

Liu, H; Zeng, X; Kong, X; Bian, S; Chen, J. (2012). A simple two-step method to fabricate highly transparent ITO/polymer nanocomposite films. Appl Surf Sci. 258: 8564-8569. http://dx.doi.org/10.1016/j.apsusc.2012.05.049.

Liu, HT; Ishizuka, T; Takanohashi, T; Iino, M. (1993). EFFECT OF TCNE ADDITION ON THE EXTRACTION OF COALS AND SOLUBILITY OF COAL EXTRACTS. Energy Fuels. 7: 1108-1111.

Liu, J; Xiao, X; Shi, Y; Wan, C. (2014). Fabrication of a superhydrophobic surface from porous polymer using phase separation. Appl Surf Sci. 297: 33-39. http://dx.doi.org/10.1016/j.apsusc.2014.01.053.

Liu, K, unlin; Lee, HC; Wang, B, oYan; Lue, SJ; Lu, CY; Tsai, L, iD; Fang, J; Chao, C, hiY. (2015). Sulfonated poly(styrene-block-(ethylene-ran-butylene)-block-styrene (SSEBS)-zirconium phosphate (ZrP) composite membranes for direct methanol fuel cells. J Memb Sci. 495: 110-120. http://dx.doi.org/10.1016/j.memsci.2015.08.017.

Liu, L, iQi; Xiang, HB; Huang, Z; Chen, L, ei; Yu, J, unR; Zhu, J; Hu, Z, uM. (2013). Calculation of the phase diagram of a btda-tdi/mdi co-polyimide/N-methyl-2-pyrrolidinone/water system in the phase separation process. Text Res J. 83: 553-565. http://dx.doi.org/10.1177/0040517512456762.

Liu, MJ; Gregory, RV. (1995). SPECTRAL STUDIES AND THERMAL-PROPERTIES OF A URETHANE-SUBSTITUTED POLYTHIOPHENE. Synthetic Metals. 72: 45-49.

Liu, P. (2009). Synthesis and characterization of organo-soluble conducting polyaniline doped with oleic acid. Synthetic Metals. 159: 148-152. http://dx.doi.org/10.1016/j.synthmet.2008.08.006.

Liu, P; Huang, Y; Wang, L, ei. (2013). Synthesis of reduced graphene oxide using indole as a reducing agent and preparation of reduced graphene oxide-Ag nanocomposites. Synthetic Metals. 167: 25-30. http://dx.doi.org/10.1016/j.synthmet.2013.01.021.

Liu, S. (2007). Thin porous glass tubes. Mater Chem Phys. 103: 147-152. http://dx.doi.org/10.1016/j.matchemphys.2007.02.004.

Liu, SM; Gavalas, GR. (2004). Glass-carbon composite hollow fibers. Ind Eng Chem Res. 43: 3137-3140. http://dx.doi.org/10.1021/ie0308644.

Liu, SM; Li, K. (2003). Preparation TiO2/Al2O3 composite hollow fibre membranes. J Memb Sci. 218: 269-277. http://dx.doi.org/10.1016/S0376-7388(03)00184-4.

Liu, SM; Li, K; Hughes, R. (2003). Preparation of porous aluminium oxide (Al2O3) hollow fibre membranes by a combined phase-inversion and sintering method. Ceramics International. 29: 875-881. http://dx.doi.org/10.1016/S0272-8842(03)00030-0.

Liu, X, in; He, S; Liu, S; Jia, H; Chen, L, in; Zhang, B; Zhang, L; Lin, J, un. (2017). The roles of solvent type and amount of residual solvent on determining the structure and performance of sulfonated poly(ether ether ketone) proton exchange membranes. J Memb Sci. 523: 163-172. http://dx.doi.org/10.1016/j.memsci.2016.10.007.

Liu, X; Huang, J, iaQi; Zhang, Q; Liu, X, inYan; Peng, HJ, ie; Zhu, W; Wei, F, ei. (2012). N-Methyl-2-pyrrolidone-assisted solvothermal synthesis of nanosize orthorhombic lithium iron phosphate with improved Li-storage performance. J Mater Chem. 22: 18908-18914. http://dx.doi.org/10.1039/c2jm32962j.

Liu, Y; Koops, GH; Strathmann, H. (2003). Characterization of morphology controlled polyethersulfone hollow fiber membranes by the addition of polyethylene glycol to the dope and bore liquid solution. J Memb Sci. 223: 187-199. http://dx.doi.org/10.1016/S0376-7388(03)00322-3.

Liu, Y; Lee, JY; Kang, ET; Wang, P; Tan, KL. (2001). Synthesis, characterization and electrochemical transport properties of the poly(ethyleneglycol)-grafted poly(vinylidenefluoride) nanoporous membranes. React Funct Polym. 47: 201-213.

Liu, Y; Wang, B; Jing, X. (2011). Thermal Properties of Hyperbranched Polyborate Functionalized Multiwall Carbon Nanotube/Polybenzoxazine Composites. Polymer Composites. 32: 1352-1361. http://dx.doi.org/10.1002/pc.21158.

Liu, Z; Bai, Y; Sun, D; Xiao, C; Zhang, Y. (2015). Preparation and Performance of Sulfonated Polysulfone Flat Ultrafiltration Membranes. Polymer Engineering and Science. 55: 1003-1011. http://dx.doi.org/10.1002/pen.23968.

Livazovic, S; Li, Z; Behzad, AR; Peinemann, KV; Nunes, SP. (2015). Cellulose multilayer membranes manufacture with ionic liquid. J Memb Sci. 490: 282-293. http://dx.doi.org/10.1016/j.memsci.2015.05.009.

Loegel, TN; Danielson, ND; Borton, DJ; Hurt, MR; Kenttaemaa, HI. (2012). Separation of Asphaltenes by Reversed-Phase Liquid Chromatography with Fraction Characterization. Energy Fuels. 26: 2850-2857. http://dx.doi.org/10.1021/ef201919x.

Loh, CH; Wang, R. (2013). Insight into the role of amphiphilic pluronic block copolymer as pore-forming additive in PVDF membrane formation. J Memb Sci. 446: 492-503. http://dx.doi.org/10.1016/j.memsci.2013.07.016.

Exposure Literature Search Results

Off Topic

Lohokare, H; Bhole, Y; Taralkar, S; Kharul, U. (2011). Poly(acrylonitrile) based ultrafiltration membranes: Optimization of preparation parameters. Desalination. 282: 46-53. http://dx.doi.org/10.1016/j.desal.2011.04.009.

Lu, L; Zhu, Y; Shi, C; Pei, YT. (2016). Large-scale synthesis of defect-selective graphene quantum dots by ultrasonic-assisted liquid-phase exfoliation. Carbon. 109: 373-383. http://dx.doi.org/10.1016/j.carbon.2016.08.023.

Lu, X; Arias Chavez, LH; Romero-Vargas Castrillón, S; Ma, J; Elimelech, M. (2015). Influence of active layer and support layer surface structures on organic fouling propensity of thin-film composite forward osmosis membranes. Environ Sci Technol. 49: 1436-1444. http://dx.doi.org/10.1021/es5044062.

Lu, X; Wang, R; Hao, L; Yang, F, an; Jiao, W; Zhang, J; Peng, P; Liu, W. (2016). Preparation of quantum dots from MoO3 nanosheets by UV irradiation and insight into morphology changes. 4: 11449-11456. http://dx.doi.org/10.1039/c6tc04006c.

Lue, SJ; Wu, Y, unL; Tung, YL; Shih, CM; Wang, Y, iC; Li, J, unR. (2015). Functional titanium oxide nano-particles as electron lifetime, electrical conductance enhancer, and long-term performance booster in quasi-solid-state electrolyte for dye-sensitized solar cells. J Power Sources. 274: 1283-1291. http://dx.doi.org/10.1016/j.jpowsour.2014.10.194.

Lukic, J; Orlovic, A; Spiteller, M; Jovanovic, J; Skala, D. (2006). Re-refining of waste mineral insulating oil by extraction with N-methyl-2-pyrrolidone. Separation and Purification Technology. 51: 150-156. http://dx.doi.org/10.1016/j.seppur.2005.12.029.

Lukic, JM; Nikolic, D; Mandic, V; Glisic, SB; Antonovic, D; Orlovic, AM. (2012). Removal of Sulfur Compounds from Mineral Insulating Oils by Extractive Refining with N-Methyl-2-pyrrolidone. Ind Eng Chem Res. 51: 4472-4477. http://dx.doi.org/10.1021/ie300450e.

Lunder, S; Woodruff, TJ; Axelrad, DA. (2004). An analysis of candidates for addition to the Clean Air Act list of hazardous air pollutants. Journal of the Air and Waste Management Association. 54: 157-171.

Lyutakov, O; Kalachyova, Y; Solovyev, A; Vytykacova, S; Svanda, J; Siegel, J; Ulbrich, P; Svorcik, V. (2015). One-step preparation of antimicrobial silver nanoparticles in polymer matrix. J Nanopart Res. 17. http://dx.doi.org/10.1007/s11051-015-2935-3.

Ma, KX; Sourirajan, S; Zhang, H; Lau, WWY. (1995). STANDARDIZATION IN THE PRODUCTION AND TESTING PROCEDURES FOR POLYETHERSULFONE HOLLOW-FIBER ULTRAFILTRATION MEMBRANES. Separation Science and Technology. 30: 3025-3044.

Ma, PS; Xia, Q. (2001). Determination and correlation for solubility of aromatic acids in solvents. Chinese Journal of Chemical Engineering. 9: 39-44.

Ma, Q; Zhao, W; Li, X; Li, L; Wang, Z. (2013). Study of an environment-friendly surface pretreatment of ABS-polycarbonate surface for adhesion improvement. International Journal of Adhesion and Adhesives. 44: 243-249. http://dx.doi.org/10.1016/j.ijadhadh.2013.03.010.

Ma, Y; Promthaveepong, K; Li, N, an. (2016). Shape-controllable gold nanostructures and their SERS enhancement. 3. http://dx.doi.org/10.1088/2053-1591/3/10/105009.

Macdonald, DD; Dunay, D; Hanlon, G; Hyne, JB. (1971). PROPERTIES OF N-METHYL-2-PYRROLIDINONE-WATER SYSTEM. Can J Chem Eng. 49: 420-+.

Mae, K; Maki, T; Araki, J; Miura, K. (1997). Extraction of low-rank coals oxidized with hydrogen peroxide in conventionally used solvents at room temperature. Energy Fuels. 11: 825-831.

Maeda, S; Hongyou, S; Kunitou, K; Mishima, K. (2002). Dyeing cellulose fibers with reactive disperse dyes in supercritical carbon dioxide. Text Res J. 72: 240-244.

Maeng, J, uS; Choi, DJ, oo; Ahn, K, eyone; Kim, YH, o. (2014). Synthesis of Dual Nanoparticles Embedded in Polyimide and Their Optical Properties. Electronic Materials Letters. 10: 1019-1025. http://dx.doi.org/10.1007/s13391-014-4166-7.

Magaraphan, R; Lilayuthalert, W; Sirivat, A; Schwank, JW. (2001). Preparation, structure, properties and thermal behavior of rigid-rod polyimide/montmorillonite nanocomposites. Compos Sci Tech. 61: 1253-1264.

Majerik, V; Charbit, G; Badens, E; Horvath, G; Szokonya, L; Bosc, N; Teillaud, E. (2007). Bioavailability enhancement of an active substance by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 101-110. http://dx.doi.org/10.1016/j.supflu.2006.03.027.

Makgato, MH; Moitsheki, LJ; Shoko, L; Kgobane, BL; Morgan, DL; Focke, WW. (2009). Alkali-assisted coal extraction with polar aprotic solvents. Fuel Process Tech. 90: 591-598. http://dx.doi.org/10.1016/j.fuproc.2008.12.016.

Malanowski, S; Bittrich, HJ; Lempe, D; Reinhardt, K; Wustling, JU. (1994). LIQUID - LIQUID EQUILIBRIA IN BINARY-MIXTURES OF N-METHYL-ALPHA-PYRROLIDONE AND SATURATED-HYDROCARBONS. Fluid Phase Equilibria. 98: 163-171.

Mallakpour, S; Dinari, M. (2010). Environmentally Friendly Methodology for Preparation of Amino Acid Containing Polyamides. Journal of Polymers and the Environment. 18: 705-713. http://dx.doi.org/10.1007/s10924-010-0253-5.

Mallakpour, S; Kolahdoozan, M. (2008). Synthesis and properties of novel soluble aromatic polyamides derived from 5-(2-phthalimidyl-3-methyl butanoylamino)isophthalic acid and aromatic diamines. React Funct Polym. 68: 91-96. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.10.007.

Mallakpour, S; Rafiee, Z. (2009). Expeditious synthesis of novel aromatic polyamides from 5-[3-phenyl-2-(9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboximido)propanoylamino]isophthalic acid and various diamines using microwave-assisted polycondensation. React Funct Polym. 69: 252-258. http://dx.doi.org/10.1016/j.reactfunctpolym.2009.01.003.

Mallakpour, S; Sepehri, S. (2008). Polycondensation of new optically active diacid with diisocyanates in the presence of tetrabutylammonium bromide as a green media under microwave heating. React Funct Polym. 68: 1459-1466. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.07.004.

Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing l-Tyrosine Moiety Under Green Media. Journal of Polymers and the Environment. 18: 685-695. http://dx.doi.org/10.1007/s10924-010-0234-8.

Mallakpour, S; Zadehnazari, A. (2013). Synthesis and Characterization of Novel Heat Stable and Processable Optically Active Poly(Amide-Imide) Nanostructures Bearing Hydroxyl Pendant Group in an Ionic Green Medium. Journal of Polymers and the Environment. 21: 132-140. http://dx.doi.org/10.1007/s10924-012-0442-5.

Maloka, IE; Ibrahim, SY. (2004). Physical properties of aqueous N-methyl pyrrolidone at different temperatures. Petroleum Science and Technology. 22: 1571-1579. http://dx.doi.org/10.1081/LPET-200027883.

Exposure Literature Search Results

Off Topic

Mancini, M; Nobili, F; Tossici, R; Wohlfahrt-Mehrens, M; Marassi, R. (2011). High performance, environmentally friendly and low cost anodes for lithium-ion battery based on TiO2 anatase and water soluble binder carboxymethyl cellulose. J Power Sources. 196: 9665-9671. http://dx.doi.org/10.1016/j.jpowsour.2011.07.028.

Mankin, M, axN; Mazumder, V; Sun, S. (2011). One-Pot Synthesis of Pt Nanocubes and Nanopods via Burst Nucleation and Controlled Secondary Growth. Chem Mater. 23: 132-136. http://dx.doi.org/10.1021/cm101938e.

Manna, K; Hsieh, CY, u; Lo, SC; Li, Y, anS; Huang, HN; Chiang, W, eiH. (2016). Graphene and graphene-analogue nanosheets produced by efficient water-assisted liquid exfoliation of layered materials. Carbon. 105: 551-555. http://dx.doi.org/10.1016/j.carbon.2016.04.065.

Manna, K; Huang, HN; Li, W, eiT; Ho, Y, aoH; Chiang, W, eiH. (2016). Toward Understanding the Efficient Exfoliation of Layered Materials by Water-Assisted Cosolvent Liquid-Phase Exfoliation. Chem Mater. 28: 7586-7593. http://dx.doi.org/10.1021/acs.chemmater.6b01203.

Mansourizadeh, A; Ismail, AF. (2010). Effect of additives on the structure and performance of polysulfone hollow fiber membranes for CO2 absorption. J Memb Sci. 348: 260-267. http://dx.doi.org/10.1016/j.memsci.2009.11.010.

Manzu, D; Pasare, L; Rata, D; Albu, BG; Ficai, A; Guran, C. (2010). SYNTHESIS AND CHARACTERIZATION OF THE NEW HYBRID COMPOSITE MEMBRANES BASED ON THE ORGANO-SUBSTITUTED PHOSPHAZENE AND SiO2 NETWORK. 40: 65-70.

Mar Bernal, M; Alvarez, L; Giovanelli, E; Arnaiz, A; Ruiz-Gonzalez, L; Casado, S; Granados, D; Pizarro, A, naM; Castellanos-Gomez, A; Perez, EM. (2016). Luminescent transition metal dichalcogenide nanosheets through one-step liquid phase exfoliation. 3. http://dx.doi.org/10.1088/2053-1583/3/3/035014.

Marciniak, A; Wlazlo, M. (2010). Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Butyl-3-methyl-pyridinium Trifluoromethanesulfonate. Journal of Chemical and Engineering Data. 55: 3208-3211. http://dx.doi.org/10.1021/je1000582.

Marigliano, ACG; de Doz, MBG; Solimo, HN. (1998). Influence of temperature on the liquid-liquid equilibria containing two pairs of partially miscible liquids. Water plus nitromethane plus 1-butanol ternary system. Fluid Phase Equilibria. 149: 309-322.

Marotovaler, MM; Andresen, JM; Snape, CE. (1997). Quantification by in situ H-1 nmr of the contributions from pyridine-extractables and metaplast to the generation of coal plasticity. Fuel. 76: 1301-1308.

Masaki, K; Yoshida, T; Li, CQ; Takanohashi, T; Saito, I. (2004). The effects of pretreatment and the addition of polar compounds on the production of "HyperCoal" from subbituminous coals. Energy Fuels. 18: 995-1000. http://dx.doi.org/10.1021/ef049970o.

Masuda, K; Okuma, O; Kanaji, M; Matsumara, T. (1996). Chromatographic characterization of preasphaltenes in liquefied products from Victorian brown coal. Fuel. 75: 1065-1070.

Mathews, JP; Burgess-Clifford, C; Painter, P. (2015). Interactions of Illinois No. 6 Bituminous Coal with Solvents: A Review of Solvent Swelling and Extraction Literature. Energy Fuels. 29: 1279-1294. http://dx.doi.org/10.1021/ef502548x.

Matsumae, T; Koehler, AD; Greenlee, JD; Anderson, TJ; Baumgart, H; Jernigan, GG; Hobart, KD; Kub, FJ. (2015). Temporary Bonding with Polydimethylglutarimide Based Lift Off Resist as a Layer Transfer Platform. 4: P190-P194. http://dx.doi.org/10.1149/2.0031507jss.

Matsumoto, T; Hori, N; Takahashi, M. (1996). Microscopic phase separation and long-time relaxation behavior in three-component heterogeneous blend systems. Langmuir. 12: 5563-5569.

Matsumoto, Y; Sudoh, M; Suzuki, Y. (1999). Preparation of composite UF membranes of sulfonated polysulfone coated on ceramics. J Memb Sci. 158: 55-62.

Matsunaga, D; Tamaki, T; Ichimura, K. (2003). Azo-pendant polyamides which have the potential to photoalign chromonic lyotropic liquid crystals. J Mater Chem. 13: 1558-1564. http://dx.doi.org/10.1039/b300254c.

Maximous, N; Nakhla, G; Wan, W; Wong, K. (2009). Preparation, characterization and performance of Al2O3/PES membrane for wastewater filtration. J Memb Sci. 341: 67-75. http://dx.doi.org/10.1016/j.memsci.2009.05.040.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1988). Aneuploidy induction in Saccharomyces cerevisiae by two solvent compounds, 1-methyl-2-pyrrolidinone and 2-pyrrolidinone. Environ Mol Mutagen. 11: 31-40.

Mcgrath, JE; Grubbs, H; Woodard, MH; Rogers, ME; Gungor, A; Joseph, WA; Mercier, R; Brennan, A. (1994). DEVELOPMENT OF NEW POLYMERIC MATRICES FOR HIGH-PERFORMANCE COMPOSITES. Composite Structures. 27: 7-16.

Meeks, KA; Clark, BR; Cano, JE; Apblett, CA; Pantoya, ML. (2015). Effects of rheological properties on reactivity of energetic thin films. Combust Flame. 162: 3288-3293. http://dx.doi.org/10.1016/j.combustflame.2015.05.018.

Mehdipour-Ataei, S; Babanzadeh, S. (2007). New types of heat-resistant, flame-retardant ferrocene-based polyamides with improved solubility. React Funct Polym. 67: 883-892. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.05.012.

Mehdipour-Ataei, S; Mosslemin, MH; Shafieezadeh, M. (2006). Preparation of poly(ether amide imide)s from five different methods and investigation of properties. React Funct Polym. 66: 403-412. http://dx.doi.org/10.1016/j.reactfunctpolym.2005.09.001.

Meier, S; Schindler, BK; Koslitz, S; Koch, HM; Weiss, T; Käfferlein, HU; Brüning, T. (2013). Biomonitoring of exposure to N-methyl-2-pyrrolidone in workers of the automobile industry. Ann Occup Hyg. 57: 766-773. http://dx.doi.org/10.1093/annhyg/mes111.

Mellace, A; Hanson, JE; Griepenburg, J. (2005). Hyperbranched poly(phenylene sulfide) and poly(phenylene sulfone). Chem Mater. 17: 1812-1817. http://dx.doi.org/10.1021/cm048376p.

Melzer, WM; Schrodter, F; Knapp, H. (1989). SOLUBILITIES OF METHANE, PROPANE AND CARBON-DIOXIDE IN SOLVENT MIXTURES CONSISTING OF WATER, N,N-DIMETHYLFORMAMIDE, AND N-METHYL-2-PYRROLIDONE. Fluid Phase Equilibria. 49: 167-186.

Meneghello, G; Parker, DJ; Ainsworth, BJ; Perera, SP; Chaudhuri, JB; Ellis, MJ; De Bank, PA. (2009). Fabrication and characterization of poly(lactic-co-glycolic acid)/polyvinyl alcohol blended hollow fibre membranes for tissue engineering applications. J Memb Sci. 344: 55-61. http://dx.doi.org/10.1016/j.memsci.2009.07.034.

Menendez, R; Blanco, C; Santamaria, R; Bermejo, J; Suelves, I; Herod, AA; Kandiyoti, R. (2001). On the chemical composition of thermally treated coal-tar pitches. Energy Fuels. 15: 214-223. http://dx.doi.org/10.1021/ef000191r.

Menendez, R; Blanco, C; Santamaria, R; Dominguez, A; Blanco, CG; Suelves, I; Herod, AA; Morgan, TG; Kandiyoti, R. (2002). Effects of air-blowing on the molecular size and structure of coal-tar pitch components. Energy Fuels. 16: 1540-1549. http://dx.doi.org/10.1021/ef0200929.

Exposure Literature Search Results

Off Topic

Menendez, R; Fleurot, O; Blanco, C; Santamaria, R; Bermejo, J; Edie, D. (1998). Chemical and rheological characterization of air-blown coal-tar pitches. Carbon. 36: 973-979.

Meng, L; Kang, S; Zhang, X; Wu, Y; Sun, R. (2012). Comparative Characterization of Lignins Extracted from Cotton Stalk Based on Complete Dissolution in Different Systems. Ind Eng Chem Res. 51: 9858-9866. http://dx.doi.org/10.1021/ie301118e.

Meng, Q; Jin, J; Wang, R; Kuan, HC; Ma, J; Kawashima, N; Michelmore, A; Zhu, S; Wang, CH. (2014). Processable 3-nm thick graphene platelets of high electrical conductivity and their epoxy composites. Nanotechnology. 25: 125707. http://dx.doi.org/10.1088/0957-4484/25/12/125707.

Menut, P; Su, YS; Chinpa, W; Pochat-Bohatier, C; Deratani, A; Wang, DM; Huguet, P; Kuo, CY; Lai, JY; Dupuy, C. (2008). A top surface liquid layer during membrane formation using vapor-induced phase separation (VIPS) - Evidence and mechanism of formation. J Memb Sci. 310: 278-288. http://dx.doi.org/10.1016/j.memsci.2007.11.016.

Meshalkin, YP; Svetlichnyi, VA; Svetlichnaya, NN; Kopylova, TN. (2005). Three-photon absorption of radiation from a Ti : sapphire laser by methylstyrylbenzene. Quantum Electronics. 35: 649-652. http://dx.doi.org/10.1070/QE2005v035n07ABEH003408.

Meyer, J; Hoffmann, H; Miller, DJ; Lang, FP. (2000). Fibrille formation by modified polyethylene terephthalate soil-release polymers in aqueous solution. Tenside Surfactants Detergents. 37: 373-380.

Miao, XQ; Sourirajan, S; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .2. Effects of fiber extrusion pressure (EP) and PVP concentration in the spinning solution. Separation Science and Technology. 31: 327-348.

Miao, XQ; Sourirajan, S; Zhang, H; Lau, WWY. (1996). Production of polyethersulfone hollow fiber ultrafiltration membranes .1. Effects of water (internal coagulant) flow rate (WFR) and length of air gap (LAG). Separation Science and Technology. 31: 141-172.

Michel, M; Desai, JA; Biswas, C; Kaul, AB. (2016). Engineering chemically exfoliated dispersions of two-dimensional graphite and molybdenum disulphide for ink-jet printing. Nanotechnology. 27: 485602. http://dx.doi.org/10.1088/0957-4484/27/48/485602.

Mierzwa, JC; Vecitis, CD; Carvalho, J; Arieta, V; Verlage, M. (2012). Anion dopant effects on the structure and performance of polyethersulfone membranes. J Memb Sci. 421: 91-102. http://dx.doi.org/10.1016/j.memsci.2012.06.039.

Mihu, G; Mihalache, I; Bodor, M; Mircea, O; Graur, I. (2016). Tribological Characterization of Modified Epoxy Systems. Materiale Plastice. 53: 298-303.

Millan, M; Adell, C; Hinojosa, C; Herod, AA; Dugwell, D; Kandiyoti, R. (2007). Effect of catalyst deactivation and reaction time on hydrocracking heavy hydrocarbon liquids. Energy Fuels. 21: 1370-1378. http://dx.doi.org/10.1021/ef060466o.

Millan, M; Behrouzi, M; Karaca, F; Morgan, TJ; Herod, AA; Kandiyoti, R. (2005). Characterising high mass materials in heavy oil fractions by size exclusion chromatography and MALDI-mass spectrometry. Catalysis Today. 109: 154-161. http://dx.doi.org/10.1016/j.cattod.2005.08.017.

Milton, AJ; Monkman, AP. (1993). THERMAL-ANALYSIS OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 57: 3571-3575.

Mirmohseni, A; Oladegaragoze, A. (2000). Anti-corrosive properties of polyaniline coating on iron. Synthetic Metals. 114: 105-108.

Miyauchi, M; Ishida, Y; Ogasawara, T; Yokota, R. (2013). Synthesis and characterization of soluble phenylethynyl-terminated imide oligomers derived from pyromellitic dianhydride and 2-phenyl-4,4 '-diaminodiphenyl ether. React Funct Polym. 73: 340-345. http://dx.doi.org/10.1016/j.reactfunctpolym.2012.04.019.

Mobarakabad, P; Moghadassi, AR; Hosseini, SM. (2015). Fabrication and characterization of poly(phenylene ether-ether sulfone) based nanofiltration membranes modified by titanium dioxide nanoparticles for water desalination. Desalination. 365: 227-233. http://dx.doi.org/10.1016/j.desal.2015.03.002.

Mobin, M; Alam, R; Aslam, J. (2016). Investigation of the Corrosion Behavior of Poly(Aniline-co-o-Anisidine)/ZnO Nanocomposite Coating on Low-Carbon Steel. Journal of Materials Engineering and Performance. 25: 3017-3030. http://dx.doi.org/10.1007/s11665-016-2145-x.

Mobin, M; Tanveer, N. (2012). Corrosion performance of chemically synthesized poly(aniline-co-o-toluidine) copolymer coating on mild steel. JCT Research. 9: 27-38. http://dx.doi.org/10.1007/s11998-011-9328-z.

Mochida, I; Motoshima, N; Nakagawara, H; Korai, Y. (1991). MULTISTAGE COKING FOR MORE TAR AND FORMED-COKE OF HIGHER STRENGTH .4. FORMED COKING OF RESIDUES EXTRACTED FROM HEAT-TREATED SINGLE COALS WITH A MIXED-SOLVENT OF N-METHYLPYRROLIDINONE AND CARBON-DISULFIDE. Fuel. 70: 529-532.

Mochizuki, A; Teranishi, T; Ueda, M; Omote, T. (1994). NOVEL PHOTOSENSITIVE POLYIMIDE PRECURSOR BASED ON POLYISOIMIDE USING NIFEDIPINE AS A DISSOLUTION INHIBITOR. ACS Symp Ser Am Chem Soc. 579: 242-252.

Modesto-Lopez, LB; Miettinen, M; Riikonen, J; Torvela, T; Pfuller, C; Lehto, VP; Lahde, A; Jokiniemi, J. (2015). Films of Graphene Nanomaterials Formed by Ultrasonic Spraying of Their Stable Suspensions. Aerosol Sci Technol. 49: 45-56. http://dx.doi.org/10.1080/02786826.2014.991438.

Mohamed, NA; Fahml, MM; Al-Ghamdi, RF. (2005). Synthesis and characterization of novel wholly aromatic azopolyamide-hydrazides. React Funct Polym. 63: 185-197. http://dx.doi.org/10.1016/j.reactfunctpolyn.2005.010.

Mohamed, NH. (2012). Competitive study on separation and characterization of microcrystalline waxes using two deoiling techniques. Fuel Process Tech. 96: 116-122. http://dx.doi.org/10.1016/j.fuproc.2011.12.019.

Mohammad, TA; Johari, MMN, M; Ghani, LAA. (2009). Preliminary evaluation of a hydrophilic microfiltration membrane in treating high strength wastewater. Desalination and Water Treatment. 10: 272-280.

Mohammadi, T; Saljoughi, E. (2009). Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes. Desalination. 243: 1-7. http://dx.doi.org/10.1016/j.desal.2008.04.010.

Moideen, IK; Isloor, AM; Garudachari, B; Ismail, AF. (2016). The effect of glycine betaine additive on the PPSU/PSF ultrafiltration membrane performance. Desalination and Water Treatment. 57: 24788-24798. http://dx.doi.org/10.1080/19443994.2016.1156581.

Moise, A; Corlateanu, E; Luca, C; Popescu, G; Batranescu, G. (2000). Rheological behaviour of some polysulphone solutions. Rev Chim. 51: 633-637.

Exposure Literature Search Results

Off Topic

Mojtahedi, YM; Mehrnia, MR; Homayoonfal, M. (2013). Fabrication of Al2O3/PSf nanocomposite membranes: efficiency comparison of coating and blending methods in modification of filtration performance. Desalination and Water Treatment. 51: 6736-6742. http://dx.doi.org/10.1080/19443994.2013.769918.

Mokoena, K; Van Der Walt, TJ; Morgan, TJ; Herod, AA; Kandiyoti, R. (2008). Heat treatment of medium-temperature Sasol-Lurgi gasifier coal-tar pitch for polymerizing to higher value products. Fuel. 87: 751-760. http://dx.doi.org/10.1016/j.fuel.2007.05.006.

Molinari, R; Poerio, T. (2009). Preparation, characterisation and testing of catalytic polymeric membranes in the oxidation of benzene to phenol. Appl Catal A-Gen. 358: 119-128. http://dx.doi.org/10.1016/j.apcata.2009.01.044.

Molinari, R; Poerio, T; Argurio, P. (2009). Liquid-phase oxidation of benzene to phenol using CuO catalytic polymeric membranes. Desalination. 241: 22-28. http://dx.doi.org/10.1016/j.desal.2007.11.081.

Moniruzzaman, M; Goto, M. (2011). Ionic Liquids: Future Solvents and Reagents for Pharmaceuticals. J Chem Eng Jpn. 44: 370-381.

Monkman, AP; Adams, P. (1991). OPTICAL AND ELECTRONIC-PROPERTIES OF STRETCH-ORIENTED SOLUTION-CAST POLYANILINE FILMS. Synthetic Metals. 40: 87-96.

Monkman, AP; Adams, P. (1991). STRUCTURAL CHARACTERIZATION OF POLYANILINE FREE STANDING FILMS. Synthetic Metals. 41: 891-896.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2010). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin: Exploring new miscible conditions. Journal of Supercritical Fluids. 51: 399-403. http://dx.doi.org/10.1016/j.supflu.2009.10.007.

Montes, A; Tenorio, A; Gordillo, MD; Pereyra, CM; Martínez de la ossa, EJ. (2011). Supercritical Antisolvent Precipitation of Ampicillin in Complete Miscibility Conditions. Ind Eng Chem Res. 50: 2343-2347. http://dx.doi.org/10.1021/ie101334v.

Montes, A; Wehner, L; Pereyra, C; Martinez de la Ossa, EJ. (2016). Mangiferin nanoparticles precipitation by supercritical antisolvent process. Journal of Supercritical Fluids. 112: 44-50. http://dx.doi.org/10.1016/j.supflu.2016.02.008.

Montibon, E; Lestelius, M; Jarnstrom, L; Love, KT. (2010). Electroconductive paper - a study of polymer deposition and conductivity influenced by sheet forming and fibre beating. Nordic Pulp & Paper Research Journal. 25: 473-480.

Moreau, JP; Vachon, PJ; Huneau, MC. (2001). Elevated glycemia and local inflammation after injecting N-methyl-2-pyrrolidone (NMP) into the marginal ear vein of rabbits. Contemp Top Lab Anim Sci. 40: 38-40.

Moretti, A; Kim, G, ukTae; Bresser, D; Renger, K; Paillard, E; Marassi, R; Winter, M; Passerini, S. (2013). Investigation of different binding agents for nanocrystalline anatase TiO2 anodes and its application in a novel, green lithium-ion battery. J Power Sources. 221: 419-426. http://dx.doi.org/10.1016/j.jpowsour.2012.07.142.

Morgan, TJ; Alvarez-Rodriguez, P; George, A; Herod, AA; Kandiyoti, R. (2010). Characterization of Maya Crude Oil Maltenes and Asphaltenes in Terms of Structural Parameters Calculated from Nuclear Magnetic Resonance (NMR) Spectroscopy and Laser Desorption-Mass Spectroscopy (LD-MS). Energy Fuels. 24: 3977-3989. http://dx.doi.org/10.1021/ef100320t.

Morgan, TJ; George, A; Alvarez, P; Herod, AA; Millan, M; Kandiyoti, R. (2009). Isolation of Size Exclusion Chromatography Elution-Fractions of Coal and Petroleum-Derived Samples and Analysis by Laser Desorption Mass Spectrometry. Energy Fuels. 23: 6003-6014. http://dx.doi.org/10.1021/ef9006966.

Morgan, TJ; George, A; Davis, DB; Herod, AA; Kandiyoti, R. (2008). Optimization of H-1 and C-13 NMR methods for structural characterization of acetone and pyridine soluble/insoluble fractions of a coal tar pitch. Energy Fuels. 22: 1824-1835. http://dx.doi.org/10.1021/ef700715w.

Morgan, TJ; Morden, WE; Al-Muhareb, E; Herod, AA; Kandiyoti, R. (2006). Essential oils investigated by size exclusion chromatography and gas chromatography-mass spectrometry. Energy Fuels. 20: 734-737. http://dx.doi.org/10.1021/ef050364i.

Morihama, ACD; Mierzwa, JC. (2014). CLAY NANOPARTICLES EFFECTS ON PERFORMANCE AND MORPHOLOGY OF POLY(VINYLIDENE FLUORIDE) MEMBRANES. Brazilian Journal of Chemical Engineering. 31: 79-93.

Morino, M; Kaneko, H; Takanohashi, T; Iino, M. (1996). Inverse size exclusion chromatography using extraction residues or extracts of coals as a stationary phase. Energy Fuels. 10: 1012-1016.

Mosescu, N; Stejaru, D; Kalmutchi, G. (1977). DETERMINATION OF N-METHYLPYROLIDONE USED AS SOLVENT IN EXTRACTION PROCESS OF AROMATIC-HYDROCARBONS BY UV-ABSORPTION SPECTROPHOTOMETRY. Rev Chim. 28: 272-274.

Moss, RA; Fujiyama, R; Zhang, HM; Chung, YC; Mcsorley, K. (1993). IODOSOBENZOATE MICROEMULSION REAGENTS FOR THE CLEAVAGE OF A REACTIVE PHOSPHATE. Langmuir. 9: 2902-2906.

Mottu, F; Gailloud, P; Massuelle, D; Rofenacht, DA; Doelker, E. (2000). In vitro assessment of new embolic liquids prepared from preformed polymers and water-miscible solvents for aneurysm treatment. Biomaterials. 21: 803-811.

Mottu, F; Laurent, A; Rufenacht, DA; Doelker, E. (2000). Organic solvents for pharmaceutical parenterals and embolic liquids: A review of toxicity data [Review]. PDA J Pharm Sci Technol. 54: 456-469.

Mottu, F; Stelling, MJ; Rufenacht, DA; Doelker, E. (2001). Comparative hemolytic activity of undiluted organic water-miscible solvents for intravenous and intra-arterial injection. PDA J Pharm Sci Technol. 55: 16-23.

Mousavi, SM; Saljoughi, E; Ghasemipour, Z; Hosseini, SA. (2012). Preparation and characterization of modified polysulfone membranes with high hydrophilic property using variation in coagulation bath temperature and addition of surfactant. Polymer Engineering and Science. 52: 2196-2205. http://dx.doi.org/10.1002/pen.23179.

Muenter, J; Blach, R. (2010). ECOLOGICAL TECHNOLOGY: NMP-FREE LEATHER FINISHING. American Leather Chemists Association Journal. 105: 303-308.

Mullin, CA. (2015). Effects of 'inactive' ingredients on bees. 10: 194-200. http://dx.doi.org/10.1016/cois.2015.05.006.

Mullins, OC; Martinez-Haya, B; Marshall, AG. (2008). Contrasting perspective on asphaltene molecular weight. This comment vs the overview of A. A. Herod, K. D. Bartle, and R. Kandiyoti. Energy Fuels. 22: 1765-1773. http://dx.doi.org/10.1021/ef700714z.

Exposure Literature Search Results

Off Topic

Mundhwa, M; Elmahmudi, S; Maham, Y; Henni, A, mr. (2009). Molar Heat Capacity of Aqueous Sulfolane, 4-Formylmorpholine, 1-Methyl-2-pyrrolidinone, and Triethylene Glycol Dimethyl Ether Solutions from (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 54: 2895-2901. http://dx.doi.org/10.1021/je800999s.

Murray, AA; Blau, W. (2013). Nonlinear Properties of Graphene Dispersions and Thin Films at a Wavelength of 1.2 mu m. Journal of Nanoelectronics and Optoelectronics. 8: 23-27. http://dx.doi.org/10.1166/jno.2013.1425.

Murray, TJ. (2008). Poly(amide-imides): Wire enamels with excellent thermal and chemical properties. Macromolecular Materials & Engineering. 293: 350-360. http://dx.doi.org/10.1002/mame.200700365.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF CARBON-DIOXIDE IN BINARY-MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Journal of Chemical and Engineering Data. 37: 4-7.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1992). SOLUBILITY OF HYDROGEN-SULFIDE IN MIXTURES OF N-METHYLPYRROLIDONE WITH ALKANOLAMINES. Fluid Phase Equilibria. 73: 167-174.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1993). GAS SOLUBILITY OF CARBON-DIOXIDE AND HYDROGEN-SULFIDE IN MIXTURES OF SULFOLANE WITH MONOETHANOLAMINE. Fluid Phase Equilibria. 86: 225-231.

Murrietaguevara, F; Rebolledolibreros, E; Trejo, A. (1994). GAS SOLUBILITY OF HYDROGEN-SULFIDE AND CARBON-DIOXIDE IN MIXTURES OF SULFOLANE WITH DIETHANOLAMINE AT DIFFERENT TEMPERATURES. Fluid Phase Equilibria. 95: 163-174.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (1998). Solubility of CO2 in aqueous mixtures of diethanolamine with methyldiethanolamine and 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 150: 721-729.

Murrieta-Guevara, F; Rebolledo-Libreros, ME; Romero-Martinez, A; Trejo, A. (2000). Gas-liquid equilibrium of H2S and CO2 in binary mixtures of monoethanolamine and diethanolamine with physical solvents. Lat Am Appl Res. 30: 33-39.

Nabavi, K; Mahdavian, M; Ghaffarian, V; Zabihi, E. (2016). Polyacrylonitrile/starch semi-biodegradable blend membrane: preparation, morphology and performance. Desalination and Water Treatment. 57: 495-504. http://dx.doi.org/10.1080/19443994.2014.976842.

Nag, D; Biswas, P; Chandaliya, VK; Banerjee, PK. (2011). Characterization of Solvent Extract of an Indian Coal. International Journal of Coal Preparation and Utilization. 31: 1-8. http://dx.doi.org/10.1080/19392699.2010.517484.

Naganuma, T; Naito, K; Kyono, J; Kagawa, Y. (2009). Influence of prepreg conditions on the void occurrence and tensile properties of woven glass fiber-reinforced polyimide composites. Compos Sci Tech. 69: 2428-2433. http://dx.doi.org/10.1016/j.compscitech.2009.06.012.

Nagareddy, VK; Chan, H, uaK; Hernandez, SC; Wheeler, VD; Nyakiti, LO; Myers-Ward, RL; Eddy, CR, Jr; Goss, JP; Wright, NG; Walton, SG; Gaskill, DK; Horsfall, AB. (2013). Improved Chemical Detection and Ultra-Fast Recovery Using Oxygen Functionalized Epitaxial Graphene Sensors. IEEE Sens J. 13: 2810-2817. http://dx.doi.org/10.1109/JSEN.2013.2259154.

Nagendran, A; Vidya, S; Mohan, D. (2008). Preparation and characterization of cellulose acetate-sulfonated poly (ether imide) blend ultrafiltration membranes and their applications. Soft Materials. 6: 45-64. http://dx.doi.org/10.1080/15394450802046887.

Nagpal, JM; Rawat, BS. (1981). LIQUID-LIQUID EQUILIBRIA FOR TOLUENE-HEPTANE-N-METHYL PYRROLIDONE AND BENZENE-HEPTANE SOLVENTS. J Chem Tech Biotechnol. 31: 146-150.

Naidoo, RD; Letcher, TM; Ramjugernath, D. (2001). Ternary liquid-liquid equilibra for pseudoternary mixtures containing an n-alkane plus an aromatic hydrocarbon plus {N-methyl-2-pyrrolidinone plus a solvent} at 298.2 K and 1 atm. Journal of Chemical and Engineering Data. 46: 1375-1380.

Nakamura, K; Takanohashi, T; Iino, M; Kumagai, H; Sato, M; Yokoyama, S; Sanada, Y. (1995). A MODEL STRUCTURE OF ZAO-ZHUANG BITUMINOUS COAL. Energy Fuels. 9: 1003-1010.

Nakano, K; Sarashina, E; Uemura, Y; Hatate, Y. (1996). Vapor-liquid equilibria of minute amounts of N-methylsuccinimide and water in N-methyl-2-pyrrolidone. J Chem Eng Jpn. 29: 371-372.

Nalamasu, O; Houlihan, FM; Cirelli, RA; Timko, AG; Watson, GP; Hutton, RS; Kometani, JM; Reichmanis, E; Gabor, A; Medina, A; Slater, S. (1998). 193 nm single layer resist strategies, concepts, and recent results. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 16: 3716-3721.

Nasiri, M; Abbasi, F. (2015). Relationships between processing conditions, morphology, and I-V characteristics in P3HT:PCBM solar cells. Journal of Materials Science: Materials in Electronics. 26: 2639-2646. http://dx.doi.org/10.1007/s10854-015-2738-4.

Nasouri, K; Shoushtari, AM; Mojtahedi, MRM. (2015). Thermodynamic Studies on Polyvinylpyrrolidone Solution Systems Used for Fabrication of Electrospun Nanostructures: Effects of the Solvent. Advances in Polymer Technology. 34. http://dx.doi.org/10.1002/adv.21495.

Nayak, J; Mahadeva, SK; Kim, J. (2012). Characteristics of flexible electrode made on cellulose by soluble polypyrrole coating. Institution of Mechanical Engineers Proceedings Part C: Journal of Mechanical Engineering Science. 226: 2605-2609. http://dx.doi.org/10.1177/0954406212439965.

Nechifor, M. (2009). Synthesis and properties of some aromatic polyamides with coumarin chromophores. React Funct Polym. 69: 27-35. http://dx.doi.org/10.1016/j.reactfunctpolym.2008.10.006.

Nelson, DJ; Nagarajan, PS; Brammer, CN; Perumal, PT. (2010). Effect of Single-Walled Carbon Nanotube Association upon H NMR Spectra of Representative Organonitrogen Compounds. J Phys Chem C. 114: 10140-10147. http://dx.doi.org/10.1021/jp1017746.

Nemati-Kande, E; Shekaari, H. (2013). Salting-out effect of sodium, potassium, carbonate, sulfite, tartrate and thiosulfate ions on aqueous mixtures of acetonitrile or 1-methyl-2-pyrrolidone: A liquid-liquid equilibrium study. Fluid Phase Equilibria. 360: 357-366. http://dx.doi.org/10.1016/j.fluid.2013.09.028.

Neoh, KG; Pun, MY; Kang, ET; Tan, KL. (1995). POLYANILINE TREATED WITH ORGANIC-ACIDS - DOPING CHARACTERISTICS AND STABILITY. Synthetic Metals. 73: 209-215.

Nguyen, BPN; Mariage, N; Fredon, R; Kelder, EM; Lestriez, B. (2015). Manufacturing of LiNi0.5Mn1.5O4 Positive Composite Electrodes with Industry-Relevant Surface Capacities for Lithium Ion-Cells. J Electrochem Soc. 162: A1451-A1459. http://dx.doi.org/10.1149/2.0261508jes.

Exposure Literature Search Results

Off Topic

Nguyen, EP; Carey, BJ; Daeneke, T; Ou, JZ; Latham, K, ay; Zhuiykov, S; Kalantar-Zadeh, K. (2015). Investigation of Two-Solvent Grinding-Assisted Liquid Phase Exfoliation of Layered MoS2. Chem Mater. 27: 53-59. http://dx.doi.org/10.1021/cm502915f.

Ni, H; Yan, L; Ma, C; Xu, C; Shi, Q. (2016). Molecular Composition of Soxhlet N-Methyl-2-pyrrolidinone Extracts from a Lignite. Energy Fuels. 30: 9285-9292. http://dx.doi.org/10.1021/acs.energyfuels.6b01990.

Niemczewski, B. (2001). N-methylpyrrolidone and dowanol DPM as replacements for chlorinated solvents in ultrasonic cleaning. Institute of Metal Finishing Transactions. 79: 68-72.

Nigmatullin, VR; Nigmatullin, IR; Sharipov, AK, h. (2007). Two-stage lube stock refining from sulfides. Petroleum Chemistry. 47: 127-130. http://dx.doi.org/10.1134/S0965544107020119.

Nigmatullin, VR; Telyashev, EG; Nigmatullin, IR; Dovgopolyi, EE; Nigmatullin, RG. (2011). PRODUCTION OF TRANSFORMER OIL WITH IMPROVED ELECTRICAL CHARACTERISTICS. Chemistry and Technology of Fuels and Oils. 47: 12-14.

Nishimura, S; Yasui, H; Miyauchi, H; Kikuchi, Y; Kondo, N; Takebayashi, T; Tanaka, S; Mikoshiba, Y; Omae, K; Nomiyama, T. (2009). A cross-sectional observation of effect of exposure to N-methyl-2-pyrrolidone (NMP) on workers' health. Ind Health. 47: 355-362.

Niu, H, u; Chen, S; Jin, S; Shu, Q; Li, L; Shang, F. (2016). Dissolution Properties of Dihydroxylammonium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate and Disodium 5,5MODIFIER LETTER PRIME-Bistetrazole-1,1MODIFIER LETTER PRIME-diolate in Water. Journal of Energetic Materials. 34: 416-425. http://dx.doi.org/10.1080/07370652.2015.1114048.

Nohr, M; Horn, W; Wiegner, K; Richter, M; Lorenz, W. (2014). Development of a material with reproducible emission of selected volatile organic compounds - µ-Chamber study. Chemosphere. 107: 224-229. http://dx.doi.org/10.1016/j.chemosphere.2013.12.047.

Noll, O; Fischer, K; Gmehling, J. (1996). Vapor-liquid equilibria and enthalpies of mixing for the binary system water plus N-methyl-2-pyrrolidone in the temperature range 80-140 degrees C. Journal of Chemical and Engineering Data. 41: 1434-1438.

Noorani, S; Simonsen, J; Atre, S. (2007). Nano-enabled microtechnology: polysulfone nanocomposites incorporating cellulose nanocrystals. Cellulose. 14: 577-584. http://dx.doi.org/10.1007/s10570-007-9119-y.

Noordkamp, ER; Grotenhuis, JTC; Rulkens, WH. (1997). Selection of an efficient extraction method for the determination of polycyclic aromatic hydrocarbons in contaminated soil and sediment. Chemosphere. 35: 1907-1917.

Norinaga, K; Iino, M. (2000). Evaluation of the thermoplasticity of upper freeport coal and its extracts using dynamic viscoelasticity. Energy Fuels. 14: 929-935.

Norinaga, K; Kuniya, M; Iino, M. (2000). Viscoelastic properties of concentrated solution of coal with N-methyl-2-pyrrolidinone. Energy Fuels. 14: 1121-1122.

Norinaga, K; Kuniya, M; Iino, M. (2002). Effect of associative interaction on the dynamic viscoelastic property of coal concentrated solution. Energy Fuels. 16: 62-68. http://dx.doi.org/10.1021/ef010154f.

Nosyrev, IE; Gruber, R; Cagniant, D; Krzton, A; Pajak, J; Stefanova, MD; Grishchuk, S. (1996). DRIFT spectroscopic characterization of coal samples modified by chemical treatments. Fuel. 75: 1549-1556.

Nouri, M; Sedighi, M; Ghasemi, M; Mohammadi, M. (2013). Evaluation of solvent dearomatization effect in heavy feedstock thermal cracking to light olefin: An optimization study. Korean J Chem Eng. 30: 1700-1709. http://dx.doi.org/10.1007/s11814-013-0118-4.

Ogulata, RT; Icoglu, HI. (2015). Interaction between effects of ambient parameters and those of other important parameters on electrospinning of PEI/NMP solution. J Text Inst. 106: 57-66. http://dx.doi.org/10.1080/00405000.2014.902561.

Oh, KJ; Mun, SM, an; Kim, SS, oo; Park, SW. (2011). Chemical absorption of carbon dioxide into oxirane solution containing ID-CP-MS41 catalyst. Korean J Chem Eng. 28: 567-574. http://dx.doi.org/10.1007/s11814-010-0388-z.

Oh, S, eY; Kim, SH; Chi, YS; Kang, T, aeJin. (2012). Fabrication of oxide-free graphene suspension and transparent thin films using amide solvent and thermal treatment. Appl Surf Sci. 258: 8837-8844. http://dx.doi.org/10.1016/j.apsusc.2012.05.101.

Ohno, M; Takata, T; Endo, T. (1996). Synthesis and properties of poly(arylene-ether-ketone)s containing a dimethylnaphthalene skeleton in the main chain. React Funct Polym. 30: 149-156.

Ohtani, A; Abe, M; Ezoe, M; Doi, T; Miyata, T; Miyake, A. (1993). SYNTHESIS AND PROPERTIES OF HIGH-MOLECULAR-WEIGHT SOLUBLE POLYANILINE AND ITS APPLICATION TO THE 4MB-CAPACITY BARIUM FERRITE FLOPPY DISKS ANTISTATIC COATING. Synthetic Metals. 57: 3696-3701.

Ohya, H; Shiki, S; Kawakami, H. (2009). Fabrication study of polysulfone hollow-fiber microfiltration membranes: Optimal dope viscosity for nucleation and growth. J Memb Sci. 326: 293-302. http://dx.doi.org/10.1016/j.memsci.2008.10.001.

Oikawa, E; Katoh, K; Aoki, T. (1991). CHARACTERISTICS OF REVERSE-OSMOSIS MEMBRANES PREPARED FROM SCHIFF-BASES OF POLYALLYLAMINE IN APROTIC-SOLVENTS AND SEPARATION OF INORGANIC AND ORGANIC SOLUTES THROUGH THE MEMBRANES. Separation Science and Technology. 26: 569-584.

Olivo, M; Fu, CY; Raghavan, V; Lau, WK. (2012). New frontier in hypericin-mediated diagnosis of cancer with current optical technologies [Review]. Ann Biomed Eng. 40: 460-473. http://dx.doi.org/10.1007/s10439-011-0462-7.

Omidvar, M; Soltanieh, M; Mousavi, SM; Saljoughi, E; Moarefian, A; Saffaran, H. (2015). Preparation of hydrophilic nanofiltration membranes for removal of pharmaceuticals from water. 13: 42. http://dx.doi.org/10.1186/s40201-015-0201-3.

Onah, EJ. (2003). Synthesis of polyfluoroesters, polyfluoroamic acid, polyfluoroimide, and polyfluoroacrylates: Formation and characterization of their ultrathin films. Chem Mater. 15: 4104-4112. http://dx.doi.org/10.1021/cm020728+.

Onah, EJ; Oertel, U; Froeck, C; Kratzmuller, T; Steinert, V; Bayer, T; Hartmann, L; Haussler, L; Lunkwitz, K. (2002). Ultrathin films from fluorine containing polymers: Fabrication and characterization. Macromolecular Materials & Engineering. 287: 412-419.

Onciu, M. (2007). Synthesis and characterization of novel aromatic polyamides containing pendent coumarin groups. J Optoelect Adv Mater. 9: 1014-1018.

O'Neill, A; Khan, U; Coleman, JN. (2012). Preparation of High Concentration Dispersions of Exfoliated MoS2 with Increased Flake Size. Chem Mater. 24: 2414-2421. http://dx.doi.org/10.1021/cm301515z.

Exposure Literature Search Results

Off Topic

O'Neill, A; Khan, U; Nirmalraj, PN; Boland, J; Coleman, JN. (2011). Graphene Dispersion and Exfoliation in Low Boiling Point Solvents. J Phys Chem C. 115: 5422-5428. http://dx.doi.org/10.1021/jp110942e.

Ong, R; Chung, T. (2012). Fabrication and positron annihilation spectroscopy (PAS) characterization of cellulose triacetate membranes for forward osmosis. J Memb Sci. 394: 230-240. http://dx.doi.org/10.1016/j.memsci.2011.12.046.

Opaprakasit, P; Painter, PC. (2004). Swelling of clays in N-methyl-2-pyrrolidinone/carbon disulfide mixed solvents. Energy Fuels. 18: 1704-1708. http://dx.doi.org/10.1021/ef034093s.

Opaprakasit, P; Scaroni, AW; Painter, PC. (2002). Ionomer-like structures and pi-cation interactions in argonne premium coals. Energy Fuels. 16: 543-551. http://dx.doi.org/10.1021/ef0100799.

Othman, N, urH; Wu, Z; Li, K. (2014). A micro-structured La0.6Sr0.4Co0.2Fe0.8O3-delta hollow fibre membrane reactor for oxidative coupling of methane. J Memb Sci. 468: 31-41. http://dx.doi.org/10.1016/j.memsci.2014.05.051.

Ouradi, A; Nguyen, QT; Benaboura, A. (2014). Polysulfone-AN69 blend membranes and its surface modification by polyelectrolyte-layer deposit Preparation and characterization. J Memb Sci. 454: 20-35. http://dx.doi.org/10.1016/j.memsci.2013.11.048.

Padaki, M; Isloor, AM; Ismail, AF; Abdullah, MS. (2012). Synthesis, characterization and desalination study of novel PSAB and mPSAB blend membranes with Polysulfone (PSf). Desalination. 295: 35-42. http://dx.doi.org/10.1016/j.desal.2012.03.014.

Padashbarmchi, Z; Hamidian, AH; Khorasani, N; Kazemzad, M; Mccabe, A; Halog, A. (2015). Environmental life cycle assessments of emerging anode materials for Li-ion batteries-metal oxide NPs. Environ Prog Sustain Energy. 34: 1740-1747. http://dx.doi.org/10.1002/ep.12148.

Pagidi, A; Saranya, R; Arthanareeswaran, G; Ismail, AF; Matsuura, T. (2014). Enhanced oil-water separation using polysulfone membranes modified with polymeric additives. Desalination. 344: 280-288. http://dx.doi.org/10.1016/j.desal.2014.03.033.

Pai, IT; Chiou, DW; Hon, MH; Leu, IC. (2009). Hierarchical structure formation induced by dewetting in an imprinting process. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 27: 2858-2861. http://dx.doi.org/10.1116/1.3253615.

Painter, P; Sobkowiak, M; Mathews, J; Scaroni, A. (2004). Concerning the nature of coal solutions and suspensions. Energy Fuels. 18: 1104-1107. http://dx.doi.org/10.1021/ef049976d.

Pajak, J; Cagniant, D; Gruber, R. (1994). HYDROGEN-TRANSFER FROM TETRALIN TO COALS - REACTIVITY OF BITUMINOUS COALS AND THEIR PRODUCTS OF EXTRACTION WITH N-METHYL-2-PYRROLIDINONE. Fuel. 73: 866-870.

Pak, S, eoH; Jeon, YW, oo; Shin, MS; Koh, HC. (2016). Preparation of Cellulose Acetate Hollow-Fiber Membranes for CO2/CH4 Separation. Environ Eng Sci. 33: 17-24. http://dx.doi.org/10.1089/ees.2015.0201.

Pal, A; Bhardwaj, RK. (2002). Excess molar volumes and Viscosities for binary mixtures of 2-propoxyethanol and of 2-isopropoxyethanol with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 47: 1128-1134. http://dx.doi.org/10.1021/je010315+.

Pal, A; Kumar, A. (2005). Excess molar volumes and kinematic viscosities for binary mixtures of dipropylene glycol monobutyl ether and dipropylene glycol tert-butyl ether with 2-pyrrolidinone, N-methyl-2-pyrrolidinone, N,N-dimethylformamide, and N,N-dimethylacetamide at 298.15 K. Journal of Chemical and Engineering Data. 50: 856-862. http://dx.doi.org/10.1021/je049657g.

Pal, A; Singh, YP. (1995). EXCESS MOLAR VOLUMES AND APPARENT MOLAR VOLUMES OF SOME AMIDE PLUS WATER-SYSTEMS AT 303.15 AND 308.15 K. Journal of Chemical and Engineering Data. 40: 818-822.

Palczewska-Tulinska, M; Oracz, P. (2007). Vapor pressures of 1-methyl-2-pyrrolidone, 1-methyl-azepan-2-one, and 1,2-epoxy-3-chloropropane. Journal of Chemical and Engineering Data. 52: 2468-2471. http://dx.doi.org/10.1021/je700398k.

Pan, J; Yao, H; Xu, L; Ou, H; Huo, P; Li, X; Yan, Y. (2011). Selective Recognition of 2,4,6-Trichlorophenol by Molecularly Imprinted Polymers Based on Magnetic Halloysite Nanotubes Composites. J Phys Chem C. 115: 5440-5449. http://dx.doi.org/10.1021/jp111120x.

Panda, S; Gardas, RL. (2015). Measurement and correlation for the thermophysical properties of novel pyrrolidonium ionic liquids: Effect of temperature and alkyl chain length on anion. Fluid Phase Equilibria. 386: 65-74. http://dx.doi.org/10.1016/j.fluid.2014.11.024.

Pande, S; Sharma, DK. (2001). Studies of kinetics of diffusion of N-methyl-2-pyrrolidone (NMP), ethylenediamine (EDA), and NMP+EDA (1 : 1, vol/vol) mixed solvent system in chinakuri coal by solvent swelling techniques. Energy Fuels. 15: 1063-1068.

Pande, S; Sharma, DK. (2002). Ethylenediamine-assisted solvent extraction of coal in N-methyl-2-pyrrolidone: Synergistic effect of ethylenediamine on extraction of coal in N-methyl-2-pyrrolidone. Energy Fuels. 16: 194-204. http://dx.doi.org/10.1021/ef0001742.

Panziera, N; Pertici, P; Barazzone, L; Caporusso, AM; Vitulli, G; Salvadori, P; Borsacchi, S; Geppi, M; Veracini, CA; Martra, G; Bertinetti, L. (2007). MVS-derived palladium nanoparticles deposited on polydimethylphosphazene as recyclable catalysts for Heck-type reactions: Preparation, structural study, and catalytic activity. J Catal. 246: 351-361. http://dx.doi.org/10.1016/j.jcat.2006.12.017.

Paredes, JI; Villar-Rodil, S; Martínez-Alonso, A; Tascón, JM. (2008). Graphene oxide dispersions in organic solvents. Langmuir. 24: 10560-10564. http://dx.doi.org/10.1021/la801744a.

Park, HC; Hong, JM; Ha, SY; Kang, YS; Ahn, KH. (1998). Effects of humidity on the morphology of microporous membranes. J Ind Eng Chem. 4: 31-38.

Park, HC; Kim, YP; Kim, HY; Kang, YS. (1999). Membrane formation by water vapor induced phase inversion. J Memb Sci. 156: 169-178.

Park, HH, ee; Deshwal, B, alRaj; Kim, I, nWon; Lee, HK. (2008). Absorption of SO2 from flue gas using PVDF hollow fiber membranes in a gas-liquid contactor. J Memb Sci. 319: 29-37. http://dx.doi.org/10.1016/j.memsci.2008.03.023.

Park, JH; Raza, F; Jeon, S, uJi; Yim, D; Kim, H, yeIn; Kang, T, aeW; Kim, JH, o. (2016). Oxygen-mediated formation of MoSx-doped hollow carbon dots for visible light-driven photocatalysis. 4: 14796-14803. http://dx.doi.org/10.1039/c6ta04278c.

Park, LS; Oh, HS; Lee, TH; Kim, SH; Hwang, JS. (2000). Synthesis and thermal properties of poly(phenylene sulfide-co-phenylene sulfide ketone). J Ind Eng Chem. 6: 331-337.

Park, SW; Choi, BS; Park, DW; Kim, SS. (2005). Kinetics of the reaction between carbon dioxide and glycidyl methacrylate using 18-crown-6 as a catalyst. J Ind Eng Chem. 11: 527-532.

Exposure Literature Search Results

Off Topic

Park, SW; Jang, CH. (2011). Effects of carbonization and solvent-extraction on change in fuel characteristics of sewage sludge. Bioresour Technol. 102: 8205-8210. http://dx.doi.org/10.1016/j.biortech.2011.05.072.

Parker, DH; Chatterjee, K; Wurz, P; Lykke, KR; Pellin, MJ; Stock, LM. (1992). FULLERENES AND GIANT FULLERENES - SYNTHESIS, SEPARATION, AND MASS-SPECTROMETRIC CHARACTERIZATION. Carbon. 30: 1167-1182.

Pastore, BM; Savelski, MJ; Slater, CS; Richetti, FA. (2016). Life cycle assessment of N-methyl-2-pyrrolidone reduction strategies in the manufacture of resin precursors. Clean Tech Environ Pol. 18: 2635-2647. http://dx.doi.org/10.1007/s10098-016-1180-5.

Patel, RB; Carlson, AN; Solorio, L; Exner, AA. (2010). Characterization of formulation parameters affecting low molecular weight drug release from in situ forming drug delivery systems. J Biomed Mater Res A. 94: 476-484. http://dx.doi.org/10.1002/jbm.a.32724.

Paul-Dauphin, S; Karaca, F; Morgan, TJ; Millan-Agorio, M; Herod, AA; Kandiyoti, R. (2007). Probing size exclusion mechanisms of complex hydrocarbon mixtures: The effect of altering eluent compositions. Energy Fuels. 21: 3484-3489. http://dx.doi.org/10.1021/ef`700410e.

Pei, X; Yan, Y, eHai; Yan, L; Yang, P, an; Wang, J; Xu, R; Chan-Park, MB. (2010). A magnetically responsive material of single-walled carbon nanotubes functionalized with magnetic ionic liquid. Carbon. 48: 2501-2505. http://dx.doi.org/10.1016/j.carbon.2010.03.023.

Pereira, CC; Nobrega, R; Borges, CP. (2001). Membranes obtained by simultaneous casting of two polymer solutions. J Memb Sci. 192: 11-26.

Pereira, CC; Nobrega, R; Peinemann, KV; Borges, CP. (2003). Hollow fiber membranes obtained by simultaneous spinning of two polymer solutions: a morphological study. J Memb Sci. 226: 35-50. http://dx.doi.org/10.1016/j.memsci.2003.07.011.

Petreus, O; Avram, E; Serbezeanu, D. (2010). Synthesis and Characterization of Phosphorus-Containing Polysulfone. Polymer Engineering and Science. 50: 48-56. http://dx.doi.org/10.1002/pen.21508.

Petro, R; Borodulin, P; Schlesinger, TE; Schlesinger, M. (2016). Liquid Exfoliated Graphene: A Practical Method for Increasing Loading and Producing Thin Films. 5: P36-P40. http://dx.doi.org/10.1149/2.0111602jss.

Petzold, K; Koschella, A; Klemm, D; Heublein, B. (2003). Silylation of cellulose and starch - selectivity, structure analysis, and subsequent reactions. Cellulose. 10: 251-269.

Phaechamud, T; Mahadlek, J; Chuenbarn, T. (2016). In situ forming gel comprising bleached shellac loaded with antimicrobial drugs for periodontitis treatment. Materials & Design. 89: 294-303. http://dx.doi.org/10.1016/j.matdes.2015.09.138.

Phaechamud, T; Yodkhum, K; Charoenteeraboon, J; Tabata, Y. (2015). Chitosan-aluminum monostearate composite sponge dressing containing asiaticoside for wound healing and angiogenesis promotion in chronic wound. Mater Sci Eng C. 50: 210-225. http://dx.doi.org/10.1016/j.msec.2015.02.003.

Pham, M; Schideman, L; Scott, J; Rajagopalan, N; Plewa, MJ. (2013). Chemical and biological characterization of wastewater generated from hydrothermal liquefaction of Spirulina. Environ Sci Technol. 47: 2131-2138. http://dx.doi.org/10.1021/es304532c.

Pham, VH; Cuong, TV; Hur, SH; Oh, E; Kim, EJ; Shin, EW; Chung, JS. (2011). Chemical functionalization of graphene sheets by solvothermal reduction of a graphene oxide suspension in N-methyl-2-pyrrolidone. J Mater Chem. 21: 3371. http://dx.doi.org/10.1039/c0jm02790a.

Pham, VH; Dang, TT; Cuong, TV; Hur, SH; Kong, BS; Kim, E, uiJ; Chung, J, inSuk. (2012). Synthesis of highly concentrated suspension of chemically converted graphene in organic solvents: Effect of temperature on the extent of reduction and dispersibility. Korean J Chem Eng. 29: 680-685. http://dx.doi.org/10.1007/s11814-011-0232-0.

Pham, VH; Kim, KH; Jung, DW, on; Singh, K; Oh, E, unS; Chung, J, inSuk. (2013). Liquid phase co-exfoliated MoS2-graphene composites as anode materials for lithium ion batteries. J Power Sources. 244: 280-286. http://dx.doi.org/10.1016/j.jpowsour.2013.01.053.

Pielichowski, J; Tecza, W; Rakoczy, J; Zadrozna, G; Szpakiewicz, B. (1992). FURFURAL AND N-METHYLPYRROLIDONE IN LUBRICATING OIL REFINING - A COMPARATIVE-STUDY. 45: 131-134.

Pindoria, RV; Chatzakis, IN; Lim, JY; Herod, AA; Dugwell, DR; Kandiyoti, R. (1999). Hydropyrolysis of sugar cane bagasse: effect of sample configuration on bio-oil yields and structures from two bench-scale reactors. Fuel. 78: 55-63.

Pindoria, RV; Lim, JY; Hawkes, JE; Lazaro, MJ; Herod, AA; Kandiyoti, R. (1997). Structural characterization of biomass pyrolysis tars/oils from eucalyptus wood waste: effect of H-2 pressure and sample configuration. Fuel. 76: 1013-1023.

Pinto, BP; de Santa Maria, LC; Sena, ME. (2007). Sulfonated poly(ether imide): A versatile route to prepare functionalized polymers by homogenous sulfonation. Mater Lett. 61: 2540-2543. http://dx.doi.org/10.1016/j.matlet.2006.09.060.

Pipatmanomai, S; Herod, AA; Morgan, TJ; Paterson, N; Dugwell, DR; Kandiyoti, R. (2004). The fate of volatiles from injectant coals and soot formation in blast furnaces. Energy Fuels. 18: 68-76. http://dx.doi.org/10.1021/ef030101t.

Pirhonen, EM; Pohjonen, TH; Weber, FE. (2006). Novel membrane for guided bone regeneration. Int J Artif Organs. 29: 834-840.

Pivovarov, AT; Ramazanova, AR; Pivovarova, NA; Nemov, IV. (2009). PRODUCTION OF AUTOMOBILE GASOLINES FROM ASTRAKHAN GAS CONDENSATE RESIDUAL FUEL OIL. Chemistry and Technology of Fuels and Oils. 45: 246-248.

Plisko, TV; Bildyukevich, AV; Volkov, VV; Osipov, NN. (2015). Formation of hollow fiber membranes doped with multiwalled carbon nanotube dispersions. Petroleum Chemistry. 55: 318-332. http://dx.doi.org/10.1134/S0965544115040064.

Plucinski, PK; Bavykin, DV; Kolaczkowski, ST; Lapkin, AA. (2005). Application of a structured multifunctional reactor for the oxidation of a liquid organic feedstock. Catalysis Today. 105: 479-483. http://dx.doi.org/10.1016/j.cattod.2005.06.021.

Polaczek, J; Kzeslak, A; Tecza, T; Lisicki, Z. (1992). NEW PROCESS OF COAL-TAR DERIVED ANTHRACENE ISOLATION AND PURIFICATION. Przemysł Chemiczny. 71: 15-25.

Powala, D; Orzechowski, A; Maranda, A. (2011). Low sensitive high explosives. 4,10-Dinitro-2,6,8,12-tetraoxa-4,10-diazatetracyclo[5.5.0.05,903,11]dodecane. Przemysł Chemiczny. 90: 112-118.

Prado-Perez, AJ; Rodriguez-Arevalo, J; Diaz-Teijeiro, MF. (2014). Performance assessment of a cavity ring-down laser spectrometer: achieving better precision and accuracy in the measurement of delta O-18 and delta H-2 in liquid water samples. Meas Sci Technol. 25. http://dx.doi.org/10.1088/0957-0233/25/1/015801.

Praneeth, K; Kalyani, S; Ravikumar, YVL; Tardio, J; Sridhar, S. (2013). Development of polyethersulfone and polyacrylonitrile hollow fiber membranes for clarification of surface water and fungal enzyme broth. Water Science and Technology: Water Supply. 13: 44-55. http://dx.doi.org/10.2166/ws.2012.074.

Exposure Literature Search Results

Off Topic

Przewloka, SR; Shearer, BJ. (2002). The further chemistry of ellagic acid III. The effect of wick action upon moisture uptake and movement in ellagate treated Pinus radiata wood. Holzforschung. 56: 632-638.

Pulyalina, AY, u; Polotskaya, GA; Veremeychik, KY, u; Goikhman, MY, a; Podeshvo, IV; Toikka, AM. (2015). Ethanol purification from methanol via pervaporation using polybenzoxazinoneimide membrane. Fuel Process Tech. 139: 178-185. http://dx.doi.org/10.1016/j.fuproc.2015.07.023.

Pulyalina, AY, u; Toikka, AM; Polotskaya, GA. (2014). Investigation of Pervaporation Membranes Based on Polycarbamide: Effect of Residual Solvent. Petroleum Chemistry. 54: 573-579. http://dx.doi.org/10.1134/S096554411407010X.

Pundlik, MD; Sitharaman, B; Kaur, I. (2001). Gas chromatographic determination of 1,4-dioxane in benzene. Journal of Sci Ind Res. 60: 401-404.

Purdy, AP; Godbey, D; Buckley, L. (1997). The dissolution of copper in common solvents used for low dielectric polymers. Thin Solid Films. 308: 486-489.

Qadir, A; Chiesa, M; Abbas, A, li. (2014). In silico design of solvents for carbon capture with simultaneous optimisation of operating conditions. Int J Greenhouse Gas Control. 30: 179-187. http://dx.doi.org/10.1016/j.ijggc.2014.08.023.

Qian, B; Li, J, ie; Wei, Q; Bai, P; Fang, B; Zhao, C. (2009). Preparation and characterization of pH-sensitive polyethersulfone hollow fiber membrane for flux control. J Memb Sci. 344: 297-303. http://dx.doi.org/10.1016/j.memsci.2009.08.026.

Qin, C; Shen, J; Hu, Y; Ye, M. (2009). Facile attachment of magnetic nanoparticles to carbon nanotubes via robust linkages and its fabrication of magnetic nanocomposites. Compos Sci Tech. 69: 427-431. http://dx.doi.org/10.1016/j.compscitech.2008.11.011.

Qin, JJ; Chung, TS. (1999). Effect of dope flow rate on the morphology, separation performance, thermal and mechanical properties of ultrafiltration hollow fibre membranes. J Memb Sci. 157: 35-51.

Qin, JJ; Chung, TS; Cao, C; Vora, RH. (2005). Effect of temperature on intrinsic permeation properties of 6FDA-Durene/1,3-phenylenediamine (mPDA) copolyimide and fabrication of its hollow fiber membranes for CO2/CH4 separation. J Memb Sci. 250: 95-103. http://dx.doi.org/10.1016/j.memsci.2004.10.021.

Qin, JJ; Li, Y; Lee, LS; Lee, H. (2003). Cellulose acetate hollow fiber ultrafiltration membranes made from CA/PVP 360 K/NMP/water. J Memb Sci. 218: 173-183. http://dx.doi.org/10.1016/S0376-7388(03)00170-4.

Qin, JJ; Oo, MH; Cao, YM; Lee, LS. (2005). Development of a LCST membrane forming system for cellulose acetate ultrafiltration hollow fiber. Separation and Purification Technology. 42: 291-295. http://dx.doi.org/10.1016/j.seppur.2004.07.015.

Qin, JJ; Oo, MH; Li, Y. (2005). Hollow fiber ultrafiltration membranes with enhanced flux for humic acid removal. J Memb Sci. 247: 119-125. http://dx.doi.org/10.1016/j.memsci.2004.09.016.

Qin, JJ; Wang, R; Chung, TS. (2000). Investigation of shear stress effect within a spinneret on flux, separation and thermomechanical properties of hollow fiber ultrafiltration membranes. J Memb Sci. 175: 197-213.

Qin, P; Han, B; Chen, C; Takuji, S; Li, J; Sun, B. (2009). Poly (phthalazinone ether sulfone ketone) properties and their effect on the membrane morphology and performance. Desalination and Water Treatment. 11: 157-166. http://dx.doi.org/10.5004/dwt.2009.793.

Qin, Y; Yuan, M; Li, L; Li, W; Xue, J. (2012). Formulation and evaluation of in situ forming PLA implant containing tinidazole for the treatment of periodontitis. J Biomed Mater Res B Appl Biomater. 100: 2197-2202. http://dx.doi.org/10.1002/jbm.b.32788.

Qin, Z, hiH; Chen, H; Yan, Y, uJie; Li, CS; Rong, L, iMan; Yang, XQ, in. (2015). FTIR quantitative analysis upon solubility of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent to coal petrographic constituents. Fuel Process Tech. 133: 14-19. http://dx.doi.org/10.1016/j.fuproc.2015.01.001.

Qing, X; Peisheng, M. (2007). Measurement and correlation for solubility of dimethyl-2,6-naphthalene dicarboxylate in organic solvents. Chinese Journal of Chemical Engineering. 15: 215-220.

Qu, Y; Liang, S; Zou, K, ai; Li, S; Liu, L; Zhao, J; Piao, G. (2011). Effect of solvent type on the formation of tubular fullerene nanofibers. Mater Lett. 65: 562-564. http://dx.doi.org/10.1016/j.matlet.2010.10.075.

Qu, Y; Yu, W; Liang, S; Li, S; Zhao, J; Piao, G. (2011). Structure and Morphology Characteristics of Fullerene C-60 Nanotubes Fabricated with N-Methyl-2-pyrrolidone as a Good Solvent. Journal of Nanomaterials. http://dx.doi.org/10.1155/2011/706293.

Quanxing, C; Jie, Y; Shengru, L. (2007). Synthesis and characterization of novel polyarylene sulfide. Journal of Wuhan University of Technology--Materials Science Edition. 22: 276-278. http://dx.doi.org/10.1007/s11595-005-2276-7.

Quijada-Maldonado, E; Meindersma, GW; de Haan, AB. (2016). Pilot plant study on the extractive distillation of toluene-methylcyclohexane mixtures using NMP and the ionic liquid [hmim] [TCB] as solvents. Separation and Purification Technology. 166: 196-204. http://dx.doi.org/10.1016/j.seppur.2016.04.041.

Quintana, M; Spyrou, K; Grzelczak, M; Browne, WR; Rudolf, P; Prato, M. (2010). Functionalization of graphene via 1,3-dipolar cycloaddition. ACS Nano. 4: 3527-3533. http://dx.doi.org/10.1021/nn100883p.

Radhakrishnan, S; Prakash, S; Rao, CRK; Vijayan, M. (2009). Organically Soluble Bifunctional Polyaniline-Magnetite Composites for Sensing and Supercapacitor Applications. Electrochemical and Solid-State Letters. 12: A84-A87. http://dx.doi.org/10.1149/1.3074315.

Rafiee, Z; Golriz, L. (2014). Synthesis and Study of New Poly(ester-imide)s Containing Triptycene Groups. Polymer Engineering and Science. 54: 2252-2257. http://dx.doi.org/10.1002/pen.23780.

Rafiee, Z; Mallakpour, S; Khalili, S. (2014). Preparation and Characterization of Polyimide/Titania Nanohybrid Films. Polymer Composites. 35: 1486-1493. http://dx.doi.org/10.1002/pc.22802.

Rafienia, M; Mirzadeh, H; Mirzadeh, H; Mobedi, H; Jamshidi, A. (2007). In vitro evaluation of drug solubility and gamma irradiation on the release of betamethasone under simulated in vivo conditions. J Bioact Compat Polymer. 22: 443-459. http://dx.doi.org/10.1177/0883911507080110.

Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for CO2 separation from natural gas. J Memb Sci. 378: 444-452. http://dx.doi.org/10.1016/j.memsci.2011.05.025.

Exposure Literature Search Results

Off Topic

Raghu, AV; Gadaginamath, GS; Mathew, NT; Halligudi, SB; Aminabhavi, TM. (2007). Synthesis and characterization of novel polyurethanes based on 4,4 '-[1,4-phenylenedi-diazene-2,1-dlyl] bis(2-carboxyphenol) and 4,4 '-[1,4-phenylenedi-diazene-2,1-diyl] bis(2-chlorophenol) hard segments. React Funct Polym. 67: 503-514. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.02.003.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Development of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 86: 215-220. http://dx.doi.org/10.1016/j.seppur.2011.11.007.

Rahbari-Sisakht, M; Ismail, AF; Matsuura, T. (2012). Effect of bore fluid composition on structure and performance of asymmetric polysulfone hollow fiber membrane contactor for CO2 absorption. Separation and Purification Technology. 88: 99-106. http://dx.doi.org/10.1016/j.seppur.2011.12.012.

Rahbari-Sisakht, M; Ismail, AF; Rana, D; Matsuura, T. (2012). Effect of different additives on the physical and chemical CO2 absorption in polyetherimide hollow fiber membrane contactor system. Separation and Purification Technology. 98: 472-480. http://dx.doi.org/10.1016/j.seppur.2012.06.033.

Rahman, M; Samanta, A; Gupta, R. (2013). Production and characterization of ash-free coal from low-rank Canadian coal by solvent extraction. Fuel Process Tech. 115: 88-98. http://dx.doi.org/10.1016/j.fuproc.2013.04.008.

Rajasingam, R; Jayasinghe, NS; Lucien, FP; Tran, T. (2006). Selective elution of the gold cyanide complex from anion exchange resin using mixed solvents. Miner Eng. 19: 896-903. http://dx.doi.org/10.1016/j.mineng.2005.09.054.

Rajasingam, R; Lioe, L; Pham, QT; Lucien, FP. (2004). Solubility of carbon dioxide in dimethylsulfoxide and N-methyl-2-pyrrolidone at elevated pressure. Journal of Supercritical Fluids. 31: 227-234. http://dx.doi.org/10.1016/j.supflu.2003.12.003.

Rambausek, L; Bruneel, E, ls; De Mey, G; Van Langenhove, L. (2014). POLYIMIDE DIELECTRIC LAYER ON FILAMENTS FOR ORGANIC FIELD EFFECT TRANSISTORS: CHOICE OF SOLVENT, SOLUTION COMPOSITION AND DIP-COATING SPEED. 14: 121-134. http://dx.doi.org/10.2478/aut-2014-0008.

Ratner, J; Kahana, N; Warshawsky, A; Krongauz, V. (1996). Photochromic polysulfones .2. Photochromic properties of polymeric polysulfone carrying pendant spiropyran and spirooxazine groups. Ind Eng Chem Res. 35: 1307-1315.

Ravi, A; Praveen, T; Rao, CRK; Narayan, R; Raju, KVS, N. (2015). Polyurethane-tetraaniline conducting composites: synthesis and their anti-corrosion performance. Pigment & Resin Technology. 44: 306-312. http://dx.doi.org/10.1108/PRT-05-2014-0043.

Ravula, S; Baker, SN; Kamath, G; Baker, GA. (2015). Ionic liquid-assisted exfoliation and dispersion: stripping graphene and its two-dimensional layered inorganic counterparts of their inhibitions. Nanoscale. 7: 4338-4353. http://dx.doi.org/10.1039/c4nr01524j.

Rawson, BV; Cocker, J; Evans, PG; Wheeler, JP; Akrill, PM. (2005). Internal contamination of gloves: routes and consequences. Ann Occup Hyg. 49: 535-541. http://dx.doi.org/10.1093/annhyg/mei015.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of CO2 in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol. Fluid Phase Equilibria. 218: 261-267. http://dx.doi.org/10.1016/j.fluid.2003.12.012.

Rebolledo-Libreros, ME; Trejo, A. (2004). Gas solubility of H2S in aqueous solutions of N-methyldiethanolamine and diethanolamine with 2-amino-2-methyl-1-propanol at 313, 343, and 393 K in the range 2.5-1036 kPa. Fluid Phase Equilibria. 224: 83-88. http://dx.doi.org/10.1016/j.fluid.2004.06.049.

Reddy, KR; Kumar, DBK; Rao, GS; Sairam, PVS; Anila, P; Rambabu, C. (2012). Activity Coefficients and Excess Gibbs Energies for Binary Mixtures of N-Methyl-2-pyrrolidone with Some Substituted Ethanols. Journal of Chemical and Engineering Data. 57: 1412-1416. http://dx.doi.org/10.1021/je3002078.

Reddy, KR; Kumar, DBK; Rao, GS; Sri, PBS; Rambabu, C. (2012). Vapor-liquid equilibria and excess molar volumes of N-methyl-2-pyrrolidone with 2-alkoxyethanols. Fluid Phase Equilibria. 336: 52-58. http://dx.doi.org/10.1016/j.fluid.2012.08.030.

Rehan, ZA; Gzara, L; Khan, SB; Alamry, KA; El-Shahawi, MS; Albeirutty, MH; Figoli, A; Drioli, E; Asiri, AM. (2016). Synthesis and Characterization of Silver Nanoparticles-Filled Polyethersulfone Membranes for Antibacterial and Anti-Biofouling Application. Recent Pat Nanotechnol. 10: 231-251. http://dx.doi.org/10.2174/1872210510666160429145228.

Reine, TA; Eldridge, RB. (2005). Absorption equilibrium and kinetics for ethylene-ethane separation with a novel solvent. Ind Eng Chem Res. 44: 7505-7510. http://dx.doi.org/10.1021/ie0488546.

Reitze, JD; Przewloka, SR; Shearer, BJ. (2001). The further chemistry of ellagic acid I. Synthesis of tetramethylellagic acid and associated polymer precursors. Holzforschung. 55: 171-175.

Ren, C; Liu, T; Maturavongsadit, P; Luckanagul, JA; Chen, F. (2015). Effect of PEG additive on anode microstructure and cell performance of anode-supported MT-SOFCs fabricated by phase inversion method. J Power Sources. 279: 774-780. http://dx.doi.org/10.1016/j.jpowsour.2014.12.140.

Ren, HM; Ding, YH; Chang, FH; He, X; Feng, JQ; Wang, CF; Jiang, Y; Zhang, P. (2012). Flexible free-standing TiO2/graphene/PVdF films as anode materials for lithium-ion batteries. Appl Surf Sci. 263: 54-57. http://dx.doi.org/10.1016/j.apsusc.2012.08.107.

Ren, J; Li, Z. (2012). Development of asymmetric BTDA-TDI/MDI (P84) copolyimide flat sheet and hollow fiber membranes for ultrafiltration: Morphology transition and membrane performance. Desalination. 285: 336-344. http://dx.doi.org/10.1016/j.desal.2011.10.024.

Ren, J; Li, Z; Wong, FS; Li, D. (2005). Development of asymmetric BTDA-TDI/MDI (P84) co-polyimide hollow fiber membranes for ultrafiltration: the influence of shear rate and approaching ratio on membrane morphology and performance. J Memb Sci. 248: 177-188. http://dx.doi.org/10.1016/j.memsci.2004.09.031.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric flat sheet and thickness-gradient membranes by wet phase-inversion process. Desalination. 253: 1-8. http://dx.doi.org/10.1016/j.desal.2009.12.001.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric polyetherimide flat sheet membranes with different thickness by wet phase-inversion process. Separation and Purification Technology. 74: 119-129. http://dx.doi.org/10.1016/j.seppur.2010.05.014.

Ren, JZ; Chung, TS; Li, DF; Wang, R; Liu, Y. (2002). Development of asymmetric 6FDA-2,6 DAT hollow fiber membranes for CO2/CH4 separation - 1. The influence of dope composition and rheology on membrane morphology and separation performance. J Memb Sci. 207: 227-240.

Exposure Literature Search Results

Off Topic

Ren, JZ; Li, ZS; Wong, FS. (2004). Membrane structure control of BTDA-TDI/MDI (P84) co-polyimide asymmetric membranes by wet-phase inversion process. J Memb Sci. 241: 305-314. http://dx.doi.org/10.1016/j.memsci.2004.06.001.

Reverchon, E; Cardea, S. (2005). Formation of polysulfone membranes by supercritical CO2. Journal of Supercritical Fluids. 35: 140-146. http://dx.doi.org/10.1016/j.supflu.2004.12.007.

Reverchon, E; De Marco, I; Caputo, G; Della Porta, G. (2003). Pilot scale micronization of amoxicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 26: 1-7.

Reverchon, E; Della Porta, G. (1999). Production of antibiotic micro- and nano-particles by supercritical antisolvent precipitation. Powder Technology. 106: 23-29.

Reverchon, E; Della Porta, G; Falivene, MG. (2000). Process parameters and morphology in amoxicillin micro and submicro particles generation by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 17: 239-248.

Reybier, K; Malugani, JP; Fantini, S; Herlem, M; Fahys, B. (2002). Electrodeposition of Keggin-type heteropolyanions on different electrode surfaces from nonaqueous media. J Electrochem Soc. 149: E96-E101. http://dx.doi.org/10.1149/1.1447945.

Rey-Raap, N; Piedboeuf, MLC; Arenillas, A, na; Angel Menendez, J; Leonard, AF; Job, N. (2016). Aqueous and organic inks of carbon xerogels as models for studying the role of porosity in lithium-ion battery electrodes. Materials & Design. 109: 282-288. http://dx.doi.org/10.1016/j.matdes.2016.07.007.

Riaz, U; Ahmad, S; Ashraf, SM. (2009). Effect of solvent on the characteristics of nanostructured composites of poly (1-naphthylamine) with poly (vinyl alcohol). Curr Appl Phys. 9: 581-587. http://dx.doi.org/10.1016/j.cap.2008.05.012.

Riele, M; Snijder, ED; Vanswaaij, WPM. (1995). DIFFUSION-COEFFICIENTS AT INFINITE DILUTION IN WATER AND IN N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 40: 34-36.

Rikabi, AAK, K; Balaban , M; Harabor, I; Albu, PC; Segarceanu, M; Nechifor, G. (2016). Iono-molecular Separation with Composite Membranes I. Preparation and characterization of membranes with polysulfone matrix. Rev Chim. 67: 1658-1665.

Rodriguez-Reinoso, F; Martinez-Escandell, M; Torregrosa, P; Marsh, H; de Salazar, CG; Romero-Palazon, E. (2001). Pyrolysis of petroleum residues III. Kinetics of pyrolysis. Carbon. 39: 61-71.

Rodriguez-Valero, AA; Martinez-Escandell, M; Rodriguez-Reinoso, F. (2002). Production of high-strength carbon artifacts from petroleum residues: Influence of the solvent used to prepare mesophase powder. Energy Fuels. 16: 1087-1094. http://dx.doi.org/10.1021/ef010293x.

Ronova, IA; Nikitin, LN; Tereschenko, GF; Bruma, M. (2012). SUPERCRITICAL CARBON DIOXIDE SWELLING OF POLYHETEROARYLENES SYNTHESISED IN N-METHYLPYRROLIDONE. Balkan Tribological Association Journal. 18: 425-443.

Roy, S; Wang, K; Khasamba, G. (2014). Use of N-Methyl-2-pyrrolidone (NMP) As a Solvent in the In Vitro Cytogenetic Assay. Environ Mol Mutagen. 55: S42-S42.

Royals, MA; Fujita, SM; Yewey, GL; Rodriguez, J; Schultheiss, PC; Dunn, RL. (1999). Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys. J Biomed Mater Res. 45: 231-239.

Ruble, GR; Giardino, OZ; Fossceco, SL; Cosmatos, D; Knapp, RJ; Barlow, NJ. (2006). The effect of commonly used vehicles on canine hematology and clinical chemistry values. Contemp Top Lab Anim Sci. 45: 25-29.

Růžička, J; Fusková, J; Křížek, K; Měrková, M; Černotová, A; Smělík, M. (2016). Microbial degradation of N-methyl-2-pyrrolidone in surface water and bacteria responsible for the process. Water Sci Technol. 73: 643-647. http://dx.doi.org/10.2166/wst.2015.540.

Ruzicka, K; Fulem, M; Mahnel, T; Cervinka, C. (2015). Recommended vapor pressures for aniline, nitromethane, 2-aminoethanol, and 1-methyl-2-pyrrolidone. Fluid Phase Equilibria. 406: 34-46. http://dx.doi.org/10.1016/j.fluid.2015.06.045.

Ryu, H, oSuk; Kim, BW; Park, J, inWoo; Nam, T, aeH; Cho, KK, oo; Kim, K, iWon; Ahn, J, ouH; Ahn, H, yoJun. (2016). Effect of solvents on the electrochemical properties of binder-free sulfur cathode films in lithium-sulfur batteries. Materials Research Bulletin. 82: 102-108. http://dx.doi.org/10.1016/j.materresbull.2016.03.027.

Ryu, Y; Yin, L; Yu, C. (2012). Dramatic electrical conductivity improvement of carbon nanotube networks by simultaneous de-bundling and hole-doping with chlorosulfonic acid. J Mater Chem. 22: 6959-6964. http://dx.doi.org/10.1039/c2jm16000e.

Sadeghi, I; Aroujalian, A; Raisi, A; Dabir, B; Fathizadeh, M. (2013). Surface modification of polyethersulfone ultrafiltration membranes by corona air plasma for separation of oil/water emulsions. J Memb Sci. 430: 24-36. http://dx.doi.org/10.1016/j.memsci.2012.11.051.

Saenger, KL; Tong, HM. (1991). LASER INTERFEROMETRY - A MEASUREMENT TECHNIQUE FOR DIFFUSION STUDIES IN THIN POLYMER-FILMS. Polymer Engineering and Science. 31: 432-435.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2014). Novel method for treatment of hollow fiber membranes using hypochlorite. J Text Inst. 105: 962-970. http://dx.doi.org/10.1080/00405000.2013.866333.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2015). The effect of bore fluid type on performance of treated polysulfone hollow-fiber membrane. Text Res J. 85: 281-293. http://dx.doi.org/10.1177/0040517514521122.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR. (1998). Liquid-liquid equilibrium studies on toluene plus heptane plus solvent. Journal of Chemical and Engineering Data. 43: 422-426.

Saha, M; Rawat, BS; Khanna, MK; Nautiyal, BR; Raghuram, MV. (1999). Extraction of aromatics from naphtha reformate using combination solvents. Indian J Chem Tech. 6: 85-89.

Sahin, S. (2010). Phase Equilibria for Liquid Mixtures of (an Alkane plus Toluene plus Dimethyl Phthalate). Journal of Chemical and Engineering Data. 55: 1204-1208. http://dx.doi.org/10.1021/je900592b.

Sahin, Y; Pekmez, K; Yildiz, A. (2002). Electrochemical synthesis of self-doped polyaniline in fluorosulfonic acid/acetonitrile solution. Synthetic Metals. 129: 107-115.

Saimani, S; Dal-Cin, MM; Kumar, A; Kingston, DM. (2010). Separation performance of asymmetric membranes based on PEGDa/PEI semi-interpenetrating polymer network in pure and binary gas mixtures of CO2, N-2 and CH4. J Memb Sci. 362: 353-359. http://dx.doi.org/10.1016/j.memsci.2010.06.045.

Exposure Literature Search Results

Off Topic

Saini, P; Bhandari, H; Choudhary, V; Dhawan, SK. (2008). Thermal, spectroscopic and electrical transport properties of processable poly(aniline-co-alkylaniline) copolymers. Indian Journal of Engineering and Materials Sciences. 15: 497-504.

Saini, P; Choudhary, V. (2013). Structural details, electrical properties, and electromagnetic interference shielding response of processable copolymers of aniline. Journal of Materials Science. 48: 797-804. http://dx.doi.org/10.1007/s10853-012-6797-0.

Sainz, R; Benito, AM; Martinez, MT; Galindo, JF; Sotres, J; Baro, AM; Corraze, B; Chauvet, O; Dalton, AB; Baughman, RH; Maser, WK. (2005). A soluble and highly functional polyaniline-carbon nanotube composite. Nanotechnology. 16: S150-S154. http://dx.doi.org/10.1088/0957-4484/16/5/003.

Saito, K; Nishimura, N; Sasaki, S; Oishi, Y; Shibasaki, Y. (2013). Synthesis of polyguanamines from 2-N,N-dibutylamino-4,6-dichloro-1,3,5-triazine with aromatic diamines. React Funct Polym. 73: 756-763. http://dx.doi.org/10.1016/j.reactfunctpolym.2013.03.005.

Sakaguchi, Y; Kaji, A; Konagaya, S. (2006). Influence of the addition of tertiary amine on the sequence length of aromatic polyamide copolymers in the solution polycondensation. Sen'i Gakkaishi. 62: 150-154.

Sakanishi, K; Saito, I; Ishom, F; Watanabe, I; Mochida, I; Okuyama, N; Deguchi, T; Simazaki, K. (2002). Characterization and elution behaviors of organically associated minerals in coals during acid treatment and solvent extraction. Fuel. 81: 1471-1475.

Salem, A; Hamad, EZ. (1995). LIQUID-LIQUID EQUILIBRIUM OF THE 5 COMPONENT SYSTEM OF N-HEXANE-N-HEPTANE-TOLUENE-O-XYLENE-PROPYLENE CARBONATE. Fluid Phase Equilibria. 108: 231-241.

Saljoughi, E; Amirilargani, M; Mohammadi, T. (2010). Effect of PEG additive and coagulation bath temperature on the morphology, permeability and thermal/chemical stability of asymmetric CA membranes. Desalination. 262: 72-78. http://dx.doi.org/10.1016/j.desal.2010.05.046.

Saljoughi, E; Mohammadi, T. (2009). Cellulose acetate (CA)/polyvinylpyrrolidone (PVP) blend asymmetric membranes: Preparation, morphology and performance. Desalination. 249: 850-854. http://dx.doi.org/10.1016/j.desal.2008.12.066.

Saljoughi, E; Sadrzadeh, M; Mohammadi, T. (2009). Effect of preparation variables on morphology and pure water permeation flux through asymmetric cellulose acetate membranes. J Memb Sci. 326: 627-634. http://dx.doi.org/10.1016/j.memsci.2008.10.044.

Samal, M; Acharya, S; Yi, DK; Lee, JS; Samal, S. (2015). C60 Cheese Sticks: Supramolecular Architecture of an Amphiphilic Fullerene Pentapod. J Nanosci Nanotechnol. 15: 6847-6851. http://dx.doi.org/10.1166/jnn.2015.10647.

Sang, J, un; Yu, L; Xie, S; Zhang, F; Zhang, X; Lin, W, ei. (2015). Simultaneous Determination of N-methyl-2-pyrrolidone (NMP) and N-Ethyl-2-pyrrolidone (NEP) in Leather by Gas Chromatography-Mass Spectrometry. Journal of the Society of Leather Technologists and Chemists. 99: 134-138.

Sanip, SM; Ismail, AF; Aziz, M; Soga, T. (2009). Functionalized Carbon Nanotubes for Mixed Matrix Membrane. I E I C E Transactions on Electronics. E92C: 1427-1431. http://dx.doi.org/10.1587/transele.E92.C.1427.

Santoro, S; Drioli, E; Figoli, A. (2016). Development of Novel ECTFE Coated PP Composite Hollow-Fiber Membranes. 6. http://dx.doi.org/10.3390/coatings6030040.

Sato, K; Sugimoto, K; Shimotsuma, N; Kikuchi, T; Kyotani, T; Kurata, T. (2012). Development of practically available up-scaled high-silica CHA-type zeolite membranes for industrial purpose in dehydration of N-methyl pyrrolidone solution. J Memb Sci. 409: 82-95. http://dx.doi.org/10.1016/j.memsci.2012.03.032.

Sava, I. (2006). Study and synthesis of aromatic polyimides by reaction of 3,3'-dimethyl-4,4'diaminodiphenylmethane. Materiale Plastice. 43: 15-19.

SAVITSKA.TI; Murenkov, AM; PROTSENK.VF. (1970). DETERMONATION OF N-METHYLPYRROLIDONE IN WATER BY INFRARED ABSORPTION SPECTROSCOPY. Industrial Laboratory. 36: 691-&.

Schneider, D; Weber, FE; Grunder, U; Andreoni, C; Burkhardt, R; Jung, RE. (2014). A randomized controlled clinical multicenter trial comparing the clinical and histological performance of a new, modified polylactide-co-glycolide acid membrane to an expanded polytetrafluorethylene membrane in guided bone regeneration procedures. Clin Oral Implants Res. 25: 150-158. http://dx.doi.org/10.1111/clr.12132.

Schult, CJ; Neely, BJ; Robinson, RL; Gasem, KAM; Todd, BA. (2001). Infinite-dilution activity coefficients for several solutes in hexadecane and in n-methyl-2-pyrrolidone (NMP): experimental measurements and UNIFAC predictions. Fluid Phase Equilibria. 179: 117-129.

Schultz, C; Kraft, V; Pyschik, M; Weber, S; Schappacher, F; Winter, M; Nowak, S. (2015). Separation and Quantification of Organic Electrolyte Components in Lithium-Ion Batteries via a Developed HPLC Method. J Electrochem Soc. 162: A629-A634. http://dx.doi.org/10.1149/2.0401504jes.

Schutzius, TM; Bayer, IS; Tiwari, MK; Megaridis, CM. (2011). Novel Fluoropolymer Blends for the Fabrication of Sprayable Multifunctional Superhydrophobic Nanostructured Composites. Ind Eng Chem Res. 50: 11117-11123. http://dx.doi.org/10.1021/ie200814r.

Schymura, S; Kuehnast, M; Lutz, V; Jagiella, S; Dettlaff-Weglikowska, U; Roth, S; Giesselmann, F; Tschierske, C; Scalia, G; Lagerwall, J, an. (2010). Towards Efficient Dispersion of Carbon Nanotubes in Thermotropic Liquid Crystals. Adv Funct Mater. 20: 3350-3357. http://dx.doi.org/10.1002/adfm.201000539.

Scully, M; Petty, MC; Monkman, AP. (1993). OPTICAL-PROPERTIES OF POLYANILINE THIN-FILMS. Synthetic Metals. 55: 183-187.

Seckin, T; Gultek, A; Koytepe, S. (2005). Synthesis and characterization of novel hyperbranched polyimides based on silsesquioxane nanocomposite networks. Turkish Journal of Chemistry. 29: 49-59.

Sedghi, R; Moazzami, HR; Davarani, SSH; Nabid, MR; Keshtkar, A, liR. (2017). A one step electrospinning process for the preparation of polyaniline modified TiO2/polyacrylonitile nanocomposite with enhanced photocatalytic activity. J Alloy Comp. 695: 1073-1079. http://dx.doi.org/10.1016/j.jallcom.2016.10.232.

See-Toh, YH; Silva, M; Livingston, A. (2008). Controlling molecular weight cut-off curves for highly solvent stable organic solvent nanofiltration (OSN) membranes. J Memb Sci. 324: 220-232. http://dx.doi.org/10.1016/j.memsci.2008.07.023.

Semblante, GU, y; Tampubolon, SDR; You, SJ, ie; Lin, Y, iF; Chang, TC; Yen, FC. (2013). Fouling reduction in membrane reactor through magnetic particles. J Memb Sci. 435: 62-70. http://dx.doi.org/10.1016/j.memsci.2013.02.003.

Exposure Literature Search Results

Off Topic

Sen, D; Ghosh, AK; Mazumder, S; Bindal, RC; Tewari, PK. (2014). Novel polysulfone-spray-dried silica composite membrane for water purification: Preparation, characterization and performance evaluation. Separation and Purification Technology. 123: 79-86. http://dx.doi.org/10.1016/j.seppur.2013.12.019.

Seneker, SD; Potter, TA. (1991). SOLVENT AND CATALYST EFFECTS IN THE REACTION OF DICYCLOHEXYLMETHANE DIISOCYANATE WITH ALCOHOLS AND WATER. J Coating Tech. 63: 19-23.

Sengupta, PP; Barik, S; Adhikari, B. (2006). Polyaniline as a gas-sensor material. 21: 263-270. http://dx.doi.org/10.1080/10426910500464602.

Serban, B; Bercu, M; Voicu, SI; Nechifor, AC; Cobianu, C. (2006). Synthesis and characterization of a novel functionalized conductive beta-cyclodextrine-doped polyaniline. Rev Chim. 57: 978-980.

Serbezeanu, D; Vlad-Bubulac, T; Hamciuc, C. (2011). New Phosphorus-containing Copoly(ester-amide-imide) Synthesis and characterization. Materiale Plastice. 48: 7-11.

Sergeant, GD; Stubington, JF; Barrett, D; Phillipps, I. (1995). CHARACTERISTICS OF A LUBRICATING OIL BASE STOCK PRODUCED FROM RUNDLE SHALE OIL. Fuel Process Tech. 41: 147-157.

Shabanian, M; Hajibeygi, M. (2013). Magnetic Heat Resistant Poly(amide-imide) Nanocomposite Derived from Bisphenol A: Synthesis and Properties. Polymer Composites. 34: 1682-1689. http://dx.doi.org/10.1002/pc.22569.

Shamsabadi, AA; Kargari, A, li; Babaheidari, MB; Laki, S; Ajami, H. (2013). Role of critical concentration of PEI in NMP solutions on gas permeation characteristics of PEI gas separation membranes. J Ind Eng Chem. 19: 677-685. http://dx.doi.org/10.1016/j.jiec.2012.10.006.

Shao, F; Hao, C; Ni, L, ei; Zhang, Y; Du, R; Meng, J; Liu, Z; Xiao, C. (2014). Experimental and theoretical research on N-methyl-2-pyrrolidone concentration by vacuum membrane distillation using polypropylene hollow fiber membrane. J Memb Sci. 452: 157-164. http://dx.doi.org/10.1016/j.memsci.2013.09.041.

Shao, L; Chung, TS; Wensley, G; Goh, SH; Pramoda, KP. (2004). Casting solvent effects on morphologies, gas transport properties of a novel 6FDA/PMDA-TMMDA copolyimide membrane and its derived carbon membranes. J Memb Sci. 244: 77-87. http://dx.doi.org/10.1016/j.memsci.2004.07.005.

Shao, P; Huang, RYM; Feng, X; Anderson, W; Pal, R; Burns, CM. (2005). Composite membranes with an integrated skin layer: preparation, structural characteristics and pervaporation performance. J Memb Sci. 254: 1-11. http://dx.doi.org/10.1016/j.memsci.2004.08.034.

Sharma, AL; Srivastava, A. (2007). Ion beam induced modifications in nitroso substituted polyaniline: Spectral and electrical studies. Curr Appl Phys. 7: 650-654. http://dx.doi.org/10.1016/j.cap.2007.02.001.

Sharma, DK. (2010). Enhancing the Steam Gasification Reactivity of Coal by Boosting the Factors Affecting the Gasification Reactions in the Stepwise Coal Conversion. Energ Source Part A. 32: 1727-1736. http://dx.doi.org/10.1080/15567030902882927.

Sharma, S; Kumar, D. (2010). Study on solvatochromic behaviour of polyaniline and alkyl substituted polyanilines. Indian Journal of Engineering and Materials Sciences. 17: 231-237.

Sharma, SC; Sheshadri, TS; Krishna, M; Murthy, HNN; Jose, J. (2009). Influence of Solvents on the MWCNT/Adhesive Grade Epoxy Nanocomposites Preparation. Journal of Reinforced Plastics and Composites. 28: 2805-2812. http://dx.doi.org/10.1177/0731684408093977.

Shaver, TN. (1984). FATE OF ETHEPHON AND N-METHYL-2-PYRROLIDONE IN SOIL AND COTTON PLANTS. Arch Environ Contam Toxicol. 13: 335-340.

Shayanfar, A, li; Acree, WE, Jr; Jouyban, A. (2009). Solubility of Clonazepam, Diazepam, Lamotrigine, and Phenobarbital in N-Methyl-2-pyrrolidone plus Water Mixtures at 298.2 K. Journal of Chemical and Engineering Data. 54: 2964-2966. http://dx.doi.org/10.1021/je9000153.

Shen, J; Hu, Y; Shi, M, in; Li, N, a; Ma, H; Ye, M. (2010). One Step Synthesis of Graphene Oxide-Magnetic Nanoparticle Composite. J Phys Chem C. 114: 1498-1503. http://dx.doi.org/10.1021/jp909756r.

Shen, JL; Iino, M. (1994). HEAT-TREATMENT OF COALS IN HYDROGEN-DONATING SOLVENTS AT TEMPERATURES AS LOW AS 175-300-DEGREES-C. Energy Fuels. 8: 978-983.

Shen, JL; Takanohashi, T; Iino, M. (1992). THERMAL-BEHAVIOR OF COALS AT TEMPERATURES AS LOW AS 100-350 DEGREES-C - HEAT-TREATMENT OF THF-INSOLUBLE EXTRACT FROM CS2-NMP MIXED-SOLVENT EXTRACTION OF ZAO-ZHUANG COAL. Energy Fuels. 6: 854-858.

Shen, L; Xu, X; Lu, W, ei; Shi, B, o. (2016). Aluminum nitride shaping by non-aqueous gelcasting of low-viscosity and high solid-loading slurry. Ceramics International. 42: 5569-5574. http://dx.doi.org/10.1016/j.ceramint.2015.12.036.

Shen, SY; Dong, RX; Shih, PT; Ramamurthy, V; Lin, JJ; Ho, KC. (2014). Novel polymer gel electrolyte with organic solvents for quasi-solid-state dye-sensitized solar cells. 6: 18489-18496. http://dx.doi.org/10.1021/am505394v.

Shen, X; Abro, R; Alhumaydhi, IA; Abdeltawab, AA; Al-Enizi, AM; Chen, X; Yu, G. (2017). Separation of propylene and propane by functional mixture of imidazolintum chloride ionic liquid - Organic solvent - Cuprous salt. Separation and Purification Technology. 175: 177-184. http://dx.doi.org/10.1016/j.seppur.2016.11.023.

Shi, FF; Yu, SH. (1998). Electron beam stabilization and dissolution behaviors of advanced deep UV photoresist for sub 0.3 mu m microelectronics fabrication. Thin Solid Films. 322: 254-258.

Shieh, JJ; Chung, TS. (1998). Effect of liquid-liquid demixing on the membrane morphology, gas permeation, thermal and mechanical properties of cellulose acetate hollow fibers. J Memb Sci. 140: 67-79.

Shieh, JJ; Chung, TS. (1999). Phase-inversion poly(ether imide) membranes prepared from water-miscible/immiscible mixture solvents. Ind Eng Chem Res. 38: 2650-2658.

Shim, J; Yun, JM; Yun, T; Kim, P; Lee, KE; Lee, WJ; Ryoo, R; Pine, DJ; Yi, GR; Kim, SO. (2014). Two-minute assembly of pristine large-area graphene based films. Nano Lett. 14: 1388-1393. http://dx.doi.org/10.1021/nl404446f.

Exposure Literature Search Results

Off Topic

Shim, YB; Park, JH. (2000). Humidity sensor using chemically synthesized poly(1,5-diaminonaphthalene) doped with carbon. J Electrochem Soc. 147: 381-385.

Shin, DW; Lee, JH; Kim, YH; Yu, SM; Park, SY; Yoo, JB. (2009). A role of HNO3 on transparent conducting film with single-walled carbon nanotubes. Nanotechnology. 20: 475703. http://dx.doi.org/10.1088/0957-4484/20/47/475703.

Shin, HJ, un; Jeon, SS, oo; Im, SS. (2011). CNT/PEDOT core/shell nanostructures as a counter electrode for dye-sensitized solar cells. Synthetic Metals. 161: 1284-1288. http://dx.doi.org/10.1016/j.synthmet.2011.04.024.

Shin, K; Jeon, H; Park, CE, on; Kim, Y; Cho, H; Lee, G; Han, JH, un. (2010). A low voltage operational single-walled carbon nanotube thin-film transistor containing a high capacitance gate dielectric layer produced by layer-by-layer deposition. Organic Electronics. 11: 1403-1407. http://dx.doi.org/10.1016/j.orgel.2010.05.012.

Shin, SH; Hwang, IC; Park, SJ; In, SJ. (2012). Liquid–liquid equilibria and thermo physical properties for 1-methyl-2-pyrrolidinone+heterocyclic nitrogen compounds+hexadecane systems at 298.15K. J Ind Eng Chem. 18: 848-854. http://dx.doi.org/10.1016/j.jiec.2011.11.143.

Shin, SJ; Kim, JP; Kim, HJ; Jeon, JH; Min, BR. (2005). Preparation and characterization of polyethersulfone microfiltration membranes. Desalination. 186: 1-10. http://dx.doi.org/10.1016/j.desal.2005.03.092.

Shui, H; Lin, C; Zhang, M; Wang, Z; Zheng, M. (2010). Comparison of the associative structure of two different types of rich coals and their coking properties. Fuel. 89: 1647-1653. http://dx.doi.org/10.1016/j.fuel.2009.08.011.

Shui, H; Liu, J; Wang, Z; Cao, M; Wei, X. (2009). Effect of pre-swelling of coal at mild temperatures on its hydro-liquefaction properties. Fuel Process Tech. 90: 1047-1051. http://dx.doi.org/10.1016/j.fuproc.2009.03.022.

Shui, H; Norinaga, K; Iino, M. (2002). Characterizations of aggregation states of coal soluble constituents at solid state. Energy Fuels. 16: 69-73. http://dx.doi.org/10.1021/ef010162w.

Shui, H; Wang, Z. (2010). Effect of Solvent Pretreatments on the Aggregation Behavior of Upper Freeport Coal. Energy Fuels. 24: 1063-1068. http://dx.doi.org/10.1021/ef9008482.

Shui, H; Wang, Z; Cao, M. (2008). Effect of pre-swelling of coal on its solvent extraction and liquefaction properties. Fuel. 87: 2908-2913. http://dx.doi.org/10.1016/j.fuel.2008.04.028.

Shui, H; Zhou, Y, an; Li, H; Wang, Z; Lei, Z; Ren, S; Pan, C; Wang, W. (2013). Thermal dissolution of Shenfu coal in different solvents. Fuel. 108: 385-390. http://dx.doi.org/10.1016/j.fuel.2012.11.005.

Shui, HF. (2005). Effect of coal extracted with NMP on its aggregation. Fuel. 84: 939-941. http://dx.doi.org/10.1016/j.fuel.2004.12.001.

Shui, HF; Norinaga, K; Iino, M. (2001). Effect of tetrabutylammonium acetate addition on the aggregation of coal molecules at solution and solid states. Energy Fuels. 15: 487-491. http://dx.doi.org/10.1021/ef000230z.

Shui, HF; Wang, ZC. (2007). Viscoelastic properties and adsorption behaviors of two kinds of pyridine insoluble fractions of coal extracts with different aggregated states. Energy Fuels. 21: 2827-2830. http://dx.doi.org/10.1021/ef0701034.

Shui, HF; Wang, ZC; Gao, JS. (2006). Examination of the role of CS2 in the CS2/NMP mixed solvents to coal extraction. Fuel Process Tech. 87: 185-190. http://dx.doi.org/10.1016/j.fuproc.2004.11.017.

Shui, HF; Zhou, H. (2004). Viscosity and fractal dimension of coal soluble constituents in solution. Fuel Process Tech. 85: 1529-1538. http://dx.doi.org/10.1016/j.fuproc.2003.10.024.

Sieben, JM; Anson-Casaos, A; Martinez, MT; Morallon, E. (2013). Single-walled carbon nanotube buckypapers as electrocatalyst supports for methanol oxidation. J Power Sources. 242: 7-14. http://dx.doi.org/10.1016/j.jpowsour.2013.05.044.

Sikder, J; Pereira, C; Palchoudhury, S; Vohra, K; Basumatary, D; Pal, P. (2009). Synthesis and characterization of cellulose acetate-polysulfone blend microfiltration membrane for separation of microbial cells from lactic acid fermentation broth. Desalination. 249: 802-808. http://dx.doi.org/10.1016/j.desal.2008.11.024.

Silva, A, naJC; Nogueira, VC; Santos, TEA; Buck, CJT; Worrall, DR; Tonholo, J; Mortimer, RJ; Ribeiro, AS. (2015). Copolymerisation as a way to enhance the electrochromic properties of an alkylthiophene oligomer and a pyrrole derivative: copolymer of 3,3 ''' dihexyl-2,2 ':5 ',2 '':5 '',2 ' '''-quaterthiophene with (R)-(-)-3-(1-pyrrolyl)propyl-N-(3,5-dinitrobenzoyl)-alpha-phenylglycinate. Solar Energy Materials and Solar Cells. 134: 122-132. http://dx.doi.org/10.1016/j.solmat.2014.11.037.

Simionescu, S; Teodorescu, S; Ion, RM; Nechifor, G. (2016). Polymer Membranes for Selective Separation of Ionizing Forms of TPPS4 as Drug Photodynamic Therapy. Materiale Plastice. 53: 194-197.

Simone, S; Figoli, A; Criscuoli, A; Carnevale, MC; Alfadul, SM; Al-Romaih, HS; Al Shabouna, FS; Al-Harbi, OA; Drioli, E. (2014). Effect of selected spinning parameters on PVDF hollow fiber morphology for potential application in desalination by VMD. Desalination. 344: 28-35. http://dx.doi.org/10.1016/j.desal.2014.03.004.

Simone, S; Figoli, A; Santoro, S; Galiano, F; Alfadul, SM; Al-Harbi, OA; Drioli, E. (2012). Preparation and characterization of ECTFE solvent resistant membranes and their application in pervaporation of toluene/water mixtures. Separation and Purification Technology. 90: 147-161. http://dx.doi.org/10.1016/j.seppur.2012.02.022.

Singh, ID; Ramaswamy, V; Kothiyal, V. (1990). ESTIMATION OF RESIDUAL N-METHYL-2-PYRROLIDONE IN LUBE EQUILIBRIUM PHASES BY INFRARED-SPECTROSCOPY. 28: 43-44.

Singh, V; Purkait, MK; Chandaliya, VK; Biswas, PP; Banerjee, PK; Das, C. (2012). Development of membrane based technology for the separation of coal from organic solvent. Desalination. 299: 123-128. http://dx.doi.org/10.1016/j.desal.2012.05.033.

Sinh, L, eH; Hong, JM, i; Son, BT; Trung, NN; Bae, J, inY. (2012). Thermal, dielectric, and rheological properties of aluminum nitride/liquid crystalline copoly(ester amide) composite for the application of thermal interface materials. Polymer Composites. 33: 2140-2146. http://dx.doi.org/10.1002/pc.22355.

Sinha, MK; Purkait, MK. (2014). Enhancement of hydrophilicity of poly(vinylidene fluoride-co-hexafluoropropylene) (PVDF-HFP) membrane using various alcohols as nonsolvent additives. Desalination. 338: 106-114. http://dx.doi.org/10.1016/j.desal.2014.02.002.

Sinha, MK; Purkait, MK. (2014). Preparation and characterization of novel pegylated hydrophilic pH responsive polysulfone ultrafiltration membrane. J Memb Sci. 464: 20-32. http://dx.doi.org/10.1016/j.memsci.2014.03.067.

Exposure Literature Search Results

Off Topic

Sitarek, K; Stetkiewicz, J. (2008). Assessment of reproductive toxicity and gonadotoxic potential of N-methyl-2-pyrrolidone in male rats. Int J Occup Med Environ Health. 21: 73-80. http://dx.doi.org/10.2478/v10001-008-0006-z.

Smith, JM; Katsoulis, DE. (1995). GELATION OF SILICONE FLUIDS USING 1,3/2,4-DIBENZYLIDENE SORBITOL. J Mater Chem. 5: 1899-1903.

Solimo, HN; Dedoz, MBG. (1995). INFLUENCE OF TEMPERATURE ON THE LIQUID-TO-LIQUID EXTRACTION OF 4-HYDROXY-4-METHYL-2-PENTANONE FROM AQUEOUS-SOLUTIONS WITH BENZYL ALCOHOL. Fluid Phase Equilibria. 107: 213-227.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone - Reply. J Occup Environ Med. 39: 394-394.

Soltanpour, S; Bastami, Z; Sadeghilar, S; Kouhestani, M; Pouya, F; Jouyban, A. (2013). Solubility of Clonazepam and Diazepam in Polyethylene Glycol 200, Propylene Glycol, N-Methyl Pyrrolidone, Ethanol, and Water at (298.2 to 318.2) K and in Binary and Ternary Mixtures of Polyethylene Glycol 200, Propylene Glycol, and Water at 298.2 K. Journal of Chemical and Engineering Data. 58: 307-314. http://dx.doi.org/10.1021/je3009842.

Son, YS, ik; Park, SW; Park, D, aeWon; Oh, KJ; Kim, SS, oo. (2009). Absorption of carbon dioxide into glycidyl methacrylate solution containing the triethylamine immobilized ionic liquid on MCM-41 catalyst. Korean J Chem Eng. 26: 783-790. http://dx.doi.org/10.1007/s11814-009-0131-9.

Song, YI; Kim, GY; Choi, HK; Jeong, HJ; Kim, KK; Yang, CM; Lim, SC; An, KH; Jung, KT; Lee, YH. (2006). Fabrication of carbon nanotube field emitters using a dip-coating method. Chemical Vapor Deposition. 12: 375-379. http://dx.doi.org/10.1002/cvde.200506442.

Sonmez, O; Giray, ES. (2011). An Investigation of the Effect of Pre-swelling on the Extraction Yield of Two Different Ranked Turkish Coals. Energ Source Part A. 33: 1901-1911. http://dx.doi.org/10.1080/15567030903503159.

Sonmez, O; Giray, ES. (2011). Producing ashless coal extracts by microwave irradiation. Fuel. 90: 2125-2131. http://dx.doi.org/10.1016/j.fuel.2011.02.006.

Sonmez, O; Gozmen, B; Cakir, MO; Cevik, T. (2015). Response Surface Methodological Approach to Optimize Microwave-assisted Extraction of Cayirhan Lignite. Energ Source Part A. 37: 2458-2466. http://dx.doi.org/10.1080/15567036.2012.721053.

Sotto, A; Boromand, A; Balta, S; Darvishmanash, S; Kim, J; Van der Bruggen, B. (2011). Nanofiltration membranes enhanced with TiO sub(2) nanoparticles: a comprehensive study. Desalination and Water Treatment. 34: 179-183. http://dx.doi.org/10.5004/dwt.2011.2787.

Sotto, A; Boromand, A; Balta, S; Kim, J; Van Der Bruggen, B. (2011). Doping of polyethersulfone nanofiltration membranes: antifouling effect observed at ultralow concentrations of TiO2 nanoparticles. J Mater Chem. 21: 10311-10320. http://dx.doi.org/10.1039/c1jm11040c.

Spasojević, V; Šerbanović, S; Djordjević, B; Kijevčanin, M. (2013). Densities, Viscosities, and Refractive Indices of Aqueous Alkanolamine Solutions as Potential Carbon Dioxide Removal Reagents. Journal of Chemical and Engineering Data. 58: 84-92. http://dx.doi.org/10.1021/je300938w.

Spasojevic, V, ukD; Serbanovic, SP; Stefanovic, P; Kijevcanin, ML, j. (2014). Review of techological methods and experimental determination of thermodynamic and transport properties of reagents for carbon dioxide removal from flue gases. Hemijska Industrija. 68: 123-134. http://dx.doi.org/10.2298/HEMIND130312039S.

Sresht, V; Pádua, AA; Blankschtein, D. (2015). Liquid-Phase Exfoliation of Phosphorene: Design Rules from Molecular Dynamics Simulations. ACS Nano. 9: 8255-8268. http://dx.doi.org/10.1021/acsnano.5b02683.

Srivastava, M; Kumar, M; Singh, R; Agarwal, UC; Garg, MO. (2011). Clarified Oil from Fluid Catalytic Cracking as an Additional Source of Group II Base Oil Components. Petroleum Science and Technology. 29: 172-182. http://dx.doi.org/10.1080/10916460903058095.

Stejskal, J; Hajna, M; Kasparkova, V; Humpolicek, P; Zhigunov, A; Trchova, M. (2014). Purification of a conducting polymer, polyaniline, for biomedical applications. Synthetic Metals. 195: 286-293. http://dx.doi.org/10.1016/j.synthmet.2014.06.020.

Stejskal, J; Kratochvil, P; Radhakrishnan, N. (1993). POLYANILINE DISPERSIONS .2. UV-VIS ABSORPTION-SPECTRA. Synthetic Metals. 61: 225-231.

Stengl, V; Bakardjieva, S; Henych, J; Lang, K; Kormunda, M. (2013). Blue and green luminescence of reduced graphene oxide quantum dots. Carbon. 63: 537-546. http://dx.doi.org/10.1016/j.carbon.2013.07.031.

Stepanova, VN; Galtsova, EV; Romashkina, LP. (1984). N-METHYLPYRROLIDONE TRANSFORMATION IN ACETYLENE ISOLATION CONDITIONS. 594-596.

Stepanova, VN; Kolesnikova, EV; Bochkareva, TP; Rastegaeva, NP. (1991). IDENTIFICATION OF N-METHYLSUCCINIMIDE AS AN OXIDATION-PRODUCT OF N-METHYLPYRROLIDONE. 125-125.

Stillman, D; Krupp, L; La, YH, ye. (2014). Mesh-reinforced thin film composite membranes for forward osmosis applications: The structure-performance relationship. J Memb Sci. 468: 308-316. http://dx.doi.org/10.1016/j.memsci.2014.06.015.

Stock, LM; Obeng, M. (1997). Oxidation and decarboxylation. A reaction sequence for the study of aromatic structural elements in Pocahontas No. 3 coal. Energy Fuels. 11: 987-997.

Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. AIHA J. 63: 62-71.

Su, Y; Jian, XG; Zhang, SH; Yan, C. (2006). Preparation of novel PPES-B UF membrane with good thermal stability: The effect of additives on membrane performance and cross-section morphology. J Memb Sci. 271: 205-214. http://dx.doi.org/10.1016/j.memsci.2005.07.017.

Suelves, I; Islas, CA; Herod, AA; Kandiyoti, R. (2001). Comparison of fractionation methods for the structural characterization of petroleum residues. Energy Fuels. 15: 429-437.

Sugiura, T; Ogawa, H. (2009). Enthalpies of solution, partial molar volumes and isentropic compressibilities of polycyclic aromatic hydrocarbons in 1-methyl-2-pyrrolidone at 298.15 K. Fluid Phase Equilibria. 277: 29-34. http://dx.doi.org/10.1016/j.fluid.2008.11.006.

Sukhishvili, SA; Granick, S. (1997). Formation and characterization of covalently bound polyelectrolyte brushes. Langmuir. 13: 4935-4938.

Sun, G; Chen, G; Liu, Z; Chen, M. (2010). Preparation, crystallization, electrical conductivity and thermal stability of syndiotactic polystyrene/carbon nanotube composites. Carbon. 48: 1434-1440. http://dx.doi.org/10.1016/j.carbon.2009.12.037.

Sun, H; Castillo, AED, elRio; Monaco, S; Capasso, A; Ansaldo, A; Prato, M; Dinh, D, ucAnh; Pellegrini, V; Scrosati, B; Manna, L; Bonaccorso, F. (2016). Binder-free graphene as an advanced anode for lithium batteries. 4: 6886-6895. http://dx.doi.org/10.1039/c5ta08553e.

Exposure Literature Search Results

Off Topic

Sun, J; Liu, X; Fang, Z; Mao, S; Zhang, L; Rohani, S; Lu, J, ie. (2016). Solubility Measurement and Simulation of Rivaroxaban (Form I) in Solvent Mixtures from 273.15 to 323.15 K. Journal of Chemical and Engineering Data. 61: 495-503. http://dx.doi.org/10.1021/acs.jced.5b00667.

Sun, XF; Sun, R; Sun, JX. (2002). Acetylation of rice straw with or without catalysts and its characterization as a natural sorbent in oil spill cleanup. J Agric Food Chem. 50: 6428-6433. http://dx.doi.org/10.1021/jf020392o.

Sun, Y, e; Wang, X; Feng, T; Yu, G; Wang, F. (2014). Evaluation of Coal Extraction with Supercritical Carbon Dioxide/1Methyl-2-pyrrolidone Mixed Solvent. Energy Fuels. 28: 816-824. http://dx.doi.org/10.1021/ef401682g.

Sun, Z; O'Connor, I, an; Bergin, SD; Coleman, JN. (2009). Effects of Ambient Conditions on Solvent-Nanotube Dispersions: Exposure to Water and Temperature Variation. J Phys Chem C. 113: 1260-1266. http://dx.doi.org/10.1021/jp807371r.

Sun, Z; Poeller, S; Huang, X; Guschin, D; Taetz, C; Ebbinghaus, P; Masa, J; Erbe, A; Kilzer, A; Schuhmann, W; Muhler, M. (2013). High-yield exfoliation of graphite in acrylate polymers: A stable few-layer graphene nanofluid with enhanced thermal conductivity. Carbon. 64: 288-294. http://dx.doi.org/10.1016/j.carbon.2013.07.063.

Sundararajan, GP; van Ooij, WJ. (2000). Silane based pretreatments for automotive steels. Surf Eng. 16: 315-320.

Sung, KA; Jung, H, oY; Kim, W, anK; Cho, K, iYun; Park, JK, i. (2007). Influence of dispersion solvent for catalyst ink containing sulfonated poly(ether ether ketone) on cathode behaviour in a direct methanol fuel cell. J Power Sources. 169: 271-275. http://dx.doi.org/10.1016/j.jpowsour.2007.03.056.

Sunitha, K; Rani, KY; Moulik, S; Satyanarayana, SV; Sridhar, S. (2013). Separation of NMP/water mixtures by nanocomposite PEBA membrane: Part I. Membrane synthesis, characterization and pervaporation performance. Desalination. 330: 1-8. http://dx.doi.org/10.1016/j.desal.2013.09.016.

Suppino, RS; Gomez Cobo, AJ. (2014). Influence of Solvent Nature on Extractive Distillation of the Benzene Hydrogenation Products. Ind Eng Chem Res. 53: 16397-16405. http://dx.doi.org/10.1021/ie501753n.

Suppino, RS; Landers, R; Gomez Cobo, AJ. (2013). Partial hydrogenation of benzene on Ru catalysts: Effects of additives in the reaction medium. Appl Catal A-Gen. 452: 9-16. http://dx.doi.org/10.1016/j.apcata.2012.11.034.

Svanda, J; Gromov, MV; Kalachyova, Y; Postnikov, PS; Svorcik, V; Lyutakov, O. (2016). Preparation of ordered silver angular nanoparticles array in block copolymer film for surface-enhanced Raman spectroscopy. J Nanopart Res. 18. http://dx.doi.org/10.1007/s11051-016-3599-3.

Svensson, H; Edfeldt, J; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Solubility of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 27: 247-254. http://dx.doi.org/10.1016/j.ijggc.2014.06.004.

Svensson, H; Velasco, VZ; Hulteberg, C; Karlsson, HT. (2014). Heat of absorption of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 30: 1-8. http://dx.doi.org/10.1016/j.ijggc.2014.08.022.

Swallow, KC; Taghizadeh, K; Weakland, S; Plummer, EF; Busby, WF; Lafleur, AL. (1995). PHOTOOXIDATION OF SELECTED POLYCYCLIC AROMATIC-HYDROCARBONS IN AQUEOUS-ORGANIC MEDIA IN THE PRESENCE OF TI(IV)OXIDE. Int J Environ Anal Chem. 60: 113-122.

Swier, S; Ramani, V; Fenton, JM; Kunz, HR; Shaw, MT; Weiss, RA. (2005). Polymer blends based on sulfonated poly(ether ketone ketone) and poly(ether sulfone) as proton exchange membranes for fuel cells. J Memb Sci. 256: 122-133. http://dx.doi.org/10.1016/j.memsci.2005.02.013.

Swier, S; Shaw, MT; Weiss, RA. (2006). Morphology control of sulfonated poly(ether ketone ketone) poly(ether imide) blends and their use in proton-exchange membranes. J Memb Sci. 270: 22-31. http://dx.doi.org/10.1016/j.memsci.2005.06.037.

Tachibana, Y, u; Nogami, M; Sugiyama, Y; Ikeda, Y. (2011). Kinetic and Mechanistic Studies on Reactions of Pyrrolidone Derivatives with Ozone. Ozone: Science and Engineering. 33: 470-482. http://dx.doi.org/10.1080/01919512.2011.615720.

Tae, G; Kornfield, JA; Hubbell, JA. (2005). Sustained release of human growth hormone from in situ forming hydrogels using self-assembly of fluoroalkyl-ended poly(ethylene glycol). Biomaterials. 26: 5259-5266. http://dx.doi.org/10.1016/j.biomaterials.2005.01.042.

Tai, CC; Wang, Y, unH. (2013). Development of Adsorbent Hollow Fibres for Environmental Applications. AST. 31: 85-97. http://dx.doi.org/10.1260/0263-6174.31.1.85.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (1999). Effects of solvents on the hydrogenation of mono-aromatic compounds using noble-metal catalysts. Energy Fuels. 13: 1191-1196.

Takagi, H; Isoda, T; Kusakabe, K; Morooka, S. (2002). Catalytic hydrogenation of extracts from coal and their thermal reactivity. Energy Fuels. 16: 12-17. http://dx.doi.org/10.1021/ef010142u.

Takahashi, K; Norinaga, K; Masui, Y; Iino, M. (2001). Effect of addition of various salts on coal extraction with carbon disulfide/N-methyl-2-pyrrolidinone mixed solvent. Energy Fuels. 15: 141-146.

Takanohashi, T; Fengjuan, X; Saito, I; Sanokawa, Y; Iino, M. (2000). Effect of lighter constituents on the solubility of heavy constituents of coals. Fuel. 79: 955-960.

Takanohashi, T; Iino, M. (1990). EXTRACTION OF ARGONNE PREMIUM COAL SAMPLES WITH CS2-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE AND ESR PARAMETERS OF THEIR EXTRACTS AND RESIDUES. Energy Fuels. 4: 452-455.

Takanohashi, T; Iino, M. (1991). INSOLUBILIZATION OF COAL SOLUBLE CONSTITUENTS IN SOME BITUMINOUS COALS BY REFLUXING WITH PYRIDINE. Energy Fuels. 5: 708-711.

Takanohashi, T; Iino, M; Mainwaring, DE. (1998). Viscoelastic behaviors of Loy Yang coal-N-methyl-2-pyrrolidinone mixtures. Energy Fuels. 12: 476-478.

Takanohashi, T; Iino, M; Nakamura, K. (1994). ESTIMATION OF LENGTH OF INTERCLUSTER BOND IN COAL BY DENSITY SIMULATION OF COAL MOLECULAR-MODEL. Kagaku Kogaku Ronbunshu. 20: 959-964.

Takanohashi, T; Iino, M; Nakamura, K. (1994). EVALUATION OF ASSOCIATION OF SOLVENT-SOLUBLE MOLECULES OF BITUMINOUS COAL BY COMPUTER-SIMULATION. Energy Fuels. 8: 395-398.

Takanohashi, T; Iino, M; Nakamura, K. (1998). Simulation of interaction of coal associates with solvents using the molecular dynamics calculation. Energy Fuels. 12: 1168-1173.

Exposure Literature Search Results

Off Topic

Takanohashi, T; Iino, M; Nishioka, M. (1995). INVESTIGATION OF ASSOCIATED STRUCTURE OF UPPER FREEPORT COAL BY SOLVENT SWELLING. Energy Fuels. 9: 788-793.

Takanohashi, T; Kawashima, H. (2002). Construction of a model structure for upper freeport coal using C-13 NMR chemical shift calculations. Energy Fuels. 16: 379-387. http://dx.doi.org/10.1021/ef0101154.

Takanohashi, T; Kawashima, H; Yoshida, T; Iino, M. (2002). The nature of the aggregated structure of upper freeport coal. Energy Fuels. 16: 6-11. http://dx.doi.org/10.1021/ef0101255.

Takanohashi, T; Kudo, T; Iino, M. (1998). Coal gels formed by coal-solvent interactions. Energy Fuels. 12: 470-475.

Takanohashi, T; Nakamura, K; Iino, M. (1999). Computer simulation of methanol swelling of coal molecules. Energy Fuels. 13: 922-926.

Takanohashi, T; Nakano, K; Kaiho, M; Yamada, O; Saito, I. (2004). Study of the interaction of carbon disulfide/N-methyl-2-pyrrolidinone mixed solvents with Argonne premium coals using an inverse liquid chromatography technique. Energy Fuels. 18: 450-454. http://dx.doi.org/10.1021/ef0340211.

Takanohashi, T; Nakano, K; Yamada, O; Kaiho, M; Ishizuka, A; Mashimo, K. (2000). An inverse liquid chromatography study of the interaction of organic compounds with argonne premium coals. Energy Fuels. 14: 720-726.

Takanohashi, T; Ohkawa, T; Yanagida, T; Lino, M. (1993). EFFECT OF MACERAL COMPOSITION ON THE EXTRACTION OF BITUMINOUS COALS WITH CARBON DISULFIDE-N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AT ROOM-TEMPERATURE. Fuel. 72: 51-55.

Takanohashi, T; Terao, Y; Iino, M; Yun, YS; Suuberg, EM. (1999). Irreversible structural changes in coals during heating. Energy Fuels. 13: 506-512.

Takanohashi, T; Terao, Y; Yoshida, T; Iino, M. (2000). Adsorption and diffusion of alcohol vapors by argonne premium coals. Energy Fuels. 14: 915-919. http://dx.doi.org/10.1021/ef000014q.

Takanohashi, T; Yanagida, T; Iino, M; Mainwaring, DE. (1996). Extraction and swelling of low-rank coals with various solvents at room temperature. Energy Fuels. 10: 1128-1132.

Takanohashi, T; Yoshida, T; Iino, M; Katoh, K. (1998). Effect of heavy solvent-soluble constituents on coal fluidity. Energy Fuels. 12: 913-917.

Takanohashi, T; Yoshida, T; Kawashima, H. (2002). Molecular simulation of relaxation behaviors of coal-aggregated structures. Fuel Process Tech. 77: 53-60.

Takayama, S; Ostuni, E; Qian, XP; Mcdonald, JC; Jiang, XY; Leduc, P; Wu, MH; Ingber, DE; Whitesides, GM. (2001). Topographical micropatterning of poly(dimethylsiloxane) using laminar flows of liquids in capillaries. Adv Mater Deerfield. 13: 570-+.

Takebayashi, Y; Sue, K; Yoda, S; Hakuta, Y; Furuya, T. (2012). Solubility of Terephthalic Acid in Subcritical Water. Journal of Chemical and Engineering Data. 57: 1810-1816. http://dx.doi.org/10.1021/je300263z.

Tam, CM; Dalcin, M; Guiver, MD. (1993). POLYSULFONE MEMBRANES .4. PERFORMANCE EVALUATION OF RADEL-A/PVP MEMBRANES. J Memb Sci. 78: 123-134.

Tam, CM; Matsuura, T; Tweddle, TA; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .3. PERFORMANCE EVALUATION OF POLYETHERSULFONE PVP MEMBRANES. Separation Science and Technology. 28: 2621-2633.

Tam, CM; Tweddle, TA; Kutowy, O; Hazlett, JD. (1993). POLYSULFONE MEMBRANES .2. PERFORMANCE COMPARISON OF POLYSULFONE-POLY-(N-VINYL-PYRROLIDONE) MEMBRANES. Desalination. 89: 275-287.

Tan, LS; Shariff, AM; Lau, KK; Bustam, MA. (2015). Impact of high pressure on high concentration carbon dioxide capture from natural gas by monoethanolamine/N-methyl-2-pyrrolidone solvent in absorption packed column. Int J Greenhouse Gas Control. 34: 25-30. http://dx.doi.org/10.1016/j.ijggc.2014.12.020.

Tan, X; Liu, N, an; Meng, B, o; Liu, S. (2011). Morphology control of the perovskite hollow fibre membranes for oxygen separation using different bore fluids. J Memb Sci. 378: 308-318. http://dx.doi.org/10.1016/j.memsci.2011.05.012.

Tan, X; Song, J; Meng, X; Meng, B, o. (2012). Preparation and characterization of BaCe0.95Th0.05O3-alpha hollow fibre membranes for hydrogen permeation. J Eur Ceram Soc. 32: 2351-2357. http://dx.doi.org/10.1016/j.jeurceramsoc.2012.03.004.

Tan, X; Wang, Z; Li, K. (2010). Effects of Sintering on the Properties of La0.6Sr0.4Co0.2Fe0.8O3-delta Perovskite Hollow Fiber Membranes. Ind Eng Chem Res. 49: 2895-2901. http://dx.doi.org/10.1021/ie901403u.

Tan, XY; Li, K. (2006). Oxidative coupling of methane in a perovskite hollow-fiber membrane reactor. Ind Eng Chem Res. 45: 142-149. http://dx.doi.org/10.1021/ie0506320.

Tan, XY; Liu, SM; Li, K. (2001). Preparation and characterization of inorganic hollow fiber membranes. J Memb Sci. 188: 87-95.

Tang, MS; Whitcher, TJ; Yeoh, KH; Chua, CL; Woon, KL; Show, PL; Lin, YK; Ling, TC. (2014). The removal of metallic single-walled carbon nanotubes using an aqueous two-phase system. J Nanosci Nanotechnol. 14: 3398-3402. http://dx.doi.org/10.1166/jnn.2014.8680.

Tang, MSY; Show, P, auL; Lin, Y, uK; Woon, K, aiLin; Tan, CP; Ling, T, auC. (2014). Separation of single-walled carbon nanotubes using aqueous two-phase system. Separation and Purification Technology. 125: 136-141. http://dx.doi.org/10.1016/j.seppur.2014.01.044.

Tang, XD; Hu, T, ao; Li, JJ; Wang, F; Qing, D, aY. (2015). Desulfurization of Kerosene by the Electrochemical Oxidation and Extraction Process. Energy Fuels. 29: 2097-2103. http://dx.doi.org/10.1021/ef502437m.

Tang, XF; Yang, ZG, uo; Liang, J, iaHui. (2017). Efficient strategy of chlorine-assisted liquid-phase exfoliation of graphite. Journal of Materials Science. 52: 3786-3793. http://dx.doi.org/10.1007/s10853-016-0600-6.

Tang, Z; Kang, H; Wei, Q; Guo, B; Zhang, L; Jia, D. (2013). Incorporation of graphene into polyester/carbon nanofibers composites for better multi-stimuli responsive shape memory performances. Carbon. 64: 487-498. http://dx.doi.org/10.1016/j.carbon.2013.07.103.

Tanveer, N; Mobin, M. (2012). Anti-corrosive properties of poly (2-pyridylamine-co-aniline-co-2,3-xylidine) terpolymer coating on mild steel in different corrosive environments. Progr Org Coating. 75: 231-240. http://dx.doi.org/10.1016/j.porgcoat.2012.05.002.

Tao, CT; Young, TH. (2006). Polyetherimide membrane formation by the cononsolvent system and its biocompatibility of MG63 cell line. J Memb Sci. 269: 66-74. http://dx.doi.org/10.1016/j.memsci.2005.06.019.

Tao, J; Kishimoto, T; Suzuki, S; Hamada, M; Nakajima, N. (2016). Superior cellulose-protective effects of cosolvent during enhanced dissolution in imidazolium ionic liquid. Holzforschung. 70: 519-525. http://dx.doi.org/10.1515/hf-2015-0116.

Exposure Literature Search Results

Off Topic

Tao, L; Guohua, M; Tongjiang, P. (2015). Mechanism of Preparing Spherical Nano-sized Silver Particles via o-Phenylenediamine Reduction Process in Water-NMPD Mixed Solution System. 44: 1071-1074.

Tao, XT; Watanabe, T; Kono, K; Deguchi, T; Nakayama, M; Miyata, S. (1996). Synthesis and characterization of poly(aryl ether chalcone)s for second harmonic generation. Chem Mater. 8: 1326-1332.

Tatar, A; Barati, A, li; Yarahmadi, A, li; Najafi, A; Lee, M; Bahadori, A. (2016). Prediction of carbon dioxide solubility in aqueous mixture of methyldiethanolamine and N-methylpyrrolidone using intelligent models. Int J Greenhouse Gas Control. 47: 122-136. http://dx.doi.org/10.1016/j.ijggc.2016.01.048.

Taylor, P. (1989). M-PYROL - A PRACTICAL REPLACEMENT SOLVENT. Plat Surf Finish. 76: 42-43.

Telu, S; Parkin, S; Robertson, LW; Lehmler, HJ. (2010). Improved syntheses of non-dioxin-like polychlorinated biphenyls (PCBs) and some of their sulfur-containing metabolites. Environ Int. 36: 828-834. http://dx.doi.org/10.1016/j.envint.2009.01.013.

Temtem, M; Casimiro, T; Aguiar-Ricardo, A, na. (2006). Solvent power and depressurization rate effects in the formation of polysulfone membranes with CO2-assisted phase inversion method. J Memb Sci. 283: 244-252. http://dx.doi.org/10.1016/j.memsci.2006.06.037.

Tenorio, A; Gordillo, MD; Pereyra, C; Martinez de la Ossa, EJ. (2007). Controlled submicro particle formation of ampicillin by supercritical antisolvent precipitation. Journal of Supercritical Fluids. 40: 308-316. http://dx.doi.org/10.1016/j.supflu.2006.07.003.

Tenorio, A; Gordillo, MD; Pereyra, CM; de La Ossa, EJM. (2008). Screening design of experiment applied to supercritical antisolvent precipitation of amoxicillin. Journal of Supercritical Fluids. 44: 230-237. http://dx.doi.org/10.1016/j.supflu.2007.10.009.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez de la Ossa, EJ. (2007). Relative importance of the operating conditions involved in the formation of nanoparticles of ampicillin by supercritical antisolvent precipitation. Ind Eng Chem Res. 46: 114-123. http://dx.doi.org/10.1021/ie0606441.

Tenorio, A; Gordillo, MD; Pereyra, CM; Martinez De la Ossa, EJ. (2010). Supercritical Antisolvent Process Applied to the Pharmaceutical Industry. Part Sci Technol. 28: 262-266. http://dx.doi.org/10.1080/02726351.2010.481589.

Teow, YH; Ahmad, AL; Lim, JK; Ooi, BS. (2012). Preparation and characterization of PVDF/TiO2 mixed matrix membrane via in situ colloidal precipitation method. Desalination. 295 (Jun 1: 61-69. http://dx.doi.org/10.1016/j.desal.2012.03.019.

Thampi, A; Babu, K; Verma, S. (2013). Large scale solvothermal synthesis and a strategy to obtain stable Langmuir-Blodgett film of CoFe2O4 nanoparticles. J Alloy Comp. 564: 143-150. http://dx.doi.org/10.1016/j.jallcom.2013.02.139.

Thiruvasagam, P; Shiva, C; Sundararaman, C; Venkatesan, D. (2011). Synthesis and Characterization of New Diimide Diols and Processable Poly(esterimide)s Derived Therefrom. Polymers and Polymer Composites. 19: 763-771.

Thong, PSP; Kho, KW; Zheng, W; Harris, M; Soo, KC; Olivo, M. (2007). Development of a laser confocal endomicroscope for in vivo fluorescence imaging. Journal of Mechanics in Medicine and Biology. 7: 11-18.

Thripuranthaka, M; Rout, CS; Late, DJ. (2014). MoS2 nanoparticles and h-BN nanosheets from direct exfoliation of bulk powder: one-step synthesis method. 1. http://dx.doi.org/10.1088/2053-1591/1/3/035038.

Thuery, P; Harrowfield, J. (2014). Uranyl Ion Complexes with all-cis-1,3,5-Cyclohexanetricarboxylate: Unexpected Framework and Nanotubular Assemblies. Cryst Growth Des. 14: 4214-4225. http://dx.doi.org/10.1021/cg500828s.

Thuery, P; Harrowfield, J. (2014). Uranyl-Organic Frameworks with Polycarboxylates: Unusual Effects of a Coordinating Solvent. Cryst Growth Des. 14: 1314-1323. http://dx.doi.org/10.1021/cg4018163.

Thuyavan, YL; Anantharaman, N; Arthanareeswaran, G; Ismail, AF. (2016). Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. J Chem Tech Biotechnol. 91: 2568-2581. http://dx.doi.org/10.1002/jctb.4846.

Tian, B, in; Qiao, Y, yun; Tian, Y, yu; Xie, K, eC; Liu, Q; Zhou, H, aiF. (2016). FTIR study on structural changes of different-rank coals caused by single/multiple extraction with cyclohexanone and NMP/CS2 mixed solvent. Fuel Process Tech. 154: 210-218. http://dx.doi.org/10.1016/j.fuproc.2016.08.035.

Tian, M; Yin, Y; Yang, C, hi; Zhao, B; Song, J; Liu, J; Li, X, ueMei; He, T, ao. (2015). CF4 plasma modified highly interconnective porous polysulfone membranes for direct contact membrane distillation (DCMD). Desalination. 369: 105-114. http://dx.doi.org/10.1016/j.desal.2015.05.002.

Tian, S; Hou, Y; Wu, W; Ren, S; Pang, K, un. (2012). Physical Properties of 1-Butyl-3-methylimidazolium Tetrafluoroborate/N-Methyl-2-pyrrolidone Mixtures and the Solubility of CO2 in the System at Elevated Pressures. Journal of Chemical and Engineering Data. 57: 756-763. http://dx.doi.org/10.1021/je200886J.

Tian, X; Wang, Z, hi; Zhao, S; Li, S; Wang, J; Wang, S. (2014). The influence of the nonsolvent intrusion through the casting film bottom surface on the macrovoid formation. J Memb Sci. 464: 8-19. http://dx.doi.org/10.1016/j.memsci.2014.03.049.

Tian, Y; Yao, Y, ue; Zhi, Y; Yan, L; Lut, S. (2015). Combined Extraction-Oxidation System for Oxidative Desulfurization (ODS) of a Model Fuel. Energy Fuels. 29: 618-625. http://dx.doi.org/10.1021/ef502396b.

Tiano, AL; Gibbons, L; Tsui, M; Applin, SI; Silva, R; Park, C; Fay, CC. (2016). Thermodynamic approach to boron nitride nanotube solubility and dispersion. Nanoscale. 8: 4348-4359. http://dx.doi.org/10.1039/c5nr08259e.

Timko, AG; Houlihan, FM; Cirelli, RA; Nalamasu, O; Yoshino, H; Itani, T; Tanabe, H; Kasama, K. (1999). Environmental stability of 193 nm single layer chemically amplified resists. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 17: 101-108.

Timoshenko, A; Anokhina, E; Akhapkina, O. (2016). Energy-Saving Hydrocarbon Distillation with Coupled Heat and Material Flows. Chem Eng Tech. 39: 2251-2264. http://dx.doi.org/10.1002/ceat.201500645.

Timoshenko, AV; Anokhina, EA; Morgunov, AV; Rudakov, DG. (2015). Application of the partially thermally coupled distillation flowsheets for the extractive distillation of ternary azeotropic mixtures. Chem Eng Res Des. 104: 139-155. http://dx.doi.org/10.1016/j.cherd.2015.07.007.

Tkacik, G; Zeman, L. (1987). COMPONENT MOBILITY ANALYSIS IN THE MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 31: 273-288.

Exposure Literature Search Results

Off Topic

Toh, YHS; Lim, FW; Livingston, AG. (2007). Polymeric membranes for nanofiltration in polar aprotic solvents. J Memb Sci. 301: 3-10. http://dx.doi.org/10.1016/j.memsci.2007.06.034.

Tokur, M; Algul, H; Cetinkaya, T; Uysal, M; Akbulut, H. (2016). Improved Electrochemical Performance of Lithium Oxygen Batteries with N-methyl-2-pyrrolidone Based Composite Polymer Electrolytes. J Electrochem Soc. 163: A1326-A1335. http://dx.doi.org/10.1149/2.0961607jes.

Tomasevic-Ilic, T; Pesic, J; Milosevic, I; Vujin, J; Matkovic, A; Spasenovic, M; Gajic, R. (2016). Transparent and conductive films from liquid phase exfoliated graphene. Optical and Quantum Electronics. 48: 319-319. http://dx.doi.org/10.1007/s11082-016-0591-1.

Tomikawa, M; Harris, FW; Cheng, SZD; Galentier, E. (1996). Synthesis and photo-induced solution properties of new rigid-rod polyimides. React Funct Polym. 30: 101-107.

Tominaga, K; Takashima, W; Kaneto, K. (2010). Electrochemical activity of polyaniline based on mixed dopants and cation movement toward high pH region. Thin Solid Films. 519: 978-981. http://dx.doi.org/10.1016/j.tsf.2010.08.025.

Topkaya, R; Kurtan, U; Junejo, Y; Baykal, A. (2013). Sol-gel auto combustion synthesis of CoFe2O4/1-methyl-2-pyrrolidone nanocomposite with ethylene glycol: Its magnetic characterization. Materials Research Bulletin. 48: 3247-3253. http://dx.doi.org/10.1016/j.materresbull.2013.04.071.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2002). Excess molar volumes of binary mixtures of acetonitrile and chloroalkanes at 298.15 K and atmospheric pressure with application of the ERAS-Model. Fluid Phase Equilibria. 200: 1-10.

Torres, RB; Francesconi, AZ; Volpe, PLO. (2003). Experimental study and modelling using the ERAS-model of the excess molar volume of acetonitrile-alkanol mixtures at different temperatures and atmospheric pressure. Fluid Phase Equilibria. 210: 287-306. http://dx.doi.org/10.1016/S0378-3812(03)00167-5.

Torrestiana-Sanchez, B; Ortiz-Basurto, RI; Brito-De La Fuente, E. (1999). Effect of nonsolvents on properties of spinning solutions and polyethersulfone hollow fiber ultrafiltration membranes. J Memb Sci. 152: 19-28.

Torrisi, F; Hasan, T; Wu, W; Sun, Z; Lombardo, A; Kulmala, TS; Hsieh, GW; Jung, S; Bonaccorso, F; Paul, PJ; Chu, D; Ferrari, AC. (2012). Inkjet-printed graphene electronics. ACS Nano. 6: 2992-3006. http://dx.doi.org/10.1021/nn2044609.

Trampe, DB; Eckert, CA. (1993). A DEW-POINT TECHNIQUE FOR LIMITING ACTIVITY-COEFFICIENTS IN NONIONIC SOLUTIONS. AIChE J. 39: 1045-1050.

Trejo, F; Ancheyta, J; Morgan, TJ; Herod, AA; Kandiyoti, R. (2007). Characterization of asphaltenes from hydrotreated products by SEC, LDMS, MALDI, NMR, and XRD. Energy Fuels. 21: 2121-2128. http://dx.doi.org/10.1021/ef060621z.

Treptow, F; Jungbauer, A; Hellgardt, K. (2006). Halide diffusion in polyaniline membranes. J Memb Sci. 270: 115-122. http://dx.doi.org/10.1016/j.memsci.2005.03.060.

Troitsky, VI; Berzina, TS; Fontana, MP. (2002). Langmuir-Blodgett assemblies with patterned conductive polyaniline layers. Mater Sci Eng C. 22: 239-244.

Tsai, CM, in; Wu, GW, ei; Narra, S; Chang, HM; Mohanta, N; Wu, H, uiP; Wang, CL; Diau, EW, eiG. (2017). Control of preferred orientation with slow crystallization for carbon-based mesoscopic perovskite solar cells attaining efficiency 15%. 5: 739-747. http://dx.doi.org/10.1039/c6ta09036b.

Tsai, H, uiAn; Chen, Y, aL; Lee, KR; Lai, JY, ih. (2012). Preparation of heat-treated PAN hollow fiber membranes for pervaporation of NMP/H2O mixtures. Separation and Purification Technology. 100: 97-105. http://dx.doi.org/10.1016/j.seppur.2012.09.005.

Tsai, HA; Hong, MJ; Huang, GS; Wang, YC; Li, CL; Lee, KR; Lai, JY. (2002). Effect of DGDE additive on the morphology and pervaporation performances of asymmetric PSf hollow fiber membranes. J Memb Sci. 208: 233-245.

Tsutsumi, H. (1995). SYNTHESIS OF POST-POLYMERIZABLE POLYANILINE-P-STYRENESULFONIC ACID COMPOSITE AND ITS APPLICATION TO SCHOTTKY DIODE. Synthetic Metals. 69: 143-144.

Tsutsumi, H; Doi, H. (1995). Conductivity enhancement by aggregate formation of sodium deoxycholate in poly(N-vinyl-2-pyrrolidinone) gel. J Electrochem Soc. 142: 4215-4218.

Tsutsumi, H; Doi, H; Oishi, T. (1997). Helical aggregate formation of cholate salts in poly(N-vinyl-2-pyrrolidinone) gel and its effect on conductivity enhancement. J Power Sources. 68: 364-367.

Tsutsumi, H; Nakagawa, Y; Tamura, K. (1995). Single-film electrochromic devices with polymer gel films containing aromatic electrochromics. Solar Energy Materials and Solar Cells. 39: 341-348.

Tu, T, seT; Lee, M; Kuo, ST, iz; Den, W. (2016). Citric acid-modified carbon chemical filtration for cleanroom air quality control: Study on N-methyl-2-pyrrolidone and the interference of co-existing toluene. Indoor Built Environ. 25: 772-785. http://dx.doi.org/10.1177/1420326X15591638.

UBA. (2015). [Monograph for N-Methyl-pyrrolidone (NMP) and human biomonitoring values for the metabolites 5-Hydroxy-NMP and 2-Hydroxy-N-methylsuccinimide]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1175-1191. http://dx.doi.org/10.1007/s00103-015-2217-3.

UBA. (2015). [Not Available]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1041-1052. http://dx.doi.org/10.1007/s00103-015-2210-x.

Ueda, H; Hacker, MC; Haesslein, A; Jo, S; Ammon, DM; Borazjani, RN; Kunzler, JF; Salamone, JC; Mikos, AG. (2007). Injectable, in situ forming poly(propylene fumarate)-based ocular drug delivery systems. J Biomed Mater Res A. 83: 656-666. http://dx.doi.org/10.1002/jbm.a.31226.

Uliana, C; Vigo, F; Traverso, P. (1994). ULTRAFILTRATION MEMBRANES PREPARED BY STYRENE-GRAFTED POLYVINYLPYRROLIDONE. Separation Science and Technology. 29: 1621-1637.

Umek, P; Vrbanic, D; Remskar, M; Mertelj, T; Venturini, P; Pejovnik, S; Mihailovic, D. (2002). An effective surfactant-free isolation procedure for single-wall carbon nanotubes. Carbon. 40: 2581-2585.

Exposure Literature Search Results

Off Topic

Uosaki, Y; Kawamura, K; Moriyoshi, T. (1996). Static relative permittivities of water plus 1-methyl-2-pyrrolidinone and water plus 1,3-dimethyl-2-imidazolidinone mixtures under pressures up to 300 MPa at 298.15 K. Journal of Chemical and Engineering Data. 41: 1525-1528.

Uppal, R; Ramaswamy, GN. (2011). Cellulose Submicron Fibers. Journal of Engineered Fabrics and Fibers. 6: 39-45.

Uribe-Vargas, V; Trejo, A. (2004). Vapor-liquid equilibrium of nitrogen in an equimolar hexane plus decane mixture at temperatures of 258, 273, and 298 K and pressures to 20 MPa. Fluid Phase Equilibria. 220: 137-145. http://dx.doi.org/10.1016/j.fluid.2004.03.009.

Usula, M; Matteoli, E; Leonelli, F; Mocci, F; Marincola, FC; Gontrani, L; Porcedda, S. (2014). Thermo-physical properties of ammonium-based ionic liquid plus N-methyl-2-pyrrolidone mixtures at 298.15 K. Fluid Phase Equilibria. 383: 49-54. http://dx.doi.org/10.1016/j.fluid.2014.09.031.

Vaidya, PD; Mahajani, VV. (2005). Kinetics of the reaction of CO2 with aqueous formulated solution containing monoethanolamine, N-methyl-2-pyrrolidone, and diethylene glycol. Ind Eng Chem Res. 44: 1868-1873. http://dx.doi.org/10.1021/ie049226r.

Vakili-Nezhaad, GR; Modarress, H; Mansoori, GA. (1999). Solvent extraction of aromatic components from lube-oil cut by N-methylpyrrolidone (NMP). Chem Eng Tech. 22: 847-853.

Valentin, E; Auvray, S; Goethals, J; Lewenstein, J; Capes, L; Filoramo, A; Ribayrol, A; Tsui, R; Bourgoin, JP; Patillon, JN. (2002). High-density selective placement methods for carbon nanotubes. Microelectron Eng. 61-2: 491-496.

Van Dam, MHH; Corriou, JP; Midoux, N; Lamine, AS; Roizard, C. (1999). Modeling and measurement of sulfur dioxide absorption rate in a laminar falling film reactor. Chem Eng Sci. 54: 5311-5318.

Van Niekerk, D; Castro-Marcano, F; Colina, CM; Mathews, JP. (2011). Solvent Swelling Extent of Permian-Aged Vitrinite- and Inertinite-Rich Coals: Experiments and Modeling Using the Perturbed-Chain Statistical Associating Fluid Theory (PC-SAFT). Energy Fuels. 25: 2559-2564. http://dx.doi.org/10.1021/ef2001508.

Van Niekerk, D; Halleck, PM; Mathews, JP. (2010). Solvent swelling behavior of Permian-aged South African vitrinite-rich and inertinite-rich coals. Fuel. 89: 19-25. http://dx.doi.org/10.1016/j.fuel.2009.06.028.

Van Niekerk, D; Mathews, JP. (2011). Molecular dynamic simulation of coal-solvent interactions in Permian-aged South African coals. Fuel Process Tech. 92: 729-734. http://dx.doi.org/10.1016/j.fuproc.2010.08.011.

van Veen, HM; Rietkerk, MDA; Shanahan, DP; van Tuel, MMA; Kreiter, R; Castricum, HL; ten Elshof, JE; Vente, JF. (2011). Pushing membrane stability boundaries with HybSi (R) pervaporation membranes. J Memb Sci. 380: 124-131. http://dx.doi.org/10.1016/j.memsci.2011.06.040.

Vandam, MHH; Lamine, AS; Roizard, D; Lochon, P; Roizard, C. (1997). Selective sulfur dioxide removal using organic solvents. Ind Eng Chem Res. 36: 4628-4637.

Vanherck, K; Vandezande, P; Aldea, SO; Vankelecom, I, voFJ. (2008). Cross-linked polyimide membranes for solvent resistant nanofiltration in aprotic solvents. J Memb Sci. 320: 468-476. http://dx.doi.org/10.1016/j.memsci.2008.04.026.

Vanooij, WJ; Edwards, RA; Sabata, A; Zappia, J. (1993). TESTING THE ADHESION OF PAINT FILMS TO METALS BY SWELLING IN N-METHYL PYRROLIDONE. J Adhes Sci Tech. 7: 897-917.

Vanthof, JA; Reuvers, AJ; Boom, RM; Rolevink, HHM; Smolders, CA. (1992). PREPARATION OF ASYMMETRIC GAS SEPARATION MEMBRANES WITH HIGH SELECTIVITY BY A DUAL-BATH COAGULATION METHOD. J Memb Sci. 70: 17-30.

Varadarajan, TK; Parvathy, R; Ramakrishna, TV; Kalidas, C. (1995). GIBBS ENERGIES OF SOLVATION AND SOLVENT TRANSPORT OF SOME SILVER(I) SALTS IN WATER PLUS N-METHYL-2-PYRROLIDINONE AT 30-DEGREES-C. Journal of Chemical and Engineering Data. 40: 883-886.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1997). Ion solvation of some copper(II) salts in water plus N-methyl-2-pyrrolidinone solvent mixtures at 30 degrees C. Journal of Chemical and Engineering Data. 42: 453-457.

Varadarajan, TK; Ramakrishna, TV; Kalidas, C. (1998). Ion-solvation behavior of some copper(II) salts in isodielectric solvent mixtures of methanol and N-methyl-2-pyrrolidinone at 30 degrees C. Journal of Chemical and Engineering Data. 43: 527-531.

Varfolomeev, MA; Rakipov, IT; Solomonov, BN; Marczak, W. (2016). Speed of Sound, Density, and Related Thermodynamic Excess Properties of Binary Mixtures of 2-Pyrrolidone and N-Methyl-2-pyrrolidone with Acetonitrile and Chloroform. Journal of Chemical and Engineering Data. 61: 1032-1046. http://dx.doi.org/10.1021/acs.jced.5b00474.

Vasu, K; Pramoda, K; Moses, K; Govindaraj, A; Rao, CNR. (2014). Single-walled nanohorns and other nanocarbons generated by submerged arc discharge between carbon electrodes in liquid argon and other media. 1. http://dx.doi.org/10.1088/2053-1591/1/1/015001.

Vayisoglu, ES; Harput, OB; Johnson, BR; Frere, B; Bartle, KD. (1997). Characterization of oil shales by extraction with N-methylpyrrolidone. Fuel. 76: 353-357.

Vega, A; Diez, F; Esteban, R; Coca, J. (1997). Solvent selection for cyclohexane-cyclohexene-benzene separation by extractive distillation using non-steady-state gas chromatography. Ind Eng Chem Res. 36: 803-807.

Venancio, EC; Wang, P, enC; Toledo, OY; Macdiarmid, AG. (2007). First preparation of optical quality films of nano/micro hollow spheres of polymers of aniline. Synthetic Metals. 157: 758-763. http://dx.doi.org/10.1016/j.synthmet.2007.08.006.

Venault, A; Chang, Y; Wu, J, iaRu; Wang, D, aM. (2014). Influence of solvent composition and non-solvent activity on the crystalline morphology of PVDF membranes prepared by VIPS process and on their arising mechanical properties. Taiwan Institute of Chemical Engineers Journal. 45: 1087-1097. http://dx.doi.org/10.1016/j.jtice.2013.08.014.

Verma, S; Pravarthana, D. (2011). One-pot synthesis of highly monodispersed ferrite nanocrystals: surface characterization and magnetic properties. Langmuir. 27: 13189-13197. http://dx.doi.org/10.1021/la202394n.

Vieira, HS; Andrada, DM; Mendonça, R; Santos, AP; Martins, MD; Macedo, WA; Gorgulho, HF; Pimenta, LP; Moreira, RL; Jorio, A; Pimenta, MA; Furtado, CA. (2007). Decarboxylation of oxidized single-wall carbon nanotubes. J Nanosci Nanotechnol. 7: 3421-3430. http://dx.doi.org/10.1166/jnn.2007.832.

Vishnevskii, AV; Konoplev, VP; Kravchenko, ZA; Shreider, AV; Shenushen, YK; Fateeva, TV. (1992). CORROSIVITY OF N-METHYL PYRROLIDONE IN SOLVENT TREATMENT OF OILS. Chemistry and Technology of Fuels and Oils. 28: 18-19.

Exposure Literature Search Results

Off Topic

Vlad-Bubulac, T; Serbezeanu, D; Hamciuc, C. (2010). New Phosphorus-Containing Polyesterimides. Synthesis and Characterization. Materiale Plastice. 47: 440-445.

Vodnar, I. (1991). SULFUR-DIOXIDE RECOVERY FROM INDUSTRIAL GAS WITH DEVICES PROVIDED WITH FILM FORMING TUBES. Rev Chim. 42: 71-73.

Vogel, C; Komber, H; Quetschke, A; Butwilowski, W; Poetschke, A; Schlenstedt, K; Meier-Haack, J. (2011). Side-chain sulfonated random and multiblock poly(ether sulfone)s for PEM applications. React Funct Polym. 71: 828-842. http://dx.doi.org/10.1016/j.reactfunctpolym.2011.04.006.

Vriezekolk, EJ; Kemperman, AJB; Girones, M; de Vos, WM; Nijmeijer, K. (2013). A solvent-shrinkage method for producing polymeric microsieves with sub-micron size pores. J Memb Sci. 446: 10-18. http://dx.doi.org/10.1016/j.memsci.2013.06.014.

Vu, D-L; Lee, CG, on. (2016). Oxidation of ash-free coal from sub-bituminous and bituminous coals in a direct carbon fuel cell. Korean J Chem Eng. 33: 507-513. http://dx.doi.org/10.1007/s11814-015-0164-1.

Vyas, A; Iroh, JO. (2014). Morphology and Structure of Nylon-6 Crystallized in Epoxy Resin Matrix. Polymer Engineering and Science. 54: 858-866. http://dx.doi.org/10.1002/pen.23616.

Vygodskii, YS; Sapozhnikov, DA; Bayminov, BA; Semjonov, SL; Kosolapov, AF; Plastinin, EA. (2016). In situ synthesis of copolymers based on polyvinylpyrrolidone and condensation polymers and their use as optical fiber coatings. Progr Org Coating. 99: 210-215. http://dx.doi.org/10.1016/j.porgcoat.2016.05.023.

Walker, RJ; Schwartz, CH; Wildman, DJ. (1984). VAPOR-PRESSURE AND HEAT OF SOLUTION OF SULFUR-DIOXIDE IN 1-METHYL-2-PYRROLIDONE AND ITS AQUEOUS-SOLUTION. Can J Chem Eng. 62: 135-141.

Wan, Q, un; Guo, X, ia; Wang, Z; Li, W; Guo, B; Ma, W, ei; Zhang, M; Li, Y. (2016). 10.8% Efficiency Polymer Solar Cells Based on PTB7-Th and PC71BM via Binary Solvent Additives Treatment. Adv Funct Mater. 26: 6635-6640. http://dx.doi.org/10.1002/adfm.201602181.

Wang, B; Gao, X, in; Piao, G. (2014). Controllable preparation of fullerene nanotubes. Mater Lett. 115: 82-84. http://dx.doi.org/10.1016/j.matlet.2013.10.023.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). New fluorinated poly(ether sulfone imide)s with high thermal stability and low dielectric constant. Mater Chem Phys. 143: 773-778. http://dx.doi.org/10.1016/j.matchemphys.2013.10.012.

Wang, C; Chen, W; Chen, Y; Zhao, X; Li, J; Ren, Q. (2014). Synthesis and properties of new fluorene-based polyimides containing trifluoromethyl and isopropyl substituents. Mater Chem Phys. 144: 553-559. http://dx.doi.org/10.1016/j.matchemphys.2014.01.039.

Wang, CG; Schindler, JL; Kannewurf, CR; Kanatzidis, MG. (1995). POLY(3,4-ETHYLENEDITHIATHIOPHENE) - A NEW SOLUBLE CONDUCTIVE POLYTHIOPHENE DERIVATIVE. Chem Mater. 7: 58-68.

Wang, D; Li, K; Teo, WK. (2000). ACS SYMPOSIUM SERIESPreparation of poly(ether sulfone) and poly(ether imide) hollow fiber membranes for gas separation: Effect of interval coagulant.

Wang, DH; Mirau, P; Li, B; Li, CY; Baek, JB; Tan, LS. (2008). Solubilization of carbon nanofibers with a covalently attached hyperbranched poly(ether ketone). Chem Mater. 20: 1502-1515. http://dx.doi.org/10.1021/cm702857z.

Wang, DL; Li, K; Teo, WK. (1995). EFFECTS OF TEMPERATURE AND PRESSURE ON GAS PERMSELECTION PROPERTIES IN ASYMMETRIC MEMBRANES. J Memb Sci. 105: 89-101.

Wang, DL; Li, K; Teo, WK. (1996). Polyethersulfone hollow fiber gas separation membranes prepared from NMP/alcohol solvent systems. J Memb Sci. 115: 85-108.

Wang, DL; Li, K; Teo, WK. (1998). Preparation and characterization of polyetherimide asymmetric hollow fiber membranes for gas separation. J Memb Sci. 138: 193-201.

Wang, DL; Li, K; Teo, WK. (2000). Highly permeable polyethersulfone hollow fiber gas separation membranes prepared using water as non-solvent additive. J Memb Sci. 176: 147-158.

Wang, DL; Li, K; Teo, WK. (2000). Preparation of annular hollow fibre membranes. J Memb Sci. 166: 31-39.

Wang, DL; Li, K; Teo, WK. (2002). Preparation of asymmetric polyetherimide hollow fibre membrane with high gas selectivities. J Memb Sci. 208: 419-426.

Wang, DL; Teo, WK; Li, K. (2002). Preparation and characterization of high-flux polysulfone hollow fibre gas separation membranes. J Memb Sci. 204: 247-256.

Wang, F; Hickner, M; Kim, YS; Zawodzinski, TA; Mcgrath, JE. (2002). Direct polymerization of sulfonated poly(arylene ether sulfone) random (statistical) copolymers: candidates for new proton exchange membranes. J Memb Sci. 197: 231-242.

Wang, F, ei; Yang, H, ui; Kang, Y, ao; Zhang, J. (2012). Guest selectivity of a porous tetrahedral imidazolate framework material during self-assembly. J Mater Chem. 22: 19732-19737. http://dx.doi.org/10.1039/c2jm34506d.

Wang, G; Lee, KH; Lee, W, onHyo; Kang, N, aRae; Shin, DW, on; Zhuang, Y; Lee, YM, oo; Guiver, MD. (2015). Soluble sulfonated polybenzothiazoles containing naphthalene for use as proton exchange membranes. J Memb Sci. 490: 346-353. http://dx.doi.org/10.1016/j.memsci.2015.05.005.

Wang, GC; Yang, ZY; Li, XW; Li, CZ. (2005). Synthesis of poly(aniline-co-o-anisidine)-intercalated graphite oxide composite by delamination/reassembling method. Carbon. 43: 2564-2570. http://dx.doi.org/10.1016/j.carbon.2005.05.008.

Wang, H; Takarada, T. (2003). Characterization of high-temperature coal tar and supercritical-water extracts of coal by laser desorption ionization-mass spectrometry. Fuel Process Tech. 81: 247-258. http://dx.doi.org/10.1016/S0378-3820(03)00025-0.

Wang, H, ui; Xie, K, ai; Wang, L; Han, Y, u. (2012). N-methyl-2-pyrrolidone as a solvent for the non-aqueous electrolyte of rechargeable Li-air batteries. J Power Sources. 219: 263-271. http://dx.doi.org/10.1016/j.jpowsour.2012.07.065.

Wang, HH; Wu, S, huP. (2006). Synthesis of poly(amide-imide) copolymers from 3,3 '-dinitrobenzidine. 38: 46-53.

Wang, J, un; Blau, WJ. (2008). Solvent effect on optical limiting properties of single-walled carbon nanotube dispersions. J Phys Chem C. 112: 2298-2303. http://dx.doi.org/10.1021/jp709926r.

Exposure Literature Search Results

Off Topic

Wang, J, un; Fruchtl, D; Sun, Z; Coleman, JN; Blau, WJ. (2010). Control of Optical Limiting of Carbon Nanotube Dispersions by Changing Solvent Parameters. J Phys Chem C. 114: 6148-6156. http://dx.doi.org/10.1021/jp9117248.

Wang, J; Li, CQ; Sakanishi, K; Nakazato, T; Tao, H; Takanohashi, T; Takarada, T; Saito, I. (2005). Investigation of the remaining major and trace elements in clean coal generated by organic solvent extraction. Fuel. 84: 1487-1493. http://dx.doi.org/10.1016/j.fuel.2005.01.012.

Wang, JG; Neoh, KG; Kang, ET. (2003). Polyaniline-palladium composite coatings for metallization of polyethylene substrate. Appl Surf Sci. 218: 231-244. http://dx.doi.org/10.1016/S0169-4332(03)00672-X.

Wang, K, unLi; Liou, W, unTai; Liaw, D, erJ; Chen, W, enT. (2008). A novel fluorescent poly(pyridine-imide) acid chemosensor. Dyes and Pigments. 78: 93-100. http://dx.doi.org/10.1016/j.dyepig.2007.10.015.

Wang, KY; Matsuura, T; Chung, TS; Guo, WF. (2004). The effects of flow angle and shear rate within the spinneret on the separation performance of poly (ethersulfone) (PES) ultrafiltration hollow fiber membranes. J Memb Sci. 240: 67-79. http://dx.doi.org/10.1016/j.memsci.2004.04.012.

Wang, L, ei; Pan, K, ai; Li, L, i; Cao, B. (2014). Surface Hydrophilicity and Structure of Hydrophilic Modified PVDF Membrane by Nonsolvent Induced Phase Separation and Their Effect on Oil/Water Separation Performance. Ind Eng Chem Res. 53: 6401-6408. http://dx.doi.org/10.1021/ie4042388.

Wang, LJ; Li, ZS; Ren, JZ; Li, SG; Jiang, CZ. (2006). Preliminary studies on the gelation time of poly(ether sulfones) membrane-forming system with an elongation method. J Memb Sci. 275: 46-51. http://dx.doi.org/10.1016/j.memsci.2005.08.019.

Wang, P, enC; Macdiarmid, AG. (2008). Vapor phase secondary doping of polyaniline (emeraldine salt) thin films with o-chlorophenol investigated by UV-VIS-NIR: Effects of primary dopants, substrate surfaces, and pre-treatments of organic vapors. React Funct Polym. 68: 201-207. http://dx.doi.org/10.1016/j.reactfunctpolym.2007.09.002.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2001). Synthesis, characterization and anti-fouling properties of poly(ethylene glycol) grafted poly(vinylidene fluoride) copolymer membranes. J Mater Chem. 11: 783-789.

Wang, P; Tan, KL; Kang, ET; Neoh, KG. (2002). Preparation and characterization of semi-conductive poly(vinylidene fluoride)/polyaniline blends and membranes. Appl Surf Sci. 193: 36-45.

Wang, P; Tang, Y; Yu, Z; Gu, J; Kong, J. (2015). Advanced Aromatic Polymers with Excellent Antiatomic Oxygen Performance Derived from Molecular Precursor Strategy and Copolymerization of Polyhedral Oligomeric Silsesquioxane. 7: 20144-20155. http://dx.doi.org/10.1021/acsami.5b05490.

Wang, P; Wang, K, ai; Zhang, J; Luo, G. (2015). Kinetic study of reactions of aniline and benzoyl chloride in a microstructured chemical system. AIChE J. 61: 3804-3811. http://dx.doi.org/10.1002/aic.14891.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of 4-carboxybenzaldehyde and 1,4-benzenedicarboxylic acid in N-methyl-2-pyrrolidone (343.2 to 468.2) K in the temperature range from. Journal of Chemical and Engineering Data. 50: 243-245. http://dx.doi.org/10.1021/je049706p.

Wang, QB; Xu, HB; Li, X. (2005). Solubilities of terephthalic acid in dimethyl sulfoxide plus water and in N,N-dimethylformamide plus water from (301.4 to 373.7) K. Journal of Chemical and Engineering Data. 50: 719-721. http://dx.doi.org/10.1021/je049577c.

Wang, S; Wang, W; Yu, L; Zhan, Z; Sun, D. (2016). The fast fabrication of flexible electronic devices of graphene composites. Nanotechnology. 27: 31LT01. http://dx.doi.org/10.1088/0957-4484/27/31/31LT01.

Wang, SM; Wang, Z; Zhang, Y; Wu, WJ; Liu, DZ; Zhang, XM. (2005). Experimental study of the control of pore sizes of porous membranes applying chemicals methods. Desalination. 177: 7-13. http://dx.doi.org/10.1016/j.desal.2004.12.003.

Wang, THF; Lin, TJ; Yang, DJ; Antonelli, JA; Yasuda, HK. (1996). Corrosion protection of cold-rolled steel by low temperature plasma inter-face engineering .1. Enhancement of E-coat adhesion. Progr Org Coating. 28: 291-297.

Wang, W; Jin, Z; Liu, H, ui. (2011). A Green and Air Pressure Solution Synthesis of CuInSe2 Nanocrystals Using 1-methyl-2-Pyrrolidinone as Hot Solvent. Journal of the American Ceramic Society. 94: 2571-2577. http://dx.doi.org/10.1111/j.1551-2916.2011.04414.x.

Wang, W; Jin, Z; Liu, H, ui; Du, H. (2011). Preparation and characteristics of CuInSe2 thin films by dip-coating method using its nanocrystal ink. Mater Lett. 65: 2895-2898. http://dx.doi.org/10.1016/j.matlet.2011.06.055.

Wang, W; Qin, Y; Qian, F; Ye, L; Hao, W; Yuan, L, i; Jin, F. (2014). Partitioning of elements from coal by different solvents extraction. Fuel. 125: 73-80. http://dx.doi.org/10.1016/j.fuel.2014.01.098.

Wang, W, ei; Yun, Z, hi; Tang, Z; Gui, X, ia. (2016). Solubilities of CO2 in some glycol ethers under high pressure by experimental determination and correlation. Chinese Journal of Chemical Engineering. 24: 373-378. http://dx.doi.org/10.1016/j.cjche.2015.08.007.

Wang, WC; Ong, GT; Lim, SL; Vora, RH; Kang, ET; Neoh, KG. (2003). Synthesis and characterization of fluorinated polyimide with grafted poly(N-isopropylacrylamide) side chains and the temperature-sensitive microfiltration membranes. Ind Eng Chem Res. 42: 3740-3749. http://dx.doi.org/10.1021/ie0302342.

Wang, WC; Vora, RH; Kang, ET; Neoh, KG; Liaw, DJ. (2003). pH-sensitive fluorinated polyimides with grafted acid and base side chains. Ind Eng Chem Res. 42: 784-794. http://dx.doi.org/10.1021/ie020830g.

Wang, X; Gao, J, ia; Zhang, J; Zhang, X; Guo, R. (2015). Theoretical and Experimental Studies on Acetylene Absorption in a Polytetrafluoroethylene Hollow-Fiber Membrane Contactor. Chem Eng Tech. 38: 215-222. http://dx.doi.org/10.1002/ceat.201400338.

Wang, X; Meng, G; Zhu, C; Huang, Z; Qian, Y; Sun, K; Zhu, X. (2013). A Generic Synthetic Approach to Large-Scale Pristine-Graphene/Metal-Nanoparticles Hybrids. Adv Funct Mater. 23: 5771-5777. http://dx.doi.org/10.1002/adfm.201301409.

Wang, X; Shi, L; Yin, J; Zhu, MS. (2002). A two-stage heat transformer with H2O/LiBr for the first stage and 2,2,2-trifluoroethanol (TFE)/N-methyl-2-pyrrolidone (NMP) for the second stage. Appl Energ. 71: 235-249.

Wang, X; Wang, Y; Li, X, ue; Liu, B, o; Zhao, J. (2015). A facile synthesis of copper sulfides composite with lithium-storage properties. J Power Sources. 281: 185-191. http://dx.doi.org/10.1016/j.jpowsour.2015.01.172.

Wang, XM; Naito, H; Sone, Y; Segami, G; Kuwajima, S. (2005). New additives to improve the first-cycle charge-discharge performance of a graphite anode for lithium-ion cells. J Electrochem Soc. 152: A1996-A2001.

Exposure Literature Search Results

Off Topic

Wang, Y, i; Meng, Y; Wang, S; Li, C; Shi, W, ei; Chen, J; Wang, J; Huang, R. (2015). Direct Solvent-Derived Polymer-Coated Nitrogen-Doped Carbon Nanodots with High Water Solubility for Targeted Fluorescence Imaging of Glioma. Small. 11: 3575-3581. http://dx.doi.org/10.1002/smll.201403718.

Wang, Y, an; Shi, Z; Yin, J, ie. (2011). Boron nitride nanosheets: large-scale exfoliation in methanesulfonic acid and their composites with polybenzimidazole. J Mater Chem. 21: 11371-11377. http://dx.doi.org/10.1039/c1jm10342c.

Wang, YC; Fan, SC; Lee, KR; Li, CL; Huang, SH; Tsai, HA; Lai, JY. (2004). Polyamide/SDS-clay hybrid nanocomposite membrane application to water-ethanol mixture pervaporation separation. J Memb Sci. 239: 219-226. http://dx.doi.org/10.1016/j.memsci.2004.03.037.

Wang, Z; Li, L; Shui, H; Wang, Z; Cui, X; Ren, S; Lei, Z; Kang, S. (2011). Study on the aggregation of coal liquefied preasphaltene in organic solvents by UV-vis and fluorescence spectrophotometry. Fuel. 90: 305-311. http://dx.doi.org/10.1016/j.fuel.2010.08.009.

Wang, Z; Yang, N; Meng, B, o; Tan, X; Li, K. (2009). Preparation and Oxygen Permeation Properties of Highly Asymmetric La0.6Sr0.4Co0.2Fe0.8O3-alpha Perovskite Hollow-Fiber Membranes. Ind Eng Chem Res. 48: 510-516. http://dx.doi.org/10.1021/ie8010462.

Wang, Z; Yang, X; Chen, MY. (2014). Assembly of Patterned Graphene Film Aided by Wetting/Nonwetting Surface on Liquid Interface. I E E E Transactions on Nanotechnology. 13: 589-593. http://dx.doi.org/10.1109/TNANO.2014.2312951.

Watchanida, C; Denis, B; Celine, PB; Andre, D; Dupuy, C. (2006). Effect of a drying pretreatment on morphology of porous poly(Ether-Imide) membrane prepared using vapor-induced phase separation. Drying Technology. 24: 1317-1326. http://dx.doi.org/10.1080/07373930600846697.

Wath, SB; Katariya, MN; Singh, SK; Kanade, GS; Vaidya, AN. (2015). Separation of WPCBs by dissolution of brominated epoxy resins using DMSO and NMP: A comparative study. Chem Eng J. 280: 391-398. http://dx.doi.org/10.1016/j.cej.2015.06.007.

Wawro, D; Steplewski, W; Ciechanska, D; Krucinska, I; Wesolowska, E, wa. (2007). The effect of solvent type on the mechanical properties of dibutyrylchitin (DBC) fibres. 15: 14-18.

Webb, RL; Langford, SC; Dickinson, JT; Lippert, TK. (1998). Sensitization of PMMA to laser ablation at 308 nm. Appl Surf Sci. 127: 815-820.

Weber, T; Bechthold, M; Winkler, T; Dauselt, J; Terfort, A. (2013). Direct grafting of anti-fouling polyglycerol layers to steel and other technically relevant materials. Colloids Surf B Biointerfaces. 111: 360-366. http://dx.doi.org/10.1016/j.colsurfb.2013.05.026.

Wee, SB, ok; An, G, yeS; Han, J, inS; Oh, HC; Choi, SC. (2016). Co-dispersion behavior and interactions of nano-ZrB2 and nano-SiC in a non-aqueous solvent. Ceramics International. 42: 4658-4662. http://dx.doi.org/10.1016/j.ceramint.2015.11.039.

Wei, XY; Shen, JL; Takanohashi, T; Iino, M. (1989). EFFECT OF EXTRACTABLE SUBSTANCES ON COAL DISSOLUTION - USE OF A CARBON-DISULFIDE N-METHYL-2-PYRROLIDINONE MIXED-SOLVENT AS AN EXTRACTION SOLVENT FOR DISSOLUTION REACTION-PRODUCTS. Energy Fuels. 3: 575-579.

Weidlich, U; Rohm, HJ; Gmehling, J. (1987). MEASUREMENT OF GAMMA-INFINITY USING GLC .2. RESULTS FOR THE STATIONARY PHASES N-FORMYLMORPHOLINE AND N-METHYLPYRROLIDONE. Journal of Chemical and Engineering Data. 32: 450-453.

Weigel, P; Gensrich, J; Wagenknecht, W. (1996). Model investigations on the effect of an intermediate derivatization on structure and properties of regenerated cellulose filaments. 50: 483-490.

Wen, TC; Chen, JB; Gopalan, A. (2002). Soluble and methane sulfonic acid doped poly(diphenylamine) - synthesis and characterization. Mater Lett. 57: 280-290.

Weng, CJ; Chang, C, hiHao; Lin, IL, i; Yeh, J, uiM; Wei, Y, en; Hsu, CL; Chen, P, oHan. (2012). Advanced anticorrosion coating materials prepared from fluoro-polyaniline-silica composites with synergistic effect of superhydrophobicity and redox catalytic capability. Surf Coating Tech. 207: 42-49. http://dx.doi.org/10.1016/j.surfcoat.2012.04.097.

Weng, W, enLu; Chen, J, uiT; Yang, J, eiWai; Chang, J, iS. (2007). Isothermal vapor-liquid equilibria of binary mixtures of nitrogen with dimethyl sulfoxide, N-Methyl-2-pyrrolidone, and diethylene glycol monobutyl ether at elevated pressures. Journal of Chemical and Engineering Data. 52: 511-516. http://dx.doi.org/10.1021/je6005357.

Weyten, H; Servaes, F; Mertens, M; Buekenhoudt, A; Cornelis, J; Vandriessche, I; Hoste, S. (1995). YBa2Cu3O7-x superconductive tapes and wires: A peritectic sintering procedure to improve the quality. Journal of Materials Science. 30: 6047-6052.

Wheaton, CJ; Savage, A; Shukla, A; Neiffer, D; Qu, W; Sun, Y; Lasley, BL. (2011). The use of long acting subcutaneous levonorgestrel (LNG) gel depot as an effective contraceptive option for cotton-top tamarins (Saguinus oedipus). Zoo Biology. 30: 498-522. http://dx.doi.org/10.1002/zoo.20354.

White, CM; Rohar, PC; Veloski, GA; Anderson, RR. (1997). Practical notes on the use of N-methyl-2-pyrrolidinone as a solvent for extraction of coal and coal-related materials. Energy Fuels. 11: 1105-1106.

Willey, AD; Holt, JM; Larsen, BA; Blackburn, JL; Liddiard, S; Abbott, J; Coffin, M; Vanfleet, RR; Davis, RC. (2014). Thin films of carbon nanotubes via ultrasonic spraying of suspensions in N-methyl-2-pyrrolidone and N-cyclohexyl-2-pyrrolidone. Journal of Vacuum Science and Technology Part B Microelectronics and Nanometer Structures. 32. http://dx.doi.org/10.1116/1.4861370.

Williams, JC; Meador, MA, nnB; Mccorkle, L; Mueller, C; Wilmoth, N. (2014). Synthesis and Properties of Step-Growth Polyamide Aerogels Cross-linked with Triacid Chlorides. Chem Mater. 26: 4163-4171. http://dx.doi.org/10.1021/cm5012313.

Won, J; Park, HC; Kim, UY; Kang, YS; Yoo, SH; Jho, JY. (1999). The effect of dope solution characteristics on the membrane morphology and gas transport properties: PES/gamma-BL/NMP system. J Memb Sci. 162: 247-255.

Wong, DP; Tseng, H, anP; Chen, Y, itT; Hwang, BJ, oe; Chen, L, iC; Chen, KH. (2013). A stable silicon/graphene composite using solvent exchange method as anode material for lithium ion batteries. Carbon. 63: 397-403. http://dx.doi.org/10.1016/j.carbon.2013.06.095.

Woo, HY; Shim, HK; Lee, KS. (1999). A new NLO polyurethane with a tricyanovinyl group. Synthetic Metals. 101: 136-137.

Woo, HY; Shim, HK; Lee, KS; Jeong, MY; Lim, TK. (1999). An alternate synthetic approach for soluble nonlinear optical polyimides. Chem Mater. 11: 218-226.

Wood, DL, III; Li, J; Daniel, C. (2015). Prospects for reducing the processing cost of lithium ion batteries. J Power Sources. 275: 234-242.

Exposure Literature Search Results

Off Topic

Wu, B; Cheng, Y; Li, X, i. (2012). Thermodynamic Properties and Crystal Structures of the Adductive 2,6-Naphthalenedicarboxylic Acid Crystallization with N,N-Dimethyl Acetamide and N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 57: 406-411. http://dx.doi.org/10.1021/je2009973.

Wu, D; Zhao, L, in; Vakharia, VK; Salim, W; Ho, WSW. (2016). Synthesis and characterization of nanoporous polyethersulfone membrane as support for composite membrane in CO2 separation: From lab to pilot scale. J Memb Sci. 510: 58-71. http://dx.doi.org/10.1016/j.memsci.2016.03.022.

Wu, F; Ngothai, Y; Wei, J; Liu, C; O'Neill, B; Wu, Y. (2012). Premixed, injectable PLA-modified calcium deficient apatite biocement (cd-AB) with washout resistance. Colloids Surf B Biointerfaces. 92: 113-120. http://dx.doi.org/10.1016/j.colsurfb.2011.11.037.

Wu, L, iLi; Chang, W, eiX; Guan, G, uoF. (2007). Extractants design based on an improved genetic algorithm. Ind Eng Chem Res. 46: 1254-1258. http://dx.doi.org/10.1021/ie060022f.

Wu, L; Sun, J; Wang, Q. (2006). Poly(vinylidene fluoride)/polyethersulfone blend membranes: Effects of solvent sort, polyethersulfone and polyvinylpyrrolidone concentration on their properties and morphology. J Memb Sci. 285: 290-298. http://dx.doi.org/10.1016/j.memsci.2006.08.033.

Wu, Y, an; Zhu, H; Feng, L, i; Zhang, L; Xing, S. (2016). Effects of 1-methyl-2-pyrrolidinone (NMP) on polyamide-polysulfone TFC membrane pore morphology and ICP and membrane performance in forward osmosis. Desalination and Water Treatment. 57: 7637-7649. http://dx.doi.org/10.1080/19443994.2015.1035680.

Wycisk, R; Pintauro, PN. (1996). Sulfonated polyphosphazene ion-exchange membranes. J Memb Sci. 119: 155-160.

Xi, J; Li, Z; Yu, L; Yin, B; Wang, L, ei; Liu, L, e; Qiu, X; Chen, L. (2015). Effect of degree of sulfonation and casting solvent on sulfonated poly(ether ether ketone) membrane for vanadium redox flow battery. J Power Sources. 285: 195-204. http://dx.doi.org/10.1016/j.jpowsour.2015.03.104.

Xia, YN; Wiesinger, JM; Macdiarmid, AG; Epstein, AJ. (1995). CAMPHORSULFONIC ACID FULLY DOPED POLYANILINE EMERALDINE SALT - CONFORMATIONS IN DIFFERENT SOLVENTS STUDIED BY AN ULTRAVIOLET-VISIBLE NEAR-INFRARED SPECTROSCOPIC METHOD. Chem Mater. 7: 443-445.

Xiao, G; Tong, K; Zhou, L; Xiao, J; Sun, S; Li, P; Yu, J. (2012). Adsorption and Desorption Behavior of Lithium Ion in Spherical PVC-MnO2 Ion Sieve. Ind Eng Chem Res. 51: 10921-10929. http://dx.doi.org/10.1021/ie300087s.

Xiao, Z; Camino, FE. (2009). The fabrication of carbon nanotube field-effect transistors with semiconductors as the source and drain contact materials. Nanotechnology. 20: 135205. http://dx.doi.org/10.1088/0957-4484/20/13/135205.

Xiao, Z; Sharma, H; Zhu, MY; Pearson, T. (2010). Dielectrophoresis-assisted deposition and alignment of single-walled carbon nanotubes for electronic-device fabrication. Journal of Vacuum Science and Technology A. 28: 750-754. http://dx.doi.org/10.1116/1.3378151.

Xiaofei, E; Wada, Y; Nozaki, J; Miyauchi, H; Tanaka, S; Seki, Y; Koizumi, A. (2000). A linear pharmacokinetic model predicts usefulness of N-methyl-2-pyrrolidone (NMP) in plasma or urine as a biomarker for biological monitoring for NMP exposure. J Occup Health. 42: 321-327.

Xie, L; Sha, J, in; Ma, Y; Han, J. (2013). Thermal Reduction of Graphene Oxide in Organic Solvents for Producing Colloidal Suspensions of Reduced Graphene Oxide Sheets. Fullerenes, Nanotubes, and Carbon Nanostructures. 21: 901-915. http://dx.doi.org/10.1080/1536383X.2013.826196.

Xie, X; Huang, B, in; Zhou, W; Cai, M. (2016). Synthesis and Properties of Novel Copolymers of Poly(ether ketone ether ketone ketone) and Poly(ether ketone ketone ether ketone ketone) Containing 1,4-Naphthylene Moieties. Polymer Engineering and Science. 56: 566-572. http://dx.doi.org/10.1002/pen.24281.

Xie, YL; Wang, MJ; Yao, SJ. (2009). Preparation and characterization of biocompatible microcapsules of sodium cellulose sulfate/chitosan by means of layer-by-layer self-assembly. Langmuir. 25: 8999-9005. http://dx.doi.org/10.1021/la9014338.

Xilong, W; Xiaoyan, S; Zhexu, Z; Xuemei, L; Xingwei, L; Cheng, Y; Yuxi, L. (2016). Preparation and Mechanical Properties of Hard Metals Using Graphene as Carbon Source. 45: 3262-3266.

Xing, DY, u; Peng, N, a; Chung, T, aiS. (2010). Formation of Cellulose Acetate Membranes via Phase Inversion Using Ionic Liquid, [BMIM]SCN, As the Solvent. Ind Eng Chem Res. 49: 8761-8769. http://dx.doi.org/10.1021/ie1007085.

Xiong, J; Jiang, F; Shi, H; Xu, J; Liu, C; Zhou, W; Jiang, Q; Zhu, Z; Hu, Y. (2015). Liquid Exfoliated Graphene as Dopant for Improving the Thermoelectric Power Factor of Conductive PEDOT:PSS Nanofilm with Hydrazine Treatment. 7: 14917-14925. http://dx.doi.org/10.1021/acsami.5b03692.

Xu, HJ; Zhang, CF; Zheng, ZS. (2002). Selective H2S removal by nonaqueous methyldiethanolamine solutions in an experimental apparatus. Ind Eng Chem Res. 41: 2953-2956. http://dx.doi.org/10.1021/ie0109253.

Xu, S; Roy, S; Ben, T; Pei, C; Qiu, S. (2015). Enhanced recognition of a nitrogen containing organic compound by adjusting the acidity of the porous organic frameworks base (JUC-Z2). 3: 2628-2633. http://dx.doi.org/10.1039/c4ta05640j.

Xu, SM; Liu, YL; Zhang, LS. (2001). Performance research of self regenerated absorption heat transformer cycle using TFE-NMP as working fluids. International Journal of Refrigeration. 24: 510-518.

Xu, W, enLin; Mao, F; Zhao, HK, un; Wang, Y, aQ; Wang, J, in. (2007). Solubility of anthracene in N,N-dimethyformamide, N,N-dimethylacetamide, and N-methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 52: 553-554. http://dx.doi.org/10.1021/je060454x.

Xu, W, u; Viswanathan, VV; Wang, D; Towne, SA; Xiao, J, ie; Nie, Z; Hu, D; Zhang, J, iG. (2011). Investigation on the charging process of Li(2)O(2)-based air electrodes in Li-O(2) batteries with organic carbonate electrolytes. J Power Sources. 196: 3894-3899. http://dx.doi.org/10.1016/j.jpowsour.2010.12.065.

Xu, Y; Wang, Z; Guo, Z; Huang, H, ao; Xiao, Q; Zhang, H, an; Yu, X, ueF. (2016). Solvothermal Synthesis and Ultrafast Photonics of Black Phosphorus Quantum Dots. 4: 1223-1229. http://dx.doi.org/10.1002/adom.201600214.

Exposure Literature Search Results

Off Topic

Xue, L; Zhao, F; Xing, X; Zhou, Z; Wang, K, ai; Gao, H; Yi, J; Xu, S; Hu, R. (2011). Dissolution Properties of 1,2,4-Triazole Nitrate in N-Methyl Pyrrolidone. Journal of Chemical and Engineering Data. 56: 259-262. http://dx.doi.org/10.1021/je100838m.

Yamamura, M; Matsumoto, H; Mawatari, Y; Kage, H. (2013). Drying-induced reduction in electrical resistivity of carbon black-polyamideimide nanocomposite films. Chemical Engineering and Processing: Process Intensification. 70: 17-20. http://dx.doi.org/10.1016/j.cep.2013.05.012.

Yan, B; Gu, J; Xiao, X. (2010). LnPO(4): RE3+ (La = La, Gd; RE = Eu, Tb) nanocrystals: solvo-thermal synthesis, microstructure and photoluminescence. J Nanopart Res. 12: 2145-2152. http://dx.doi.org/10.1007/s11051-009-9776-x.

Yan, JS; Lau, WWY. (1998). Effect of internal coagulant on morphology of polysulfone hollow fiber membranes. I. Separation Science and Technology. 33: 33-55.

Yan, X; Zheng, D; Zhang, M, in; Yang, W. (2015). Isothermal vapor-liquid equilibrium measurements and assessments of 1,1,1,3,3,3-hexafluoropropane plus N,N-dimethylformamide/N-methyl-2-pyrrolidone working pairs for absorption power cycles. Fluid Phase Equilibria. 406: 27-33. http://dx.doi.org/10.1016/j.fluid.2015.08.003.

Yang, C; He, G; He, Y; Ma, P. (2008). Densities and viscosities of N,N-dimethylformamide plus N-methyl-2-pyrrolidinone and plus dimethyl sulfoxide in the temperature range (303.15 to 353.15) K. Journal of Chemical and Engineering Data. 53: 1639-1642. http://dx.doi.org/10.1021/je800138b.

Yang, CP; Chen, RS; Wei, CS. (2002). Synthesis and properties of new soluble poly(amide-imide-imide)s. Polymer Engineering and Science. 42: 1220-1230.

Yang, CP; Chen, RS; Wei, CS. (2003). Synthesis and properties of new soluble poly(amide-imide-imide)s based on tetraimide-dicarboxylic acid condensed from ODPA, BAPP and p-ABA, and various aromatic diamines. Mater Chem Phys. 77: 226-235.

Yang, CP; Hsiao, SH; Yang, HW. (2000). Synthesis and characterization of new aromatic poly(amide-imide)s derived from 1,4-bis(4-aminophenoxy)-2-t-butylbenzene and various bis(trimellitimide)s. Mater Chem Phys. 64: 116-122.

Yang, CS; Ma, PS; Zhou, Q. (2004). Excess molar volumes and viscosities of binary mixtures of p-xylene with cyclohexane, n-heptane, n-octane, sulfolane, N-methyl-2-pyrrolidone and acetic acid at 303.15 K and 323.15 K and atmospheric pressure. Chinese Journal of Chemical Engineering. 12: 700-706.

Yang, CS; Xu, W; Ma, PS. (2004). Thermodynamic properties of binary mixtures of p-xylene with cyclohexane, heptane, octane, and N-methyl-2-pyrrolidone at several temperatures. Journal of Chemical and Engineering Data. 49: 1794-1801. http://dx.doi.org/10.1021/je04776w.

Yang, CS; Yu, WL; Ma, PS. (2005). Densities and viscosities of binary mixtures of ethylbenzene plus N-methyl-2-pyrrolidone, ethylbenzene plus sulfolane, and styrene plus octane from (303.15 to 353.15) K and atmospheric pressure. Journal of Chemical and Engineering Data. 50: 1197-1203. http://dx.doi.org/10.1021/je049572f.

Yang, D; Adams, PN; Brown, L; Mattes, BR. (2006). Impact of hydrogen bonds in polyaniline. AMPSA(n)/acid solutions. Synthetic Metals. 156: 1225-1235. http://dx.doi.org/10.1016/j.synthmet.2006.09.002.

Yang, D; Fadeev, AG; Adams, PN; Mattes, BR. (2007). GPC characterization of emeraldine, base in NMP containing ionic liquids. Synthetic Metals. 157: 988-996. http://dx.doi.org/10.1016/j.synthmet.2007.10.002.

Yang, D; Mattes, BR. (1999). Investigation of gel inhibitor assisted dissolution of polyaniline: A case study for emeraldine base, 2-methyl-aziridine, and N-methyl-pyrrolidone. Synthetic Metals. 101: 746-749.

Yang, D; Mattes, BR. (2008). Investigation of interaction among polyaniline, organic acid, and water. Synthetic Metals. 158: 654-660. http://dx.doi.org/10.1016/j.synthmet.2008.04.017.

Yang, DL; Adams, PN; Mattes, BR. (2001). Intrinsic viscosity measurement of dilute emeraldine base solutions for estimating the weight average molecular weight of polyaniline. Synthetic Metals. 119: 301-302.

Yang, DL; Mattes, BR. (2002). Polyaniline emeraldine base in N-methyl-2-pyrrolidinone containing secondary amine additives B - Characterization of solutions and thin films. Synthetic Metals. 129: 249-260.

Yang, JL; Stansberry, PG; Zondlo, JW; Stiller, AH. (2002). Characteristics and carbonization behaviors of coal extracts. Fuel Process Tech. 79: 207-215.

Yang, K; Wang, C; Wei, J, ie. (2007). A study on biocomposite of nano apatite/poly (1,4-phenylene-sulfide)-poly (2,4-phenylene sulfide acid). Composites Part B: Engineering. 38: 306-310. http://dx.doi.org/10.1016/j.compositesb.2006.06.008.

Yang, N; Tan, X; Ma, Z. (2008). A phase inversion/sintering process to fabricate nickel/yttria-stabilized zirconia hollow fibers as the anode support for micro-tubular solid oxide fuel cells. J Power Sources. 183: 14-19. http://dx.doi.org/10.1016/j.jpowsour.2008.05.006.

Yang, Q; Chung, T, aiS; Santoso, YE. (2007). Tailoring pore size and pore size distribution of kidney dialysis hollow fiber membranes via dual-bath coagulation approach. J Memb Sci. 290: 153-163. http://dx.doi.org/10.1016/j.memsci.2006.12.036.

Yang, S; Shen, C; Tian, Y; Zhang, X; Gao, HJ. (2014). Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. Nanoscale. 6: 13154-13162. http://dx.doi.org/10.1039/c4nr04349a.

Yang, S; Wang, X; Zhu, Y; Qiao, M; Chen, N, a. (2013). Isobaric vapor-liquid equilibrium data of the binary systems of octane with p, o, m-xylene at 20 kPa. Fluid Phase Equilibria. 344: 1-5. http://dx.doi.org/10.1016/j.fluid.2013.01.015.

Yang, X; Zhang, B; Liu, Z; Deng, B, o; Yu, M; Li, L; Jiang, H; Li, J. (2011). Preparation of the antifouling microfiltration membranes from poly(N,N-dimethylacrylamide) grafted poly(vinylidene fluoride) (PVDF) powder. J Mater Chem. 21: 11908-11915. http://dx.doi.org/10.1039/c1jm11348h.

Yang, XL; Larsen, JW; Silbernagel, BG. (1993). H-1 SPIN-ECHO NMR RELAXATION STUDIES OF DRIED AND SWOLLEN ARGONNE PREMIUM COALS. Energy Fuels. 7: 439-445.

Yang, XL; Silbernagel, BG; Larsen, JW. (1994). PHASE-BEHAVIOR AND MACROMOLECULAR STRUCTURE OF SWOLLEN COALS - A LOW-TEMPERATURE H-1 AND H-2 NMR-STUDY. Energy Fuels. 8: 266-275.

Yang, Y; Hu, H, ao; Zhou, CH, ua; Xu, S; Sebo, B; Zhao, XZ. (2011). Novel agarose polymer electrolyte for quasi-solid state dye-sensitized solar cell. J Power Sources. 196: 2410-2415.

Exposure Literature Search Results

Off Topic

Yang, Y; Miao, L, ei; Hu, J; Liu, G; Tu, Y; Lin, S; Liu, F; Li, F, ei; Wu, Y, an; Zhang, G; Zou, H. (2014). Hydrophilization of polysulfone membranes using a binary graft copolymer. 2: 10410-10423. http://dx.doi.org/10.1039/c4ta01481b.

Yang, Y; Yang, D; Zhang, S; Wang, J, un; Jian, X. (2006). Preparation and characterization of poly(phthalazinone ether sulfone ketone) hollow fiber ultrafiltration membranes with excellent thermal stability. J Memb Sci. 280: 957-968. http://dx.doi.org/10.1016/j.memsci.2006.03.023.

Yang, YQ; Jian, XG; Yang, DL; Zhang, SH; Zou, LJ. (2006). Poly (phthalazinone ether sulfone ketone) (PPESK) hollow fiber asymmetric nanofiltration membranes: Preparation, morphologies and properties. J Memb Sci. 270: 1-12. http://dx.doi.org/10.1016/j.memsci.2005.06.036.

Yang, Z; Xue, Z; Liao, Y; Zhou, X; Zhou, J; Zhu, J; Xie, X. (2013). Hierarchical hybrids of carbon nanotubes in amphiphilic poly(ethylene oxide)-block-polyaniline through a facile method: from smooth to thorny. Langmuir. 29: 3757-3764. http://dx.doi.org/10.1021/la304283n.

Yang, ZY, u; Hu, Y, uF; Wang, Z, hiXin; Sun, Y, u; Jiang, CC; Chen, Y, uFei. (2014). Densities and Viscosities of the Binary and Ternary Aqueous Solutions of Pyrrolidone-Based Ionic Liquids at Different Temperatures and Atmospheric Pressure. Journal of Chemical and Engineering Data. 59: 1094-1104. http://dx.doi.org/10.1021/je4002009.

Yao, G, anB; Sun, Y, aP; Wang, L; Yi, JK; Meng, L; Zhang, X, u. (2014). Phase Equilibrium and Phase Diagram for the System of Benzene Dicarboxylic Acid plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 59: 2686-2692. http://dx.doi.org/10.1021/je500542j.

Yao, H; Zhang, S; Wang, J; Zhou, Q; Dong, H; Zhang, X. (2012). Densities and Viscosities of the Binary Mixtures of 1-Ethyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide with N-Methyl-2-pyrrolidone or Ethanol at T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data. 57: 875-881. http://dx.doi.org/10.1021/je200922s.

Yao, P, ei; Xu, J, un; Wang, Y, i; Zhu, C. (2009). Preparation and characterization of soluble and DBSA doped polyaniline grafted multi-walled carbon nanotubes nano-composite. Journal of Materials Science: Materials in Electronics. 20: 891-898. http://dx.doi.org/10.1007/s10854-008-9812-0.

Yaug, L, i; Xi, G; Xi, Y. (2015). Recovery of Co, Mn, Ni, and Li from spent lithium ion batteries for the preparation of LiNixCoyMnzO2 cathode materials. Ceramics International. 41: 11498-11503. http://dx.doi.org/10.1016/j.ceramint.2015.05.115.

Yazdani, S; Hatami, M; Vahdat, SM. (2014). The chemistry concerned with the sonochemical-assisted synthesis of CeO2/poly(amic acid) nanocomposites. Turkish Journal of Chemistry. 38: 388-401. http://dx.doi.org/10.3906/kim-1306-33.

Yeon, Y; Lee, MY; Kim, SY; Lee, J; Kim, B; Park, B; In, I. (2015). Production of quasi-2D graphene nanosheets through the solvent exfoliation of pitch-based carbon fiber. Nanotechnology. 26: 375602. http://dx.doi.org/10.1088/0957-4484/26/37/375602.

Yeow, ML; Liu, YT; Li, K. (2005). Preparation of porous PVDF hollow fibre membrane via a phase inversion method using lithium perchlorate (LiClO4) as an additive. J Memb Sci. 258: 16-22. http://dx.doi.org/10.1016/j.memsci.2005.01.015.

Yigit, M; Seckin, T; Yigit, B; Koytepe, S. (2013). Synthesis and characterization of thermally stable camphor-based polyimide-clay nanocomposites. Turkish Journal of Chemistry. 37: 182-194. http://dx.doi.org/10.3906/kim-1202-65.

Yin, J; Shi, L; Zhu, MS; Han, LZ. (2000). Performance analysis of an absorption heat transformer with different working fluid combinations. Appl Energ. 67: 281-292.

Yin, J, un; Zhu, G; Deng, B. (2013). Multi-walled carbon nanotubes (MWNTs)/polysulfone (PSU) mixed matrix hollow fiber membranes for enhanced water treatment. J Memb Sci. 437: 237-248. http://dx.doi.org/10.1016/j.memsci.2013.03.021.

Yin, W; Ding, S; Xia, S; Ma, P; Huang, X; Zhu, Z. (2010). Cosolvent Selection for Benzene-Cyclohexane Separation in Extractive Distillation. Journal of Chemical and Engineering Data. 55: 3274-3277. http://dx.doi.org/10.1021/je100081v.

Ying, L; Kang, ET; Neoh, KG. (2002). Synthesis and characterization of poly(N-isopropylacrylamide)-graft-poly(vinylidene fluoride) copolymers and temperature-sensitive membranes. Langmuir. 18: 6416-6423. http://dx.doi.org/10.1021/la020241f.

Ying, L; Kang, ET; Neoh, KG. (2003). Characterization of membranes prepared from blends of poly(acrylic acid)-graft-poly(vinylidene fluoride) with poly(N-isopropylacrylamide) and their temperature- and pH-sensitive microfiltration. J Memb Sci. 224: 93-106. http://dx.doi.org/10.1016/j.memsci.2003.07.002.

Yong, W, aiFen; Li, F, uYun; Chung, T, aiS; Tong, Y, enWah. (2014). Molecular interaction, gas transport properties and plasticization behavior of cPIM-1/Torlon blend membranes. J Memb Sci. 462: 119-130. http://dx.doi.org/10.1016/j.memsci.2014.03.046.

Yoo, JE; Kim, JH; Kim, Y; Kim, CK. (2003). Novel ultrafiltration membranes prepared from the new miscible blends of polysulfone with poly(1-vinylpyrrolidone-co-styrene) copolymers. J Memb Sci. 216: 95-106. http://dx.doi.org/10.1016/S0376-7388(03)00062-0.

Yoo, SH; Jho, JY; Won, J; Park, HC; Kang, YS. (2000). Effect of solvent and cosolvent on the morphology and permeance of asymmetric polyimide membrane. J Ind Eng Chem. 6: 129-132.

Yoon, KH; Yang, BD. (2003). Preparation and characterization of matrix retaining electrolyte for a phosphoric acid fuel cell by non-volatile solvent, NMP. J Power Sources. 124: 47-51. http://dx.doi.org/10.1016/S0378-7753(03)00629-3.

Yoonessi, M; Shi, Y; Scheiman, DA; Lebron-Colon, M; Tigelaar, DM; Weiss, RA; Meador, MA. (2012). Graphene polyimide nanocomposites; thermal, mechanical, and high-temperature shape memory effects. ACS Nano. 6: 7644-7655. http://dx.doi.org/10.1021/nn302871y.

Yoshida, K; Shimomura, T; Ito, K; Hayakawa, R. (1999). Inclusion complex formation of cyclodextrin and polyaniline. Langmuir. 15: 910-913.

Yoshida, T; Takanohashi, T; Iino, M; Katoh, K. (2001). Dynamic viscoelastic measurement of coal extracts and residues. Energy Fuels. 15: 170-175. http://dx.doi.org/10.1021/ef000150v.

Yoshida, T; Takanohashi, T; Iino, M; Kumagai, H; Kato, K. (2004). Interactions among different fractions in the thermoplastic state of Goonyella coking coal. Energy Fuels. 18: 349-356. http://dx.doi.org/10.1021/ef034008g.

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). The effect of extraction condition on 'HyperCoal' production (I) - under room-temperature filtration. Fuel. 81: 1463-1469.

Yoshida, T; Takanohashi, T; Sakanishi, K; Saito, I; Fujita, M; Mashimo, K. (2002). Relationship between thermal extraction yield and softening temperature for coals. Energy Fuels. 16: 1006-1007. http://dx.doi.org/10.1021/ef010244k.

Exposure Literature Search Results

Off Topic

Yoshino, H; Timko, AG; Itani, T; Tanabe, H; Houlihan, FM; Nalamasu, O. (1999). Environmental stability of 193-nm single layer chemically amplified resists. 40: 345-349.

Youwei, C; Ge, P; Bianhua, W; Xia, G; Xi, L. (2011). Thermodynamic Study on the Adduct Crystallization of Terephthalic Acid with Amides. Journal of Chemical and Engineering Data. 56: 1020-1024. http://dx.doi.org/10.1021/je101018w.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2013). Kinetics of Michael addition polymerizations of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 53: 204-211. http://dx.doi.org/10.1002/pen.23248.

Yu, F, uEn; Hsu, JM, u; Pan, JP, in; Wang, TH; Chiang, Y, uC; Lin, W; Jiang, J, yhC; Chern, CS. (2014). Effect of solvent proton affinity on the kinetics of michael addition polymerization of n,n '-bismaleimide-4,4 '-diphenylmethane with barbituric acid. Polymer Engineering and Science. 54: 559-568. http://dx.doi.org/10.1002/pen.23587.

Yu, F, uEn; Lee, H, aoYeh; Hsu, JM, u; Pan, JP, in; Wang, TH; Chern, CS. (2014). Kinetics of polymerization of N,N '-bismaleimide-4, 4 '-diphenylmethane with barbituric acid. Taiwan Institute of Chemical Engineers Journal. 45: 2820-2826. http://dx.doi.org/10.1016/j.jtice.2014.06.003.

Yu, L; Wang, XH; Li, J; Jing, XB; Wang, FS. (1999). Soluble 2,5-dimercapto-1,3,4-thiadiazole/poly(o-toluidine) electroactive composite. J Electrochem Soc. 146: 1712-1716.

Yu, SJ, un; Baik, D, ooH; Jeong, YG, yu. (2014). Synthesis and characterization of poly(2-cyano-1,4-phenylene terephthalamide) and its copolymers by phosphorylation-assisted polycondensation reaction. Fibers and Polymers. 15: 2447-2452. http://dx.doi.org/10.1007/s12221-014-2447-2.

Yue, XM; Wei, XY; Sun, B; Zong, ZM; Song, LF; Wang, YH; Liu, FJ; Zhao, W; Fan, X; Zhao, YP. (2014). Difference in Molecular Composition of the Carbon Disulfide/Acetone-extractable Fraction between Xilinhaote Lignite and Geting Bituminous Coal. Energ Source Part A. 36: 2651-2659. http://dx.doi.org/10.1080/15567036.2011.621927.

Yun, SY; Kim, J; Ounaies, Z. (2006). Single-walled carbon nanotube/polyaniline coated cellulose based electro-active paper (EAPap) as hybrid actuator. Smart Materials and Structures. 15: N61-N65. http://dx.doi.org/10.1088/0964-1726/15/3/N02.

Yune, PS; Kilduff, JE; Belfort, G. (2011). Using co-solvents and high throughput to maximize protein resistance for poly(ethylene glycol)-grafted poly(ether sulfone) UF membranes. J Memb Sci. 370: 166-174. http://dx.doi.org/10.1016/j.memsci.2011.01.006.

Zackrisson, M; Avellan, L; Orlenius, J. (2010). Life cycle assessment of lithium-ion batteries for plug-in hybrid electric vehicles - Critical issues. J Clean Prod. 18: 1519-1529. http://dx.doi.org/10.1016/j.jclepro.2010.06.004.

Zahran, F; Morere, J; Cabanas, A; Renuncio, JAR; Pando, C. (2011). Role of excess molar enthalpies in supercritical antisolvent micronizations using dimethylsulfoxide as the polar solvent. Journal of Supercritical Fluids. 60: 45-50. http://dx.doi.org/10.1016/j.supflu.2011.02.015.

Zaky, MT; Mohamed, NH; Farag, AS. (2011). Separation of some paraffin wax grades using solvent extraction technique. Fuel Process Tech. 92: 2024-2029. http://dx.doi.org/10.1016/j.fuproc.2011.06.002.

Zaky, MT; Tawfik, SM. (2011). Production of lubricating base oil from slop wax by different subsequent refining techniques. Fuel Process Tech. 92: 447-451. http://dx.doi.org/10.1016/j.fuproc.2010.10.008.

Zare, EN; Lakouraj, MM; Moghadam, PN; Azimi, R. (2013). Novel polyfuran/functionalized multiwalled carbon nanotubes composites with improved conductivity: Chemical synthesis, characterization, and antioxidant activity. Polymer Composites. 34: 732-739. http://dx.doi.org/10.1002/pc.22476.

Zarrebini, M; Saghafi, R; Semnani, D; Mahmoudi, MR. (2015). High pressure injection technique for hypochlorite treatment of polysulfone hollow fibre membranes. Indian Journal of Fibre & Textile Research. 40: 405-413.

Zarth, CSP; Koschella, A; Pfeifer, A; Dorn, S; Heinze, T. (2011). Synthesis and characterization of novel amino cellulose esters. Cellulose. 18: 1315-1325. http://dx.doi.org/10.1007/s10570-011-9557-4.

Zawacka, NK; Andersen, TR; Andreasen, JW; Rossander, L, eaH; Dam, HF; Jorgensen, M; Krebs, FC. (2014). The influence of additives on the morphology and stability of roll-to-roll processed polymer solar cells studied through ex situ and in situ X-ray scattering. 2: 18644-18654. http://dx.doi.org/10.1039/c4ta03484h.

Zawadzki, M; Niedzicki, L; Wieczorek, W; Domanska, U. (2013). Estimation of extraction properties of new imidazolide anion based ionic liquids on the basis of activity coefficient at infinite dilution measurements. Separation and Purification Technology. 118: 242-254. http://dx.doi.org/10.1016/j.seppur.2013.07.006.

Zehioua, R; Coquelet, C; Meniai, AH. (2016). p-T-x Measurements for 1,1,1,2-Tetrafluoroethane (R134a) + N,N-Dimethylacetamide (DMA) and N-Methyl-2-pyrrolidone (NMP). Journal of Chemical and Engineering Data. 61: 912-919. http://dx.doi.org/10.1021/acs.jced.5b00747.

Zellers, ET; Sulewski, R. (1993). Modeling the temperature dependence of N-methylpyrrolidone permeation through butyl- and natural-rubber gloves. Am Ind Hyg Assoc J. 54: 465-479. http://dx.doi.org/10.1080/15298669391354991.

Zeman, L; Tkacik, G. (1988). THERMODYNAMIC ANALYSIS OF A MEMBRANE-FORMING SYSTEM WATER N-METHYL-2-PYRROLIDONE POLYETHERSULFONE. J Memb Sci. 36: 119-140.

Zengin, H; Spencer, HG; Zengin, G; Gregory, RV. (2007). Studies of solution properties of polyaniline by membrane osmometry. Synthetic Metals. 157: 147-154. http://dx.doi.org/10.1016/j.synthmet.2007.01.001.

Zhai, GQ; Kang, ET; Neoh, KG. (2003). Poly(2-vinylpyridine)- and poly(4-vinylpyridine)-graft-poly(vinylidene fluoride) copolymers and their pH-sensitive microfiltration membranes. J Memb Sci. 217: 243-259. http://dx.doi.org/10.1016/S0376-7388(03)00140-6.

Zhai, GQ; Toh, SC; Tan, WL; Kang, ET; Neoh, KG; Huang, CC; Liaw, DJ. (2003). Poly(vinylidene fluoride) with grafted zwitterionic polymer side chains for electrolyte-responsive microfiltration membranes. Langmuir. 19: 7030-7037. http://dx.doi.org/10.1021/la034440q.

Zhai, GQ; Ying, L; Kang, ET; Neoh, KG. (2002). Poly(vinylidene fluoride) with grafted 4-vinylpyridine polymer side chains for pH-sensitive microfiltration membranes. J Mater Chem. 12: 3508-3515. http://dx.doi.org/10.1039/b206486c.

Zhan, Y; Lu, Y; Peng, C; Lou, J, un. (2011). Solvothermal synthesis and mechanical characterization of single crystalline copper nanorings. J Cryst Growth. 325: 76-80. http://dx.doi.org/10.1016/j.jcrysgro.2011.04.031.

Exposure Literature Search Results

Off Topic

Zhang, CH; Zhang, ZQ; Li, QY; Cao, HL. (2005). Synthesis, characterization and properties of SiO2-polyimide hybrid film. Polymers and Polymer Composites. 13: 199-207.

Zhang, H; Wang, J; Chen, Y; Zhang, M. (2007). Solubility of sodium cefotaxime in different solvents. Journal of Chemical and Engineering Data. 52: 982-985. http://dx.doi.org/10.1021/je600564q.

Zhang, J, in; Chan, Y; Yu, Q. (2008). Plasma interface engineered coating systems for magnesium alloys. Progr Org Coating. 61: 28-37. http://dx.doi.org/10.1016/j.porgcoat.2007.08.010.

Zhang, L; He, G; Zhao, W, ei; Tan, M; Li, X. (2010). Effect of formamide additive on the structure and gas permeation performance of polyethermide membrane. Separation and Purification Technology. 73: 188-193. http://dx.doi.org/10.1016/j.seppur.2010.03.024.

Zhang, L, iu; Wang, Z, hi; Wu, J; Shi, G; Xu, H. (2017). Comparison of the homemade and commercial graphene in heightening mechanical properties of Al2O3 ceramic. Ceramics International. 43: 2143-2149. http://dx.doi.org/10.1016/j.ceramint.2016.10.195.

Zhang, Q; Naito, K; Kagawa, Y. (2009). Functionalization of Multi-Walled Carbon Nanotubes with a Silane Coupling Agent and Synthesis of Polyimide Nanocomposite. J Nanosci Nanotechnol. 9: 267-274. http://dx.doi.org/10.1166/jnn.2009.J062.

Zhang, Q; Shi, B. (2009). Effect of Isomeric Propanols on the Performances of Polyethersulfone Nanofiltration Membranes. Separation Science and Technology. 44: 3876-3887. http://dx.doi.org/10.1080/01496390903255986.

Zhang, Q; Wang, H; Fan, X; Chen, S; Yu, H; Quan, X. (2016). A controlled wet-spinning and dip-coating process for preparation of high-permeable TiO2 hollow fiber membranes. Water Sci Technol. 73: 725-733. http://dx.doi.org/10.2166/wst.2015.543.

Zhang, S, huJ; Bu, QQ; Li, Y, anF; Gong, CL; Xu, XY; Li, H, ui. (2011). High organosolubility and optical transparency of novel polyimides derived from 2 ',7 '-bis(4-amino-2-trifluoromethylphenoxy)-spiro (fluorene-9,9 '-xanthene). Mater Chem Phys. 128: 392-399. http://dx.doi.org/10.1016/j.matchemphys.2011.03.010.

Zhang, S; Sakai, R; Abe, T; Iyoda, T; Norimatsu, T; Nagai, K. (2011). Photoelectrochemical and Photocatalytic Properties of Biphasic Organic p- and n-Type Semiconductor Nanoparticles Fabricated by a Reprecipitation Process. 3: 1902-1909. http://dx.doi.org/10.1021/am200096p.

Zhang, S; Yin, C; Xing, D; Yang, D; Jian, X. (2010). Preparation of chloromethylated/quaternized poly(phthalazinone ether ketone) anion exchange membrane materials for vanadium redox flow battery applications. J Memb Sci. 363: 243-249. http://dx.doi.org/10.1016/j.memsci.2010.07.046.

Zhang, SF; Xu, B; Herod, AA; Kandiyoti, R. (1996). Hydrocracking reactivities of primary coal extracts prepared in a flowing-solvent reactor. Energy Fuels. 10: 733-742.

Zhang, W, enFei; Tang, L, iBin; Yu, S, iuF; Lau, S, huP. (2012). Observation of white-light amplified spontaneous emission from carbon nanodots under laser excitation. 2: 490-495.

Zhang, X; Fang, D; Lin, B, in; Dong, Y; Meng, G; Liu, X. (2009). Asymmetric porous cordierite hollow fiber membrane for microfiltration. J Alloy Comp. 487: 631-638. http://dx.doi.org/10.1016/j.jallcom.2009.08.028.

Zhang, X; Hu, J; Chang, Q; Wang, Y; Zhou, J, er; Zhao, T; Jiang, Y; Liu, X. (2015). Influences of internal coagulant composition on microstructure and properties of porous YSZ hollow fibre membranes for water treatment. Separation and Purification Technology. 147: 337-345. http://dx.doi.org/10.1016/j.seppur.2015.01.027.

Zhang, X; Ji, L; Zhang, S; Yang, W. (2007). Synthesis of a novel polyaniline-intercalated layered manganese oxide nanocomposite as electrode material for electrochemical capacitor. J Power Sources. 173: 1017-1023. http://dx.doi.org/10.1016/j.jpowsour.2007.08.083.

Zhang, X; Lang, W, anZ; Xu, H, aiP; Yan, X, i; Guo, Y, aJun; Chu, LF. (2014). Improved performances of PVDF/PFSA/O-MWNTs hollow fiber membranes and the synergism effects of two additives. J Memb Sci. 469: 458-470. http://dx.doi.org/10.1016/j.memsci.2014.07.009.

Zhang, X; Lang, W, anZ; Yan, X, i; Lou, Z, hiY; Chen, XF, an. (2016). Influences of the structure parameters of multi-walled carbon nanotubes(MWNTs) on PVDF/PFSA/O-MWNTs hollow fiber ultrafiltration membranes. J Memb Sci. 499: 179-190. http://dx.doi.org/10.1016/j.memsci.2015.10.034.

Zhang, X, in; Shi, B; Liu, X. (2013). Preparation of polysulfone ultrafiltration membranes modified by silver particles. Desalination and Water Treatment. 51: 3762-3767. http://dx.doi.org/10.1080/19443994.2013.781569.

Zhang, Y; Zhu, X; Guo, J; Huang, X. (2016). Controlling Palladium Nanocrystals by Solvent-Induced Strategy for Efficient Multiple Liquid Fuels Electrooxidation. 8: 20642-20649. http://dx.doi.org/10.1021/acsami.6b02818.

Zhang, Y; Zou, L; Ladewig, BP; Mulcahy, D. (2015). Synthesis and characterisation of superhydrophilic conductive heterogeneous PANI/PVDF anion-exchange membranes. Desalination. 362: 59-67. http://dx.doi.org/10.1016/j.desal.2015.02.004.

Zhang, YZ; Li, H; Lin, J; Li, R; Liang, XP. (2006). Preparation and characterization of zirconium oxide particles filled acrylonitrile-methyl acrylate-sodium sulfonate acrylate copolymer hybrid membranes. Desalination. 192: 198-206. http://dx.doi.org/10.1016/j.desal.2005.07.036.

Zhao, FY; Murakami, K; Shirai, M; Arai, M. (2000). Recyclable homogeneous/heterogeneous catalytic systems for Heck reaction through reversible transfer of palladium species between solvent and support. J Catal. 194: 479-483.

Zhao, LP; Wang, JG; Neoh, KG; Kang, ET. (2004). Electroactive polymer patterns with metal incorporation on a polymeric substrate. Polymer Engineering and Science. 44: 2061-2069. http://dx.doi.org/10.1002/pen.20210.

Zhao, S; Wang, Z, hi; Wang, J; Wang, S. (2014). The effect of pH of coagulation bath on tailoring the morphology and separation performance of polysulfone/polyaniline ultrafiltration membrane. J Memb Sci. 469: 316-325. http://dx.doi.org/10.1016/j.memsci.2014.06.054.

Zhao, S; Wang, Z, hi; Wang, J; Yang, S; Wang, S. (2011). PSf/PANI nanocomposite membrane prepared by in situ blending of PSf and PANI/NMP. J Memb Sci. 376: 83-95. http://dx.doi.org/10.1016/j.memsci.2011.04.008.

Zhao, S; Wang, Z, hi; Wei, X, in; Zhao, B; Wang, J; Yang, S; Wang, S. (2011). Performance improvement of polysulfone ultrafiltration membrane using PANiEB as both pore forming agent and hydrophilic modifier. J Memb Sci. 385: 251-262. http://dx.doi.org/10.1016/j.memsci.2011.10.006.

Zhao, T; Jiang, H, ao; Ma, J, an. (2011). Surfactant-assisted electrochemical deposition of alpha-cobalt hydroxide for supercapacitors. J Power Sources. 196: 860-864. http://dx.doi.org/10.1016/j.jpowsour.2010.06.042.

Exposure Literature Search Results

Off Topic

Zhao, W; Ye, L; Zhang, S; Sun, M; Hou, J. (2015). A universal halogen-free solvent system for highly efficient polymer solar cells. 3: 12723-12729. http://dx.doi.org/10.1039/c4ta07029a.

Zhao, XY, an; Zong, Z, hiMin; Cao, JP, ei; Ma, Y, uM; Han, L, i; Liu, GF; Zhao, W, ei; Li, W, enY; Xie, K, eC; Bai, XF, ei; Wei, XY. (2008). Difference in chemical composition of carbon disulfide-extractable fraction between vitrinite and inertinite from Shenfu-Dongsheng and Pingshuo coals. Fuel. 87: 565-575. http://dx.doi.org/10.1016/j.fuel.2007.02.021.

Zhongchun, L; Aijun, G; Quanfa, Z. (2016). Facile Hydrothermal Synthesis of MnOOH Nanorods and Their Application. 45: 862-867.

Zhou, C; Hou, Z; Lu, X; Liu, Z; Bian, X; Shi, L; Li, L. (2010). Effect of Polyethersulfone Molecular Weight on Structure and Performance of Ultrafiltration Membranes. Ind Eng Chem Res. 49: 9988-9997. http://dx.doi.org/10.1021/ie100199h.

Zhou, D; Cheng, QY, i; Han, B. (2011). Solvothermal synthesis of homogeneous graphene dispersion with high concentration. Carbon. 49: 3920-3927. http://dx.doi.org/10.1016/j.carbon.2011.05.030.

Zhou, J; Ren, J; Lin, L, i; Deng, M. (2008). Morphology evolution of thickness-gradient membranes prepared by wet phase-inversion process. Separation and Purification Technology. 63: 484-486. http://dx.doi.org/10.1016/j.seppur.2008.05.019.

Zhu, H; Matsui, J; Yamamoto, S; Miyashita, T; Mitsuishi, M. (2015). Solvent-dependent properties of poly(vinylidene fluoride) monolayers at the air-water interface. Soft Matter. 11: 1962-1972. http://dx.doi.org/10.1039/c4sm02800g.

Zhu, X; Liang, Y; Pan, H; Jian, X; Zhang, Y. (2008). Synthesis and properties of novel H-bonded composite membranes from sulfonated poly(phthalazinone ether)s for PEMFC. J Memb Sci. 312: 59-65. http://dx.doi.org/10.1016/j.memsci.2007.12.058.

Zhu, Y, u; Higginbotham, AL; Tour, JM. (2009). Covalent Functionalization of Surfactant-Wrapped Graphene Nanoribbons. Chem Mater. 21: 5284-5291. http://dx.doi.org/10.1021/cm902939n.

Zivkovic, L, jS; Jegdic, BV; Popic, JP; Bajat, JB; Miskovic-Stankovic, VB. (2013). The influence of Ce-based coatings as pretreatments on corrosion stability of top powder polyester coating on AA6060. Progr Org Coating. 76: 1387-1395. http://dx.doi.org/10.1016/j.porgcoat.2013.04.017.

Zivkovic, NV; Serbanovic, SS; Kijevcanin, ML, j; Zivkovic, EM. (2013). Volumetric and Viscometric Behavior of Binary Systems 2-Butanol + PEG 200, + PEG 400, + Tetraethylene Glycol Dimethyl Ether, and plus N-Methyl-2-pyrrolidone. Journal of Chemical and Engineering Data. 58: 3332-3341. http://dx.doi.org/10.1021/je400486p.

Zolfaghari, A; Mortaheb, HR; Meshkini, F. (2011). Removal of N-Methyl-2-pyrrolidone by Photocatalytic Degradation in a Batch Reactor. Ind Eng Chem Res. 50: 9569-9576. http://dx.doi.org/10.1021/ie200702b.

Zong, ZM; Peng, YL; Liu, ZG; Zhou, SL; Wu, L; Wang, XH; Wei, XY; Lee, CW. (2003). Convenient synthesis of N-methylpyrrolidine-2-thione and some thioamides. Korean J Chem Eng. 20: 235-238.

Zong, ZM; Peng, YL; Qin, ZH; Liu, JZ; Wu, L; Wang, XH; Liu, ZG; Zhou, SL; Wei, XY. (2000). Reaction of N-methyl-2-pyrrolidinone with carbon disulfide. Energy Fuels. 14: 734-735.

Zu, SZ; Zhou, D; Han, BH. (2013). Supramolecular surface modification and dispersion of graphene in water and organic solvents. J Nanosci Nanotechnol. 13: 946-953. http://dx.doi.org/10.1166/jnn.2013.6007.

Environmental Hazard Literature Search Results

On Topic

Almasudy, AMY, M. P. Barbetti, M. J. (2015). Influence of fungicidal seed treatments and soil type on severity of root disease caused by Rhizoctonia solani AG-8 on wheat. Crop Protection. 75: 40-45. http://dx.doi.org/10.1016/j.cropro.2015.05.007.

Chen, JS, D. L. Li, H. X. Jiang, H. Wang, X. J. Lin, R. H. Gao, X. W. (2008). Effects of penetration enhancers on the toxicity of beta-cypermethrin and epicuticle ultrastructure of three lepidopterous insects. Acta Entomologica Sinica. 51: 216-221.

Engelhardt, GF, H. (1993). 1-Methyl-2-pyrrolidinone (NMP) does not induce structural and numerical chromosomal aberrations in vivo. Mutat Res. 298: 149-155.

Flick, BT, C. E. Jäckh, R. Buesen, R. Klug, S. (2009). Embryotoxic potential of N-methyl-pyrrolidone (NMP) and three of its metabolites using the rat whole embryo culture system. Toxicol Appl Pharmacol. 237: 154-167. http://dx.doi.org/10.1016/j.taap.2009.02.024.

Lan, CHP, C. Y. Lin, T. S. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol. 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x.

Nemours, EIDPD. (1991). Initial Submission: Letter Submitting Two Enclosed Ninety-Day Feeding Studies on Two Separate Chemicals with Attachments. 221 p. (NTIS/OTS 0534725).

Pestana, JLTL, S. Baird, D. J. Soares, A. M. V. M. (2009). Fear and Loathing in the Benthos: Responses of Aquatic Insect Larvae to the Pesticide Imidacloprid in the Presence of Chemical Signals of Predation Risk. 93: 138-149.

Przewloka, SRS, B. J. (2002). The further chemistry of ellagic acid III. The effect of wick action upon moisture uptake and movement in ellagate treated Pinus radiata wood. Holzforschung. 56: 632-638.

Rekha, PM, B. C. Kumari, S. G. V. Indumathi, C. Mithyantha, M. S. (2006). Studies on the Identification of Suitable Solvents for Microbial Bioassay. 90: 1663-1667.

Rozenboim, IM, L. Wolfenson, D. (1998). The thermoregulatory mechanism of melatonin-induced hypothermia in chicken. Am J Physiol. 274: R232-R236.

Shaver, TN. (1984). FATE OF ETHEPHON AND N-METHYL-2-PYRROLIDONE IN SOIL AND COTTON PLANTS. Arch Environ Contam Toxicol. 13: 335-340.

Sitarek, KS, J. Wąsowicz, W. (2012). Evaluation of reproductive disorders in female rats exposed to N-methyl-2-pyrrolidone. Birth Defects Res B Dev Reprod Toxicol. 95: 195-201. http://dx.doi.org/10.1002/bdrb.21001.

Wei, GHD, Y.G. Linhardt,R.J. (2004). New Potent Insecticidal Agent: 4'-Fucosyl Avermectin Derivative. Tetrahedron Lett. 45: 6895-6898.

Environmental Hazard Literature Search Results

On Topic

Zhu, WS, D. R. Mullin, C. A. Frazier, J. L. (2014). Four common pesticides, their mixtures and a formulation solvent in the hive environment have high oral toxicity to honey bee larvae. PLoS ONE. 9: e77547. http://dx.doi.org/10.1371/journal.pone.0077547.

Environmental Hazard Literature Search Results

Off Topic

Åtengl, Vc; Bakardjieva, S; Henych, JÃ; Lang, K; Kormunda, M. (2013). Blue and green luminescence of reduced graphene oxide quantum dots. Carbon. 63: 537-546.

Abeygunasekara, WL; Hiralal, P; Samaranayake, L; Chien, CT; Kumar, A; Flewitt, AJ; Karunaratne, V; Amaratunga, GAJ. (2015). Incorporating semiconducting single-walled carbon nanotubes as efficient charge extractors in organic solar cells. Appl Phys Lett. 106: 23305-23305.

Aboudzadeh, N; Imani, M; Shokrgozar, MA; Khavandi, A; Javadpour, J; Shafieyan, Y; Farokhi, M. (2010). Fabrication and characterization of poly(D,L-lactide-co-glycolide)/hydroxyapatite nanocomposite scaffolds for bone tissue regeneration. Journal of Biomedical Materials Research Part A. 94A: 137-145.

Adams, VD; Watts, RJ; Pitts, ME. (1985). ORGANICS. J Water Pollut Control Fed. 57: 463-493.

Afzal, AB; Akhtar, MJ; Nadeem, M; Ahmad, M; Hassan, MM; Yasin, T; Mehmood, M. (2009). Structural and electrical properties of polyaniline/silver nanocomposites. Journal of Physics D-Applied Physics. 42: 15411-15411.

Agrawal, AG; Kumar, A; Gide, PS. (2015). Formulation of solid self-nanoemulsifying drug delivery systems using N-methyl pyrrolidone as cosolvent. Drug Dev Ind Pharm. 41: 594-604.

Agrawal, AG; Kumar, A; Gide, PS. (2015). Toxicity Study of a Self-nanoemulsifying Drug Delivery System Containing N-methyl pyrrolidone. Drug research. 65: 446-448.

Agrawal, P; Kiihne, S; Hollander, J; Hofmann, M; Langosch, D; de Groot, H. (2010). A solid-state NMR study of changes in lipid phase induced by membrane-fusogenic LV-peptides. Biochimica et Biophysica Acta (BBA) - Biomembranes. 1798: 202-209.

Ahmad, AL; Ideris, N; Ooi, BS; Low, SC; Ismail, A. (2011). Morphology and polymorph study of a polyvinylidene fluoride (PVDF) membrane for protein binding: Effect of the dissolving temperature. Desalination. 278: 318-324.

Ahmed, TA; Ibrahim, HM; Ibrahim, F; Samy, AM; Kaseem, A; Nutan, MTH; Hussain, MD. (2012). Development of biodegradable in situ implant and microparticle injectable formulations for sustained delivery of haloperidol. J Pharm Sci. 101: 3753-3762.

Ahmed, TA; Ibrahim, HM; Samy, AM; Kaseem, A; Nutan, MT; Hussain, MD. (2014). Biodegradable injectable in situ implants and microparticles for sustained release of montelukast: in vitro release, pharmacokinetics, and stability. AAPS PharmSciTech. 15: 772-780.

Ahn, DK; Song, JJ; Ahn, HJ; Cho, JS; Moon, JT; Park, WW; Sohn, KY. (2013). The effect of Ni on the microstructures and electrochemical properties of Si-Ti base alloys for lithium secondary batteries. J Nanosci Nanotechnol. 13: 3522-3525.

Aizawa, H. (2001). 11 - Five-membered Heterocycles. Metabolic Maps London115-157.

Akhter, SA; Bennett, SL; Waller, IL; Bary, BW. (1984). An automated diffusion apparatus for studying skin penetration. Int J Pharm. 21: 17-26.

Akrill, P; Cocker, J; Dixon, S. (2002). Dermal exposure to aqueous solutions of N-methyl pyrrolidone. Toxicol Lett. 134: 265-269.

Ali, A; Ali, K; Kwon, KR; Hyun, M; Choi, KH. (2014). Electrohydrodynamic atomization approach to graphene/zinc oxide film fabrication for application in electronic devices. Journal of Materials Science-Materials in Electronics. 25: 1097-1104.

Aliabadi, M; Ghahremani, H; Izadkhah, F; Sagharigar, T. (2012). PHOTOCATALYTIC DEGRADATION OF N-METHYL-2-PYRROLIDONE IN AQUEOUS SOLUTIONS USING LIGHT SOURCES OF UVA, UVC AND UVLED. Fresen Environ Bull. 21: 2120-2125.

Allcock, HR; Welna, DT; Maher, AE. (2006). Single ion conductors - polyphosphazenes with sulfonimide functional groups. Solid State Ionics. 177: 741-747.

Alonso, RA; Rodriguez, CH; Rossi, RA. (1989). REACTIVITY OF N N DIALKYLAMIDE ENOLATE IONS ARYLATION OF 1 METHYL-2-PYRROLIDINONE ENOLATE IONS BY THE S-R-N1 MECHANISM. J Org Chem. 54: 5983-5985.

Alves, CPA; Sherwood, J; Zhenova, A; McElroy, CR; Hunt, AJ; Parker, HL; Farmer, TJ; Constantinou, A; De, BM; Whitwood, AC; Raverty, W; Clark, JH. (2016). Intelligent Approach to Solvent Substitution: The Identification of a New Class of Levoglucosenone Derivatives. ChemSusChem. 9: 3503-3512.

Amarnath, CA; Hong, CE; Kim, NH; Ku, B-C; Kuila, T; Lee, JH. (2011). Efficient synthesis of graphene sheets using pyrrole as a reducing agent. Carbon. 49: 3497-3502.

Amirilargani, M; Saljoughi, E; Mohammadi, T. (2009). Effects of Tween 80 concentration as a surfactant additive on morphology and permeability of flat sheet polyethersulfone (PES) membranes. Desalination. 249: 837-842.

Andriano, KP; Chandrashekar, B; McEnery, K; Dunn, RL; Moyer, K; Balliu, CM; Holland, KM; Garrett, S; Huffer, WE. (2000). Preliminary in vivo studies on the osteogenic potential of bone morphogenetic proteins delivered from an absorbable puttylike polymer matrix. J Biomed Mater Res. 53: 36-43.

Andrus, A; Beaucage, SL. (1988). 2-mercaptobenzothiazole--an improved reagent for the removal of methyl phosphate protecting groups from oligodeoxynucleotide phosphotriesters. Tetrahedron Lett. 29: 5479-5482.

Anonymous. (1312). THE APPLICATION OF SOLUBILITY PARAMETERS TO AGRICULTURAL CHEMICAL PROBLEMS AU - FRISCH PD. Hopkinson, M J, H M Collins And G R Goss. 0: 21-35.

Anonymous. (1982). BIODEGRADABILITY, BOD INHIBITION AND ACUTE TOXICITY -TO- FISH OF CHEMICAL COMPOUNDS WITH COVER LETTER (NOTE: THIS DOCUMENT IS UNREADABLE). EPA/OTS.

Anonymous. (1987). LETTER FROM BASF CORP TO USEPA REGARDING ADDITIONAL REQUESTED INFORMATION OF THE STUDIES REGARDING TESTING OF PYYROLIDONE FOR ANY TERATOGENIC EFFECT (ENGLISH. EPA/OTS. 880000049: #89-880000049.

Anonymous. (1987). LETTER FROM BASF CORP TO USEPA REGARDING THE SUMMARY OF THE TWO STUDIES ON THE TERATOGENIC POTENTIAL OF N-METHYLPYRROLIDONE. EPA/OTS. 880000041: #89-880000041.

Environmental Hazard Literature Search Results

Off Topic

Anonymous. (1987). LETTER FROM CIBA-GEIGY CORPORATION TO USEPA REGARDING INFORMATION ON THE ENCLOSED REPORTS CONCERNING N-METHYLPYRROLIDONE WITH ATTACHMENTS. EPA/OTS. 88107019: #40-88107019.

Anonymous. (1987). REPORT ON THE TERATOGENIC POTENTIAL OF N-METHYLPYRROLIDONE (NMP) WITH COVER LETTER DATED 111787. EPA/OTS. 87107013: #40-87107013.

Anonymous. (1988). EVALUATION OF DEVELOPMENT TOXICITY ON N-METHYLPYRROLIDONE WITH ATTACHMENT AND COVER LETTER DATED 052588. EPA/OTS. 880000180: #89-880000180.

Anonymous. (1988). EXPERIMENTAL INVESTIGATIONS ON THE EMBRYOTOXIC AND TERATO GENIC EFFECT OF N-METHYLPYRROLIDONE WITH COVER LETTER DATED 032588. EPA/OTS. 880000141: #89-880000141.

Anonymous. (1988). N-METHYLPYRROLIDONE: OPINION ON DEVELOPMETNAL TOXICITY WITH COVER LETTER DATED 052588. EPA/OTS. 88107016: #40-88107016.

Anonymous. (1988). SUPPORT: EXPERIMENTAL INVESTIGATIONS ABOUT THE EMBRYOTOXIC AND TERATOGENIC EFFECT OF N-METHYLPYRROLIDONE IN MICE WITH COVER LETTER DATED 032588 AND ATTACHMENT. EPA/OTS. 880000141: #89-880000141.

Anonymous. (1990). 2-YEAR INHALATION STUDY WITH N-METHYL-2-PYRROLIDONE IN RATS (FINAL) WITH COVER LETTER DATED 083090. EPA/OTS. 90107123: #40-90107123.

Anonymous. (1990). LETTER FROM GAF CHEMICALS CORP TO USEPA SUBMITTING AN INTERIM REPORT OF A MULTI-GENERATIONAL RAT REPRODUCTION STUDY ON N-METHYL-2-PYRROLIDONE WITH ATTACHMENTS. EPA/OTS. 900000099: #89-900000099.

Anonymous. (1991). INITIAL SUBMISSION: FOUR-WEEK INHALATION RANGE-FINDING TEST ON 1-METHYL-2-PYRROLIDONE (FINAL REPORT) WITH ATTACHMENTS AND COVER LETTER DATED 112691. EPA/OTS. 920000398: #88-920000398.

Anonymous. (1991). INITIAL SUBMISSION: SUBCUTANEOUS TOLERABILITY OF CGA-184'699 INJECTABLE FORMULATIONS IN CATS USING THERAPEUTIC- AND 5-FOLD ELEVATED VOLUMES WITH COVER LETTER DATED 112091. EPA/OTS. 920000198: #88-920000198.

Anonymous. (1991). LETTER CONCERNING THE STATUS OF TWO STUDIES WITH N-METHYL-PYRROLIDONE WITH ATTACHMENTS. EPA/OTS. 91107125: #40-91107125.

Anonymous. (1991). LETTER FROM GAF CHEM CORP TO US EPA SUBMITTING PRELIMINARY RESULTS OF N-METHYL-2-PYRROLIDONE DEVELOPMENTAL TOXICITY STUDY WITH ATTACHMENTS. EPA/OTS. 910000217: #89-910000217.

Anonymous. (1992). INITAL SUBMISSION: LETTER FROM E I DUPONT DE NEMOURS & CO TO USEPA REGARDING THE TERATOGONIC POTENTIAL OF N-METHYLPYRROLIDONE WITH COVER LETTER DATED 09/01/92. EPA/OTS. 920008211: #88-920008211.

Anonymous. (1992). INITIAL SUBMISSION: ACUTE ORAL TOXICITY (FINAL REPORT) WITH COVER LETTER DATED 022792. EPA/OTS. 920001229: #88-920001229.

Anonymous. (1992). INITIAL SUBMISSION: DEVELOPMENTAL TOXICITY STUDY IN RATS WITH N-METHYLPYRROLIDONE (DRAFT REPORT) WITH ATTACHMENTS AND COVER LETTER DATED 041092. EPA/OTS. 920001848: #88-920001848.

Anonymous. (1992). INITIAL SUBMISSION: LETTER FROM BASF CORP SUBMITTING INFORMATION ON A REPORT ON THE TESTING OF N-METHYLPYRROLIDONE FOR ITS POSSIBLE TERATOGENIC EFFECTS ON SPRAGUE-DAWLEY RATS. EPA/OTS. 920003049: #88-920003049.

Anonymous. (1992). INITIAL SUBMISSION: LETTER FROM BASF CORP SUBMITTING INFORMATION ON A TEST REPORT OF N-METHYLPYRROLIDONE FOR A POSSIBLE TERATOGENIC ACTION IN MICE. EPA/OTS. 920003050: #88-920003050.

Anonymous. (1992). INITIAL SUBMISSION: ORAL RANGE FIND (FINAL REPORT) WITH COVER LETTER DATED 022792. EPA/OTS. 920001230: #88-920001230.

Anonymous. (1992). INITIAL SUBMISSION: REPRODUCTIVE AND DEVELOPMENTAL TOXICITY OF 1-METHYL-2-PYRROLIDINONE IN THE RAT WITH COVER LETTER DATED 10/01/92. EPA/OTS. 920010214: #88-920010214.

Anonymous. (1992). INITIAL SUBMISSION: TERATOLOGIC DOSE RANGE-FINDING STUDY W/ N-METHYLPYRROLIDONE IN SPRAGUE DAWLEY RATS WITH COVER LETTER DATED 09/01/92. EPA/OTS. 920008215: #88-920008215.

Anonymous. (1992). INITIAL SUBMISSION: TERATOLOGICAL DOSE RANGE-FINDING STUDY WITH N-METHYLPYRROLIDONE IN SPRAGUE-DAWLEY RATS (FINAL REPORT) WITH ATTACHMENTS AND COVER LETTER DATED 022792. EPA/OTS. 920001293: #88-920001293.

Anonymous. (1994). FINAL REPORT, REPEATED DOSE TOXICITY STUDY WITH N-METHYLPYRROLIDONE IN B6C3F1 MICE: ADMINISTRATION IN THE DIET FOR 4 WEEKS (RANGE-FINDING STUDY), WITH COVER LETTER DATED 5/20/94. EPA/OTS.

Anonymous. (1994). FINAL REPORT, SUBCHRONIC ORAL TOXICITY: 28-DAY FEEDING STUDY IN RATS WITH N-METHYLPYRROLIDONE, WITH COVER LETTER DATED 5/20/94. EPA/OTS. 44610: #OPPTS-44610.

Anonymous. (1994). SUPPORT: LETTER FROM N-METHYLPYRROLIDONE PRODUCERS GROUP TO USEPA REGARDING 28-DAY DIETARY TOXICITY STUDIES OF N-METHYLPYRROLIDONE DATED 042994. EPA/OTS.

Anonymous. (1994). SUPPORT: SUPPLEMENTAL SUBMISSION ON GROUNDWATER CONTAMINATION, EPA DOC CNTL NO 8EHQ-0979-0310, AEROJET PROPULSION DIV, RANCHO CORDOVA, CA FACILITY WITH COVER LETTER DATED 032194. EPA/OTS.

Anonymous. (1995). N-METHYLPYRROLIDONE - SUBCHRONIC ORAL TOXICITY STUDY IN B6C3F1 MICE BY ADMINISTRATION IN THE DIET FOR 3 MONTHS, WITH COVER LETTER DATED 11/22/95. EPA/OTS.

Anonymous. (1995). ORAL, DERMAL, AND INHALATION PHARMACOKINETICS AND DISPOSITION OF [2-14C] NMP IN THE RAT (FINAL REPORT), WITH COVER LETTER DATED 11/22/95. EPA/OTS.

Anonymous. (1995). SUPPORT: LETTER FROM N-METHYLPYRROLIDONE PRODUCERS GROUP TO USEPA REGARDING SUBCHRONIC ORAL TOXICITY STUDY IN THE RAT WITH NEUROLOGICAL ASSESSMENTS DATED 022295. EPA/OTS.

Anonymous. (1996). ANALYSIS OF POLYCHLORINATED DIBENZO-P-DIOXINS AND POLYCHLORINATED DIBENZOFURANS IN CHLORANIL, WITH COVER LETTER DATED 3/21/96. EPA/OTS.

Anonymous. (1997). INITIAL SUBMISSION: LETTER FROM N-METHYLPYRROLIDONE PROD GROUP TO USEPA RE: ORAL FEEDING REPRODUCTIVE TOXICITY STUDY ON N-METHYLPYRROLIDONE, DATED 10/10/1997. EPA/OTS.

Anonymous. (1997). INITIAL SUBMISSION: LETTER FROM NMP PRODUCERS GROUP INC TO USEPA RE RESULTS IN ORAL FEEDING 18-MONTH CARCINOGENICITY STUDY OF N-METHYLPYRROLIDONE IN B6C3F1 MICE, DATED 9/16/1997. EPA/OTS.

Environmental Hazard Literature Search Results

Off Topic

Anonymous. (1998). FINAL REPORT, ONCOGENICITY STUDY WITH N-METHYLPYRROLIDONE (NMP) TWO-YEAR FEEDING STUDY IN SPRAGUE DAWLEY RATS, WITH COVER LETTER DATED 5/22/1998. EPA/OTS.

Anonymous. (1998). SUPPORT: LETTER FROM N-METHYLPYRROLIDONE PROD GROUP TO USEPA RE: ORAL FEEDING REPRODUCTIVE TOXICITY STUDY WITH N-METHYLPYRROLIDONE, DATED 01/16/1998. EPA/OTS.

Anonymous. (1998). SUPPORT: LTR FR N-METHYLPYRROLIDONE PDCRS GP INC TO USEPA REPORTING HISTOPATHOLOGICAL DATA FROM ORAL (FEEDING) 18-MONTH AND 90 DAY STUDIES IN B6C3F1 MICE WITH NMP, DATED 11/23/1998. EPA/OTS.

Anonymous. (1999). N-METHYLPYRROLIDONE - CARCINOGENICITY STUDY IN B6C3F1 MICE, ADMINISTRATION IN THE DIET FOR 18 MONTHS, WITH COVER LETTER DATED 11/23/1999. EPA/OTS.

Anonymous. (2000). INTERNAL MEMORANDUM TO USEPA CONCERNING THE DATA ADEQUACY FOR SECTION 4 MUTAGENICITY TESTING ON N-METHYLPYRROLIDONE. EPA/OTS. 89107056: #40-89107056.

Anonymous. (2000). INTERNAL MEMORANDUM TO USEPA CONCERNING THE EVALUATION OF SUBCHRONIC STUDIES On N-METHYLPYRROLIDONE WITH ATTACHMENT. EPA/OTS. 89107058: #40-89107058.

Anonymous. (2000). LETTER CONCERNING SIX GERMAN TOXICOLOGY STUDIES ON N-METHYL-PYRROLIDONE WITH ATTACHMENTS. EPA/OTS. 90107151: #40-90107151.

Anonymous. (2000). LETTER FROM CIBA-GEIBY CORP TO USEPA REGARDING INITIAL INFORMATION ON STUDIES DEMONSTRATING EMBRYOLETHALITY IN BOTH THE MOUSE AND RAT WITH N-METHYLPYRROLIDONE. EPA/OTS. 880000001: #88-880000001.

Anonymous. (2000). LETTER FROM E I DUPONT DE NEMOURS & COMPANY TO USEPA SUBMITTING COMMENTS CONCERNING THE PROPOSED TEST RULE ON N-METHYLPYRROLIDONE WITH ATTACHMENT. EPA/OTS. 90107098: #40-90107098.

Anonymous. (2000). LETTER FROM GAF CHEMICALS CORPORATION TO USEPA SUBMITTING ENCLOSED SUBMISSIONS ON N-METHYLPYRROLIDONE WITH ATTACHMENTS. EPA/OTS. 90107092: #40-90107092.

Anonymous. (2000). LETTER FROM GAF CHEMICALS CORPORATION TO USEPA SUBMITTING INFORMATION ON HOUSEHOLD PRODUCTS CONTAINING METHYLENE CHLORIDE WITH ATTACHMENT. EPA/OTS. 86107024: #40-86107024.

Anonymous. (2000). LETTER FROM USEPA TO CIBA-GIEGY CORPORATION CONCERNING THE SUBMISSION ON N-METHYLPYRROLIDONE WITH ATTACHMENT. EPA/OTS. 87107052: #40-87107052.

Anonymous. (2000). LETTER TO HASKELL LABORATORY CONCERNING A N-METHYL-PYRROLIDONE REPRODUCTIVE TOXICITY STUDY WITH ATTACHMENT. EPA/OTS. 90107150: #40-90107150.

Anonymous. (2000). N-METHYLPYRROLIDONE; PROPOSED TEST RULE ACTION: PROPOSED RULE - OPTS-42114. EPA/OTS. 90107073: #40-90107073.

Anonymous. (2000). PRODUCTION EXPOSURE PROFILE N-METHYLPYRROLIDONE. EPA/OTS. 88107053: #40-88107053.

Anonymous. (2000). SUMMARY ENGINEERING REPORT TEST RULES EXPOSURE ANALYSIS N-METHYLPYRROLIDONE WITH COVER LETTER DATED 110189. EPA/OTS. 89107062: #40-89107062.

Anonymous. (2001). INITIAL SUBMISSION: LETTER FROM ROHM & HAAS CO TO USEPA, RESULTS OF SKIN IRRITATION TEST IN RABBITS W/MIXT OF TRIETHYLENE GLYCOL DIMETHYL ETHER, N-METHYL PYRROL*, *, DATED 3/21/01. EPA/OTS.

Anonymous. (2002). COMMENTS OF GAF CHEMICALS CORPORATION, BASF CORPORATION AND ARCO CHEMICAL CORPORATION ON THE PROPOSED TEST RULE FOR N-METHYLPYRROLIDONE WITH APPENDICES AND ATTACHMENTS. Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association. 40: 1705-1712.

Anonymous. (2002). INITIAL SUBMISSION: ABSTRACTED RESULTS OF A DEVELOPMENTAL TOXICITY STUDY IN RATS WITH N-METHYL-2-PYRROLIDONE, WITH COVER LETTER DATED 021502. EPA/OTS.

Ansari, MO; Yadav, SK; Cho, JW; Mohammad, F. (2013). Thermal stability in terms of DC electrical conductivity retention and the efficacy of mixing technique in the preparation of nanocomposites of graphene/polyaniline over the carbon nanotubes/polyaniline. Composites. 47: 155-161.

Ansell, JM; Fowler, JA. (1988). THE ACUTE ORAL TOXICITY AND PRIMARY OCULAR AND DERMAL IRRITATION OF SELECTED N ALKYL-2-PYRROLIDONES. Food Chem Toxicol. 26: 475-480.

Antonova, IV; Kotin, IA; Soots, RA; Volodin, VA; Prinz, VY. (2012). Tunable properties of few-layer graphene-N-methylpyrrolidone hybrid structures. Nanotechnology. 23: 315601.

Arroyave, FA; Reynolds, JR. (2011). Synthesis of pi-Conjugated Molecules Based on 3,4-Dioxypyrroles via Pd-Mediated Decarboxylative Cross-Coupling. J Org Chem. 76: 8621-8628.

Arthanareeswaran, G; Starov, VM. (2011). Effect of solvents on performance of polyethersulfone ultrafiltration membranes: Investigation of metal ion separations. Desalination. 267: 57-63.

Asakawa, A; Oka, T; Sasaki, C; Asada, C; Nakamura, Y. (2016). Cholinium ionic liquid/cosolvent pretreatment for enhancing enzymatic saccharification of sugarcane bagasse. Ind Crop Prod. 86: 113-119.

Asano, H; Sakura, N; Oshima, K; Shiraishi, Y; Toshima, N. (2016). Development of ethenetetrathiolate hybrid thermoelectric materials consisting of cellulose acetate and semiconductor nanomaterials. Japanese Journal of Applied Physics. 55: BB202-BB202.

Ast, T; Heine, N; Germeroth, L; Schneider-Mergener, J; Wenschuh, H. (1999). Efficient assembly of peptomers on continuous surfaces. Tetrahedron Lett. 40: 4317-4318.

Atherton, E; Bury, C; Sheppard, RC; Williams, BJ. (1979). Stability of fluorenylemthoxycarbonylamino groups in peptide synthesis. Cleavage by hydrogenolysis and by dipolar aprotic solvents. Tetrahedron Lett. 20: 3041-3042.

Avdeef, A; Kansy, M; Bendels, S; Tsinman, K. (2008). Absorption-excipient-pH classification gradient maps: sparingly soluble drugs and the pH partition hypothesis. European journal of pharmaceutical sciences : official journal of the European Federation for Pharmaceutical Sciences. 33: 29-41.

Awanis Hashim, N; Liu, F; Moghareh Abed, MR; Li, K. (2012). Chemistry in spinning solutions: Surface modification of PVDF membranes during phase inversion. J Memb Sci. 415-416: 399-411.

Environmental Hazard Literature Search Results

Off Topic

Bâ€ niscAd, DDoEIUFZHCfER-HLG; Bâ€ hmeD, D-DoEIUFZHCfERL-HaLG; Kohajda, T; Mâ€ gelD, D-DoEIUFZHCfERL-HLG; SchÂ tzAd, D-DoEIUFZHCfER-HLG; von, BM; Simon, JC; Lehmann, I; Polte, T. (2012). Volatile organic compounds enhance allergic airway inflammation in an experimental mouse model. PLoS ONE. 7: e39817.

Babu, RJ; Pandit, JK. (2005). Effect of penetration enhancers on the transdermal delivery of bupranolol through rat skin. Drug Deliv. 12: 165-169.

Babudri, F; Cardone, A; Farinola, GM; Naso, F. (1998). A versatile copper-induced synthesis of fluorinated oligo(para-phenylenes). Tetrahedron. 54: 14609-14616.

Bachhav, YG; Date, AA; Patravale, VB. (2006). Exploring the potential of N-methyl pyrrolidone as a cosurfactant in the microemulsion systems. Int J Pharm. 326: 186-189.

Bae, J; Baek, I; Choi, H. (2017). Efficacy of piezoelectric electrospun nanofiber membrane for water treatment. Chem Eng J. 307: 670-678.

Bai, L; Nie, Y; Huang, J; Li, Y; Dong, H; Zhang, X. (2013). Efficiently trapping asphaltene-type materials from direct coal liquefaction residue using alkylsulfate-based ionic liquids. Fuel. 112: 289-294.

Barry, BW; Southwell, D; Woodford, R. (1984). Optimization of bioavailability of topical steroids: penetration enhancers under occlusion. The Journal of investigative dermatology. 82: 49-52.

Barton, BF. (1998). Dynamics of membrane structure formation in quenched polymer solutions. PhD Thesis, University of Illinois at Urbana-Champaign.

Bartsch, W; Sponer, G; Dietmann, K; Fuchs, G. (1976). Acute Toxicity of Various Solvents in the Mouse and Rat. LD50 of Ethanol, Diethylacetamide, Dimethylformamide, Dimethylsulfoxide, Glycerine, N-methylpyrrolidone, Polyethylene Glycol 400, 1,2-propanediol and Tween 20. Arzneimittelforschung. 26: 1581-1583.

Basch, A; Strnad, S. (2011). Substrate-induced coagulation (SIC) of nano-disperse alumina in non-aqueous media: The dispersibility and stability of alumina in N-methyl-2-pyrrolidinone. Colloids and surfaces. 374: 9-12.

Baumann, H; Scheen, M; Huppertz, B; Keller, R. (1998). Novel regio- and stereoselective O-6-desulfation of the glucosamine moiety of heparin with N-methylpyrrolidinone-water or N,N-dimethylformamide-water mixtures. Carbohydr Res. 308: 381-388.

Becci, PJ; Gephart, LA; Koschier, FJ; Johnson, WD; Burnette, LW. (1983). Subchronic feeding study in beagle dogs of N-methylpyrrolidone. J Appl Toxicol. 3: 83-86.

Becci, PJ; Knickerbocker, MJ; Reagan, EL; Parent, RA; Burnette, LW. (1982). Teratogenicity study of N-methylpyrrolidone after dermal application to Sprague-Dawley rats. Fundam Appl Toxicol. 2: 73-76.

Beecher, P; Servati, P; Rozhin, A; Colli, A; Scardaci, V; Pisana, S; Hasan, T; Flewitt, AJ; Robertson, J; Hsieh, GW; Li, FM; Nathan, A; Ferrari, AC; Milne, WI. (2007). Ink-jet printing of carbon nanotube thin film transistors. Journal of Applied Physics. 102: 43710-43710.

Bengoechea, MR; Aliev, FM; Pinto, NJ. (2002). Effects of confinement on the phase separation in emeraldine base polyaniline cast from 1-methyl-2-pyrrolidinone studied via dielectric spectroscopy. Journal of Physics-Condensed Matter. 14: 11769-11778.

Bennett, SL; Barry, BW; Woodford, R. (1985). Optimization of bioavailability of topical steroids: non-occluded penetration enhancers under thermodynamic control. The Journal of pharmacy and pharmacology. 37: 298-304.

Berscht, PC; Nies, B; Liebendâ€ rfer, A; Kreuter, J. (1994). Incorporation of basic fibroblast growth factor into methylpyrrolidinone chitosan fleeces and determination of the in vitro release characteristics. Biomaterials. 15: 593-600.

Bertocchio, R. (1989). Use of solvents/fluorinated refrigerants pairs in absorption systems. Journal of Fluorine Chemistry. 45: 169.

Bhatia, A; Bharti, SK; Tripathi, T; Mishra, A; Sidhu, OP; Roy, R; Nautiyal, CS. (2015). Metabolic profiling of Commiphora wightii (guggul) reveals a potential source for pharmaceuticals and nutraceuticals. Phytochemistry. 110: 29-36.

Bieth, J; Spiess, B; Wermuth, CG. (1974). The synthesis and analytical use of a highly sensitive and convenient substrate of elastase. Biochem Med. 11: 350-357.

Bittner, B; Thelly, T; Isel, H; Mountfield, RJ. (2000). The impact of co-solvents and the composition of experimental formulations on the pump rate of the ALZET (R) osmotic pump. Int J Pharm. 205: 195-198.

Boethling, RS; Howard, PH; Stiteler, W; Hueber, A. (1997). Does the semi-continuous activated sludge (SCAS) test predict removal in secondary treatment? Chemosphere. 35: 2119-2130.

Borde, I; Jelinek, M; Daltrophe, NC. (1997). Working fluids for an absorption system based on R124 (2-chloro-1,1,1,2,-tetrafluoroethane) and organic absorbents. International Journal of Refrigeration. 20: 256-266.

Borges, VRD; Simon, A; Sena, ARC; Cabral, LM; de Sousa, VP. (2013). Nanoemulsion containing dapsone for topical administration: a study of in vitro release and epidermal permeation. International Journal of Nanomedicine. 8: 535-544.

Bottino, A; Capannelli, G; Comite, A. (2002). Preparation and characterization of novel porous PVDF-ZrO2 composite membranes. Desalination. 146: 35-40.

Boudry, I; Cossec, B; Ferrari, E. (2002). SUPPORT: THE EFFECTS OF N-METHYLPYRROLIDONE ON EMBRYOGENY, CENTRAL NERVOUS SYSTEM, TESTICLES, AND SPERM IN THE RAT WITH COVER LETTER DATED 011095. Drug metabolism and disposition: the biological fate of chemicals. 30: 1418-1424.

Bowen, WR; Doneva, TA; Yin, H. (2002). The effect of sulfonated poly(ether ether ketone) additives on membrane formation and performance. Desalination. 145: 39-45.

Breant, M; Georges, J; Mermet-Dupin, M. (1978). Recherches en milieu superbasique dans lan-methylpyrrolidone et le dimethylacetamide. Anal Chim Acta. 100: 353-365.

Brent, JR; Lewis, DJ; Lorenz, T; Lewis, EA; Savjani, N; Haigh, SJ; Seifert, G; Derby, B; O'Brien, P. (2015). Tin(II) Sulfide (SnS) Nanosheets by Liquid-Phase Exfoliation of Herzenbergite: IV-VI Main Group Two-Dimensional Atomic Crystals. J Am Chem Soc. 137: 12689-12696.

Brodbeck, KJ; DesNoyer, J; McHugh, AJ. (1999). Phase inversion dynamics of PLGA solutions related to drug delivery - Part II. The role of solution thermodynamics and bath-side mass transfer. J Control Release. 62: 333-344.

Cahiez, G; Habiak, V; Gager, O. (2008). Stereoselective preparation of dienol phosphates from alpha,beta-ethylenic aldehydes. J Org Chem. 73: 6871-6872.

Environmental Hazard Literature Search Results

Off Topic

Cai, XS; Zhang, QL; Wang, SJ; Peng, J; Zhang, YW; Ma, HL; Li, JQ; Zhai, ML. (2014). Surfactant-assisted synthesis of reduced graphene oxide/polyaniline composites by gamma irradiation for supercapacitors. Journal of Materials Science. 49: 5667-5675.

Campbell, HL; Striebig, BA. (1999). Evaluation of N-methylpyrrolidone and its oxidative products toxicity utilizing the microtox assay. Environmental Science & Technology. 33: 1926-1930.

CampiÃ±ez, MD; Ferris, C; de Paz, MV; Aguilar-de-Leyva, A; Galbis, J; Caraballo, I. (2015). A new biodegradable polythiourethane as controlled release matrix polymer. Int J Pharm. 480: 63-72.

Cantillo, D; Gutmann, B; Kappe, CO. (2011). Mechanistic Insights on Azide-Nitrile Cycloadditions: On the Dialkyltin Oxide-Trimethylsilyl Azide Route and a New Vilsmeier-Haack-Type Organocatalyst. J Am Chem Soc. 133: 4465-4475.

Cantillo, D; Gutmann, B; Kappe, CO. (2012). An Experimental and Computational Assessment of Acid-Catalyzed Azide-Nitrile Cycloadditions. J Org Chem. 77: 10882-10890.

Cao, S; Wu, JJ; Li, L; Zhu, LJ; Zhang, J; Yu, JL; Qian, XH. (2008). One-pot three component synthesis of heteroarylated arylacetates via VNS(Ar)-S(N) reaction using N-methylpyrrolidone as general solvent. Organic & Biomolecular Chemistry. 6: 1293-1297.

Carlos Mierzwa, J; Vecitis, CD; Carvalho, J; Arieta, V; Verlage, M. (2012). Anion dopant effects on the structure and performance of polyethersulfone membranes. J Memb Sci. 421-422: 91-102.

Carmichael, NG. (2005). Toxicity of agrochemical formulations. Scandinavian journal of work, environment & health. 31 Suppl 1: 146-150; discussion 119-122.

Carpino, LA; El-Faham, A. (1999). The diisopropylcarbodiimide/ 1-hydroxy-7-azabenzotriazole system: Segment coupling and stepwise peptide assembly. Tetrahedron. 55: 6813-6830.

Chadwick, BM; Frankiss, SG. (1976). Vibrational spectra and structures of some dicyanoaurate(I) complexes. Journal of Molecular Structure. 31: 1-9.

Chakraborti, AK; Kaur, G. (1999). One-pot synthesis of nitriles from aldehydes under microwave irradiation: Influence of the medium and mode of microwave irradiation on product formation. Tetrahedron. 55: 13265-13268.

Chakraborti, AK; Sharma, L; Nayak, MK. (2002). Influence of hydrogen bonding in the activation of nucleophiles: PhSH-(catalytic) KF in N-methyl-2-pyrrolidone as an efficient protocol for selective cleavage of alkyl/aryl esters and aryl alkyl ethers under nonhydrolytic and neutral conditions. J Org Chem. 67: 2541-2547.

Chakraborti, AK; Sharma, L; Sharma, U. (2001). A mild and chemoselective method for deprotection of aryl acetates and benzoates under non-hydrolytic condition. Tetrahedron. 57: 9343-9346.

Chambers, RD; Palmer, AJ. (1969). Preparation of geometric isomers of some polyfluoro-2-butenes. Tetrahedron. 25: 4217-4224.

Chan, LC; Cox, BG. (2007). Kinetics of amide formation through Carbodiimide/N-Hydroxybenzotriazole (HOBt) couplings. J Org Chem. 72: 8863-8869.

Chandaliya, VK; Biswas, PP; Dash, PS. (2016). Organo-refining of high-ash Indian coals at bench scale. Fuel. 165: 425-431.

Chang, CM; Bodmeier, R. (1998). Low viscosity monoglyceride-based drug delivery systems transforming into a highly viscous cubic phase. Int J Pharm. 173: 51-60.

Chang, SW; Waters, H; Kettle, J; Kuo, ZR; Li, CH; Yu, CY; Horie, M. (2012). Pd-catalysed direct arylation polymerisation for synthesis of low-bandgap conjugated polymers and photovoltaic performance. Macromol Rapid Comm. 33: 1927-1932.

Chany, CJ, II. (1994). The development of new synthetic methods using (diacetoxyiodo)benzene and (hydroxy(sulfonyloxy)iodo)benzenes. PhD Thesis, University of Illinois at Chicago.

Chatterjee, J; Liu, T; Wang, B; Zheng, JP. (2010). Highly conductive PVA organogel electrolytes for applications of lithium batteries and electrochemical capacitors. Solid State Ionics. 181: 531-535.

Chauvet, A; Masse, J; Ribet, J-P; Bigg, D; Autin, J-M; Maurel, J-L; Patoiseau, J-Fo; Jaud, J. (1992). Characterization of Polymorphs and Solvates of 3-Amino-1-(m-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one. J Pharm Sci. 81: 836-841.

Chen, L; Hu, T; Yu, H; Chen, S; Pojman, JA. (2007). First solvent-free synthesis of poly(N-methylolacrylamide) via frontal free-radical polymerization. Journal of polymer science. 45: 4322-4330.

Chen, X; Dobson, JF; Raston, CL. (2012). Vortex fluidic exfoliation of graphite and boron nitride. Chemical communications (Cambridge, England). 48: 3703-3705.

Chen, Y; Li, G; Han, J; Wang, T. (2011). A new visible light bimolecular photoinitiator system for free radical polymerization. Journal of Photochemistry & Photobiology, A: Chemistry. 222: 330-335.

Cheng, YC; Hsu, CH; Lan, KH; Munoz, JC; Caparanga, AR; Soriano, AN; Li, MH. (2009). Desmearing of FR4 Epoxy Resin Using NMP-Based Sweller. Journal of Electronic Materials. 38: 2368-2375.

Chern, Y-T; Tsai, J-Y; Wang, J-J. (2009). High Tg and high organosolubility of novel unsymmetric polyimides. Journal of polymer science. 47: 2443-2452.

Chiriac, CI; Tanasa, F; Onciu, M. (2003). A new direct synthesis of cinnamic acids from aromatic aldehydes and aliphatic carboxylic acids in the presence of sodium borohydride. Tetrahedron Lett. 44: 3579-3580.

Chmielowiec, J; Fischer, P; Pyburn, CM. (1987). Characterization of precursors which cause light instability in hydroprocessed gas oils. Fuel. 66: 1358-1363.

Cho, CW; Choi, JS; Kim, SJ; Shin, SC. (2010). Enhanced bioavailability and antihistamine effects of loratadine from the transdermal EVA matrix system in rats. Journal of Drug Delivery Science and Technology. 20: 107-110.

Choi, M-C; Hwang, J-C; Kim, C; Ando, S; Ha, C-S. (2010). New colorless substrates based on polynorbornene-chlorinated polyimide copolymers and their application for flexible displays. Journal of polymer science. 48: 1806-1814.

Chong, HM; Hinder, SJ; Taylor, AC. (2016). Graphene nanoplatelet-modified epoxy: effect of aspect ratio and surface functionality on mechanical properties and toughening mechanisms. Journal of Materials Science. 51: 8764-8790.

Chowdhury, S; Frazier, CE. (2013). Compressive-torsion DMA of yellow-poplar wood in organic media. Holzforschung. 67: 161-168.

Environmental Hazard Literature Search Results

Off Topic

Chung, C-L; Lee, W-F; Lin, C-H; Hsiao, S-H. (2009). Highly soluble fluorinated polyimides based on an asymmetric bis(ether amine): 1,7-bis(4-amino-2-trifluoromethylphenoxy)naphthalene. Journal of polymer science. 47: 1756-1770.

Ciesielski, A; Haar, S; El Gemayel, M; Yang, HF; Clough, J; Melinte, G; Gobbi, M; Orgiu, E; Nardi, MV; Ligorio, G; Palermo, V; Koch, N; Ersen, O; Casiraghi, C; Samori, P. (2014). Harnessing the Liquid-Phase Exfoliation of Graphene Using Aliphatic Compounds: A Supramolecular Approach. Angewandte Chemie-International Edition. 53: 10355-10361.

Ciric, L; Djokic, DM; Jacimovic, J; Sienkiewicz, A; Magrez, A; Forro, L; Sljivancanin, Z; Lotya, M; Coleman, JN. (2012). Magnetism in nanoscale graphite flakes as seen via electron spin resonance. Physical Review B. 85: 5437-5437.

Coad, EC. (1994). Synthesis and characterization of materials derived from 4,5-dicyanoimidazoles. PhD Thesis, University of Michigan.

Coad, EC; Liu, H; Rasmussen, PG. (1999). Synthesis and characterization of derivatives and dimers of 4,5-dicyanoimidazole. Tetrahedron. 55: 2811-2826.

Cortvrindt, R; De Vil, B; Lemeire, K. (2007). In vitro pre- and post-implantation embryo toxicity assessment of N-methyl-pyrrolidinone. Toxicol Lett. 172, Supplement: S16.

Crimmins, MT; King, BW; Tabet, EA; Chaudhary, K. (2001). Asymmetric aldol additions: Use of titanium tetrachloride and (-)-sparteine for the soft enolization of N-acyl oxazolidinones, oxazolidinethiones, and thiazolidinethiones. J Org Chem. 66: 894-902.

Crock, CA; Rogensues, AR; Shan, WQ; Tarabara, VV. (2013). Polymer nanocomposites with graphene-based hierarchical fillers as materials for multifunctional water treatment membranes. Water Res. 47: 3984-3996.

Cuzzola, A; Panelli, L; Raffaelli, A; Uccello-Barretta, G; Balzano, F; Salvadori, P. (2006). Unexpected reaction of beta-cyclodextrin tosylate with pyrrolidinones. Carbohydr Res. 341: 2126-2130.

Czajkowska-Szczykowska, D; Morzycki, JW; Wojtkielewicz, A. (2015). Pd-catalyzed steroid reactions. Steroids. 97: 13-44.

D'Agostino, C; Stephens, JA; Parkinson, JD; Mantle, MD; Gladden, LF; Moggridge, GD. (2013). Prediction of the mutual diffusivity in acetoneâ€“chloroform liquid mixtures from the tracer diffusion coefficients. Chem Eng Sci. 95: 43-47.

Dahe, GJ; Teotia, RS; Bellare, JR. (2012). The role of zeolite nanoparticles additive on morphology, mechanical properties and performance of polysulfone hollow fiber membranes. Chem Eng J. 197: 398-406.

Darvishmanesh, S; Jansen, JC; Tasselli, F; Tocci, E; Luis, P; DegrÃ¨ve, J; Drioli, E; Van der Bruggen, B. (2011). Novel polyphenylsulfone membrane for potential use in solvent nanofiltration. J Memb Sci. 379: 60-68.

Darvishmanesh, S; Tasselli, F; Jansen, JC; Tocci, E; Bazzarelli, F; Bernardo, P; Luis, P; DegrÃ¨ve, J; Drioli, E; Van der Bruggen, B. (2011). Preparation of solvent stable polyphenylsulfone hollow fiber nanofiltration membranes. J Memb Sci. 384: 89-96.

Davydov, EY; Afanas'eva, EN; Gaponova, IS; Pariiskii, GB. (2004). Aminoxyl radicals as crosslinks for macromolecules of polyvinylpyrrolidone. Organic & Biomolecular Chemistry. 2: 1359-1363.

De, BORTOLIM; Ghezzi, E; Knoppel, H; Vissers, H. (1999). A new test chamber to measure material emissions under controlled air velocity. Environmental Science & Technology. 33: 1760-1765.

De Marco, I; Knauer, O; Cice, F; Braeuer, A; Reverchon, E. (2012). Interactions of phase equilibria, jet fluid dynamics and mass transfer during supercritical antisolvent micronization: The influence of solvents. Chem Eng J. 203: 71-80.

De Marco, I; Rossmann, M; Prosapio, V; Reverchon, E; Braeuer, A. (2015). Control of particle size, at micrometric and nanometric range, using supercritical antisolvent precipitation from solvent mixtures: Application to PVP. Chem Eng J. 273: 344-352.

de Medeiros, ASA; Zoppi, A; Barbosa, EbG; Oliveira, JIN; Fernandes-Pedrosa, MF; Longhi, MR; da Silva-JÃºnior, AbA. (2016). Supramolecular aggregates of oligosaccharides with co-solvents in ternary systems for the solubilizing approach of triamcinolone. Carbohydr Polymer. 151: 1040-1051.

Deitch, RA; Blackburn, GR; Schreiner, CA; Mackerer, CR. (1987). EXTRACTION AND METABOLIC ACTIVATION PARAMETERS FOR PETROLEUM FRACTIONS IN A MODIFIED AMES ASSAY. Eighteenth Annual Meeting Of The Environmental Mutagen Society, San Francisco, California, Usa, April. 9: 29.

Dilman, AD; Levin, VV; Korlyukov, AA; Belyakov, PA; Struchkova, MI; Antipin, MY; Tartakovsky, VA. (2008). Complexation of tris(pentafluorophenyl)silanes with neutral Lewis bases. Journal of Organometallic Chemistry. 693: 1005-1019.

Ding, K; Zannat, F; Morris, JC; Brennessel, WW; Holland, PL. (2009). Coordination of N-methylpyrrolidone to iron(II). Journal of Organometallic Chemistry. 694: 4204-4208.

Ding, X; Cao, Y; Zhao, H; Wang, L. (2013). Interfacial morphology between the two layers of the dual-layer asymmetric hollow fiber membranes fabricated by co-extrusion and dry-jet wet-spinning phase-inversion techniques. J Memb Sci. 444: 482-492.

do, CSG. (2005). Dynamics of proteins and lipids in the stratum corneum: effects of percutaneous permeation enhancers. Biophys Chem. 116: 23-31.

Dobson, KR; Stephenson, M; Greenfield, PF; Bell, PRF. (1985). IDENTIFICATION AND TREATABILITY OF ORGANICS IN OIL SHALE RETORT WATER. Water Res. 19: 849-856.

Dong, J; Yin, CQ; Luo, WQ; Zhang, QH. (2013). Synthesis of organ-soluble copolyimides by one-step polymerization and fabrication of high performance fibers. Journal of Materials Science. 48: 7594-7602.

Dong, JJ; Sharpless, KB; Kwisnek, L; Oakdale, JS; Fokin, VV. (2014). SuFEx-Based Synthesis of Polysulfates. Angewandte Chemie-International Edition. 53: 9466-9470.

Dong, WY; Korber, M; Lopez Esguerra, V; Bodmeier, R. (2006). Stability of poly(D,L-lactide-co-glycolide) and leuprolide acetate in in-situ forming drug delivery systems. J Control Release. 115: 158-167.

Dong, Y; Ng, WK; Shen, S; Kim, S; Tan, RBH. (2009). Preparation and characterization of spironolactone nanoparticles by antisolvent precipitation. Int J Pharm. 375: 84-88.

D'Souza, AA; Yevate, SV; Bandivdekar, AH; Devarajan, PV. (2015). In situ polyethylene sebacate particulate carriers as an alternative to Freund's adjuvant for delivery of a contraceptive peptide vaccine-A feasibility study. Int J Pharm. 496: 601-608.

Environmental Hazard Literature Search Results

Off Topic

Du, P-A; Ren, M-N; Jiang, D; Zhao, Z-H; Ying, W-Y. (2012). An experimental study on optimization utilization of deasphalted oil. Fuel Process Tech. 99: 64-68.

Dua, RK; Phillips, RS. (1992). Synthesis of 5-cyano-l-tryptophan. Tetrahedron Lett. 33: 29-32.

Dubin, S; Gilje, S; Wang, K; Tung, VC; Cha, K; Hall, AS; Farrar, J; Varshneya, R; Yang, Y; Kaner, RB. (2010). A one-step, solvothermal reduction method for producing reduced graphene oxide dispersions in organic solvents. ACS Nano. 4: 3845-3852.

Dudeck, O; Jordan, O; Hoffmann, KT; Okuducu, AF; Tesmer, K; Kreuzer-Nagy, T; Rufenacht, DA; Doelker, E; Felix, R. (2006). Organic solvents as vehicles for precipitating liquid embolics: A comparative angiotoxicity study with superselective injections of swine rete mirabile. AJNR Am J Neuroradiol. 27: 1900-1906.

Dufour, S; Deleu, M; Nott, K; Wathelet, B; Thonart, P; Paquot, M. (2005). Hemolytic activity of new linear surfactin analogs in relation to their physico-chemical properties. Biochimica et Biophysica Acta (BBA) - General Subjects. 1726: 87-95.

Dumsday, GJ; Ocal, G; Bridger, JS; Zachariou, M. (2009). The Use of Oxygen Uptake Rate to Monitor Discovery of Microbial and Enzymatic Biocatalysts. Biotechnol Bioeng. 102: 673-683.

Dusselberg, D; Verreault, D; Koelsch, P; Staudt, C. (2011). Synthesis and characterization of novel, soluble sulfur-containing copolyimides with high refractive indices. Journal of Materials Science. 46: 4872-4879.

Dutczak, SM; Tanardi, CR; KopeÄ‡, KK; Wessling, M; Stamatialis, D. (2012). â€œChemistry in a spinneretâ€ to fabricate hollow fibers for organic solvent filtration. Separation and Purification Technology. 86: 183-189.

Eberhardt, TL; Lebow, S; Reed, KG. (2012). Partial dissolution of ACQ-treated wood in lithium chloride/N-methyl-2-pyrrolidinone: Separation of copper from potential lignocellulosic feedstocks. Chemosphere. 86: 797-801.

Ebrahim, S; Soliman, M; Abdel-Fattah, TM. (2011). Hybrid Inorganic-Organic Heterojunction Solar Cell. Journal of Electronic Materials. 40: 2033-2041.

Eddarir, S; Kajjout, M; Rolando, C. (2012). Stereoselective cyanation of beta-bromo-beta-fluorostyrenes using potassium cyanide and promoted by (CH(3)CN)(4)Cu(+) BF(4)(-). Tetrahedron. 68: 603-607.

Eifert, EJ; Vickers, LD. (2000). The dissolution vessel for plutonium pits at the U.S. DOE Pantex Plant. Health Phys. 78: S25-27.

El Dib, G; Chakir, A. (2007). Temperature-dependence study of the gas-phase reactions of atmospheric NO(3) radicals with a series of amides. Atmos Environ. 41: 5887-5896.

El-Kafrawy, A. Investigation of the cellulose/LiCl/dimethylacetamide and cellulose/LiCl/N-methyl-2-pyrrolidinone solutions by 13C NMR spectroscopy. Journal of applied polymer science. July 1982. v. 27 (7): 2435-2443.

Ellis, MJ; Chaudhuri, JB. (2007). Poly(lactic-co-glycolic acid) hollow fibre membranes for use as a tissue engineering scaffold. Biotechnol Bioeng. 96: 177-187.

Ettmayer, P; Chloupek, S; Weigand, K. (2003). Solid-phase synthesis of 7-acylamino-1,4-benzodiazepine-2,5-diones. J Comb Chem. 5: 253-259.

Evans, JD; Coudert, FX. (2016). Microscopic Mechanism of Chiral Induction in a Metal-Organic Framework. J Am Chem Soc. 138: 6131-6134.

Fadnavis, NW; Seshadri, R; Sheelu, G; Madhuri, KV. (2005). Relevance of Frank's solvent classification as typically aqueous and typically non-aqueous to activities of firefly luciferase, alcohol dehydrogenase, and alpha-chymotrypsin in aqueous binaries. Arch Biochem Biophys. 433: 454-465.

Fakhri, P; Vaziri, MRR; Jaleh, B; Shabestari, NP. (2016). Nonlocal nonlinear optical response of graphene oxide-Au nanoparticles dispersed in different solvents. Journal of Optics. 18: 15502-15502.

Fanali, S; Aturki, Z; Evenbratt, H; Nordstierna, L; Ericson, MB; Engstrâ€ m, S. (2007). Cubic and sponge phases in ether lipid-solvent-water ternary systems: phase behavior and NMR characterization. Electrophoresis. 28: 756-766.

Fauvarque, JF; Jutand, A. (1979). Catalysis of the arylation of the reformatsky reagent by palladium or nickel complexes. Synthesis of aryl acid esters. Journal of Organometallic Chemistry. 177: 273-281.

Flores-LÃ³pez, LaZ; Caloca, J; Rogel-HernÃ¡ndez, E; Espinoza-Gomez, H. (2014). Development of an enantioselective membrane from cellulose acetate propionate/cellulose acetate, for the separation of trans-stilbene oxide. Cellulose. 21: 1987-1995.

Forati-Nezhad, M; Mir, MSG; Yaghmaie, F; Alimohammadi, F. (2015). Affecting the morphology of silver deposition on carbon nanotube surface: from nanoparticles to dendritic (tree-like) nanostructures. Materials science & engineering C, Materials for biological applications. 46: 232-238.

Forest, M; Fournier, A. (1990). BOP reagent for the coupling of pGlu and Boc-His(Tos) in solid phase peptide synthesis. International journal of peptide and protein research. 35: 89-94.

Franz, TJ. (1983). On the bioavailability of topical formulations of clindamycin hydrochloride. J Am Acad Dermatol. 9: 66-73.

Freitas, LCvd; Castro, LDd. (2008). Correlations between quinoline and 1-methyl-2-pyrrolidinone insolubles in petroleum pitches. Fuel. 87: 2842-2845.

Friesen, DA; Headley, JV; Langford, CH. (1999). The photooxidative degradation of N-methylpyrrolidinone in the presence of Cs(3)PW(12)O(40) and TiO(2) colloid photocatalysts. Environmental Science & Technology. 33: 3193-3198.

Fu, C; Yang, X. (2013). Molecular simulation of interfacial mechanics for solvent exfoliation of graphene from graphite. Carbon. 55: 350-360.

Fu, KJ; Bao, QB; Zhou, WL; Yuan, SW. (2016). Simultaneous determination of N,N-dimethylformamide, N,N-dimethylacetamide and N-methyl-2-pyrrolidone in textiles by RP-HPLC. Analytical Methods. 8: 2941-2946.

Fu, X; Song, X; Zhang, Y. (2012). Facile preparation of graphene sheets from synthetic graphite. Mater Lett. 70: 181-184.

Fujii, M; Bouno, M; Fujita, S; Yoshida, M; Watanabe, Y; Matsumoto, M. (2000). Preparation of griseofulvin for topical application using N-methyl-2-pyrrolidone. Biological & Pharmaceutical Bulletin. 23: 1341-1345.

Fujii, M; Koizumi, A; Kinoshita, Y; Suzuki, R; Nio, J; Kondoh, M; Watanabe, Y. (2006). Effect of N-methyl-2-pyrrolidone on the skin permeation of estradiol and levonorgestrel from adhesive strips prepared using Eudragit EPO. Journal of Drug Delivery Science and Technology. 16: 121-125.

Environmental Hazard Literature Search Results

Off Topic

Fujita, Y; Onishi, T; Hino, K; Nishida, T. (1980). Halogen catalyzed acetylenic oxy-cope rearrangement in N-methyl-2-pyrrolidone solvent a new industrial process for pseudoionone and its analogues. Tetrahedron Lett. 21: 1347-1350.

Fujito, K; Hashimoto, T; Samonji, K; Speck, JS; Nakamura, S. (2004). Growth of AlN by the chemical vapor reaction process and its application to lateral overgrowth on patterned sapphire substrates. J Cryst Growth. 272: 370-376.

Furtado, CA; Kim, UJ; Gutierrez, HR; Pan, L; Dickey, EC; Eklund, PC. (2004). Debundling and dissolution of single-walled carbon nanotubes in amide solvents. J Am Chem Soc. 126: 6095-6105.

Furuhata, K; Koganei, K; Chang, HS; Aoki, N; Sakamoto, M. Dissolution of cellulose in lithium bromide-organic solvent systems and homogeneous bromination of cellulose with N-bromosuccinimide-triphenylphosphine in lithium bromide-N,N-dimethylacetamide. Carbohydr Res. June 4, 1992. v. 230 (1): 165-177.

Gable, KP. (1991). Reaction of O-allyl glucose with [(Ph3P)2RhCl]2: an intramolecular H2 transfer. Tetrahedron Lett. 32: 23-26.

Galpin, IJ; Hancock, FE; Handa, BK; Jackson, AG; Kenner, GW; Ramage, R; Singh, B. (1979). Peptides-XXXIV: Synthesis of the 1â€“16 fragment of a lysozyme analogue. Tetrahedron. 35: 2771-2778.

Garcia-Macias, P; John, P. (2004). Formation of natural indigo derived from woad (Isatis tinctoria L.) in relation to product purity. J Agric Food Chem. 52: 7891-7896.

Garnier, L; Rollin, Y; PÃ©richon, J. (1989). Electrosynthesis of symmetrical ketones from organic halides and carbon dioxide catalysed by 2,2â€²-bipyridine-nickel complexes. Journal of Organometallic Chemistry. 367: 347-358.

Garrett, S; Johnson, L; Drisko, CH; Adams, DF; Bandt, C; Beiswanger, B; Bogle, G; Donly, K; Hallmon, WW; Hancock, EB; Hanes, P; Hawley, CE; Kiger, R; Killoy, W; Mellonig, JT; Polson, A; Raab, FJ; Ryder, M; Stoller, NH; Wang, HL; Wolinsky, LE; Evans, GH; Harrold, CQ; Arnold, RM; Southard, GL. (1999). Two multi-center studies evaluating locally delivered doxycycline hyclate, placebo control, oral hygiene, and scaling and root planing in the treatment of periodontitis. J Periodontol. 70: 490-503.

Gavande, NS; Kundu, S; Badgujar, NS; Kaur, G; Chakraborti, AK. (2006). Ph(2)S(2)-CaH(2) in N-methyl-2-pyrrolidone as an efficient protocol for chemoselective cleavage of aryl alkyl ethers. Tetrahedron. 62: 4201-4204.

Ge, L; Zhu, Z; Rudolph, V. (2011). Enhanced gas permeability by fabricating functionalized multi-walled carbon nanotubes and polyethersulfone nanocomposite membrane. Separation and Purification Technology. 78: 76-82.

Gentile, PS; Shankoff, TA. (1965). Solid-solid interactionsâ€”III: Complexes of diacetamide and alkali and alkaline earth metal salts. Journal of Inorganic and Nuclear Chemistry. 27: 2301-2309.

Ghayor, C; Correro, RM; Lange, K; Karfeld-Sulzer, LS; Gratz, KW; Weber, FE. (2011). Inhibition of Osteoclast Differentiation and Bone Resorption by N-Methylpyrrolidone. J Biol Chem. 286: 24458-24466.

Ghorbanian, S; Tyman, JHP; Tychopoulos, V. (2000). The synthesis of symmetrical and unsymmetrical alkylaminonaphthalic-1,8-N-alkylimides. J Chem Tech Biotechnol. 75: 1127-1134.

Giordani, S; Bergin, SD; Nicolosi, V; Lebedkin, S; Kappes, MM; Blau, WJ; Coleman, JN. (2006). Debundling of single-walled nanotubes by dilution: observation of large populations of individual nanotubes in amide solvent dispersions. The journal of physical chemistry B. 110: 15708-15718.

Giray, ESV; Chen, C; Takanohashi, T; Iino, M. (2000). Increase of the extraction yields of coals by the addition of aromatic amines. Fuel. 79: 1533-1538.

Gombar, VK; Borgstedt, HH; Enslein, K; Hart, JB; Blake, BW. (1991). A QSAR model of teratogenesis. Quant Struct Act Relat. 10: 306-332.

Gommermann, N; Koradin, C; Knochel, P. (2002). Synthesis of polyfunctional unsaturated amines by the addition of functionalized organomagnesium reagents to unsaturated imminium ions. Synthesis-Stuttgart2143-2149.

Gong, C; Luo, Q; Li, Y; Giotto, M; Cipollini, NE; Yang, Z; Weiss, RA; Scola, DA. (2010). Free radical initiated low temperature crosslinking of phenylethynyl (PE) end-capped oligomides. Journal of polymer science. 48: 3950-3963.

Gowda, MS; Pande, SS; Ramakrishna, RA; Prabhu, KR. (2011). Acylation of Grignard reagents mediated by N-methylpyrrolidone: A remarkable selectivity for the synthesis of ketones. Organic & Biomolecular Chemistry. 9: 5365-5368.

Graham, KR; Wieruszewski, PM; Stalder, R; Hartel, MJ; Mei, JG; So, F; Reynolds, JR. (2012). Improved Performance of Molecular Bulk-Heterojunction Photovoltaic Cells through Predictable Selection of Solvent Additives. Adv Funct Mater. 22: 4801-4813.

Graham, PD. (1998). The dynamics of phase separation and structure formation in phase inversion. PhD Thesis, University of Illinois at Urbana-Champaign.

Gramain, J-C; Remuson, R; Troin, Y. (1979). Photoreduction d'arylcetones par les amides et les lactames: applications synthetiques. Tetrahedron. 35: 753-758.

Graziano, A; d'Aquino, R; Cusella-De, AMG; Laino, G; Piattelli, A; Pacifici, M; De, RA; Papaccio, G. (2007). Concave pit-containing scaffold surfaces improve stem cell-derived osteoblast performance and lead to significant bone tissue formation. PLoS ONE. 2: e496.

Gritzner, G. (1977). Gibbs free energies of transfer (Î”Gâ°tr) for alkali metal ions and tl+. Inorganica Chimica Acta. 24: 5-12.

Grzelczak, M; Mezzasalma, SA; Ni, W; Herasimenka, Y; Feruglio, L; Montini, T; Pâ€šrez-Juste, J; Fornasiero, P; Prato, M; Liz-MarzÂ n, LM. (2012). Antibonding plasmon modes in colloidal gold nanorod clusters. Langmuir : the ACS journal of surfaces and colloids. 28: 8826-8833.

Gu, SY; Gao, J; Hou, XM; Ding, BY; Zhang, W; Gao, S; Ding, XY. (2009). Effects of penetration enhancers on Shuangwu traumatic formula: In vitro percutaneous absorption and in vivo pharmacodynamic evaluation of an herb medicine. Eur J Pharm Biopharm. 73: 385-390.

Guillen, GR; Ramon, GZ; Kavehpour, HP; Kaner, RB; Hoek, EMV. (2013). Direct microscopic observation of membrane formation by nonsolvent induced phase separation. J Memb Sci. 431: 212-220.

Guillen, MD. (1994). Polycyclic aromatic compounds: Extraction and determination in food. Food Addit Contam. 11: 669-684.

Guo, XF; Chen, HY; Zhou, XH; Wang, H; Zhang, HS. (2013). N-methyl-2-pyrrolidonium methyl sulfonate acidic ionic liquid as a new dynamic coating for separation of basic proteins by capillary electrophoresis. Electrophoresis. 34: 3287-3292.

Environmental Hazard Literature Search Results

Off Topic

Guo, ZN; Zhang, H; Lu, SB; Wang, ZT; Tang, SY; Shao, JD; Sun, ZB; Xie, HH; Wang, HY; Yu, XF; Chu, PK. (2015). From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. Adv Funct Mater. 25: 6996-7002.

Gutmann, V; Gritzner, G; Danksagmuller, K. (1976). Solvent effects on the redox potential of hexacyanoferrate(III)-Hexacyanoferrate(II). Inorganica Chimica Acta. 17: 81-86.

Hadgraft, J; Peck, J; Williams, DG; Pugh, WJ; Allan, G. (1996). Mechanisms of action of skin penetration enhancers/retarders: Azone and analogues. Int J Pharm. 141: 17-25.

Hamciuc, C; Hamciuc, E; Okrasa, L; Kalvachev, Y. (2012). The effect of zeolite L content on dielectric behavior and thermal stability of polyimide thin films. Journal of Materials Science. 47: 6354-6365.

Han, J; Cho, YH; Kong, H; Han, S; Park, HB. (2013). Preparation and characterization of novel acetylated cellulose ether (ACE) membranes for desalination applications. J Memb Sci. 428: 533-545.

Hao, JS; Chan, LW; Shen, ZX; Heng, PW. (2004). Complexation between PVP and Gantrez polymer and its effect on release and bioadhesive properties of the composite PVP/Gantrez films. Pharmaceutical development and technology. 9: 379-386.

Harel, Y; Azoubel, S; Magdassi, S; Lellouche, J-P. (2013). A dispersability study on poly(thiophen-3-yl-acetic acid) and PEDOT multi-walled carbon nanotube composites using an analytical centrifuge. J Colloid Interface Sci. 390: 62-69.

Hasbullah, H; Kumbharkar, S; Ismail, AF; Li, K. (2012). Asymmetric hollow fibre membranes based on ring-substituted polyaniline and investigation towards its gas transport properties. J Memb Sci. 397-398: 38-50.

Hass, U; Lund, SP; Elsner, J. (1994). Effects of prenatal exposure to N-methylpyrrolidone on postnatal development and behavior in rats. Neurotoxicol Teratol. 16: 241-249.

Hawkins, DR. (1989). BIOTRANSFORMATIONS VOL. 2. A SURVEY OF THE BIOTRANSFORMATIONS OF DRUGS AND CHEMICALS IN ANIMALS. Hawkins, D R. 0.

He, L-P; Sun, S-Y; Song, X-F; Yu, J-G. (2015). Recovery of cathode materials and Al from spent lithium-ion batteries by ultrasonic cleaning. Waste Manag. 46: 523-528.

Heinze, T; Sarbova, V; Nagel, MCV. (2012). Simple synthesis of mixed cellulose acylate phosphonates applying n-propyl phosphonic acid anhydride. Cellulose. 19: 523-531.

Hendrix, K; Vaneynde, M; Koeckelberghs, G; Vankelecom, IFJ. (2013). Synthesis of modified poly(ether ether ketone) polymer for the preparation of ultrafiltration and nanofiltration membranes via phase inversion. J Memb Sci. 447: 96-106.

Hernandez, Y; Nicolosi, V; Lotya, M; Blighe, FM; Sun, Z; De, S; McGovern, IT; Holland, B; Byrne, M; Gun'Ko, YK; Boland, JJ; Niraj, P; Duesberg, G; Krishnamurthy, S; Goodhue, R; Hutchison, J; Scardaci, V; Ferrari, AC; Coleman, JN. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. Nat Nanotechnol. 3: 563-568.

Heyns, IM; Pfukwa, R; Klumperman, B. (2016). Synthesis, Characterization, and Evaluation of Cytotoxicity of Poly(3-methylene-2-pyrrolidone). Biomacromolecules. 17: 1795-1800.

Hogg, SJ; Johnstone, RW; Shortt, J. (2015). Letter to the Editor, "BET Inhibitor JQ1 Blocks Inflammation and Bone Destruction". Journal of Dental Research. 94: 229-229.

Homayoonfal, M; Mehrnia, MR; Shariaty-Niassar, M; Akbari, A; Sarrafzadeh, MH; Fauzi Ismail, A. (2015). Fabrication of magnetic nanocomposite membrane for separation of organic contaminant from water. Desalination and Water Treatment. 54: 3603-3609.

Hu, F; Li, WH; Zhang, J; Meng, W. (2014). Effect of Graphene Oxide as a Dopant on the Electrochemical Performance of Graphene Oxide/Polyaniline Composite. Journal of Materials Science & Technology. 30: 321-327.

Hu, YH; Porco, JA. (1998). Alcoholysis and carbonyl hydrosilylation reactions using a polymer-supported trialkylsilane. Tetrahedron Lett. 39: 2711-2714.

Huang, H-Y; Jian, J-W; Lee, Y-T; Li, Y-T; Huang, T-C; Chang, J-H; Yeh, L-C; Yeh, J-M. (2012). Effect of photoisomerization on the electroactivity and electrochromic behavior of aniline pentamer-based polymers with azo chromophore as reversibly switchable pendant group. Polymer. 53: 4967-4976.

Huang, T-C; Lin, S-T; Yeh, L-C; Chen, C-A; Huang, H-Y; Nian, Z-Y; Chen, H-H; Yeh, J-M. (2012). Aniline pentamer-based electroactive polyimide prepared from oxidation coupling polymerization for electrochemical sensing application. Polymer. 53: 4373-4379.

Huang, YC; Wang, KL; Lee, WY; Liao, YA; Liaw, DJ; Lee, KR; Lai, JY. (2015). Novel heterocyclic poly(pyridineâ€ imide)s with unsymmetric carbazole substituent and noncoplanar structure: High thermal, mechanical and optical transparency, electrochemical, and electrochromic properties. Journal of polymer science. 53: 405-412.

Hunter, RD; Luehrs, DC. (1983). 1-Methyl-2-pyrrolidinone solvates of alkali metal salts. Inorganica Chimica Acta. 76: L275-L276.

Hwang, SW; Oh, DJ; Lee, D; Kim, JW; Park, SW. (1993). Clinical efficacy of 25% L-ascorbic acid (C'ensil) in the treatment of melasma. Journal of cutaneous medicine and surgery. 13: 74-81.

Ibrahim, HM; Ahmed, TA; Hussain, MD; Rahman, Z; Samy, AM; Kaseem, AA; Nutan, MT. (2014). Development of meloxicam in situ implant formulation by quality by design principle. Drug Dev Ind Pharm. 40: 66-73.

Iino, M; Takanohashi, T; Ohsuga, H; Toda, K. (1988). Extraction of coals with CS2-N-methyl-2-pyrrolidinone mixed solvent at room temperature: Effect of coal rank and synergism of the mixed solvent. Fuel. 67: 1639-1647.

Ikeda, I; Watanabe, H; Hirao, T; Kurosawa, H. (1994). Synthesis of perfluoro-(1,1-dimethylbutyl)methyl ethers by vic-oxymethylfluorination of perfluoro-2-methyl-2-pentene with chloromethyl ethers. Journal of Fluorine Chemistry. 69: 97-101.

Itoh, S; Tokunaga, T; Kurihara, M; Aoki, S. (2013). Asymmetric aldol reactions between cyclic ketones and benzaldehyde catalyzed by chiral Zn2+ complexes of aminoacyl 1,4,7,10-tetraazacyclododecane: effects of solvent and additives on the stereoselectivities of the aldol products. Tetrahedron: Asymmetry. 24: 1583-1590.

Izutsu, K; Nakamura, T; Iwata, K. (1980). Complex formation of univalent cations in acetonitrile with other solvents. Study of potassium ion complex formation with a cation-sensitive glass electrode. Anal Chim Acta. 117: 329-335.

Environmental Hazard Literature Search Results

Off Topic

Jacob, KN; Kumar, SS; Thanigaivelan, A; Tarun, M; Mohan, D. (2014). Sulfonated polyethersulfone-based membranes for metal ion removal via a hybrid process. Journal of Materials Science. 49: 114-122.

Jakobsen, BM; Hass, U. (1990). PRENATAL TOXICITY OF N METHYLPYRROLIDONE INHALATION IN RATS A TERATOGENICITY STUDY. 18th Annual Conference Of The European Teratology Society And A Satellite Symposium On Risk Assessment, Edinburgh, Scotland, Uk, September. 42: 18A-19A.

Janout, Vc; ÄŒefelÃ-n, P. (1986). Solid-phase cosolvents. A polymer analog of N-methyl-2-pyrrolidone based on crosslinked polystyrene. Tetrahedron Lett. 27: 3525-3528.

Javidan, AN; Samadi, FY; Latifi, S; Nodoushan, MJ; Mobedi, H. (2014). A novel controlled release drug delivery system for naltrexone administration combined with intermittent morphine to induce antinociception. Journal of Drug Delivery Science and Technology. 24: 413-417.

Jenner, G. (1990). Catalyst and solvent effects on the synthesis of acetic acid from methyl formate. Tetrahedron Lett. 31: 3887-3890.

Jensen, RS; Gajare, AS; Toyota, K; Yoshifuji, M; Ozawa, F. (2005). A convenient procedure for palladium catalyzed cyanation using a unique bidentate phosphorus ligand. Tetrahedron Lett. 46: 8645-8647.

Jia, Y; Shi, W; Zhou, Z; Wagh, NK; Fan, W; Brusnahan, SK; Garrison, JC. (2015). Evaluation of DOTA-chelated neurotensin analogs with spacer-enhanced biological performance for neurotensin-receptor-1-positive tumor targeting. Nucl Med Biol. 42: 816-823.

Jiang, QL; Liu, CC; Song, HJ; Shi, H; Yao, YY; Xu, JK; Zhang, G; Lu, BY. (2013). Improved thermoelectric performance of PEDOT:PSS films prepared by polar-solvent vapor annealing method. Journal of Materials Science-Materials in Electronics. 24: 4240-4246.

Jin, SH; Lee, DS. (2008). Preparation and properties of the nanocomposites based on poly(methyl methacrylate-co-butyl acrylate) and multiwalled carbon nanotube. J Nanosci Nanotechnol. 8: 4675-4678.

Jouyban, A; Fakhree, MA; Shayanfar, A. (2010). Review of pharmaceutical applications of N-methyl-2-pyrrolidone. Journal of pharmacy & pharmaceutical sciences : a publication of the Canadian Society for Pharmaceutical Sciences, Société canadienne des sciences pharmaceutiques. 13: 524-535.

Jouyban, A; Soltanpour, S. (2010). Solubility of Pioglitazone Hydrochloride in Binary Mixtures of Polyethylene Glycol 400 with Ethanol, Propylene Glycol, N-Methyl-2-pyrrolidone, and Water at 25 degrees C. Chemical & Pharmaceutical Bulletin. 58: 1132-1135.

Junaidi, MUM; Leo, CP; Kamal, SNM; Ahmad, AL. (2013). Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Science and Technology. 67: 2102-2109.

Jung, RE; Kokovic, V; Jurisic, M; Yaman, D; Subramani, K; Weber, FE. (2011). Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res. 22: 802-807.

Jung, SM; Lee, EK; Choi, M; Shin, D; Jeon, IY; Seo, JM; Jeong, HY; Park, N; Oh, JH; Baek, JB. (2014). Direct Solvothermal Synthesis of B/N-Doped Graphene**. Angewandte Chemie-International Edition. 53: 2398-2401.

Junk, GA; Richard, JJ. (1986). Extraction of organic compounds from solid samples. Anal Chem. 58: 962-965.

K, P; K, BS; James, T; S, S. (2014). Design of novel ultrafiltration systems based on robust polyphenylsulfone hollow fiber membranes for treatment of contaminated surface water. Chem Eng J. 248: 297-306.

Kajekar, AJ; Dodamani, BM; Isloor, AM; Karim, ZA; Cheer, NB; Ismail, AF; Shilton, SJ. (2015). Preparation and characterization of novel PSf/PVP/PANI-nanofiber nanocomposite hollow fiber ultrafiltration membranes and their possible applications for hazardous dye rejection. Desalination. 365: 117-125.

Kakubari, I; Nakamura, N; Takayasu, T; Yamauchi, H; Takayama, S; Takayama, K. (2006). Effects of solvents on skin permeation of formoterol fumarate. Biological & Pharmaceutical Bulletin. 29: 146-149.

Kakubari, I; Shinkai, N; Kawakami, R; Uruno, A; Takayasu, T; Yamauchi, H; Takayama, S; Takayama, K. (2006). Formulation and evaluation of ethylene-vinyl acetate copolymer matrix patches containing formoterol fumarate. Biological & Pharmaceutical Bulletin. 29: 513-516.

Kakusawa, N; Kurita, J. (2008). Rhodium catalyzed 1,4-conjugate addition of 1,5-azastibocines with electron deficient olefins. Chemical & Pharmaceutical Bulletin. 56: 1502-1504.

Kamal, A; Ramana, KV; Ramana, AV; Babu, AH. (2003). Chemoenzymatic enantioselective synthesis of 3-hydroxy-2-pyrrolidinones and 3-hydroxy-2-piperidinones. Tetrahedron: Asymmetry. 14: 2587-2594.

Kang, KS; Lim, HK; Cho, KY; Han, KJ; Kim, J. (2008). Durability of PEDOT : PSS-pentacene Schottky diode. Journal of Physics D-Applied Physics. 41: 12003-12003.

Kang, SK; Kim, JS; Yoon, SK; Lim, KH; Yoon, SS. (1998). Copper-catalyzed coupling of polymer bound iodide with organostannanes. Tetrahedron Lett. 39: 3011-3012.

Kang, T; Jang, I; Oh, S-G. (2016). Surface modification of silica nanoparticles using phenyl trimethoxy silane and their dispersion stability in N-methyl-2-pyrrolidone. Colloid Surface Physicochem Eng Aspect. 501: 24-31.

Karadsheh, N; Kussie, P; Linthicum, DS. (1991). Inhibition of acetylcholinesterase by caffeine, anabasine, methyl pyrrolidine and their derivatives. Toxicol Lett. 55: 335-342.

Karakatsani, M; Dedhiya, M; Plakogiannis, FM. (2010). The effect of permeation enhancers on the viscosity and the release profile of transdermal hydroxypropyl methylcellulose gel formulations containing diltiazem HCl. Drug Dev Ind Pharm. 36: 1195-1206.

Karande, P; Jain, A; Mitragotri, S. (2006). Insights into synergistic interactions in binary mixtures of chemical permeation enhancers for transdermal drug delivery. Journal of controlled release : official journal of the Controlled Release Society. 115: 85-93.

Karu, AE. (1993). MONOCLONAL ANTIBODIES AND THEIR USE IN MEASUREMENT OF ENVIRONMENTAL CONTAMINANTS. Saxena, J. 0: 205-321.

Kashiwagi, T; Kotani, S; Sugiura, M; Nakajima, M. (2011). Synthesis of gamma-amino alcohols from aldehydes, enamines, and trichlorosilane using Lewis base catalysts. Tetrahedron. 67: 531-539.

Kataoka, T; Ohishi, T; Yokozawa, T; Ikehara, T. (2010). Aggregation, gelation instability, and morphologies of diblock copolymers consisting of poly(p-benzamide) and poly(m-benzamide). Journal of polymer science. 48: 1732-1739.

Environmental Hazard Literature Search Results

Off Topic

Kavitha, T; Attri, P; Venkatesu, P; Rama Devi, RS; Hofman, T. (2012). Influence of temperature on thermophysical properties of ammonium ionic liquids with N-methyl-2-pyrrolidone. Thermochimica acta. 545: 131-140.

Kempe, S; Metz, H; MÃ¤der, K. (2008). Do in situ forming PLG/NMP implants behave similar in vitro and in vivo? A non-invasive and quantitative EPR investigation on the mechanisms of the implant formation process. J Control Release. 130: 220-225.

Khodakarimi, S; Hekhmatshoar, MH; Nasiri, M; Moghaddam, MK; Abbasi, F. (2016). Effects of process and post-process treatments on the electrical conductivity of the PEDOT:PSS films. Journal of Materials Science-Materials in Electronics. 27: 1278-1285.

Kihara, N; Yamamoto, R; Sasao, N; Shimada, T; Yuzawa, A; Okino, T; Ootera, Y; Kamata, Y; Kikitsu, A. (2012). Fabrication of 5 Tdot/in.(2) bit patterned media with servo pattern using directed self-assembly. Journal of Vacuum Science & Technology B. 30: FH602-FH602.

Kim, BR; Kalis, EM; DeWulf, T; Andrews, KM. (2000). Henry's law constants for paint solvents and their implications on volatile organic compound emissions from automotive painting. Water Environ Res. 72: 65-74.

Kim, DD; Chien, YW. (1995). Transdermal delivery of zalcitabine: in vitro skin permeation study. AIDS (London, England). 9: 1331-1336.

Kim, DH; Yun, YS; Bak, H; Cho, SY; Jin, H-J. (2011). Electro-conducting polymeric films prepared from the hybrids of carbon nanotubes and graphene nanosheets. Curr Appl Phys. 11: S376-S380.

Kim, KJ. (2000). Spherulitic crystallization of 3-nitro-1,2,4-triazol-5-one in water plus N-methyl-2-pyrrolidone. J Cryst Growth. 208: 569-578.

Kim, MS; Song, HS; Park, HJ; Hwang, SJ. (2012). Effect of Solvent Type on the Nanoparticle Formation of Atorvastatin Calcium by the Supercritical Antisolvent Process. Chemical & Pharmaceutical Bulletin. 60: 543-547.

Kim, SD; Lee, S; Heo, J; Kim, SY; Chung, IS. (2013). Soluble polyimides with trifluoromethyl pendent groups. Polymer. 54: 5648-5654.

Kimura, F; Sugiura, T; Ogawa, H. (2013). Solvation of N-methyl-2-pyrrolidone and N,N-dimethylpropanamide in cyclohexane, heptane, n-alkan-1-ols(Câ, â€“Câ„) and water at 298.15K. Thermochimica acta. 573: 206-212.

Kissane, M; McNamara, OA; Mitchell, D; Coppert, DM; Moynihan, HA; Lorenz, KT; Maguire, AR. (2012). Expanded scope of heterocyclic biaryl synthesis via a palladium-catalysed thermal decarboxylative cross-coupling reaction. Tetrahedron Lett. 53: 403-405.

Kloseiko, J. (2016). Cupric Ferricyanide Reaction in Solution for Determination of Reducing Properties of Plant Antioxidants. Food Analytical Methods. 9: 164-177.

Knudsen, HN; Kjaer, UD; Nielsen, PA; Wolkoff, P. (1999). Sensory and chemical characterization of VOC emissions from building products: Impact of concentration and air velocity. Atmos Environ. 33: 1217-1230.

KoÂ¨nig, B; Bohnenberger, E; Sandermann jr, H. (1981). Hexamethylphosphoric triamide as a solubilizing agent: Purification and reactivation of diglyceride kinase. FEBS Letters. 129: 301-304.

Kochhar, KS; Pinnick, HW. (1983). A short synthesis of (Â±)-mesembrine. Tetrahedron Lett. 24: 4785-4788.

Koizumi, A; Fujii, M; Kondoh, M; Watanabe, Y. (2004). Effect of N-methyl-2-pyrrolidone on skin permeation of estradiol. Eur J Pharm Biopharm. 57: 473-478.

Kondratenko, NV; Kolomeitsev, AA; Yagupolskii, LM. (1985). Polyperfluoroalkylthio-, sulphonyl- and selenoaromatic compounds. Journal of Fluorine Chemistry. 29: 209.

Kono, H; Fujita, S. (2012). Biodegradable superabsorbent hydrogels derived from cellulose by esterification crosslinking with 1,2,3,4-butanetetracarboxylic dianhydride. Carbohydr Polymer. 87: 2582-2588.

Konovalova, VV; Bryk, MT; Nigmatullin, RR; Gvozdyak, PI; Udilova, OF. (2000). Biocatalytic membranes for ultrafiltration treatment of wastewater containing dyes. Bioprocess Engineering. 23: 651-656.

Kotin, IA; Antonova, IV; Komonov, AI; Seleznev, VA; Soots, RA; Prinz, VY. (2013). High carrier mobility in chemically modified graphene on an atomically flat high-resistive substrate. Journal of Physics D-Applied Physics. 46: 85303-85303.

Kranz, H; Bodmeier, R. (2007). A novel in situ forming drug delivery system for controlled parenteral drug delivery. Int J Pharm.

Kranz, H; Bodmeier, R. (2008). Structure formation and characterization of injectable drug loaded biodegradable devices: In situ implants versus in situ microparticles. Eur J Pharm Sci. 34: 164-172.

Krishnan, PS; Joshi, M; Bhargava, P; Valiyaveettil, S; He, C. (2005). Effect of heterocyclic based organoclays on the properties of polyimide-clay nanocomposites. J Nanosci Nanotechnol. 5: 1148-1157.

Krizek, K; Ruzicka, J; Julinova, M; Husarova, L; Houser, J; Dvorackova, M; Jancova, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. Water Science and Technology. 71: 776-782.

Kubota, S; Shimamoto, D; Park, JS; Nishikiori, H; Tanaka, N; Kim, YA; Fujii, T; Endo, M; Dresselhaus, MS. (2010). Photocatalysis-induced selective decoration of semiconducting single walled carbon nanotubes: hole-doping effect. Chemical communications (Cambridge, England). 46: 6977-6979.

Kumar, HMS; Reddy, BVS; Reddy, PT; Yadav, JS. (1999). Efficient one-pot preparation of nitriles from aldehydes using N-methyl-pyrrolidone. Synthesis-Stuttgart586-587.

Kumar, KS; Li, W; Choi, M; Kim, SM; Kim, J. (2016). Synthesis and lithium storage properties of MoS2 nanoparticles prepared using supercritical ethanol. Chem Eng J. 285: 517-527.

Kumar, S; Malick, AW; Meltzer, NM; Mouskountakis, JD; Behl, CR. (1992). Studies of in vitro skin permeation and retention of a leukotriene antagonist from topical vehicles with a hairless guinea pig model. J Pharm Sci. 81: 631-634.

Kung, Y-C; Hsiao, S-H. (2011). Pyrenylamine-functionalized aromatic polyamides as efficient blue-emitters and multicolored electrochromic materials. Journal of polymer science. 49: 3475-3490.

Kupareva, A; Maki-Arvela, P; Murzin, DY. (2013). Technology for rerefining used lube oils applied in Europe: a review. J Chem Tech Biotechnol. 88: 1780-1793.

Kurihara, K; Hachimori, Y; Shibata, K. (1963). The hyperchromic effect of organic denaturing reagents on deoxyribonucleic acid. Biochimica et Biophysica Acta (BBA) - Specialized Section on Nucleic Acids and Related Subjects. 68: 434-445.

LaBarre, ED; Calderon-Colon, X; Morris, M; Tiffany, J; Wetzel, E; Merkle, A; Trexler, M. (2015). Effect of a carbon nanotube coating on friction and impact performance of Kevlar. Journal of Materials Science. 50: 5431-5442.

Environmental Hazard Literature Search Results

Off Topic

Lake, PE; Ravie, O. (1984). An exploration of cryoprotective compounds for fowl spermatozoa. Br Poult Sci. 25: 145-150.

Lambert, WJ; Peck, KD. (1995). Development of an in situ forming biodegradable poly-lactide-coglycolide system for the controlled release of proteins. J Control Release. 33: 189-195.

Lammens, TM; Franssen, MCR; Scott, EL; Sanders, JPM. (2012). Availability of protein-derived amino acids as feedstock for the production of bio-based chemicals. Biomass & Bioenergy. 44: 168-181.

Lammens, TM; Gangarapu, S; Franssen, MCR; Scott, EL; Sanders, JPM. (2012). Techno-economic assessment of the production of bio-based chemicals from glutamic acid. Biofuels Bioproducts & Biorefining-Biofpr. 6: 177-187.

Lammens, TM; Potting, J; Sanders, JPM; De Boer, IJM. (2011). Environmental Comparison of Biobased Chemicals from Glutamic Acid with Their Petrochemical Equivalents. Environmental Science & Technology. 45: 8521-8528.

Lang, W-Z; Shen, J-P; Wei, Y-T; Wu, Q-Y; Wang, J; Guo, Y-J. (2013). Precipitation kinetics, morphologies, and properties of poly(vinyl butyral) hollow fiber ultrafiltration membranes with respect to polyvinylpyrrolidone molecular weight. Chem Eng J. 225: 25-33.

Lang, W-Z; Shen, J-P; Zhang, Y-X; Yu, Y-H; Guo, Y-J; Liu, C-X. (2013). Preparation and characterizations of charged poly(vinyl butyral) hollow fiber ultrafiltration membranes with perfluorosulfonic acid as additive. J Memb Sci. 430: 1-10.

Lashmar, UT; Hadgraft, J; Thomas, N. (1989). Topical application of penetration enhancers to the skin of nude mice: a histopathological study. The Journal of pharmacy and pharmacology. 41: 118-122.

Latip, J; Hartley, TG; Waterman, PG. (1999). Lignans and coumarins metabolites from Melicope hayesii. Phytochemistry. 51: 107-110.

Leborgne, C; Kadayer, S; Perez, S. (2012). Ã‰valuation du risque CMR dans un atelier de carrosserie. Arch Mal Prof Environ. 73: 528-529.

Lee, J; Hwang, J-S; Hwang, I-s; Cho, J; Lee, E; Kim, Y; Lee, DG. Coprisin-induced antifungal effects in Candida albicans correlate with apoptotic mechanisms. Free Radic Biol Med. 52: 2302-2311.

Lee, JY; Chaimongkalayon, N; Lim, J; Ha, HY; Moon, SH. (2016). Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. Water Science and Technology. 73: 3064-3071.

Lee, KP; Chromey, NC; Culik, R; Barnes, JR; Schneider, PW. (1987). Toxicity of N-methyl-2-pyrrolidone (NMP): Teratogenic, subchronic, and two-year inhalation studies. Fundam Appl Toxicol. 9: 222-235.

Lee, PJ; Langer, R; Shastri, VP. (2005). Role of n-methyl pyrrolidone in the enhancement of aqueous phase transdermal transport. J Pharm Sci. 94: 912-917.

Lee, WJ; Lee, JK; Chung, J; Cho, YJ; Park, DH. (2010). Effects of electrochemical reduction reactions on the biodegradation of recalcitrant organic compounds (ROCs) and bacterial community diversity. J Microbiol Biotechnol. 20: 1230-1239.

Leites, IL. (1998). Thermodynamics of CO(2) solubility in mixtures monoethanolamine with organic solvents and water and commercial experience of energy saving gas purification technology. Energy Conversion and Management. 39: 1665-1674.

Leo, CP; Ahmad Kamil, NH; Junaidi, MUM; Kamal, SNM; Ahmad, AL. (2013). The potential of SAPO-44 zeolite filler in fouling mitigation of polysulfone ultrafiltration membrane. Separation and Purification Technology. 103: 84-91.

Leo, CP; Cathie Lee, WP; Ahmad, AL; Mohammad, AW. (2012). Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid. Separation and Purification Technology. 89: 51-56.

Li, B; Liu, T; Zhong, W-H. (2011). High modulus aliphatic polyimide from 1, 3-diaminopropane and ethylenediaminetetraacetic dianhydride: Water soluble to self-patterning. Polymer. 52: 5186-5192.

Li, C; Liu, C; Liu, J; Fang, L. (2011). Correlation between rheological properties, in vitro release, and percutaneous permeation of tetrahydropalmatine. AAPS PharmSciTech. 12: 1002-1010.

Li, FT; Kou, CG; Sun, ZM; Hao, YJ; Liu, RH; Zhao, DS. (2012). Deep extractive and oxidative desulfurization of dibenzothiophene with C5H9NO·SnCl2 coordinated ionic liquid. J Hazard Mater. 205-206: 164-170.

Li, F-t; Wu, B; Liu, R-h; Wang, X-j; Chen, L-j; Zhao, D-s. (2015). An inexpensive N-methyl-2-pyrrolidone-based ionic liquid as efficient extractant and catalyst for desulfurization of dibenzothiophene. Chem Eng J. 274: 192-199.

Li, M; Zhang, YQ; Yang, LL; Liu, YK; Ma, JY. (2015). Excellent electrochemical performance of homogeneous polypyrrole/graphene composites as electrode material for supercapacitors. Journal of Materials Science-Materials in Electronics. 26: 485-492.

Li, X; Liu, C; Zhang, S; Yu, G; Jian, X. (2012). Acid doped polybenzimidazoles containing 4-phenyl phthalazinone moieties for high-temperature PEMFC. J Memb Sci. 423-424: 128-135.

Li, Y; Loh, KC. (2007). Hybrid-hollow-fiber membrane bioreactor for cometabolic transformation of 4-chlorophenol in the presence of phenol. Journal of Environmental Engineering-Asce. 133: 404-410.

Liao, Y; Wang, X; Qian, W; Li, Y; Li, X; Yu, D-G. (2012). Bulk synthesis, optimization, and characterization of highly dispersible polypyrrole nanoparticles toward protein separation using nanocomposite membranes. J Colloid Interface Sci. 386: 148-157.

Liebeskind, LS; Riesinger, SW. (1991). Palladium-catalyzed oxidative dimerization of stannylquinones. A simple method for the synthesis of symmetrical 2,2â€²-bisquinones. Tetrahedron Lett. 32: 5681-5682.

Lim, CH; Yoo, YJ. (2000). Synthesis of ortho-directed polyaniline using horseradish peroxidase. Process Biochemistry. 36: 233-241.

Limpongsa, E; Umprayn, K. (2008). Preparation and evaluation of diltiazem hydrochloride diffusion-controlled transdermal delivery system. AAPS PharmSciTech. 9: 464-470.

Lin, XP; Gao, WX; Huang, XB; Zang, PL; Chen, JX; Wu, HY. (2010). Morphology-controlled hollow nanospheres of functionalized dextran by self-assembly in aqueous solution. Carbohydr Polymer. 82: 460-465.

Liou, G-S; Lin, H-Y; Hsieh, Y-L; Yang, Y-L. (2007). Synthesis and characterization of wholly aromatic poly(azomethine)s containing donor-acceptor triphenylamine moieties. Journal of polymer science. 45: 4921-4932.

Liu, C; Wang, J; Lin, E; Zong, L; Jian, X. (2012). Synthesis and properties of phthalonitrile-terminated oligomeric poly(ether imide)s containing phthalazinone moiety. Polymer degradation and stability. 97: 460-468.

Liu, F-S; Li, Z; Yu, S-T; Cui, X; Xie, C-X; Ge, X-P. (2009). Methanolysis and Hydrolysis of Polycarbonate Under Moderate Conditions. Journal of Polymers and the Environment. 17: 208-211.

Environmental Hazard Literature Search Results

Off Topic

Liu, GS; Chen, JP; Hou, XD; Huang, WS. (2014). A highly-sensitive electrochemical sensor for the simultaneous detection of Cd2+ and Pb2+ using liquid phase-exfoliated graphene. Analytical Methods. 6: 5760-5765.

Liu, H; Venkatraman, SS. (2012). Cosolvent Effects on the Drug Release and Depot Swelling in Injectable In Situ Depot-Forming Systems. J Pharm Sci. 101: 1783-1793.

Liu, H; Venkatraman, SS. (2012). Effect of Polymer Type on the Dynamics of Phase Inversion and Drug Release in Injectable In Situ Gelling Systems. Journal of Biomaterials Science-Polymer Edition. 23: 251-266.

Liu, KKC; Sakya, SM; Oâ€™Donnell, CJ; Flick, AC; Li, J. (2011). Synthetic approaches to the 2009 new drugs. Bioorganic & Medicinal Chemistry. 19: 1136-1154.

Liu, QF; Zhang, H; Zhou, GC; Xie, SB; Zou, H; Yu, YA; Li, GD; Sun, DX; Zhang, GQ; Lu, Y; Zhong, YQ. (2010). In vitro and in vivo study of thymosin alpha1 biodegradable in situ forming poly(lactide-co-glycolide) implants. Int J Pharm. 397: 122-129.

Liu, Y; Kemmer, A; Keim, K; Curdy, C; Petersen, H; Kissel, T. (2006). Poly(ethylene carbonate) as a surface-eroding biomaterial for in situ forming parenteral drug delivery systems: a feasibility study. Int J Pharm. 76: 222-229.

Liu, Y; Liu, X; Zhan, Y; Fan, H; Lu, Y. (2015). Copper nanocoils synthesized through solvothermal method. Sci Rep. 5: 16879.

Loh, CH; Wang, R. (2013). Insight into the role of amphiphilic pluronic block copolymer as pore-forming additive in PVDF membrane formation. J Memb Sci. 446: 492-503.

Lord, HL; Snieckus, VA; Josephy, PD. (1989). Re-evaluation of the effect of ellagic acid on dimethylnitrosamine mutagenicity. Mutagenesis. 4: 453-455.

Lu, L; Zhang, W; Wu, X; Wang, X; Zhang, M; Zhu, Q; Ding, X; Xu, Z; Gao, S; Gao, J. (2013). A novel ropivacaine-loaded in situ forming implant prolongs the effect of local analgesia in rats. Archives of medical science : AMS. 9: 614-621.

Lu, XL; Chavez, LHA; Castrillon, SRV; Ma, J; Elimelech, M. (2015). Influence of Active Layer and Support Layer Surface Structures on Organic Fouling Propensity of Thin-Film Composite Forward Osmosis Membranes. Environmental Science & Technology. 49: 1436-1444.

Lu, YX; Yu, YL; Tang, X. (2007). Sucrose acetate isobutyrate as an in situ forming system for sustained risperidone release. J Pharm Sci. 96: 3252-3262.

Luan, X; Bodmeier, R. (2006). In situ forming microparticle system for controlled delivery of leuprolide acetate: influence of the formulation and processing parameters. European journal of pharmaceutical sciences : official journal of the European Federation for Pharmaceutical Sciences. 27: 143-149.

Lunder, S; Woodruff, TJ; Axelrad, DA. (2004). An analysis of candidates for addition to the clean air act list of hazardous air pollutants. Journal of the Air & Waste Management Association. 54: 157-171.

Luo, RC; Venkatraman, SS; Neu, B. (2013). Layer-by-Layer Polyelectrolyte-Polyester Hybrid Microcapsules for Encapsulation and Delivery of Hydrophobic Drugs. Biomacromolecules. 14: 2262-2271.

Ma, R; Fang, L; Niu, XC; Jiang, YX; He, ZG. (2008). Effect of ion-pairing on the permeation of glibenclamide through rat skin. Journal of Drug Delivery Science and Technology. 18: 279-284.

Ma, X; Fang, L; Gu, JP; Zhao, NX; He, ZG. (2010). Effect of Counter-Ions and Penetration Enhancers on the Skin Permeation of Flurbiprofen. J Pharm Sci. 99: 1826-1837.

Maekawa, H; Honda, J; Akaba, R. (2012). Regioselective coupling reaction of azulene with alpha,beta-unsaturated ketones by Mg-promoted reduction. Tetrahedron Lett. 53: 6519-6522.

Maekawa, H; Kudo, M; Nishiyama, Y; Shimizu, K; Abe, M. (2014). Facile synthesis of aromatic unsymmetrical fluorine-containing acyloins through the reductive trifluoroacetylation of benzaldehyde and transposition of the carbonyl group. Tetrahedron. 70: 2081-2087.

Maekawa, H; Nishiyama, Y. (2015). Selective introduction of a trifluoroacetyl group onto 4-vinylpyridines through magnesium-promoted reduction. Tetrahedron. 71: 6694-6700.

Maekawa, H; Ozaki, T; Nishiguchi, I. (2010). Mg-promoted C-trifluoroacetylation of benzophenone. Tetrahedron Lett. 51: 796-799.

Malek, DE; Malley, LA; Slone, TW; Elliott, GS; Kennedy, GL; Mellert, W; Deckardt, K; Gembardt, C; Hildebrand, B; Murphy; Bower, DB; Wright, GA. (1997). Repeated dose toxicity study (28 days) in rats and mice with N-methylpyrrolidone (NMP). Drug Chem Toxicol. 20: 63-77.

Mallakpour, S; Dinari, M. (2010). Environmentally Friendly Methodology for Preparation of Amino Acid Containing Polyamides. Journal of Polymers and the Environment. 18: 705-713.

Mallakpour, S; Khani, M. (2010). Construction of chiral polyesters from polycondensation of multifunctional monomer containing both flexible amino acid and rigid pendant groups with aromatic diols. Amino Acids. 39: 841-848.

Mallakpour, S; Mirkarimi, F. (2010). Synthesis and characterization of novel, optically active polyamides derived from S-valine natural amino acid and bulky anthracenic side chain. Amino Acids. 39: 1255-1263.

Mallakpour, S; Rafiee, Z. (2009). Microwave-induced synthesis of new optically active and soluble polyamides containing pendent 4-(2-phthalimidiylpropanoylamino)benzoylamino-groups. Amino Acids. 37: 665-672.

Mallakpour, S; Tirgir, F; Sabzalian, MR. (2010). Novel Biobased Polyurethanes Synthesized from Nontoxic Phenolic Diol Containing l-Tyrosine Moiety Under Green Media. Journal of Polymers and the Environment. 18: 685-695.

Mallakpour, S; Zadehnazari, A. (2013). Synthesis and Characterization of Novel Heat Stable and Processable Optically Active Poly(Amideâ€“Imide) Nanostructures Bearing Hydroxyl Pendant Group in an Ionic Green Medium. Journal of Polymers and the Environment. 21: 132-140.

Malley, LA; Kennedy, GL; Elliott, GS; Slone, TW; Mellert, W; Deckardt, K; Gembardt, C; Hildebrand, B; Parod, RJ; McCarthy, TJ; Griffiths, JC. (1999). 90-day subchronic toxicity study in rats and mice fed N-methylpyrrolidone (NMP) including neurotoxicity evaluation in rats. Drug Chem Toxicol. 22: 455-480.

Malley, LA; Kennedy, GL; Elliott, GS; Slone, TW; Mellert, W; Deckardt, K; Kuttler, K; Hildebrand, B; Banton, MI; Parod, RJ; Griffiths, JC. (2001). Chronic toxicity and oncogenicity of N-methylpyrrolidone (NMP) in rats and mice by dietary administration. Drug Chem Toxicol. 24: 315-338.

Environmental Hazard Literature Search Results

Off Topic

Maron, D; Katzenellenbogen, J; Ames, BN. (1981). Compatibility of organic solvents with the Salmonella/microsome test. Mutation Research/Genetic Toxicology. 88: 343-350.

Matsumae, T; Koehler, AD; Greenlee, JD; Anderson, TJ; Baumgart, H; Jernigan, GG; Hobart, KD; Kub, FJ. (2015). Temporary Bonding with Polydimethylglutarimide Based Lift Off Resist as a Layer Transfer Platform. Ecs Journal of Solid State Science and Technology. 4: P190-P194.

Matsumoto, M; Tanimura, M; Akimoto, T; Watanabe, N; Ijuin, HK. (2008). Solvent-promoted chemiluminescent decomposition of a bicyclic dioxetane bearing a 4-(benzothiazol-2-yl)-3-hydroxyphenyl moiety. Tetrahedron Lett. 49: 4170-4173.

Matthys, H; Trepp, C. (1989). Working fluids for high temperature sorption cycles. International Journal of Refrigeration. 12: 327-331.

Mayer, VW; Goin, CJ. (1988). Investigations of aneuploidy-inducing chemical combinations in Saccharomyces cerevisiae. Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis. 201: 413-421.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1986). 2 PYRROLIDINONE AND 1 METHYL-2-PYRROLIDINONE INDUCE ANEUPLOIDY IN SACCHAROMYCES-CEREVISIAE. Seventeenth Annual Meeting Of The Environmental Mutagen Society, Baltimore, Md, Usa, Apr. 8: 53.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1988). Aneuploidy induction in Saccharomyces cerevisiae by two solvent compounds, 1-methyl-2-pyrrolidinone and 2-pyrrolidinone. Environ Mol Mutagen. 11: 31-40.

Meng, S; Tu, Q; Murray, D; Chen, J. (2015). Response to Letter to the Editor, "BET Inhibitor JQ1 Blocks Inflammation and Bone Destruction". Journal of Dental Research. 94: 230-230.

Meng, X; Cai, Z; Xiao, S; Zhou, W. (2013). Microwave-assisted amination from fluorobenzenes without catalyst and strong base. Journal of Fluorine Chemistry. 146: 70-75.

Meyer, G; Rollin, Y; Perichon, J. (1986). Electrocatalyse par des complexes du nickel de la synthese d'iodures aromatiques ou vinyliques a partir de derives bromes correspondants. Tetrahedron Lett. 27: 3497-3500.

Meyer, G; Rollin, Y; Perichon, J. (1987). A zerovalent nickel-2,2â€²-bipyridine complex: an efficient catalyst for electrochemical homocoupling of ortho-substituted halides and their heterocoupling with meta- and para-substituted halides. Journal of Organometallic Chemistry. 333: 263-267.

Michniak, BB; Player, MR; Chapman Jr, JM; Sowell Sr, JW. (1994). Azone analogues as penetration enhancers: effect of different vehicles on hydrocortisone acetate skin permeation and retention. J Control Release. 32: 147-154.

Midgley, I; Hood, AJ; Chasseaud, LF; Brindley, CJ; Baughman, S; Allan, G. (1992). Percutaneous absorption of co-administered N-methyl-2-(super(14)C)pyrrolidinone and 2-(super(14)C)pyrrolidinone in the rat. Food Chem Toxicol. 30: 57-64.

Mimura, K; Kato, K. (2015). Dielectric properties of micropatterns consisting of barium titanate single-crystalline nanocubes. Japanese Journal of Applied Physics. 54: NA11-NA11.

Mishra, S; Kumaran, KT; Sivakumaran, R; Pandian, SP; Kundu, S. (2016). Synthesis of PVDF/CNT and their functionalized composites for studying their electrical properties to analyze their applicability in actuation & sensing. Colloid Surface Physicochem Eng Aspect. 509: 684-696.

Misra, AK; Bokor, E; Kun, S; Bolyog-Nagy, E; Katho, A; Joo, F; Somsak, L. (2015). Chemoselective hydration of glycosyl cyanides to C-glycosyl formamides using ruthenium complexes in aqueous media. Tetrahedron Lett. 56: 5995-5998.

Miyako, Y; Khalef, N; Matsuzaki, K; Pinal, R. (2010). Solubility enhancement of hydrophobic compounds by cosolvents: role of solute hydrophobicity on the solubilization effect. Int J Pharm. 393: 48-54.

Mochida, I; Motoshima, N; Nakagawara, H; Korai, Y. (1991). Multi-stage coking for more tar and formed coke of higher strength: 4. Formed coking of residues extracted from heat-treated single coals with a mixed solvent of N-methylpyrrolidinone and carbon disulphide. Fuel. 70: 529-532.

Mohamed, NA; Sammour, MH; Elshafai, AM. (2012). Novel self-dyed wholly aromatic polyamide-hydrazides covalently bonded with azo groups in their main chains: 1. Structure-property relationships. Molecules (Basel, Switzerland). 17: 13969-13988.

Mohamed, NH. (2012). Competitive study on separation and characterization of microcrystalline waxes using two deoiling techniques. Fuel Process Tech. 96: 116-122.

Mohammadi, T; Saljoughi, E. (2009). Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes. Desalination. 243: 1-7.

Montenegro, L; Bucolo, C; Puglisi, G. (2000). Enhancer effects on in vitro corneal permeation of timolol and acyclovir. Die Pharmazie. 58: 497-501.

Moreau, JP; Vachon, PJP; Huneau, MC. (2001). Elevated glycemia and local inflammation after injecting N-methyl-2-pyrrolidone (NMP) into the marginal ear vein of rabbits. Contemp Top Lab Anim Sci. 40: 38-40.

Mottu, F; Gailloud, P; Massuelle, D; Rofenacht, DA; Doelker, E. (2000). In vitro assessment of new embolic liquids prepared from preformed polymers and water-miscible solvents for aneurysm treatment. Biomaterials. 21: 803-811.

Mulla, SAR; Inamdar, SM; Pathan, MY; Chavan, SS. (2012). Ligand free, highly efficient synthesis of diaryl ether over copper fluorapatite as heterogeneous reusable catalyst. Tetrahedron Lett. 53: 1826-1829.

Mullin, CA. (2015). Effects of 'inactive' ingredients on bees. Current Opinion in Insect Science. 10: 194-200.

Mullin, CA; Chen, J; Fine, JD; Frazier, MT; Frazier, JL. (2015). The formulation makes the honey bee poison. Pestic Biochem Physiol. 120: 27-35.

Mutalik, S; Udupa, N. (2003). Effect of some penetration enhancers on the permeation of glibenclamide and glipizide through mouse skin. Pharmazie. 58: 891-894.

Myoung, Y; Choi, HK. (2003). Permeation of ciclopirox across porcine hoof membrane: effect of pressure sensitive adhesives and vehicles. Eur J Pharm Sci. 20: 319-325.

Nabih, I; Helmy, E. (1967). Oxidative Effect of Perbenzoic Acid on N-Methylated Pyrrole, Indole, and Carbazole. J Pharm Sci. 56: 649-650.

Naderali, R; Jafari, A; Motiei, H. (2015). Nonlinear optical properties of carboxymethyl starch nanocomposite by Z-scan technique using a Nd-YAG laser. Applied Physics B-Lasers and Optics. 120: 681-687.

Environmental Hazard Literature Search Results

Off Topic

Nair, A; Vyas, H; Shah, J; Kumar, A. (1989). Effect of permeation enhancers on the iontophoretic transport of metoprolol tartrate and the drug retention in skin. Drug Deliv. 18: 19-25.

Nakamura, T; Hayashi, C; Izutsu, K. (1994). Response of polyacrylamide-benzo-15-crown-5 coated platinum electrode to calcium ion and some other cations in propylene carbonate and its thermodynamic application. Anal Chim Acta. 292: 305-310.

Narayanan, KS; Chaudhuri, RK. (1112). EMULSIFIABLE CONCENTRATE FORMULATIONS FOR MULTIPLE ACTIVE INGREDIENTS USING N ALKYLPYRROLIDONES. Bode, L E And D G Chasin. 0: 73-96.

Narayanan, KS; Chaudhuri, RK. (1146). N ALKYL PYRROLIDONE REQUIREMENT FOR STABLE WATER-BASED MICROEMULSIONS. Devisetty, B N, D G Chasin And P D Berger. 0: 85-104.

Nasiri, M; Abbasi, F. (2015). Relationships between processing conditions, morphology, and I-V characteristics in P3HT:PCBM solar cells. Journal of Materials Science-Materials in Electronics. 26: 2639-2646.

Nayak, MK; Chakraborti, AK. (1997). Chemoselective aryl alkyl ether cleavage by thiophenolate anion through its in situ generation in catalytic amount. Tetrahedron Lett. 38: 8749-8752.

Niekerk, DV; Halleck, PM; Mathews, JP. (2010). Solvent swelling behavior of Permian-aged South African vitrinite-rich and inertinite-rich coals. Fuel. 89: 19-25.

Nies, B; van, VF. (1999). SUPPORT: LETTER FROM BASF CORP TO USEPA REGARDING PRELIMINARY RESULTS OF 90-DAY INHALATION STUDY WITH N-METHYL-2-PYRROLIDONE IN RATS DATED 010593. The Journal of bone and joint surgery British volume. 81: 545-551.

Nishimura, S; Yasui, H; Miyauchi, H; Kikuchi, Y; Kondo, N; Takebayashi, T; Tanaka, S; Mikoshiba, Y; Omae, K; Nomiyama, T. (2009). A Cross-sectional Observation of Effect of Exposure to N-Methyl-2-Pyrrolidone (NMP) on Workers' Health. Ind Health. 47: 355-362.

NomÃ¨de-Martyr, Ng; Disa, E; GuÃ©rin, K; Dubois, M; Frezet, L; Hamwi, A. (2013). Enhanced concentration of dispersed carbon nanofibres in organic solvents through their functionalization by fluorination. J Colloid Interface Sci. 400: 11-17.

Noorani, S; Simonsen, J; Atre, S. (2007). Nano-enabled microtechnology: polysulfone nanocomposites incorporating cellulose nanocrystals. Cellulose. 14: 577-584.

Noordkamp, ER; Grotenhuis, JTC; Rulkens, WH. (1997). Selection of an efficient extraction method for the determination of polycyclic aromatic hydrocarbons in contaminated soil and sediment. Chemosphere. 35: 1907-1917.

Nouwen, J; Lindgren, F; Hansen, B; Karcher, W; Verhaar, HJM; Hermens, JLM. (1997). Classification of environmentally occurring chemicals using structural fragments and PLS discriminant analysis. Environmental Science & Technology. 31: 2313-2318.

OÄŸulata, RT; Ã°Ã§oÄŸlu, HÄb. (2015). Interaction between effects of ambient parameters and those of other important parameters on electrospinning of PEI/NMP solution. J Text Inst. 106: 57-66.

Obata, Y; Ashitaka, Y; Kikuchi, S; Isowa, K; Takayama, K. (2010). A statistical approach to the development of a transdermal delivery system for ondansetron. Int J Pharm. 399: 87-93.

Obata, Y; Otake, Y; Takayama, K. (2010). Feasibility of Transdermal Delivery of Prochlorperazine. Biological & Pharmaceutical Bulletin. 33: 1454-1457.

Odunola, OA; Gbadegesin, MA; Owumi, SE; Uwaifo, AO. (2007). Petroleum Refining Chemicals Enhance Aflatoxin B sub(1-)induced Toxicities in Wistar Rats. Journal of Medical Sciences. 7: 615-619.

Ogata, Y; Mogi, T; Makita, Y. (2010). Aggregation behavior of polystyrene-b-poly(ethylene/butylene)-b-polystyrene triblock copolymer in N-methylpyrrolidone. Journal of polymer science. 48: 588-594.

Ogiso, T; Hata, T; Iwaki, M; Tanino, T. (2001). Transdermal absorption of bupranolol in rabbit skin in vitro and in vivo. Biological & Pharmaceutical Bulletin. 24: 588-591.

Ogiso, T; Iwaki, M; Paku, T. (1995). Effect of various enhancers on transdermal penetration of indomethacin and urea, and relationship between penetration parameters and enhancement factors. J Pharm Sci. 84: 482-488.

Ogiso, T; Paku, T; Iwaki, M; Tanino, T. (1995). PERCUTANEOUS PENETRATION OF FLUORESCEIN ISOTHIOCYANATE-DEXTRANS AND THE MECHANISM FOR ENHANCEMENT EFFECT OF ENHANCERS ON THE INTERCELLULAR PENETRATION. Biological & Pharmaceutical Bulletin. 18: 1566-1571.

Ohta, Y; Tanaka, M; Terada, M; Miller, OJ; Bank, A; Marks, P; Rifkind, RA. (1976). Erythroid cell differentiation: murine erythroleukemia cell variant with unique pattern of induction by polar compounds. Proceedings of the National Academy of Sciences of the United States of America. 73: 1232-1236.

Okuzumi, T; Nakanishi, E; Tsuji, T; Makino, S. (2003). Efficient solid-phase synthesis of diverse 1,2,3-benzotriazin-4-ones using tert-butyl nitrite. Tetrahedron Lett. 44: 5539-5542.

Ong, RC; Chung, T-S. (2012). Fabrication and positron annihilation spectroscopy (PAS) characterization of cellulose triacetate membranes for forward osmosis. J Memb Sci. 394-395: 230-240.

ore, VG; hordia, MD; arasimhan, NS. (1990). Improved syntheses of shihunine, the spiro phthalide pyrrolidine alkaloid. Tetrahedron. 46: 2483-2494.

Padaki, M; Isloor, AM; Ismail, AF; Abdullah, MS. (2012). Synthesis, characterization and desalination study of novel PSAB and mPSAB blend membranes with Polysulfone (PSf). Desalination. 295: 35-42.

Pagidi, A; Saranya, R; Arthanareeswaran, G; Ismail, AF; Matsuura, T. (2014). Enhanced oilâ€“water separation using polysulfone membranes modified with polymeric additives. Desalination. 344: 280-288.

Pai, IT; Chiou, DW; Hon, MH; Leu, IC. (2009). Hierarchical structure formation induced by dewetting in an imprinting process. Journal of Vacuum Science & Technology B. 27: 2858-2861.

Pak, SH; Jeon, YW; Shin, MS; Koh, HC. (2016). Preparation of Cellulose Acetate Hollow-Fiber Membranes for CO2/CH4 Separation. Environ Eng Sci. 33: 17-24.

Pandey, SS; Takashima, W; Kaneto, K. (2000). Role of processing solvents in photocarrier transport of polyanilines. Japanese Journal of Applied Physics Part 1-Regular Papers Brief Communications & Review Papers. 39: 4045-4050.

Environmental Hazard Literature Search Results

Off Topic

Pandit, NK; Hinderliter, JS. (1985). Degradation of Chlorthalidone in Methanol: Kinetics and Stabilization. J Pharm Sci. 74: 857-861.

Pardeshi, CV; Belgamwar, VS. (2016). Controlled synthesis of N,N,N-trimethyl chitosan for modulated bioadhesion and nasal membrane permeability. Int J Biol Macromol. 82: 933-944.

Parent, M; Boudier, A; Dupuis, F; Nouvel, C; Sapin, A; Lartaud, I; Six, JL; Leroy, P; Maincent, P. (2013). Are in situ formulations the keys for the therapeutic future of S-nitrosothiols? Eur J Pharm Biopharm. 85: 640-649.

Park, ES; Chang, SJ; Rhee, YS; Chi, SC. (2001). Effects of adhesives and permeation enhancers on the skin permeation of captopril. Drug Dev Ind Pharm. 27: 975-980.

Park, HS; Seo, DW; Choi, SW; Jeong, YG; Lee, JH; Kim, DI; Kim, W-G. (2008). Preparation and characterization of branched and linear sulfonated poly(ether ketone sulfone) proton exchange membranes for fuel cell applications. Journal of polymer science. 46: 1792-1799.

Park, S; Mathur, VK; Planalp, RP. (1998). Syntheses, solubilities and oxygen absorption properties of new cobalt(II) Schiff-base complexes. Polyhedron. 17: 325-330.

Park, S-C; Kim, M-H; Hossain, MA; Shin, SY; Kim, Y; Stella, L; Wade, JD; Park, Y; Hahm, K-S. (2008). Amphipathic Î±-helical peptide, HP (2â€“20), and its analogues derived from Helicobacter pylori: Pore formation mechanism in various lipid compositions. Biochimica et Biophysica Acta (BBA) - Biomembranes. 1778: 229-241.

Park, SW; Jang, CH. (2011). Effects of carbonization and solvent-extraction on change in fuel characteristics of sewage sludge. Bioresour Technol. 102: 8205-8210.

Park, SY; Jeong, H; Yu, H; Park, SY; Jang, DJ. (2010). Excited-state Intramolecular Proton-transfer-induced Charge Transfer of Polyquinoline. Photochem Photobiol. 86: 1197-1201.

Parmar, M; Balamurugan, C; Lee, DW. (2013). PANI and graphene/PANI nanocomposite films--comparative toluene gas sensing behavior. Sensors (Basel, Switzerland). 13: 16611-16624.

Pastore, BM; Savelski, MJ; Slater, CS; Richetti, FA. (2016). Life cycle assessment of N-methyl-2-pyrrolidone reduction strategies in the manufacture of resin precursors. Clean Tech Environ Pol. 18: 2635-2647.

Patel, RB; Carlson, AN; Solorio, L; Exner, AA. (2010). Characterization of formulation parameters affecting low molecular weight drug release from in situ forming drug delivery systems. Journal of Biomedical Materials Research Part A. 94A: 476-484.

Paudel, A; Van Humbeeck, J; Van den Mooter, G. (2010). Theoretical and Experimental Investigation on the Solid Solubility and Miscibility of Naproxen in Poly(vinylpyrrolidone). Mol Pharm. 7: 1133-1148.

Payan, JP; Beydon, D; Fabry, JP; Boudry, I; Cossec, B; Ferrari, E. (2002). Toxicokinetics and metabolism of N- (14)C methylpyrrolidone in male Sprague-Dawley rats. A saturable NMP elimination process. Drug Metab Dispos. 30: 1418-1424.

Payan, JP; Boudry, I; Beydon, D; Fabry, JP; Grandclaude, MC; Ferrari, E; Andre, JC. (2003). Toxicokinetics and metabolism of N- (14)C N-methyl-2-pyrrolidone in male Sprague-Dawley rats: In vivo and in vitro percutaneous absorption. Drug Metab Dispos. 31: 659-669.

Petersen, L; Jensen, KJ. (2001). New, efficient glycosylation method for oligosaccharide synthesis under neutral conditions: Preparation and use of new DISAL donors. J Org Chem. 66: 6268-6275.

Petro, R; Borodulin, P; Schlesinger, TE; Schlesinger, M. (2016). Liquid Exfoliated Graphene: A Practical Method for Increasing Loading and Producing Thin Films. Ecs Journal of Solid State Science and Technology. 5: P36-P40.

Petzold, K; Einfeldt, L; Gunther, W; Stein, A; Klemm, D. (2001). Regioselective functionalization of starch: Synthesis and (1)H NMR characterization of 6-O-silyl ethers. Biomacromolecules. 2: 965-969.

Pluda, S; Pavan, M; Galesso, D; Guarise, C. (2016). Hyaluronic acid auto-crosslinked polymer (ACP): Reaction monitoring, process investigation and hyaluronidase stability. Carbohydr Res. 433: 47-53.

Pochat-Bohatier, Cl; Werapun, W; Bouyer, D; Chinpa, W; Deratani, A. (2010). Near-infrared spectroscopy for the quantitative determination of mass transfer and water absorption kinetics by a polymer solution. Journal of polymer science. 48: 1960-1969.

Praneeth, K; Kalyani, S; Ravikumar, YVL; Tardio, J; Sridhar, S. (2013). Development of polyethersulfone and polyacrylonitrile hollow fiber membranes for clarification of surface water and fungal enzyme broth. Water Science and Technology-Water Supply. 13: 44-55.

Prasad, NS; Moulik, S; Bohra, S; Rani, KY; Sridhar, S. (2016). Solvent resistant chitosan/poly(ether-block-amide) composite membranes for pervaporation of n-methyl-2-pyrrolidone/water mixtures. Carbohydr Polymer. 136: 1170-1181.

Przewloka, S; Shearer, BJ. (2002). The Further Chemistry of Ellagic Acid III. The Effect of Wick Action Upon Moisture Uptake and Movement in Ellagate Treated Pinus radiata Wood. Holzforschung. 56: 632-638.

Qin, YY; Yuan, ML; Li, L; Li, W; Xue, J. (2012). Formulation and evaluation of in situ forming PLA implant containing tinidazole for the treatment of periodontitis. Journal of Biomedical Materials Research Part B-Applied Biomaterials. 100B: 2197-2202.

Qu, Y; Liang, S; Zou, K; Li, S; Liu, L; Zhao, J; Piao, G. (2011). Effect of solvent type on the formation of tubular fullerene nanofibers. Mater Lett. 65: 562-564.

Quintana, M; Spyrou, K; Grzelczak, M; Browne, WR; Rudolf, P; Prato, M. (2010). Functionalization of graphene via 1,3-dipolar cycloaddition. ACS Nano. 4: 3527-3533.

Rafiq, S; Man, Z; Maulud, A; Muhammad, N; Maitra, S. (2011). Effect of varying solvents compositions on morphology and gas permeation properties on membranes blends for COâ,, separation from natural gas. J Memb Sci. 378: 444-452.

Rajesh, S; Senthilkumar, S; Jayalakshmi, A; Nirmala, MT; Ismail, AF; Mohan, D. (2013). Preparation and performance evaluation of poly (amideâ€“imide) and TiOâ,, nanoparticles impregnated polysulfone nanofiltration membranes in the removal of humic substances. Colloids and surfaces. 418: 92-104.

Rao Volla, CM; Vogel, P. (2008). Iron/copper-catalyzed Câ€“C cross-coupling of aryl iodides with terminal alkynes. Tetrahedron Lett. 49: 5961-5964.

Rashatasakhon, P; Vongnam, K; Siripornnoppakhun, W; Vilaivan, T; Sukwattanasinitt, M. (2012). FRET detection of DNA sequence via electrostatic interaction of polycationic phenyleneethynylene dendrimer with DNA/PNA hybrid. Talanta. 88: 593-598.

Environmental Hazard Literature Search Results

Off Topic

Ravivarapu, HB; Moyer, KL; Dunn, RL. (2000). Parameters affecting the efficacy of a sustained release polymeric implant of leuprolide. Int J Pharm. 194: 181-191.

Reddy, CK; Devasagayaraj, A; Knochel, P. (1996). Uncatalyzed conjugate additions of diorganozincs in N-methylpyrrolidinone. Tetrahedron Lett. 37: 4495-4498.

Rege, PD; Johnson, F. (2003). Application of vicarious nucleophilic substitution to the total synthesis of dl-physostigmine. J Org Chem. 68: 6133-6139.

Reitze, JD; Przewloka, SR; Shearer, BJ. (2001). The further chemistry of ellagic acid I. Synthesis of tetramethylellagic acid and associated polymer precursors. Holzforschung. 55: 171-175.

Ren, C; Fang, L; Li, T; Wang, M; Zhao, L; He, Z. (2008). Effect of permeation enhancers and organic acids on the skin permeation of indapamide. Int J Pharm. 350: 43-47.

Ren, J; Li, Z. (2012). Development of asymmetric BTDA-TDI/MDI (P84) copolyimide flat sheet and hollow fiber membranes for ultrafiltration: Morphology transition and membrane performance. Desalination. 285: 336-344.

Ren, J; Watanabe, H; Yamamura, S; Nakamura, T. (2004). Selective response mechanism of a platinum disk electrode modified with polyacrylamide membrane conjugated with gallium(III) phthalocyaninate. Anal Chim Acta. 525: 105-110.

Ren, J; Zhou, J; Deng, M. (2010). Morphology transition of asymmetric flat sheet and thickness-gradient membranes by wet phase-inversion process. DesalinationA. 253: 1-8.

Ren, JM; Liu, JL; Dong, F; Guo, ZY. (2011). Highly efficient synthesis and antioxidant activity of O-(aminoethyl)inulin. Carbohydr Polymer. 83: 1240-1244.

Ren, S; Chen, D; Jiang, M. (2009). Noncovalently connected micelles based on a Î²-cyclodextrin-containing polymer and adamantane end-capped poly(Îµ-caprolactone) via host-guest interactions. Journal of polymer science. 47: 4267-4278.

Roeder, J; Silva, H; Nunes, SP; Pires, ATN. (2005). Mixed conductive blends of SPEEK/PANI. Solid State Ionics. 176: 1411-1417.

Rogge, TM; Stevens, CV. (2004). Facilitated synthesis of inulin esters by transesterification. Biomacromolecules. 5: 1799-1803.

Rojas, A; Ganesh, T; Manji, Z; O'Neill, T; Dingledine, R. (2016). Inhibition of the prostaglandin E2 receptor EP2 prevents status epilepticus-induced deficits in the novel object recognition task in rats. Neuropharmacology. 110, Part A: 419-430.

Rollin, Y; Troupel, M; Tuck, DG; Perichon, J. (1986). The coupling of organic groups by the electrochemical reduction of organic halides: Catalysis by 2,2â€²-bipyridinenickel complexes. Journal of Organometallic Chemistry. 303: 131-137.

Rosen, PS. (2000). Report on a unique polymer barrier system. Compendium of continuing education in dentistry (Jamesburg, NJ : 1995). 21: 594-596, 598, 600-592.

Royals, MA; Fujita, SM; Yewey, GL; Rodriguez, J; Schultheiss, PC; Dunn, RL. (1999). Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys. J Biomed Mater Res. 45: 231-239.

Rozenboim, I; Miara, L; Wolfenson, D. (1998). The Thermoregulatory Mechanism of Melatonin-Induced Hypothermia in Chicken. American Journal of Physiology Regulatory, Integrative and Comparative Physiology. 274: R232-R236.

Ruble, GR; Giardino, OZ; Fossceco, SL; Cosmatos, D; Knapp, RJ; Barlow, NJ. (2006). The effect of commonly used vehicles on canine hematology and clinical chemistry values. Journal of the American Association for Laboratory Animal Science. 45: 25-29.

Rudenko, AE; Thompson, BC. (2015). The effect of amide solvent structure on the direct arylation polymerization (DArP) of 2â€ Bromoâ€ 3â€ hexylthiophene. Journal of polymer science. 53: 2494-2500.

Runarsson, OV; Holappa, J; Jonsdottir, S; Steinsson, H; Masson, M. (2008). N-selective 'one pot' synthesis of highly N-substituted trimethyl chitosan (TMC). Carbohydr Polymer. 74: 740-744.

Ruzicka, J; Fuskova, J; Krizek, K; Merkova, M; Cernotova, A; Smelik, M. (2016). Microbial degradation of N-methyl-2-pyrrolidone in surface water and bacteria responsible for the process. Water Science and Technology. 73: 643-647.

SÃ¶nmez, Ãzr; Giray, ES. (2011). Producing ashless coal extracts by microwave irradiation. Fuel. 90: 2125-2131.

Saghafi, R; Zarrebini, M; Semnani, D; Mahmoudi, MR. (2014). Novel method for treatment of hollow fiber membranes using hypochlorite. J Text Inst. 105: 962-970.

Saillenfait, AM; Gallissot, F; Langonne, I; Sabate, JP. (2002). Developmental toxicity of N-methyl-2-pyrrolidone administered orally to rats. Food Chem Toxicol. 40: 1705-1712.

Saillenfait, AM; Gallissot, F; Morel, G. (2003). Developmental toxicity of N-methyl-2-pyrrolidone in rats following inhalation exposure. Food Chem Toxicol. 41: 583-588.

Saillenfait, AM; Gallissot, F; Sabate, JP. (2007). Developmental toxic effects of N-ethyl-2-pyrrolidone administered orally to rats. J Appl Toxicol. 27: 491-497.

Saillenfait, AM; Marquet, F; Sabate, JP; Ndiaye, D; Lambert-Xolin, AM. (2016). 4-Week repeated dose oral toxicity study of N-ethyl-2-pyrrolidone in Sprague Dawley rats. Regul Toxicol Pharmacol. 81: 275-283.

Saillenfait, AM; Sabate, JP; Gallissot, F. (2007). Comparative developmental toxicities of the three major metabolites of N-methyl-2-pyrrolidone after oral administration in rats. J Appl Toxicol. 27: 571-581.

Sakanishi, K; Saito, I; Ishom, F; Watanabe, I; Mochida, I; Okuyama, N; Deguchi, T; Simazaki, K. (2002). Characterization and elution behaviors of organically associated minerals in coals during acid treatment and solvent extraction. Fuel. 81: 1471-1475.

Sanghvi, R; Narazaki, R; Machatha, SG; Yalkowsky, SH. (2008). Solubility improvement of drugs using N-methyl pyrrolidone. AAPS PharmSciTech. 9: 366-376.

Sanip, SM; Ismail, AF; Aziz, M; Soga, T. (2009). Functionalized Carbon Nanotubes for Mixed Matrix Membrane. Ieice Transactions on Electronics. E92C: 1427-1431.

Sasaki, H; Kojima, M; Nakamura, J; Shibasaki, J. (1990). Enhancing effect of combining two pyrrolidone vehicles on transdermal drug delivery. The Journal of pharmacy and pharmacology. 42: 196-199.

Environmental Hazard Literature Search Results

Off Topic

Satoh, T; Kano, H; Nakatani, M; Sakairi, N; Shinkai, S; Nagasaki, T. (2006). 6-Amino-6-deoxy-chitosan. Sequential chemical modifications at the C-6 positions of N-phthaloyl-chitosan and evaluation as a gene carrier. Carbohydr Res. 341: 2406-2413.

SAvachat, AM; Kapure, SS. (2014). Asenapine maleate in situ forming biodegradable implant: An approach to enhance bioavailability. Int J Pharm. 477: 64-72.

Saw, CL; Heng, PW; Chin, WW; Soo, KC; Olivo, M. (2006). Enhanced photodynamic activity of hypericin by penetration enhancer N-methyl pyrrolidone formulations in the chick chorioallantoic membrane model. Cancer Lett. 238: 104-110.

Saw, CL; Olivo, M; Soo, KC; Heng, PW. (2006). Spectroscopic characterization and photobleaching kinetics of hypericin-N-methyl pyrrolidone formulations. Photochemical & photobiological sciences : Official journal of the European Photochemistry Association and the European Society for Photobiology. 5: 1018-1023.

Saw, CLL; Olivo, M; Soo, KC; Heng, PWS. (2006). Delivery of hypericin for photodynamic applications. Cancer Lett. 241: 23-30.

Sazelova, P; Kasicka, V; Koval, D; Prusik, Z; Fanali, S; Aturki, Z. (2007). Control of EOF in CE by different ways of application of radial electric field. Electrophoresis. 28: 756-766.

Schloegl, W; Marschall, V; Witting, MY; Volkmer, E; Drosse, I; Leicht, U; Schieker, M; Wiggenhorn, M; Schaubhut, F; Zahler, S; Friess, W. (2012). Porosity and mechanically optimized PLGA based in situ hardening systems. European journal of pharmaceutics and biopharmaceutics : official journal of Arbeitsgemeinschaft für Pharmazeutische Verfahrenstechnik eV. 82: 554-562.

Schmidt, C; Bezuidenhout, D; Beck, M; Van, dME; Zilla, P; Davies, N. (2009). Rapid three-dimensional quantification of VEGF-induced scaffold neovascularisation by microcomputed tomography. Biomaterials. 30: 5959-5968.

Schoenhammer, K; Petersen, H; Guethlein, F; Goepferich, A. (2009). Poly(ethyleneglycol) 500 Dimethylether as Novel Solvent for Injectable In Situ Forming Depots. Pharm Res. 26: 2568-2577.

Scott, JE; Grigsby, PL; Hirst, JJ; Jenkin, G. (2001). Inhibition of prostaglandin synthesis and its effect on uterine activity during established premature labor in sheep. J Soc Gynecol Investig. 8: 266-276.

Seki, H; Ito, O; Iino, M. (1990). Effect of mild oxidation of bituminous coals on caking properties. Fuel. 69: 317-321.

Sekine, M; Ohkubo, A; Seio, K. (2003). Proton-block strategy for the synthesis of oligodeoxynucleotides without base protection, capping reaction, and P-N bond cleavage reaction. J Org Chem. 68: 5478-5492.

Shabbir, S; Zulfiqar, S; Ahmad, Z; Sarwar, MI. (2010). Pyrimidine based carboxylic acid terminated aromatic and semiaromatic hyperbranched polyamide-esters: synthesis and characterization. Tetrahedron. 66: 7204-7212.

Shah, PP; Desai, PR; Boakye, CHA; Patlolla, R; Kikwai, LC; Babu, RJ; Singh, M. (2016). Percutaneous delivery of alpha-melanocyte-stimulating hormone for the treatment of imiquimod-induced psoriasis. J Drug Target. 24: 537-547.

Shao, C; Su, Z-M. (2015). A new stable Cd(II)-framework for sensitive and selective detection of Cu2 + ions. Inorganic Chemistry Communications. 57: 4-7.

Sharma, L; Nayak, MK; Chakraborti, AK. (1999). A mild and chemoselective method for ester O-alkyl cleavage using in situ generated potassium thiophenoxide from catalytic quantities of base. Tetrahedron. 55: 9595-9600.

Sharma, R; Pathak, K. (2011). Polymeric nanosponges as an alternative carrier for improved retention of econazole nitrate onto the skin through topical hydrogel formulation. Pharmaceutical development and technology. 16: 367-376.

Sherman, J; Chin, B; Huibers, PDT; Garcia-Valls, R; Hatton, TA. (1998). Solvent replacement for green processing. Environ Health Perspect. 106: 253-271.

Sherwood, AM; Pond, DM; Trudell, ML. (2012). Synthesis of Phloroglucinol Monoaryl Ethers. Synthesis-Stuttgart. 44: 1208-1212.

Shi, XL; Lin, X; Zheng, XW; Feng, Y; Shen, L. (2014). Injectable long-acting systems for Radix Ophiopogonis polysaccharide based on mono-PEGylation and in situ formation of a PLGA depot. International Journal of Nanomedicine. 9: 5555-5563.

Shibuta, D; Watanabe, M; Sato, K. (1985). Effect of solvent on the esterification between 1,1,1-trifluorochloroethane and akaline acetate. Journal of Fluorine Chemistry. 29: 176.

Shih, CJ; Lin, SC; Strano, MS; Blankschtein, D. (2010). Understanding the Stabilization of Liquid-Phase-Exfoliated Graphene in Polar Solvents: Molecular Dynamics Simulations and Kinetic Theory of Colloid Aggregation. J Am Chem Soc. 132: 14638-14648.

Shiming, X; Yanli, L; Lisong, Z. (2001). Performance research of self regenerated absorption heat transformer cycle using TFE-NMP as working fluids. International Journal of Refrigeration. 24: 510-518.

Shin, S-J; Kim, J-P; Kim, H-J; Jeon, J-H; Min, B-R. (2005). Preparation and characterization of polyethersulfone microfiltration membranes by a 2-methoxyethanol additive. Desalination. 186: 1-10.

Shinbo, K; Akazawa, T; Takatsuka, Y; Ohdaira, Y; Baba, A; Kato, K; Kaneko, F. (2008). Characteristics of field-effect transistors with vapor-treated magnesium phthalocyanine films. Japanese Journal of Applied Physics. 47: 484-487.

Shishu; Aggarwal, N. (2006). Preparation of hydrogels of griseofulvin for dermal application. Int J Pharm. 326: 20-24.

Shui, H. (2005). Effect of coal extracted with NMP on its aggregation. Fuel. 84: 939-941.

Shui, H; Zhou, Y; Li, H; Wang, Z; Lei, Z; Ren, S; Pan, C; Wang, W. (2013). Thermal dissolution of Shenfu coal in different solvents. Fuel. 108: 385-390.

Shun-Ichi, N; Shogo, N; Mikio, A; Takehiro, N; Hideharu, T. (1985). Observations on and pharmacokinetic discussion of percutaneous absorption of mefenamic acid. Int J Pharm. 24: 127-147.

Shuto, S; Shirato, M; Sumita, Y; Ueno, Y; Matsuda, A. (1998). Synthetic studies of carbocyclic analogs of cyclic ADP-ribose. Formation of a cyclic dimer, a 36-membered-ring product, in the condensation reaction of an 8-bromo-N(1)- 5-(phenylthiophosphoryl)carbocyclic-ribosyl inosine 5 '-phosphate derivative mediated by AgNO(3). Tetrahedron Lett. 39: 7341-7344.

Sikder, J; Pereira, C; Palchoudhury, S; Vohra, K; Basumatary, D; Pal, P. (2009). Synthesis and characterization of cellulose acetate-polysulfone blend microfiltration membrane for separation of microbial cells from lactic acid fermentation broth. Desalination. 249: 802-808.

Singh, R; Purkait, MK. (2016). Evaluation of mPEG effect on the hydrophilicity and antifouling nature of the PVDF-co-HFP flat sheet polymeric membranes for humic acid removal. Journal of Water Process Engineering. 14: 9-18.

Environmental Hazard Literature Search Results

Off Topic

Singh, V; Purkait, MK; Chandaliya, VK; Biswas, PP; Banerjee, PK; Das, C. (2012). Development of membrane based technology for the separation of coal from organic solvent. Desalination. 299: 123-128.

Sinha, MK; Purkait, MK. (2013). Increase in hydrophilicity of polysulfone membrane using polyethylene glycol methyl ether. J Memb Sci. 437: 7-16.

Sinha, MK; Purkait, MK. (2014). Enhancement of hydrophilicity of poly(vinylidene fluoride-co-hexafluoropropylene) (PVDF-HFP) membrane using various alcohols as nonsolvent additives. Desalination. 338: 106-114.

Six, JL; Leroy, P; Maincent, P; Vieira, HS; Andrada, DM; Mendonâ€¡a, C-CdDdTN-CDTNCNENCPBHMGB; Santos, AP; Martins, MD; Macedo, WA; Gorgulho, HF; Pimenta, LP; Moreira, RL; Jorio, A; Pimenta, MA; Furtado, CA. (2013). Decarboxylation of oxidized single-wall carbon nanotubes. European journal of pharmaceutics and biopharmaceutics : official journal of Arbeitsgemeinschaft für Pharmazeutische Verfahrenstechnik eV. 85(ID - 32169: 640-649.

Sodicoff, M; Lamperti, A; Ziskin, MC. (1990). Transdermal absorption of radioprotectors using permeation-enhancing vehicles. Radiat Res. 121: 212-219.

Sohn, KN. (2012). Colloidal Gold Nanoparticles: Shape Control and New Growth Solution. PhD Thesis, Northwestern University.

Solorio, L; Babin, BM; Patel, RB; Mach, J; Azar, N; Exner, AA. (2010). Noninvasive characterization of in situ forming implants using diagnostic ultrasound. J Control Release. 143: 183-190.

Soltanpour, S; Acree, WE, Jr.; Jouyban, A. (2009). Solubility of pioglitazone hydrochloride in aqueous solutions of ethanol, propylene glycol, and N-methyl-2-pyrrolidone at 298.2 degrees K. AAPS PharmSciTech. 10: 1153-1157.

Soltanpour, S; Jafari, B; Barzegar-Jalali, M; Jouyban, A. (2014). Solubility of glibenclamide in the aqueous mixtures of polyethylene glycol 400, propylene glycol and N-methyl-pyrrolidone at 298.2 K. Journal of Drug Delivery Science and Technology. 24: 111-115.

Song, W; Cun, D; Quan, P; Liu, N; Chen, Y; Cui, H; Xiang, R; Fang, L. (2015). Dual-directional regulation of drug permeating amount by combining the technique of ion-pair complexation with chemical enhancers for the synchronous permeation of indapamide and bisoprolol in their compound patch through rabbit skin. European journal of pharmaceutics and biopharmaceutics : official journal of Arbeitsgemeinschaft für Pharmazeutische Verfahrenstechnik eV. 91: 59-65.

Staroske, T; Hennig, L; Welzel, P; Hofmann, H-Jr; MÃ¼ller, D; HÃ¤usler, T; Sheldrick, WS; Zillikens, S; Gretzer, B; Pusch, H; Glitsch, HG. (1996). Synthesis and pharmacological properties of cardenolides substituted at the butenolide part. Tetrahedron. 52: 12723-12744.

Stolarczyk, EU; Groman, A; Kaczmarek; Go; ebiewski, P. (2013). GC method for quantitative determination of residual 2-(2-chloroethoxy) ethanol (CEE) and N-methyl-2-pyrrolidinone (NMP) in quetiapine. Langmuir : the ACS journal of surfaces and colloids. 29: 13058-13065.

Strickley, RG. (2004). Solubilizing excipients in oral and injectable formulations. Pharm Res. 21: 201-230.

Striebig, BA. (1996). Evaluation of absorption and advanced oxidation processes to treat N-methyl-2-pyrrolidinone in an exhaust air stream. PhD Thesis, The Pennsylvania State University.

Stull, JO; Thomas, RW; James, LE. (2002). A comparative analysis of glove permeation resistance to paint stripping formulations. AIHAJ. 63: 62-71.

Subramanyam, U; Kennedy, JP. (2009). PVA networks grafted with PDMS branches. Journal of polymer science. 47: 5272-5277.

Sun, X; Dong, S; Wang, E. (2005). Rapid preparation and characterization of uniform, large, spherical Ag particles through a simple wet-chemical route. J Colloid Interface Sci. 290: 130-133.

Sun, XF; Sun, RC; Sun, JX. (2002). Acetylation of rice straw with or without catalysts and its characterization as a natural sorbent in oil spill cleanup. J Agric Food Chem. 50: 6428-6433.

Svensson, H; Edfeldt, J; Zejnullahu Velasco, V; Hulteberg, C; Karlsson, HT. (2014). Solubility of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 27: 247-254.

Svensson, H; Zejnullahu Velasco, V; Hulteberg, C; Karlsson, HT. (2014). Heat of absorption of carbon dioxide in mixtures of 2-amino-2-methyl-1-propanol and organic solvents. Int J Greenhouse Gas Control. 30: 1-8.

Tachibana, Y; Nogami, M; Sugiyama, Y; Ikeda, Y. (2011). Kinetic and Mechanistic Studies on Reactions of Pyrrolidone Derivatives with Ozone. Ozone-Science & Engineering. 33: 470-482.

Takanohashi, T; Ohkawa, T; Yanagida, T; Iino, M. (1993). Effect of maceral composition on the extraction of bituminous coals with carbon disulphide-N-methyl-2-pyrrolidinone mixed solvent at room temperature. Fuel. 72: 51-55.

Takanohashi, T; Terao, Y; Iino, M. (2000). Sorption behaviors of methanol vapor by coal extracts and residues. Fuel. 79: 349-353.

Tam, CM; Tweddle, TA; Kutowy, O; Hazlett, JD. (1993). Polysulfone membranes II. Performance comparison of polysulfone-poly-(N-vinyl-pyrrolidone) membranes. Desalination. 89: 275-287.

Tamura, M; Ishino, M; Deguchi, T; Nakamura, S. (1986). A new catalyst for the direct synthesis of ethylene glycol from carbon monoxide and hydrogen. Journal of Organometallic Chemistry. 312: C75-C78.

Tan, X; Liu, N; Meng, B; Liu, S. (2011). Morphology control of the perovskite hollow fibre membranes for oxygen separation using different bore fluids. J Memb Sci. 378: 308-318.

Tanimura, M; Watanabe, N; Ijuin, HK; Matsumoto, M. (2011). Intramolecular Charge-Transfer-Induced Decomposition Promoted by an Aprotic Polar Solvent for Bicyclic Dioxetanes Bearing a 4-(Benzothiazol-2-yl)-3-hydroxyphenyl Moiety. J Org Chem. 76: 902-908.

Tao, J; Kishimoto, T; Suzuki, S; Hamada, M; Nakajima, N. (2016). Superior cellulose-protective effects of cosolvent during enhanced dissolution in imidazolium ionic liquid. Holzforschung. 70: 519-525.

Tarantino, R; Bishop, E; Chen, F-C; Waseem Malick, A; Iqbal, K. (1994). N-Methyl-2-Pyrrolidone as a Cosolvent: Relationship of Cosolvent Effect with Solute Polarity and the Presence of Proton-Donating Groups on Model Drug Compounds. J Pharm Sci. 83: 1213-1216.

Tatar, A; Barati, A; Yarahmadi, A; Najafi, A; Lee, M; Bahadori, A. (2016). Prediction of carbon dioxide solubility in aqueous mixture of methyldiethanolamine and N-methylpyrrolidone using intelligent models. Int J Greenhouse Gas Control. 47: 122-136.

Environmental Hazard Literature Search Results

Off Topic

Tatong, MDK; Talontsi, FM; Rahim, H; Islam, MT; Oswald, RB; Laatsch, H. (2014). Banchromene and other secondary metabolites from the endophytic fungus Fusarium sp obtained from Piper guineense inhibit the motility of phytopathogenic Plasmopara viticola zoospores. Tetrahedron Lett. 55: 4057-4061.

Tatsuno, T; Miyazaki, K; Yamashiro, H. (2014). Multiple solvent, N-methyl-2-pyrrolidone, acts as a novel adjuvant for enhancing cutaneous immune responses. Bioscience Biotechnology and Biochemistry. 78: 954-959.

Tay, SLM; Heng, PWS; Chan, LW. (2012). The CAM-LDPI method: a novel platform for the assessment of drug absorption. J Pharm Pharmacol. 64: 517-529.

Tay, SLM; Heng, PWS; Chan, LW. (2012). The chick chorioallantoic membrane imaging method as a platform to evaluate vasoactivity and assess irritancy of compounds. J Pharm Pharmacol. 64: 1128-1137.

Teow, YH; Ahmad, AL; Lim, JK; Ooi, BS. (2012). Preparation and characterization of PVDF/TiO2 mixed matrix membrane via in situ colloidal precipitation method. Desalination. 295: 61-69.

Thackaberry, EA; Wang, XJ; Schweiger, M; Messick, K; Valle, N; Dean, B; Sambrone, A; Bowman, T; Xie, ML. (2014). Solvent-based formulations for intravenous mouse pharmacokinetic studies: tolerability and recommended solvent dose limits. Xenobiotica. 44: 235-241.

Thuyavan, YL; Anantharaman, N; Arthanareeswaran, G; Ismail, AF. (2016). Impact of solvents and process conditions on the formation of polyethersulfone membranes and its fouling behavior in lake water filtration. J Chem Tech Biotechnol. 91: 2568-2581.

Tian, F; Saville, DJ; Gordon, KC; Strachan, CJ; Zeitler, JA; Sandler, N; Rades, T. (2007). The influence of various excipients on the conversion kinetics of carbamazepine polymorphs in aqueous suspension. J Pharm Pharmacol. 59: 193-201.

Tian, M; Yin, Y; Yang, C; Zhao, B; Song, J; Liu, J; Li, X-M; He, T. (2015). CF4 plasma modified highly interconnective porous polysulfone membranes for direct contact membrane distillation (DCMD). Desalination. 369: 105-114.

Tipre, DN; Vavia, PR. (2002). Formulation optimization and stability study of transdermal therapeutic system of nicorandil. Pharmaceutical development and technology. 7: 325-332.

Tois, J; FranzÃ©n, R; Koskinen, A. (2003). Synthetic approaches towards indoles on solid phase recent advances and future directions. Tetrahedron. 59: 5395-5405.

Tomasevic-Ilic, T; Pesic, J; Milosevic, I; Vujin, J; Matkovic, A; Spasenovic, M; Gajic, R. (2016). Transparent and conductive films from liquid phase exfoliated graphene. Optical and Quantum Electronics. 48: 319-319.

Torisawa, Y; Nishi, T; Minamikawa, J. (2001). NaBH(4) in N-methylpyrrolidone: A safe alternative for hydride displacement reaction. Bioorganic & Medicinal Chemistry Letters. 11: 2787-2789.

Tristant, D; Wang, Y; Gerber, I; Monthioux, M; Penicaud, A; Puech, P. (2015). Optical signatures of bulk and solutions of KC8 and KC24. Journal of Applied Physics. 118: 44304-44304.

Tsai, M-H; Huang, S-L; Chen, P-J; Chiang, P-C; Chen, D-S; Lu, H-H; Chiu, W-M; Chen, J-C; Lu, H-T. (2008). Characteristics and properties of polyimide/vanadium oxide hybrid membranes. Desalination. 233: 232-238.

Tu, J; Chen, L; Fang, Y; Wang, C; Chen, S. (2010). Facile synthesis of amphiphilic gels by frontal free-radical polymerization. Journal of polymer science. 48: 823-831.

Uch, AS; Hesse, U; Dressman, JB. (1999). Use of 1-methyl-pyrrolidone as a solubilizing agent for determining the uptake of poorly soluble drugs. Pharm Res. 16: 968-971.

Ungurenasu, C; Airinei, A. (2000). Highly stable C(60)/poly(vinylpyrrolidone) charge-transfer complexes afford new predictions for biological applications of underivatized fullerenes. J Med Chem. 43: 3186-3188.

Vachoud, L; Pochat-Bohatier, C; Chakrabandhu, Y; Bouyer, D; David, L. (2012). Preparation and characterization of chitin hydrogels by water vapor induced gelation route. Int J Biol Macromol. 51: 431-439.

Vaghani, SS; Gurjar, M; Singh, S; Sureja, S; Koradia, S; Jivani, NP; Patel, MM. (2010). Effect of iontophoresis and permeation enhancers on the permeation of an acyclovir gel. Curr Drug Deliv. 7: 329-333.

Valles, C; Drummond, C; Saadaoui, H; Furtado, CA; He, M; Roubeau, O; Ortolani, L; Monthioux, M; Penicaud, A. (2008). Solutions of Negatively Charged Graphene Sheets and Ribbons. J Am Chem Soc. 130: 15802-+.

van, dBO; Capadona, JR; Weder, C. (2015). Preparation of homogeneous dispersions of tunicate cellulose whiskers in organic solvents. Phytochemistry. 8: 1353-1357.

van, dSJ. (2015). Structure of Pigment Yellow 181 dimethylsulfoxide N-methyl-2-pyrrolidone (1:1:1) solvate from XRPD + DFT-D. Acta crystallographica Section B, Structural science, crystal engineering and materials. 71: 89-94.

Van Niekerk, D; Mathews, JP. (2011). Molecular dynamic simulation of coalâ€“solvent interactions in Permian-aged South African coals. Fuel Process Tech. 92: 729-734.

van Veen, HM; Rietkerk, MDA; Shanahan, DP; van Tuel, MMA; Kreiter, R; Castricum, HL; ten Elshof, JE; Vente, JF. (2011). Pushing membrane stability boundaries with HybSiÂ® pervaporation membranes. J Memb Sci. 380: 124-131.

VanderVelde, DG. (1987). High pressure nuclear magnetic resonance studies of homogeneous catalysts. PhD Thesis, University of Illinois at Urbana-Champaign.

Virta, P; Katajisto, J; NiittymÃ¤ki, T; LÃ¶nnberg, H. (2003). Solid-supported synthesis of oligomeric bioconjugates. Tetrahedron. 59: 5137-5174.

Vriezekolk, E; Kemperman, A; GironA"s, M; Vos, W; Nijmeijer, K. (2013). A solvent-shrinkage method for producing polymeric microsieves with sub-micron size pores. J Memb Sci. 446: 10-18.

Wahlstrom, K; Unden, A. (2009). A new protecting group for tryptophan in solid-phase peptide synthesis which protects against acid-catalyzed side reactions and facilitates purification by HPLC. Tetrahedron Lett. 50: 2976-2978.

Wang, BJ; Wang, LP; Zhang, RG; Ling, LX. (2012). The role of CS(2) in CS(2)/NMP mixed solvent in weakening the hydrogen bond of OH-N in coal: a DFT investigation. J Mol Model. 18: 921-927.

Wang, J; Blau, WJ. (2008). Nonlinear optical and optical limiting properties of individual single-walled carbon nanotubes. Applied Physics B-Lasers and Optics. 91: 521-524.

Environmental Hazard Literature Search Results

Off Topic

Wang, J; Fruchtl, D; Blau, WJ. (2010). The importance of solvent properties for optical limiting of carbon nanotube dispersions. Optics Communications. 283: 464-468.

Wang, K; Abdalla, AA; Khaleel, MA; Hilal, N; Khraisheh, MK. (2017). Mechanical properties of water desalination and wastewater treatment membranes. Desalination. 401: 190-205.

Wang, K; Jia, Q; Yuan, J; Li, S. (2011). A novel, simple method to simulate gelling process of injectable biodegradable in situ forming drug delivery system based on determination of electrical conductivity. Int J Pharm. 404: 176-179.

Wang, KL; Liu, YL; Shih, IH; Neoh, KG; Kang, ET. (2010). Synthesis of polyimides containing triphenylamineâ€ substituted triazole moieties for polymer memory applications. Journal of polymer science. 48: 5790-5800.

Wang, L; Wang, AP; Zhao, XL; Liu, XM; Wang, D; Sun, FY; Li, YX. (2012). Design of a long-term antipsychotic in situ forming implant and its release control method and mechanism. Int J Pharm. 427: 284-292.

Wang, L; Wang, D; Zhu, G; Li, J. (2011). Synthesis and properties of highly branched sulfonated poly(arylene ether)s as proton exchange membranes. European Polymer Journal. 47: 1985-1993.

Wang, ML; Fang, L; Ren, CS; Li, T. (2008). Effect of ion-pairing and enhancers on scutellarin skin permeability. J Pharm Pharmacol. 60: 429-435.

Wang, R; Wu, KB; Wu, C. (2015). Highly sensitive electrochemical detection of bisphenol A based on the cooperative enhancement effect of the graphene-Ni(OH)(2) hybrid and hexadecyltrimethylammonium bromide. Analytical Methods. 7: 9261-9267.

Wang, SH; Liang, ZH; Zeng, S. (2007). Monitoring release of ketoprofen enantiomers from biodegradable poly(D,L-lactide-co-glycolide) injectable implants. Int J Pharm. 337: 102-108.

Wang, W; Jin, Z; Liu, H; Du, H. (2011). Preparation and characteristics of CuInSeâ‚‚ thin films by dip-coating method using its nanocrystal ink. Mater Lett. 65: 2895-2898.

Wang, X; Xue, M; Gu, J; Fang, X; Sha, X. (2012). Transdermal microemulsion drug delivery system for impairing male reproductive toxicity and enhancing efficacy of Tripterygium Wilfordii Hook f. Fitoterapia. 83: 690-698.

Wang, XF; Si, JH; Yan, LH; He, PC; Chen, F; Hou, X. (2014). Ultrafast single-shot imaging of femtosecond pulse propagation in transparent liquids using a supercontinuum and optical polarigraphy. Journal of Optics. 16: 15203-15203.

Wang, Y; Meng, Y; Wang, S; Li, C; Shi, W; Chen, J; Wang, J; Huang, R. (2015). Direct Solvent-Derived Polymer-Coated Nitrogen-Doped Carbon Nanodots with High Water Solubility for Targeted Fluorescence Imaging of Glioma. Small (Weinheim an der Bergstrasse, Germany). 11: 3575-3581.

Wang, Y; Xu, JJ; Burton, DJ. (2006). A simple, two-step, site-specific preparation of fluorinated naphthalene and phenanthrene derivatives from fluorobromo-substituted alkenes. J Org Chem. 71: 7780-7784.

Warmuth, R; Maverick, EF; Knobler, CB; Cram, DJ. (2003). Through-shell alkyllithium additions and borane reductions. J Org Chem. 68: 2077-2088.

Weber, T; Bechthold, M; Winkler, T; Dauselt, J; Terfort, A. (2013). Direct grafting of anti-fouling polyglycerol layers to steel and other technically relevant materials. Colloids and Surfaces B-Biointerfaces. 111: 360-366.

Wei, GH; Du, YG; Linhardt, RJ. (2004). New Potent Insecticidal Agent: 4 '-Fucosyl Avermectin Derivative. Tetrahedron Lett. 45: 6895-6898.

Wei, H; Pei, X; Fang, X. (2011). Comparative study on polyimides from isomeric 3,3â€²-, 3,4â€²-, and 4,4â€²-linked bis(thioether anhydride)s. Journal of polymer science. 49: 2484-2494.

Wei, LJ; Wei, GH; Zhang, HC; Wang, PG; Du, YG. (2005). Synthesis of new, potent avermectin-like insecticidal agents. Carbohydr Res. 340: 1583-1590.

Weidemann, C; Rehder, D. (1986). The solution structures of the VOCl3 complexes of neutral nitrogen and oxygen donors: a vanadium-51 NMR spectroscopic study. Inorganica Chimica Acta. 120: 15-20.

Wells, DA; Digenis, GA. (1988). Disposition and metabolism of double-labeled [3H and 14C] N-methyl-2-pyrrolidinone in the rat. Drug metabolism and disposition: the biological fate of chemicals. 16: 243-249.

Wells, DA; Hawi, AA; Digenis, GA. (1992). Isolation and identification of the major urinary metabolite of N-methylpyrrolidinone in the rat. Drug metabolism and disposition: the biological fate of chemicals. 20: 124-126.

Wheaton, CJ; Savage, A; Shukla, A; Neiffer, D; Qu, W; Sun, Y; Lasley, BL. (2011). The Use of Long Acting Subcutaneous Levonorgestrel (LNG) Gel Depot as an Effective Contraceptive Option for Cotton-Top Tamarins (Saguinus oedipus). Zoo Biology. 30: 498-522.

Willey, AD; Holt, JM; Larsen, BA; Blackburn, JL; Liddiard, S; Abbott, J; Coffin, M; Vanfleet, RR; Davis, RC. (2014). Thin films of carbon nanotubes via ultrasonic spraying of suspensions in N-methyl-2-pyrrolidone and N-cyclohexyl-2-pyrrolidone. Journal of Vacuum Science & Technology B. 32: 11218-11218.

Williams, AL; Dandepally, SR; Gilyazova, N; Witherspoon, SM; Ibeanu, G. (2010). Microwave-assisted synthesis of 4-chloro-N-(naphthalen-1-ylmethyl)-5-(3-(piperazin-10-yl)phenoxy)thiophe ne-2-sulfonamide (B-355252): a new potentiator of nerve growth factor (NGF)-induced neurite outgrowth. Tetrahedron. 66: 9577-9581.

Wilpiszewska, K; Spychaj, T. (2007). Chemical modification of starch with hexamethylene diisocyanate derivatives. Carbohydr Polymer. 70, issue 3: 334-340.

Wischke, C; Zhang, Y; Mittal, S; Schwendeman, SP. (2010). Development of PLGA-Based Injectable Delivery Systems For Hydrophobic Fenretinide. Pharm Res. 27: 2063-2074.

Wong, DP; Tseng, H-P; Chen, Y-T; Hwang, B-J; Chen, L-C; Chen, K-H. (2013). A stable silicon/graphene composite using solvent exchange method as anode material for lithium ion batteries. Carbon. 63: 397-403.

Wu, C; Cheng, Q; Wu, K; Wu, G; Li, Q. (2014). Graphene prepared by one-pot solvent exfoliation as a highly sensitive platform for electrochemical sensing. Anal Chim Acta. 825: 26-33.

Wu, C; Cheng, Q; Wu, KB. (2015). Electrochemical Functionalization of N-Methyl-2-pyrrolidone-Exfoliated Graphene Nanosheets as Highly Sensitive Analytical Platform for Phenols. Anal Chem. 87: 3294-3299.

Environmental Hazard Literature Search Results

Off Topic

Wu, F; Ngothai, Y; Wei, J; Liu, CS; O'Neill, B; Wu, YQ. (2012). Premixed, injectable PLA-modified calcium deficient apatite biocement (cd-AB) with washout resistance. Colloids and Surfaces B-Biointerfaces. 92: 113-120.

Wu, JJ; Lee, HW; You, JH; Kau, YC; Liu, SJ. (2014). Adsorption of silver ions on polypyrrole embedded electrospun nanofibrous polyethersulfone membranes. J Colloid Interface Sci. 420: 145-151.

Xin, G; Gong, S; Kim, N; Kim, J; Hwang, W; Nam, J; Cho, Y-H; Cho, SM; Chae, H. (2013). Graphene oxide/N-methyl-2-pyrrolidone charge-transfer complexes for molecular detection. Sensors & Actuators: B. 176: 81-85.

Xue, J; Guo, ZW. (2003). Efficient synthesis of complex glycopeptides based on unprotected oligosaccharides. J Org Chem. 68: 2713-2719.

Yadav, JS; Reddy, BVS; Gupta, MK; Prathap, I; Dash, U. (2007). Facile addition of ketones to activated isoquinolines using N-methyl-2-pyrrolidinone. Synthesis-Stuttgart1077-1081.

Yamazaki, N; Niwano, M; Kawabata, J; Higashi, F. (1975). Preparation of peptides and active esters by a hydrolysis-dehydration reaction with phosphonites, and the application of the reaction to polymer synthesis. Tetrahedron. 31: 665-670.

Yang, S; Shen, C; Tian, Y; Zhang, X; Gao, HJ. (2014). Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. Nanoscale. 6: 13154-13162.

Yang, SJ; Lee, SH; Kwak, HJ; Gong, YD. (2013). Regioselective Synthesis of 2-Amino-Substituted 1,3,4-Oxadiazole and 1,3,4-Thiadiazole Derivatives via Reagent-Based Cyclization of Thiosemicarbazide Intermediate. J Org Chem. 78: 438-444.

Yang, Y; Xu, L; Gao, YN; Wang, QF; Che, X; Li, SM. (2012). Improved initial burst of estradiol organogel as long-term in situ drug delivery implant: formulation, in vitro and in vivo characterization. Drug Dev Ind Pharm. 38: 550-556.

Yao, P; Xu, J; Wang, Y; Zhu, C. (2009). Preparation and characterization of soluble and DBSA doped polyaniline grafted multi-walled carbon nanotubes nano-composite. Journal of Materials Science-Materials in Electronics. 20: 891-898.

Yasuhara, A; Sugiura, G. (1987). VOLATILE COMPOUNDS IN PYROLIGNEOUS LIQUIDS FROM KARAMATSU AND CHISHIMA-SASA. Agric Biol Chem. 51: 3049-3060.

Yasui, Y; Kakinokihara, I; Takeda, H; Takemoto, Y. (2009). Preparation of alpha,beta-Unsaturated Lactams through Intramolecular Electrophilic Carbamoylation of Alkenes. Synthesis-Stuttgart3989-3993.

Yehia, SA; Elshafeey, AH; Elsayed, I. (2012). A novel injectable in situ forming poly-DL-lactide and DL-lactide/glycolide implant containing lipospheres for controlled drug delivery. J Liposome Res. 22: 128-138.

Yen, H-J; Liou, G-S. (2009). Synthesis, photoluminescence, and electrochromism of novel aromatic poly(amine-1,3,4-oxadiazole)s bearing anthrylamine chromophores. Journal of polymer science. 47: 1584-1594.

Yilmaz, E; Bengisu, M. (2003). Preparation and characterization of physical gels and beads from chitin solutions. Carbohydr Polymer. 54: 479-488.

Yin, J; Zhu, G; Deng, B. (2013). Multi-walled carbon nanotubes (MWNTs)/polysulfone (PSU) mixed matrix hollow fiber membranes for enhanced water treatment. J Memb Sci. 437: 237-248.

Yoonessi, M; Shi, Y; Scheiman, DA; Lebron-Colon, M; Tigelaar, DM; Weiss, RA; Meador, MA. (2012). Graphene polyimide nanocomposites; thermal, mechanical, and high-temperature shape memory effects. ACS Nano. 6: 7644-7655.

Yoshimitsu, T; Atsumi, C; Iimori, E; Nagaoka, H; Tanaka, T. (2008). Synthesis of (+/-)-aphanorphine: a new approach to tricyclic 3-benzazepine scaffold using two radical C-C bond-forming reactions. Tetrahedron Lett. 49: 4473-4475.

Yoshioka, Y. (2009). Preparation of poly(amino-amide) particles complexed with ZnO particles using silane coupling agents. Journal of polymer science. 47: 4908-4918.

Yslas, EI; Ibarra, LE; Peralta, DnO; Barbero, CsA; Rivarola, VA; Bertuzzi, ML. (2012). Polyaniline nanofibers: Acute toxicity and teratogenic effect on Rhinella arenarum embryos. Chemosphere. 87: 1374-1380.

Yu, G; Li, B; Liu, J; Wu, S; Tan, H; Pan, C; Jian, X. (2012). Novel thermally stable and organosoluble aromatic polyamides with main chain phenyl-1,3,5-triazine moieties. Polymer degradation and stability. 97: 1807-1814.

Yu, X; Tian, J; Xie, H; Shen, H; Wang, Q. (2014). The integrated production of microbial lipids and bio-SiO2 from rice husks by an organic electrolytes pretreatment technology. Bioresour Technol. 153: 403-407.

Yune, PS; Kilduff, JE; Belfort, G. (2011). Using co-solvents and high throughput to maximize protein resistance for poly(ethylene glycol)-grafted poly(ether sulfone) UF membranes. J Memb Sci. 370: 166-174.

Zackrisson, M; Avellan, L; Orlenius, J. (2010). Life cycle assessment of lithium-ion batteries for plug-in hybrid electric vehicles - Critical issues. J Clean Prod. 18: 1519-1529.

Zaky, MT; Mohamed, NH; Farag, AS. (2011). Separation of some paraffin wax grades using solvent extraction technique. Fuel Process Tech. 92: 2024-2029.

Zaky, MT; Tawfik, SM. (2011). Production of lubricating base oil from slop wax by different subsequent refining techniques. Fuel Process Tech. 92: 447-451.

Zarth, CnSoP; Koschella, A; Pfeifer, A; Dorn, S; Heinze, T. (2011). Synthesis and characterization of novel amino cellulose esters. Cellulose. 18: 1315-1325.

Zeikus, JG; Jain, MK; Elankovan, P. (1999). Biotechnology of succinic acid production and markets for derived industrial products. Appl Microbiol Biotechnol. 51: 545-552.

Zellers, ET; Sulewski, R. (1993). Modeling the temperature dependence of N-methylpyrrolidone permeation through butyl- and natural-rubber gloves. Am Ind Hyg Assoc J. 54: 465-479.

Zhan, YJ; Lu, Y; Peng, C; Lou, J. (2011). Solvothermal synthesis and mechanical characterization of single crystalline copper nanorings. J Cryst Growth. 325: 76-80.

Zhang, J. (2008). Design of polymer composites with improved adhesion and wear properties. PhD Thesis, University of Illinois at Urbana-Champaign147.

Environmental Hazard Literature Search Results

Off Topic

Zhang, J; Liu, Y; Gong, L; Xu, G; Zhang, C. (2016). Four distinct anionic heterothiometallic W/S/Ag polymeric clusters directed by solvent-coordinated metal cations. Polyhedron. 109: 67-74.

Zhang, JY; Fang, L; Tan, Z; Wu, J; He, ZG. (2009). Influence of ion-pairing and chemical enhancers on the transdermal delivery of meloxicam. Drug Dev Ind Pharm. 35: 663-670.

Zhang, Q; Wang, H; Fan, XF; Chen, S; Yu, HT; Quan, X. (2016). A controlled wet-spinning and dip-coating process for preparation of high-permeable TiO2 hollow fiber membranes. Water Science and Technology. 73: 725-733.

Zhang, S; Arunachalam, P; Abe, T; Iyoda, T; Nagai, K. (2012). Photocatalytic decomposition of N-methyl-2-pyrrolidone, aldehydes, and thiol by biphase and p/n junction-like organic semiconductor composite nanoparticles responsive to nearly full spectrum of visible light. Journal of Photochemistry & Photobiology, A: Chemistry. 244: 18-23.

Zhang, S; Sakai, R; Abe, T; Iyoda, T; Norimatsu, T; Nagai, K. (2011). Photoelectrochemical and photocatalytic properties of biphasic organic p- and n-type semiconductor nanoparticles fabricated by a reprecipitation process. ACS applied materials & interfaces. 3: 1902-1909.

Zhang, SY; Li, D; Guo, D; Zhang, H; Shi, W; Cheng, P; Wojtas, L; Zaworotko, MJ. (2015). Synthesis of a Chiral Crystal Form of MOF-5, CMOF-5, by Chiral Induction. J Am Chem Soc. 137: 15406-15409.

Zhang, TY; Zhang, ZY; Nishiyama, Y; Maekawa, H. (2016). Facile and highly selective silylation of vinylpyridines at the beta-olefinic carbon by magnesium-promoted reduction. Tetrahedron. 72: 2293-2299.

Zhang, X; Lai, ZC; Liu, ZD; Tan, CL; Huang, Y; Li, B; Zhao, MT; Xie, LH; Huang, W; Zhang, H. (2015). A Facile and Universal Top-Down Method for Preparation of Monodisperse Transition-Metal Dichalcogenide Nanodots. Angewandte Chemie-International Edition. 54: 5425-5428.

Zhang, XQ; Chen, MJ; Liu, CF; Zhang, AP; Sun, RC. (2015). Homogeneous ring opening graft polymerization of epsilon-caprolactone onto xylan in dual polar aprotic solvents. Carbohydr Polymer. 117: 701-709.

Zhang, XW; Zhang, C; Zhang, W; Meng, S; Liu, DH; Wang, P; Guo, J; Li, JX; Guan, YM; Yang, D. (2015). Feasibility of poly (epsilon-caprolactone-co-DL-lactide) as a biodegradable material for in situ forming implants: evaluation of drug release and in vivo degradation. Drug Dev Ind Pharm. 41: 342-352.

Zhang, Y; Yang, N; Lv, J; Song, H; Duan, X; Leng, J; Bo, J; Liu, D; Huang, Y. (2014). A preclinical study of novel phentolamine formulation and in vitro/in vivo evaluation. Journal of Drug Delivery Science and Technology. 24: 22-26.

Zhao, S; Wang, Z; Wang, J; Yang, S; Wang, S. (2011). PSf/PANI nanocomposite membrane prepared by in situ blending of PSf and PANI/NMP. J Memb Sci. 376: 83-95.

Zhao, S; Wang, Z; Wei, X; Zhao, B; Wang, J; Yang, S; Wang, S. (2011). Performance improvement of polysulfone ultrafiltration membrane using PANiEB as both pore forming agent and hydrophilic modifier. J Memb Sci. 385-386: 251-262.

Zhong, JC; Tang, HL; Chen, YW; Liu, XB. (2010). The preparation, mechanical and dielectric properties of PEN/HBCuPc hybrid films. Journal of Materials Science-Materials in Electronics. 21: 1244-1248.

Zhou, D; Cheng, Q-Y; Han, B-H. (2011). Solvothermal synthesis of homogeneous graphene dispersion with high concentration. Carbon. 49: 3920-3927.

Zhou, L; Gao, C; Zhu, D; Xu, W; Chen, FF; Palkar, A; Echegoyen, L; Kong, ES. (2009). Facile functionalization of multilayer fullerenes (carbon nano-onions) by nitrene chemistry and "grafting from" strategy. Chemistry (Weinheim an der Bergstrasse, Germany). 15: 1389-1396.

Zhou, Q; Hambley, TW; Kennedy, BJ; Lay, PA; Turner, P; Warwick, B; Biffin, JR; Regtop, HL. (2000). Syntheses and characterization of anti-inflammatory dinuclear and mononuclear zinc indomethacin complexes. Crystal structures of [Zn2(indomethacin)4(L)2] (L = N,N-dimethylacetamide, pyridine, 1-methyl-2-pyrrolidinone) and [Zn(indomethacin)2(L1)2] (L1 = ethanol, methanol). Inorg Chem. 39: 3742-3748.

Zhu, J. (2008). Graphene production: new solutions to a new problem. Nat Nanotechnol. 3: 528-529.

Zimmermann, FK; Holzwarth, ULI; Scheel, I; Resnick, MA. (1988). Aprotic polar solvents that affect porcine brain tubulin aggregation in vitro induce aneuploidy in yeast cells growing at low temperatures. Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis. 201: 431-442.

Zimmermann, FK; Scheel, I; Resnick, MA. (1989). Induction of chromosome loss by mixtures of organic solvents including neurotoxins. Mutation Research/Genetic Toxicology. 224: 287-303.

Zschocke, P; Strathmann, H. (1980). Solvent resistant membranes from poly-(p-phenylene-terephthalamide). Desalination. 34: 69-75.

Human Health Hazard Literature Search Results

On Topic

Akesson, B. (1994). The Nordic Expert Group for Criteria Documentation of Health Risks from Chemicals. 115. N-Methyl-2-pyrrolidone (NMP).

Akesson, B; Carnerup, MA; Jönsson, BA. (2004). Evaluation of exposure biomarkers from percutaneous absorption of N-methyl-2-pyrrolidone. Scand J Work Environ Health. 30: 306-312.

Akesson, B; Jönsson, BA. (1997). Major metabolic pathway for N-methyl-2-pyrrolidone in humans. Drug Metab Dispos. 25: 267-269.

Akesson, B; Jönsson, BA. (2000). Biological monitoring of N-methyl-2-pyrrolidone using 5-hydroxy-N-methyl-2-pyrrolidone in plasma and urine as the biomarker. Scand J Work Environ Health. 26: 213-218.

Akesson, B; Paulsson, K. (1997). Experimental exposure of male volunteers to N-methyl-2-pyrrolidone (NMP): acute effects and pharmacokinetics of NMP in plasma and urine. Occup Environ Med. 54: 236-240.

Akrill, P; Cocker, J; Dixon, S. (2002). Dermal exposure to aqueous solutions of N-methyl pyrrolidone. Toxicol Lett. 134: 265-269.

Anon. (1999). N-Methyl-2-pyrrolidone - Risk assessment document.

Bader, M; Keener, SA; Wrbitzky, R. (2005). Dermal absorption and urinary elimination of N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 78: 673-676. http://dx.doi.org/10.1007/s00420-005-0008-0.

Human Health Hazard Literature Search Results

On Topic

Bader, M; Rosenberger, W; Rebe, T; Keener, SA; Brock, TH; Hemmerling, HJ; Wrbitzky, R. (2006). Ambient monitoring and biomonitoring of workers exposed to N-methyl-2-pyrrolidone in an industrial facility. Int Arch Occup Environ Health. 79: 357-364. http://dx.doi.org/10.1007/s00420-005-0065-4.

Bader, M; Wrbitzky, R; Blaszkewicz, M; Schäper, M; van Thriel, C. (2008). Human volunteer study on the inhalational and dermal absorption of N-methyl-2-pyrrolidone (NMP) from the vapour phase. Arch Toxicol. 82: 13-20. http://dx.doi.org/10.1007/s00204-007-0230-5.

Bader, M; Wrbitzky, R; Blaszkewicz, M; van Thriel, C. (2007). Human experimental exposure study on the uptake and urinary elimination of N-methyl-2-pyrrolidone (NMP) during simulated workplace conditions. Arch Toxicol. 81: 335-346. http://dx.doi.org/10.1007/s00204-006-0161-6.

Baggio, G; Ferrari, F; Ferrari, P. (1976). Adrenalin release caused by N-methylpyrrolidone injected into the adrenal gland. 31: 275-282.

Bartsch, W; Sponer, G; Dietmann, K; Fuchs, G. (1976). Acute toxicity of various solvents in mouse and rat - LD50 of ethanol, diethylacetamide, dimethylformamide, dimethylsulfoxide, glycerine, N-methylpyrrolidone, polyethylene-glycol 400, 1,2-propanediol and Tween 20. Arzneimittelforschung. 26: 1581-1583.

Becci, PJ; Gephart, LA; Koschier, FJ; Johnson, WD; Burnette, LW. (1983). Subchronic feeding study in beagle dogs of N-methylpyrrolidone. J Appl Toxicol. 3: 83-86.

Becci, PJ; Knickerbocker, MJ; Parent, RA; Burnette, LW. (1981). Teratologic evaluation of n-methylpyrrolidone in sprague-dawley rats. Toxicologist. 1: 29-30.

Becci, PJ; Knickerbocker, MJ; Reagan, EL; Parent, RA; Burnette, LW. (1982). Teratogenicity study of N-methylpyrrolidone after dermal application to Sprague-Dawley rats. Fundam Appl Toxicol. 2: 73-76.

Boenisch, U; Boehme, A; Kohajda, T; Moegel, I; Schuetze, N; von Bergen, M; Simon, J; Lehmann, I; Polte, T. (2012). Volatile Organic Compounds Enhance Allergic Airway Inflammation in an Experimental Mouse Model. PLoS ONE. 7: e39817. http://dx.doi.org/10.1371/journal.pone.0039817.

Bower, DB. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone [Letter]. J Occup Environ Med. 39: 393-394.

Carnerup, MA; Akesson, B; Jönsson, BA. (2001). Determination of 5-hydroxy-N-methyl-2-pyrrolidone and 2-hydroxy-N-methylsuccinimide in human plasma and urine using liquid chromatography-electrospray tandem mass spectrometry. J Chromatogr B Biomed Sci Appl. 761: 107-113.

Carnerup, MA; Saillenfait, AM; Jönsson, BA. (2005). Concentrations of N-methyl-2-pyrrolidone (NMP) and its metabolites in plasma and urine following oral administration of NMP to rats. Food Chem Toxicol. 43: 1441-1447. http://dx.doi.org/10.1016/j.fct.2005.04.007.

Carnerup, MA; Spanne, M; Jönsson, BA. (2006). Levels of N-methyl-2-pyrrolidone (NMP) and its metabolites in plasma and urine from volunteers after experimental exposure to NMP in dry and humid air. Toxicol Lett. 162: 139-145. http://dx.doi.org/10.1016/j.toxlet.2005.09.035.

Ciba-Geigy. (1991). Initial submission: subcutaneous tolerability of cga-184'699 injectable formulations in cats using therapeutic- and 5-fold elevated volumes with cover letter dated 112091. (88-920000198).

Clark, B; Furlong, JW; Ladner, A; Slovak, AJM. (1984). Dermal toxicity of dimethyl acetylene dicarboxylate, N-methyl pyrrolidone, triethylene glycol dimethyl ether, dioxane and tetralin in the rat. IRCS Med Sci. 12: 296-297.

Decker, S; Winkelmann, W; Nies, B; van Valen, F. (1999). Cytotoxic effect of methotrexate and its solvent on osteosarcoma cells in vitro. J Bone Joint Surg Br. 81: 545-551.

Dudeck, O; Jordan, O; Hoffmann, KT; Okuducu, AF; Tesmer, K; Kreuzer-Nagy, T; Rüfenacht, DA; Doelker, E; Felix, R. (2006). Organic solvents as vehicles for precipitating liquid embolics: a comparative angiotoxicity study with superselective injections of swine rete mirabile. AJNR Am J Neuroradiol. 27: 1900-1906.

DuPont. (1991). Initial submission: Letter submitting two enclosed ninety-day feeding studies on two separate chemicals with attachments. (88-920000276).

Engelhardt, G; Fleig, H. (1993). 1-Methyl-2-pyrrolidinone (NMP) does not induce structural and numerical chromosomal aberrations in vivo. Mutat Res. 298: 149-155.

FDA. (1992). Initial Submission: Teratological Dose Range-finding Study with N-methylpyrrolidone in Sprague-dawley Rats (Final Report) with Attachments and Cover Letter Dated 02/27/1992. (88-820001293).

FDA. (2003). International Conference on Harmonisation; final recommendations on the revision of the permitted daily exposures for two solvents, n-methylpyrrolidone and tetrahydrofuran, according to the maintenance procedures for the guidance Q3C Impurities: Residual Solvents; Availability. Notice. Fed Reg. 68: 64352-64353.

Flick, B; Klug, S. (2006). In vitro toxicity of N-methyl-pyrrolidone (NMP) in comparison to ethanol using the whole embryo culture test (WEC) with consideration of new endpoints. Naunyn Schmiedebergs Arch Pharmacol. 372: 100-100.

Flick, B; Talsness, CE; Jäckh, R; Buesen, R; Klug, S. (2009). Embryotoxic potential of N-methyl-pyrrolidone (NMP) and three of its metabolites using the rat whole embryo culture system. Toxicol Appl Pharmacol. 237: 154-167. http://dx.doi.org/10.1016/j.taap.2009.02.024.

Garnier, R; Nikolova, N; Villa, A. (2010). Facade chemichal paint-remover hazards. Arch Mal Prof Environ. 71: 30-37. http://dx.doi.org/10.1016/j.admp.2009.12.009.

Ghayor, C; Correro, RM; Lange, K; Karfeld-Sulzer, LS; Grätz, KW; Weber, FE. (2011). Inhibition of osteoclast differentiation and bone resorption by N-methylpyrrolidone. J Biol Chem. 286: 24458-24466. http://dx.doi.org/10.1074/jbc.M111.223297.

Ghayor, C; Gjoksi, B; Siegenthaler, B; Weber, FE. (2015). N-methyl pyrrolidone (NMP) inhibits lipopolysaccharide-induced inflammation by suppressing NF-κB signaling. Inflamm Res. 64: 527-536. http://dx.doi.org/10.1007/s00011-015-0833-x.

Gjoksi, B; Ghayor, C; Bhattacharya, I; Zenobi-Wong, M; Weber, FE. (2016). The bromodomain inhibitor N-methyl pyrrolidone reduced fat accumulation in an ovariectomized rat model. Clinical Epigenetics. 8: 42. http://dx.doi.org/10.1186/s13148-016-0209-2.

Gjoksi, B; Ghayor, C; Siegenthaler, B; Ruangsawasdi, N; Zenobi-Wong, M; Weber, FE. (2015). The epigenetically active small chemical N-methyl pyrrolidone (NMP) prevents estrogen depletion induced osteoporosis. Bone. 78: 114-121. http://dx.doi.org/10.1016/j.bone.2015.05.004.

Human Health Hazard Literature Search Results

On Topic

Gjoksi, B; Ghayor, C; Weber, F. (2014). The potential of N-methylpyrrolidone to prevent osteoporosis and enhance bone regeneration in vivo. FASEB J. 28.

Gjoksi, B; Ghayor, C; Weber, FE. (2015). THE EPIGENETICALLY ACTIVE SMALL CHEMICAL N-METHYL PYRROLIDONE (NMP) PREVENTS OVARIECTOMY-INDUCED OSTEOPOROSIS IN RATS. Osteoporos Int. 26: S82-S83.

Gjoksi, B; Ruangsawasdi, N; Ghayor, C; Siegenthaler, B; Zenobi-Wong, M; Weber, FE. (2017). Influence of N-methyl pyrrolidone on the activity of the pulp-dentine complex and bone integrity during osteoporosis. International Endodontic Journal Online. 50: 271-280. http://dx.doi.org/10.1111/iej.12622.

Gopinathan, S; O'Neill, E; Rodriguez, LA; Champ, R; Phillips, M; Nouraldeen, A, mr; Wendt, M; Wilson, AGE; Kramer, JA. (2013). In vivo toxicology of excipients commonly employed in drug discovery in rats. J Pharmacol Toxicol Methods. 68: 284-295. http://dx.doi.org/10.1016/j.vascn.2013.02.009.

Hasegawa, R; Koizumi, M; Hirose, A. (2004). Principles of risk assessment for determining the safety of chemicals: recent assessment of residual solvents in drugs and di(2-ethylhexyl) phthalate [Review]. Congenit Anom. 44: 51-59. http://dx.doi.org/10.1111/j.1741-4520.2004.00009.x.

Haskell Laboratories. (1991). Initial submission: four-week inhalation range-finding test on 1-methyl-2-pyrrolidone (final report) with attachments and cover letter dated 112691. (88-920000398).

Hass, U. (1991). Relationship between reduced body weight and delayed development in a behavioral teratology study. Teratology. 43: 500.

Hass, U; Jakobsen, BM; SP, L. (1995). Developmental toxicity of inhaled N-methylpyrrolidone in the rat. Pharmacol Toxicol. 76: 406-409.

Hass, U; Lund, SP; Elsner, J. (1994). Effects of prenatal exposure to N-methylpyrrolidone on postnatal development and behavior in rats. Neurotoxicol Teratol. 16: 241-249.

Haufroid, V; Jaeger, VK; Jeggli, S; Eisenegger, R; Bernard, A; Friedli, D; Lison, D; Hotz, P. (2014). Biological monitoring and health effects of low-level exposure to N-methyl-2-pyrrolidone: a cross-sectional study. Int Arch Occup Environ Health. 87: 663-674. http://dx.doi.org/10.1007/s00420-013-0906-5.

Hygieniska, KF. (1987). Scientific basis for Swedish Occupational Standards. VIII. Consensus report for n-methyl-2- pyrrolidone. Arbete och Hälsa. 39: 173-177.

IRK. (2014). [Guide values for 1-methyl-2-pyrrolidone in indoor air. Report of the German Ad-hoc Working Group on indoor Guidelines of the Indoor Air Hygiene Committee and of the States' Supreme Health Authorities]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 57: 1232-1241. http://dx.doi.org/10.1007/s00103-014-2041-1.

Jakobsen, BM; Hass, U. (1990). Prenatal toxicity of N-methylpyrrolidone inhalation in rats: a teratogenicity study. Teratology. 42: 10-14.

Jongeneelen, FJ; Ten Berge, W. (2011). A Generic, Cross-Chemical Predictive PBTK Model with Multiple Entry Routes Running as Application in MS Excel; Design of the Model and Comparison of Predictions with Experimental Results. Ann Occup Hyg. 55: 841-864. http://dx.doi.org/10.1093/annhyg/mer075.

Jönsson, BA; Akesson, B. (1997). Determination of N-methylsuccinimide and 2-hydroxy-N-methylsuccinimide in human urine and plasma. J Chromatogr B Biomed Sci Appl. 704: 151-158.

Jönsson, BA; Akesson, B. (2001). N-methylsuccinimide in plasma and urine as a biomarker of exposure to N-methyl-2-pyrrolidone. Int Arch Occup Environ Health. 74: 289-294.

Jönsson, BA; Akesson, B. (2003). Human experimental exposure to N-methyl-2-pyrrolidone (NMP): toxicokinetics of NMP, 5-hydroxy- N-methyl-2-pyrrolidone, N-methylsuccinimide and 2-hydroxy- N-methylsuccinimide (2-HMSI), and biological monitoring using 2-HMSI as a biomarker. Int Arch Occup Environ Health. 76: 267-274. http://dx.doi.org/10.1007/s00420-003-0438-5.

Jonsson, BAG; Akesson, B. (1997). Determination of 5-hydroxy-N-methylpyrrolidone and 2-hydroxy-N-methylsuccinimide in human urine. Journal of Chromatography B. 694: 351-357.

Jungbauer, FH; Coenraads, PJ; Kardaun, SH. (2001). Toxic hygroscopic contact reaction to N-methyl-2-pyrrolidone. Contact Derm. 45: 303-304.

Keener, SA; Wrbitzky, R; Bader, M. (2007). Human volunteer study on the influence of exposure duration and dilution of dermally applied N-methyl-2-pyrrolidone (NMP) on the urinary elimination of NMP metabolites. Int Arch Occup Environ Health. 80: 327-334. http://dx.doi.org/10.1007/s00420-006-0138-z.

Komissarov, IV. (1960). [On the mechanism of action of decamethonium analogues--2-methylpyrrolidone derivatives]. Farmakol Toksikol. 23: 238-242.

Kubota, R; Endo, Y; Takeuchi, A; Inoue, Y; Ogata, H; Ogawa, M; Nakagawa, T; Onda, N; Endo, G. (2007). SPE-GC/FTD determination of N-methyl-2-pyrrolidone and its metabolites in urine. Journal of Chromatography B. 854: 204-210. http://dx.doi.org/10.1016/j.jchromb.2007.04.022.

Lashmar, UT; Hadgraft, J; Thomas, N. (1989). Topical application of penetration enhancers to the skin of nude mice: a histopathological study. J Pharm Pharmacol. 41: 118-122.

Laurent, A; Mottu, F; Chapot, R; Zhang, JQ; Jordan, O; Rüfenacht, DA; Doelker, E; Merland, JJ. (2007). Cardiovascular effects of selected water-miscible solvents for pharmaceutical injections and embolization materials: a comparative hemodynamic study using a sheep model. PDA J Pharm Sci Technol. 61: 64-74.

Lee, KP; Chromey, NC; Culik, R; Barnes, JR; Schneider, PW. (1987). Toxicity of N-methyl-2-pyrrolidone (NMP): Teratogenic, subchronic, and two-year inhalation studies. Fundam Appl Toxicol. 9: 222-235.

Leira, HL; Tiltnes, A; Svendsen, K; Vetlesen, L. (1992). Irritant cutaneous reactions to N-methyl-2-pyrrolidone (NMP). Contact Derm. 27: 148-150.

Li, Q; Liu, R; Zhao, J; Lu, Q. (2016). N-methyl pyrrolidone (NMP) ameliorates the hypoxia-reduced osteoblast differentiation via inhibiting the NF-κB signaling. J Toxicol Sci. 41: 701-709. http://dx.doi.org/10.2131/jts.41.701.

Ligocka, D; Lison, D; Haufroid, V. (2003). Contribution of CYP2E1 to N-methyl-2-pyrrolidone metabolism. Arch Toxicol. 77: 261-266. http://dx.doi.org/10.1007/s00204-003-0440-4.

Lundberg, P. (1987). Scientific basis for Swedish occupational standards. VIII. (CIS/89/01980). Arbetarskyddsstyrelsen, Publikationsservice.

Human Health Hazard Literature Search Results

On Topic

Lunder, S; Woodruff, TJ; Axelrad, DA. (2004). An analysis of candidates for addition to the Clean Air Act list of hazardous air pollutants. Journal of the Air and Waste Management Association. 54: 157-171.

Malek, DE; Malley, LA; Slone, TW; Elliott, GS; Kennedy, GL; Mellert, W; Deckardt, K; Gembardt, C; Hildebrand, B; Murphy, SR; Bower, DB; Wright, GA. (1997). Repeated dose toxicity study (28 days) in rats and mice with N-methylpyrrolidone (NMP). Drug Chem Toxicol. 20: 63-77. http://dx.doi.org/10.3109/01480549709011079.

Malley, LA; Kennedy, GL; Elliott, GS; Slone, TW; Mellert, W; Deckardt, K; Gembardt, C; Hildebrand, B; Parod, RJ; Mccarthy, TJ; Griffiths, JC. (1999). 90-day subchronic toxicity study in rats and mice fed N-methylpyrrolidone (NMP) including neurotoxicity evaluation in rats. Drug Chem Toxicol. 22: 455-480. http://dx.doi.org/10.3109/01480549909042526.

Malley, LA; Kennedy, GL; Elliott, GS; Slone, TW; Mellert, W; Deckardt, K; Kuttler, K; Hildebrand, B; Banton, MI; Parod, RJ; Griffiths, JC. (2001). Chronic toxicity and oncogenicity of N-methylpyrrolidone (NMP) in rats and mice by dietary administration. Drug Chem Toxicol. 24: 315-338. http://dx.doi.org/10.1081/DCT-100106262.

Mathews, JM; Parker, MK; Jeffcoat, AR. (1991). METABOLISM AND DISPOSITION OF N-METHYL-2-PYRROLIDINONE (NMP) IN RATS. FASEB J. 5: A1209-A1209.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1988). Aneuploidy induction in Saccharomyces cerevisiae by two solvent compounds, 1-methyl-2-pyrrolidinone and 2-pyrrolidinone. Environ Mol Mutagen. 11: 31-40.

Meier, S; Schindler, BK; Koslitz, S; Koch, HM; Weiss, T; Käfferlein, HU; Brüning, T. (2013). Biomonitoring of exposure to N-methyl-2-pyrrolidone in workers of the automobile industry. Ann Occup Hyg. 57: 766-773. http://dx.doi.org/10.1093/annhyg/mes111.

Meleshchenko, KF. (1970). [Sanitary-hygienic features of methylpyrrolidone as a water contaminant]. Gig Sanit. 35: 84-85.

Mitchell, CS; Schwartz, BS; Kuhnen, AE; Frankel, YM; Dailey, VA; Weaver, VM. (1998). Other chemicals. In LM Frazier; ML Hage (Eds.), (pp. 333-363). New York, NY: Van Nostrand Reinhold.

Moreau, JP; Vachon, PJ; Huneau, MC. (2001). Elevated glycemia and local inflammation after injecting N-methyl-2-pyrrolidone (NMP) into the marginal ear vein of rabbits. Contemp Top Lab Anim Sci. 40: 38-40.

Nishimura, S; Yasui, H; Miyauchi, H; Kikuchi, Y; Kondo, N; Takebayashi, T; Tanaka, S; Mikoshiba, Y; Omae, K; Nomiyama, T. (2009). A cross-sectional observation of effect of exposure to N-methyl-2-pyrrolidone (NMP) on workers' health. Ind Health. 47: 355-362.

Nordic Chemicals, g; Wallen, M. (1992). Health effects of selected chemicals 1. Methylpyrrilidinone. Nord. 6: 75-89.

Nordic Expert, G; Åkesson, B. (1994). 115. N-Methyl-2-Pyrrolidone (NMP). Arbete och Hälsa. 40.

Payan, JP; Beydon, D; Fabry, JP; Boudry, I; Cossec, B; Ferrari, E. (2002). Toxicokinetics and metabolism of N-[14C]methylpyrrolidone in male Sprague-Dawley rats. A saturable NMP elimination process. Drug Metab Dispos. 30: 1418-1424.

Payan, JP; Boudry, I; Beydon, D; Fabry, JP; Grandclaude, MC; Ferrari, E; André, JC. (2003). Toxicokinetics and metabolism of N-[(14)C]N-methyl-2-pyrrolidone in male Sprague-Dawley rats: in vivo and in vitro percutaneous absorption. Drug Metab Dispos. 31: 659-669.

Penney, MS. (2003). Physiologically-based pharmacokinetic modelling of the skin absorption of N-methyl-pyrrolidone in vivo. Toxicology. 192: 79-80.

Poet, TS; Kirman, CR; Bader, M; van Thriel, C; Gargas, ML; Hinderliter, PM. (2010). Quantitative risk analysis for N-methyl pyrrolidone using physiologically based pharmacokinetic and benchmark dose modeling. Toxicol Sci. 113: 468-482. http://dx.doi.org/10.1093/toxsci/kfp264.

Poet, TS; Schlosser, PM; Rodriguez, CE; Parod, RJ; Rodwell, DE; Kirman, CR. (2016). Using physiologically based pharmacokinetic modeling and benchmark dose methods to derive an occupational exposure limit for N-methylpyrrolidone. Regul Toxicol Pharmacol. 76: 102-112. http://dx.doi.org/10.1016/j.yrtph.2015.12.020.

Ruehl, R; Kluger, N. (1995). HAZARDOUS SUBSTANCES IN CONSTRUCTION WORK. Occup Med (Lond). PHILADELPHIA: 335-351.

Saillenfait, AM; Gallissot, F; Langonn„E, I; Sabat„E, J; Health, NI, s; Safety, V; Morel, G. (2001). Developmental toxicity of N-methyl-2-pyrrolidone administered by gavage or inhalation to rats. 3: 294-295.

Saillenfait, AM; Gallissot, F; Langonné, I; Sabaté, JP. (2002). Developmental toxicity of N-methyl-2-pyrrolidone administered orally to rats. Food Chem Toxicol. 40: 1705-1712.

Saillenfait, AM; Gallissot, F; Morel, G. (2003). Developmental toxicity of N-methyl-2-pyrrolidone in rats following inhalation exposure. Food Chem Toxicol. 41: 583-588.

Saillenfait, AM; Sabate, JP; Gallissot, F. (2006). Potency Of N-Methyl-2-Pyrrolidone Main Metabolites To Induce Developmental Toxic Effects In Rats. Reprod Toxicol. 22: 282.

Saillenfait, AM; Sabaté, JP; Gallissot, F. (2007). Comparative developmental toxicities of the three major metabolites of N-methyl-2-pyrrolidone after oral administration in rats. J Appl Toxicol. 27: 571-581. http://dx.doi.org/10.1002/jat.1238.

Schardein, JL. (1993). Chemically induced birth defectsIndustrial solvents (2nd, rev. and expanded ed.). New York: Marcel Dekker.

Schmidt, R. (1976). Experimental investigations about the embryotoxic and teratogenic effect of n-methyl-pyrrolidone(nmp). 14: 38-41.

Scott, JE; Grigsby, PL; Hirst, JJ; Jenkin, G. (2001). Inhibition of prostaglandin synthesis and its effect on uterine activity during established premature labor in sheep. J Soc Gynecol Investig. 8: 266-276.

Shah, PP; Desai, PR; Boakye, CH; Patlolla, R; Kikwai, LC; Babu, RJ; Singh, M. (2016). Percutaneous delivery of α-melanocyte-stimulating hormone for the treatment of imiquimod-induced psoriasis. J Drug Target. 24: 537-547. http://dx.doi.org/10.3109/1061186X.2015.1103743.

Shortt, J; Hsu, A; Matthews, GM; Chesi, M; Bergsagel, PL; Mcarthur, GA; Neeson, P; Ritchie, D; Johnstone, RW. (2010). N-Methyl-2-Pyrrolidone Is a Biologically Active Thalidomide Subunit with In Vivo anti-Myeloma Properties. Blood. 116: 1662-1662.

Shortt, J; Hsu, AK; Martin, BP; Doggett, K; Matthews, GM; Doyle, MA; Ellul, J; Jockel, TE; Andrews, DM; Hogg, SJ; Reitsma, A; Faulkner, D; Bergsagel, PL; Chesi, M; Heath, JK; Denny, WA; Thompson, PE; Neeson, PJ; Ritchie, DS; Mcarthur, GA; Johnstone, RW. (2014). The drug vehicle and solvent N-methylpyrrolidone is an immunomodulator and antimyeloma compound. 7: 1009-1019. http://dx.doi.org/10.1016/j.celrep.2014.04.008.

Sitarek, K. (2003). Excretion and maternal-fetal distribution of n-methyl-2-pyrrolidone in rats. Reprod Toxicol. 17: 505.

Human Health Hazard Literature Search Results

On Topic

Sitarek, K; Kilanowicz, A. (2006). Tissue distribution and excretion of N-methyl-2-pyrrolidone in male and female rats. Int J Occup Med Environ Health. 19: 142-148.

Sitarek, K; Stetkiewicz, J. (2005). Fertility And Gonadotoxicity Of Nmethyl- 2-Pyrrolidone In Male Rats. Reprod Toxicol. 20: 482.

Sitarek, K; Stetkiewicz, J. (2008). Assessment of reproductive toxicity and gonadotoxic potential of N-methyl-2-pyrrolidone in male rats. Int J Occup Med Environ Health. 21: 73-80. http://dx.doi.org/10.2478/v10001-008-0006-z.

Sitarek, K; Stetkiewicz, J; Wąsowicz, W. (2012). Evaluation of reproductive disorders in female rats exposed to N-methyl-2-pyrrolidone. Birth Defects Res B Dev Reprod Toxicol. 95: 195-201. http://dx.doi.org/10.1002/bdrb.21001.

Sodicoff, M; Lamperti, A; Ziskin, MC. (1990). Transdermal absorption of radioprotectors using permeation-enhancing vehicles. Radiat Res. 121: 212-219.

Soler, LI; Boix, A; Lauroba, J; Colom, H; Domenech, J. (2012). Transdermal delivery of alprazolam from a monolithic patch: formulation based on in vitro characterization. Drug Dev Ind Pharm. 38: 1171-1178. http://dx.doi.org/10.3109/03639045.2011.643893.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1996). Stillbirth after occupational exposure to N-methyl-2-pyrrolidone: A case report and review of the literature [Review]. J Occup Environ Med. 38: 705-713. http://dx.doi.org/10.1097/00043764-199607000-00014.

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1997). Stillbirth after occupational exposure to N-methyl-2 pyrrolidone - Reply. J Occup Environ Med. 39: 394-394.

Solomon, HM; Burgess, BA; Kennedy, GL; Staples, RE. (1995). 1-methyl-2-pyrrolidone (NMP): Reproductive and developmental toxicity study by inhalation in the rat. Drug Chem Toxicol. 18: 271-293. http://dx.doi.org/10.3109/01480549509014324.

Solorio, L; Babin, BM; Patel, RB; Mach, J; Azar, N; Exner, AA. (2010). Noninvasive characterization of in situ forming implants using diagnostic ultrasound. J Control Release. 143: 183-190. http://dx.doi.org/10.1016/j.jconrel.2010.01.001.

Tanaka, M; Levy, J; Terada, M; Breslow, R; Rifkind, RA; Marks, PA. (1975). Induction of erythroid differentiation in murine virus infected eythroleukemia cells by highly polar compounds. Proc Natl Acad Sci USA. 72: 1003-1006.

Tatsuno, T; Miyazaki, K; Yamashiro, H. (2014). Multiple solvent, N-methyl-2-pyrrolidone, acts as a novel adjuvant for enhancing cutaneous immune responses. Biosci Biotechnol Biochem. 78: 954-959. http://dx.doi.org/10.1080/09168451.2014.912114.

Tay, SL; Heng, PW; Chan, LW. (2012). The chick chorioallantoic membrane imaging method as a platform to evaluate vasoactivity and assess irritancy of compounds. J Pharm Pharmacol. 64: 1128-1137. http://dx.doi.org/10.1111/j.2042-7158.2012.01506.x.

Tenjarla, SN; Holbrook, JH; Puranajoti, P; Pegg, C; Lowe, KD; Jackson, TE; Smith, A. (1995). EVALUATING THE IRRITATION POTENTIAL OF SKIN PENETRATION ENHANCERS IN THE HAIRLESS GUINEA-PIG. J Toxicol Cutan Ocul Toxicol. 14: 299-307.

Thackaberry, EA; Wang, X; Schweiger, M; Messick, K; Valle, N; Dean, B; Sambrone, A; Bowman, T; Xie, M. (2014). Solvent-based formulations for intravenous mouse pharmacokinetic studies: tolerability and recommended solvent dose limits. Xenobiotica. 44: 235-241. http://dx.doi.org/10.3109/00498254.2013.845706.

UBA. (2015). [Monograph for N-Methyl-pyrrolidone (NMP) and human biomonitoring values for the metabolites 5-Hydroxy-NMP and 2-Hydroxy-N-methylsuccinimide]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1175-1191. http://dx.doi.org/10.1007/s00103-015-2217-3.

Ulla, H. (1990). Prenatal toxicity of N-methylpyrrolidone in rats: postnatal study. Teratology. 42: 31A-32A.

Ursin, C; Hansen, CM; Van Dyk, JW; Jensen, PO; Christensen, IJ; Ebbehoej, J. (1995). Permeability of commercial solvents through living human skin. Am Ind Hyg Assoc J. 56: 651-660. http://dx.doi.org/10.1080/15428119591016665.

van Thriel, C; Blaszkewicz, M; Schäper, M; Juran, SA; Kleinbeck, S; Kiesswetter, E; Wrbitzky, R; Stache, J; Golka, K; Bader, M. (2007). Chemosensory effects during acute exposure to N-methyl-2-pyrrolidone (NMP). Toxicol Lett. 175: 44-56. http://dx.doi.org/10.1016/j.toxlet.2007.09.007.

Wells, DA; Digenis, GA. (1988). Disposition and metabolism of double-labeled [3H and 14C] N-methyl-2-pyrrolidinone in the rat. Drug Metab Dispos. 16: 243-249.

Wells, DA; Hawi, AA; Digenis, GA. (1992). Isolation and identification of the major urinary metabolite of N-methylpyrrolidinone in the rat. Drug Metab Dispos. 20: 124-126.

Wells, DA; Thomas, HF; Digenis, GA. (1988). Mutagenicity and cyto-toxicity of n-methyl-2-pyrrolidinone and 4-(methylamino)butanoic acid in the salmonella microsome assay. J Appl Toxicol. 8: 135-139. http://dx.doi.org/10.1002/jat.2550080211.

Xiaofei, E; Wada, Y; Nozaki, J; Miyauchi, H; Tanaka, S; Seki, Y; Koizumi, A. (2000). A linear pharmacokinetic model predicts usefulness of N-methyl-2-pyrrolidone (NMP) in plasma or urine as a biomarker for biological monitoring for NMP exposure. J Occup Health. 42: 321-327.

Zimmermann, FK; Scheel, I; Resnick, MA. (1989). INDUCTION OF CHROMOSOME LOSS BY MIXTURES OF ORGANIC SOLVENTS INCLUDING NEUROTOXINS (pp. 287-303). (ISSN 0027-5107; EISSN 1873-135X; EMICBACK/74471). Zimmermann, FK; Scheel, I; Resnick, MA.

Zimmermann, S; Zarse, K; Schulz, TJ; Siems, K; Müller-Kuhrt, L; Birringer, M; Ristow, M. (2008). A cell-based high-throughput assay system reveals modulation of oxidative and nonoxidative glucose metabolism due to commonly used organic solvents. Horm Metab Res. 40: 29-37. http://dx.doi.org/10.1055/s-2007-1004542.

Human Health Hazard Literature Search Results

Off Topic

Aberg, V; Norman, F; Chorell, E; Westermark, A; Olofsson, A; Sauer-Eriksson, AE; Almqvist, F. (2005). Microwave-assisted decarboxylation of bicyclic 2-pyridone scaffolds and identification of Abeta-peptide aggregation inhibitors. Org Biomol Chem. 3: 2817-2823. http://dx.doi.org/10.1039/b503294f.

Human Health Hazard Literature Search Results

Off Topic

Aboudzadeh, N; Imani, M; Shokrgozar, MA; Khavandi, A; Javadpour, J; Shafieyan, Y; Farokhi, M. (2010). Fabrication and characterization of poly(D,L-lactide-co-glycolide)/hydroxyapatite nanocomposite scaffolds for bone tissue regeneration. J Biomed Mater Res A. 94: 137-145. http://dx.doi.org/10.1002/jbm.a.32673.

Abrahams, BF; Dharma, AD; Grannas, MJ; Hudson, TA; Maynard-Casely, HE; Oliver, GR; Robson, R; White, KF. (2014). Isomeric ionic lithium isonicotinate three-dimensional networks and single-crystal-to-single-crystal rearrangements generating microporous materials. Inorg Chem. 53: 4956-4969. http://dx.doi.org/10.1021/ic403134c.

Abu-Qare, AW; Abou-Donia, MB. (2001). High-performance liquid chromatographic determination of pyridostigmine bromide, nicotine, and their metabolites in rat plasma and urine. J Chromatogr Sci. 39: 287-292.

Adams, VD; Watts, RJ; Pitts, ME. (1985). ORGANICS. J Water Pollut Control Fed. 57: 463-493.

Agrawal, AG; Kumar, A; Gide, PS. (2015). Formulation of solid self-nanoemulsifying drug delivery systems using N-methyl pyrrolidone as cosolvent. Drug Dev Ind Pharm. 41: 594-604. http://dx.doi.org/10.3109/03639045.2014.886695.

Agrawal, AG; Kumar, A; Gide, PS. (2015). Toxicity Study of a Self-nanoemulsifying Drug Delivery System Containing N-methyl pyrrolidone. 65: 446-448. http://dx.doi.org/10.1055/s-0034-1389985.

Ahmad, MB; Gharayebi, Y; Salit, MS; Hussein, MZ; Ebrahimiasl, S; Dehzangi, A. (2012). Preparation, Characterization and Thermal Degradation of Polyimide (4-APS/BTDA)/SiO(2) Composite Films. International Journal of Molecular Sciences. 13: 4860-4872. http://dx.doi.org/10.3390/ijms13044860.

Ahmed, T. (2015). Review: approaches to develop PLGA based in situ gelling system with low initial burst [Review]. Pak J Pharm Sci. 28: 657-665.

Ahmed, TA; Ibrahim, HM; Ibrahim, F; Samy, AM; Kaseem, A; Nutan, MT; Hussain, MD. (2012). Development of biodegradable in situ implant and microparticle injectable formulations for sustained delivery of haloperidol. J Pharm Sci. 101: 3753-3762. http://dx.doi.org/10.1002/jps.23250.

Ahmed, TA; Ibrahim, HM; Samy, AM; Kaseem, A; Nutan, MT; Hussain, MD. (2014). Biodegradable injectable in situ implants and microparticles for sustained release of montelukast: in vitro release, pharmacokinetics, and stability. AAPS PharmSciTech. 15: 772-780. http://dx.doi.org/10.1208/s12249-014-0101-3.

Akhter, SA; Barry, BW. (1985). Absorption through human skin of ibuprofen and flurbiprofen; effect of dose variation, deposited drug films, occlusion and the penetration enhancer N-methyl-2-pyrrolidone. J Pharm Pharmacol. 37: 27-37.

Aleisa, RM; Akmal, N. (2015). An in-situ electropolymerization based sensor for measuring salt content in crude oil. Talanta. 132: 234-238. http://dx.doi.org/10.1016/j.talanta.2014.09.016.

Allémann, E; Brasseur, N; Kudrevich, SV; La Madeleine, C; van Lier, JE. (1997). Photodynamic activities and biodistribution of fluorinated zinc phthalocyanine derivatives in the murine EMT-6 tumour model. Int J Cancer. 72: 289-294.

Alonso, RA; Rodriguez, CH; Rossi, RA. (1989). REACTIVITY OF N N DIALKYLAMIDE ENOLATE IONS ARYLATION OF 1 METHYL-2-PYRROLIDINONE ENOLATE IONS BY THE S-R-N1 MECHANISM. J Org Chem. 54: 5983-5985.

Altendorf, K; Müller, CR; Sandermann, H. (1977). beta-D-Galactoside transport in Escherichia coli. Reversible inhibition by Aprotic Solvents and its Reconstitution in transport-negative membrane vesicles. Eur J Biochem. 73: 545-551.

Alterman, JB; Huff, JF, III. (2016). Guided Tissue Regeneration in Four Teeth Using a Liquid Polymer Membrane: A Case Series. J Vet Dent. 33: 185-194. http://dx.doi.org/10.1177/0898756416676564.

Alves Costa Pacheco, A; Sherwood, J; Zhenova, A; Mcelroy, CR; Hunt, AJ; Parker, HL; Farmer, TJ; Constantinou, A; De Bruyn, M; Whitwood, AC; Raverty, W; Clark, JH. (2016). Intelligent Approach to Solvent Substitution: The Identification of a New Class of Levoglucosenone Derivatives. ChemSusChem. 9: 3503-3512. http://dx.doi.org/10.1002/cssc.201600795.

Amnuaikit, T; Songkram, C; Pinsuwan, S. (2016). Enhancement of Mycophenolate Mofetil Permeation for Topical Use by Eucalyptol and N-Methyl-2-pyrrolidone. 2016: 9672718. http://dx.doi.org/10.1155/2016/9672718.

André, C; Aljhni, R; Lethier, L; Guillaume, YC. (2014). Carbon nanotube poroshell silica as a novel stationary phase for fast HPLC analysis of monoclonal antibodies. Anal Bioanal Chem. 406: 905-909. http://dx.doi.org/10.1007/s00216-013-7532-7.

André, C; Lenancker, G; Guillaume, YC. (2012). Non-covalent functionalisation of monolithic silica for the development of carbon nanotube HPLC stationary phases. Talanta. 99: 580-585. http://dx.doi.org/10.1016/j.talanta.2012.06.038.

Andriano, KP; Chandrashekar, B; Mcenery, K; Dunn, RL; Moyer, K; Balliu, CM; Holland, KM; Garrett, S; Huffer, WE. (2000). Preliminary in vivo studies on the osteogenic potential of bone morphogenetic proteins delivered from an absorbable puttylike polymer matrix. J Biomed Mater Res. 53: 36-43.

Anon. (1989). Maximum concentrations at the workplace and biological tolerance values for working materials 1989. (CIS/89/02004). Senatskommission zur PrÃ¨ufung gesundheitsschÃ¨adlicher Arbeitsstoffe.

Anon. (1991). 2-Methylpyrrolidinone. Erga. 73.

Anon. (1998). Final report, oncogenicity study with n-methylpyrrolidone (NMP) two-year feeding study in Sprague Dawley rats, with cover letter dated 5/22/1998.

Anon. (2002). [N-Methyl-2-pyrrolidone]. 30.

Anonymous. (1978). n-Methylpyrrolidon. 4.

Anonymous. (1994). N-Methyl-2-pyrrolidon (Dampf). 23.

Anonymous. (2001). N-Methyl-2-Pyrrolidone. (RISKLINE/2002040046). Anonymous.

Ansari, MO; Khan, MM; Ansari, SA; Raju, K; Lee, J; Cho, MH. (2014). Enhanced thermal stability under DC electrical conductivity retention and visible light activity of Ag/TiO_2@polyaniline nanocomposite film. 6: 8124-8133. http://dx.doi.org/10.1021/am500488e.

Ansell, JM; Fowler, JA. (1988). The acute oral toxicity and primary ocular and dermal irritation of selected N-alkyl-2-pyrrolidones. Food Chem Toxicol. 26: 475-479.

Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. Int Arch Occup Environ Health. 73: 561-569.

Human Health Hazard Literature Search Results

Off Topic

Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. Int Arch Occup Environ Health. 65: 247-251. http://dx.doi.org/10.1007/BF00381198.

Anyanwu, CS; Sorensen, JL. (2015). Secondary metabolites from a strain of Alternaria tenuissima Isolated from Northern Manitoba soil. Natural Product Communications. 10: 39-42.

Argikar, UA; Liang, G; Bushee, JL; Hosagrahara, VP; Lee, W. (2011). Evaluation of pharmaceutical excipients as cosolvents in 4-methyl umbelliferone glucuronidation in human liver microsomes: applications for compounds with low solubility. Drug Metab Pharmacokinet. 26: 102-106.

Arimoto, S; Nakano, N; Ohara, Y; Tanaka, K; Hayatsu, H. (1982). A solvent effect on the mutagenicity of tryptophan-pyrolysate mutagens in the Salmonella/mammalian microsome assay. Mutat Res. 102: 105-112.

Avachat, AM; Kapure, SS. (2014). Asenapine maleate in situ forming biodegradable implant: an approach to enhance bioavailability. Int J Pharm. 477: 64-72. http://dx.doi.org/10.1016/j.ijpharm.2014.10.006.

Avdeef, A; Kansy, M; Bendels, S; Tsinman, K. (2008). Absorption-excipient-pH classification gradient maps: Sparingly soluble drugs and the pH partition hypothesis. Eur J Pharm Sci. 33: 29-41. http://dx.doi.org/10.1016/j.ejps.2007.09.009.

B,Gin, G; E - G,Rin, M. (1999). Substitution of solvents by N-methyl-2-pyrrolidinone.

Babu, RJ; Pandit, JK. (2005). Effect of penetration enhancers on the release and skin permeation of bupranolol from reservoir-type transdermal delivery systems. Int J Pharm. 288: 325-334. http://dx.doi.org/10.1016/j.ijpharm.2004.10.008.

Babu, RJ; Pandit, JK. (2005). Effect of penetration enhancers on the transdermal delivery of bupranolol through rat skin. Drug Deliv. 12: 165-169. http://dx.doi.org/10.1080/10717540590931936.

Bachhav, YG; Date, AA; Patravale, VB. (2006). Exploring the potential of N-methyl pyrrolidone as a cosurfactant in the microemulsion systems. Int J Pharm. 326: 186-189. http://dx.doi.org/10.1016/j.ijpharm.2006.07.014.

Bachhav, YG; Patravale, VB. (2010). Formulation of meloxicam gel for topical application: In vitro and in vivo evaluation. 60: 153-163. http://dx.doi.org/10.2478/v10007-010-0020-0.

Bagley, CJ; Otteson, KM; May, BL; Mccurdy, SN; Pierce, L; Ballard, FJ; Wallace, JC. (1990). Synthesis of insulin-like growth factor I using N-methyl pyrrolidinone as the coupling solvent and trifluoromethane sulphonic acid cleavage from the resin. 36: 356-361.

Baltussen, E; David, F; Sandra, P; H-G, J; Cramers, CA. (1998). Sorption tubes packed with polydimethylsiloxane: A new and promising technique for the preconcentration of volatiles and semi-volatiles from air and gaseous samples. HRC - Journal of High Resolution Chromatography. 21: 332-340.

Barr, JT. (1981). Solvent Cleaning of PVC Reactors. Contact Derm. 9: 19811981.

Barry, BW. (1988). Action of skin penetration enhancers-the Lipid Protein Partitioning theory. Int J Cosmet Sci. 10: 281-293. http://dx.doi.org/10.1111/j.1467-2494.1988.tb00028.x.

Barry, BW; Bennett, SL. (1987). Effect of penetration enhancers on the permeation of mannitol, hydrocortisone and progesterone through human skin. J Pharm Pharmacol. 39: 535-546.

Barry, BW; Southwell, D; Woodford, R. (1984). Optimization of bioavailability of topical steroids: penetration enhancers under occlusion. J Invest Dermatol. Invest: 49-52.

Basch, A; Strnad, S. (2011). Substrate-induced coagulation (SIC) of nano-disperse alumina in non-aqueous media: The dispersibility and stability of alumina in N-methyl-2-pyrrolidinone. Colloid Surface Physicochem Eng Aspect. 374: 9-12. http://dx.doi.org/10.1016/j.colsurfa.2010.10.026.

BASF. (1987). Letter from BASF Corp. to USEPA regarding additional requested information of the studies regarding testing of pyyrolidone for any teratogenic effect (89-880000049).

BASF. (1987). Letter from BASF Corp. to USEPA regarding the summary of the two studies on the teratogenic potential of n-methylpyrrolidone. (89-880000041).

BASF. (1987). Report on the teratogenic potential of n-methylpyrrolidone (nmp) with cover letter dated 111787. (40-87107013).

BASF. (1988). Evaluation of development toxicity on n-methylpyrrolidone with attachment and cover letter dated 052588. (89-880000180).

BASF. (1988). N-methylpyrrolidone: opinion on developmental toxicity with cover letter dated 052588. (40-88107016).

BASF. (1988). Support: Experimental investigations about the embryotoxic and teratogenic effect of n-methylpyrrolidone in mice with cover letter dated 032588 and attachment. (89-880000141).

BASF. (1992). Initial submission: letter from BASF corp. submitting information on a report on the testing of n-methylpyrrolidone for its possible teratogenic effects on Sprague-Dawley rats. (88-920003049).

BASF. (1992). Initial submission: Letter from BASF Corp. submitting information on a test report of n-methylpyrrolidone for a possible teratogenic action in mice. (88-920003050).

BASF. (1993). Support: Letter from BASF Corp. to USEPA regarding preliminary results of 90-day inhalation study with n-methyl-2-pyrrolidone in rats dated 010593. (89-931000015). BASF AKTIENGESELLSCHAFT.

BASF. (1994). Final report, repeated dose toxicity study with n-methylpyrrolidone in B6B3f1 mice: Administration in the diet for 4 weeks (range-finding study), with cover letter dated 5/20/94. (TSCATS/444830). BASF AKTIENGESELLSCHAFT.

BASF. (1995). N-methylpyrrolidone - subchronic oral toxicity study in B6C3f1 mice by administration in the diet for 3 months, with cover letter dated 11/22/95. (TSCATS/444845).

BASF. (1995). Support: Letter from N-Methylpyrrolidone producers group to USEPA regarding subchronic oral toxicity study in the rat with neurological assessments dated 022295.

BASF. (1995). Support: The effects of n-methylpyrrolidone on embryogeny, central nervous system, testicles, and sperm in the rat with cover letter dated 011095.

BASF. (1998). Support: ltr fr N-methylpyrrolidone Pdcrs Gp INC. to USEPA reporting histopathological data from oral (feeding) 18-month and 90 day studies in B6C3f1 mice with NMP, dated 11/23/1998. (TSCATS/445784).

Human Health Hazard Literature Search Results

Off Topic

BASF. (1999). N-methylpyrrolidone - carcinogenicity study in b6c3f1 mice, administration in the diet for 18 months, with cover letter dated 11/23/1999. (TSCATS/454291).

BASF. (2000). Letter concerning six German toxicology studies on n-methyl-pyrrolidone with attachments. (40-90107151).

Bastiat, G; Leroux, JC. (2009). Pharmaceutical organogels prepared from aromatic amino acid derivatives. J Mater Chem. 19: 3867-3877. http://dx.doi.org/10.1039/B822657A.

Bazylak, G; Brózik, H; Sabanty, W. (2000). HPTLC screening assay for urinary cotinine as biomarker of environmental tobacco smoke exposure among male adolescents. J Pharm Biomed Anal. 24: 113-123.

Beaulieu, HJ; Schmerber, KR. (1991). M-Pyrol (NMP) Use in the Microelectronics Industry. Appl Occup Environ Hyg. 6: 874-880.

Bekerman, T; Golenser, J; Domb, A. (2004). Cyclosporin nanoparticulate lipospheres for oral administration. J Pharm Sci. 93: 1264-1270. http://dx.doi.org/10.1002/jps.20057.

Bell, LN. (1995). INVESTIGATIONS REGARDING THE DETERMINATION OF GLASS-TRANSITION TEMPERATURES FROM MOISTURE SORPTION ISOTHERMS. Drug Dev Ind Pharm. 21: 1649-1659.

Bendels, S; Tsinman, O; Wagner, B; Lipp, D; Parrilla, I; Kansy, M; Avdeef, A. (2006). PAMPA-excipient classification gradient map. Pharm Res. 23: 2525-2535. http://dx.doi.org/10.1007/s11095-006-9137-8.

Bennett, SL; Barry, BW; Woodford, R. (1985). Optimization of bioavailability of topical steroids: nonoccluded penetration enhancers under thermodynamic control (pp. 298-304). (ISSN 0022-3573; EISSN 0022-3573; IPA/87/713166). Bennett, SL; Barry, BW; Woodford, R.

Bermejo, J; Fernandez, AL; Granda, M; Suelves, I; Herod, AA; Kandiyoti, R; Menendez, R. (2001). Study of the polymerization of anthracene oil with AlCl3 by chromatography and related techniques. J Chromatogr A. 919: 255-266.

Bermejo, J; Fernandez, AL; Prada, V; Granda, M; Menendez, R. (1999). Monitoring the synthesis of new pitches from coal tar and its fractions by chromatography and related techniques. J Chromatogr A. 849: 507-519.

Bertram, J; Schettgen, T; Kraus, T. (2016). Isotope-dilution method for the determination of 1-vinyl-2-pyrrolidone-mercapturic acid as a potential human biomarker for 1-vinyl-2-pyrrolidone via online SPE ESI-LC/MS/MS in negative ionization mode. J Chromatogr B Analyt Technol Biomed Life Sci. 1033-1034: 321-327. http://dx.doi.org/10.1016/j.jchromb.2016.08.026.

Bhatia, A; Bharti, SK; Tripathi, T; Mishra, A; Sidhu, OP; Roy, R; Nautiyal, CS. (2015). Metabolic profiling of Commiphora wightii (guggul) reveals a potential source for pharmaceuticals and nutraceuticals. Phytochemistry. 110: 29-36. http://dx.doi.org/10.1016/j.phytochem.2014.12.016.

Bhatia, KS; Singh, J. (1997). Percutaneous absorption of LHRH through porcine skin: effect of N-methyl 2-pyrrolidone and isopropyl myristate. Drug Dev Ind Pharm. Ind: 1111-1114.

Bittner, B; Thelly, T; Isel, H; Mountfield, RJ. (2000). The impact of co-solvents and the composition of experimental formulations on the pump rate of the ALZET osmotic pump. Int J Pharm. 205: 195-198.

Boethling, RS; Howard, PH; Stiteler, W; Hueber, A. (1997). Does the semi-continuous activated sludge (SCAS) test predict removal in secondary treatment? Chemosphere. 35: 2119-2130.

Boger, A; Wheeler, K; Montali, A; Gruskin, E. (2009). NMP-modified PMMA bone cement with adapted mechanical and hardening properties for the use in cancellous bone augmentation. J Biomed Mater Res B Appl Biomater. 90: 760-766. http://dx.doi.org/10.1002/jbm.b.31345.

Boman, A; Maibach, H. (1996). INFLUENCE OF EVAPORATION AND REPEATED EXPOSURE ON THE PERCUTANEOUS ABSORPTION OF ORGANIC SOLVENTS (pp. BASEL). (BIOSIS/96/35881). Boman, A; Maibach, H.

Bonina, FP; Montenegro, L. (1992). PENETRATION ENHANCER EFFECTS ON INVITRO PERCUTANEOUS-ABSORPTION OF HEPARIN SODIUM-SALT. Int J Pharm. 82: 171-177.

Bonina, FP; Montenegro, L. (1994). VEHICLE EFFECTS ON IN-VITRO HEPARIN RELEASE AND SKIN PENETRATION FROM DIFFERENT GELS. Int J Pharm. 102: 19-24.

Borges, VR; Simon, A; Sena, AR; Cabral, LM; de Sousa, VP. (2013). Nanoemulsion containing dapsone for topical administration: a study of in vitro release and epidermal permeation. International Journal of Nanomedicine (Online). 8: 535-544. http://dx.doi.org/10.2147/IJN.S39383.

Boschelli, DH; Webber, S; Whiteley, JM; Oronsky, AL; Kerwar, SS. (1988). Synthesis and biological properties of 5,10-dideaza-5,6,7,8-tetrahydrofolic acid. Arch Biochem Biophys. 265: 43-49.

Brodbeck, KJ; Desnoyer, J. R.; Mchugh, AJ. (1999). Phase inversion dynamics of PLGA solutions related to drug delivery - Part II. The role of solution thermodynamics and bath-side mass transfer. J Control Release. 62: 333-344. http://dx.doi.org/10.1016/S0168-3659(99)00159-5.

Buckle, DR; Arch, JR; Connolly, BJ; Fenwick, AE; Foster, KA; Murray, KJ; Readshaw, SA; Smallridge, M; Smith, DG. (1994). Inhibition of cyclic nucleotide phosphodiesterase by derivatives of 1,3-bis(cyclopropylmethyl)xanthine. J Med Chem. 37: 476-485.

Bulatov, E; Boyarskaya, D; Chulkova, T; Haukka, M. (2014). 2,3-Di-phenyl-male-imide 1-methyl-pyrrol-idin-2-one monosolvate. Acta Crystallographica Section E: Structure Reports Online. 70: o260. http://dx.doi.org/10.1107/S1600536814002372.

Camargo, JA; Sapin, A; Nouvel, C; Daloz, D; Leonard, M; Bonneaux, F; Six, JL; Maincent, P. (2013). Injectable PLA-based in situ forming implants for controlled release of Ivermectin a BCS Class II drug: solvent selection based on physico-chemical characterization. Drug Dev Ind Pharm. 39: 146-155. http://dx.doi.org/10.3109/03639045.2012.660952.

Campbell, HL; Striebig, BA. (1999). Evaluation of N-methylpyrrolidone and its oxidative products toxicity utilizing the microtox assay. Environ Sci Technol. 33: 1926-1930.

Campiñez, MD; Ferris, C; de Paz, MV; Aguilar-De-Leyva, A; Galbis, J; Caraballo, I. (2015). A new biodegradable polythiourethane as controlled release matrix polymer. Int J Pharm. 480: 63-72. http://dx.doi.org/10.1016/j.ijpharm.2015.01.011.

Cantillo, D; Gutmann, B; Kappe, CO. (2011). Mechanistic insights on azide-nitrile cycloadditions: on the dialkyltin oxide-trimethylsilyl azide route and a new Vilsmeier-Haack-type organocatalyst. J Am Chem Soc. 133: 4465-4475. http://dx.doi.org/10.1021/ja109700b.

Human Health Hazard Literature Search Results

Off Topic

Cantillo, D; Gutmann, B; Kappe, CO. (2012). An experimental and computational assessment of acid-catalyzed azide-nitrile cycloadditions. J Org Chem. 77: 10882-10890. http://dx.doi.org/10.1021/jo3022742.

Cao, X; Li, C; Li, Y; Fang, F; Cui, X; Yao, Y; Wei, J. (2016). Enhanced performance of perovskite solar cells by modulating the Lewis acid-base reaction. Nanoscale. 8: 19804-19810. http://dx.doi.org/10.1039/c6nr07450b.

Carretti, E; Dei, L; Baglioni, P; Weiss, RG. (2003). Synthesis and characterization of gels from polyallylamine and carbon dioxide as gellant. J Am Chem Soc. 125: 5121-5129. http://dx.doi.org/10.1021/ja034399d.

Carricaburu, P; Lacroix, R; Lacroix, J. (1980). Modifications of the white mouse electroretinogram after injection of organic solvents. Ann Pharm Fr. Pharm: 155-160.

Castillo, M; Oubiña, A; Barceló, D. (1998). Evaluation of ELISA kits followed by liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry for the determination of organic pollutants in industrial effluents. Environ Sci Technol. 32: 2180-2184. http://dx.doi.org/10.1021/es971042z.

Castro, A; Monji, N; Ali, H; Yi, JM; Bowman, ER; Mckennis, HJ. (1980). Nicotine antibodies: Comparison of ligand specificities of antibodies produced against 2 nicotine conjugates. Eur J Biochem. 104: 331-340.

Čavarga, I; Bilčík, B; Výboh, P; Záškvarová, M; Chorvát, D; Kasák, P; Mlkvý, P; Mateašík, A; Chorvátová, A; Miškovský, P. (2014). Photodynamic effect of hypericin after topical application in the ex ovo quail chorioallantoic membrane model. Planta Med. 80: 56-62. http://dx.doi.org/10.1055/s-0033-1360174.

Chakrabarty, B; Ghoshal, AK; Purkait, MK. (2008). SEM analysis and gas permeability test to characterize polysulfone membrane prepared with polyethylene glycol as additive. J Colloid Interface Sci. 320: 245-253. http://dx.doi.org/10.1016/j.jcis.2008.01.002.

Chan, HK; Gonda, I. (1995). Physicochemical characterization of a new respirable form of nedocromil. J Pharm Sci. 84: 692-696.

Chan, LC; Cox, BG. (2007). Kinetics of amide formation through carbodiimide/N-hydroxybenzotriazole (HOBt) couplings. J Org Chem. 72: 8863-8869. http://dx.doi.org/10.1021/jo701558y.

Chang, CM; Bodmeier, R. (1998). Low viscosity monoglyceride-based drug delivery systems transforming into a highly viscous cubic phase. Int J Pharm. 173: 51-60.

Chang, SW; Waters, H; Kettle, J; Kuo, ZR; Li, CH; Yu, CY; Horie, M. (2012). Pd-catalysed direct arylation polymerisation for synthesis of low-bandgap conjugated polymers and photovoltaic performance. Macromol Rapid Comm. 33: 1927-1932. http://dx.doi.org/10.1002/marc.201200368.

Chauvet, A; Masse, J; Ribet, JP; Bigg, D; Autin, JM; Maurel, JL; Patoiseau, JF; Jaud, J. (1992). Characterization of polymorphs and solvates of 3-amino-1-(m-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one. J Pharm Sci. 81: 836-841.

Chen, Y; Zhang, S; Wu, Y; Hou, J. (2014). Molecular Design and Morphology Control Towards Efficient Polymer Solar Cells Processed using Non-aromatic and Non-chlorinated Solvents. Adv Mater Deerfield. 26: 2744-2749, 2618. http://dx.doi.org/10.1002/adma.201304825.

Cheng, JP; Liu, L; Ma, KY; Wang, X; Li, QQ; Wu, JS; Liu, F. (2017). Hybrid nanomaterial of α-Co(OH)2 nanosheets and few-layer graphene as an enhanced electrode material for supercapacitors. J Colloid Interface Sci. 486: 344-350. http://dx.doi.org/10.1016/j.jcis.2016.09.064.

Chi, Y; Liu, XG; Wang, SX; Li, J. (2005). [Effect of tegaserod on the serotonin content in rat ileocaecal mucosa under partial restraint stress]. Chinese Journal of Internal Medicine. 44: 687-689.

Cho, CW; Choi, JS; Kim, SJ; Shin, SC. (2010). Enhanced bioavailability and antihistamine effects of loratadine from the transdermal EVA matrix system in rats. Journal of Drug Delivery Science and Technology. 20: 107-110.

Cho, DW; Lee, CW; Park, JG; Oh, SW; Sung, NK; Park, HJ; Kim, KM; Mariano, PS; Yoon, UC. (2011). Exploration of photochemical reactions of N-trimethylsilylmethyl-substituted uracil, pyridone, and pyrrolidone derivatives. Photochem Photobiol Sci. 10: 1169-1180. http://dx.doi.org/10.1039/c0pp00372g.

Choi, JS; Kim, JS; Joe, CO; Kim, S; Ha, KS; Park, YM. (1999). Improved cycle sequencing of GC-rich DNA template. Exp Mol Med. 31: 20-24.

Chow, E; Herrmann, J; Barton, CS; Raguse, B; Wieczorek, L. (2009). Inkjet-printed gold nanoparticle chemiresistors: influence of film morphology and ionic strength on the detection of organics dissolved in aqueous solution. Anal Chim Acta. 632: 135-142. http://dx.doi.org/10.1016/j.aca.2008.10.070.

Chow, ST; Ng, TL. (1982). The biodegradation of N-methyl-2-pyrrolidone in water by sewage bacteria. Water Res. 17: 117-118.

Chowdhury, J. (1987). COATINGS GET A NEW LOOK, AS PACE OF SOLVENT PHASEOUT QUICKENS (pp. 14-19; 1987). (ISSN 0009-2460; HMTC/87/0004903). Chowdhury, J.

Chuang, K. (2001). High T(g) Polyimides. 44.

Ciba-Geigy. (1987). Letter from Ciba-Geigy corporation to USEPA regarding information on the enclosed reports concerning n-methylpyrrolidone with attachments. (40-88107019).

Ciba-Geigy. (2000). Letter from Ciba-Geigy Corp to USEPA regarding initial information on studies demonstrating embryolethality in both the mouse and rat with N-methylpyrrolidone. (88-880000001). INDUSTRIAL HYGIENE PHARMACOLOG.

Cilurzo, F; Minghetti, P; Gennari, CG; Casiraghi, A; Selmin, F; Montanari, L. (2014). Formulation study of a patch containing propranolol by design of experiments. Drug Dev Ind Pharm. 40: 17-22. http://dx.doi.org/10.3109/03639045.2012.743559.

Cilurzo, F; Vistoli, G; Selmin, F; Gennari, CG; Musazzi, UM; Franzé, S; Lo Monte, M; Minghetti, P. (2014). An insight into the skin penetration enhancement mechanism of N-methylpyrrolidone. Mol Pharm. 11: 1014-1021. http://dx.doi.org/10.1021/mp400675d.

Clevenger, A. (2000). Internal memorandum to USEPA concerning the evaluation of subchronic studies on N-methylpyrrolidone with attachment. (40-89107058).

Cohen, AS; Joensson, BAG. (2007). Automated solid-phase extraction and liquid chromatography tandem mass spectrometry determination of N-methyl-2-pyrrolidone and its metabolites in urine and plasma. Chromatographia. 65: 407-412. http://dx.doi.org/10.1365/s10337-007-0173-2.

Human Health Hazard Literature Search Results

Off Topic

Coonts, BA; Whitman, SL; O'Donnell, M; Polson, AM; Bogle, G; Garrett, S; Swanbom, DD; Fulfs, JC; Rodgers, PW; Southard, GL; Dunn, RL. (1998). Biodegradation and biocompatibility of a guided tissue regeneration barrier membrane formed from a liquid polymer material. J Biomed Mater Res. 42: 303-311.

Costa, C; Silvari, V; Melchini, A; Catania, S; Heffron, JJ; Trovato, A; De Pasquale, R. (2009). Genotoxicity of imidacloprid in relation to metabolic activation and composition of the commercial product. Mutat Res. 672: 40-44. http://dx.doi.org/10.1016/j.mrgentox.2008.09.018.

Crimmins, MT; King, BW; Tabet, EA; Chaudhary, K. (2001). Asymmetric aldol additions: use of titanium tetrachloride and (-)-sparteine for the soft enolization of N-acyl oxazolidinones, oxazolidinethiones, and thiazolidinethiones. J Org Chem. 66: 894-902.

Curti, E; de Britto, D; Campana, SP. (2003). Methylation of chitosan with iodomethane: Effect of reaction conditions on chemoselectivity and degree of substitution. Macromol Biosci. 3: 571-576. http://dx.doi.org/10.1002/mabi.200300030.

Dabhi, MR; Sheth, NR. (2014). Optimization of Novel Mucoadhesive In Situ Film Forming Periodontal Drug Delivery System for Chemotherapeutic Agents. Journal of Pharmaceutical Innovation. 9: 83-94. http://dx.doi.org/10.1007/s12247-014-9175-4.

Dahlquist, I; Fregert, S; Trulson, L. (1983). Contact Allergy to Trimethylolpropane Triacrylate (TMPTA) in an Aziridine Plastic Hardener. Contact Derm. 9: 122-124.

Dai, ZW; Zou, XH; Chen, GQ. (2009). Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) as an injectable implant system for prevention of post-surgical tissue adhesion. Biomaterials. 30: 3075-3083. http://dx.doi.org/10.1016/j.biomaterials.2009.02.015.

Daugherty, AL; Rangell, LK; Eckert, R; Zavala-Solorio, J; Peale, F; Mrsny, RJ. (2011). Sustained release formulations of rhVEGF$_{165}$ produce a durable response in a murine model of peripheral angiogenesis. 78: 289-297. http://dx.doi.org/10.1016/j.ejpb.2011.03.011.

Davydov, EY; Afanas'eva, EN; Gaponova, IS; Pariiskii, GB. (2004). Aminoxyl radicals as crosslinks for macromolecules of polyvinylpyrrolidone. Org Biomol Chem. 2: 1359-1363. http://dx.doi.org/10.1039/b400949e.

De Bortoli, M; Ghezzi, E; Knoppel, H; Vissers, H. (1999). A new test chamber to measure material emissions under controlled air velocity. Environ Sci Technol. 33: 1760-1765.

de Medeiros, AS; Zoppi, A; Barbosa, EG; Oliveira, JI; Fernandes-Pedrosa, MF; Longhi, MR; da Silva-Júnior, AA. (2016). Supramolecular aggregates of oligosaccharides with co-solvents in ternary systems for the solubilizing approach of triamcinolone. Carbohydr Polymer. 151: 1040-1051. http://dx.doi.org/10.1016/j.carbpol.2016.06.044.

de Souza, MC; Pedrosa, LF; Cazagrande, GS; Ferreira, VF; Neves, MG; Cavaleiro, JA. (2014). From porphyrin benzylphosphoramidate conjugates to the catalytic hydrogenation of 5,10,15,20-tetrakis(pentafluorophenyl)porphyrin. Beilstein Journal of Organic Chemistry. 10: 628-633. http://dx.doi.org/10.3762/bjoc.10.54.

De Vincenzi, M; Giovannini, C; Maialetti, F; Dessi, MR. (1992). MEDICAL IMPLICATIONS CONCERNING THE USE OF AROMATIC COMPOUNDS IN FOODS. Riv Soc Ital Sci Aliment. 21: 247-251.

Debia, M; Begin, D; Krishnan, K; Gerin, M. (2006). Risk Ranking Algorithms For Solvent Substitution In The Workplace. Toxicol Sci. 90: 186.

Deitch, RA; Blackburn, GR; Schreiner, CA; Mackerer, CR. (1987). EXTRACTION AND METABOLIC ACTIVATION PARAMETERS FOR PETROLEUM FRACTIONS IN A MODIFIED AMES ASSAY (pp. 29). (EMICBACK/67256). Deitch, RA; Blackburn, GR; Schreiner, CA; Mackerer, CR.

Desnoyer, J. R.; Mchugh, AJ. (2003). The effect of Pluronic on the protein release kinetics of an injectable drug delivery system. J Control Release. 86: 15-24.

DHHS. (2000). Internal memorandum from the US Department of Health & Human Services to USEPA regarding the nomination of eight chemicals to the ntp for toxicology testing. (40-87107048).

Diban, N; Ramos-Vivas, J; Remuzgo-Martinez, S; Ortiz, I; Urtiaga, A. (2014). Poly(ε-caprolactone) films with favourable properties for neural cell growth. Curr Top Med Chem. 14: 2743-2749.

Diehl, F; Grahlmann, S; Beier, M; Hoheisel, JD. (2001). Manufacturing DNA microarrays of high spot homogeneity and reduced background signal. Nucleic Acids Res. 29: E38.

Dimas, DA; Dallas, PP; Rekkas, DM. (2004). Use of an 8(1)3(2) asymmetrical factorial design for the in vitro evaluation of ondansetron permeation through human epidermis. Pharm Dev Technol. 9: 39-48. http://dx.doi.org/10.1081/PDT-120027416.

Ding, Z; Sanchez, T; Labouriau, A; Iyer, S; Larson, T; Currier, R; Zhao, Y; Yang, D. (2010). Characterization of reaction intermediate aggregates in aniline oxidative polymerization at low proton concentration. J Phys Chem B. 114: 10337-10346. http://dx.doi.org/10.1021/jp102623z.

Do Couto, SG; Oliveira, M; Alonso, A. (2005). Dynamics of proteins and lipids in the stratum corneum: effects of percutaneous permeation enhancers. Biophys Chem. 116: 23-31. http://dx.doi.org/10.1016/j.bpc.2005.01.009.

Do, MP; Neut, C; Delcourt, E; Seixas Certo, T; Siepmann, J; Siepmann, F. (2014). In situ forming implants for periodontitis treatment with improved adhesive properties. 88: 342-350. http://dx.doi.org/10.1016/j.ejpb.2014.05.006.

Do, MP; Neut, C; Metz, H; Delcourt, E; Siepmann, J; Mäder, K; Siepmann, F. (2015). Mechanistic analysis of PLGA/HPMC-based in-situ forming implants for periodontitis treatment. 94: 273-283. http://dx.doi.org/10.1016/j.ejpb.2015.05.018.

Dobson, KR; Stephenson, M; Greenfield, PF; Bell P, RF. (1985). IDENTIFICATION AND TREATABILITY OF ORGANICS IN OIL SHALE RETORT WATER. Water Res. 19: 849-856.

Doetschman, DC. (1994). Photochemical coal dissolution. Quarterly technical progress report, April 1, 1994--June 31, 1994. 6.

Dolci, S; Marchetti, F; Pampaloni, G; Zacchini, S. (2013). A crystallographic and spectroscopic study on the reactions of WCl6 with carbonyl compounds. Dalton Transactions (Online). 42: 5635-5648. http://dx.doi.org/10.1039/c2dt32771f.

Domanski, M; Winnubst, L; Luttge, R; Lamers, E; Walboomers, XF; Jansen, J; Gardeniers, H. (2012). Production and characterization of miro- and nano-features in biomedical alumina and zirconia ceramics using a tape casting route. J Mater Sci Mater Med. 23: 1637-1644. http://dx.doi.org/10.1007/s10856-012-4635-1.

Domingo, P; Olaciregui, M; Gonzalez, N; Del Nino, A; De Blas, I; Gil, L. (2016). Effect of N-methyl-2-pyrrolidone and seminal plasma on cooled rabbit semen. Reproduction in Domestic Animals. 51: 87-88.

Human Health Hazard Literature Search Results

Off Topic

Dong, H; Chen, D; Wang, K; Zhang, R. (2016). High-Yield Preparation and Electrochemical Properties of Few-Layer MoS2 Nanosheets by Exfoliating Natural Molybdenite Powders Directly via a Coupled Ultrasonication-Milling Process. Nanoscale Res Lett. 11: 409. http://dx.doi.org/10.1186/s11671-016-1622-3.

Dong, J; Sharpless, KB; Kwisnek, L; Oakdale, JS; Fokin, VV. (2014). SuFEx-based synthesis of polysulfates. Angew Chem Int Ed Engl. 53: 9466-9470. http://dx.doi.org/10.1002/anie.201403758.

Dong, WY; Körber, M; López Esguerra, V; Bodmeier, R. (2006). Stability of poly(D,L-lactide-co-glycolide) and leuprolide acetate in in-situ forming drug delivery systems. J Control Release. 115: 158-167. http://dx.doi.org/10.1016/j.jconrel.2006.07.013.

Dong, Y; Ng, WK; Shen, S; Kim, S; Tan, RB. (2009). Preparation and characterization of spironolactone nanoparticles by antisolvent precipitation. Int J Pharm. 375: 84-88. http://dx.doi.org/10.1016/j.ijpharm.2009.03.013.

D'Souza, AA; Yevate, SV; Bandivdekar, AH; Devarajan, PV. (2015). In situ polyethylene sebacate particulate carriers as an alternative to Freund's adjuvant for delivery of a contraceptive peptide vaccine--A feasibility study. Int J Pharm. 496: 601-608. http://dx.doi.org/10.1016/j.ijpharm.2015.10.070.

Dubin, S; Gilje, S; Wang, K; Tung, VC; Cha, K; Hall, AS; Farrar, J; Varshneya, R; Yang, Y; Kaner, RB. (2010). A one-step, solvothermal reduction method for producing reduced graphene oxide dispersions in organic solvents. ACS Nano. 4: 3845-3852. http://dx.doi.org/10.1021/nn100511a.

Dudeck, O; Jordan, O; Hoffmann, KT; Okuducu, AF; Husmann, I; Kreuzer-Nagy, T; Tesmer, K; Podrabsky, P; Bruhn, H; Hilborn, J; Rüfenacht, DA; Doelker, E; Felix, R. (2006). Embolization of experimental wide-necked aneurysms with iodine-containing polyvinyl alcohol solubilized in a low-angiotoxicity solvent. AJNR Am J Neuroradiol. 27: 1849-1855.

Dumsday, GJ; Ocal, G; Bridger, JS; Zachariou, M. (2009). The use of oxygen uptake rate to monitor discovery of microbial and enzymatic biocatalysts. Biotechnol Bioeng. 102: 673-683. http://dx.doi.org/10.1002/bit.22115.

DuPont. (1990). 2-year Inhalation Study with N-methyl-2-pyrrolidone in Rats (Final) with Cover Letter Dated 08/30/1990. 849.

DuPont. (1992). Inital submission: Letter from e i dupont de nemours & co to USEPA regarding the teratogonic potential of n-methylpyrrolidone with cover letter dated 09/01/92. (88-920008211).

DuPont. (1992). Initial submission: reproductive and developmental toxicity of 1-methyl-2-pyrrolidinone in the rat with cover letter dated 10/01/92. (88-920010214). HASKELL LABORATORY.

DuPont. (1992). Initial submission: Teratologic dose range-finding study w/ n-methylpyrrolidone in Sprague Dawley rats with cover letter dated 09/01/92. (88-920008215).

DuPont. (1994). Final report, subchronic oral toxicity: 28-day feeding study in rats with n-methylpyrrolidone, with cover letter dated 5/20/94. (OPPTS-44610). HASKELL LABORATORY.

DuPont. (1995). Oral, dermal, and inhalation pharmacokinetics and disposition of [2-14c] nmp in the rat (final report), with cover letter dated 11/22/95.

DuPont. (1995). Subchronic oral toxicity - 90-day feeding and neurotoxicity study in rats with n-methylpyrrolidone (NMP), with cover letter dated 11/22/95. (TSCATS/444846).

Efskind, J; Benneche, T; Undheim, K. (1997). Stereoselective synthesis of alkenyl alpha,alpha'-bridged bis(glycines) using palladium promoted substitution in the bridge. Acta Chem Scand. 51: 942-952.

Eifert, EJ; Vickers, LD. (2000). The dissolution vessel for plutonium pits at the U.S. DOE Pantex Plant. Health Phys. 78: S25-S27.

Ellis, MJ; Chaudhuri, JB. (2007). Poly(lactic-co-glycolic acid) hollow fibre membranes for use as a tissue engineering scaffold. Biotechnol Bioeng. 96: 177-187. http://dx.doi.org/10.1002/bit.21093.

Ellis, MJ; Chaudhuri, JB. (2008). Human bone derived cell culture on PLGA flat sheet membranes of different lactide:glycolide ratio. Biotechnol Bioeng. 101: 369-377. http://dx.doi.org/10.1002/bit.21902.

Ettmayer, P; Chloupek, S; Weigand, K. (2003). Solid-phase synthesis of 7-acylamino-1,4-benzodiazepine-2,5-diones. J Comb Chem. 5: 253-259. http://dx.doi.org/10.1021/cc020100w.

Evans, JD; Coudert, FX. (2016). Microscopic Mechanism of Chiral Induction in a Metal-Organic Framework. J Am Chem Soc. 138: 6131-6134. http://dx.doi.org/10.1021/jacs.6b02781.

Fadnavis, NW; Seshadri, R; Sheelu, G; Madhuri, KV. (2005). Relevance of Frank's solvent classification as typically aqueous and typically non-aqueous to activities of firefly luciferase, alcohol dehydrogenase, and alpha-chymotrypsin in aqueous binaries. Arch Biochem Biophys. 433: 454-465. http://dx.doi.org/10.1016/j.abb.2004.10.005.

Faggian, V; Scanferla, P; Paulussen, S; Zuin, S. (2014). Combining the European chemicals regulation and an (eco) toxicological screening for a safer membrane development. J Clean Prod. 83: 404-412. http://dx.doi.org/10.1016/j.jclepro.2014.07.017.

Falconi, M; Focaroli, S; Teti, G; Salvatore, V; Durante, S; Nicolini, B; Orienti, I. (2014). Novel PLA microspheres with hydrophilic and bioadhesive surfaces for the controlled delivery of fenretinide. J Microencapsul. 31: 41-48. http://dx.doi.org/10.3109/02652048.2013.805838.

Fan, J; Shi, Z; Zhang, L; Wang, J; Yin, J. (2012). Aramid nanofiber-functionalized graphene nanosheets for polymer reinforcement. Nanoscale. 4: 7046-7055. http://dx.doi.org/10.1039/c2nr31907a.

Fanchiotti, BG; Machado, MP; de Paula, LC; Durmuş, M; Nyokong, T; da Silva Gonçalves, A; da Silva, AR. (2016). The photobleaching of the free and encapsulated metallic phthalocyanine and its effect on the photooxidation of simple molecules. J Photochem Photobiol B. 165: 10-23. http://dx.doi.org/10.1016/j.jphotobiol.2016.10.007.

Fiorica, C; Palumbo, FS; Pitarresi, G; Giorgi, M; Calascibetta, F; Giammona, G. (2015). In-situ forming gel-like depot of a polyaspartamide-polylactide copolymer for once a week administration of sulpiride. J Pharm Pharmacol. 67: 78-86. http://dx.doi.org/10.1111/jphp.12323.

Forati-Nezhad, M; Sadeghi, G; Yaghmaie, F; Alimohammadi, F. (2015). Affecting the morphology of silver deposition on carbon nanotube surface: From nanoparticles to dendritic (tree-like) nanostructures. Mater Sci Eng C. 46: 232-238. http://dx.doi.org/10.1016/j.msec.2014.10.039.

Human Health Hazard Literature Search Results

Off Topic

Franz, TJ. (1983). On the bioavailability of topical formulations of clindamycin hydrochloride. J Am Acad Dermatol. 9: 66-73.

Frazier, LM; Hage, ML. (1998). Occupational exposure limits for chemicals. In LM Frazier; ML Hage (Eds.), (pp. 537-543). New York, NY: Van Nostrand Reinhold.

Friesen, DA; Headley, JV; Langford, CH. (1999). The photooxidative degradation of N-methylpyrrolidinone in the presence of Cs3PW12O40 and TiO2 colloid photocatalysts. Environ Sci Technol. 33: 3193-3198.

Fujii, M; Bouno, M; Fujita, S; Yoshida, M; Watanabe, Y; Matsumoto, M. (2000). Preparation of griseofulvin for topical application using N-methyl-2-pyrrolidone. Biol Pharm Bull. 23: 1341-1345.

Fujii, M; Koizumi, A; Kinoshita, Y; Suzuki, R; Nio, J; Kondoh, M; Watanabe, Y. (2006). Effect of N-methyl-2-pyrrolidone on the skin permeation of estradiol and levonorgestrel from adhesive strips prepared using Eudragit EPO. Journal of Drug Delivery Science and Technology. 16: 121-125.

Furtado, CA; Kim, UJ; Gutierrez, HR; Pan, L; Dickey, EC; Eklund, PC. (2004). Debundling and dissolution of single-walled carbon nanotubes in amide solvents. J Am Chem Soc. 126: 6095-6105. http://dx.doi.org/10.1021/ja039588a.

Furuhata, KI; Koganei, K; Chang, HS; Aoki, N; Sakamoto, M. (1992). DISSOLUTION OF CELLULOSE IN LITHIUM BROMIDE ORGANIC-SOLVENT SYSTEMS AND HOMOGENEOUS BROMINATION OF CELLULOSE WITH N-BROMOSUCCINIMIDE TRIPHENYLPHOSPHINE IN LITHIUM BROMIDE N,N-DIMETHYLACETAMIDE. Carbohydr Res. 230: 165-177.

GAF Corp. (1990). Letter from GAF Chemicals Corp. to USEPA submitting an interim report of a multi-generational rat reproduction study on n-methyl-2-pyrrolidone with attachments. (89-900000099).

GAF Corp. (1991). Letter concerning the status of two studies with n-methyl-pyrrolidone with attachments. (40-91107125).

GAF Corp. (1991). Letter from GAF Chem Corp. to USEPA submitting preliminary results of n-methyl-2-pyrrolidone developmental toxicity study with attachments. (89-910000217).

GAF Corp. (1992). Initial submission: developmental toxicity study in rats with n-methylpyrrolidone (draft report) with attachments and cover letter dated 041092. (88-920001848).

GAF Corp. (1992). Initial submission: teratological dose range-finding study with n-methylpyrrolidone in Sprague-Dawley rats (final report) with attachments and cover letter dated 022792. (88-920001293).

GAF Corp. (2000). Letter from GAF Chemicals Corporation to USEPA submitting enclosed submissions on n-methylpyrrolidone with attachments. (40-90107092).

GAF Corp. (2000). Letter from GAF Chemicals Corporation to USEPA submitting information on household products containing methylene chloride with attachment. (40-86107024).

GAF Corp.; BASF; ARCO Chemical Company. (2000). Comments of gaf chemicals corporation, basf corporation and arco chemical corporation on the proposed test rule for n-methylpyrrolidone with appendices and attachments. (40-90107100).

Galgoci, EC; Hegedus, CR; Walker, FH; Tempel, DJ; Pepe, FR; Yoxheimer, KA; Boyce, AS. (2005). Solvent-free urethane-acrylic hybrid polymers for coatings. 2: 28-36.

Garcia-Macias, P; John, P. (2004). Formation of natural indigo derived from woad (Isatis tinctoria L.) in relation to product purity. J Agric Food Chem. 52: 7891-7896. http://dx.doi.org/10.1021/jf0486803.

Gay, CL; Murphy, TM; Hadgraft, J; Kellaway, IW; Rowlands, CC; et al. (1989). Electron spin resonance study of skin penetration enhancers. Int J Pharm. 49: 39-45.

Ghanbari, B; Shahhoseini, L; Mahlooji, N; Gholamnezhad, P; Taheri Rizi, Z. (2017). Through-space electronic communication of zinc phthalocyanine with substituted [60]Fullerene bearing O2Nxaza-crown macrocyclic ligands. Spectrochim Acta A Mol Biomol Spectrosc. 171: 330-339. http://dx.doi.org/10.1016/j.saa.2016.08.031.

Ghasemi, F; Mohajerzadeh, S. (2016). Sequential Solvent Exchange Method for Controlled Exfoliation of MoS2 Suitable for Phototransistor Fabrication. 8: 31179-31191. http://dx.doi.org/10.1021/acsami.6b07211.

Giannakou, SA; Dallas, PP; Rekkas, DM; Choulis, NH. (1995). DEVELOPMENT AND IN-VITRO EVALUATION OF NITRENDIPINE TRANSDERMAL FORMULATIONS USING EXPERIMENTAL-DESIGN TECHNIQUES. Int J Pharm. 125: 7-15.

Gies, AP; Ellison, ST; Stow, SM; Hercules, DM. (2014). Matrix-assisted laser desorption/ionization-time-of-flight/time-of-flight collision-induced dissociation study of poly(p-phenylenediamine terephthalamide) fragmentation reactions. Anal Chim Acta. 808: 124-143. http://dx.doi.org/10.1016/j.aca.2013.09.007.

Giordani, S; Bergin, SD; Nicolosi, V; Lebedkin, S; Kappes, MM; Blau, WJ; Coleman, JN. (2006). Debundling of single-walled nanotubes by dilution: observation of large populations of individual nanotubes in amide solvent dispersions. J Phys Chem B. 110: 15708-15718. http://dx.doi.org/10.1021/jp0626216.

Glasnov, TN; Vugts, DJ; Koningstein, MM; Desai, B; Fabian, WMF; Orru, RVA; Kappe, CO. (2006). Microwave-assisted Dimroth rearrangement of thiazines to dihydropyrimidinethiones: Synthetic and mechanistic aspects. QSAR Comb Sci. 25: 509-518. http://dx.doi.org/10.1002/qsar.200540210.

Goldman, LR. (1997). New approaches for assessing the etiology and risks of developmental abnormalities from chemical exposure [Review]. Reprod Toxicol. 11: 443-451.

Gombar, VK; Borgstedt, HH; Enslein, K; Hart, JB; Blake, BW. (1991). A QSAR model of teratogenesis. Molecular Informatics. ACT RELAT: 306-332. http://dx.doi.org/10.1002/qsar.19910100404.

Gong, W; Wang, Y; Sun, L; Yang, J; Shan, L; Yang, M; Gao, C. (2016). Development of Itraconazole Liquisolid Compact: Effect of Polyvinylpyrrolidone on the Dissolution Properties. Curr Drug Deliv. 13: 452-461.

Gontrani, L; Caminiti, R. (2012). The structure of liquid N-methyl pyrrolidone probed by x-ray scattering and molecular simulations. J Chem Phys. 136: 074505. http://dx.doi.org/10.1063/1.3684988.

Grabiec, E; Kurcok, M; Schab-Balcerzak, E. (2009). Poly(amide imides) and poly(ether imides) containing 1,3,4-oxadiazole or pyridine rings: characterizations and optical properties. J Phys Chem A. 113: 1481-1488. http://dx.doi.org/10.1021/jp807954w.

Human Health Hazard Literature Search Results

Off Topic

Grondin, M; Robinson, I; Do Carmo, S; Ali-Benali, MA; Ouellet, F; Mounier, C; Sarhan, F; Averill-Bates, DA. (2013). Cryopreservation of insulin-secreting INS832/13 cells using a wheat protein formulation. Cryobiology. 66: 136-143. http://dx.doi.org/10.1016/j.cryobiol.2012.12.008.

Grzelczak, M; Mezzasalma, SA; Ni, W; Herasimenka, Y; Feruglio, L; Montini, T; Pérez-Juste, J; Fornasiero, P; Prato, M; Liz-Marzán, LM. (2012). Antibonding plasmon modes in colloidal gold nanorod clusters. Langmuir. 28: 8826-8833. http://dx.doi.org/10.1021/la203750d.

Gu, S; Gao, J; Hou, X; Ding, B; Zhang, W, ei; Gao, S; Ding, X. (2009). Effects of penetration enhancers on Shuangwu traumatic formula: In vitro percutaneous absorption and in vivo pharmacodynamic evaluation of an herb medicine. Eur J Pharm Biopharm. 73: 385-390. http://dx.doi.org/10.1016/j.ejpb.2009.08.001.

Gu, W; Xu, J; Kim, JK; Hong, SW; Wei, X; Yang, X; Lee, KY; Kuo, DS; Xiao, S; Russell, TP. (2013). Solvent-assisted directed self-assembly of spherical microdomain block copolymers to high areal density arrays. Adv Mater Deerfield. 25: 3677-3682. http://dx.doi.org/10.1002/adma.201300899.

Gubernat, M; Tomala, J; Frohs, W; Fraczek-Szczypta, A; Blazewicz, S. (2016). De-agglomeration and homogenisation of nanoparticles in coal tar pitch-based carbon materials. J Nanopart Res. 18: 56. http://dx.doi.org/10.1007/s11051-016-3362-9.

Guillén, MD. (1994). Polycyclic aromatic compounds: extraction and determination in food [Review]. Food Addit Contam. 11: 669-684. http://dx.doi.org/10.1080/02652039409374268.

Guo, X, ia; Zhang, M; Cui, C; Hou, J; Li, Y. (2014). Efficient Polymer Solar Cells Based on Poly(3-hexylthiophene) and Indene-C-60 Bisadduct Fabricated with Non-halogenated Solvents. ACS Applied Materials & Interfaces. 6: 8190-8198. http://dx.doi.org/10.1021/am500836u.

Gutmann, B; Glasnov, TN; Razzaq, T; Goessler, W; Roberge, DM; Kappe, CO. (2011). Unusual behavior in the reactivity of 5-substituted-1H-tetrazoles in a resistively heated microreactor. Beilstein Journal of Organic Chemistry. 7: 503-517. http://dx.doi.org/10.3762/bjoc.7.59.

Haar, S; Bruna, M; Lian, JX; Tomarchio, F; Olivier, Y; Mazzaro, R; Morandi, V; Moran, J; Ferrari, AC; Beljonne, D; Ciesielski, A; Samorì, P. (2016). Liquid-Phase Exfoliation of Graphite into Single- and Few-Layer Graphene with α-Functionalized Alkanes. Journal of Physical Chemistry Letters. 7: 2714-2721. http://dx.doi.org/10.1021/acs.jpclett.6b01260.

Haar, S; Ciesielski, A; Clough, J; Yang, H; Mazzaro, R; Richard, F; Conti, S; Merstorf, N; Cecchini, M; Morandi, V; Casiraghi, C; Samorì, P. (2015). A supramolecular strategy to leverage the liquid-phase exfoliation of graphene in the presence of surfactants: unraveling the role of the length of fatty acids. Small. 11: 1691-1702. http://dx.doi.org/10.1002/smll.201402745.

Hamishehkar, H; Khoshbakht, M; Jouyban, A; Ghanbarzadeh, S. (2015). The Relationship between Solubility and Transdermal Absorption of Tadalafil. 5: 411-417. http://dx.doi.org/10.15171/apb.2015.056.

Hao, JS; Chan, LW; Shen, ZX; Heng, PW. (2004). Complexation between PVP and Gantrez polymer and its effect on release and bioadhesive properties of the composite PVP/Gantrez films. Pharm Dev Technol. 9: 379-386.

Harel, Y; Azoubel, S; Magdassi, S; Lellouche, JP. (2013). A dispersability study on poly(thiophen-3-yl-acetic acid) and PEDOT multi-walled carbon nanotube composites using an analytical centrifuge. J Colloid Interface Sci. 390: 62-69. http://dx.doi.org/10.1016/j.jcis.2012.09.006.

Harmand, TJ; Murar, CE; Bode, JW. (2016). Protein chemical synthesis by α-ketoacid-hydroxylamine ligation. Nat Protoc. 11: 1130-1147. http://dx.doi.org/10.1038/nprot.2016.052.

Hawkins, DR. (1989). BIOTRANSFORMATIONS VOL. 2. A SURVEY OF THE BIOTRANSFORMATIONS OF DRUGS AND CHEMICALS IN ANIMALS (pp. CAMBRIDGE). (BIOSIS/90/18271). Hawkins, DR.

He, J; Liu, G; Vanderheyden, JL; Dou, S; Mary, R; Hnatowich, DJ. (2005). Affinity enhancement bivalent morpholino for pretargeting: initial evidence by surface plasmon resonance. Bioconjug Chem. 16: 338-345. http://dx.doi.org/10.1021/bc049719c.

He, LP; Sun, SY; Song, XF; Yu, JG. (2015). Recovery of cathode materials and Al from spent lithium-ion batteries by ultrasonic cleaning. Waste Manag. 46: 523-528. http://dx.doi.org/10.1016/j.wasman.2015.08.035.

Headley, JV; Peru, KM; Friesen, DA; Neu, T. (2001). Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry determination of N-methylpyrrolidinone in riverine biofilms. J Chromatogr A. 917: 159-165.

Hernandez, Y; Nicolosi, V; Lotya, M; Blighe, FM; Sun, Z; De, S; Mcgovern, IT; Holland, B; Byrne, M; Gun'Ko, YK; Boland, JJ; Niraj, P; Duesberg, G; Krishnamurthy, S; Goodhue, R; Hutchison, J; Scardaci, V; Ferrari, AC; Coleman, JN. (2008). High-yield production of graphene by liquid-phase exfoliation of graphite. Nat Nanotechnol. 3: 563-568. http://dx.doi.org/10.1038/nnano.2008.215.

Herod, AA; Zhuo, Y; Kandiyoti, R. (2003). Size-exclusion chromatography of large molecules from coal liquids, petroleum residues, soots, biomass tars and humic substances. J Biochem Biophys Methods. 56: 335-361.

Heyns, IM; Pfukwa, R; Klumperman, B. (2016). Synthesis, Characterization, and Evaluation of Cytotoxicity of Poly(3-methylene-2-pyrrolidone). Biomacromolecules. 17: 1795-1800. http://dx.doi.org/10.1021/acs.biomac.6b00210.

Hirano, S; Horiuchi, K. (1989). Chitin gels. Int J Biol Macromol. 11: 253-254.

Ho, NL; Porcheron, F; Pellenq, RJ. (2010). Experimental and molecular simulation investigation of enhanced CO2 solubility in hybrid adsorbents. Langmuir. 26: 13287-13296. http://dx.doi.org/10.1021/la1015934.

Hoelgaard, A; Mollgaard, B; Baker, E. (1988). Vehicle effect on topical drug delivery. Part 4. Effect of N-methylpyrrolidone and polar lipids on percutaneous drug transport. Int J Pharm. J: 233-240.

Homayoonfal, M; Akbari, A. (2010). PREPARATION OF POLYSULFONE NANO-STRUCTURED MEMBRANE FOR SULPHATE IONS REMOVAL FROM WATER. Iranian Journal of Environmental Health Science and Engineering. 7: 407-412.

Hossain, MA; Ahmed, SU; Plakogiannis, FM. (2012). Effect of vehicle systems, pH and enhancers on the permeation of highly lipophilic aripiprazole from Carbopol 971P gel systems across human cadaver skin. Drug Dev Ind Pharm. 38: 323-330. http://dx.doi.org/10.3109/03639045.2011.602978.

HP. (1992). Initial submission: acute oral toxicity (final report) with cover letter dated 022792. (88-920001229). BIO-TECHNICS LABS.

HP. (1992). Initial submission: oral range find (final report) with cover letter dated 022792. (88-920001230). BIO-TECHNICS LABS.

Hu, J; Akula, N; Wang, N. (2016). Development of a Microemulsion Formulation for Antimicrobial SecA Inhibitors. PLoS ONE. 11: e0150433. http://dx.doi.org/10.1371/journal.pone.0150433.

Human Health Hazard Literature Search Results

Off Topic

Hu, JF; Niu, F; Ning, N; Duan, WZ; Chu, SF; Xue, W; Yuan, YH; Chen, NH; Zhang, JT. (2012). Activation of ERK1/2-CREB pathway during potentiating synaptic transmission of (-)clausenamide in rat dentate gyrus. J Asian Nat Prod Res. 14: 256-262. http://dx.doi.org/10.1080/10286020.2011.650885.

Hu, JH; Zhu, Y. (1996). [Effect of enhancers on the permeation of ketoprofen in vitro]. Yao Xue Xue Bao. 31: 48-53.

Hu, L; Cheng, Q; Chen, D; Ma, M; Wu, K. (2015). Liquid-phase exfoliated graphene as highly-sensitive sensor for simultaneous determination of endocrine disruptors: diethylstilbestrol and estradiol. J Hazard Mater. 283: 157-163. http://dx.doi.org/10.1016/j.jhazmat.2014.08.067.

Hu, N; Gao, R; Wang, Y; Wang, Y; Chai, J; Yang, Z; Kong, ES; Zhang, Y. (2012). The preparation and characterization of non-covalently functionalized graphene. J Nanosci Nanotechnol. 12: 99-104. http://dx.doi.org/10.1166/jnn.2012.5139.

Hua, G; Zhang, Q; Mcmanus, D; Slawin, AM; Woollins, JD. (2006). Novel non-aqueous Fe(III)/Fe(II) redox couple for the catalytic oxidation of hydrogen sulfide to sulfur by air. Dalton Trans1147-1156. http://dx.doi.org/10.1039/b513384j.

Hung, YM; Meier, KH. (2005). Acute (R) Confidor (imidacloprid-N-methyl pyrrolidone) insecticides intoxication with mimicking cholinergic syndrome. Toxicol Ind Health. 21: 137-140. http://dx.doi.org/10.1191/0748233705th217oa.

Ibrahim, HM; Ahmed, TA; Hussain, MD; Rahman, Z; Samy, AM; Kaseem, AA; Nutan, MT. (2014). Development of meloxicam in situ implant formulation by quality by design principle. Drug Dev Ind Pharm. 40: 66-73. http://dx.doi.org/10.3109/03639045.2012.746360.

INRS. (1986). N-methyl-2-pyrrolidone. Fiche Toxicologique. 213: 91-94.

Isele, U; van Hoogevest, P; Hilfiker, R; Capraro, HG; Schieweck, K; Leuenberger, H. (1994). Large-scale production of liposomes containing monomeric zinc phthalocyanine by controlled dilution of organic solvents. J Pharm Sci. 83: 1608-1616.

Islas, CA; Suelves, I; Carter, JF; Herod, AA; Kandiyoti, R. (2001). Structural characterisation of Baltic amber and its solvent extracts by several mass spectrometric methods. Rapid Commun Mass Spectrom. 15: 845-856. http://dx.doi.org/10.1002/rcm.306.

Ito, R; Umezawa, N; Higuchi, T. (2005). Unique oxidation reaction of amides with pyridine-N-oxide catalyzed by ruthenium porphyrin: direct oxidative conversion of N-acyl-L-proline to N-acyl-L-glutamate. J Am Chem Soc. 127: 834-835. http://dx.doi.org/10.1021/ja045603f.

Jacob, P; Shulgin, AT; Yu, L; Benowitz, NL. (1992). Determination of the nicotine metabolite trans-3'-hydroxycotinine in urine of smokers using gas chromatography with nitrogen-selective detection or selected ion monitoring. J Chromatogr. 583: 145-154.

Janagam, DR; Wang, L; Ananthula, S; Johnson, JR; Lowe, TL. (2016). An Accelerated Release Study to Evaluate Long-Acting Contraceptive Levonorgestrel-Containing in Situ Forming Depot Systems. 8. http://dx.doi.org/10.3390/pharmaceutics8030028.

Jang, H; Lee, S; Jin, L; Pyo, J; Tan, F; Kim, K; Kim, W; Jeon, HS. (2015). Preparation of Novel Pyridine-Based Aromatic Polyimides and Effect of Fluorine Functionality. J Nanosci Nanotechnol. 15: 8451-8459. http://dx.doi.org/10.1166/jnn.2015.11444.

Janicki, CA; Walkling, WD; Erlich, RH; Bainbridge, CA. (1981). Xilobam: analysis, determination of decomposition products and assessment of stability. J Pharm Sci. Pharm: 778-780.

Janout, V; Cefelin, P. (1986). SOLID-PHASE COSOLVENTS A POLYMER ANALOG OF N METHYL-2-PYRROLIDONE BASED ON CROSSLINKED POLYSTYRENE. Tetrahedron Lett. 27: 3525-3528.

Javidan, AN; Samadi, FY; Latifi, S; Nodoushan, MJ; Mobedi, H. (2014). A novel controlled release drug delivery system for naltrexone administration combined with intermittent morphine to induce antinociception. Journal of Drug Delivery Science and Technology. 24: 413-417.

Jaygerin, JP; Ferradini, C. (1994). COMPILATION OF SOME PHYSICOCHEMICAL PROPERTIES OF SOLVATED ELECTRONS IN POLAR LIQUIDS. J Chim Phys Phys Chim Biol. 91: 173-187.

Jebrane, M; Terziev, N; Heinmaa, I. (2017). Biobased and Sustainable Alternative Route to Long-Chain Cellulose Esters. Biomacromolecules. 18: 498-504. http://dx.doi.org/10.1021/acs.biomac.6b01584.

Jelovsek, FR; Mattison, DR; Chen, JJ. (1989). Prediction of risk for human developmental toxicity: How important are animal studies for hazard identification? Obstet Gynecol. 74: 624-636.

Jeong, J; Yeom, S; Ryu, J; Han, SK; Cho, SJ; Kim, J. (2010). A case of human poisoning with a flufenoxuron-containing insecticide. Clin Toxicol. 48: 87-89. http://dx.doi.org/10.3109/15563650903409781.

Jiang, H; Sun, X; Huang, M; Wang, Y; Li, D; Dong, S. (2006). Rapid self-assembly of oligo(o-phenylenediamine) into one-dimensional structures through a facile reprecipitation route. Langmuir. 22: 3358-3361. http://dx.doi.org/10.1021/la053091s.

John, MK; Xie, H; Bell, EC; Liang, D. (2013). Development and pharmacokinetic evaluation of a curcumin co-solvent formulation. Anticancer Res. 33: 4285-4291.

Johnson, BR; Bartle, KD; Herod, AA; Kandiyoti, R. (1997). N-methyl-2-pyrrolidinone as a mobile phase in the size-exclusion chromatography of coal derivatives. J Chromatogr A. 758: 65-74.

Jones, LG; Darvin, CH; Hall, E. (1999). Process and Equipment Changes for Cleaner Production in Federal Facilities. 10.

Jonsson, BAG; Akesson, B. (1997). Analysis of 5-hydroxy-N-methyl-2-pyrrolidone and 2-hydroxy-N-methylsuccinimide in plasma. Chromatographia. 46: 141-144.

Joshi, R; Robinson, DH; Himmelstein, KJ. (1999). In vitro properties of an in situ forming gel for the parenteral delivery of macromolecular drugs. Pharm Dev Technol. 4: 515-522. http://dx.doi.org/10.1081/PDT-100101389.

Jouyban, A; Fakhree, MA; Shayanfar, A. (2010). Review of pharmaceutical applications of N-methyl-2-pyrrolidone [Review]. J Pharm Pharm Sci. 13: 524-535.

Jouyban, A; Soltanpour, S. (2010). Solubility of Pioglitazone Hydrochloride in Binary Mixtures of Polyethylene Glycol 400 with Ethanol, Propylene Glycol, N-Methyl-2-pyrrolidone, and Water at 25 degrees C. Chem Pharm Bull (Tokyo). 58: 1132-1135.

Julinová, M; Kupec, J; Houser, J; Slavík, R; Marusincová, H; Cervenáková, L; Klívar, S. (2012). Removal of polyvinylpyrrolidone from wastewater using different methods. Water Environ Res. 84: 2123-2132. http://dx.doi.org/10.2175/106143012X13373575830999.

Junaidi, MU; Leo, CP; Kamal, SN; Ahmad, AL. (2013). Fouling mitigation in humic acid ultrafiltration using polysulfone/SAPO-34 mixed matrix membrane. Water Sci Technol. 67: 2102-2109. http://dx.doi.org/10.2166/wst.2013.098.

Human Health Hazard Literature Search Results

Off Topic

Jung, CY; Kim, TH; Yi, SC. (2014). Ultrahigh PEMFC performance of a thin-film, dual-electrode assembly with tailored electrode morphology. ChemSusChem. 7: 466-473. http://dx.doi.org/10.1002/cssc.201301043.

Jung, RE; Kokovic, V; Jurisic, M; Yaman, D; Subramani, K; Weber, FE. (2011). Guided bone regeneration with a synthetic biodegradable membrane: a comparative study in dogs. Clin Oral Implants Res. 22: 802-807. http://dx.doi.org/10.1111/j.1600-0501.2010.02068.x.

Kaiser, E; Rohrer, J. (1999). Determination of trace anions in organic solvents. J Chromatogr A. 858: 55-63.

Kakubari, I; Nakamura, N; Takayasu, T; Yamauchi, H; Takayama, S; Takayama, K. (2006). Effects of solvents on skin permeation of formoterol fumarate. Biol Pharm Bull. 29: 146-149.

Kakubari, I; Shinkai, N; Kawakami, J; Uruno, A; Takayasu, T; Yamauchi, H; Takayama, S; Takayama, K. (2006). Formulation and evaluation of ethylene-vinyl acetate copolymer matrix patches containing formoterol fumarate. Biol Pharm Bull. 29: 513-516.

Kamil, N; Nair, AB; Attimarad, M. (2016). Development of Transdermal Delivery System of Dexamethasone, Palonosetron and Aprepitant for Combination Antiemetic Therapy. 50: 472-481. http://dx.doi.org/10.5530/ijper.50.3.22.

Karadsheh, N; Kussie, P; Linthicum, DS. (1991). Inhibition of acetylcholinesterase by caffeine, anabasine, methyl pyrrolidine and their derivatives. Toxicol Lett. AMST: 335-342.

Karakatsani, M; Dedhiya, M; Plakogiannis, FM. (2010). The effect of permeation enhancers on the viscosity and the release profile of transdermal hydroxypropyl methylcellulose gel formulations containing diltiazem HCl. Drug Dev Ind Pharm. 36: 1195-1206. http://dx.doi.org/10.3109/03639041003695105.

Karfeld-Sulzer, LS; Ghayor, C; Siegenthaler, B; de Wild, M; Leroux, JC; Weber, FE. (2015). N-methyl pyrrolidone/bone morphogenetic protein-2 double delivery with in situ forming implants. J Control Release. 203: 181-188. http://dx.doi.org/10.1016/j.jconrel.2015.02.019.

Karfeld-Sulzer, LS; Ghayor, C; Siegenthaler, B; Gjoksi, B; Pohjonen, TH; Weber, FE. (2017). Comparative study of NMP-preloaded and dip-loaded membranes for guided bone regeneration of rabbit cranial defects. J Tissue Eng Regen Med. 11: 425-433. http://dx.doi.org/10.1002/term.1926.

Karpe, P; Kirchner, S; Rouxel, P. (1995). THERMAL DESORPTION-GAS CHROMATOGRAPHY-MASS SPECTROMETRY-FLAME IONIZATION DETECTION-SNIFFER MULTI-COUPLING A DEVICE FOR THE DETERMINATION OF ODOROUS VOLATILE ORGANIC COMPOUNDS IN AIR. J Chromatogr A. 708: 105-114.

Karu, AE. (1993). MONOCLONAL ANTIBODIES AND THEIR USE IN MEASUREMENT OF ENVIRONMENTAL CONTAMINANTS (pp. BRISTOL). (BIOSIS/93/18088). Karu, AE.

Kaune, G; Wang, W; Metwalli, E; Ruderer, M; Rossner, R; Roth, SV; Müller-Buschbaum, P. (2008). Layered TiO2: PVK nano-composite thin films for photovoltaic applications. TiO2: PVK nano-composite thin films. Eur Phys J E Soft Matter. 26: 73-79. http://dx.doi.org/10.1140/epje/i2007-10292-2.

Kauppinen, T; Teschke, K; Savela, A; Kogevinas, M; Boffetta, P. (1997). International data base of exposure measurements in the pulp, paper and paper product industries. Int Arch Occup Environ Health. 70: 119-127. http://dx.doi.org/10.1007/s004200050195.

Kempe, S; Metz, H; Mäder, K. (2008). Do in situ forming PLG/NMP implants behave similar in vitro and in vivo? A non-invasive and quantitative EPR investigation on the mechanisms of the implant formation process. J Control Release. 130: 220-225. http://dx.doi.org/10.1016/j.jconrel.2008.06.006.

Kennelly, P; Corrigan, OI. (1987). Physicochemical investigations of dipolar aprotic solvents as potential cholelitholytic agents. J Pharm Pharmacol. 39: 471-474.

Khodayari, M; Reinsberg, P; Abd-El-Latif, AE; Merdon, C; Fuhrmann, J; Baltruschat, H. (2016). Determining Solubility and Diffusivity by Using a Flow Cell Coupled to a Mass Spectrometer. Chemphyschem. 17: 1647-1655. http://dx.doi.org/10.1002/cphc.201600005.

Kikwai, L; Babu, RJ; Kanikkannan, N; Singh, M. (2004). Preformulation stability of Spantide II, a promising topical anti-inflammatory agent for the treatment of psoriasis and contact dermatitis. J Pharm Pharmacol. 56: 19-25. http://dx.doi.org/10.1211/0022357022539.

Kikwai, L; Babu, RJ; Prado, R; Kolot, A; Armstrong, CA; Ansel, JC; Singh, M. (2005). In vitro and in vivo evaluation of topical formulations of spantide II. AAPS PharmSciTech. 6: E565-E572. http://dx.doi.org/10.1208/pt060471.

Kim, CK; Hong, MS; Kim, YB; Han, SK. (1993). EFFECT OF PENETRATION ENHANCERS (PYRROLIDONE DERIVATIVES) ON MULTILAMELLAR LIPOSOMES OF STRATUM-CORNEUM LIPID - A STUDY BY UV SPECTROSCOPY AND DIFFERENTIAL SCANNING CALORIMETRY. Int J Pharm. 95: 43-50.

Kim, DD; Chien, YW. (1995). Transdermal delivery of zalcitabine: in vitro skin permeation study. AIDS. 9: 1331-1336.

Kim, DD; Chien, YW. (1996). Transdermal delivery of dideoxynucleoside-type anti-HIV drugs. 2. The effect of vehicle and enhancer on skin permeation. J Pharm Sci. 85: 214-219. http://dx.doi.org/10.1021/js950141c.

Kim, H; Lee, J; Ok, S; Choe, Y. (2012). Effects of pentacene-doped PEDOT:PSS as a hole-conducting layer on the performance characteristics of polymer photovoltaic cells. Nanoscale Res Lett. 7: 5. http://dx.doi.org/10.1186/1556-276X-7-5.

Kim, H; Mattevi, C; Kim, HJ; Mittal, A; Mkhoyan, KA; Riman, RE; Chhowalla, M. (2013). Optoelectronic properties of graphene thin films deposited by a Langmuir-Blodgett assembly. Nanoscale. 5: 12365-12374. http://dx.doi.org/10.1039/c3nr02907g.

Kim, JR; Jung, JH; Shin, WS; So, WW; Moon, SJ. (2011). Efficient TCO-free organic solar cells with modified poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate) anodes. J Nanosci Nanotechnol. 11: 326-330. http://dx.doi.org/10.1166/jnn.2011.3173.

Kim, MS; Song, HS; Park, HJ; Hwang, SJ. (2012). Effect of solvent type on the nanoparticle formation of atorvastatin calcium by the supercritical antisolvent process. Chem Pharm Bull (Tokyo). 60: 543-547.

Kini, V; Nayak, DG; Uppoor, AS. (2016). A Clinical Evaluation of Biphasic Calcium Phosphate Alloplast with and without a Flowable Bioabsorbable Guided Tissue Regeneration Barrier in the Treatment of Mandibular Molar Class II Furcation Defects. J Contemp Dent Pract. 17: 143-148.

Klaehn, J; Orme, C; Peterson, E; Luther, T; Jones, M; Wertsching, A; Urban-Klaehn, J. (2008). CO2 Separation Using Thermally Optimized Membranes: A Comprehensive Project Report (2000 - 2007). 105.

Human Health Hazard Literature Search Results

Off Topic

Klug, S; Jaeckh, R; Rossbacher, R; Flick, B. (2005). Assessment of in vitro toxicity of N-methyl-pyrrolidone and its metabolites using the whole embryo culture test. Naunyn Schmiedebergs Arch Pharmacol. 371: R125-R126.

Koch, HM; Bader, M; Weiss, T; Koslitz, S; Schütze, A; Käfferlein, HU; Brüning, T. (2014). Metabolism and elimination of N-ethyl-2-pyrrolidone (NEP) in human males after oral dosage. Arch Toxicol. 88: 893-899. http://dx.doi.org/10.1007/s00204-013-1150-1.

Koizumi, A; Fujii, M; Kondoh, M; Watanabe, Y. (2004). Effect of N-methyl-2-pyrrolidone on skin permeation of estradiol. Eur J Pharm Biopharm. 57: 473-478. http://dx.doi.org/10.1016/j.ejpb.2003.12.006.

Koslitz, S; Meier, S; Schindler, BK; Weiss, T; Koch, HM; Brüning, T; Käfferlein, HU. (2014). Biomonitoring of N-ethyl-2-pyrrolidone in automobile varnishers. Toxicol Lett. 231: 142-146. http://dx.doi.org/10.1016/j.toxlet.2014.10.016.

Kranz, H; Bodmeier, R. (2008). Structure formation and characterization of injectable drug loaded biodegradable devices: in situ implants versus in situ microparticles. Eur J Pharm Sci. 34: 164-172. http://dx.doi.org/10.1016/j.ejps.2008.03.004.

Krishnan, PS; Joshi, M; Bhargava, P; Valiyaveettil, S; He, C. (2005). Effect of heterocyclic based organoclays on the properties of polyimide-clay nanocomposites. J Nanosci Nanotechnol. 5: 1148-1157. http://dx.doi.org/10.1166/jnn.2005.171.

Křížek, K; Růžička, J; Julinová, M; Husárová, L; Houser, J; Dvořáčková, M; Jančová, P. (2015). N-methyl-2-pyrrolidone-degrading bacteria from activated sludge. Water Sci Technol. 71: 776-782. http://dx.doi.org/10.2166/wst.2015.031.

Ku, BK; Fernandez de la Mora, J; Saucy, DA; Alexander, JN. (2004). Mass distribution measurement of water-insoluble polymers by charge-reduced electrospray mobility analysis. Anal Chem. 76: 814-822. http://dx.doi.org/10.1021/ac034594a.

Kumar, S; Malick, AW; Meltzer, NM; Mouskountakis, JD; Behl, CR. (1992). STUDIES OF INVITRO SKIN PERMEATION AND RETENTION OF A LEUKOTRIENE ANTAGONIST FROM TOPICAL VEHICLES WITH A HAIRLESS GUINEA-PIG MODEL. J Pharm Sci. 81: 631-634. http://dx.doi.org/10.1002/jps.2600810708.

Kumari, S; Sharma, OP; Khatri, OP. (2016). Alkylamine-functionalized hexagonal boron nitride nanoplatelets as a novel material for the reduction of friction and wear. Phys Chem Chem Phys. 18: 22879-22888. http://dx.doi.org/10.1039/c6cp04741f.

Kupikowska-Stobba, B; Lewińska, D; Grzeczkowicz, M. (2014). Chemical method for retrieval of cells encapsulated in alginate-polyethersulfone microcapsules. 42: 151-160. http://dx.doi.org/10.3109/21691401.2013.800083.

Kurakula, M; Ahmed, TA. (2016). Co-Delivery of Atorvastatin Nanocrystals in PLGA based in situ Gel for Anti-Hyperlipidemic Efficacy. Curr Drug Deliv. 13: 211-220.

Kuramoto, M; Tanaka, T; Makita, H; Nakamura, Y; Yata, N. (1996). Characteristics of shed snake skin permeability to indomethacin and fatty alcohols. J Pharm Pharmacol. 48: 680-684.

Lake, PE; Ravie, O. (1984). An exploration of cryoprotective compounds for fowl spermatozoa. Br Poult Sci. 25: 145-150. http://dx.doi.org/10.1080/13632758408454852.

Lambert, WJ; Peck, KD. (1995). DEVELOPMENT OF AN IN-SITU FORMING BIODEGRADABLE POLY-LACTIDE-CO-GLYCOLIDE SYSTEM FOR THE CONTROLLED-RELEASE OF PROTEINS. J Control Release. 33: 189-195.

Lamm, S; Kutcher, J; Morris, C. (1996). Spontaneous abortions and glycol ethers used in the semiconductor industry: an epidemiologic review. Occup Hyg. 2: 339-354.

Lan, CH; Peng, CY; Lin, TS. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol. 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x.

Langworth, S; Anundi, H; Friis, L; Johanson, G; Lind, ML; Soderman, E; Akesson, BA. (2001). Acute health effects common during graffiti removal. Int Arch Occup Environ Health. 74: 213-218. http://dx.doi.org/10.1007/s004200000211.

Lapeyre, M; Leprince, J; Massonneau, M; Oulyadi, H; Renard, PY; Romieu, A; Turcatti, G; Vaudry, H. (2006). Aryldithioethyloxycarbonyl (Ardec): a new family of amine protecting groups removable under mild reducing conditions and their applications to peptide synthesis. Chemistry. 12: 3655-3671. http://dx.doi.org/10.1002/chem.200501538.

Lazar, RA; Mandal, I; Slater, NK. (2015). Effect of bore fluid composition on microstructure and performance of a microporous hollow fibre membrane as a cation-exchange substrate. J Chromatogr A. 1394: 148-153. http://dx.doi.org/10.1016/j.chroma.2015.03.037.

Lederer, MO; Schuler, A; Ohmenhäuser, M. (1999). Reactivity of lysine moieties toward an epoxyhydroxylinoleic acid derivative: aminolysis versus hydrolysis. J Agric Food Chem. 47: 4611-4620.

Lee, JH; Gomez, I; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. I. A symmetric system. Langmuir. 27: 6897-6904. http://dx.doi.org/10.1021/la200976d.

Lee, JH; Meredith, JC. (2011). Non-DLVO silica interaction forces in NMP-water mixtures. II. An asymmetric system. Langmuir. 27: 10000-10006. http://dx.doi.org/10.1021/la202176u.

Lee, JY; Chaimongkalayon, N; Lim, J; Ha, HY; Moon, SH. (2016). Arsenic removal from groundwater using low-cost carbon composite electrodes for capacitive deionization. Water Sci Technol. 73: 3064-3071. http://dx.doi.org/10.2166/wst.2016.135.

Lee, PJ; Ahmad, N; Langer, R; Mitragotri, S; Prasad Shastri, V. (2006). Evaluation of chemical enhancers in the transdermal delivery of lidocaine. Int J Pharm. 308: 33-39. http://dx.doi.org/10.1016/j.ijpharm.2005.10.027.

Lee, PJ; Langer, R; Shastri, VP. (2003). Novel microemulsion enhancer formulation for simultaneous transdermal delivery of hydrophilic and hydrophobic drugs. Pharm Res. 20: 264-269.

Lee, PJ; Langer, R; Shastri, VP. (2005). Role of n-methyl pyrrolidone in the enhancement of aqueous phase transdermal transport. J Pharm Sci. 94: 912-917. http://dx.doi.org/10.1002/jps.20291.

Lee, SJ; Lee, KG. (2005). Inhibitory effects of volatile antioxidants found in various beans on malonaldehyde formation in horse blood plasma. Food Chem Toxicol. 43: 515-520. http://dx.doi.org/10.1016/j.fct.2004.12.004.

Lee, WJ; Lee, JK; Chung, J; Cho, YJ; Park, DH. (2010). Effects of electrochemical reduction reactions on the biodegradation of recalcitrant organic compounds (ROCs) and bacterial community diversity. J Microbiol Biotechnol. 20: 1230-1239.

Human Health Hazard Literature Search Results

Off Topic

Lei, Z; Xu, S; Wan, J; Wu, P. (2016). Facile synthesis of N-rich carbon quantum dots by spontaneous polymerization and incision of solvents as efficient bioimaging probes and advanced electrocatalysts for oxygen reduction reaction. Nanoscale. 8: 2219-2226. http://dx.doi.org/10.1039/c5nr07335a.

Lemus-Santana, AA; González, M; Rodríguez-Hernández, J; Knobel, M; Reguera, E. (2013). 1-Methyl-2-pyrrolidone: from exfoliating solvent to a paramagnetic ligand. J Phys Chem A. 117: 2400-2407. http://dx.doi.org/10.1021/jp4007813.

Lewis, GT; Nowling, GR; Hicks, RF; Cohen, Y. (2007). Inorganic surface nanostructuring by atmospheric pressure plasma-induced graft polymerization. Langmuir. 23: 10756-10764. http://dx.doi.org/10.1021/la700577p.

Li, C; Liu, C; Liu, J; Fang, L. (2011). Correlation between rheological properties, in vitro release, and percutaneous permeation of tetrahydropalmatine. AAPS PharmSciTech. 12: 1002-1010. http://dx.doi.org/10.1208/s12249-011-9664-4.

Li, F, aT; Kou, CG; Sun, Z; Hao, YJ; Liu, R; Zhao, D, iS. (2012). Deep extractive and oxidative desulfurization of dibenzothiophene with C5H9NO center dot SnCl2 coordinated ionic liquid. J Hazard Mater. 205: 164-170. http://dx.doi.org/10.1016/j.jhazmat.2011.12.054.

Li, J; Shao, S; Solorzano, M; Allmaier, GJ; Kurtulik, PT. (2009). Determination of the residual ethanol in hydroalcoholic sealed hard gelatin capsules by static headspace gas chromatography with immiscible binary solvents. J Chromatogr A. 1216: 3328-3336. http://dx.doi.org/10.1016/j.chroma.2009.02.029.

Li, X; Pan, W; Ju, C; Liu, Z; Pan, H; Zhang, H; Nie, S. (2009). Evaluation of Pharmasolve corneal permeability enhancement and its irritation on rabbit eyes. Drug Deliv. 16: 224-229. http://dx.doi.org/10.1080/10717540902850567.

Li, Y; Zhao, X; Zu, Y; Zhang, Y; Ge, Y; Zhong, C; Wu, W. (2015). Preparation and characterization of micronized ellagic acid using antisolvent precipitation for oral delivery. Int J Pharm. 486: 207-216. http://dx.doi.org/10.1016/j.ijpharm.2015.03.071.

Liao, CL; Huang, CC; Lee, CY; Chiu, T, aiHui; Kuo, SC, hu; Chen, G, anLin. (2008). In Vitro Skin Permeation of Buprenorphine Transdermal Patch. J Food Drug Anal. 16: 8-15.

Ligocka, D; Lison, D; Haufroid, V. (2002). Quantitative determination of 5-hydroxy-N-methylpyrrolidone in urine for biological monitoring of N-methylpyrrolidone exposure. Journal of Chromatography B. 778: 223-230.

Lim, CH; Yoo, YJ. (2000). Synthesis of ortho-directed polyaniline using horseradish peroxidase. Process Biochemistry. 36: 233-241.

Limpongsa, E; Umprayn, K. (2008). Preparation and evaluation of diltiazem hydrochloride diffusion-controlled transdermal delivery system. AAPS PharmSciTech. 9: 464-470. http://dx.doi.org/10.1208/s12249-008-9062-8.

Lin, DW; Bettinger, CJ; Ferreira, JP; Wang, CL; Bao, Z. (2011). A cell-compatible conductive film from a carbon nanotube network adsorbed on poly-L-lysine. ACS Nano. 5: 10026-10032. http://dx.doi.org/10.1021/nn203870c.

Lin, PC; Lin, HJ; Liao, YY; Guo, HR; Chen, KT. (2013). Acute poisoning with neonicotinoid insecticides: a case report and literature review [Review]. Basic & Clinical Pharmacology & Toxicology Online Pharmacology Online. 112: 282-286. http://dx.doi.org/10.1111/bcpt.12027.

Lindgren, S; Svensson, U; Dahlbom, R. (1975). Acetylene compounds of potential pharmacological value. XXIII. N-(1-Methyl-5-pyrrolidino-3-pentynyl)-substituted succinimide and 2-pyrrolidone. Acta Pharm Suec. 12: 503-506.

Liu, H; Venkatraman, SS. (2012). Effect of polymer type on the dynamics of phase inversion and drug release in injectable in situ gelling systems. J Biomater Sci Polym Ed. 23: 251-266. http://dx.doi.org/10.1163/092050610X549171.

Liu, J; Saw, CL; Olivo, M; Sudhaharan, T; Ahmed, S; Heng, PW; Wohland, T. (2009). Study of interaction of hypericin and its pharmaceutical preparation by fluorescence techniques. J Biomed Opt. 14: 014003. http://dx.doi.org/10.1117/1.3067726.

Liu, M; Grant, SG; Macina, OT; Klopman, G; Rosenkranz, HS. (1997). Structural and mechanistic bases for the induction of mitotic chromosomal loss and duplication (‘malsegregation') in the yeast Saccharomyces cerevisiae: Relevance to human carcinogenesis and developmental toxicology. Mutat Res-Fundam Mol Mech Mutagen. 374: 209-231. http://dx.doi.org/10.1016/S0027-5107(96)00236-9.

Liu, Q; Zhang, H; Zhou, G; Xie, S; Zou, H; Yu, Y; Li, G; Sun, D; Zhang, G; Lu, Y; Zhong, Y. (2010). In vitro and in vivo study of thymosin alpha1 biodegradable in situ forming poly(lactide-co-glycolide) implants. Int J Pharm. 397: 122-129. http://dx.doi.org/10.1016/j.ijpharm.2010.07.015.

Liu, W; Teng, L; Yu, K; Sun, X; Fan, C; Long, C; Liu, N; Li, S; Wu, B; Xu, Q; Sun, F; Li, Y. (2017). Design of hydrogels of 5-hydroxymethyl tolterodine and their studies on pharmacokinetics, pharmacodynamics and transdermal mechanism. Eur J Pharm Sci. 96: 530-541. http://dx.doi.org/10.1016/j.ejps.2016.10.024.

Liu, Y; Chen, X; Ji, Y; Chen, J; Wang, G; Shang, Y; Liu, X; Pan, J. (2011). Validated hydrophilic interaction LC-MS/MS method for determination of 2-pyrrolidinone residue: applied to a depletion study of 2-pyrrolidinone in swine liver. Anal Bioanal Chem. 399: 1371-1380. http://dx.doi.org/10.1007/s00216-010-4395-z.

Liu, Y; Ji, Y; Chen, J; Chen, X; Wang, G; Shang, Y; Liu, X; Pan, J. (2010). Validated hydrophilic interaction LC-MS/MS method for determination of N-methyl-2-pyrrolidinone residue: Applied to a depletion study of N-methyl-2-pyrrolidinone in swine liver following intramuscular administration of drug N-methyl-2-pyrrolidinone formulation. J Chromatogr B Analyt Technol Biomed Life Sci. 878: 3283-3289. http://dx.doi.org/10.1016/j.jchromb.2010.10.004.

Liu, Y; Liu, X; Zhan, Y; Fan, H; Lu, Y. (2015). Copper nanocoils synthesized through solvothermal method. Sci Rep. 5: 16879. http://dx.doi.org/10.1038/srep16879.

Long, D; Gong, T; Zhang, Z; Ding, R; Fu, Y. (2016). Preparation and evaluation of a phospholipid-based injectable gel for the long term delivery of leuprolide acetaterrh. 6: 329-335. http://dx.doi.org/10.1016/j.apsb.2016.05.004.

Long, H; Tao, L; Chiu, CP; Tang, CY; Fung, KH; Chai, Y; Tsang, YH. (2016). The WS2 quantum dot: preparation, characterization and its optical limiting effect in polymethylmethacrylate. Nanotechnology. 27: 414005. http://dx.doi.org/10.1088/0957-4484/27/41/414005.

Lord, HL; Snieckus, VA; Josephy, PD. (1989). Re-evaluation of the effect of ellagic acid on dimethylnitrosamine mutagenicity. Mutagenesis. 4: 453-455.

Love, WG; Vanderzanden, BCH; Taylor, PW. (1997). Formulation of a zinc(II)-phthalocyanine-containing topical gel for photodynamic therapy of hyperproliferative skin conditions. Drug Dev Ind Pharm. 23: 705-710.

Human Health Hazard Literature Search Results

Off Topic

Lu, J, un; Ju, Y, ouT; Chen, S, lin; Cai, J, unY; Xu, G, uohai; Hu, Y, anhui. (2016). In situ epicatechin-loaded hydrogel implants for local drug delivery to spinal column for effective management of post-traumatic spinal injuries. Tropical Journal of Pharmaceutical Research. 15: 1369-1374. http://dx.doi.org/10.4314/tjpr.v15i7.3.

Lu, L, ei; Zhang, W, ei; Wu, X, in; Wang, X; Zhang, M, in; Zhu, Q; Ding, X; Xu, Z; Gao, S; Gao, J. (2013). A novel ropivacaine-loaded in situ forming implant prolongs the effect of local analgesia in rats. Archives of Medical Science. 9: 614-621. http://dx.doi.org/10.5114/aoms.2012.30829.

Lu, X; Yu, Y; Chen, L; Mao, H; Zhang, W; Wei, Y. (2004). Preparation and characterization of polyaniline microwires containing CdS nanoparticles. Chem Commun (Camb)1522-1523. http://dx.doi.org/10.1039/b403105a.

Lu, Y; Yu, Y; Tang, X. (2007). Sucrose acetate isobutyrate as an in situ forming system for sustained risperidone release. J Pharm Sci. 96: 3252-3262. http://dx.doi.org/10.1002/jps.21091.

Lu, YX; He, HB; Cui, Y; Tang, X. (2007). [Rheological properties of sucrose acetate isobutyrate in situ gel]. Yao Xue Xue Bao. 42: 445-449.

Luo, R; Venkatraman, SS; Neu, B. (2013). Layer-by-layer polyelectrolyte-polyester hybrid microcapsules for encapsulation and delivery of hydrophobic drugs. Biomacromolecules. 14: 2262-2271. http://dx.doi.org/10.1021/bm4003915.

Luu, DX; Cho, EB; Han, OH; Kim, D. (2009). SAXS and NMR analysis for the cast solvent effect on sPEEK membrane properties. J Phys Chem B. 113: 10072-10076. http://dx.doi.org/10.1021/jp904604u.

Lyapunov, AN; Bezuglaya, EP; Lyapunov, NA; Kirilyuk, IA. (2015). STUDIES OF CARBOMER GELS USING ROTATIONAL VISCOMETRY AND SPIN PROBES. Pharmaceutical Chemistry Journal. 49: 639-644. http://dx.doi.org/10.1007/s11094-015-1344-3.

Ma, R; Fang, L; Niu, XC; Jiang, YX; He, ZG. (2008). Effect of ion-pairing on the permeation of glibenclamide through rat skin. Journal of Drug Delivery Science and Technology. 18: 279-284.

Ma, X; Fang, L; Guo, J; Zhao, N; He, Z. (2010). Effect of counter-ions and penetration enhancers on the skin permeation of flurbiprofen. J Pharm Sci. 99: 1826-1837. http://dx.doi.org/10.1002/jps.21953.

Macko, T; Pasch, H; Kazakevich, YV; Fadeev, AY. (2003). Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent. J Chromatogr A. 988: 69-76. http://dx.doi.org/10.1016/S0021-9673(02)02062-9.

Madan, M; Bajaj, A; Lewis, S; Udupa, N; Baig, JA. (2009). In situ forming polymeric drug delivery systems. Indian J Pharmaceut Sci. 71: 242-251. http://dx.doi.org/10.4103/0250-474X.56015.

Maji, A; Hazra, A; Maiti, D. (2014). Direct synthesis of α-trifluoromethyl ketone from (hetero)arylacetylene: design, intermediate trapping, and mechanistic investigations. Org Lett. 16: 4524-4527. http://dx.doi.org/10.1021/ol502071g.

Makarov, VA; Riabova, OB; Granik, VG; Wutzler, P; Schmidtke, M. (2005). Novel [(biphenyloxy)propyl]isoxazole derivatives for inhibition of human rhinovirus 2 and coxsackievirus B3 replication. J Antimicrob Chemother. 55: 483-488. http://dx.doi.org/10.1093/jac/dki055.

Mallakpour, S; Khani, M. (2010). Construction of chiral polyesters from polycondensation of multifunctional monomer containing both flexible amino acid and rigid pendant groups with aromatic diols. Amino Acids. 39: 841-848. http://dx.doi.org/10.1007/s00726-010-0539-x.

Mallakpour, S; Mirkarimi, F. (2010). Synthesis and characterization of novel, optically active polyamides derived from S-valine natural amino acid and bulky anthracenic side chain. Amino Acids. 39: 1255-1263. http://dx.doi.org/10.1007/s00726-010-0560-0.

Mallakpour, S; Rafiee, Z. (2009). Microwave-induced synthesis of new optically active and soluble polyamides containing pendent 4-(2-phthalimidiylpropanoylamino)benzoylamino-groups. Amino Acids. 37: 665-672. http://dx.doi.org/10.1007/s00726-008-0186-7.

Mallakpour, S; Soltanian, S. (2012). Synthesis and properties of optically active nanostructured polymers bearing amino acid moieties by direct polycondensation of 4,4'-thiobis(2-tert-butyl-5-methylphenol) with chiral diacids. Amino Acids. 42: 2187-2194. http://dx.doi.org/10.1007/s00726-011-0958-3.

Malpoix, P. (1976). Haemoglobin synthesis induced by N-methyl-2-pyrrolidinone and dimethylsulfoxide in permanent cell lines derived from normal mouse foetal liver [proceedings]. Arch Int Physiol Biochim. 84: 1090-1091.

Mana Kialengila, D; Wolfs, K; Bugalama, J; Van Schepdael, A; Adams, E. (2013). Full evaporation headspace gas chromatography for sensitive determination of high boiling point volatile organic compounds in low boiling matrices. J Chromatogr A. 1315: 167-175. http://dx.doi.org/10.1016/j.chroma.2013.09.058.

Manabe, E; Tanaka, S; Sugibayashi, K; Morimoto, Y. (1998). Are there any specific enhancers to increase skin permeation of only lipophilic or hydrophilic drugs? Studies using several enhancers. Yakuzaigaku. Pract: 10-16.

Maron, D; Katzenellenbogen, J; Ames, BN. (1981). Compatibility of organic solvents with the Salmonella/microsome test. Mutat Res. 88: 343-350.

Mashayekhi, R; Mobedi, H; Najafi, J; Enayati, M. (2013). In-vitro/In-vivo comparison of leuprolide acetate release from an in-situ forming plga system. DARU. 21: 57. http://dx.doi.org/10.1186/2008-2231-21-57.

Mayer, VW; Goin, CJ. (1988). Investigations of aneuploidy-inducing chemical combinations in Saccharomyces cerevisiae. Mutat Res. 201: 413-421.

Mayer, VW; Goin, CJ; Taylor-Mayer, RE. (1986). 2 PYRROLIDINONE AND 1 METHYL-2-PYRROLIDINONE INDUCE ANEUPLOIDY IN SACCHAROMYCES-CEREVISIAE (pp. 9-13). (BIOSIS/86/27703). Mayer, VW; Goin, CJ; Taylor-Mayer, RE.

Mccullough, JL; Weinstein, GD; Lemus, LL; Rampone, W; Jenkins, JJ. (1983). Development of a topical hematoporphyrin derivative formulation: characterization of photosensitizing effects in vivo. J Invest Dermatol. 81: 528-532.

Mccullough, JL; Weinstein, GD; Rosenblum, MG; Jenkins, JJ. (1983). Percutaneous penetration of methylglyoxal bis(guanylhydrazone): effects on hairless mouse epidermis in vivo. J Invest Dermatol. 81: 388-392.

Melendres, JL; Nangia, A; Sedik, L; Hori, M; Maibach, HI. (1993). NONANE ENHANCES PROPRANOLOL HYDROCHLORIDE PENETRATION IN HUMAN SKIN. Int J Pharm. 92: 243-248.

Meng, Q; Jin, J; Wang, R; Kuan, HC; Ma, J; Kawashima, N; Michelmore, A; Zhu, S; Wang, CH. (2014). Processable 3-nm thick graphene platelets of high electrical conductivity and their epoxy composites. Nanotechnology. 25: 125707. http://dx.doi.org/10.1088/0957-4484/25/12/125707.

Human Health Hazard Literature Search Results

Off Topic

Michel, M; Desai, JA; Biswas, C; Kaul, AB. (2016). Engineering chemically exfoliated dispersions of two-dimensional graphite and molybdenum disulphide for ink-jet printing. Nanotechnology. 27: 485602. http://dx.doi.org/10.1088/0957-4484/27/48/485602.

Michniak, BB; Player, MR; Chapman, JM; Sowell, JW. (1994). AZONE ANALOGS AS PENETRATION ENHANCERS - EFFECT OF DIFFERENT VEHICLES ON HYDROCORTISONE ACETATE SKIN PERMEATION AND RETENTION. J Control Release. 32: 147-154.

Michniak, BB; Player, MR; Fuhrman, LC; Christensen, CA; Chapman, JM; Sowell, JW. (1993). IN-VITRO EVALUATION OF A SERIES OF AZONE ANALOGS AS DERMAL PENETRATION ENHANCERS .2. (THIO)AMIDES. Int J Pharm. 94: 203-210.

Midgley, I; Hood, AJ; Chasseaud, LF; Brindley, CJ; Baughman, S; Allan, G. (1992). Percutaneous absorption of co-administered N-methyl-2-[14C]pyrrolidinone and 2-[14C]pyrrolidinone in the rat. Food Chem Toxicol. 30: 57-64.

Miguel, BS; Ghayor, C; Ehrbar, M; Jung, RE; Zwahlen, RA; Hortschansky, P; Schmoekel, HG; Weber, FE. (2009). N-methyl pyrrolidone as a potent bone morphogenetic protein enhancer for bone tissue regeneration. 15: 2955-2963. http://dx.doi.org/10.1089/ten.TEA.2009.0009.

Miller, MA; Khan, TA; Kaczorowski, KJ; Wilson, BK; Dinin, AK; Borwankar, AU; Rodrigues, MA; Truskett, TM; Johnston, KP; Maynard, JA. (2012). Antibody nanoparticle dispersions formed with mixtures of crowding molecules retain activity and in vivo bioavailability. J Pharm Sci. 101: 3763-3778. http://dx.doi.org/10.1002/jps.23256.

Mohammed, D; Matts, PJ; Hadgraft, J; Lane, ME. (2014). In vitro-in vivo correlation in skin permeation. Pharm Res. 31: 394-400. http://dx.doi.org/10.1007/s11095-013-1169-2.

Montenegro, L; Bucolo, C; Puglisi, G. (2003). Enhancer effects on in vitro corneal permeation of timolol and acyclovir. Pharmazie. 58: 497-501.

Mortelmans, K; Haworth, S; Lawlor, T; Speck, W; Tainer, B; Zeiger, E. (1986). Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. Environ Mutagen. 8: 1-119. http://dx.doi.org/10.1002/em.2860080702.

Mosanto Chemical Company. (1988). Experimental investigations on the embryotoxic and terato genic effect of n-methylpyrrolidone with cover letter dated 032588. (89-880000141).

Mottu, F; Laurent, A; Rufenacht, DA; Doelker, E. (2000). Organic solvents for pharmaceutical parenterals and embolic liquids: A review of toxicity data [Review]. PDA J Pharm Sci Technol. 54: 456-469.

Mottu, F; Stelling, MJ; Rufenacht, DA; Doelker, E. (2001). Comparative hemolytic activity of undiluted organic water-miscible solvents for intravenous and intra-arterial injection. PDA J Pharm Sci Technol. 55: 16-23.

Mukherjee, P; Kundu, A; Samanta, S; Roy, S; Nandi, AK. (2013). Nondestructive characterization of Li+ ion-doped multifunctional poly(vinylidene fluoride)-g-poly(dimethyl amino ethyl methacrylate) by impedance spectroscopy. J Phys Chem B. 117: 1458-1466. http://dx.doi.org/10.1021/jp311755w.

Mullin, CA; Chen, J; Fine, JD; Frazier, MT; Frazier, JL. (2015). The formulation makes the honey bee poison. Pestic Biochem Physiol. 120: 27-35. http://dx.doi.org/10.1016/j.pestbp.2014.12.026.

Mutalik, S; Udupa, N. (2003). Effect of some penetration enhancers on the permeation of glibenclamide and glipizide through mouse skin. Pharmazie. 58: 891-894.

Myoung, Y; Choi, HK. (2003). Permeation of ciclopirox across porcine hoof membrane: effect of pressure sensitive adhesives and vehicles. Eur J Pharm Sci. 20: 319-325.

Nagao, Y; Miyamoto, S; Miyamoto, M; Takeshige, H; Hayashi, K; Sano, S; Shiro, M; Yamaguchi, K; Sei, Y. (2006). Highly stereoselective asymmetric Pummerer reactions that incorporate intermolecular and intramolecular nonbonded S...O interactions. J Am Chem Soc. 128: 9722-9729. http://dx.doi.org/10.1021/ja056649r.

Nair, A; Reddy, C; Jacob, S. (2009). Delivery of a classical antihypertensive agent through the skin by chemical enhancers and iontophoresis. Skin Res Technol. 15: 187-194. http://dx.doi.org/10.1111/j.1600-0846.2009.00350.x.

Nair, A; Vyas, H; Shah, J; Kumar, A. (2011). Effect of permeation enhancers on the iontophoretic transport of metoprolol tartrate and the drug retention in skin. Drug Deliv. 18: 19-25. http://dx.doi.org/10.3109/10717544.2010.509361.

Narayanan, KS; Chaudhuri, RK. (1992). EMULSIFIABLE CONCENTRATE FORMULATIONS FOR MULTIPLE ACTIVE INGREDIENTS USING N ALKYLPYRROLIDONES (pp. PHILADELPHIA). (BIOSIS/92/22745). Narayanan, KS; Chaudhuri, RK.

Narayanan, KS; Chaudhuri, RK. (1993). N ALKYL PYRROLIDONE REQUIREMENT FOR STABLE WATER-BASED MICROEMULSIONS (pp. 12TH VOLUME; TWELFTH SYMPOSIUM). (BIOSIS/93/26963). Narayanan, KS; Chaudhuri, RK.

Nikolics, K; Coy, DH; Vilchez-Martinez, JA; Coy, DJ; Schally, AV. (1977). Synthesis and biological activity of position 1 analogs of LH-RH. 9: 57-62.

Nilsson, BM; Vargas, HM; Hacksell, U. (1992). Urea and 2-imidazolidone derivatives of the muscarinic agents oxotremorine and N-methyl-N-(1-methyl-4-pyrrolidino-2-butynyl)acetamide. J Med Chem. 35: 3270-3279.

N-methylpyrrolidone Producers Group. (1994). Support: Letter from N-methylpyrrolidone Producers Group to USEPA regarding 28-day dietary toxicity studies of n-methylpyrrolidone dated 042994. <a href="/cgi-bin/sis/transfer?tscats+NTIS/OTS05134117" target="new">Order this.

N-Methylpyrrolidone producers group, I. (1997). Initial submission: letter from N-methylpyrrolidone Prod Group to USEPA re: oral feeding reproductive toxicity study on N-methylpyrrolidone, dated 10/10/1997. (TSCATS/453676).

N-Methylpyrrolidone producers group, I. (1997). Initial submission: letter from NMP Producers Group INC. to USEPA re results in oral feeding 18-month carcinogenicity study of n-methylpyrrolidone in B6C3f1 mice, dated 9/16/1997. (TSCATS/445316).

N-Methylpyrrolidone producers group, I. (1998). Support: letter from N-methylpyrrolidone Prod Group to USEPA re: oral feeding reproductive toxicity study with N-methylpyrrolidone, dated 01/16/1998. (TSCATS/453677).

Nohr, M; Horn, W; Wiegner, K; Richter, M; Lorenz, W. (2014). Development of a material with reproducible emission of selected volatile organic compounds - µ-Chamber study. Chemosphere. 107: 224-229. http://dx.doi.org/10.1016/j.chemosphere.2013.12.047.

Nouwen, J; Lindgren, F; Hansen, B; Karcher, W; Verhaar H, JM; Hermens J, LM. (1997). Classification of environmentally occurring chemicals using structural fragments and PLS discriminant analysis. Environ Sci Technol. 31: 2313-2318.

NTP. (1983). Salmonella mutagenesis test results (pp. 5-6). (EMICBACK/51199). Research Triangle Park, NC.

Human Health Hazard Literature Search Results

Off Topic

Obata, Y; Ashitaka, Y; Kikuchi, S; Isowa, K; Takayama, K. (2010). A statistical approach to the development of a transdermal delivery system for ondansetron. Int J Pharm. 399: 87-93. http://dx.doi.org/10.1016/j.ijpharm.2010.08.006.

Obata, Y; Otake, Y; Takayama, K. (2010). Feasibility of transdermal delivery of prochlorperazine. Biol Pharm Bull. 33: 1454-1457.

Oceguera-Cervantes, A; Carrillo-García, A; López, N; Bolaños-Nuñez, S; Cruz-Gómez, MJ; Wacher, C; Loza-Tavera, H. (2007). Characterization of the polyurethanolytic activity of two Alicycliphilus sp. strains able to degrade polyurethane and N-methylpyrrolidone. Appl Environ Microbiol. 73: 6214-6223. http://dx.doi.org/10.1128/AEM.01230-07.

Ogiso, T; Hata, T; Iwaki, M; Tanino, T. (2001). Transdermal absorption of bupranolol in rabbit skin in vitro and in vivo. Biol Pharm Bull. 24: 588-591.

Ogiso, T; Iwaki, M; Paku, T. (1995). Effect of various enhancers on transdermal penetration of indomethacin and urea, and relationship between penetration parameters and enhancement factors. J Pharm Sci. Pharm: 482-488.

Ogiso, T; Paku, T; Iwaki, M; Tanino, T. (1995). Percutaneous penetration of fluorescein isothiocyanate-dextrans and the mechanism for enhancement effect of enhancers on the intercellular penetration. Biol Pharm Bull. 18: 1566-1571.

Ogiso, T; Shiraki, T; Okajima, K; Tanino, T; Iwaki, M; Wada, T. (2002). Transfollicular drug delivery: penetration of drugs through human scalp skin and comparison of penetration between scalp and abdominal skins in vitro. J Drug Target. 10: 369-378. http://dx.doi.org/10.1080/1061186021000001814.

Ohta, Y; Tanaka, M; Terada, M; Miller, OJ; Bank, A; Marks, P; Rifkind, RA. (1976). Erythroid cell differentiation: murine erythroleukemia cell variant with unique pattern of induction by polar compounds. Proc Natl Acad Sci USA. 73: 1232-1236.

Oishi, T; Ban, Y; Murakami, S. (1972). REACTIONS OF ACTIVATED AMIDES .6. REACTIONS OF 1-METHYL-2-PYRROLIDONE DIMETHYLACETAL AND 2-METHYLMERCAPTO-1-METHYL-2-PYRROLINE WITH DIMETHYL ACETYLENEDICARBOXYLATE. Chem Pharm Bull (Tokyo). 20: 1740-+.

Okumura, K; Kotera, K; Inoue, I. (1964). SYNTHETIC STUDIES ON 2-PYRROLIDINONE DERIVATIVES. II. THE CONFIGURATION OF STEREOISOMERS OF 1-PHENYL-3-AMINO-5-METHYL-2-PYRROLIDINONE. Chem Pharm Bull (Tokyo). 12: 725-730.

Osterberg, PM; Niemeier, JK; Welch, CJ; Hawkins, JM; Martinelli, JR; Johnson, TE; Root, TW; Stahl, SS. (2015). Experimental Limiting Oxygen Concentrations for Nine Organic Solvents at Temperatures and Pressures Relevant to Aerobic Oxidations in the Pharmaceutical Industry [Review]. Organic Process Research and Development. 19: 1537-1543. http://dx.doi.org/10.1021/op500328f.

Pandit, NK; Hinderliter, JS. (1985). DEGRADATION OF CHLORTHALIDONE IN METHANOL - KINETICS AND STABILIZATION. J Pharm Sci. 74: 857-861.

Pardeshi, CV; Belgamwar, VS. (2016). Controlled synthesis of N,N,N-trimethyl chitosan for modulated bioadhesion and nasal membrane permeability. Int J Biol Macromol. 82: 933-944. http://dx.doi.org/10.1016/j.ijbiomac.2015.11.012.

Paredes, JI; Villar-Rodil, S; Martínez-Alonso, A; Tascón, JM. (2008). Graphene oxide dispersions in organic solvents. Langmuir. 24: 10560-10564. http://dx.doi.org/10.1021/la801744a.

Parent, M; Boudier, A; Dupuis, F; Nouvel, C; Sapin, A; Lartaud, I; Six, J; Leroy, P; Maincent, P. (2013). Are in situ formulations the keys for the therapeutic future of S-nitrosothiols? Eur J Pharm Biopharm. 85: 640-649. http://dx.doi.org/10.1016/j.ejpb.2013.08.005.

Parent, M; Nouvel, C; Koerber, M; Sapin, A; Maincent, P; Boudier, A. (2013). PLGA in situ implants formed by phase inversion: critical physicochemical parameters to modulate drug release [Review]. J Control Release. 172: 292-304. http://dx.doi.org/10.1016/j.jconrel.2013.08.024.

Parhi, R; Suresh, P. (2016). Transdermal delivery of Diltiazem HCl from matrix film: Effect of penetration enhancers and study of antihypertensive activity in rabbit model. JAR. 7: 539-550. http://dx.doi.org/10.1016/j.jare.2015.09.001.

Park, ES; Chang, SJ; Rhee, YS; Chi, SC. (2001). Effects of adhesives and permeation enhancers on the skin permeation of captopril. Drug Dev Ind Pharm. 27: 975-980. http://dx.doi.org/10.1081/DDC-100107679.

Park, SW; Jang, CH. (2011). Effects of carbonization and solvent-extraction on change in fuel characteristics of sewage sludge. Bioresour Technol. 102: 8205-8210. http://dx.doi.org/10.1016/j.biortech.2011.05.072.

Park, SY; Jeong, H; Yu, H; Park, SY; Jang, DJ. (2010). Excited-state intramolecular proton-transfer-induced charge transfer of polyquinoline. Photochem Photobiol. 86: 1197-1201. http://dx.doi.org/10.1111/j.1751-1097.2010.00797.x.

Paschke, A; Herbel, W; Steinhart, H; Franke, S; Francke, W. (1992). Determination of mono- to tetracyclic aromatic hydrocarbons in lubricating oil (pp. 827-833). (BIOSIS/93/10280). Paschke, A; Herbel, W; Steinhart, H; Franke, S; Francke, W.

Patel, RB; Carlson, AN; Solorio, L; Exner, AA. (2010). Characterization of formulation parameters affecting low molecular weight drug release from in situ forming drug delivery systems. J Biomed Mater Res A. 94: 476-484. http://dx.doi.org/10.1002/jbm.a.32724.

Paudel, A; Van Humbeeck, J; Van den Mooter, G. (2010). Theoretical and experimental investigation on the solid solubility and miscibility of naproxen in poly(vinylpyrrolidone). Mol Pharm. 7: 1133-1148. http://dx.doi.org/10.1021/mp100013p.

Petersen, L; Jensen, KJ. (2001). New, efficient glycosylation method for oligosaccharide synthesis under neutral conditions: Preparation and use of new DISAL donors. J Org Chem. 66: 6268-6275.

Petzold, K; Einfeldt, L; Günther, W; Stein, A; Klemm, D. (2001). Regioselective functionalization of starch: synthesis and 1H NMR characterization of 6-O-silyl ethers. Biomacromolecules. 2: 965-969. http://dx.doi.org/10.1021/bm010067u.

Phaechamud, T; Chanyaboonsub, N; Setthajindalert, O. (2016). Doxycycline hyclate-loaded bleached shellac in situ forming microparticle for intraperiodontal pocket local delivery. Eur J Pharm Sci. 93: 360-370. http://dx.doi.org/10.1016/j.ejps.2016.08.034.

Phaechamud, T; Jantadee, T; Mahadlek, J; Charoensuksai, P; Pichayakorn, W. (2017). Characterization of Antimicrobial Agent Loaded Eudragit RS Solvent Exchange-Induced In Situ Forming Gels for Periodontitis Treatment. AAPS PharmSciTech. 18: 494-508. http://dx.doi.org/10.1208/s12249-016-0534-y.

Phaechamud, T; Mahadlek, J. (2015). Solvent exchange-induced in situ forming gel comprising ethyl cellulose-antimicrobial drugs. Int J Pharm. 494: 381-392. http://dx.doi.org/10.1016/j.ijpharm.2015.08.047.

Phaechamud, T; Mahadlek, J; Charoenteeraboon, J. (2013). Texture and topography analysis of doxycycline hyclate thermosensitive systems comprising zinc oxide. Indian J Pharmaceut Sci. 75: 385-392.

Human Health Hazard Literature Search Results

Off Topic

Phaechamud, T; Mahadlek, J; Charoenteeraboon, J; Choopun, S. (2012). Characterization and Antimicrobial Activity of N-Methyl-2-pyrrolidone-loaded Ethylene Oxide-Propylene Oxide Block Copolymer Thermosensitive Gel. Indian J Pharmaceut Sci. 74: 498-504. http://dx.doi.org/10.4103/0250-474X.110574.

Phaechamud, T; Setthajindalert, O. (2017). Cholesterol in situ forming gel loaded with doxycycline hyclate for intra-periodontal pocket delivery. Eur J Pharm Sci. 99: 258-265. http://dx.doi.org/10.1016/j.ejps.2016.12.023.

Phaechamud, T; Yodkhum, K; Charoenteeraboon, J; Tabata, Y. (2015). Chitosan-aluminum monostearate composite sponge dressing containing asiaticoside for wound healing and angiogenesis promotion in chronic wound. Mater Sci Eng C. 50: 210-225. http://dx.doi.org/10.1016/j.msec.2015.02.003.

Pham, M; Schideman, L; Scott, J; Rajagopalan, N; Plewa, MJ. (2013). Chemical and biological characterization of wastewater generated from hydrothermal liquefaction of Spirulina. Environ Sci Technol. 47: 2131-2138. http://dx.doi.org/10.1021/es304532c.

Phua, DH; Lin, CC; Wu, ML; Deng, JF; Yang, CC. (2009). Neonicotinoid insecticides: an emerging cause of acute pesticide poisoning. Clin Toxicol. 47: 336-341. http://dx.doi.org/10.1080/15563650802644533.

Pirhonen, EM; Pohjonen, TH; Weber, FE. (2006). Novel membrane for guided bone regeneration. Int J Artif Organs. 29: 834-840.

Pluda, S; Pavan, M; Galesso, D; Guarise, C. (2016). Hyaluronic acid auto-crosslinked polymer (ACP): Reaction monitoring, process investigation and hyaluronidase stability. Carbohydr Res. 433: 47-53. http://dx.doi.org/10.1016/j.carres.2016.07.013.

Prakash, A; Bahadur, D. (2014). Chemically derived defects in zinc oxide nanocrystals and their enhanced photo-electrocatalytic activities. Phys Chem Chem Phys. 16: 21429-21437. http://dx.doi.org/10.1039/c4cp03583f.

Príborský, J; Mühlbachová, E. (1990). Evaluation of in-vitro percutaneous absorption across human skin and in animal models. J Pharm Pharmacol. 42: 468-472.

Príborský, J; Takayama, K; Nagai, T; Waitzová, D; Elis, J. (1987). Combination effect of penetration enhancers and propylene glycol on in vitro transdermal absorption of insulin. Drug Des Delivery. 2: 91-97.

Priborsky, J; Takayama, K; Nagai, T; Waizova, D; Suzuki, Y; et al. (1988). Comparison of penetration-enhancing ability of laurocapram, N-methyl-2-pyrrolidone and dodecyl-L-pyroglutamate (pp. 189-192). (IPA/90/896192). Priborsky, J; Takayama, K; Nagai, T; Waizova, D; Suzuki, Y; Et al.

Procaccini, EM; Riccio, G; Monfrecola, G. (1995). INEFFECTIVENESS OF TOPICAL KHELLIN IN PHOTOCHEMOTHERAPY OF VITILIGO. J Dermatolog Treat. 6: 117-120.

Qi, YJ; Wang, JG; Ren, SJ. (1992). Ibuprofen ointment--selection of penetrative accelerant and in vitro determination of its percutaneous release rate. Zhongguo Yaoxue Zazhi. 27: 346-347.

Qin, Y; Li, L; Li, W; Yuan, M; Zhu, Y; Guo, S. (2007). [Preparation of biodegradable and sustained release gel of tinidazole]. Sheng Wu Yi Xue Gong Cheng Xue Za Zhi. 24: 87-90.

Qin, Y; Yuan, M; Li, L; Li, W; Xue, J. (2012). Formulation and evaluation of in situ forming PLA implant containing tinidazole for the treatment of periodontitis. J Biomed Mater Res B Appl Biomater. 100: 2197-2202. http://dx.doi.org/10.1002/jbm.b.32788.

Quintana, M; Spyrou, K; Grzelczak, M; Browne, WR; Rudolf, P; Prato, M. (2010). Functionalization of graphene via 1,3-dipolar cycloaddition. ACS Nano. 4: 3527-3533. http://dx.doi.org/10.1021/nn100883p.

Rafienia, M; Emami, SH; Mirzadeh, H; Mobedi, H; Karbasi, S. (2009). Influence of poly (lactide-co-glycolide) type and gamma irradiation on the betamethasone acetate release from the in situ forming systems. Curr Drug Deliv. 6: 184-191.

Rahmani, S; Mohammadi, Z; Amini, M; Isaei, E; Taheritarigh, S; Rafiee Tehrani, N; Rafiee Tehrani, M. (2016). Methylated 4-N,N dimethyl aminobenzyl N,O carboxymethyl chitosan as a new chitosan derivative: Synthesis, characterization, cytotoxicity and antibacterial activity. Carbohydr Polymer. 149: 131-139. http://dx.doi.org/10.1016/j.carbpol.2016.04.116.

Rangappa, D; Sone, K; Wang, M; Gautam, UK; Golberg, D; Itoh, H; Ichihara, M; Honma, I. (2010). Rapid and direct conversion of graphite crystals into high-yielding, good-quality graphene by supercritical fluid exfoliation. Chemistry. 16: 6488-6494. http://dx.doi.org/10.1002/chem.201000199.

Rashatasakhon, P; Vongnam, K; Siripornnoppakhun, W; Vilaivan, T; Sukwattanasinitt, M. (2012). FRET detection of DNA sequence via electrostatic interaction of polycationic phenyleneethynylene dendrimer with DNA/PNA hybrid. Talanta. 88: 593-598. http://dx.doi.org/10.1016/j.talanta.2011.11.041.

Ravivarapu, HB; Moyer, KL; Dunn, RL. (2000). Parameters affecting the efficacy of a sustained release polymeric implant of leuprolide. Int J Pharm. 194: 181-191.

Ravivarapu, HB; Moyer, KL; Dunn, RL. (2000). Sustained activity and release of leuprolide acetate from an in situ forming polymeric implant. AAPS PharmSciTech. 1: E1. http://dx.doi.org/10.1208/pt010101.

Ravivarapu, HB; Moyer, KL; Dunn, RL. (2000). Sustained suppression of pituitary-gonadal axis with an injectable, in situ forming implant of leuprolide acetate. J Pharm Sci. 89: 732-741. http://dx.doi.org/10.1002/(SICI)1520-6017(200006)89:6<732::AID-JPS4>3.0.CO;2-D.

Rawson, BV; Cocker, J; Evans, PG; Wheeler, JP; Akrill, PM. (2005). Internal contamination of gloves: routes and consequences. Ann Occup Hyg. 49: 535-541. http://dx.doi.org/10.1093/annhyg/mei015.

Rege, PD; Johnson, F. (2003). Application of vicarious nucleophilic substitution to the total synthesis of dl-physostigmine. J Org Chem. 68: 6133-6139. http://dx.doi.org/10.1021/jo026438u.

Rehan, ZA; Gzara, L; Khan, SB; Alamry, KA; El-Shahawi, MS; Albeirutty, MH; Figoli, A; Drioli, E; Asiri, AM. (2016). Synthesis and Characterization of Silver Nanoparticles-Filled Polyethersulfone Membranes for Antibacterial and Anti-Biofouling Application. Recent Pat Nanotechnol. 10: 231-251. http://dx.doi.org/10.2174/1872210510666160429145228.

Ren, C; Fang, L; Li, T; Wang, M; Zhao, L; He, Z. (2008). Effect of permeation enhancers and organic acids on the skin permeation of indapamide. Int J Pharm. 350: 43-47. http://dx.doi.org/10.1016/j.ijpharm.2007.08.020.

Reynolds, DW; Galvani, M; Hicks, SR; Joshi, BJ; Kennedy-Gabb, SA; Kleinman, MH; Parmar, PZ. (2012). The use of N-methylpyrrolidone as a cosolvent and oxidant in pharmaceutical stress testing. J Pharm Sci. 101: 761-776. http://dx.doi.org/10.1002/jps.22793.

Human Health Hazard Literature Search Results

Off Topic

Rhein, R. (1986). Safer, but will they cost more? Chem Week. 139: 12-13.

Ringdahl, B. (1988). 5-Methyl-2-pyrrolidone analogues of oxotremorine as selective muscarinic agonists. J Med Chem. 31: 683-688.

Rogge, TM; Stevens, CV. (2004). Facilitated synthesis of inulin esters by transesterification. Biomacromolecules. 5: 1799-1803. http://dx.doi.org/10.1021/bm049869q.

ROHM; HAAS CO. (2001). Initial Submission: Letter from ROHM and HAAS Co to USEPA, results of skin irritation test in rabbits w/mixt of triethylene glycol dimethyl ether, n-methyl pyrrol*, *, dated 3/21/01. (TSCATS/446590).

Rosner, JL. (1985). Nonheritable resistance to chloramphenicol and other antibiotics induced by salicylates and other chemotactic repellents in Escherichia coli K-12. Proc Natl Acad Sci USA. 82: 8771-8774.

Roy, S; Wang, K; Khasamba, G. (2014). Use of N-Methyl-2-pyrrolidone (NMP) As a Solvent in the In Vitro Cytogenetic Assay. Environ Mol Mutagen. 55: S42-S42.

Royals, MA; Fujita, SM; Yewey, GL; Rodriguez, J; Schultheiss, PC; Dunn, RL. (1999). Biocompatibility of a biodegradable in situ forming implant system in rhesus monkeys. J Biomed Mater Res. 45: 231-239.

Rozenboim, I; Miara, L; Wolfenson, D. (1998). The thermoregulatory mechanism of melatonin-induced hypothermia in chicken. Am J Physiol. 274: R232-R236.

Ruble, GR; Giardino, OZ; Fossceco, SL; Cosmatos, D; Knapp, RJ; Barlow, NJ. (2006). The effect of commonly used vehicles on canine hematology and clinical chemistry values. Contemp Top Lab Anim Sci. 45: 25-29.

Ruiz-Hornillos, J; Henriquez-Santana, A; Moreno-Fernandez, A; Gonzalo Gonzalez, I; Rojo Sanchez, S. (2009). Systemic allergic dermatitis caused by the solvent of Eligard (R). Contact Derm. 61: 355-356.

Růžička, J; Fusková, J; Křížek, K; Měrková, M; Černotová, A; Smělík, M. (2016). Microbial degradation of N-methyl-2-pyrrolidone in surface water and bacteria responsible for the process. Water Sci Technol. 73: 643-647. http://dx.doi.org/10.2166/wst.2015.540.

Rydfjord, J; Svensson, F; Trejos, A; Sjöberg, PJ; Sköld, C; Sävmarker, J; Odell, LR; Larhed, M. (2013). Decarboxylative palladium(II)-catalyzed synthesis of aryl amidines from aryl carboxylic acids: development and mechanistic investigation. Chemistry. 19: 13803-13810. http://dx.doi.org/10.1002/chem.201301809.

Saathoff, JD; Clancy, P. (2015). Simulation of graphene nanoribbon aggregation and its mediation by edge decoration. J Phys Chem B. 119: 4766-4776. http://dx.doi.org/10.1021/jp510203j.

Saillenfait, AM; Gallissot, F; Sabaté, JP. (2007). Developmental toxic effects of N-ethyl-2-pyrrolidone administered orally to rats. J Appl Toxicol. 27: 491-497. http://dx.doi.org/10.1002/jat.1237.

Saillenfait, AM; Marquet, F; Sabaté, JP; Ndiaye, D; Lambert-Xolin, AM. (2016). 4-Week repeated dose oral toxicity study of N-ethyl-2-pyrrolidone in Sprague Dawley rats. Regul Toxicol Pharmacol. 81: 275-283. http://dx.doi.org/10.1016/j.yrtph.2016.09.011.

Samal, M; Acharya, S; Yi, DK; Lee, JS; Samal, S. (2015). C60 Cheese Sticks: Supramolecular Architecture of an Amphiphilic Fullerene Pentapod. J Nanosci Nanotechnol. 15: 6847-6851. http://dx.doi.org/10.1166/jnn.2015.10647.

Sanghvi, R; Narazaki, R; Machatha, SG; Yalkowsky, SH. (2008). Solubility improvement of drugs using N-methyl pyrrolidone. AAPS PharmSciTech. 9: 366-376. http://dx.doi.org/10.1208/s12249-008-9050-z.

Sasaki, H; Kishikawa, M; Nakamura, J; Shibasaki, J. (1990). Effect of pyrrolidone derivatives on lipid membrane and protein conformation as transdermal penetration enhancer. J Pharmacobio-Dyn. 13: 468-474.

Sasaki, H; Kojima, M; Mori, Y; Nakamura, J; Shibasaki, J. (1990). Enhancing effect of pyrrolidone derivatives on transdermal drug delivery. Part 2. Effect of application concentration and pre-treatment of enhancer. Int J Pharm. 60: 177-183.

Sasaki, H; Kojima, M; Mori, Y; Nakamura, J; Shibasaki, J. (1991). Enhancing effect of pyrrolidone derivatives on transdermal penetration of 5-fluorouracil, triamcinolone acetonide, indomethacin, and flurbiprofen. J Pharm Sci. Pharm: 533-538.

Sasaki, H; Kojima, M; Nakamura, J; Shibasaki, J. (1990). Enhancing effect of combining two pyrrolidone vehicles on transdermal drug delivery. J Pharm Pharmacol. 42: 196-199.

Sasaki, H; Kojima, M; Nakamura, J; Shibasaki, J. (1990). Enhancing effect of pyrrolidone derivatives on the transdermal penetration of sulfaguanidine, aminopyrine and Sudan III. J Pharmacobio-Dyn. 13: 200-205.

Sasaki, H; Kojima, M; Nakamura, J; Shibasaki, J. (1990). Enhancing effect of pyrrolidone derivatives on transdermal penetration of phenolsulfonphthalein and indomethacin from aqueous vehicle. Chem Pharm Bull (Tokyo). 38: 797-799.

Sata. (1997). Generation of Light-Induced Electrical Potential from Ion Exchange Membranes Containing 4,4'-Bipyridine Moiety. J Colloid Interface Sci. 186: 160-169.

Satoh, T; Kano, H; Nakatani, M; Sakairi, N; Shinkai, S; Nagasaki, T. (2006). 6-Amino-6-deoxy-chitosan. Sequential chemical modifications at the C-6 positions of N-phthaloyl-chitosan and evaluation as a gene carrier. Carbohydr Res. 341: 2406-2413. http://dx.doi.org/10.1016/j.carres.2006.06.019.

Saw, CL; Heng, PW; Chin, WW; Soo, KC; Olivo, M. (2006). Enhanced photodynamic activity of hypericin by penetration enhancer N-methyl pyrrolidone formulations in the chick chorioallantoic membrane model. Cancer Lett. 238: 104-110. http://dx.doi.org/10.1016/j.canlet.2005.06.026.

Saw, CL; Heng, PW; Liew, CV. (2008). Chick chorioallantoic membrane as an in situ biological membrane for pharmaceutical formulation development: a review [Review]. Drug Dev Ind Pharm. 34: 1168-1177. http://dx.doi.org/10.1080/03639040801974295.

Saw, CL; Heng, PW; Olivo, M. (2008). Potentiation of the photodynamic action of hypericin [Review]. J Environ Pathol Toxicol Oncol. 27: 23-33.

Saw, CL; Olivo, M; Chin, WW; Soo, KC; Heng, PW. (2005). Transport of hypericin across chick chorioallantoic membrane and photodynamic therapy vasculature assessment. Biol Pharm Bull. 28: 1054-1060.

Saw, CL; Olivo, M; Chin, WW; Soo, KC; Heng, PW. (2007). Superiority of N-methyl pyrrolidone over albumin with hypericin for fluorescence diagnosis of human bladder cancer cells implanted in the chick chorioallantoic membrane model. J Photochem Photobiol B. 86: 207-218. http://dx.doi.org/10.1016/j.jphotobiol.2006.10.003.

Human Health Hazard Literature Search Results

Off Topic

Saw, CL; Olivo, M; Soo, KC; Heng, PW. (2006). Delivery of hypericin for photodynamic applications [Review]. Cancer Lett. 241: 23-30. http://dx.doi.org/10.1016/j.canlet.2005.10.020.

Saw, CL; Olivo, M; Soo, KC; Heng, PW. (2006). Spectroscopic characterization and photobleaching kinetics of hypericin-N-methyl pyrrolidone formulations. Photochem Photobiol Sci. 5: 1018-1023. http://dx.doi.org/10.1039/b602807a.

Saw, CL; Olivo, M; Wohland, T; Fu, CY; Kho, KW; Soo, KC; Sia Heng, PW. (2007). Effects of N-methyl pyrrolidone on the uptake of hypericin in human bladder carcinoma and co-staining with DAPI investigated by confocal microscopy. Technol Cancer Res Treat. 6: 383-394. http://dx.doi.org/10.1177/153303460700600503.

Sázelová, P; Kasicka, V; Koval, D; Prusík, Z; Fanali, S; Aturki, Z. (2007). Control of EOF in CE by different ways of application of radial electric field. Electrophoresis. 28: 756-766. http://dx.doi.org/10.1002/elps.200600418.

Schloegl, W; Marschall, V; Witting, MY; Volkmer, E; Drosse, I; Leicht, U; Schieker, M; Wiggenhorn, M; Schaubhut, F; Zahler, S; Friess, W. (2012). Porosity and mechanically optimized PLGA based in situ hardening systems. 82: 554-562. http://dx.doi.org/10.1016/j.ejpb.2012.08.006.

Schneider, D; Weber, FE; Grunder, U; Andreoni, C; Burkhardt, R; Jung, RE. (2014). A randomized controlled clinical multicenter trial comparing the clinical and histological performance of a new, modified polylactide-co-glycolide acid membrane to an expanded polytetrafluorethylene membrane in guided bone regeneration procedures. Clin Oral Implants Res. 25: 150-158. http://dx.doi.org/10.1111/clr.12132.

Schoenhammer, K; Petersen, H; Guethlein, F; Goepferich, A. (2009). Poly(ethyleneglycol) 500 dimethylether as novel solvent for injectable in situ forming depots. Pharm Res. 26: 2568-2577. http://dx.doi.org/10.1007/s11095-009-9969-0.

Schwartz, CS. (1989). Toxicity of Advanced Composite Matrix Materials. Appl Ind Hyg. Special Issue: 23-28.

Seki, T; Kawaguchi, T; Juni, K; Sugibayashi, K; Morimoto, Y. (1991). Sustained transdermal delivery of zidovudine via controlled release of penetration enhancer. J Control Release. Controlled Release: 1991.

Seki, T; Toeda, C; Kawaguchi, T; Juni, K; Sugibayashi, K; Morimoto, Y. (1990). Enhanced transdermal delivery of zidovudine in rats and human skin. Chem Pharm Bull (Tokyo). 38: 3086-3089.

Seliverstov, A; Streb, C. (2014). A new class of homogeneous visible-light photocatalysts: molecular cerium vanadium oxide clusters. Chemistry. 20: 9733-9738. http://dx.doi.org/10.1002/chem.201402337.

Sharma, R; Pathak, K. (2011). Polymeric nanosponges as an alternative carrier for improved retention of econazole nitrate onto the skin through topical hydrogel formulation. Pharm Dev Technol. 16: 367-376. http://dx.doi.org/10.3109/10837451003739289.

Sharma, U; Bala, M; Kumar, N; Singh, B; Munshi, RK; Bhalerao, S. (2012). Immunomodulatory active compounds from Tinospora cordifolia. J Ethnopharmacol. 141: 918-926. http://dx.doi.org/10.1016/j.jep.2012.03.027.

Shea, JA; Cook, SC; Shamrock, WF; Segretario, J. (1998). Quantitation of residual N-methylpyrrolidone in losoxantrone hydrochloride by reversed-phase high-performance liquid chromatography. J Chromatogr Sci. 36: 187-190.

Shen, SY; Dong, RX; Shih, PT; Ramamurthy, V; Lin, JJ; Ho, KC. (2014). Novel polymer gel electrolyte with organic solvents for quasi-solid-state dye-sensitized solar cells. 6: 18489-18496. http://dx.doi.org/10.1021/am505394v.

Sherman, J; Chin, B; Huibers, PD; Garcia-Valls, R; Hatton, TA. (1998). Solvent replacement for green processing. Environ Health Perspect. 106 Suppl 1: 253-271.

Shi, X; Lin, X; Zheng, X; Feng, Y; Shen, L. (2014). Injectable long-acting systems for Radix Ophiopogonis polysaccharide based on mono-PEGylation and in situ formation of a PLGA depot. International Journal of Nanomedicine (Online). 9: 5555-5563. http://dx.doi.org/10.2147/IJN.S71819.

Shih, CJ; Lin, S; Strano, MS; Blankschtein, D. (2010). Understanding the stabilization of liquid-phase-exfoliated graphene in polar solvents: molecular dynamics simulations and kinetic theory of colloid aggregation. J Am Chem Soc. 132: 14638-14648. http://dx.doi.org/10.1021/ja1064284.

Shiozaki, M; Nambu, N; Nagai, T. (1982). Effect of additives on release of drugs from ointment bases. Yakuzaigaku. Pract: 10-16.

Shishu; Aggarwal, N. (2006). Preparation of hydrogels of griseofulvin for dermal application. Int J Pharm. 326: 20-24. http://dx.doi.org/10.1016/j.ijpharm.2006.07.001.

Shmidt, MS; Reverdito, AM; Kremenchuzky, L; Perillo, IA; Blanco, MM. (2008). Simple and efficient microwave assisted N-alkylation of isatin. Molecules. 13: 831-840.

Shukla, AK; Alam, J; Alhoshan, M; Dass, LA; Muthumareeswaran, MR. (2017). Development of a nanocomposite ultrafiltration membrane based on polyphenylsulfone blended with graphene oxide. Sci Rep. 7: 41976. http://dx.doi.org/10.1038/srep41976.

Singh, MK; Akula, HK; Satishkumar, S; Stahl, L; Lakshman, MK. (2016). Ruthenium-Catalyzed C-H Bond Activation Approach to Azolyl Aminals and Hemiaminal Ethers, Mechanistic Evaluations, and Isomer Interconversion. 6: 1921-1928. http://dx.doi.org/10.1021/acscatal.5b02603.

Sitarek, K. (2005). [N-Methyl-2-pyrrolidone: Documentation of maximum admissible values for occupational exposure]. Podstawy Metody Oceny Srodowiska Pr. 43: 103-115.

Solorio, L; Olear, AM; Hamilton, JI; Patel, RB; Beiswenger, AC; Wallace, JE; Zhou, H; Exner, AA. (2012). Noninvasive characterization of the effect of varying PLGA molecular weight blends on in situ forming implant behavior using ultrasound imaging. 2: 1064-1077. http://dx.doi.org/10.7150/thno.4181.

Soltanpour, S; Acree, WE, Jr; Jouyban, A. (2009). Solubility of Pioglitazone Hydrochloride in Aqueous Solutions of Ethanol, Propylene Glycol, and N-Methyl-2-Pyrrolidone at 298.2A degrees K. AAPS PharmSciTech. 10: 1153-1157. http://dx.doi.org/10.1208/s12249-009-9322-2.

Soltanpour, S, h; Barzegar-Jalali, M; Jouyban, A. (2011). Solubility of pioglitazone hydrochloride in ethanol, N-methyl pyrrolidone, polyethylene glycols and water mixtures at 298.20 °K. 19: 440-445.

Soltanpour, S, h; Barzegar-Jalali, M; Jouyban, A. (2011). Solubility of pioglitazone hydrochloride in ethanol, N-methyl pyrrolidone, polyethylene glycols and water mixtures at 298.20 degrees K. DARU. 19: 440-445.

Human Health Hazard Literature Search Results

Off Topic

Soltanpour, S, h; Jafari, B; Barzegar-Jalali, M; Jouyban, A. (2014). Solubility of glibenclamide in the aqueous mixtures of polyethylene glycol 400, propylene glycol and N-methyl-pyrrolidone at 298.2 K. Journal of Drug Delivery Science and Technology. 24: 111-115.

Song, W; Cun, D; Quan, P; Liu, N; Chen, Y; Cui, H; Xiang, R; Fang, L. (2015). Dual-directional regulation of drug permeating amount by combining the technique of ion-pair complexation with chemical enhancers for the synchronous permeation of indapamide and bisoprolol in their compound patch through rabbit skin. 91: 59-65. http://dx.doi.org/10.1016/j.ejpb.2015.01.025.

Sresht, V; Pádua, AA; Blankschtein, D. (2015). Liquid-Phase Exfoliation of Phosphorene: Design Rules from Molecular Dynamics Simulations. ACS Nano. 9: 8255-8268. http://dx.doi.org/10.1021/acsnano.5b02683.

Srichan, T; Phaechamud, T. (2017). Designing Solvent Exchange-Induced In Situ Forming Gel from Aqueous Insoluble Polymers as Matrix Base for Periodontitis Treatment. AAPS PharmSciTech. 18: 194-201. http://dx.doi.org/10.1208/s12249-016-0507-1.

Standridge, RT; Swigor, JE. (1993). SYNTHESIS OF 7-[ALPHA-(2-AMINO-[2-C-14]THIAZOL-4-YL)-ALPHA-(Z)-METHOXYIMINOACETAMIDO]-3-(1-METHYLPYRROLIDINIO)METHYL-3-CEPHEM-4-CARBOXYLATE HYDROCHLORIDE ([C-14]CEFEPIME HYDROCHLORIDE). J Labelled Comp Radiopharm. 33: 759-765.

Stathopoulos, P; Papas, S; Kostidis, S; Tsikaris, V. (2005). Alpha- and beta- aspartyl peptide ester formation via aspartimide ring opening. J Pept Sci. 11: 658-664. http://dx.doi.org/10.1002/psc.675.

Stephens, R. (1984). Determination of 1-methyl-2-pyrrolidone in refinery hydrocarbons and waters by gas chromatography. Anal Chem. 56: 1608-1610.

Stolarczyk, EU; Groman, A; Kaczmarek, ŁS; Gołebiewski, P. (2007). GC method for quantitative determination of residual 2-(2-chloroethoxy) ethanol (CEE) and N-methyl-2-pyrrolidinone (NMP) in quetiapine. Acta Pol Pharm. 64: 187-189.

Stolarczyk, EU; Groman, A; Maruszak, W. (2011). Validation of GC method for quantitative determination of residual 2-(2-chloroethoxy)ethanol (CEE) and N-methyl-2-pyrrolidinone (NMP) in pharmaceutical active substance. Acta Pol Pharm. 68: 161-167.

Strickley, RG. (2004). Solubilizing excipients in oral and injectable formulations [Review]. Pharm Res. 21: 201-230. http://dx.doi.org/10.1023/B:PHAM.0000016235.32639.23.

Sugibayashi, K; Sakanoue, C; Morimoto, Y. (1989). Utility of topical formulations of morphine hydrochloride containing azone and N-methyl-2-pyrrolidone. 5: 119-128.

Sun, F; Sui, C; Zhou, Y; Liu, X; Shi, Y; Wu, Y; Li, Y. (2013). Preparation, characterization and pharmacological evaluation of tolterodine hydrogels for the treatment of overactive bladder. Int J Pharm. 454: 532-538. http://dx.doi.org/10.1016/j.ijpharm.2013.07.041.

Sun, L; Lin, Z; Peng, J; Weng, J; Huang, Y; Luo, Z. (2014). Preparation of few-layer bismuth selenide by liquid-phase-exfoliation and its optical absorption properties. Sci Rep. 4: 4794. http://dx.doi.org/10.1038/srep04794.

Sun, XF; Sun, R; Sun, JX. (2002). Acetylation of rice straw with or without catalysts and its characterization as a natural sorbent in oil spill cleanup. J Agric Food Chem. 50: 6428-6433. http://dx.doi.org/10.1021/jf020392o.

Suwanpidokkul, N; Thongnopnua, P; Umprayn, K. (2004). Transdermal delivery of zidovudine (AZT): the effects of vehicles, enhancers, and polymer membranes on permeation across cadaver pig skin. AAPS PharmSciTech. 5: e48. http://dx.doi.org/10.1208/pt050348.

Suzuki, Y; Endo, Y; Ogawa, M; Yamamoto, S; Takeuchi, A; Nakagawa, T; Onda, N. (2009). Direct determination of N-methyl-2-pyrrolidone metabolites in urine by HPLC-electrospray ionization-MS/MS using deuterium-labeled compounds as internal standard. J Chromatogr B Analyt Technol Biomed Life Sci. 877: 3743-3747. http://dx.doi.org/10.1016/j.jchromb.2009.08.036.

Tae, G; Kornfield, JA; Hubbell, JA. (2005). Sustained release of human growth hormone from in situ forming hydrogels using self-assembly of fluoroalkyl-ended poly(ethylene glycol). Biomaterials. 26: 5259-5266. http://dx.doi.org/10.1016/j.biomaterials.2005.01.042.

Tafur, JP; Santos, F; Romero, AJ. (2015). Influence of the Ionic Liquid Type on the Gel Polymer Electrolytes Properties. 5: 752-771. http://dx.doi.org/10.3390/membranes5040752.

Takayama, K; Nambu, N; Nagai, T. (1977). PHARMACEUTICAL INTERACTIONS IN DOSAGE FORMS AND PROCESSING .5. INTERACTION OF N-METHYL-2-PYRROLIDONE WITH AMINOBENZOIC ACIDS IN SOLUTION AND IN SOLID-STATE. Chem Pharm Bull (Tokyo). 25: 879-883.

Tan, Z, he; Zhang, J; Wu, J; Fang, L; He, Z. (2009). The Enhancing Effect of Ion-pairing on the Skin Permeation of Glipizide. AAPS PharmSciTech. 10: 967-976. http://dx.doi.org/10.1208/s12249-009-9283-5.

Tanaka, N; Goto, R; Ito, R; Hayakawa, M; Sugidachi, A; Ogawa, T; Asai, F; Fujimoto, K. (2000). [2-(omega-phenylalkyl)phenoxyl alkylamines II: Synthesis and selective serotonin-2 receptor binding. Chem Pharm Bull (Tokyo). 48: 245-255.

Tang, MS; Whitcher, TJ; Yeoh, KH; Chua, CL; Woon, KL; Show, PL; Lin, YK; Ling, TC. (2014). The removal of metallic single-walled carbon nanotubes using an aqueous two-phase system. J Nanosci Nanotechnol. 14: 3398-3402. http://dx.doi.org/10.1166/jnn.2014.8680.

Tang, Y; Singh, J. (2008). Controlled delivery of aspirin: effect of aspirin on polymer degradation and in vitro release from PLGA based phase sensitive systems. Int J Pharm. 357: 119-125. http://dx.doi.org/10.1016/j.ijpharm.2008.01.053.

Tanimura, M; Watanabe, N; Ijuin, HK; Matsumoto, M. (2011). Intramolecular charge-transfer-induced decomposition promoted by an aprotic polar solvent for bicyclic dioxetanes bearing a 4-(benzothiazol-2-yl)-3-hydroxyphenyl moiety. J Org Chem. 76: 902-908. http://dx.doi.org/10.1021/jo1021822.

Tarantino, R; Bishop, E; Chen, FC; Iqbal, K; Malick, AW. (1994). N-methyl-2-pyrrolidone as a cosolvent: relationship of cosolvent effect with solute polarity and the presence of proton-donating groups on model drug compounds. J Pharm Sci. 83: 1213-1216.

Tay, SL; Heng, PW; Chan, LW. (2012). The CAM-LDPI method: a novel platform for the assessment of drug absorption. J Pharm Pharmacol. 64: 517-529. http://dx.doi.org/10.1111/j.2042-7158.2011.01431.x.

Taylor, CK; Abel, PW; Hulce, M; Smith, DD. (2005). Solvent effects on coupling yields during rapid solid-phase synthesis of CGRP(8-37) employing in situ neutralization. J Pept Res. 65: 84-89. http://dx.doi.org/10.1111/j.1399-3011.2004.00200.x.

Taylor, LS; Zografi, G. (1997). Spectroscopic characterization of interactions between PVP and indomethacin in amorphous molecular dispersions. Pharm Res. 14: 1691-1698.

Telu, S; Parkin, S; Robertson, LW; Lehmler, HJ. (2010). Improved syntheses of non-dioxin-like polychlorinated biphenyls (PCBs) and some of their sulfur-containing metabolites. Environ Int. 36: 828-834. http://dx.doi.org/10.1016/j.envint.2009.01.013.

Human Health Hazard Literature Search Results

Off Topic

Terech, P; Sangeetha, NM; Demé, B; Maitra, U. (2005). Self-assembled networks of ribbons in molecular hydrogels of cationic deoxycholic acid analogues. J Phys Chem B. 109: 12270-12276. http://dx.doi.org/10.1021/jp050666l.

Terrones, J; Kiley, PJ; Elliott, JA. (2016). Enhanced ordering reduces electric susceptibility of liquids confined to graphene slit pores. Sci Rep. 6: 27406. http://dx.doi.org/10.1038/srep27406.

Thentu, JB; Nirogi, R; Bhyrapuneni, G; Ajjala, DR; Aleti, RR; Palacharla, RC. (2017). Simultaneous in-vivo receptor occupancy assays for serotonin 1A, 2A, and dopamine 2 receptors with the use of non-radiolabelled tracers: Proposed method in screening antipsychotics. J Pharmacol Toxicol Methods. 85: 22-28. http://dx.doi.org/10.1016/j.vascn.2017.01.001.

Thomas, RR. (2004). Wetting kinetics of modified polyimide surfaces: interactions with polar solvents. J Colloid Interface Sci. 279: 515-522. http://dx.doi.org/10.1016/j.jcis.2004.06.100.

Thong, PS; Olivo, M; Kho, KW; Zheng, W; Mancer, K; Harris, M; Soo, KC. (2007). Laser confocal endomicroscopy as a novel technique for fluorescence diagnostic imaging of the oral cavity. J Biomed Opt. 12: 014007. http://dx.doi.org/10.1117/1.2710193.

Thuéry, P; Harrowfield, J. (2016). Modulation of the Structure and Properties of Uranyl Ion Coordination Polymers Derived from 1,3,5-Benzenetriacetate by Incorporation of Ag(I) or Pb(II). Inorg Chem. 55: 6799-6816. http://dx.doi.org/10.1021/acs.inorgchem.6b01168.

Tian, F; Saville, DJ; Gordon, KC; Strachan, CJ; Zeitler, JA; Sandler, N; Rades, T. (2007). The influence of various excipients on the conversion kinetics of carbamazepine polymorphs in aqueous suspension. J Pharm Pharmacol. 59: 193-201. http://dx.doi.org/10.1211/jpp.59.2.0006.

Tian, Y; Shen, Y; Jv, M. (2015). Synthesis, characterization and evaluation of tinidazole-loaded mPEG-PDLLA (10/90) in situ gel forming system for periodontitis treatment. Drug Deliv1-10.

Tian, Y; Shen, Y; Jv, M. (2016). Synthesis, characterization and evaluation of tinidazole-loaded mPEG-PDLLA (10/90) in situ gel forming system for periodontitis treatment. Drug Deliv. 23: 2726-2735. http://dx.doi.org/10.3109/10717544.2015.1061069.

Tiano, AL; Gibbons, L; Tsui, M; Applin, SI; Silva, R; Park, C; Fay, CC. (2016). Thermodynamic approach to boron nitride nanotube solubility and dispersion. Nanoscale. 8: 4348-4359. http://dx.doi.org/10.1039/c5nr08259e.

Tipre, DN; Vavia, PR. (2002). Formulation optimization and stability study of transdermal therapeutic system of nicorandil. Pharm Dev Technol. 7: 325-332. http://dx.doi.org/10.1081/PDT-120005729.

Torisawa, Y; Nishi, T; Minamikawa, J. (2001). NaBH4 in N-methylpyrrolidone: a safe alternative for hydride displacement reaction. Bioorg Med Chem Lett. 11: 2787-2789.

Trusell, F. (1966). Determination of the extent of acid hydrolysis of N-methylpyrrolidone. Talanta. 13: 1043-1045.

Tsareva, TA; Kramarova, EP; Zharkovskiĭ, AM. (1982). [Pharmacological characteristics of the silyl derivatives of alpha-pyrrolidone]. Farmakol Toksikol. 45: 20-23.

Tu, T, seT; Lee, M; Kuo, ST, iz; Den, W. (2016). Citric acid-modified carbon chemical filtration for cleanroom air quality control: Study on N-methyl-2-pyrrolidone and the interference of co-existing toluene. Indoor Built Environ. 25: 772-785. http://dx.doi.org/10.1177/1420326X15591638.

U.S EPA. (2000). Letter from USEPA to Ciba-Giegy Corporation concerning the submission on N-methylpyrrolidone with attachment. (40-87107052).

U.S EPA. (2000). N-methylpyrrolidone; proposed test rule action: proposed rule - opts-42114. (40-90107073).

U.S. EPA. (2000). Letter to Haskell Laboratory concerning a n-methyl-pyrrolidone reproductive toxicity study with attachment. (40-90107150).

U.S. EPA. (2002). Initial submission: Abstracted results of a developmental toxicity study in rats with n-methyl-2-pyrrolidone, with cover letter dated 021502. (TSCATS/454618).

UBA. (2015). [Not Available]. Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz. 58: 1041-1052. http://dx.doi.org/10.1007/s00103-015-2210-x.

Uch, AS; Hesse, U; Dressman, JB. (1999). Use of 1-methyl-pyrrolidone as a solubilizing agent for determining the uptake of poorly soluble drugs. Pharm Res. 16: 968-971.

Ueda, H; Hacker, MC; Haesslein, A; Jo, S; Ammon, DM; Borazjani, RN; Kunzler, JF; Salamone, JC; Mikos, AG. (2007). Injectable, in situ forming poly(propylene fumarate)-based ocular drug delivery systems. J Biomed Mater Res A. 83: 656-666. http://dx.doi.org/10.1002/jbm.a.31226.

Unsal, E; Drum, J; Yucel, O; Nugay, II; Yalcin, B; Cakmak, M. (2012). Real-time measurement system for tracking birefringence, weight, thickness, and surface temperature during drying of solution cast coatings and films. Rev Sci Instrum. 83: 025114. http://dx.doi.org/10.1063/1.3687444.

Usula, M; Mocci, F; Marincola, FC; Porcedda, S; Gontrani, L; Caminiti, R. (2014). The structural organization of N-methyl-2-pyrrolidone + water mixtures: a densitometry, x-ray diffraction, and molecular dynamics study. J Chem Phys. 140: 124503. http://dx.doi.org/10.1063/1.4869235.

Usula, M; Porcedda, S; Mocci, F; Gontrani, L; Caminiti, R; Cesare Marincola, F. (2014). NMR, calorimetry, and computational studies of aqueous solutions of N-methyl-2-pyrrolidone. J Phys Chem B. 118: 10493-10502. http://dx.doi.org/10.1021/jp505286z.

Vaghani, SS; Gurjar, M; Singh, S; Sureja, S; Koradia, S; Jivani, NP; Patel, MM. (2010). Effect of iontophoresis and permeation enhancers on the permeation of an acyclovir gel. Curr Drug Deliv. 7: 329-333.

Vale, A; Bradberry, S; Proudfoot, A. (2012). Issues in ToxicologyClinical Toxicology of Insecticides. http://dx.doi.org/10.1039/9781849733007-00312.

Vale, JA. (2008). Poisoning due to neonicotinoid insecticides. Clin Toxicol. 46: 404-405.

Valeja, SG; Emmett, MR; Marshall, AG. (2012). Polar aprotic modifiers for chromatographic separation and back-exchange reduction for protein hydrogen/deuterium exchange monitored by Fourier transform ion cyclotron resonance mass spectrometry. 23: 699-707. http://dx.doi.org/10.1007/s13361-011-0329-z.

Human Health Hazard Literature Search Results

Off Topic

Valeja, SG; Tipton, JD; Emmett, MR; Marshall, AG. (2010). New reagents for enhanced liquid chromatographic separation and charging of intact protein ions for electrospray ionization mass spectrometry. Anal Chem. 82: 7515-7519. http://dx.doi.org/10.1021/ac1016858.

Valentin, G. (1982). Biodegradability, bod inhibition and acute toxicity -to- fish of chemical compounds with cover letter (note: this document is unreadable). <a href="/cgi-bin/sis/transfer?tscats+NTIS/OTS0206203" target="new">Order this.

Vanatta, LE. (2008). Ion-chromatographic determination of seven common anions in electronic-grade, water-miscible solvents. J Chromatogr A. 1213: 70-76. http://dx.doi.org/10.1016/j.chroma.2008.09.047.

Varadaraj, K; Skinner, DM. (1994). Denaturants or cosolvents improve the specificity of PCR amplification of a G + C-rich DNA using genetically engineered DNA polymerases. Gene. 140: 1-5.

Vargas, A; Zeisser-Labouèbe, M; Lange, N; Gurny, R; Delie, F. (2007). The chick embryo and its chorioallantoic membrane (CAM) for the in vivo evaluation of drug delivery systems [Review]. Adv Drug Deliv Rev. 59: 1162-1176. http://dx.doi.org/10.1016/j.addr.2007.04.019.

Verma, S; Pravarthana, D. (2011). One-pot synthesis of highly monodispersed ferrite nanocrystals: surface characterization and magnetic properties. Langmuir. 27: 13189-13197. http://dx.doi.org/10.1021/la202394n.

Viegas, TX; Hikal, AH; Jones, AB. (1997). Percutaneous absorption of bendroflumethiazide from gel and membrane-controlled gel systems: An in vitro and in vivo study. Int J Pharm. 152: 165-178.

Vieira, HS; Andrada, DM; Mendonça, R; Santos, AP; Martins, MD; Macedo, WA; Gorgulho, HF; Pimenta, LP; Moreira, RL; Jorio, A; Pimenta, MA; Furtado, CA. (2007). Decarboxylation of oxidized single-wall carbon nanotubes. J Nanosci Nanotechnol. 7: 3421-3430. http://dx.doi.org/10.1166/jnn.2007.832.

Walker, RJ; Wildman, DJ; Gasior, SJ. (1983). Evaluation of some regenerable sulfur dioxide absorbents for flue gas desulfurization. J Air Pollut Control Assoc. 33: 1061-1067.

Wallace, E; Ong, CM; Heard, CM. (2012). Delivery of atovaquone and proguanil across sublingual membranes, in vitro. Pharmaceutical Development and Technology. 17: 770-776. http://dx.doi.org/10.3109/10837450.2011.580760.

Walsh, D. (1989). Chemical Safety Data Sheets Vol. 1. Solvents (pp. VOL). (BIOSIS/89/23970). Cambridge, England: Chemistry RSo.

Wang, B; Wang, L; Zhang, R; Ling, L. (2012). The role of CS_2 in CS_2/NMP mixed solvent in weakening the hydrogen bond of OH-N in coal: a DFT investigation. J Mol Model. 18: 921-927. http://dx.doi.org/10.1007/s00894-011-1128-y.

Wang, J; Neoh, KG; Kang, ET. (2001). Preparation of Nanosized Metallic Particles in Polyaniline. J Colloid Interface Sci. 239: 78-86. http://dx.doi.org/10.1006/jcis.2001.7576.

Wang, L; Wang, A; Zhao, X; Liu, X; Wang, D; Sun, F; Li, Y. (2012). Design of a long-term antipsychotic in situ forming implant and its release control method and mechanism. Int J Pharm. 427: 284-292. http://dx.doi.org/10.1016/j.ijpharm.2012.02.015.

Wang, M; Bardajee, GR; Kumar, S; Nitz, M; Scholes, GD; Winnik, MA. (2009). Preparative size-exclusion chromatography for purification and characterization of colloidal quantum dots bound by chromophore-labeled polymers and low-molecular-weight chromophores. J Chromatogr A. 1216: 5011-5019. http://dx.doi.org/10.1016/j.chroma.2009.04.060.

Wang, M; Fang, L; Ren, C; Li, T. (2008). Effect of ion-pairing and enhancers on scutellarin skin permeability. J Pharm Pharmacol. 60: 429-435. http://dx.doi.org/10.1211/jpp.60.4.0004.

Wang, S; Wang, W; Yu, L; Zhan, Z; Sun, D. (2016). The fast fabrication of flexible electronic devices of graphene composites. Nanotechnology. 27: 31LT01. http://dx.doi.org/10.1088/0957-4484/27/31/31LT01.

Wang, SH; Liang, ZH; Zeng, S. (2007). Monitoring release of ketoprofen enantiomers from biodegradable poly(D,L-lactide-co-glycolide) injectable implants. Int J Pharm. 337: 102-108. http://dx.doi.org/10.1016/j.ijpharm.2006.12.031.

Wang, X; Xue, M; Gu, J; Fang, X; Sha, X. (2012). Transdermal microemulsion drug delivery system for impairing male reproductive toxicity and enhancing efficacy of Tripterygium Wilfordii Hook f. Fitoterapia. 83: 690-698. http://dx.doi.org/10.1016/j.fitote.2012.02.006.

Wang, Y, i; Meng, Y; Wang, S; Li, C; Shi, W, ei; Chen, J; Wang, J; Huang, R. (2015). Direct Solvent-Derived Polymer-Coated Nitrogen-Doped Carbon Nanodots with High Water Solubility for Targeted Fluorescence Imaging of Glioma. Small. 11: 3575-3581. http://dx.doi.org/10.1002/smll.201403718.

Warmuth, R; Maverick, EF; Knobler, CB; Cram, DJ. (2003). Through-shell alkyllithium additions and borane reductions. J Org Chem. 68: 2077-2088. http://dx.doi.org/10.1021/jo026649z.

Weber, T; Bechthold, M; Winkler, T; Dauselt, J; Terfort, A. (2013). Direct grafting of anti-fouling polyglycerol layers to steel and other technically relevant materials. Colloids Surf B Biointerfaces. 111: 360-366. http://dx.doi.org/10.1016/j.colsurfb.2013.05.026.

Weder, JE; Hambley, TW; Kennedy, BJ; Lay, PA; Foran, GJ; Rich, AM. (2001). Determination of the structures of antiinflammatory copper(II) dimers of indomethacin by multiple-scattering analyses of X-ray absorption fine structure data. Inorg Chem. 40: 1295-1302.

Weder, JE; Hambley, TW; Kennedy, BJ; Lay, PA; Maclachlan, D; Bramley, R; Delfs, CD; Murray, KS; Moubaraki, B; Warwick, B; Biffin, J. R.; Regtop, HL. (1999). Anti-Inflammatory Dinuclear Copper(II) Complexes with Indomethacin. Synthesis, Magnetism and EPR Spectroscopy. Crystal Structure of the N,N-Dimethylformamide Adduct. Inorg Chem. 38: 1736-1744.

Wei, L; Wei, G; Zhang, H; Wang, PG; Du, Y. (2005). Synthesis of new, potent avermectin-like insecticidal agents. Carbohydr Res. 340: 1583-1590. http://dx.doi.org/10.1016/j.carres.2005.04.019.

Wen, GX; Han, ML; Wu, XQ; Wu, YP; Dong, WW; Zhao, J; Li, DS; Ma, LF. (2016). A multi-responsive luminescent sensor based on a super-stable sandwich-type terbium(iii)-organic framework. Dalton Transactions (Online). 45: 15492-15499. http://dx.doi.org/10.1039/c6dt03057b.

Weon Cho, C; Chul Shin, S. (2012). Enhanced Controlled Transdermal Delivery of Mexazolam Using Ethylene-vinyl Acetate. Iranian Journal of Pharmaceutical Research. 11: 3-12.

Wheaton, CJ; Savage, A; Shukla, A; Neiffer, D; Qu, W; Sun, Y; Lasley, BL. (2011). The use of long acting subcutaneous levonorgestrel (LNG) gel depot as an effective contraceptive option for cotton-top tamarins (Saguinus oedipus). Zoo Biology. 30: 498-522. http://dx.doi.org/10.1002/zoo.20354.

Human Health Hazard Literature Search Results

Off Topic

Williams, AL; Dandepally, SR; Gilyazova, N; Witherspoon, SM; Ibeanu, G. (2010). Microwave-assisted synthesis of 4-chloro-N-(naphthalen-1-ylmethyl)-5-(3-(piperazin-1-yl)phenoxy)thiophene-2-sulfonamide (B-355252): a new potentiator of Nerve Growth Factor (NGF)-induced neurite outgrowth. Tetrahedron. 66: 9577-9581. http://dx.doi.org/10.1016/j.tet.2010.09.028.

Williams, JC; Nguyen, BN; Mccorkle, L; Scheiman, D; Griffin, JS; Steiner, SA; Meador, MA. (2017). Highly Porous, Rigid-Rod Polyamide Aerogels with Superior Mechanical Properties and Unusually High Thermal Conductivity. 9: 1801-1809. http://dx.doi.org/10.1021/acsami.6b13100.

Wischke, C; Zhang, Y; Mittal, S; Schwendeman, SP. (2010). Development of PLGA-based injectable delivery systems for hydrophobic fenretinide. Pharm Res. 27: 2063-2074. http://dx.doi.org/10.1007/s11095-010-0202-y.

Wu, F; Ngothai, Y; Wei, J; Liu, C; O'Neill, B; Wu, Y. (2012). Premixed, injectable PLA-modified calcium deficient apatite biocement (cd-AB) with washout resistance. Colloids Surf B Biointerfaces. 92: 113-120. http://dx.doi.org/10.1016/j.colsurfb.2011.11.037.

Wu, IW; Lin, JL; Cheng, ET. (2001). Acute poisoning with the neonicotinoid insecticide imidacloprid in N-methyl pyrrolidone. J Toxicol Clin Toxicol. 39: 617-621.

Xie, L; Hwang, H; Kim, M; Kim, K. (2017). Ternary solvent for CH3NH3PbI3 perovskite films with uniform domain size. Phys Chem Chem Phys. 19: 1143-1150. http://dx.doi.org/10.1039/c6cp06709c.

Xie, YL; Wang, MJ; Yao, SJ. (2009). Preparation and characterization of biocompatible microcapsules of sodium cellulose sulfate/chitosan by means of layer-by-layer self-assembly. Langmuir. 25: 8999-9005. http://dx.doi.org/10.1021/la9014338.

Xiong, J; Jiang, F; Shi, H; Xu, J; Liu, C; Zhou, W; Jiang, Q; Zhu, Z; Hu, Y. (2015). Liquid Exfoliated Graphene as Dopant for Improving the Thermoelectric Power Factor of Conductive PEDOT:PSS Nanofilm with Hydrazine Treatment. 7: 14917-14925. http://dx.doi.org/10.1021/acsami.5b03692.

Xu, J; Dang, DK; Tran, VT; Liu, X; Chung, JS; Hur, SH; Choi, WM; Kim, EJ; Kohl, PA. (2014). Liquid-phase exfoliation of graphene in organic solvents with addition of naphthalene. J Colloid Interface Sci. 418: 37-42. http://dx.doi.org/10.1016/j.jcis.2013.12.009.

Xue, J; Guo, Z. (2003). Efficient synthesis of complex glycopeptides based on unprotected oligosaccharides. J Org Chem. 68: 2713-2719. http://dx.doi.org/10.1021/jo020570c.

Xue, Z; Zhou, J; He, D; Wu, F; Yang, D; Ye, YS; Liao, Y; Zhou, X; Xie, X. (2014). Iron-catalyzed AGET ATRP of methyl methacrylate using an alcohol as a reducing agent in a polar solvent. Dalton Transactions (Online). 43: 16528-16533. http://dx.doi.org/10.1039/c4dt01256a.

Yahav, A; Goldberg, I; Vigalok, A. (2005). Difluoro complexes of platinum(II) and -(IV) with monodentate phosphine ligands: an exceptional stability of d6 octahedral organometallic fluorides. Inorg Chem. 44: 1547-1553. http://dx.doi.org/10.1021/ic0488177.

Yang, F; Zhang, R; He, J; Abliz, Z. (2007). Development of a liquid chromatography/electrospray ionization tandem mass spectrometric method for the determination of hydroxyl radical. Rapid Commun Mass Spectrom. 21: 107-111. http://dx.doi.org/10.1002/rcm.2815.

Yang, S; Shen, C; Tian, Y; Zhang, X; Gao, HJ. (2014). Synthesis of cubic and spherical Pd nanoparticles on graphene and their electrocatalytic performance in the oxidation of formic acid. Nanoscale. 6: 13154-13162. http://dx.doi.org/10.1039/c4nr04349a.

Yang, SJ; Lee, SH; Kwak, HJ; Gong, YD. (2013). Regioselective synthesis of 2-amino-substituted 1,3,4-oxadiazole and 1,3,4-thiadiazole derivatives via reagent-based cyclization of thiosemicarbazide intermediate. J Org Chem. 78: 438-444. http://dx.doi.org/10.1021/jo302324r.

Yang, Y; Xu, L; Gao, Y; Wang, Q; Che, X; Li, S. (2012). Improved initial burst of estradiol organogel as long-term in situ drug delivery implant: formulation, in vitro and in vivo characterization. Drug Dev Ind Pharm. 38: 550-556. http://dx.doi.org/10.3109/03639045.2012.665928.

Yang, Z; Xue, Z; Liao, Y; Zhou, X; Zhou, J; Zhu, J; Xie, X. (2013). Hierarchical hybrids of carbon nanotubes in amphiphilic poly(ethylene oxide)-block-polyaniline through a facile method: from smooth to thorny. Langmuir. 29: 3757-3764. http://dx.doi.org/10.1021/la304283n.

Yasuhara, A; Sugiura, G. (1987). VOLATILE COMPOUNDS IN PYROLIGNEOUS LIQUIDS FROM KARAMATSU AND CHISHIMA-SASA. Agric Biol Chem. 51: 3049-3060.

Yehia, SA; Elshafeey, AH; Elsayed, I. (2012). A novel injectable in situ forming poly-DL-lactide and DL-lactide/glycolide implant containing lipospheres for controlled drug delivery. J Liposome Res. 22: 128-138. http://dx.doi.org/10.3109/08982104.2011.631141.

Yu, X; Manthiram, A. (2015). A class of polysulfide catholytes for lithium-sulfur batteries: energy density, cyclability, and voltage enhancement. Phys Chem Chem Phys. 17: 2127-2136. http://dx.doi.org/10.1039/c4cp04895d.

Zbruyev, OI; Stiasni, N; Kappe, CO. (2003). Preparation of thioamide building blocks via microwave-promoted three-component Kindler reactions. J Comb Chem. 5: 145-148.

Zellers, ET; Sulewski, R. (1993). Modeling the temperature dependence of N-methylpyrrolidone permeation through butyl- and natural-rubber gloves. Am Ind Hyg Assoc J. 54: 465-479. http://dx.doi.org/10.1080/15298669391354991.

Zhang, JY; Fang, L; Tan, Z; Wu, J; He, ZG. (2009). Influence of ion-pairing and chemical enhancers on the transdermal delivery of meloxicam. Drug Dev Ind Pharm. 35: 663-670. http://dx.doi.org/10.1080/03639040802578111.

Zhang, Q; Wang, H; Fan, X; Chen, S; Yu, H; Quan, X. (2016). A controlled wet-spinning and dip-coating process for preparation of high-permeable TiO2 hollow fiber membranes. Water Sci Technol. 73: 725-733. http://dx.doi.org/10.2166/wst.2015.543.

Zhang, S; Sakai, R; Abe, T; Iyoda, T; Norimatsu, T; Nagai, K. (2011). Photoelectrochemical and Photocatalytic Properties of Biphasic Organic p- and n-Type Semiconductor Nanoparticles Fabricated by a Reprecipitation Process. 3: 1902-1909. http://dx.doi.org/10.1021/am200096p.

Zhang, X; Coleman, AC; Katsonis, N; Browne, WR; van Wees, BJ; Feringa, BL. (2010). Dispersion of graphene in ethanol using a simple solvent exchange method. Chem Commun (Camb). 46: 7539-7541. http://dx.doi.org/10.1039/c0cc02688c.

Zhang, X; Lai, Z; Liu, Z; Tan, C; Huang, Y; Li, B; Zhao, M; Xie, L; Huang, W; Zhang, H. (2015). A facile and universal top-down method for preparation of monodisperse transition-metal dichalcogenide nanodots. Angew Chem Int Ed Engl. 54: 5425-5428. http://dx.doi.org/10.1002/anie.201501071.

Human Health Hazard Literature Search Results

Off Topic

Zhang, X; Zhang, C; Zhang, W; Meng, S; Liu, D; Wang, P; Guo, J; Li, J; Guan, Y; Yang, D. (2015). Feasibility of poly (ϵ-caprolactone-co-DL-lactide) as a biodegradable material for in situ forming implants: evaluation of drug release and in vivo degradation. Drug Dev Ind Pharm. 41: 342-352. http://dx.doi.org/10.3109/03639045.2013.866140.

Zhang, X; Zhao, X; Zu, Y; Chen, X; Lu, Q; Ma, Y; Yang, L. (2012). Preparation and physicochemical properties of vinblastine microparticles by supercritical antisolvent process. International Journal of Molecular Sciences. 13: 12598-12607. http://dx.doi.org/10.3390/ijms131012598.

Zhang, Y; Yang, N; Lv, J; Song, H; Duan, X; Leng, J; Bo, J; Liu, D; Huang, Y. (2014). A preclinical study of novel phentolamine formulation and in vitro/in vivo evaluation. Journal of Drug Delivery Science and Technology. 24: 22-26.

Zhang, Y; Zhu, X; Guo, J; Huang, X. (2016). Controlling Palladium Nanocrystals by Solvent-Induced Strategy for Efficient Multiple Liquid Fuels Electrooxidation. 8: 20642-20649. http://dx.doi.org/10.1021/acsami.6b02818.

Zhao; Bhanage; Shirai; Arai. (2000). Heck reactions of iodobenzene and methyl acrylate with conventional supported palladium catalysts in the presence of organic and/or inorganic bases without ligands. Chemistry. 6: 843-848.

Zheng, WW; Zhao, L; Wei, YM; Ye, Y; Xiao, SH. (2010). Preparation and the in vitro evaluation of nanoemulsion system for the transdermal delivery of granisetron hydrochloride. Chem Pharm Bull (Tokyo). 58: 1015-1019.

Zhou, L; Gao, C; Zhu, D; Xu, W; Chen, FF; Palkar, A; Echegoyen, L; Kong, ES. (2009). Facile functionalization of multilayer fullerenes (carbon nano-onions) by nitrene chemistry and "grafting from" strategy. Chemistry. 15: 1389-1396. http://dx.doi.org/10.1002/chem.200801642.

Zhou, QD; Hambley, TW; Kennedy, BJ; Lay, PA; Turner, P; Warwick, B; Biffin, JR; Regtop, HL. (2000). Syntheses and characterization of anti-inflammatory dinuclear and mononuclear zinc indomethacin complexes. Crystal structures of [Zn-2(indomethacin)(4)(L)(2)] (L = N,N-dimethylacetamide, pyridine, 1-methyl-2-pyrrolidinone) and [Zn(indomethacin)(2)(L-1)(2)] (L-1 = Ethanol, methanol). Inorg Chem. 39: 3742-3748.

Zhou, X; Chen, Q; Liu, B; Li, L; Yang, T; Huang, W. (2017). Syntheses, structures and magnetic properties of nine coordination polymers based on terphenyl-tetracarboxylic acid ligands. Dalton Transactions (Online). 46: 430-444. http://dx.doi.org/10.1039/c6dt04270h.

Zhu, W; Schmehl, DR; Mullin, CA; Frazier, JL. (2014). Four common pesticides, their mixtures and a formulation solvent in the hive environment have high oral toxicity to honey bee larvae. PLoS ONE. 9: e77547. http://dx.doi.org/10.1371/journal.pone.0077547.

Zimmermann, FK; Holzwarth, UL; Scheel, I; Resnick, MA. (1988). Aprotic polar solvents that affect porcine brain tubulin aggregation in vitro induce aneuploidy in yeast cells growing at low temperatures. Mutat Res. 201: 431-442.

Zu, SZ; Zhou, D; Han, BH. (2013). Supramolecular surface modification and dispersion of graphene in water and organic solvents. J Nanosci Nanotechnol. 13: 946-953. http://dx.doi.org/10.1166/jnn.2013.6007.

OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

Abbas, A. (2017). Couch Dimensions and Other Standard Furniture Measurements (Version March 9, 2017): thespruce.com. Retrieved from http://furniture.about.com/od/furnishingdesignresources/a/measurements.htm

Abt (Abt Associates Inc.). (1992). Methylene chloride consumer products use survey findings. Bethesda, MD: U.S. Consumer Product Safety Commission.

Abt (Abt Associates Inc.). (2017). NMP market profile.

AIHA (American Industrial Hygiene Association). (2011). WEEL® (Workplace Environmental Exposure Limit) Values (2011) [Standard]. Fairfax, VA: American Industrial Hygiene Association Guideline Foundation. https://www.aiha.org/get-involved/AIHAGuidelineFoundation/WEELs/Documents/2011WEELValues.pdf

Akesson, B; Carnerup, MA; Jönsson, BA. (2004). Evaluation of exposure biomarkers from percutaneous absorption of N-methyl-2-pyrrolidone. Scand J Work Environ Health 30: 306-312.

Akesson, B; Jönsson, BA. (1997). Major metabolic pathway for N-methyl-2-pyrrolidone in humans. Drug Metab Dispos 25: 267-269.

Akesson, B; Paulsson, K. (1997). Experimental exposure of male volunteers to N-methyl-2-pyrrolidone (NMP): acute effects and pharmacokinetics of NMP in plasma and urine. Occup Environ Med 54: 236-240.

American Unfinished Furniture. (2012). Summit Bedroom Collection: Item 3702w [Website]. Retrieved from http://www.furnitureunfinished.com/product_info.php?products_id=1093

Anon. (2011). Fatality Assessment and Control Evaluation (FACE) Report for Michigan: Tub Refinisher Died Due to Methylene Chloride Overexposure While Stripping a Bathtub. 21.

Anundi, H; Langworth, S; Johanson, G; Lind, ML; Akesson, B; Friis, L; Itkes, N; Söderman, E; Jönsson, BA; Edling, C. (2000). Air and biological monitoring of solvent exposure during graffiti removal. Int Arch Occup Environ Health 73: 561-569.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

Anundi, H; Lind, ML; Friis, L; Itkes, N; Langworth, S; Edling, C. (1993). High exposures to organic solvents among graffiti removers. Int Arch Occup Environ Health 65: 247-251. http://dx.doi.org/10.1007/BF00381198

ARCO (ARCO Chemical Company). (1996). N-methylpyrrolidone: European material safety data sheet.

Ash, M; Ash, I. (2009). Specialty Chemicals Source Book (4th ed.). Endicott, New York: Synapse Information Resources, Inc.

Ashford, R. (1994). Ashford's dictionary of industrial chemicals: Properties, production, uses. London: Wavelength.

ASTM (American Society for Testing and Materials). (1997). Standard Practice for Estimation of Short-Term Inhalation Exposure to Volatile Organic Chemicals Emitted from Bedding Sets. Designation: D 6178-97 (Reapproved 2008). West Conshohocken, PA.

Bader, M; Keener, SA; Wrbitzky, R. (2005). Dermal absorption and urinary elimination of N-methyl-2-pyrrolidone. Int Arch Occup Environ Health 78: 673-676. http://dx.doi.org/10.1007/s00420-005-0008-0

Bader, M; Van Thriel, C. (2006). Human volunteer study on biomarkers of N-Methyl-2-Pyrrolidone (NMP) after inhalation exposure. Hannover and Dortmund, Germany: Hannover Medical School and University of Dortmund, Institute of Occupational Physiology.

Bader, M; Wrbitzky, R; Blaszkewicz, M; Schäper, M; van Thriel, C. (2008). Human volunteer study on the inhalational and dermal absorption of N-methyl-2-pyrrolidone (NMP) from the vapour phase. Arch Toxicol 82: 13-20. http://dx.doi.org/10.1007/s00204-007-0230-5

Barr, WM. (2009). Material Safety Data Sheet. CitriStrip Stripping Gel. Product code: CS61040.25. W.M. Barr and Company. http://www.wmbarr.com/ProductFiles/CitriStrip%20Stripping%20Gel%20(CS61040.25)%205-28-09.pdf

Barr, WM. (2011). Material Safety Data Sheet. Citristrip Safer Paint and Varnish Stripper Aerosol. Product code: ACSA35.4. W.M. Barr and Company. http://www.wmbarr.com/ProductFiles/ACSA35%204%20CSSafer%20Paint%20and%20Varnish%20Stripper%20Aerosol.pdf

Barr, WM; Company. (2009). Material Safety Data Sheet. Klean Strip Klean Kutter. Product code: 130. W.M. Barr and Company. http://www.wmbarr.com/ProductFiles/130%20(Klean%20Kutter).pdf

BASF AG. (1978). Unpublished Study (XXV/436), 22 May 1978. BASF AG.

BASF AG. (1988). Unpublished Research (1035/88). BASF AG.

BASF AG. (1989). Unpublished results, project No. 36I0794/87088, 03 Jan 1989. BASF AG.

BASF AG. (1992). Unpublished Results, Project No. 36I0794/87088, 21 Apr 1992. BASF AG.

BASF AG. (1994). Unpublished Results, Project No. 50I0544/90061, 04 Jan 1994. BASF AG.

BASF AG. (1995). 7/89023, /89042, /89044, /89045, /89054, /89069, /89070, and Supplement Report (Techn. Part), 19 May 1995. ((as cited in OECD, 2007)). Department of Toxicology.

BASF AG. (1995). Department of Toxicology, unpublished results, project No. 36I05876/89023, 19 May 1995. ((as cited in OECD, 2007)). BASF AG.

BASF AG. (1995). Unpublished Results, Project No. 36i0587/89045, 19 May 1995. ((as cited in OECD, 2007)). Department of Toxicology.

BASF AG. (2001). Unpublished study, project No. 00/0969/51/1, 25 Jul 2001. In Experimental Toxicology and Ecology. ((as cited in OECD, 2007)). BASF AG.

Becci, PJ; Knickerbocker, MJ; Parent, RA; Burnette, LW. (1981). Teratologic evaluation of n-methylpyrrolidone in sprague-dawley rats. Toxicologist 1: 29-30.

Becci, PJ; Knickerbocker, MJ; Reagan, EL; Parent, RA; Burnette, LW. (1982). Teratogenicity study of N-methylpyrrolidone after dermal application to Sprague-Dawley rats. Fundam Appl Toxicol 2: 73-76.

Brown. (2012). Formulations spreadsheet file provided in personal communication from Judith Brown EPA/OPPT to Conrad Flessner EPA/OPPT.

Cal EPA (California Environmental Protection Agency). (2006). Methylene Chloride Consumer Product Paint Strippers: Low-VOC, Low Toxicity Alternatives. Department of Toxic Substances Control. http://www.irta.us/Methylene%20Chloride%20Consumer%20Product%20Paint%20Strippers%20REPORT%20ONLY.pdf

Carney, EW; Kimmel, CA. (2007). Interpretation of skeletal variations for human risk assessment: Delayed ossification and wavy ribs. Birth Defects Res B Dev Reprod Toxicol 80: 473-496. http://dx.doi.org/10.1002/bdrb.20133

CDC (CDC Research Inc). (2012). Fatal exposure to methylene chloride among bathtub refinishers - United States, 2000-2011. MMWR Morb Mortal Wkly Rep 61: 119-122.

CDC (CDC Research Inc). (2012). Tub refinisher died due to methylene chloride overexposure while stripping a bathtub. Centers for Disease Control and Prevention. http://www.cdc.gov/niosh/face/stateface/mi/10MI013.html

Chen, Q; Xu, W. (1998). A zero-equation turbulence model for indoor airflow simulation. Energy and Buildings 28: 137-144. http://dx.doi.org/10.1016/S0378-7788(98)00020-6

Cheng, K; Acevedo-Bolton, V; Jiang, R; Klepeis, NE; Ott, WR; Fringer, OB; Hildemann, LM. (2011). Modeling Exposure Close to Air Pollution Sources in Naturally Ventilated Residences: Association of Turbulent Diffusion Coefficient with Air Change Rate. Environ Sci Technol 45: 4016-4022. http://dx.doi.org/10.1021/es103080p

Cherrie, JW. (1999). The effect of room size and general ventilation on the relationship between near and far-field concentrations. Appl Occup Environ Hyg 14: 539-546. http://dx.doi.org/10.1080/104732299302530

Danish EPA (Danish Environmental Protection Agency). (2015). List of Undesirable Substances (LOUS): Survey of 1-methyl-2-pyrrolidone. (1715). http://mst.dk/service/publikationer/publikationsarkiv/2015/jul/survey-of-1-methyl-2-pyrrolidone-nmp/

Daston, GP; Seed, J. (2007). Skeletal malformations and variations in developmental toxicity studies: Interpretation issues for human risk assessment. Birth Defects Res B Dev Reprod Toxicol 80: 421-424. http://dx.doi.org/10.1002/bdrb.20135

Daubert, TE; Danner, RP. (1989). Physical and thermodynamic properties of pure chemicals: Data compilation. Washington, DC: Taylor & Francis.

Davis, A; Gift, JS; Woodall, GM; Narotsky, MG; Fourman, GL. (2009). The role of developmental toxicity studies in acute exposure assessments: analysis of single-day vs. multiple-day exposure regimens. Regul Toxicol Pharmacol 54: 134-142. http://dx.doi.org/10.1016/j.yrtph.2009.03.006

DuPont (E. I. du Pont de Nemours and Company). (1990). 1-Methyl-2-Pyrrolidinone (NMP): Reproductive and Developmental Toxicity in the Rat. (HLR 294-90). E.I. du Pont de Nemours and Company.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

DuPont (E. I. du Pont de Nemours and Company). (1992). 92. (OTS0555033, Doc I.D. 88-920008215). E.I. Dupont de Nemours & Co.

EC (European Commission). (2000). IUCLID dataset. 1-metyl-2-pyrrolidone.

EC (European Commission). (2004). Effectiveness of vapour retardants in reducing risks to human health from paint strippers containing dichloromethane. Final report. http://ec.europa.eu/enterprise/sectors/chemicals/files/studies/etvaread-paint_stripper_dcm_en.pdf

EC (European Commission). (2007). Impact assessment of potential restrictions on the marketing and use of dichloromethane in paint strippers. Final report. http://bookshop.europa.eu/en/impact-assessment-of-potential-restrictions-on-the-marketing-and-use-of-dichloromethane-in-paint-strippers-pbNB0214154/

EC/HC (Environment Canada and Health Canada). (2017). Draft Screening Assessment: 2-Pyrrolidinone, 1-methyl- (NMP) and 2-Pyrrolidinone, 1-ethyl- (NEP). Ministers of Environment and of Health. http://www.ec.gc.ca/ese-ees/65CB2E52-9213-4DF0-A3C1-9B0CD361CEB1/DRP-DSAR-NMP-NEP_EN-2017-02-01.pdf

ECHA (European Chemicals Agency). (2011). Annex XV dossier. Proposal for Identification of a Substance as a CMR Cat 1A or 1B, PBT, vPvB or a Substance of an Equivalent Level of Concern. http://echa.europa.eu/documents/10162/01e8a6d8-ba7a-474d-a640-49053005ec99

ECHA (European Chemicals Agency). (2014). Opinion on an annex XV dossier proposing restrictions on N-Methyl-2-Pyrrolidone. (ECHA/RAC/RED-O-0000005316-76-01/F). European Chemicals Agency, Committtee for Risk Assessment (RAC). http://echa.europa.eu/documents/10162/13641/rac_seac_opinion_nmp_en.pdf

Enander, RT; Cohen, HJ; Gute, DM; Brown, LC; Desmaris, AM; Missaghian, R. (2004). Lead and methylene chloride exposures among automotive repair technicians. J Occup Environ Hyg 1: 119-125. http://dx.doi.org/10.1080/15459620490275911

EWG (Environmental Working Group). (2012). EWG's Skin Deep Cosmetics Database. Products containing methyl pyrrolidone (Version August 9, 2012). Retrieved from http://www.ewg.org/skindeep/ingredient/products/703913/METHYL_PYRROLIDONE/

Exxon Biomedical (Exxon Biomedical Sciences). (1991). Project No. 236535, 26 Nov 1991. ((sponsored by GAF Corp., Wayne, USA). (as cited in OECD, 2007)). Wayne, USA: GAF Corp.

Exxon Biomedical (Exxon Biomedical Sciences). (1992). Project No. 136534, 05 Jun 1992. ((as cited in OECD, 2007)). Wayne, USA: GAF Corp.

FDRL (Food and Drug Research Laboratories Inc.). (1979). Lab. No. 6161, unpublished report, 18 Oct 1979. ((as cited in OECD, 2007)). Food and Drug Research Laboratories.

FMI (Future Market Insights). (2015). N-Methyl-2-Pyrrolidone (NMP) Market: Demand for Electronics Industry in Asia Pacific Anticipated to Fuel the Market. Available online at http://www.futuremarketinsights.com/press-release/n-methyl-2-pyrrolidone-market

Frey, HC; Patil, SR. (2002). Identification and review of sensitivity analysis methods [Review]. Risk Anal 22: 553-578. http://dx.doi.org/10.1111/0272-4332.00039

Furtaw, EJ, Jr; Pandian, MD; Nelson, DR; Behar, JV. (1996). Modeling indoor air concentrations near emission sources in imperfectly mixed rooms. J Air Waste Manag Assoc 46: 861-868.

GAF (GAF Chemicals Corp.). (1979). Unpublished Study, Contract No. L1393-05, Aug 1976. In Aquatic Toxicology Laboratory. ((as cited in Verschuren, 2009 and OECD, 2007)). GAF Corp.

Harreus, AL; Backes, R; Eichloer, J; Feuerhake, R; Jakel, C; Mahn, U; Pinkos, R; Vogelsang, R. (2011). 2-pyrrolidone. In Ullmann's Encyclopedia of Industrial Chemistry. [online]: John Wiley and Sons, Inc. http://onlinelibrary.wiley.com/doi/10.1002/14356007.a22_457.pub2/abstract

Hass, U; Jakobsen, B; Lund, S. (1995). Developmental Toxicity of Inhaled N-Methylpyrrolidone on Postnatal Development and Behavior in Rats. Neurotoxicol Teratol 16: 241-249.

Hass, U; Lund, SP; Elsner, J. (1994). Effects of prenatal exposure to N-methylpyrrolidone on postnatal development and behavior in rats. Neurotoxicol Teratol 16: 241-249.

Hazelton Lab (Hazelton Laboratories, Inc). (1979). Unpublished report, project No. 257-110, 02 Oct. (as cited in OECD, 2007).

Hazelton Lab (Hazelton Laboratories, Inc). (1980). Unpublished report, project No. 257-109, 11 Feb. (as cited in OECD, 2007).

Heffernan, A; Aylward, LL; Toms, LML; Sly, PD; Macleod, M; Mueller, JF. (2014). Pooled biological specimens for human biomonitoring of environmental chemicals: Opportunities and limitations [Review]. J Expo Sci Environ Epidemiol 24: 225-232. http://dx.doi.org/10.1038/jes.2013.76

HHS (U.S. Department of Health and Human Services). (1990). Walk-through survey report: Control of methylene chloride in furniture stripping at colonial furniture stripping. Cincinnati, OH: National Institute for Occupational Safety and Health. www.cdc.gov/niosh/surveyreports/pdfs/170-14a.pdf

HHS (U.S. Department of Health and Human Services). (2016). Household Products Database: N-Methylpyrrolidone (Version March 8, 2017): U.S. Department of Health & Services. National Institute of Health. Retrieved from https://householdproducts.nlm.nih.gov/cgi-bin/household/brands?tbl=chem&id=171&query=n-methylpyrrolidone&searchas=TblChemicals

Hines, RN. (2007). Ontogeny of human hepatic cytochromes P450 [Review]. J Biochem Mol Toxicol 21: 169-175. http://dx.doi.org/10.1002/jbt.20179

HSE (Health and Safety Executive). (2001). Health risks during furniture stripping using dichloromethane (DCM). (Woodworking Sheet No 19 (Revised)). United Kingdom. www.hse.gov.uk/pubns/wis19.pdf

Huntingdon Life Sciences. (1998). [14c]-N-Methylpyrrolidone: Topical application: Dermal absorption study in the rat. (982974). Huntingdon Life Sciences, Ltd.

Jönsson, BA; Akesson, B. (2003). Human experimental exposure to N-methyl-2-pyrrolidone (NMP): toxicokinetics of NMP, 5-hydroxy- N-methyl-2-pyrrolidone, N-methylsuccinimide and 2-hydroxy- N-methylsuccinimide (2-HMSI), and biological monitoring using 2-HMSI as a biomarker. Int Arch Occup Environ Health 76: 267-274. http://dx.doi.org/10.1007/s00420-003-0438-5

Kavlock, RJ; Allen, BC; Faustman, EM; Kimmel, CA. (1995). Dose-response assessments for developmental toxicity .4. Benchmark doses for fetal weight changes. Toxicol Sci 26: 211-222. http://dx.doi.org/10.1006/faat.1995.1092

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

Keener, SA; Wrbitzky, R; Bader, M. (2007). Human volunteer study on the influence of exposure duration and dilution of dermally applied N-methyl-2-pyrrolidone (NMP) on the urinary elimination of NMP metabolites. Int Arch Occup Environ Health 80: 327-334. http://dx.doi.org/10.1007/s00420-006-0138-z

Lan, CH; Peng, CY; Lin, TS. (2004). Acute aquatic toxicity of N-methyl-2-pyrrolidinone to Daphnia magna. Bull Environ Contam Toxicol 73: 392-397. http://dx.doi.org/10.1007/s00128-004-0441-x

Lee, KP; Chromey, NC; Culik, R; Barnes, JR; Schneider, PW. (1987). Toxicity of N-methyl-2-pyrrolidone (NMP): teratogenic, subchronic, and two-year inhalation studies. Fundam Appl Toxicol 9: 222-235.

Levitt, MD; Li, R; Demaster, EG; Elson, M; Furne, J; Levitt, DG. (1997). Use of measurements of ethanol absorption from stomach and intestine to assess human ethanol metabolism. Am J Physiol 273: G951-G957.

Lide, DR. (2001). Physical constants of organic compounds. In CRC Handbook of Chemistry and Physics. Boca Raton, FL: CRC Press, Taylor and Francis Group.

Ligocka, D; Lison, D; Haufroid, V. (2003). Contribution of CYP2E1 to N-methyl-2-pyrrolidone metabolism. Arch Toxicol 77: 261-266. http://dx.doi.org/10.1007/s00204-003-0440-4

Malek, DE; Malley, LA; Slone, TW; Elliott, GS; Kennedy, GL; Mellert, W; Deckardt, K; Gembardt, C; Hildebrand, B; Murphy, SR; Bower, DB; Wright, GA. (1997). Repeated dose toxicity study (28 days) in rats and mice with N-methylpyrrolidone (NMP). Drug Chem Toxicol 20: 63-77. http://dx.doi.org/10.3109/01480549709011079

Malley, LA; Kennedy, GL; Elliott, GS; Slone, TW; Mellert, W; Deckardt, K; Kuttler, K; Hildebrand, B; Banton, MI; Parod, RJ; Griffiths, JC. (2001). Chronic toxicity and oncogenicity of N-methylpyrrolidone (NMP) in rats and mice by dietary administration. Drug Chem Toxicol 24: 315-338. http://dx.doi.org/10.1081/DCT-100106262

Matthews, TG; Thompson, CV; Wilson, DL; Hawthorne, AR; Mage, DT. (1989). Air velocities inside domestic environments: an important parameter in the study of indoor air quality and climate. Environ Int 15: 545-550.

Mccammon, CSG, J. (1993). Health Hazard Evaluation Report HETA 92-0360-2372, Ackerman and Sons, Littleton, Colorado. (NTIS/02989953_2). Mccammon, CS; Goldfield, J.

McDougal, JN; Jepson, GW; III, CH; Macnaughton, MG; Andersen, ME. (1986). A physiological pharmacokinetic model for dermal absorption of vapors in the rat. Toxicol Appl Pharmacol 85: 286-294.

McLanahan, ED; El-Masri, HA; Sweeney, LM; Kopylev, LY; Clewell, HJ; Wambaugh, JF; Schlosser, PM. (2012). Physiologically based pharmacokinetic model use in risk assessment--Why being published is not enough. Toxicol Sci 126: 5-15. http://dx.doi.org/10.1093/toxsci/kfr295

Midgley, I; Hood, AJ; Chasseaud, LF; Brindley, CJ; Baughman, S; Allan, G. (1992). Percutaneous absorption of co-administered N-methyl-2-[14C]pyrrolidinone and 2-[14C]pyrrolidinone in the rat. Food Chem Toxicol 30: 57-64.

Musy, M; Wurtz, E; Nataf, JM. (1999). An intermediate model to predict thermal comfort and air quality in a building (pp. 685). (ISSN 0905-6947 EISSN 1600-0668). Edinburgh, Scotland: Musy, M; Wurtz, E; Nataf, JM. http://www.aivc.org/resource/intermediate-model-predict-thermal-comfort-and-air-quality-building

NFPA (National Fire Protection Association). (1997). Fire protection guide on hazardous materials (12th ed.). Quincy, MA: National Fire Protection Assoc.

NICNAS (National Industrial Chemicals Notification and Assessment Scheme). (2013). Human Health Tier II Assessment for 2-Pyrrolidinone, 1-Methyl, CAS Number 872-50-4. http://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessment-details?assessment_id=91

NIOSH (National Institute for Occupational Safety and Health). (1992). Health Hazard Evaluation. (92-0360). Ackerman and Sons, Littleton, Colorado. www.cdc.gov/niosh/hhe/reports/pdfs/1992-0360-2372.pdf

NJ DEP (New Jersey Department of Environmental Protection). (1976). Upper limits on atmospheric ozone reductions following increased application of fixed nitrogen to the soil. Geophys Res Lett 3: 169-172. http://dx.doi.org/10

NMP Producers Group. (1995). Oral, dermal and inhalation pharmacokinetics and disposition of [2-14C] NMP in the rat. (630-95). NMP Producers Group.

NMP Producers Group. (1995). Subchronic oral toxicity: 90-day feeding and neurotoxicity study in rats with N-methylpyrrolidone (NMP). ((as cited in OECD, 2007)). NMP Producers Group.

NMP Producers Group. (1999). Two generation reproduction toxicity study with N-Methylpyrrolidone (NMP) in sprague dawley rats - Administration in the diet. (Project No. 97-4106). East Millestone, NJ: Huntingdon Life Science.

NMP Producers Group. (1999). Two generation reproduction toxicity study with N-Mythylpyrrolidone (NMP) in wistar rats - Administration in the diet. (Project No. 70R0056/97008). Ludwigshafen, Germany: Department of Toxicology of BASF Aktiengesellschaft.

NMP Producers Group. (2012). NMP exposure summary. NMP Producers Group.

NWQMC (National Water Quality Monitoring Council). (2017). Water quality portal. https://www.waterqualitydata.us/

OECD (Organisation for Economic Co-operation and Development). (2007). SIDS Initial Assessment Report on 1-Methyl-2-pyrrolidone. Organization for Economic Cooperation and Development. http://webnet.oecd.org/hpv/ui/handler.axd?id=84daa4ac-feb7-4b5a-9839-206d17914e42

OECD (Organisation for Economic Co-operation and Development). (2008). OECD Existing Chemicals Database - CAS Number 872-50-4 (Version March 8, 2017): Organization for Economic Co-operation and Development. Retrieved from http://webnet.oecd.org/hpv/ui/SIDS_Details.aspx?id=996f9cea-4b30-4e70-9e54-8def28e023eb

OECD (Organisation for Economic Co-operation and Development). (2011). Emission Scenario Document on Coating Application via Spray-Painting in the Automotive Refinishing Industry. (ENV/JM/MONO(2004)22). Organization for Economic Cooperation and Development. http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono(2004)22&doclanguage=en

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

OEHHA (California Office of Environmental Health Hazard Assessment). (2003). Proposition 65 maximum allowable dose level (MADL) for reproductive toxicity for N-Methypyrrolidone for Dermal and Inhalation Exposures.

OEHHA (California Office of Environmental Health Hazard Assessment). (2011). Carcinogen Identification Committee Consultation: N-Methylpyrrolidone.

Okawa, MT; Keith, W. (1977). Health Hazard Evaluation Determination, Report No. HHE-75-195-396, United Airlines Maintenance Base, San Francisco Internation Airport, Burlingame, California (pp. 75-195). (NIOSH/00070666). Okawa, MT; Keith, W.

Old House Online. (2012). Making sense of paint strippers (Version June 13, 2012). Retrieved from http://www.oldhouseonline.com/making-sense-of-paint-strippers/

O'Neil, MJ; Heckelman, PE; Koch, CB. (2006). The Merck index: An encyclopedia of chemicals, drugs, and biologicals (14th ed.). Whitehouse Station, NJ: Merck & Co.

O'Neil, MJ; Smith, A; Heckelman, PE; Obenchain, J. R. (2001). N-methylpyrroline. In The Merck Index.

OSHA (Occupational Safety & Health Administration). (2017). Chemical exposure health data (CEHD). Washington, DC: U.S. Department of Labor. Retrieved from https://www.osha.gov/opengov/healthsamples.html

Payan, JP; Boudry, I; Beydon, D; Fabry, JP; Grandclaude, MC; Ferrari, E; André, JC. (2003). Toxicokinetics and metabolism of N-[(14)C]N-methyl-2-pyrrolidone in male Sprague-Dawley rats: in vivo and in vitro percutaneous absorption. Drug Metab Dispos 31: 659-669.

Payan, JPB, D. Fabry, J. P. Boudry, I. Cossec, B. Ferrari, E. (2002). Toxicokinetics and metabolism of N-[14C]methylpyrrolidone in male Sprague-Dawley rats. A saturable NMP elimination process. Drug Metab Dispos 30: 1418-1424.

Poet, TS; Kirman, CR; Bader, M; van Thriel, C; Gargas, ML; Hinderliter, PM. (2010). Quantitative risk analysis for N-methyl pyrrolidone using physiologically based pharmacokinetic and benchmark dose modeling. Toxicol Sci 113: 468-482. http://dx.doi.org/10.1093/toxsci/kfp264

Pollack-Nelson, C. (1995). Analysis of methylene-chloride product labeling. Ergonomics 38: 2176-2187. http://dx.doi.org/10.1080/00140139508925261

Riddick, JA; Bunger, WB; Sakano, TK. (1986). Techniques of organic chemistry: Organic solvents: Physical properties and methods of purification (4th ed.). New York, NY: Wiley-Blackwell.

Riley, DM; Fischhoff, B; Small, MJ; Fischbeck, P. (2001). Evaluating the effectiveness of risk-reduction strategies for consumer chemical products. Risk Anal 21: 357-369.

Riley, DM; Small, MJ; Fischhoff, B. (2000). Modeling methylene chloride exposure-reduction options for home paint-stripper users. J Expo Anal Environ Epidemiol 10: 240-250.

RIVM (National Institute for Public Health and the Environment (Netherlands)). (2013). Annex XV restriction report: Proposal for a restriction. (Version 2). The Netherlands: National Institute for Public Health and the Environment (RIVM). https://echa.europa.eu/documents/10162/13641/nmp_annex_xv_report_en.pdf

Saillenfait, AM; Gallissot, F; Langonné, I; Sabaté, JP. (2002). Developmental toxicity of N-methyl-2-pyrrolidone administered orally to rats. Food Chem Toxicol 40: 1705-1712.

Saillenfait, AM; Gallissot, F; Morel, G. (2003). Developmental toxicity of N-methyl-2-pyrrolidone in rats following inhalation exposure. Food Chem Toxicol 41: 583-588.

Saillenfait, AM; Sabaté, JP; Gallissot, F. (2007). Comparative developmental toxicities of the three major metabolites of N-methyl-2-pyrrolidone after oral administration in rats. J Appl Toxicol 27: 571-581. http://dx.doi.org/10.1002/jat.1238

Sasaki, H; Kojima, M; Mori, Y; Nakamura, J; Shibasaki, J. (1988). Enhancing effect of pyrrolidone derivatives on transdermal drug delivery. 1. Int J Pharm 44: 15-24.

Sitarek, K; Stetkiewicz, J. (2008). Assessment of reproductive toxicity and gonadotoxic potential of N-methyl-2-pyrrolidone in male rats. Int J Occup Med Environ Health 21: 73-80. http://dx.doi.org/10.2478/v10001-008-0006-z

Sitarek, K; Stetkiewicz, J; Wąsowicz, W. (2012). Evaluation of reproductive disorders in female rats exposed to N-methyl-2-pyrrolidone. Birth Defects Res B Dev Reprod Toxicol 95: 195-201. http://dx.doi.org/10.1002/bdrb.21001

Smithsonian Museum (Smithsonian Museum Conservation Institute). (2012). Does my painting need to be cleaned? Suitland, MD. Retrieved from http://si.edu/mci/english/learn_more/taking_care/painting_clean.html

Smithsonian Museum (Smithsonian Museum Conservation Institute). (2012). What does it mean to have a painting restored and how do I pick a conservator? Suitland, MD. Retrieved from http://si.edu/mci/english/learn_more/taking_care/conservation_meaning.html

Solomon, GM; Morse, EP; Garbo, MJ; Milton, DK. (1996). Stillbirth after occupational exposure to N-methyl-2-pyrrolidone: A case report and review of the literature [Review]. J Occup Environ Med 38: 705-713. http://dx.doi.org/10.1097/00043764-199607000-00014

Staats, DA; Fisher, JW; Connolly, RB. (1991). Gastrointestinal absorption of xenobiotics in physiologically based pharmacokinetic models: A two-compartment description. Drug Metab Dispos 19: 144-148.

Timchalk, C; Nolan, RJ; Mendrala, AL; Dittenber, DA; Brzak, KA; Mattsson, JL. (2002). A physiologically based pharmacokinetic and pharmacodynamic (PBPK/PD) model for the organophosphate insecticide chlorpyrifos in rats and humans. Toxicol Sci 66: 34-53. http://dx.doi.org/10.1093/toxsci/66.1.34

TNO (Central Institute for Nutrition and Food Research). (1999). Methylene chloride: Advantages and Drawbacks of Possible Market Restrictions in the EU. Brussels, Belgium: European Commision. TNO-STB.

U.S. Census Bureau. (2007). 2007 NAICS.

U.S. Census Bureau. (2007). 2007 NAICS Index File. http://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2007

U.S. Department of Labor. (2012). Data and statistics.

U.S. EPA (U.S. Environmental Protection Agency). (1987). Household solvent products: A national usage survey. (EPA-OTS 560/5-87-005). Washington, DC: Office of Toxic Substances, Office of Pesticides and Toxic Substances. https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=PB88132881

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

U.S. EPA (U.S. Environmental Protection Agency). (1990). N-methylpyrrolidone; proposed test rule. Fed Reg 55: 11398-11487.

U.S. EPA (U.S. Environmental Protection Agency). (1991). Chemical engineering branch manual for the preparation of engineering assessments. Volume I. Ceb Engineering Manual. Washington, DC: Office of Pollution Prevention and Toxics, US Environmental Protection Agency.

U.S. EPA (U.S. Environmental Protection Agency). (1991). Guidelines for developmental toxicity risk assessment (pp. 1-71). (EPA/600/FR-91/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=23162

U.S. EPA (U.S. Environmental Protection Agency). (1992). Guidelines for exposure assessment. (EPA/600/Z-92/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=15263

U.S. EPA (U.S. Environmental Protection Agency). (1994). Consumer exposure to paint stripper solvents. (EPA Contract No 68-DO-0137). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

U.S. EPA (U.S. Environmental Protection Agency). (1995). Estimation of distributions for residential air exchange rates: Final report. (Document No. 600R95180). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://nepis.epa.gov/Exe/ZyNET.exe/910063GS.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1995+Thru+1999&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C95thru99%5CTxt%5C00000025%5C910063GS.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=p%7Cf&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL

U.S. EPA (U.S. Environmental Protection Agency). (1996). Consumer/small shop paint stripping use cluster. AR-161. Risk management report. Public comment draft. US Environmental Protection Agency.

U.S. EPA (U.S. Environmental Protection Agency). (1997). Use of Small-Chamber Data to Estimate and Model Chemical Emissions from Latex and Alkyd Paints. (IE-2812). US Environmental Protection Agency. http://www.scgcorp.com/dcm-nmp2013/pdfs/Supplement%205_EPA-HQ-OPPT-2012-0725-0027.pdf

U.S. EPA (U.S. Environmental Protection Agency). (1998). Environmental profile for N-methylpyrrolidone. (EPA/600/R-98/067). Washington, DC. https://cfpub.epa.gov/si/si_public_record_Report.cfm?dirEntryID=99474

U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. http://www.epa.gov/raf/publications/guidelines-ecological-risk-assessment.htm

U.S. EPA (U.S. Environmental Protection Agency). (1999). Category for persistent, bioaccumulative, and toxic new chemical substances. Fed Reg 64: 60194-60204.

U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. https://www.epa.gov/risk/risk-characterization-handbook

U.S. EPA (U.S. Environmental Protection Agency). (2001). Risk assessment guidance for superfund (RAGS: Volume III - part A, Process for conducting probabilistic risk assessment. (EPA 540-R-02-002). Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial REsponse. http://www.epa.gov/oswer/riskassessment/rags3adt/index.htm

U.S. EPA (U.S. Environmental Protection Agency). (2006). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668

U.S. EPA (U.S. Environmental Protection Agency). (2006). EPA Action Memorandum: Inert Reassessment: N-methylpyrrolidone (CAS Reg. No. 872-50-4). https://www.epa.gov/sites/production/files/2015-04/documents/methyl.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363

U.S. EPA (U.S. Environmental Protection Agency). (2007). Technical Support Document for Proposed Rule: National Emission Standards for Hazardous Air Pollutants: Paint Stripping Operations at Area Sources. Research Triangle Park, NC: OAQPS/Sector Policies and Programs Division. http://www.regulations.gov/#!documentDetail;D=EPA-HQ-OAR-20050526-0019

U.S. EPA (U.S. Environmental Protection Agency). (2009). Methodology for risk-based prioritization under ChAMP. Washington DC: Office of Pollution Prevention and Toxics, US Environmental Protection Agency.

U.S. EPA (U.S. Environmental Protection Agency). (2010). Multi-chamber concentration and exposure model (MCCEM) version 1.2 (Version March 9, 2017). Washington, DC. Retrieved from https://www.epa.gov/tsca-screening-tools/multi-chamber-concentration-and-exposure-model-mccem-version-12

U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=236252

U.S. EPA (U.S. Environmental Protection Agency). (2011). Toxicological review of Dichloromethane (Methylene Chloride) (CASRN 75-09-2) in support of summary information on the Integrated Risk Information System (IRIS) [EPA Report] (pp. 567). (EPA/635/R-10/003F). Washington, D.C. http://www.epa.gov/iris/toxreviews/0070tr.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2012). Benchmark dose technical guidance. (EPA/100/R-12/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. https://www.epa.gov/risk/benchmark-dose-technical-guidance

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface (EPI) Suite™ for Microsoft® Windows (Version 4.11). Washington D.C.: Environmental Protection Agency. Retrieved from http://www.epa.gov/opptintr/exposure/pubs/episuite.htm

U.S. EPA (U.S. Environmental Protection Agency). (2012). Estimation Programs Interface Suite™ for Microsoft® Windows, v4.10. Washington, DC: US Environmental Protection Agency. http://www.epa.gov/opptintr/exposure/pubs/episuitedl.htm

U.S. EPA (U.S. Environmental Protection Agency). (2012). Storage and retrieval (STORET) data warehouse and water quality exchange (WQX) [database] [Database]. Washington, DC. Retrieved from http://www.epa.gov/storet/

U.S. EPA (U.S. Environmental Protection Agency). (2013). Chemical data access tool: 2-Pyrrolidinon,1-Methyl. Office of Chemical Safety and Pollution Prevention, Office of Pollution Prevention and Toxics, US Environmental Protection Agency. https://java.epa.gov/oppt_chemical_search/

U.S. EPA (U.S. Environmental Protection Agency). (2013). ChemSTEER User Guide - Chemical Screening Tool for Exposures and Environmental Releases. Environmental Protection Agency. https://www.epa.gov/sites/production/files/2015-05/documents/user_guide.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2013). Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)): Environmental Fate and Effects Division, Washington DC. Retrieved from http://www.ipmcenters.org/ecotox/

U.S. EPA (U.S. Environmental Protection Agency). (2013). TSCA workplan chemical risk assessment N-Methylpyrrolidone: Paint stripping use CASRN: 872-50-4. Draft. Washington, DC: Office of Pollution Prevention and Toxics, US Environmental Protection Agency.

U.S. EPA (U.S. Environmental Protection Agency). (2014). Framework for Human Health Risk Assessment to Inform Decision Making. (EPA/100/R-14/001). Washington, DC: Environmental Protection Agency, Office of the Science Advisor. https://www.epa.gov/sites/production/files/2014-12/documents/hhra-framework-final-2014.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2014). TSCA Work Plan Chemical Risk Assessment, Methylene Chloride: Paint Stripping Use. (740-R1-4003). Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention. https://www.epa.gov/sites/production/files/2015-09/documents/dcm_opptworkplanra_final.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2015). TSCA work plan chemical risk assessment. N-Methylpyrrolidone: Paint stripper use (CASRN: 872-50-4). (740-R1-5002). Washington, DC. https://www.epa.gov/sites/production/files/2015-11/documents/nmp_ra_3_23_15_final.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2016). Instructions for reporting 2016 TSCA chemical data reporting. https://www.epa.gov/chemical-data-reporting/instructions-reporting-2016-tsca-chemical-data-reporting

U.S. EPA (U.S. Environmental Protection Agency). (2016). List of regulated toxic substances and threshold quantities for accidental release prevention (Table 1). Section 112(r) of the Clean Air Act. Section 40 CFR 68.130. https://www.gpo.gov/fdsys/pkg/CFR-2016-title40-vol17/xml/CFR-2016-title40-vol17-sec68-130.xml

U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from https://www.epa.gov/chemical-data-reporting

U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary information on manufacturing, processing, distribution, use, and disposal: N-Methylopyrrolidone (NMP). (Support document for Docket EPA-HQ-OPPT-2016-0743). Washington, DC: Office of Pollution Prevention and Toxics (OPPT), Office of Chemical Safety and Pollution Prevention (OCSPP). https://www.epa.gov/sites/production/files/2017-02/documents/nmp.pdf

U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools

Van Raaij, MTMJ, A. H. Piersma, A. H. (2003). The relevance of developmental toxicity endpoints for acute limit setting. RIVM report 601900004.

Van Veen, MP; Fortezza, F; Spaans, E; Mensinga, TT. (2002). Non-professional paint stripping, model prediction and experimental validation of indoor dichloromethane levels. Indoor Air 12: 92-97.

Verschuren, K. (2008). Handbook of Environmental Data on Organic Chemicals. [Online]: Wiley & Sons, Inc. http://www.wiley.com/WileyCDA/WileyTitle/productCd-0470171723.html

Vincent, R; Poirot, P; Subra, I; Rieger, B; Cicolella, A. (1994). Occupational exposure to organic solvents during paint stripping and painting operations in the aeronautical industry. Int Arch Occup Environ Health 65: 377-380. http://dx.doi.org/10.1007/BF00383247

Wells, DA; Digenis, GA. (1988). Disposition and metabolism of double-labeled [3H and 14C] N-methyl-2-pyrrolidinone in the rat. Drug Metab Dispos 16: 243-249.

WHO (World Health Organization). (2001). Concise International Chemical Assessment Document 35: N-Methyl-2-Pyrrolidone. Geneva, Switzerland. http://www.inchem.org/documents/cicads/cicads/cicad35.htm

Wolf, K; Morris, M. (2006). Assessment, development and demonstration of alternatives for five emerging solvents. A01.

Wollbrinck, T. (1993). The Composition of Proprietary Paint Strippers. J Am Inst Conservat 32: 43.

Xiaofei, E; Wada, Y; Nozaki, J; Miyauchi, H; Tanaka, S; Seki, Y; Koizumi, A. (2000). A linear pharmacokinetic model predicts usefulness of N-methyl-2-pyrrolidone (NMP) in plasma or urine as a biomarker for biological monitoring for NMP exposure. J Occup Health 42: 321-327.

Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for on topic gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: NMP*.

Note: Gray Lit Results provided as a second PDF.

Legend for Gray Literature Bibliography Columns

Source			A brief description of the gray literature source that was searched
General Information About Result	**URL**		The web address of the search result URL
	Annotation		An brief description of the search result
Subject-Matter Tags	**Engineering**	**On topic**	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		Off topic	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	Fate	**On topic**	An "x" indicates the reference is on topic for the fate topic area
		Off topic	An "x" indicates the reference is off topic for the fate topic area
	Exposure	**On topic**	An "x" indicates the reference is on topic for the exposure topic area
		Off topic	An "x" indicates the reference is off topic for the exposure topic area
	Human Health	**On topic**	An "x" indicates the reference is on topic for the human health topic area
		Off topic	An "x" indicates the reference is off topic for the human health topic area
Notes			Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: STORET and WQX	https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange	Data downloaded from STORET database		x		x	x			x	
Office of Air Quality Planning and Standards (OAQPS)	www3.epa.gov/airquality/	N/A		x		x		x		x	
Office of Air: Ambient Water Quality Criteria documents	www.epa.gov/wqc	N/A		x		x		x		x	
Office of Air: HAPS	www.epa.gov/haps/initial-list-hazardous-air-pollutants-modifications	N/A		x		x		x		x	
Office of Air: NESHAP	www.epa.gov/technical-air-pollution-resources	N/A		x		x		x		x	
Office of Air: TRI	https://www.epa.gov/trinationalanalysis/source-reduction-activities-chemical-2015-tri-national-analysis	Statistics on TRI Reductions for 2015	x			x		x		x	
Office of Air: TRI	https://www.epa.gov/trinationalanalysis/site-disposal-or-other-releases-2015-tri-national-analysis	Interactive Map Showing TRI Data		x		x		x		x	
OPPT: TSCA Analog Identification Methodology (AIM)	http://www.epa.gov/tsca-screening-tools/analog-identification-methodology-aim-tool	List and information about analogs from AIM tool		x		x	x			x	
Significant New Alternatives Policy (SNAP)	www.epa.gov/snap	N/A		x		x		x		x	
Safer Choice	www.epa.gov/saferchoice/	N/A		x		x		x		x	
Pollution Prevention	www.epa.gov/p2/	N/A		x		x		x		x	
InertFinder	https://iaspub.epa.gov/apex/pesticides/f?p=101:1:	Inert ingredient List	x			x		x		x	
Pesticide Ingredients	https://www.epa.gov/ingredients-used-pesticide-products/inert-reassessment-document-n-methylpyrrolidone-cas-no-872-50-4	Inert Reassessment Document for N-methylpyrrolidone		x		x		x		x	
Pesticide Ingredients	https://www.epa.gov/ingredients-used-pesticide-products/inert-ingredients-reassessment-decision-documents-m	Inert Ingredients - Reassessment Decision Document		x		x		x		x	
Hazardous Waste	www.epa.gov/hw/	N/A		x		x		x		x	
Superfund Enterprise Management System (SEMS)	cumulis.epa.gov/supercpad/cursites	N/A		x		x		x		x	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NCEA IRIS	www.epa.gov/iris	N/A		x		x		x		x	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical test rule data		x		x		x	x		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Substantial risk reports submitted by companies		x		x		x	x		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical data reporting	x			x		x		x	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	TRI Release and Disposal information	x			x		x		x	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Pollution prevention information about change in releases	x			x		x		x	
Stationary Sources Air Pollution	www.epa.gov/stationary-sources-air-pollution/	N/A		x		x		x		x	
Asbestos	www.epa.gov/asbestos/	N/A		x		x		x		x	
Economic and cost assessment	www.epa.gov/economic-and-cost-analysis-air-pollution-regulations	N/A		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X54.PDF?Dockey=30003X54.PDF	Tinker Air Force Base. Project Summary		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10000IAR.PDF?Dockey=10000IAR.PDF	Prioritized Chemical List June 1997 Draft		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/10000I67.PDF?Dockey=10000I67.PDF	Prioritized Chemical List, Draft		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003F84.PDF?Dockey=30003F84.PDF	Case Study at NASA Langley Research Center		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008HM5.PDF?Dockey=P1008HM5.PDF	Chemicals: Screening to a PCCL Draft		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101W9JG.PDF?Dockey=9101W9JG.PDF	List of Pesticide Product Inert Ingredients		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B7XK.PDF?Dockey=P100B7XK.PDF	Electronic Data Deliverable Valid Values Reference Manual Appendix to		x		x		x		x	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BTGP.PDF?Dockey=P100BTGP.PDF	Electronic Data Deliverable Valid Values Reference Manual July 2011		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QM90.PDF?Dockey=P100QM90.PDF	Recycled Tire Crumb Used on Playing Fields and Playgrounds Status Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PD5J.PDF?Dockey=P100PD5J.PDF	SPECIATE Version 4.4 - Database Development Documentation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FH8M.PDF?Dockey=P100FH8M.PDF	Hydraulic Fracturing on Drinking Water Resources Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003NKM.PDF?Dockey=30003NKM.PDF	Environmental Profile for N-Methylpyrrolidone	X		X		X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FEEG.PDF?Dockey=P100FEEG.PDF	Quantifying Coral Reef Ecosystem Services		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QSBM.PDF?Dockey=P100QSBM.PDF	Impacts from the Hydraulic Fracturing Water Cycle on Drinking Water		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MO2A.PDF?Dockey=P100MO2A.PDF	of Hydraulic Fracturing for Oil and Gas on Drinking Water Resources		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001HPX.PDF?Dockey=20001HPX.PDF	Listed Under Section 313 of the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CRPY.PDF?Dockey=9100CRPY.PDF	Pesticide Data Submitters List: Volume 2		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PR95.PDF?Dockey=P100PR95.PDF	Pesticide Data Submitters List March 1999		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PPW5.PDF?Dockey=P100PPW5.PDF	Pesticide Data Submitters List September 19, 1997		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PQKK.PDF?Dockey=P100PQKK.PDF	Pesticide Data Submitters List September 30, 1998 Edition		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/93000MVF.PDF?Dockey=93000MVF.PDF	Pesticide Data Submitters List		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100Q096.PDF?Dockey=P100Q096.PDF	Pesticide Data Submitters List: Volume 2a		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/60001CHH.PDF?Dockey=60001CHH.PDF	Toxic Chemicals Within The Nicotine And Salts Category		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003H51.PDF?Dockey=30003H51.PDF	Life Cycle Assessment for PC Blend 2 Aircraft Radome Depainter		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PP7V.PDF?Dockey=P100PP7V.PDF	Pesticide Data Submitters List 1995		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100EEVY.PDF?Dockey=9100EEVY.PDF	Photochemical Reactivity Workshop: Proceedings		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MGAQ.PDF?Dockey=P100MGAQ.PDF	Environmental Assessment: 1994-1995		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/100011NN.PDF?Dockey=100011NN.PDF	Beta Version 1.0: User's Guide and System Documentation <Draft>		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10056NB.PDF?Dockey=P10056NB.PDF	Final Contaminant Candidate List 3 Chemicals Identifying the Universe		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006O6H.PDF?Dockey=P1006O6H.PDF	Electronic Data Deliverable Valid Values Reference Manual		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004YQ7.PDF?Dockey=P1004YQ7.PDF	Values Reference Manual Appendix to EPA Electronic Data Deliverable		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005UGW.PDF?Dockey=P1005UGW.PDF	Development Documentation Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EJPX.PDF?Dockey=P100EJPX.PDF	Engineering and Modeling Support (STREAMS) Final Report State of the		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BL4U.PDF?Dockey=P100BL4U.PDF	Discharges Subject to Effluent Limitations and Standards for the		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004489.PDF?Dockey=P1004489.PDF	SPECIATE 4.2 - Speciation Database Development Documentation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100CWTO.PDF?Dockey=9100CWTO.PDF	Chemicals for Human Monitoring Studies		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000MROZ.PDF?Dockey=2000MROZ.PDF	Clearinghouse Natich Data Base Report On State, Local and EPA Air		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90150N00.PDF?Dockey=90150N00.PDF	Compilation of Available Data on Building Decontamination Alternatives		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000GJZ.PDF?Dockey=P1000GJZ.PDF	(STAR) Progress Review Workshop-Nanotechnology and the Environment		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10014IJ.PDF?Dockey=P10014IJ.PDF	Garden Products That Contain Vermiculite		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M8XQ.PDF?Dockey=P100M8XQ.PDF	Cycle Assessment, Volume 1, December 2001		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PZDM.PDF?Dockey=P100PZDM.PDF	Pesticide Data Submitters List by Chemicals, 2000		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001N68.PDF?Dockey=20001N68.PDF	Cycle Assessment, Volume 2: Appendices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/200016BC.PDF?Dockey=200016BC.PDF	Desktop Computer Displays: Life Cycle Assessment, Volume 1		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M55I.PDF?Dockey=P100M55I.PDF	Assessment N-Methylpyrrolidone: Paint Stripper Use CASRN: 872-50-4	X		X		X		X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001HK7.PDF?Dockey=20001HK7.PDF	Toxic Chemicals within the Nicotine And Salts Category		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91013VHT.PDF?Dockey=91013VHT.PDF	Chemical Right to Know: HPV Challenge Program Chemical List		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100NIXN.PDF?Dockey=9100NIXN.PDF	Marine Corps Air Station, OU 2, Yuma, AZ, 12/2/1997		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001AX7.PDF?Dockey=20001AX7.PDF	Computer Display Industry and Technology Profile		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003NKM.PDF?Dockey=30003NKM.PDF	Environmental Profile for N-Methylpyrrolidone		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005C1O.PDF?Dockey=P1005C1O.PDF	Contaminant Candidate List (CCL 3) Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001CY7.PDF?Dockey=20001CY7.PDF	Right-to-Know Act Section 313: Guidance for Metal Mining Facilities,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WZK.PDF?Dockey=30003WZK.PDF	Air Logistics Center (ALC) Depainting Operations. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000136M.PDF?Dockey=2000136M.PDF	Wiring Board, Case Study 4: Printed Wiring Board Project, Plasma		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X84.PDF?Dockey=30003X84.PDF	Case Study at NASA Langley Research Center. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91014GGY.PDF?Dockey=91014GGY.PDF	Conference on Reducing Risk in Paint Stripping: February 12-13, 1991, Omni		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300037EN.PDF?Dockey=300037EN.PDF	Asbestos Structures Over 10 UM in Length in Drinking Water		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LIDC.PDF?Dockey=P100LIDC.PDF	Fact Sheet: Drinking Water Contaminant Candidate List 4 Draft		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100U975.PDF?Dockey=9100U975.PDF	Part 372, Addition of Certain Chemicals; Toxic Chemical Release		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
			Engineering		Fate		Exposure		Human Health		
	URL	Annotation	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X98.PDF?Dockey=30003X98.PDF	Aircraft Radome Depainter. Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/50000HID.PDF?Dockey=50000HID.PDF	Sector Notebook Data Refresh, 1997		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20000WUZ.PDF?Dockey=20000WUZ.PDF	Printing Project, Bulletin 4 Screen Printing, Smarter, Safer, Safer Screen		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003F84.PDF?Dockey=30003F84.PDF	Case Study at NASA Langley Research Center		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VA8.PDF?Dockey=30003VA8.PDF	Reduction Activities and Options for a Fossil Fuel Fired Electrical Generating		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300039EK.PDF?Dockey=300039EK.PDF	Air Logistics Center (ALC) Depainting Operations		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000JJVW.PDF?Dockey=2000JJVW.PDF	Printers Evaluation Of Screen Reclamation Systems		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008YDS.PDF?Dockey=P1008YDS.PDF	Right-To-Know Act Section 313 Reporting Guidance for		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003B19.PDF?Dockey=30003B19.PDF	Pollution Prevention Case Studies Compendium, Second Edition		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001E9J.PDF?Dockey=20001E9J.PDF	Guidance for Semiconductor Manufacturing		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/000000DI.PDF?Dockey=000000DI.PDF	Alternatives for CFC-113 and Methyl Chloroform in Metal Cleaning		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EM68.PDF?Dockey=P100EM68.PDF	Challenge Awards Program: Summary of 2012 Award Entries and Recipients		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001CNX.PDF?Dockey=20001CNX.PDF	Right-To-Know Section 313: List of Toxic Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPW2.PDF?Dockey=P100GPW2.PDF	and Evaluation of Paint Application Equipment and Alternatives to		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001CLD.PDF?Dockey=20001CLD.PDF	Right-To-Know Section 313: List of Toxic Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M9PD.PDF?Dockey=P100M9PD.PDF	Assessment for Screen Printing: Screen Reclamation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10009TF.PDF?Dockey=P10009TF.PDF	Inside IAQ, Spring/Summer 1998		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910156U5.PDF?Dockey=910156U5.PDF	Master Testing List - 1996		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003BGW.PDF?Dockey=30003BGW.PDF	Pollution Prevention Research Within the Federal Community		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003NMC.PDF?Dockey=30003NMC.PDF	Environmental Profile for Propylene Carbonate		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001G7U.PDF?Dockey=20001G7U.PDF	Right-to-Know Act: Section 313, Release Reporting Requirements		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FY3.PDF?Dockey=20001FY3.PDF	Community Right-To Know Act: Section 313, Release Reporting		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001GJC.PDF?Dockey=20001GJC.PDF	Right-to-Know Act: Section 313, Release Reporting Requirements (Jun		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100L2D2.PDF?Dockey=P100L2D2.PDF	Reregistration Eligibility Decision for Iodine and Iodophor Complexes		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BVYT.PDF?Dockey=P100BVYT.PDF	Information Sheet: Reducing Air Pollution from Wood Furniture		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10056VO.PDF?Dockey=P10056VO.PDF	Final Contaminant Candidate List 3 Chemicals: Screening to a PCCL		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1008HM5.PDF?Dockey=P1008HM5.PDF	Chemicals: Screening to a PCCL Draft		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100C23P.PDF?Dockey=P100C23P.PDF	Pesticides Fact Sheet for Fenazaquin		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P10095BR.PDF?Dockey=P10095BR.PDF	Wastewater Background Information for Proposed Standards		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001K4C.PDF?Dockey=20001K4C.PDF	Part 5. 40 CFR Part 372. Addition of Certain Chemicals; Toxic Chemical		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/0000008A.PDF?Dockey=0000008A.PDF	Chloroform in Precision Cleaning Operations		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100U95Y.PDF?Dockey=9100U95Y.PDF	Part 372, Addition of Certain Chemicals; Toxic Chemical Release		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101W9JG.PDF?Dockey=9101W9JG.PDF	List of Pesticide Product Inert Ingredients		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30004N9I.PDF?Dockey=30004N9I.PDF	Alternative to Chlorinated Solvents for Cleaning and Degreasing		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1007K2Q.PDF?Dockey=P1007K2Q.PDF	Emissions Data For Nonprocess Solvent Use In 15 Commercial And		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X5C.PDF?Dockey=30003X5C.PDF	Alternative Screen Reclamation Products for Screen Printing. Project		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100AGA3.PDF?Dockey=P100AGA3.PDF	Right-to-Know Section 313 List of Toxic Chemicals		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BL4U.PDF?Dockey=P100BL4U.PDF			X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001C8P.PDF?Dockey=20001C8P.PDF	Right-to-Know Act Section 313 Reporting Guidance for the Leather		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100KUFL.PDF?Dockey=P100KUFL.PDF	of Lithium-Ion Batteries for Electric-Drive Vehicles: Draft Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ORA2.PDF?Dockey=P100ORA2.PDF	Revisions to the Unregulated Contaminant Monitoring Rule (UCMR		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100O2EV.PDF?Dockey=P100O2EV.PDF	Challenge Awards Program Summary of 2014 Award Entries and Recipients		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FGTU.PDF?Dockey=P100FGTU.PDF	Chemicals Subject to the Emergency Planning and Community Right- To-		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100F84A.PDF?Dockey=P100F84A.PDF	of Lithium-Ion Batteries for Electric-Drive Vehicles Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M6QE.PDF?Dockey=P100M6QE.PDF	Chemicals Subject to the Emergency Planning and Community Right- To-		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FT8E.PDF?Dockey=P100FT8E.PDF	Nanotechnology for Electric Vehicles: A Life Cycle Assessment DRAFT		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003H51.PDF?Dockey=30003H51.PDF	Life Cycle Assessment for PC Blend 2 Aircraft Radome Depainter		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MHY5.PDF?Dockey=P100MHY5.PDF	Southwestern Pennsylvania Study of the Potential Impacts of Hydraulic		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QSBM.PDF?Dockey=P100QSBM.PDF	Impacts from the Hydraulic Fracturing Water Cycle on Drinking Water		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LFA8.PDF?Dockey=P100LFA8.PDF	Reporting Forms and Instructions Revised 2014 Version		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NQPO.PDF?Dockey=P100NQPO.PDF	Reporting Forms and Instructions Revised 2015 Version Section 313 of		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MO2A.PDF?Dockey=P100MO2A.PDF	of Hydraulic Fracturing for Oil and Gas on Drinking Water Resources		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QM90.PDF?Dockey=P100QM90.PDF	Recycled Tire Crumb Used on Playing Fields and Playgrounds Status Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FZ9C.PDF?Dockey=P100FZ9C.PDF	Reporting Forms and Instructions, Revised 2012 Version		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100NEZ5.PDF?Dockey=P100NEZ5.PDF	Fiscal Year 2015 Agency Financial Report (AFR)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MJEL.PDF?Dockey=P100MJEL.PDF	North Dakota, Study of the Potential Impacts of Hydraulic Fracturing on		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MH7O.PDF?Dockey=P100MH7O.PDF	Assessment Methylene Chloride: Paint Stripping Use CASRN: 75-09-2		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101CW7O.PDF?Dockey=9101CW7O.PDF	Chemicals: Environmentally Preferable Choices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PD5J.PDF?Dockey=P100PD5J.PDF	SPECIATE Version 4.4 - Database Development Documentation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FH8M.PDF?Dockey=P100FH8M.PDF	Hydraulic Fracturing on Drinking Water Resources Progress Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JI4L.PDF?Dockey=P100JI4L.PDF	(with Inhalation Update) (CAS NO. 123-91-1)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JIEP.PDF?Dockey=P100JIEP.PDF	(with Inhalation Update) (CAS No. 123-91-1)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GPX2.PDF?Dockey=P100GPX2.PDF	Recognition and Management of Pesticide Poisonings Sixth Edition		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100JHU7.PDF?Dockey=P100JHU7.PDF	(with Inhalation Update) (CAS No. 123-91-1) in Support of Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100PSPI.PDF?Dockey=P100PSPI.PDF	2015 Annual Effluent Guidelines Review Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100LI27.PDF?Dockey=P100LI27.PDF	Toxicological Review of 1 4-Dioxane (CAS No. 123-91-1) Deliberative Draft		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006WK7.PDF?Dockey=P1006WK7.PDF	and Methyl Chloroform in Precision Cleaning		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001HPX.PDF?Dockey=20001HPX.PDF	Listed Under Section 313 of the Emergency Planning and Community		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/60000N44.PDF?Dockey=60000N44.PDF	Fact Sheet Third Drinking Water Contaminant Candidate List (CCL 3)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/100035SL.PDF?Dockey=100035SL.PDF	of Chemicals Subject to the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/940006AC.PDF?Dockey=940006AC.PDF	Pollution Prevention Assessment : Final Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003CCH.PDF?Dockey=30003CCH.PDF	Alternative Screen Reclamation Products for Screen Printing		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20000TTN.PDF?Dockey=20000TTN.PDF	of Chemicals Subject to the Emergency Planning and Community		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/50000BL6.PDF?Dockey=50000BL6.PDF	Environmental Compliance Audits Under the Emergency Planning and		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001JP4.PDF?Dockey=20001JP4.PDF	Toxic Release Inventory, 1997		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20012QGX.PDF?Dockey=20012QGX.PDF	Toxic Release Inventory Public Data Release 1995		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QH4R.PDF?Dockey=9100QH4R.PDF	Community Right-to-Know Act: Guidance for Chemical Distribution		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000UEJO.PDF?Dockey=2000UEJO.PDF	US EPA Region 5 Waste Minimization-p2 Conference 1998		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003XPB.PDF?Dockey=P1003XPB.PDF	Screening Environmental Indicators Model Version 1.02 1988 1997 TRI		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M55I.PDF?Dockey=P100M55I.PDF	Assessment N-Methylpyrrolidone: Paint Stripper Use CASRN: 872-50-4		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001D4L.PDF?Dockey=20001D4L.PDF	Right-to-Know Act Section 313: Guidance for Petroleum Bulk Storage		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001DCV.PDF?Dockey=20001DCV.PDF	Right-to-Know Act Section 313: Guidance for Electricity Generating		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003JQ6.PDF?Dockey=30003JQ6.PDF	Adjusted Measurements of Pollution Prevention		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000182A.PDF?Dockey=2000182A.PDF	Cluster Profile: Design for the Environment Printed Wiring Board		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1003WSB.PDF?Dockey=P1003WSB.PDF	Risk-based Environmental Indicators Interim Toxicity Weighting Summary		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001G3G.PDF?Dockey=20001G3G.PDF	Reporting Form R and Instructions, Revised 1996 Version		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001G96.PDF?Dockey=20001G96.PDF	Reporting Forms and Instructions, Revised 1997 Version		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001GEK.PDF?Dockey=20001GEK.PDF	Reporting Forms and Instructions, Revised 1998 Version (Manual)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001FYO.PDF?Dockey=20001FYO.PDF	Reporting Form R and Instructions, Revised 1995 Version		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001D1H.PDF?Dockey=20001D1H.PDF	Right to Know Act Section 313: Guidance for Coal Mining Facilities,		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/content/effectsej.html!OpenDocument&Count=500	Rulemakings by Effect: Environmental Justice		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/content/topicstoxics.html!OpenDocument&Start=1&Count=500&Expand=2	Rulemakings by Effect: Toxic Substances		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/content/effectssmallent.html!OpenDocument&Start=1&Count=500&Expand=2.2	Rulemakings by Effect: Small Entities		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/content/effectsej.html!OpenDocument&Start=1&Count=500&Expand=1.3	Rulemakings by Effect: Environmental Justice		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/ContactUs?openform&unid=2060-AQ92	Contact information		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/ContactUs?openform&unid=2050-AG82	Contact information		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	https://yosemite.epa.gov/opei/rulegate.nsf/content/effectsunfunded.html!OpenDocument&Start=1&Count=500&Expand=2	Rulemakings by Effect: Unfunded Mandates		X		X		X		X	
"List of Lists"	https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf	Subject to the Emergency Planning and Community Right- To-Know Act	X			X		X		X	
TSCATS 2.0	https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform	TSCATS Low Detail Report		X	X		X		X		
HPV challenge submissions	cfpub.epa.gov/hpv-s/	N/A		X		X		X		X	
CDAT - HPVIS Submissions	https://java.epa.gov/oppt_chemical_search/	HPVIS submission		X	X			X	X		
CDAT - HPVIS Submissions	https://java.epa.gov/oppt_chemical_search/	HPVIS submission		X	X			X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDAT - HPVIS Submissions	https://java.epa.gov/oppt_chemical_search/	HPVIS submission		X	X			X	X		
OPPT Monitoring Database	Monitoring database	Monitoring database data		X		X	X			X	
TSCA Use Dossiers and Public Comments	https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/evaluating-risk-existing-chemicals-under-tsca#table	Posting Memo									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027	submitted by Christine Ernst, Earthjustice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046	submitted by the Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022	submitted by Christina Franz, Senior Director, Regulatory & Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020	submitted by Elizabeth Hitchcock, Government Affairs Director and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019	submitted by Adhesive and Sealant Council et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021	submitted by Anthony Schatz, Ph.D, Director Occupational Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0003	Manufacturing, Processing, Distribution, Use, and Disposal: N-									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0009	submitted by Learning Disabilities Association of America (LDA)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019	submitted by Kim Cox, Environmental Policy Manager, City of Portland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026	Campaign sponsored by Earthjustice (web)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0027	submitted by Todd Thomas, ELANTAS PDG, Inc. (EPDG)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0024	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0015	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0028	submitted by Timothy Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0026	submitted by James Cooper, Senior Petrochemical Advisor, American Fuel									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0038	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0031	submitted by Patrick MacRoy on behalf of Environmental Health									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0010	submitted by Kathleen M. Roberts, N-Methylpyrrolidone (NMP) Producers									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0016	submitted by Jonathan M. Gerber, Advanced Regulatory Specialist, 3M									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0006	submitted by Leslie Riegle, Director of Environmental Policy Aerospace									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0017	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0018	submitted by Raleigh Davis, Assistant Director, Environmental Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0019	submitted by David Isaacs, Semiconductor Industry Association									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0025	submitted by Michelle Rudnick, Senior Manager Regulatory Affairs, CRC									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0013	submitted by National Electrical Manufacturers Association (NEMA)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0032	submitted by Gerhard Haas, Vice President, Research & Development,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013	submitted by Timothy A. Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0034	submitted by Joseph M. Zabel, Manager, NA RM & Substance									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0743-0036	submitted by Lee French, Associate Regulatory Manager, The Dow									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006	submitted by Chris Trahan Cain, Director of Safety and Health, North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021	submitted by Lindsay McCormick, Chemicals and Health Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014	Campaign sponsored by Earthjustice (web) (Revised)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.epa.gov/sites/production/files/2015-11/documents/nmp_ra_3_23_15_final.pdf	Assessment: N-Methypyrrolidone - Paint Stripper Use - Final Draft									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0042	submitted by Richard A. Denison, PhD., Senior Scientist and Rachel									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0041	submitted by Richard A. Denison, Ph.D., Senior Scientist and Rachel									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0034	submitted by Winslow Sargeant, Ph.D., Chief Counsel for Advocacy									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0033	submitted by Annette Guiseppi-Elie, Ph.D., Principal Consultant, Risk									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0008	Public Comment - Comment submitted by L. Costa									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0011	submitted by Richard Denison, Environmental Defense Fund and									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0026	submitted by Sarah E. Amick, Senior Counsel, Rubber Manufacturers									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0025	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0015	Public Comment - Comment submitted by P. Fenner-Crisp									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0016	submitted by Andy Nong, PhD, Research Scientist, Environmental									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.epa.gov/sites/production/files/2015-09/documents/nmp_rtc_3-23-15_final.pdf	Work Plan Risk Assessment - Summary of External Peer Review									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0020	submitted by Kyle Pitsor, Vice President, Government Relations,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0012	submitted by Pamela Williams, E Risk Sciences, LLP									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0005	Public Comment - Comment submitted by R. Harrison									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0014	submitted by Kathleen M. Roberts, Manager, N-Methylpyrrolidone (NMP)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0009	Public Comment - Comment submitted by J. Kissel									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0022	submitted by Alexandra Whittaker, Esq., Counsel, Government Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0007	submitted by Harvey J. Clewell, Director, Center for Human Health									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0013	submitted by Faye Graul, Executive Director, Halogenated Solvents									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0021	Public Comment - Comment submitted by J. Quint Ph.D.									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0023	submitted by Jennifer Sass, Ph.D., Senior Scientist, Natural Resources									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0047	submitted by Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0010	submitted by Miyoung Yoon, Ph.D., The Hamner Institutes for Health									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0024	submitted by Nancy Beck and Christina Franz, Senior Director,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0006	Public Comment - Comment submitted by T. Durrani									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.epa.gov/sites/production/files/2015-09/documents/nmpfaq.pdf	Fact Sheet: N-Methylpyrrolidone (NMP)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.epa.gov/sites/production/files/2015-09/documents/nmp_consolidated_peer_review_comments_december_31_2013.pdf	Draft Risk Assessment Final Comments of Nine Member Peer									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0048	submitted by American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0062	submitted by Kathleen M. Roberts, Manager, N-Methylpyrrolidone									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0063	submitted by Dr. Nancy Beck, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0049	submitted by Dennis Shusterman, MD, MPH, Section Chief, HESIS,									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0043	submitted by Christina Franz, American Chemistry Council (ACC)									TSCA public comments are not tagged to specific discipline
TSCA Problem Formulations, Risk Assessments, and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2012-0725-0044	submitted by Kathleen M. Roberts, NMP Producers Group Manager, N-									TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		X		X		X		X	
NIH PubChem Compound Database	https://www.ncbi.nlm.nih.gov/pccompound	pubmed, products, MSDS, Fate summaries, effluent conc, human	X		X		X		X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, CHemID Plus, pubmed	x			x	x		x		
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases - HSBD, TOXNET, ChemiID Plus,		x		x	x			x	
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains exerts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/ShenandoahroadGrndwter090803-NY/Shenandoah_PHA090803.pdf	PHA Shenandoah Road Groundwater		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/TreasureValleyID/TreasureValleyAreaHC093006.pdf	HC Treasure Valley Area ID	x			x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/intel/Intel-New%20Mexico_HC_Final_08-13-2015_508.pdf	HC Intel Corp., Rio Rancho NM	x			x		x		x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MidlothianAreaAirQuality/MidlothianAreaAirQuality_HC_Final_07-28-2015_508.pdf	HC Midlothian Area, TX		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/pdfs/78-174c.pdf	Not relevant		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/docs/2003-154/method-2000.html	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/neng0562.html	Not chemicals of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/docs/2003-154/method-n.html	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsnfrn/nfrnsynm.html	French list of chemicals with ICSC		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0123-2082.pdf	Not chemicals of interest		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/2011-0099-3211.pdf	evaluation of employee exposures during sea lamprey pesticide	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/1302.pdf	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0125-2021.pdf	Not chemicals of interest		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/nengcas.html	List of chemicals with ICSC		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00216352.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00234505.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsnfrn/nfrn0513.html	French version of ICSC		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/method-m.html	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-240/0240-123011-quint.pdf	Public comment- not relevant		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/ipcsneng/nengnamem.html	List of chemicals with ICSC		x		x		x		x	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2011-0099-3211.pdf	Not chemical of interest		x		x		x		x	
CDC NIOHS International Chemical Safety Cards (ICSC)	https://www.cdc.gov/niosh/ipcsneng/nengcas.html	properties, routes of exposure, occupational exposure limits	x		x			x		x	
Bureau of Labor Statistics (BLS)	www.bls.gov/	N/A		x		x		x		x	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AboutFDA/CentersOffices/OfficeofFoods/CVM/CVMFOIAElectronicReadingRoom/UCM285765.pdf	methods for detection		x		x		x		x	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/UCM282157.pdf	NMP used in cattle drug delivery system, summarizes some tox studies		x		x	x			x	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/04/mar04/031904/04p-0136-cp00001-03-vol1.pdf	contains measured amount in product (livestock potentially exposed)		x		x	x			x	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/03-28371.pdf	Federal Register		x		x		x		x	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/ucm052441.pdf	residual solvents in new veterinary medicinal products, active substances	x			x	x			x	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/UCM437264.pdf	NMP in drug delivery system, dog drug (no levels reported)		x		x	x			x	
FDA Food and Drug Administration	http://www.fda.gov/AboutFDA/CentersOffices/OfficeofFoods/CVM/CVMFOIAElectronicReadingRoom/default.htm	List of other sources, none specific to NMP, likely covered on other sources		x		x		x		x	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/E8-8346.pdf	Federal register		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/UCM073160.txt	List of approvals		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/DevelopmentApprovalProcess/MinorUseMinorSpecies/UCM373291.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/UCM409097.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM216256.pdf	Permissible Daily Exposure (PDE) for NMP		X		X	X		X		
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/.../Guidances/UCM073401.pdf	Solvents (mentions human health tox study data, PDE for humans)		X		X	X		X		
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/DevelopmentResources/UCM332052.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/UCM073159.txt	List of approval		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/DevelopmentApprovalProcess/FormsSubmissionRequirements/DrugMasterFilesDMFs/ucm073151.txt	List of approval		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm125820.htm	Links to Federal Register and 2300-NMP-2		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/drugs/guidancecomplianceregulatoryinformation/guidances/ucm073395.pdf	Guidance for Industry (Q3C)- Tables and List (Revision 2, 2012)	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/03-28372.htm	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/021202b.htm	Federal Register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/ucm116713.htm	NMP used in cattle drug delivery system, summarizes some tox studies		X		X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/AnimalVeterinary/Products/ApprovedAnimalDrugProducts/FOIADrugSummaries/ucm118254.htm	unsure		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/01b-0431-gdl0001.pdf	(Q3C)- has guidance levels on levels, classification		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-379_Eligard_pharmr.pdf	NMP in drug delivery system, provided amounts		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/21379lbl.pdf	NMP in drug delivery system, provided amounts		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21-488_Eligard_Pharmr.pdf	NMP in drug delivery system, provided amounts		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2002/21343lbl.pdf	NMP in drug delivery system, provided amounts		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=529.778	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=529.778	NMP in drug delivery system, dog drug (no levels reported)		X		X	X			X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf6/K060285.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=529.778	NMP levels in cattle drug (provided values)		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf3/k033074.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-343_Eligard_pharmr.pdf	NMP in drug, levels reported		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21-488_Eligard_Prntlbl.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf/k994137.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/98/50751_EA_pharmr.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/050794s005lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021731s005,021488s010,021379s010,021343s015lbl.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=500&showFR=1	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/021731s000_Eligard_PharmR.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=500	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/021731s000_Eligard_AdminCorres.pdf	NMP in drug delivery system, human		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=500.1410	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/021731s000_Eligard_ChemR.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/50-794_Vidaza_Chemr.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=529&showFR=1	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/201532Orig1s000ChemR.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-343_Eligard_biopharmr.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-379_Eligard_medr_P1.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2002/21-343_Eligard_medr_P1.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/021379_s002_ELIGARD.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/050794s016s020lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=522.955	21CFR522.955, NMP as vehicle for animal drugs (no levels reported)		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/021343s033,021379s033,021488s030,021731s029lbl.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/99/21057_Antagon_pharmr.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2016/050794s029lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2004/021731s000_Eligard_ClinPharmR.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2011/021343s019,021379s015,021488s016,021731s012lbl.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2014/021343s030,021379s030,021488s027,021731s027lbl.pdf	NMP in drug delivery system, human		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2016/021343Orig1s033.pdf	NMP in drug delivery system, human		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?CFRPart=176&showFR=1	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/drugsatfda_docs/label/2015/202834s005lbl.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=176&showFR=1&subpartNode=21.3.0.1.1.7.2	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?fr=176.300	Federal regulation, no quantitative amounts		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2010/200603Orig1s000ClinPharmR.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/50751scs011_atridox_lbl.pdf	NMP in drug, levels reported		X		X	X			X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf13/K131385.pdf	NMP in bone grafting drug, no values provided		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/spldata/d0227203-6ed9-4f8c-9f2c-44afdc20d2c0/d0227203-6ed9-4f8c-9f2c-44afdc20d2c0.xml	NMP in cattle drug (no values provided)		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/spldata/e06c93c0-e67d-459a-ba39-e1323279a10d/e06c93c0-e67d-459a-ba39-e1323279a10d.xml	NMP in cattle drug delivery system (no values provided)		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR176.300		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR177.1655		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR177.2440		X		X	X			X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owasrch.search_form?p_doc_type=UNIFIED_AGENDA&p_toc_level=2&p_keyvalue=2001	Chemical Sampling Information | N-Methyl-2-Pyrrolidinone	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13585	Occupational Exposure to 1,3-Butadiene - 61:56746-56856 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/PEL-forum-comments2010.html	PEL Forum Email Database 2010	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/partial/pv2043/2043.html	Sampling and Analytical Methods: N-Methyl-2-Pyrrolidinone ...	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appb.pdf	EXPOSURE GUIDELINES (ACGIH BEI ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/toc/chmn_M.html	Chemical Sampling Information | Index of Chemical Sampling ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_271000.html	Chemical Sampling Information | Tetrahydrofuran		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/toc_m.html	Sampling and Analytical Methods | Index of Sampling and Analytical ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/safer_chemicals/success_stories.html	Success Stories | Transitioning to Safer Chemicals | Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=745	Section 4 - IV. Chemical Identification, Production and Use ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/otm/otm_ii/pdfs/otmii_chpt2_appendices_all.pdf	of the Appendices	X			X		X		X	
OSHA Chemical Exposure Health Data	https://www.osha.gov/opengov/healthsamples.html	OSHA PELs and general information	X			X		X		X	
NIST	https://www.nist.gov/document-11629	powerpoint wafer chelating solutions		X		X		X		X	
NIST	https://www.nist.gov/document-5358	direct analysis of undiluted photoresist with inline autodilution ...		X		X		X		X	
NIST	http://nist.gov/data/PDFfiles/jpcrd643.pdf	peer reviewed		X		X		X		X	
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf	Associated Chemical Information. PACs Rev. 29, May 2016		X	X			X	X		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, RPGs, or TEELs. The		X		X		X	X		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs.		X		X		X	X		
US Geological Survey	www.usgs.gov	N/A		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f23/es229_gaines_2015_o.pdf	cycle inventory of lithium-ion battery production and recycling	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/12/f19/2014_amr_10.pdf	2014_amr_10.pdf (456.52 KB)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EA-1457-FEA-2003.pdf	Environmental Assessment for the Center for Integrated ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/04/f14/2013_amr_10.pdf	2013_amr_10.pdf (324.63 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f11/htmwg_may09_nontraditional_membranes.pdf	htmwg_may09_nontraditional_membranes.pdf (819.66 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f10/qc_wkshp_120913_cresko_amo_overview.pdf	Industrial Activities at DOE: Efficiency, Manufacturing, Process, and ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f8/eere_fy15_budget_breakout.pdf	EERE FY 2015 Budget Request		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/04/f14/6_appendices.pdf	FY 2012 Annual Progress Report for Energy Storage R&D		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/05/f15/APR13_Energy_Storage_h_Appendices_0.pdf	Appendix A: List of Contributors and Research Collaborators		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f14/35523.pdf	NA		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EA-1709-FEA-2010.pdf	compact power, inc. electric drive vehicle battery and component ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EA-1678-FEA-2009.pdf	DOE/EA-1678: Final Environmental Assessment for Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/12/f27/l02%20-%20Electrochemical%20Energy%20Storage.pdf	2015 Annual Merit Review, Vehicle Technologies Office		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/04/f30/2015%20U%20S%20%20DRIVE%20Accomplishements%20Report.pdf	2015 U.S. DRIVE Technical Accomplishments Report (3.56 MB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/04/f14/2013USDRIVEAccomplishmentsReport.pdf	US DRIVE Highlights of Technical Accomplishments 2013		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/04/f21/FY2014_APR_Energy_Storage_R%26D_FINAL_Part1_of_3.pdf	FY2014_APR_Energy_Storage_R&D_FINAL_Part1_of_3.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/12/f34/Chapter%202%20Energy%20Storage_0.pdf	Chapter 2: Energy Storage		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/04/f21/FY2014_APR_Energy_Storage_R%26D_FINAL_Part2_of_3.pdf	FY2014_APR_Energy_Storage_R&D_FINAL_Part2_of_3.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/EA-1708-FEA-2010.pdf	doe's proposed financial assistance to dow kokam mi, llc to ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/eere/success-stories/articles/eere-success-story-battery-manufacturing-processes-improved-johnson	EERE Success StoryBattery Manufacturing Processes Improved ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/f13/es000_howell_2013_o.pdf	U.S. Battery R&D Progress and Plans		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/12/f34/Chapter%2010%20Acronyms_0.pdf	Chapter 10: Acronyms		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/09/f18/battery_rd_amr_plenary_june_2014_final.pdf	Overview of the DOE Advanced Battery R&D Program		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/12/f27/10%20-%20Acronyms_0.pdf	Chapter 10: Acronyms		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/04/f14/2012_amr_09.pdf	2012_amr_09.pdf (290.65 KB)		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biobased/awards.stm	PNNL: Bio-based Product Research - Awards & News		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013254	Partitioning studies of coal-tar constituents in a two-phase ...		X		X		X		X	
European Commission	http://ec.europa.eu/social/BlobServlet?docId=3867&langId=en	SCOEL SUM doc	X		X			X	X		
European Commission	[illegible]	use of NMP - product origin - USA	X			X		X		X	
European Commission	https://ec.europa.eu/health/documents/community-register/2001/200108064473/anx_4473_en.pdf	Use of NMP as an excipient in a veterinary dental gel - no other info	X			X		X		X	
European Commission	http://ec.europa.eu/DocsRoom/documents/13038/attachments/1/translations/en/renditions/pdf	NMP as alternative to DCM in paint strippers	X			X		X		X	
European Commission	https://ec.europa.eu/health/documents/community-register/2016/20160225134125/anx_134125_en.pdf	Use of NMP as an excipient in a veterinary drug - no other info	X			X		X		X	
European Commission	http://ec.europa.eu/DocsRoom/documents/13042/attachments/1/translations/en/renditions/pdf	Use of NMP in paint strippers	X			X		X		X	
ECHA Documents	https://echa.europa.eu/documents/10162/f6cd9c0f-47b0-48d0-abfa-8e4224b3620e	restrictions on use of NMP in EU. Contains use information.	X			X		X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/5/3/2#	biodegradaton in water		X	X			X		X	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/5/3/4#	biodegradation in soil		X	X			X		X	information contained in REACH registration dossiers

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/5/5/3#	henrys law constant		x	x			x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/5/5/4	distribution		x	x			x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15003/9#	safe use	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/9a7d28b2-a1d2-48e5-8b84-61fed0ae7a8a	use		x		x	x			x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/13640/prioritisation_results_6th_rec_en.pdf		x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/documents/10162/13641/nmp_annex_xv_report_en.pdf	EU REACH Restriction document proposal	x			x		x	x		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/brief-profile/-/briefprofile/100.011.662	brief profile of chemical	x		x		x		x		information contained in REACH registration dossiers
ECHA Documents	links in excel file	Links to registration dossiers	x		x		x		x		information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/substance-information/-/substanceinfo/100.011.662	profile	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/3/1/4#	industrial uses	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/3/1/5#	uses	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/3/1/6#	uses	x			x		x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/4/7#	vapor pressure		x	x			x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/4/8#	partition coefficient; very useful		x	x			x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/4/9#	solubility; very useful		x	x			x		x	information contained in REACH registration dossiers
ECHA Documents	https://echa.europa.eu/registration-dossier/-/registered-dossier/15493/5/2/2#	transformation in air		x	x			x		x	information contained in REACH registration dossiers
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on	x		x		x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on	X		X		X			X	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on	X		X		X			X	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Scoping Document for Emission Scenario	X		X		X			X	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on Use	X		X		X			X	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on Use	X		X		X			X	
OECD Emission Scenario Documents	oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm	operation and Development), Emission Scenario Document on Use	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42553/1/9241530448.pdf	SILVER AND SILVER COMPOUNDS: ENVIRONMENTAL ASPECTS		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42530/1/9241530456.pdf	ETHYLENE GLYCOL: HUMAN HEALTH ASPECTS		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42867/1/924153057X.pdf	GLYOXAL		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42490/1/a75363.pdf	ACROLEIN		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42607/1/9241530502.pdf	elemental mercury and inorganic mercury compounds		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42992/1/9241530634.pdf	COMPOUNDS: ENVIRONMENTAL ASPECTS		X		X		X		X	
World Health Organization- Regional Office for Europe	www.euro.who.int/en/home	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessment-details?assessment_id=91	Human health assessment	X			X		X	X		
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0004/9598/PLC191FR.pdf	Polymer in Bayhydrol 123		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0011/19964/NA158FR.docx	NA/158		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0013/20326/NA379FR.docx	NA/379		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0010/9955/PLC592FR.pdf	File No PLC/592 19 July 2005 FULL PUBLIC REPORT Polymer in ...		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0008/20060/NA467FR.docx	Industrial chemical assessment scheme		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0016/10285/SAPLC2FR.pdf	File No SAPLC/2 27 July 2005 FULL PUBLIC REPORT ...		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0007/18538/STD1134FR.docx	STD/1134		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0007/20005/NA333FR.docx	NA/333		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0019/18343/STD1155FR.docx	11. material safety data sheet		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/imap-assessments/imap-assessment-tier-ii-human-health/2-pyrrolidinone,-1-methyl-	Human health assessment	X			X	X		X		
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0003/34851/PEC11-NVP.docx	NVP		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0015/20058/NA474FR.docx	Industrial chemical assessment scheme	X		X			X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0011/9578/PLC172FR.pdf	Industrial chemical assessment scheme		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0003/9678/PLC277FR.pdf	Polymer in Bonatech Traffic		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0004/9661/PLC259FR.pdf	Industrial chemical assessment scheme	X			X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0011/19982/NA285FR.docx	NA/285		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/word_doc/0010/19873/NA588FR.docx	Industrial chemical assessment scheme	X			X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/__data/assets/pdf_file/0020/9803/PLC421FR.pdf	Polymer in NeoRez R-2150		X		X		X		X	
Canada Chemicals Portal	http://chemicalsubstanceschimiques.gc.ca/index-eng.php	General description of Canada's actions with respect to the chemical	X			X		X		X	
Canada Chemicals Portal	http://chemicalsubstanceschimiques.gc.ca/index-eng.php	Screening Assessment for chemical		X	X		X		X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CAREX Canada	www.carexcanada.ca/en/	no results		x		x		x		x	
GESTIS Database	http://limitvalue.ifa.dguv.de/	List of international regulatory limits	x			x	x			x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/asian_net/Project_N_Research/PDF/asia%20ESM%20paper.pdf	Hazardous waste import	x			x		x		x	
Substances in Preparations in Nordic Countries (SPIN) Database	http://www.spin2000.net/spinmyphp/	Summary by chemical	x			x	x			x	
Lowell Center for Sustainable Production	sustainableproduction.org	N/A		x		x		x		x	
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	Finnish environmental properties		x	x			x	x		
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	EU Commission DB	x		x			x	x		
eChemPortal	http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en	Concise International Chemical Assessment Document 35	x		x		x		x		
Consumer Products Information Database (CPID)	https://www.whatsinproducts.com/chemicals/index/1	Products containing chemical		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29008.pdf	N-Methylpyrrolidone Handling and Storage	x		x			x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/34/33540.pdf	bioconcentration factor	x		x		x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22108.pdf	Substitute for Removal of Excess Sealants and Adhesives		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04357.htm	Feasibility Study of Laser-Enhanced Paint Stripping with Chemicals		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/msds/citrexeb_8.pdf	Mixture info from manufacturer		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/msds/Section%208/parts_8.pdf	Mixture info from manufacturer		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/msds/xcaliber_8.pdf	Mixture info from manufacturer		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/msds/nmethpy.pdf	Mixture info from manufacturer		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29788.pdf	DBE purges polyurethane equipment without methylene chloride risks		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03776/Sections1_2.htm	Air Quality Management, Sections 1, 2		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00650.pdf	Life Cycle Evaluation of Alternatives in Air Logistics Center (ALC ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=nmp&cat=ov.htm	Uses of NMP		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00937/app-f.pdf	Amt of NMP used in screen reclamation	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14591.pdf	X-Caliber Solvent		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/P2_Opportunity_Handbook/citrix_solvent.htm	Chemical Alternative Datasheet: Citrix Solvent		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/47/46769.pdf	Enclosed Spray Gun Washers Using Alternative Cleaners		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24125.pdf	Organic Acid Sealants for Anodized Aluminum		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08780.htm	Lists two manufacturers	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/msds/foamflush_8.pdf	Mixture info from manufacturer		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03776/Apendices.htm	Air Quality Management, Appendices		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/altern.cfm.htm	Solvent Alternatives Guide		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=nmp&cat=ms.htm	N-methylpyrrolidone - MSDS		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/10/09799.pdf	Product emissions rates	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00617.pdf	Depainting Operations		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04661.htm	Department of the Air Force P2 Program		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/21/20290.pdf	Evaluation of Alternatives to the Use of Fast Evaporating Solvents for ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18796.pdf	Kennedy Space Center Degreaser Screening Study		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00855.pdf	Ongoing Evaluation of Alternative Chemical Strippers on Wood ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27501.pdf	NA		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29771.pdf	DBE-based Stripper Formulations		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31195.htm	Executive Summary Dimethyl Adipate		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00053/00053c.pdf	Chapter 2 Data Collection		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24025.pdf	Occp exp	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08736.htm	Waste Reduction Alternatives for Spray Painting and Coating		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01545.pdf	Ink Jet Printing for Textiles		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38807.pdf	Destruction of Cyanogen Bromide and Inorganic Cyanide		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41958.pdf	ODS-Free Precision Cleaning Overview		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41889.pdf	Study shows ultrasonic cleaning with aqueous detergents can ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/06/05831.pdf	Cleaning Without Chlorinated Solvents		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00915.pdf	Solutions for Lithographic Printers		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16858.pdf	pollution prevention opportunity data sheet		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01138.pdf	Case Study #3 - Paint Gun Cleaning/Paint Cleanup		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27651.pdf	Factors Affecting Semiconductor Package Marking Ink Performance		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26726.pdf	WWT processes, biodegradation	x		x			x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/29/28783.pdf	CO2 Capture from the Flue Gas of Conventional Fossil-Fuel-Fired ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29956.pdf	Textile wastes		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00053/00053a.pdf	Executive Summary		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26294.pdf	Low VOC Coating Methods for Wood: A Case Study		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00936/part-2.pdf	Printing Process Profile		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06776/pdf/chap-02.pdf	Chapter II Screen Reclamation Chemicals Introduction		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00168.pdf	1998 Governor's Award for Excellence in Waste Reduction		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=nmp&cat=gi.htm	NMP uses		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/48/47987.pdf	Printing, Publishing And Packaging - The Basics Of The Processes ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00856.pdf	Investigation of Low Volatile Organic Compound Coatings and ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/29/28718.pdf	Alternatives To CFC 113 in Electronics and Precision Cleaning		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/ttn/volume02/ii08.pdf	Preferred and Alternative Methods for Estimating Air Emissions from ...	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22423.pdf	Fact Sheet - Aqueous And Semi-Aqueous Cleaners		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03296.pdf	Cleaning with Alcohol And Cyclohexane		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31181.pdf	environment and well-being		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00834.pdf	Advance Techniques for Replacing Chromium		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29130.pdf	Substitutes for Hazardous Chemicals in the Workplace		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31804.pdf	Chemical And Polymer Industry Module - Toxics Use Reduction ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/alt.cfm-id=nmp&cat=en.htm	Relevant info reported in 5020-NMP-5		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00662.pdf	Source Reduction of Chlorinated Solvents PAINT REMOVAL		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14909.pdf	State of Missouri Toxics Release Inventory	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41882.pdf	Pollution Prevention for Montana Wood Finishers - A Practical ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04691.pdf	Potential Alternatives Report JP-A-1-1 - Alternatives to Lead ...		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/0079502.pdf	1995 Toxics Release Inventory Public Data Release		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27070.pdf	w		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26902.pdf	Removal of Rosin and Resin Based Solder Flux from Electronic ...		x		x		x		x	
Kirk Othemer Encyclopedia	Book	DCM and NMP in paint and finish removers	x			x	x			x	
Kirk Othemer Encyclopedia	Book	DCM and NMP in paint and finish removers	x			x		x		x	
Kirk Othemer Encyclopedia	Book	Lithium Compounds, in Kirk-Othmer Encyclopedia of Chemical	x			x		x		x	
Kirk Othemer Encyclopedia	Book	Operations, in Kirk-Othmer Encyclopedia of Chemical	x			x		x		x	
Kirk Othemer Encyclopedia	Book	Othmer Encyclopedia of Chemical Technology. 2003.	x			x		x		x	
Kirk Othemer Encyclopedia	Book	Distillation, Azeotropic, and Extractive, in Kirk-Othmer Encyclopedia of	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Kirk Othemer Encyclopedia	Book	and Pyrrole Derivatives, in Kirk-Othmer Encyclopedia of Chemical	x			x		x		x	
Ashford's Dictionary of Industrial Chemicals, 2001	Book		x			x		x		x	
Hawley's Chemical Dictionary, 2016	Book		x		x			x		x	
State sites	https://oehha.ca.gov/media/downloads/proposition-65//safeharborlevels10072016.pdf	Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels	x			x	x			x	
State sites	http://www.cdph.ca.gov/programs/hesis/Documents/riskreport.pdf	Occupational Health Hazard Risk Assessment Project for California	x			x		x	x		
State sites	https://oehha.ca.gov/chemicals/n-methylpyrrolidone	screening, cancer risk, air, prop 65, water		x		x	x			x	
State sites	https://oehha.ca.gov/proposition-65/chemicals/n-methylpyrrolidone	Summary page for 1BP, prop 65 (reg limits)		x		x	x			x	
State sites	https://www.cdph.ca.gov/programs/hesis/Documents/nmp.pdf	(exposure route, reg, hh, products with chem)	x			x	x			x	
State sites	http://www.dem.ri.gov/pubs/regs/regs/air/air22_08.pdf	REGULATION NO. 22, Acceptable Ambient levels		x		x	x			x	
Trade Associations	acmanet.org			x		x		x		x	
Trade Associations	aia-aerospace.org			x		x		x		x	
Trade Associations	https://www.americanchemistry.com/productstechnologyolefins/butadiene-product-stewardship-guidance-manual.pdf	document on how butadiene is manufactured		x		x		x		x	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/GBLBDO/Gamma-Butyrolactone-and-1-4-Butanediol-Question-and-Answer-Document.pdf	Q/A document		x		x		x		x	
Trade Associations	https://polyurethane.americanchemistry.com/Resources-and-Document-Library/Guidance-for-the-Selection-of-Protective-Clothing-for-MDI-Users.pdf	guidance document for protective clothing		x		x	x			x	
Trade Associations	asphaltroofing.org			x		x		x		x	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	cefic-efra.com			x		x		x		x	
Trade Associations	cspa.org			x		x		x		x	
Trade Associations	ebfrip.org			x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	jpma.org			x		x		x		x	
Trade Associations	nam.org			x		x		x		x	
Trade Associations	pinfa.org			x		x		x		x	
Trade Associations	https://plasticpipe.org/pdf/tn-39_application_of_pesticides_termiticides_near_pex.pdf	Mixture as a solvent in Biflex pesticide	x			x		x		x	
Trade Associations	sips.org			x		x		x		x	
Trade Associations	www.acmanet.org			x		x		x		x	
Trade Associations	www.afma.org			x		x		x		x	
Trade Associations	http://www.afsinc.org/files/dc-12gsa2%20core%20box%20cleaner%20studysec_1383852934984_29.pdf	emission study	x			x		x		x	
Trade Associations	www.aga.org			x		x		x		x	
Trade Associations	www.ahrinet.org			x		x		x		x	
Trade Associations	www.aluminum.org			x		x		x		x	
Trade Associations	www.ame.org			x		x		x		x	
Trade Associations	www.ansi.org			x		x		x		x	
Trade Associations	http://www.api.org/~/media/Files/Certification/Engine-Oil-Diesel/Publications/LCA-of-Used-Oil-Mgmt-ERM-10012017.pdf	life cycle assessment of used oil management	x			x		x		x	
Trade Associations	http://www.api.org/~/media/files/policy/hydraulic_fracturing/battelle-studies/summary-report-13-feb-22.pdf	anaerobic biodegradation in groundwater -no data on NMP		x		x		x		x	
Trade Associations	www.ascouncil.org			x		x		x		x	
Trade Associations	www.awc.org			x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.bifma.org			x		x		x		x	
Trade Associations	http://www.cancentral.com/sites/cancentral.com/files/pubblic-documents/October%202016%20CMI%20EHS%20Newsletter.pdf	CMI EHS Reporter		x		x		x		x	
Trade Associations	www.chlorinated-solvents.eu			x		x		x		x	
Trade Associations	www.cibo.org			x		x		x		x	
Trade Associations	www.cleaninginstitute.org			x		x		x		x	
Trade Associations	www.copper.org			x		x		x		x	
Trade Associations	www.flexpack.org			x		x		x		x	
Trade Associations	www.gasketfab.com			x		x		x		x	
Trade Associations	www.globalautomakers.org			x		x		x		x	
Trade Associations	www.gmaonline.org			x		x		x		x	
Trade Associations	www.hsia.org			x		x		x		x	
Trade Associations	http://www.inda.org/BIO/rise2015_832_PPT.pdf			x		x		x		x	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/2015/022615-IPC-Comments-on-FDA-WHO-BDO-GBL-Consultation.pdf			x		x		x		x	
Trade Associations	www.isri.org			x		x		x		x	
Trade Associations	www.issa.com			x		x		x		x	
Trade Associations	www.jpma.org			x		x		x		x	
Trade Associations	www.nasf.org			x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.nema.org			x		x		x		x	
Trade Associations	www.ngsa.org			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/pdf/00105142.PDF			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/pdf/00173118.PDF			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/pdf/00079937.PDF	Considerations against use of NMP in consumer products	x			x	x		x		
Trade Associations	http://www.nmpgroup.com/pdf/111601.pdf			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/about.htm			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/whatis.htm			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/pub-on-pbk.htm			x		x		x		x	
Trade Associations	http://www.nmpgroup.com/pdf/00105143.PDF			x		x		x		x	
Trade Associations	www.pei.org			x		x		x		x	
Trade Associations	www.personalcarecouncil.org			x		x		x		x	
Trade Associations	www.pmpa.org			x		x		x		x	
Trade Associations	www.powertoolinstitute.com			x		x		x		x	
Trade Associations	www.printing.org			x		x		x		x	
Trade Associations	www.pstc.org			x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.roofcoatings.org			x		x		x		x	
Trade Associations	www.sme.org			x		x		x		x	
Trade Associations	www.steel.org			x		x		x		x	
Trade Associations	www.tcata.org			x		x		x		x	
Trade Associations	www.trsa.org			x		x		x		x	
Trade Associations	www.vinylsiding.org			x		x		x		x	
Trade Associations	www.xpsa.com			x		x		x		x	
Other items from ERG search to support lifecycle diagrams	https://www.m-chemical.co.jp/en/products/departments/mcc/c4/product/1201005_7922.html	Pyrrolidone Characteristics. 2005 March 14, 2017]; Available from:	x		x			x		x	
Other items from ERG search to support lifecycle diagrams	http://davyprotech.com/what-we-do/licensed-processes-and-core-technologies/licensed-processes/nmp/specification/	Technologies. Licensed Processes N-Methyl-2-Pyrrolidone (NMP). March	x			x		x		x	
Other items from ERG search to support lifecycle diagrams	http://davyprotech.com/what-we-do/licensed-processes-and-core-technologies/licensed-processes/nmp/specification/	NMP Free Waterborne Polyurethane Dispersions. March 15, 2017];	x			x		x		x	
OPPT Hazard Characterizations	https://ofmpub.epa.gov/oppthpv/hpv_hc_characterization.get_report_by_cas?doctype=2	OPPT Hazard Characterizations		x		x		x		x	
EHPV Program Submissions - Supporting Information	https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020	EHPV Program Submissions - Supporting Information		x		x		x		x	
OPPT Risk-Based Prioritizations	https://iaspub.epa.gov/oppthpv/existchem_hpv_prioritizations.report	OPPT Risk-Based Prioritizations		x		x		x		x	
NIH LACTMED	https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm	NIH LACTMED		x		x		x		x	