COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF AIR QUALITY

PLAN APPROVAL

Plan Appr	oval No.: 18-0007A	Source &	wood furniture finishing
Owner:	Brodart Company	Air	operation, as described herein
		Cleaning	
Address:	500 Arch Street	Device:	
	Williamsport, PA 17705		Manager of the second s
Attn:	Mr. Paul Stachowski, Safety and	Location:	Wayne Township
	Environmental Technical Coordinator		Clinton County
The plan a	pproval is subject to the following conditions	s:	
	e wood furniture finishing operation is to be		accordance with the plans
	omitted with the application (as approved here		•
See	e attached for additional conditions.		
			avid W. Aldenderfer avironmental Program Manager

cc: Harrisburg Mansfield File Air Quality Program Northcentral Region

PLAN APPROVAL CONDITIONS APPROVAL NO. 18-0007A COMPANY: Brodart Company

- 2. Additionally, this plan approval also incorporates Reasonably Available Control Technology (RACT) determinations as required by the provisions of Title I of the Clean Air Act Amendments and Sections 129.91 through 129.95 of Chapter 129 of Article III of the Rules and Regulations of the Department of Environmental Protection for a 2.6 million Btu per hour De Burg natural gas-fired oven, a 2.5 million Btu per hour North American natural gas-fired oven, a 2.5 million Btu per hour Weil McLain natural gas/#2 oil-fired boiler, a 15 kW Kohler natural gas-fired emergency generator, gluing operations and a few miscellaneous sources (i.e. space heaters, water heaters, etc.), all of which existed at the facility prior to July 15, 1994.
- 16. Pursuant to the RACT provisions of Sections 129.91 through 129.95 of Chapter 129 of Article III of the Rules and Regulations of the Department of Environmental Protection, the total combined volatile organic compound emissions from the 2.6 million Btu per hour De Burg natural gas-fired oven, the 2.5 million Btu per hour North American natural gas-fired oven, the 2.5 million Btu per hour Weil McLain natural gas/#2 oil-fired boiler, the 15 kw Kohler natural gas-fired emergency generator, the gluing operations and miscellaneous sources (i.e. space heaters, water heaters, etc.) shall not exceed 2.70 tons in any 12 consecutive month period.
- 17. Pursuant to the RACT provisions of Sections 129.91 through 129.95 of Chapter 129 of Article III of the Rules and Regulations of the Department of Environmental Protection, the 15 kW natural gas-fired emergency generator identified in condition 2 herein shall not be operated more than 500 hours in any 12 consecutive month period.
- 18. Pursuant to the RACT provisions of Section 129.91 through 129.95 of Chapter 129 of Article III of the Rules and Regulations of the Department of Environmental Protection, the only glues or adhesives which shall be used in the gluing operations identified in condition 2 herein shall be "Multibond 2000", "Assembly 70A", Spraymaster® 388 Red, Lockweld 3000 and get WeldTM TS-230, as are specifically described in the application and supplemental materials submitted for this plan approval, (or such other glues or adhesives which to have an equivalent, or lower, volatile. organic compound content). operations at the facility, regardless the wood
- 22. The permittee shall maintain accurate and comprehensive records of the following: The number of hours the emergency generator was operated during each month.
- 23. All records generated pursuant to this condition shall be retained on site for a period of at least 5 years from the date of generation and shall be provided to the Department upon request. Additionally, all records generated for each calendar quarter, including air contaminant emission calculations, shall be submitted to the Department by no later than the 30th day following the respective calendar quarter (reports due on January 30, April

PLAN APPROVAL CONDITIONS APPROVAL NO. 18-0007A COMPANY: Brodart Company

30, July 30 and October 30). This report shall include all background information and calculations used in the derivation of the reported values.