Annual Air Monitoring Plan 2017



Maine Department of Environmental Protection Bureau of Air Quality July 25, 2016

Introduction

The Maine Department of Environmental Protection (DEP) Bureau of Air Quality (BAQ) operates and maintains a network of air samplers in the state to evaluate ambient air quality in Maine. Ambient air quality is monitored as required by the Code of Federal Regulations (CFR) and the Federal Environmental Protection Agency (EPA) to determine whether the ambient concentrations of any of several pollutants in the state exceed established standards. The data also documents trends that may be occurring in the concentrations of these pollutants, supports the Maine DEP in providing background information for the licensing program and, when necessary, the development of pollution control strategies. In recent years, the BAQ has invested in automated polling and reporting technology to provide continuous hourly data to the public and scientific community that is used for timely forecasting of regional air quality conditions for Maine citizens and visitors to the state

The Maine BAQ has been monitoring air quality in Maine since the DEP was formed in 1972, working in partnership with the EPA to uphold the tenets of the 1970 Clean Air Act and subsequent amendments. The BAQ is responsible for most of the ambient air quality monitors located in Maine. Additional monitoring is conducted by several federal agencies such as the EPA, the National Park Service, the U.S. Fish and Wildlife Service as well as by several of the Indian tribes in Maine. In 2007, Maine BAQ entered into a Primary Quality Assurance Organization (PQAO) agreement with the Aroostook Band of Micmacs, the Passamaquoddy Tribe at Pleasant Point and the Penobscot Indian Nation in Maine to conduct air monitoring with shared quality assurance plans, practices and procedures.

The air monitoring program in Maine has evolved as air quality standards have tightened, scientific knowledge has improved, the levels of concern for different pollutants have evolved, and the technology to monitor these pollutants has developed. The DEP initially concentrated resources on neighborhood monitoring of air pollutants, primarily from local sources. As the impact on the ambient environment from local sources was reduced, the state monitoring network began to focus on establishing statewide background levels and improving air quality forecasts.

Maine is a state with many regions of varying topography. Pollutant impacts in one area of the state may be very different from pollutant impacts in another area. Mountain valleys in the western part of the state may experience higher pollution levels at times because of atmospheric inversions, which trap ground-level pollution in the valleys for extended periods, whereas the coastal locations, with higher dispersion of pollutants due to the constant onshore and offshore winds, may not. Aroostook County may record higher particulate levels because of wide-spread farming operations and the type of soil found in the county. Southern Maine may record higher ozone levels because of air masses originating in the large metropolitan areas down the east coast of the U.S. or from some of the utilities and industries located in the central part of the U.S. Some pollutants monitored may come from the other side of the world, such as particulates from volcanic eruptions, large forest fires, or emissions from less-controlled sources in some of the rapidly developing countries around the world.

The DEP must also deal with changing federal regulations. As more data are collected and more health study results are published, the impacts of various pollutants need to be reviewed. Pollution standards and controls may need to be updated to reflect revised recommendations. The EPA is required to review the National Ambient Air Quality Standards (NAAQS) every five years. In recent years, EPA has made significant progress in completing timely reviews of the NAAQS. Most recently, in December 2015 the air quality standard for ozone was reduced from 75 to 70 parts per billion (ppb). The tightened standard may mean the implementation of additional monitoring requirements.

In 2011, the First Regular Session of the Maine Legislature enacted Public Law 206 Section 19, which revised 38 MRSA Section 584-A "Ambient Air Quality Standards," so that all state ambient air quality standards would be consistent with the federal ambient air quality standards. The law also repealed the state ambient air quality

standards for toluene, perchloroethylene, hydrocarbons, and chromium. A listing of the current State and National Ambient Air Quality Standards (NAAQS) are in the table below.

National Ambient Air Quality Standards (NAAQS)

from: https://www.epa.gov/criteria-air-pollutants/naaqs-table (as of May 2016)

The EPA has set National Ambient Air Quality Standards for six principal pollutants, which are called "criteria" air pollutants. The current standards are listed below:

Pollutant [links to historical tables of NAAQS reviews]		Primary/ Secondary	Averaging Time	Level	Form
Carbon Monoxide (CO)		primary	8 hours	9 ppm	Not to be exceeded more than once per year
			1 hour	35 ppm	
Lead (Pb)		primary and secondary	Rolling 3 month average	0.15 μg/m ³ (1)	Not to be exceeded
Nitrogen Dioxide (NO ₂)		primary	1 hour	100 ppb	98th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		primary and secondary	1 year	53 ppb ⁽²⁾	Annual Mean
<u>Ozone (O₃)</u>		primary and secondary	8 hours	0.070 ppm (3)	Annual fourth-highest daily maximum 8-hour concentration, averaged over 3 years
Particle Pollution	PM _{2.5}	primary	1 year	12.0 μg/m³	annual mean, averaged over 3 years
<u>(PM)</u>		secondary	1 year	15.0 μg/m³	annual mean, averaged over 3 years
		primary and secondary	24 hours	35 μg/m³	98th percentile, averaged over 3 years
	PM ₁₀	primary and secondary	24 hours	150 μg/m³	Not to be exceeded more than once per year on average over 3 years
Sulfur Dioxide (SO	Sulfur Dioxide (SO ₂)		1 hour	75 ppb (4)	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		secondary	3 hours	0.5 ppm	Not to be exceeded more than once per year

⁽¹⁾ In areas designated nonattainment for the Pb standards prior to the promulgation of the current (2008) standards, and for which implementation plans to attain or maintain the current (2008) standards have not been submitted and approved, the previous standards (1.5 μ g/m³ as a calendar quarter average) also remain in effect.

 $⁽²⁾ The level of the annual NO_2 standard is 0.053 ppm. It is shown here in terms of ppb for the purposes of clearer comparison to the 1-hour standard level.\\$

⁽³⁾ Final rule signed October 1, 2015, and effective December 28, 2015. The previous (2008) O_3 standards additionally remain in effect in some areas. Revocation of the previous (2008) O_3 standards and transitioning to the current (2015) standards will be addressed in the implementation rule for the current standards.

⁽⁴⁾ The previous SO₂ standards (0.14 ppm 24-hour and 0.03 ppm annual) will additionally remain in effect in certain areas: (1) any area for which it is not yet 1 year since the effective date of designation under the current (2010) standards, and (2)any area for which implementation plans providing for attainment of the current (2010) standard have not been submitted and approved and which is designated nonattainment under the previous SO₂ standards or is not meeting the requirements of a SIP call under the previous SO₂ standards (40 CFR 50.4(3)), A SIP call is an EPA action requiring a state to resubmit all or part of its State Implementation Plan to demonstrate attainment of the require NAAQS.

By July 1st of each year, the DEP is required to submit to the EPA a proposed monitoring plan for the next calendar year. In 2006, the EPA also required states to make their proposed plan available for a 30-day comment period prior to submittal to the EPA. The DEP annual monitoring plan is constantly subject to change as standards are revised, new pollutants of concern are identified, monitoring sites are no longer acceptable to property owners, and staffing and budget cuts affect the ability to meet a program objective. Consequently, the monitoring plan proposed in this document is our best effort to project what we will be able to do next year given our current standards, staffing, and budget constraints.

Network Overview

The Maine DEP BAQ monitors air quality as required by the 1970 Clean Air Act and subsequent amendments, the Code of Federal Regulations (CFR), and the Federal Environmental Protection Agency (EPA.) Much of the monitoring effort focuses on the six criteria pollutants: ground level ozone, particulate matter, sulfur dioxide, and nitrogen dioxide, carbon monoxide and lead.

Ozone monitoring continues to be a priority for DEP. Ozone at ground level can trigger a variety of health problems, particularly in young children, the elderly, and those with health problems. It is also harmful to vegetation, buildings and infrastructure. Ground level ozone is not usually emitted directly into the air from any source, but it is created in the atmosphere through the presence of sunlight acting on other airborne pollutants like those found in vehicle exhaust, chemical solvents and gasoline vapors. Since the Clean Air Act of 1970, Maine has operated ozone monitoring stations at many locations, each selected to optimize the assessment of ozone levels across the state.

Quantification of fine airborne particulate matter (PM_{2.5}) is another major component of the DEP ambient monitoring program. Particulate matter (PM) is the term used for any air borne mixture of solid particles and liquid droplets, such as those found in soot, dust, and smoke. The particles can be large enough, like pollen, to be seen with the unaided eye, while others are so fine that they can only be detected with electron microscopes. Of particular concern are those particles, generally 10 microns in size (PM₁₀) and less, which are inhalable, for they can become lodged in the lungs and even enter directly into the bloodstream. Fine particulate monitoring in Maine has been evolving since 1999 when the PM_{2.5} program was initially established. Recent DEP efforts have focused on introducing more of the continuous PM_{2.5} monitors into the network.

Nitrogen dioxide (NO_2) is one of a group of highly reactive gasses known as "oxides of nitrogen," or "nitrogen oxides (NO_x)." EPA's National Ambient Air Quality Standard uses NO_2 as the term representing the larger group of nitrogen oxides that include NO_x , NO_x , and NO_y . Nitrogen Oxide (NO_x) is created during the combustion stage of engine and boiler operations. The NO_x , NO_x , and NO_y forms of nitrogen oxides react at different rates in the atmosphere in a process that is dependent on sunlight and temperature. NO_x is measured at ground level while NO_y is the reactive form measured at ten meters above ground level. In addition to contributing to the formation of ground-level ozone and fine particle pollution, the oxides of nitrogen are linked with a number of adverse effects on the respiratory system.

Sulfur dioxide (SO_2) and a group of other sulfur oxides, collectively known as SO_x , are emitted into the atmosphere from the burning of fossil fuels by power plants, industrial facilities, ships, locomotives and heavy equipment. Short-term exposure to SO_2 and SO_x compounds can harm the respiratory system. Children, the elderly, and those with asthma or other breathing troubles are particularly sensitive to these sulfur compounds.

Carbon monoxide (CO) is another harmful gas emitted from combustion processes. The majority of this colorless, odorless yet extremely harmful gas comes from mobile sources like cars and trucks and found primarily in the United States in and around large urban areas. CO reduces the amount of oxygen that can be absorbed by the body, particularly the heart and brain. At high concentrations CO can lead to death.

Lead (Pb) in the atmosphere is emitted as particles - mainly from smelters, ore and metal processing facilities, waste incinerators, public utilities and lead-acid manufactures. Piston aircraft continue to use leaded aviation fuel. Since tetraethyl lead was removed from motor vehicle fuel, the ambient levels of lead in Maine dropped significantly and concentrations are currently at or below minimum detection limits for most Pb monitors.


The DEP also tests the ambient air for many, non-criteria, yet hazardous air pollutants (HAPs) in the state. Because of this effort, a priority list of hazardous pollutants has been established and DEP is establishing background concentrations for several of the pollutants on the list. The list is modified as additional data becomes available.

The following section details the individual networks for the various parameters monitored in Maine, any changes that are proposed, and present any identified future needs for monitoring.

Monitoring Networks

Most of the sites in the Maine air-monitoring network are designated as **SLAMS** - State & Local Air Monitoring Stations. The SLAMS in Maine are part of a standardized, national network administered by the EPA in accordance with the Clean Air Act and subsequent Federal Regulations. Every state must monitor for the criteria air pollutants, following strict criteria set by EPA that govern all aspects of the monitoring and reporting process. SLAMS sites must meet all stringent monitor siting requirements and utilize specified equipment types. That is SLAMS instruments must be approved by the EPA, and be designated as either Federal Reference Method (FRM) or Federal Equivalence Method (FEM). In addition, SLAM site operators must follow all quality assurance criteria, and must submit detailed quarterly and annual monitoring results to EPA. Data from these stations are used to determine attainment/nonattainment areas.

Established in 2011, the **NCore** (National Core) network is comprised of a specialized subset of SLAMS sites.



https://www3.epa.gov/ttnamti1/ncorenetworks.html

The purpose of the NCore network, in addition to aiding in the determination of nonattainment/attainment areas, is to provide data to the scientific community, from a specific suite of monitors, which is used to make health and ecosystem assessments, to establish long-term trends for criteria and certain precursor pollutants, and to develop and evaluate pollutant transportation models. The NCore site in Maine, located at McFarland Hill near Bar Harbor, is designated as a rural or background site. At McFarland Hill, as well as at each NCore site, the following suite of parameters is monitored:

PM _{2.5} speciation	Organic and elemental carbon, major ions and trace metals (24 hour average; every 3rd day); IMPROVE or CSN
PM _{2.5} FRM mass	24 hr. average at least every 3rd day
Continuous PM _{2.5} mass	1 hour reporting interval; FEM or pre-FEM monitors
PM(10-2.5) mass - aka PM _{coarse}	Filter-based or continuous
Ozone (O ₃)	All gases through continuous monitors
Carbon monoxide (CO)	Capable of trace levels (low ppm and below) where needed
Sulfur dioxide (SO ₂)	Capable of trace levels (low ppb and below) where needed
Nitrogen oxide (NO)	Capable of trace levels (low ppb and below) where needed
Total reactive nitrogen (NO _y)	Capable of trace levels (low ppb and below) where needed
Surface meteorology	Wind speed and direction (reported as "Resultant"), temperature, RH

The **CASTNet** (Clean Air Status and Trends Network) is a nationwide monitoring operation that collects air pollutant concentrations to evaluate the effectiveness of national and regional emission control programs and to determine compliance with the National Ambient Air Quality Standards for ozone and to determine rural trends in ozone, nitrogen and sulfur concentrations. It was established in 1991 as a cooperative program with the EPA, the National Park Service and state and local partners and the data are now incorporated in several regional air quality models.

The U.S. Fish and Wildlife Service (USFWS) and the U.S. Geological Survey each operate monitoring sites in Maine a part of their respective national networks.


The Aroostook Band of Micmacs, the Passamaquoddy Tribes at Indian Township and Sipayik, and the Penobscot Nation each operate several monitoring sites in Maine. These are independently managed but each tribe has agreed to operate their sites in accordance with Maine DEP Quality Assurance Project Plans.

Special Purpose Monitors are often set at locations to monitor specific pollutants for a period of time, usually not exceeding two years, to investigate localized complaints, or to reconnoiter a location for a possible long term site. The Deering Oaks Park site in Portland is a special long-term Special Purpose site. It is in a location determined by the American Lung Association as being representative of the greater Portland area, used to provide data useful in tracking relationships between pollutant levels and emergency department visits. Since the Deering Oaks Park location does not meet SLAMS siting requirements the data are not used in determining attainment or nonattainment status for criteria pollutants. The information is useful however for other purposes such as air quality forecasting and modeling.

Other specialized networks such as IMPROVE, MDN, and PAMS are discussed in more detail below.

Ozone Network

The DEP currently operates ground level ozone monitoring sites throughout the state in accordance with SLAMS network requirements. The EPA operates two ozone sites, in Ashland and Howland, as part of the CASTNet The EPA site in Howland is not for regulatory purposes. The Maine Indian tribes operate three additional sites. Three of the Maine DEP sites operate year-round while the others operate only during the April through September ozone season. The Lovell, Department of Transportation (DOT) site was discontinued at the end of 2015, and the equipment was deployed at the Bethel, Smith Farm Road site, which was established in May 2016. The Bowdoinham site was discontinued at the end of 2015, and plans are to utilize the equipment from that site at Popham Beach State Park beginning in July 2016.




The federally required ozone season for Maine runs from April through September. Because of BAQ concerns over high O₃ concentrations recorded in late March, most of the Maine sites now operate from March through September, weather permitting. The Maine sites are scattered throughout the state, with most of them situated along the coast and in southern Maine. The highest ozone concentrations tend to occur along the coast as a result of plumes of contaminated air transported into the Gulf of Maine from metropolitan areas to the south. These air masses are subsequently blown ashore and carried inland. In addition to determining attainment/nonattainment status, the ozone sites in Maine collect data that is used by the mapping and forecasting programs to provide the public and scientific community with quality data in a timely fashion and to forecast air quality alerts when necessary.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Ashland - Loring AFB	CASTNet	Background	Continuous
Bar Harbor - McFarland Hill	NCore	Transport, Background	Continuous
Bar Harbor - Top of Cadillac Mountain	SLAMS	Transport	Continuous - Seasonal
Bethel, Town Farm Road*	SLAMS	Max. Conc., Transport	Continuous - Seasonal
Cape Elizabeth - Two Lights State Park	SLAMS	Transport	Continuous
Durham - Fire Station - Route 9	SLAMS	Max. Concentration	Continuous - Seasonal
Gardiner - Pray Street, Schoolyard	SLAMS	Max. Conc., Transport	Continuous - Seasonal
Holden - Rider Bluff	SLAMS	Max. Conc., Transport	Continuous - Seasonal
Howland - Seed Orchard Site	CASTNet	Background	Continuous
Indian Island - Penobscot Nation	Tribal	-	Continuous
Jonesport - Public Landing	SLAMS	Max. Concentration	Continuous - Seasonal
Kennebunkport - Parsons Way	SLAMS	Max. Conc., Transport	Continuous - Seasonal
Perry - Pleasant Point/Sipayik, 184 County	Tribal	-	Continuous
Road			
Port Clyde - Marshall Point Lighthouse	SLAMS	Max. Conc., Transport	Continuous - Seasonal
Portland - Deering Oaks	SPMS	High Pop. Exposure	Continuous
Presque Isle - 8 Northern Road	Tribal	-	Continuous
Shapleigh - Ball Park, West Newfield Road	SLAMS	Max. Conc., Transport	Continuous - Seasonal
West Buxton - Plains Road Fire Dept.	SLAMS	Transport	Continuous - Seasonal

^{*}New in 2016

PM_{2.5} Network

In 1999, the DEP began a $PM_{2.5}$ monitoring program, on one day in three or one day in six sampling schedules, using filter-based samplers that met the Federal Reference Method (FRM), with 15 sites started up during the first year of operation. After three years of data collection demonstrated compliance with the $PM_{2.5}$ standard at all of the sites, some of the samplers were relocated or modified to collect PM_{10} data. Currently the DEP is monitoring for $PM_{2.5}$ using the filter-based FRM samplers at 10 sites. All of the current sites comply with the $PM_{2.5}$ standard. They remain in operation to gather additional trend data and to document future attainment status. The filters can be analyzed to determine levels of some of the hazardous air pollutants that are on the priority list.



The DEP initiated continuous monitoring of PM_{2.5} in 2000 using Tapered Element Oscillating Microbalance (TEOM) samplers. The continuous monitors generate hourly average data that is available in near real-time and very useful in helping to forecast air quality. TEOM sites were set up in Bangor, Bar Harbor, Greenville, Lewiston, and Portland. The Passamaquoddy Tribe operates a TEOM monitor in Perry, and the Micmac Tribe operates monitors in Presque Isle and Littleton. The TEOM models employed in Maine were not an EPA-approved Federal Equivalent Method (FEM), and the DEP did not pursue the required analysis to exclude the use of their data for comparison with the PM_{2.5} standards.

In 2012, the TEOMs were nearing the end of their expected life cycle, so that year the DEP initiated a program to procure new continuous PM_{2.5} monitors known as Beta Attenuation Monitors (BAM). The BAMs are an EPA-approved FEM, so Maine DEP will be demonstrating compliance with the PM_{2.5} NAAQS using both the filter-based FRM and the continuous BAM FEM monitors throughout the state. BAMs replaced the TEOMs in Lewiston, Bangor, and Bar Harbor. The TEOM in Portland remained in operation alongside the new BAM for comparison of methods until the end of June 2015. Initially the BAMs were installed to supplement the filter-based FRM samplers at locations in Madawaska, Presque Isle, and Rumford. In November 2015, a "standalone" BAM was started up in Carrabassett Valley.

The continuous, hourly averaged $PM_{2.5}$ record has permitted better forecasting for particulate levels under specific weather conditions for many parts of the state. The Rumford and Carrabassett Valley sites were chosen to meet a long-standing interest in having real-time continuous data from western mountain valley locations. Complex meteorological conditions in Maine's western mountains and the subsequent dispersion of fine particulates like wood smoke are of particular interest to the DEP as it strives to produce better air quality forecasts in a region with few monitors and sparse data.

No changes are proposed for 2017, but the BAQ is considering the replacement of some the older FRM filter-based samplers with continuous BAMs for more real-time hourly data and to reduce sample frequency for the 24-hour filter based samplers to a 1-in-6 day schedule.

Site Address	Site Type	Monitoring Objective	Sampling Method and Frequency
Augusta – Lincoln Street School	SLAMS	200K Pop. Coverage	FRM, every 6 days
Augusta – Lincoln Street School	SLAMS	Collocated	FRM, every 12 days
Bangor – Kenduskeag Pump Station	SLAMS	AQI Forecasting/Mapping	FEM, continuous
Bangor – Kenduskeag Pump Station	SLAMS	200K Pop. Coverage	FRM Dichot, every 6 days
Bangor – Kenduskeag Pump Station	SLAMS	Collocated	FRM Dichot, every 12
			days

Site Address	Site Type	Monitoring Objective	Sampling Method and Frequency
Bar Harbor – McFarland Hill	NCore	Transport	FRM, every 3 days
Bar Harbor – McFarland Hill	SLAMS	Mapping	FEM, continuous
Carrabassett Valley, Town Office*	SLAMS	Background	FEM, continuous
Lewiston – Country Kitchen Lot	SLAMS	200K Pop. Coverage	FRM, every 6 days
Lewiston – Country Kitchen Lot	SLAMS	Mapping	FEM, continuous
Madawaska – Public Safety Bldg.	SLAMS	High Pop. Exposure	FRM, every 6 days
Madawaska – Public Safety Bldg.	SLAMS	AQI Forecasting/Mapping	FEM, continuous
Littleton	Tribal	Mapping	TEOM, continuous
Perry - Pleasant Point/Sipayik, 184	Tribal	Mapping	TEOM, continuous
County Road			
Portland – Deering Oaks	SLAMS	MSA of 200-500K	FEM, continuous
Portland – Deering Oaks	SLAMS	MSA of 200-500K	FEM, every 6 days
Portland – Deering Oaks	SLAMS	Collocated	FEM, every 12 days
Portland – Tukey's Bridge	SLAMS	High Traffic	FRM, every 6 days
Presque Isle – 8 Northern Road	Tribal	Mapping	FEM, continuous
Presque Isle – Regional Office	SLAMS	Background	FRM, every 6 days
Presque Isle – Riverside Street	SLAMS	AQI Forecasting/Mapping	FEM, continuous
Presque Isle – Riverside Street	SLAMS	200K Pop. Coverage	FRM, every 6 days
Rumford – Rumford Avenue	SLAMS	AQI Forecasting/Mapping	FEM, continuous
Rumford – Rumford Avenue	SLAMS	High Pop. Exposure	FRM, every 6 days

^{*} New in 2015

200K Pop. - 200,000 Population; AQI - Air Quality Index; MSA - Metropolitan Statistical Area

PM Speciation Network (IMPROVE)

Many stunning and breathtaking vistas at National Parks and Wilderness Areas may be lost or diminished due to the haze formed by air pollutants. These light scattering hazes cause discoloration, loss of texture, and reduced visual range. Recognizing the importance of visual air quality, Congress included legislation in the Clean Air Act to prevent and remedy visibility impairment. To aid in the implementation of this legislation, the Interagency Monitoring of Protected Visual Environments (IMPROVE) program was initiated in 1985. DEP operates one IMPROVE site in Freeport, Maine at Wolfe's Neck Farm. The National Park Service and the U.S. Fish & Wildlife Service operate IMPROVE sites in Maine's designated Class 1 visibility areas in Acadia National Park and Moosehorn Wildlife Refuge, respectively. IMPROVE sites are also operated by the Penobscot and Micmac Tribes in Old Town, Indian Island, and Presque Isle, respectively.



In 2015 the EPA reassessed each of the IMPROVE sites in an effort to optimize the Chemical Speciation Network. As a result of that process, the Bridgeon site was discontinued on January 1, 2016. The DEP has communicated to EPA its determination of the continued value and importance of the Bridgeton IMPROVE data, and if BAQ funds become available, the monitors may be re-installed.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bar Harbor – McFarland Hill	NPS/NCore	Regional Haze	Every 3 days
Baring – Moosehorn Wildlife Ref.	USFWS	Regional Haze	Every 3 days
Freeport – Wolfe's Neck Road	SLAMS	Deposition Project	Every 3 days
Indian Island – Penobscot	Tribal	-	Every 3 days
Presque Isle – 8 Northern Road	Tribal	-	Every 3 days

PM₁₀ Network

The DEP operates most of the current filter-based PM_{10} network using the FRM samplers modified with the fine-particle separators removed to collect PM_{10} particles. The site in Bangor utilizes a dichotomous sampler that collects $PM_{2.5}$ and $PM_{10-2.5}$ (a.k.a., PM_{coarse}), and PM_{10} is calculated as the sum of the two parameters. A continuous PM_{10} TEOM monitor is operated in Presque Isle as part of the control strategy for the historically high PM_{10} levels there. The PM_{10} TEOM provides hourly data that can be used to determine when high levels are occurring and whether street sweeping or other control strategies need to be implemented.



Reduced in size since PM_{10} sampling began shortly after the inception of the DEP, the current network is comprised of seven sites around the state. All of the sites are currently meeting the PM_{10} NAAQS with no exceedances of the standard having been recorded anywhere during the last several years. The filters collected in the PM_{10} program can be used for the lead monitoring program if needed. No other changes are planned for 2017.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Augusta – Lincoln Street School	SLAMS	Attainment/Nonattainment	FRM, every 6 days
Bangor – Kenduskeag Pump Sta.	SLAMS	Attainment/Nonattainment	FRM Dichot, every 6 days
Bangor – Kenduskeag Pump Sta.	SLAMS	Collocated	FRM Dichot, every 12 days
Bar Harbor – McFarland Hill	NCore	Rural Background	FRM, every 3 days
Lewiston – Country Kitchen Lot	SLAMS	Attainment/Nonattainment	FRM, every 6 days
Madawaska – Public Safety Bldg.	SLAMS	Attainment/Nonattainment	FRM, every 6 days
Portland – Tukey's Bridge	SLAMS	Attainment/Nonattainment	FRM, every 6 days
Portland – Tukey's Bridge	SLAMS	Collocated	FRM, every 12 days
Presque Isle – Riverside Street	SLAMS	Attainment/Nonattainment	TEOM, continuous

PM_{Coarse} Network

Required PM_{Coarse} or $PM_{10-2.5}$ measurements at the NCore site in Bar Harbor are obtained by the difference method. At that site two FRM samplers collect PM_{10} and $PM_{2.5}$ data respectively, and the difference between the two concentrations is reported as $PM_{10-2.5}$. If it becomes required, PM_{Coarse} data, utilizing the difference method, could also be calculated from the data at sites in Madawaska, Augusta, and Portland, where simultaneous PM_{10} and $PM_{2.5}$ data are being collected.


In an attempt to reduce the size of the DEP footprint on the new roof platform at the Bangor, Kenduskeag Pump Station, a dichotomous PM sampler, capable of simultaneously measuring $PM_{2.5}$ and $PM_{10-2.5}$, was installed at the beginning of 2014. The sum of these two sample results determines the PM_{10} concentration. EPA

requirements for method collocation necessitated the second dichotomous PM sampler on the pump station roof.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bangor – Kenduskeag Pump Sta.	SLAMS	High Pop. Exposure	FEM Dichot, every 6 days
Bangor – Kenduskeag Pump Sta.	SLAMS	Collocated	FEM Dichot, every 12 days
Bar Harbor – McFarland Hill	NCore	Rural Background	FRM, every 3 days

Sulfur Dioxide Network

The DEP currently operates three long-term monitors for sulfur dioxide (SO_2). Two are trace-level monitors. A required trace-level monitor is located at the NCore site in Bar Harbor and a second one operates as a rural/background site in Gardiner. The third SO_2 monitor is a special purpose sampler located in Portland to track levels in the highest population area of the state as well as to provide urban background data for the air emission licensing program. The Micmac Indian Tribe operates an SO_2 monitor in Presque Isle.





have any CBSAs that would require a monitor. Consequently, the only required monitoring in Maine at this time is the monitor for the NCore site. On May 21, 2013, EPA released a draft Technical Assistance Document, describing in more detail, modeling and monitoring guidance refining the agency's approach for implementing the SO₂ standard. On August 21, 2105 EPA finalized the SO₂ 1-hour NAAQS. Maine does not have any sources covered by the Data Requirements Rule of that standard. No changes in the current long-term SO₂ network are anticipated for 2017.


Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bar Harbor – McFarland Hill	NCore	Background	Continuous
Gardiner – Pray Street, Schoolyard	SLAMS	Background	Continuous
Portland – Deering Oaks	SPMS	High Pop. Exposure	Continuous
Presque Isle – 8 Northern Road	Tribal	-	Continuous

The citizens of Eliot, Maine filed a petition with the EPA based on an ambient air quality dispersion modeling analysis of emissions from the Shiller Station power plant located in Newington, New Hampshire. The analysis, provided by the Sierra Club, predicted exceedances of the NAAQS for sulfur dioxide. Based on that action, the EPA, New Hampshire DES, and Maine DEP operated an SO₂ monitor and a meteorological tower in the cul-de-sac at Sawgrass Lane in Eliot from late October 2014 until April 1, 2016. The monitoring location, according to the model analysis, was situated in one of the areas of highest probable SO₂ concentrations. Field technicians from New Hampshire were responsible for maintaining the site, and the daily operation of an API trace-Level SO₂ monitor provided by Maine DEP. The Maine DEP audited the instrument quarterly. The SO₂ and wind data were automatically polled and recorded every hour, and the DEP reported the values to AirNow. Once a week the Maine DEP published the quality assured SO₂ results to a public FTP site (http://www.maine.gov/dep/ftp/ELIOT_SO2/) that was also made available to the Town of Eliot as a link on their town's web page.

Nitrogen Oxides Network (NO₂, NOx, NO, NOy)

The DEP currently operates two trace-level NO_2 monitors and two NO_y monitors. The NO_2 monitors are located at the Deering Oaks site in Portland and at the Pray Street School site in Gardiner. The two NO_y monitors are located at the NCore site in Bar Harbor and the Cape Elizabeth PAMS location. The Micmac Tribe also operates a trace-level NO_2 monitor at their site in Presque Isle.

In a proposed revision, submitted May 13, 2016, to the NO_2 regulations of January 22, 2010, provisions for near-roadway monitoring in population areas with between 500,000 and 1,000,000 persons, as set forth in Phase III of the program, will be rescinded. The Phase I and Phase II near-road sites already operating in large metropolitan areas, areas predicted to have the greatest



probability for high NO_2 concentrations, have not produced the expected results. The smaller (Phase III) areas, such as Portland, were not required to be in operation until January 1, 2017. The near-road sites already in operation have not produced the expected high levels of NO_2 , and there is nothing in the data to suggest that monitoring along less-traveled roads, such as those in Portland, will produce higher concentrations of NO_2 . There are no other changes planned for 2017.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Portland – Deering Oaks (NO ₂)	SPMS	Maximum Concentration,	Continuous
		Urban Background	
Bar Harbor – McFarland Hill (NO _y)	NCore	Transport (trace-level)	Continuous
Cape Elizabeth – Two Lights State	PAMS	Transport (trace-level)	Continuous
Park (NO _y)			
Gardiner – Pray Street, Schoolyard	SPMS	Background (trace-level)	Continuous
(NO_2)			
Presque Isle – 8 Northern Road	Tribal	(trace-level)	Continuous
(NO_2)			

Carbon Monoxide Network

The DEP currently operates two carbon monoxide (CO) monitors. Monitors are located at the NCore site in Bar Harbor (a trace-level) and the Deering Oaks site in Portland. The Micmac Indian Tribe also operates a trace-level CO monitor at their site in Presque Isle. The CO standard has been reviewed, and no change was made in the level or the form of the standard. No changes are planned for 2017.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bar Harbor – McFarland Hill	NCore	Transport	Continuous
Portland – Deering Oaks	SPMs	High Pop. Exposure	Continuous
Presque Isle – 8 Northern Road	Tribal	-	Continuous



PAMS Network

Regional transport of hazardous air pollutants has been well documented by the two Photochemical Assessment Monitoring Station (PAMS) locations that operated in Maine from 1993 until 2014. The data trends from those sites helped track the results of new control strategies in upwind states. Both of the PAMS sites in Maine were initially required by the EPA because of serious non-attainment areas in other states. The Maine PAMS sites were required to be operational for the June – August period, but historically they were in operation during May and September also. At the end of 2014, the Cadillac Mountain PAMS site in Acadia National Park was shut down after the EPA revised the National PAMS program.




The remaining PAMS site in Maine, at Cape Elizabeth, is considered an extreme downwind site for the Greater Connecticut area, which continues to remain in a non-attainment status. The monitoring regulations for PAMS provide for the collection of an "enhanced" ambient air quality database, which can be used to better characterize the nature and extent of the ozone problem, aid in tracking volatile organic compounds (VOC) and nitrogen oxides (NOx) emission inventory reductions, assess air quality trends, make attainment/non-attainment decisions, and evaluate photochemical grid-model performance. These PAMS compounds, known as ozone precursors, play a large role in ozone formation.

The 2015 Ozone NAAQS regulation requires that states submit an enhanced monitoring plan documenting the need to collect additional data to help determine the distribution of ozone in the state and region. The continued operation of the Cape Elizabeth site in Maine is justified for the next three years as a means to achieve this additional monitoring.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Cape Elizabeth - Two Lights State Park	PAMS	Transport	Continuous - Seasonal

Hazardous Air Pollutants (HAPs) Network


Although not a required monitoring network, the DEP samples for 108 HAPs compounds at five Special Purpose Monitoring Site (SPMS) locations around the state and at the PAMS Site in Cape Elizabeth. The monitoring objective is to document background concentrations around the state and to establish whether there are any trends in the levels of these compounds. In addition, several of the metals that are listed as HAPs are also being measured at the particulate monitoring sites. Maine continues to expand its sub-ambient canister sampling equipment inventory for measuring acrolein using EOA's TO-15 method and may establish additional monitoring locations if emissions inventory data indicates the potential for a "hotspot" area for any HAPs.



Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bangor – Kenduskeag Pump Sta.	SPMS	Maximum Conc.& Trends	Every 6 days
Cape Elizabeth – Two Lights Park	PAMS	Maximum Conc.& Trends	Every 6 days
Lewiston – Country Kitchen Lot	SPMS	Maximum Conc.& Trends	Every 6 days
Portland – 356 State Street	SPMS	Maximum Conc.& Trends	Every 6 days
Presque Isle – Riverside Street	SPMS	Maximum Conc.& Trends	Every 6 days
Rumford – Rumford Avenue	SPMS	Maximum Conc.& Trends	Every 6 days

Meteorological Network

The DEP, and the Passamaquoddy and Micmac tribes fund, operate and maintain a number of year-round meteorological sites throughout the state to collect data for use in the analysis and evaluation of air pollutant data.) Some of these are stand-alone sites, and some are collocated with air pollutant monitoring equipment. All of the sites measure scalar wind speed and direction, resultant wind speed and direction, and sigma theta (an indicator of the amount of variability in the wind direction). A few of the sites collect additional parameters such as relative humidity, barometric pressure, temperature, and solar radiation. State forecasters also have access to NOAA weather data from airport stations and sites located throughout the state, although not all of these data consist of hourly averages from continuous observations, making the DEP sites more desirable.



The Knox County Airport site at Owls head was removed in 2014 to permit construction of a new hanger. After the mast was removed, the construction project encountered funding problems and delays. It is unknown when construction will begin or be completed. In the meantime, the meteorological equipment was set up at the Rumford site to provide additional information along with the hourly particulate data collection.

The BAQ is also exploring the possible move of the Presque Isle Regional Office meteorological monitors to Jonesport, Maine. The Presque Isle location has become somewhat redundant as it is within a one-mile radius of two other meteorological sites that provide forecasters and modelers with similar information.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Auburn – L/A Airport	SLAMS	Data Analyses & Modeling	Continuous
Augusta – State Airport	SLAMS	Data Analyses & Modeling	Continuous
Bangor – Air National Guard	SLAMS	Data Analyses & Modeling	Continuous
Bar Harbor – Cadillac Mountain	SLAMS	Transport	Continuous – Seasonal
Bar Harbor – McFarland Hill	NCore	Transport	Continuous
Cape Elizabeth – Two Lights Park	PAMS	Transport	Continuous
Presque Isle – Regional Office	SLAMS	Data Analyses & Modeling	Continuous
Presque Isle – 8 Northern Road	Tribal	-	Continuous
Rumford - Rumford Avenue Parking	SLAMS	Data Analyses & Modeling	Continuous
Sipiyak – 184 County Road	Tribal	-	Continuous

Atmospheric Deposition Network

There is an extensive atmospheric deposition network in the State of Maine with several sites operated by the Maine DEP. All but two of the sites are part of the National Atmospheric Deposition Program's Mercury Deposition Network (MDN) in addition to being a part of the National Trends Network (NTN) that measures precipitation chemistry. Early in the program, a number of agencies and organizations participated and provided funds for the operation of these deposition network sites. As funds have diminished and budgets have been cut, the continued operation of some of these sites has been in question. The data from this program



are used by a wide variety of researchers, and the continued operation of these sites is very important to maintain the continuous record of deposition occurring around the state. No changes are proposed for 2017.

Site Address	Site Type	Monitoring Objective	Sampling Frequency
Bar Harbor – McFarland Hill (NTN	NPS-SPMS	Transport/Trends	Weekly Composite
and MDN)			
Bridgton – Upper Ridge Road	SPMS	Transport/Trends	Weekly Composite
(NTN and MDN)			
Caribou – Airport (NTN and MDN)	SPMS	Transport/Trends	Weekly Composite
Carrabassett Valley – Airport (NTN	Tribal	Transport/Trends	Weekly Composite
and MDN)			
Freeport – Wolfe's Neck Farm	SPMS	Transport/Trends	Weekly Composite
(NTN and MDN)			
Gilead – White Mtn. Nat'l. Forest	USGS	Transport/Trends	Weekly Composite
(NTN)			
Greenville Station (NTN and MDN)	SPMS	Transport/Trends	Weekly Composite
Indian Township (NTN)	Tribal	Transport/Trends	Weekly Composite

Lead Network

In 2008 EPA promulgated a lead (Pb) standard and issued some minimum monitoring requirements to the states. At that time Maine was to be required to operate one monitor in the Portland CBSA (Core-based statistical area). The state purchased an X-ray fluorescence (XRF) analyzer to measure lead concentrations from PM_{10} filters. The EPA Pb requirement was subsequently revised to require Pb monitoring at urban NCore sites only. The Bar Harbor NCore site is designated as a rural site, so there is no requirement for Pb monitoring in Maine.

In July 2013, Maine DEP had the XRF, thus the capability and capacity to analyze particulate filters for Pb and other metals, so the Bureau entered into a reimbursable agreement with Rhode Island to perform metals analysis of their PM filters. Five years of filters have been analyzed and reported and the program with Rhode Island will end in 2016. At the start of 2016 the same arrangement was initiated with the State of New Hampshire. Random selections from archived Maine PM filters have also been analyzed to determine what the state background levels might be for lead and other metals, such as arsenic and chromium.

Proposed Calendar Year 2017 Network Changes

As usual, the monitoring network proposed for 2017 is an ambitious one and will require a significant effort from Air Bureau staff to accomplish. The program is always subject to adjustment because of staffing changes, budget cuts, and the disposition of landowners who allow air-monitoring sites to be placed on their property. The field monitoring staff continues to look for increased efficiencies, especially through automation and improved remote access to monitors, to optimize DEP resources.

The following changes are being contemplated or are likely to occur:

• Ozone monitor established at Popham Beach State Park. Installation is anticipated in August 2016.

- The monitoring results at Bangor Kenduskeag Pump Station on Washington Street may no longer be representative of the worst particulate concentrations in the city. Traffic pattern changes in Bangor have reduced traffic flow in the area and alternative locations for the monitoring equipment are being considered.
- Plans for a special wood smoke survey in Farmington, Maine are well underway. Permission has been granted from the University of Maine, Farmington to site a monitoring shelter on one of their sports area lots. Sampling is to commence November 1st and continue through March 2017. It is expected that there will be an aethalometer, a HAPs canister sampler, a continuous PM_{2.5} monitor operating on a daily schedule, as well as a filter based PM₁₀ sampler. The PM₁₀ filters will be used to determine PM₁₀ concentrations, then examined for metals with our XRF, and tested for levoglucosan levels by New Hampshire Department of Environmental Services. A meteorological station will also be erected on the shelter. A tube style PAH measurement system is in development.

The monitoring program operated by the Maine DEP undergoes constant review to ensure that the monitoring is appropriate to meet monitoring goals, does not contain irrelevant monitoring, and can be accomplished within the available budget. While there are presently no indications the following actions would be necessary, should budget and staffing issues require cuts in the monitoring program, some potential initial cuts could include the following monitors and/or sites:

Portland carbon monoxide monitor.

Discussions will be held with EPA staff prior to any site location changes.

Monitoring Equipment Used by Maine DEP

PARAMETER	INSTRUMENT	METHOD*
Atmospheric Deposition	Aerochem Metrics wet/dry collector	
Barometric Pressure	Climatronics	
	Met One	
Carbon Monoxide	Thermo Model 48C, 48i, 48iTLE	RFCA-0981-054
	Teledyne API Model T300	RFCA-1093-093
Hazardous Air Pollutants	Xontech 910A	
Lead	R&P Sequential Model 2025	
	R&P Single Model 2000	
	Thermo Dichot Model 2025D	
	Spectro XEPOS XRF Spectrometer	
Mercury Deposition	Aerochem Metrics	
• 1	N-CON Wet Deposition collector	
Nitrogen Dioxide	Thermo Model 42C, 42i	RFNA-1289-074
Organic/Elemental Carbon	Sunset Semicontinuous OC/EC Carbon	
<i>g</i>	Aerosol Analyzer	
Other Metals such as Arsenic,	R&P Sequential Model 2025	
Chromium, etc.	R&P Single Model 2000	
,	Thermo Dichot Model 2025D	
	Spectro XEPOS XRF Spectrometer	
Oxides of Nitrogen	Thermo Model 42iY	
Ozone	Thermo Models 49C, 49i	EQOA-0880-047
	Teledyne API Model T400	EQOA-0992-087
PM 10 Continuous	R&P TEOM Model 1400AB	EQPM-1090-079
PM 10 FRM	R&P/Thermo Sequential Model 2025	RFPS-1298-127
	R&P/Thermo Single Model 2000	RFPS-1298-126
	Thermo Dichot Model 2025 D	None 785
PM 2.5 Continuous	R&P/Thermo TEOM Model 1400AB	-
	MET One BAM Model 1020	EQPM-0308-170
PM 2.5 FRM	R&P/Thermo Sequential Model 2025	RFPS-0498-118 RFPS-1006-145
	R&P/Thermo Single Model 2000	RFPS-0498-117 RFPS-1006-143
	Thermo Dichot Model 2025D	EQPS-0509-179
PM Coarse	Thermo Dichot Model 2025D	EQPS-0509-180
	Difference Method PM10-PM2.5	RFPS-0509-176
PM Speciation	IMPROVE Sampler	
Precipitation	ETI Instrument Systems NOAH IV	
Relative Humidity	Climatronics	
·	Met One	
Solar Radiation	Climatronics	
	Met One	
Sulfate Continuous	Thermo Model 5020	
Sulfur Dioxide	Thermo Model 43C, 43C-TLE, 43i, 43i-	EQSA-0486-060
	TLE	
	Teledyne API Model T100	EQSA-0495-100
Temperature	Climatronics	
-	Met One	
Total PAH	Ecochem PAS 2000	
VOC's (PAMS)	Perkin Elmer Clarus 580	
Wind Speed/Direction	Climatronics F460	
	Met One	
*D ' . 1D C 1E ' 1	· M · 1 1 CT 1 1 2016	

^{*} Designated Reference and Equivalent Methods as of July 1, 2016.

Integrated Sampler Schedule

2017

	JANUARY										
S	М	T	W	T	F	S					
1	2	3	4	5	6	7					
8	9	10	11	12	13	14					
15	16	17	18	19	20	21					
22	23	24	25	26	27	28					
29	30	31									
			APRIL								
S	М	T	W	T	F	S					
						1					
2	3	4	5	6	7	8					
9	10	11	12	13	14	15					
16	17	18	19	20	21	22					
23	24	25	26	27	28	29					

	APRIL											
S	М	T	W	T	F	S						
2	3	4	5	6	7	8						
9	10	11	12	13	14	15						
16	17	18	19	20	21	22						
23	24	25	26	27	28	29						
30												

	JULY									
S	М	T	W	T	F	S				
			_			1				
2	3	4	5	6	7	8				
9	10	11	12	13	14	15				
16	17	18	19	20	21	22				
23	24	25	26	27	28	29				
30	31									

	OCTOBER									
S	М	T	W	T	F	S				
1	2	3	4	5	6	7				
8	9	10	11	12	13	14				
15	16	1 <i>7</i>	18	19	20	21				
22	23	24	25	26	27	28				
29	30	31								

	FEBRUARY										
S	М	T	W	T	F	S					
				2	3	4					
5	6	7	8	9	10	11					
12	13	14	15	16	17	18					
19	20	21	22	23	24	25					
26	27	28									

	MAY									
S	М	T	W	T	F	S				
	1	2	3	4	5	6				
7	8	9	10	11	12	13				
14	15	16	1 <i>7</i>	18	19	20				
21	22	23	24	25	26	27				
28	29	30	31							

	AUGUST									
S	М	T	W	T	F	S				
		1	2	3	4	5				
6	7	8	9	10	11	12				
13	14	15	16	17	18	19				
20	21	22	23	24	25	26				
27	28	29	30	31						


	NOVEMBER										
S	М	T	W	T	F	S					
			1	2	3	4					
5	6	7	8	9	10	11					
12	13	14	15	16	17	18					
19	20	21	22	23	24	25					
26	27	28	29	30							

MARCH								
S	М	T	W	T	F	S		
			1	2	3	4		
5	6	7	8	9	10	11		
12	13	14	15	16	1 <i>7</i>	18		
19	20	21	22	23	24	25		
26	27	28	29	30	31			

	JUNE								
S	М	T	W	T	F	S			
				1	2	3			
4	5	6	7	8	9	10			
11	12	13	14	15	16	17			
18	19	20	21	22	23	24			
25	26	27	28	29	30				

	SEPTEMBER								
S	М	T	W	T	F	S			
					1	2			
3	4	5	6	7	8	9			
10	11	12	13	14	15	16			
17	18	19	20	21	22	23			
24	25	26	27	28	29	30			

	DECEMBER								
S	М	T	W	T	F	S			
		1	2						
3	4	5	6	7	8	9			
10	11	12	13	14	15	16			
17	18	19	20	21	22	23			
24	25	26	27	28	29	30			
31									



1 in 6 and 1 in 3 sample dates

1 in 3 sample dates

State Holiday

2017 Monitoring Site Information

The following pages present descriptions of the ambient air monitoring sites maintained and operated by both the Maine Department of Environmental Protection Bureau of Air Quality and the Tribal Nations. The following pages present the site descriptions alphabetically by Town – Site Name. This table offers an index to the sites based on AQS Site ID's.

- 6''	•	5 "
		Page #
•		19
Lewiston – Country Kitchen Parking Lot	- 00	39
Durham – Fire Station	Androscoggin	31
Madawas ka – Public Safety Bldg	Aroostook	40
Caribou – Caribou Airport	Aroostook	29
Presque Isle – DEP Regional Office	Aroostook	44
Pres que Isle – Riverside St.	Aroostook	45
Micmac Tribe Presque Isle Shelter	Aroostook	50
Micmac Tribe Littleton	Aroostook	49
Bridgton	Cumberland	27
Portland – Tukey's Bridge	Cumberland	43
Portland - Deering Oaks Park	Cumberland	42
Cape Elizabeth - Two Lights Park	Cumberland	28
Freeport – Wolfes Neck Farm	Cumberland	32
Carrabassett Valley – Town Office	Franklin	30
Bar Harbor – Cadillac Mountain, Acadia National Park	Hancock	24
Bar Harbor – McFarland Hill, Acadia National Park	Hancock	25
Augusta – Civil Air Patrol Hanger	Kennebec	20
Augusta – Lincoln Street School	Kennebec	21
Gardiner - Pray Street, Schoolyard	Kennebec	33
Port Clyde – Marshall Point Lighthouse	Knox	41
Rumford - Rumford Ave. Parking Lot	Oxford	46
Bethel – Smith Farm Road	Oxford	26
Bangor - Kenduskeag Pump Station	Penobscot	23
Bangor – Airport	Penobscot	22
Penobscot Nation - Indian Island	Penobscot	53
Holden – Rider's Bluff	Penobscot	35
Greenville	Piscataquis	34
		37
Passamaquoddy Tribe Perry, Pleasant Point/Sipiyak	-	52
		36
•		47
		38
• •		51
	Madawaska – Public Safety Bldg Caribou – Caribou Airport Presque Isle – DEP Regional Office Presque Isle – Riverside St. Micmac Tribe Presque Isle Shelter Micmac Tribe Littleton Bridgton Portland – Tukey's Bridge Portland – Deering Oaks Park Cape Elizabeth – Two Lights Park Freeport – Wolfes Neck Farm Carrabassett Valley – Town Office Bar Harbor – Cadillac Mountain, Acadia National Park Bar Harbor – McFarland Hill, Acadia National Park Augusta – Civil Air Patrol Hanger Augusta – Lincoln Street School Gardiner – Pray Street, Schoolyard Port Clyde – Marshall Point Lighthouse Rumford – Rumford Ave. Parking Lot Bethel – Smith Farm Road Bangor – Kenduskeag Pump Station Bangor – Airport Penobscot Nation - Indian Island Holden – Rider's Bluff Greenville Jonesport – Public Landing	Auburn – Lewiston-Auburn Airport Lewiston – Country Kitchen Parking Lot Androscoggin Durham – Fire Station Androscoggin Madawaska – Public Safety Bldg Aroostook Caribou – Caribou Airport Aroostook Presque Isle – DEP Regional Office Aroostook Micmac Tribe – Presque Isle Shelter Aroostook Micmac Tribe – Littleton Aroostook Bridgton Cumberland Portland – Tukey's Bridge Portland – Deering Oaks Park Cumberland Cape Elizabeth – Two Lights Park Cumberland Freeport – Wolfes Neck Farm Cumberland Carrabassett Valley – Town Office Bar Harbor – Cadillac Mountain, Acadia National Park Bar Harbor – McFarland Hill, Acadia National Park Augusta – Civil Air Patrol Hanger Augusta – Lincoln Street School Gardiner – Pray Street, Schoolyard Port Clyde – Marshall Point Lighthouse Rumford – Rumford Ave. Parking Lot Cardon – Richard Saluff Greenville Jones port – Public Landing Passamaquoddy Tribe – Perry, Pleasant Point/Sipiyak Hollis/West Buxton – Fire Department Shapleigh – Shapleigh Ball Park Kennebunkport – Parson's Way York Kennebunkport – Parson's Way York

Town – Site: Auburn – Lewiston-Auburn Airport

County:AndroscogginLatitude:44.0457Address:Lewiston Junction Rd.Longitude:-70.2902AQS Site ID:23-001-0005Elevation:79 metersSpatial Scale:RegionalYear Established:1978

Statistical Area: Lewiston-Auburn, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	10/18/1978	
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

The site is located in a light industrial park located 4 ½ miles southwest of downtown Auburn. Wind Speed and Direction sensors are mounted on a 10-meter retractable tower located on the roof of the maintenance equipment shed at the Auburn-Lewiston Municipal Airport. A data acquisition system and modem are located in a storage room within the equipment shed.

Monitoring Objectives: Modeling.	
Planned changes for 2017: None.	

Town – Site: Augusta – Airport

County:KennebecLatitude:44.3179Address:Augusta State AirportLongitude:-69.7919AQS Site ID:23-011-0008Elevation:107 Meters

Spatial Scale: Regional Year Established: 1981

Statistical Area: Augusta-Waterville, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	01/20/1981	
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

A retractable tower with wind speed and direction sensors is situated on the roof of the Airport Terminal Building at the Augusta State Airport, 0.8 miles NW of the state capitol. The data acquisition equipment and modem are located in the adjacent equipment shed to the west. The 10 meter tower is raised only to the height of the surrounding antennae due to the proximity of the flight line. The tower and equipment were moved to the terminal in October 2015 because the Civil Air Patrol Hanger, where the tower was originally situated, was slated for replacement.

Monitoring	Objectives:
Modeling.	-

Planned changes for 2017:

Town – Site: Augusta – Lincoln Street School

County:KennebecLatitude:44.3123Address:30 Lincoln StreetLongitude:-69.7867AQS Site ID:23-011-0016Elevation:71 Meters

Spatial Scale: Neighborhood Year Established: 1999

Statistical Area: Augusta-Waterville, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	01/01/1999		SO_2		
PM2.5 Colo	01/01/1999		SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM	12/02/2002		NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Lincoln Street School is located in Augusta just off Western Avenue, 0.4 miles northwest of the state capitol. A wooden platform is situated on the roof of the gymnasium. Particulate monitors are attached to the platform.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. High Population Exposure.

Planned changes for 2017:

Town – Site: **Bangor -- Airport**

County:PenobscotLatitude:44.8166Address:BIA Bldg. 489, Bangor AirportLongitude:-68.8204AQS Site ID:23-019-0010Elevation:50 Meters

Spatial Scale: Urban/Regional Year Established: 1987

Statistical Area: Bangor, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	6-1-1987	
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Tower and sensors are located on the roof of building 489 on the Air National Guard Base at Bangor International Airport. The area is very open with some large aircraft hangars to the northwest of the tower at sufficient distance so as to not cause any interference. This is an urban to regionally representative site for meteorology.

Monitoring Objectives:

Modeling.

Planned changes for 2017:

Air Guard has announced plans to demolish Building 489 within the year, so a search for an alternative site for the tower and equipment is underway

Town – Site: **Bangor – Kenduskeag Pump Station**

County: Penobscot Latitude: 44.7989

Address: Washington Street Longitude: -68.7697


AQS Site ID: 23-019-0002 Elevation: 10 Meters

Spatial Scale: Neighborhood Year Established: 1977

Statistical Area: Bangor, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	1-1-1999		SO ₂	1-1-1986	7-1-1987
PM2.5 Colo	12-1-1999	12-29-2003	SO_4		
PM2.5 TEOM	1-1-2007	12-30-2013	Ozone		
PM2.5 BAM	1-7-2013		NOx		
PM10 FRM	1-1-2003		NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs	2-12-2004	
PM10 BAM			Wet Deposition - Mercury		
PM Coarse	2-7-2014		Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead	1-1-1978	10-1-1992	Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Monitors are located on the roof of a pumping station building for the Bangor treatment plant. It is located on the shore of the Kenduskeag Stream near the Penobscot River and sits in the bowl of downtown Bangor. The site was originally established to help define the extent of the particulate problems in Bangor. The pump station roof was replaced, and a new sampler platform was installed in December 2013. The Bureau operates two, collocated, Dichotomous samplers to provide $PM_{2.5}$, PM_{10} and PM_{coarse} measurements.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. High Population Exposure. AQI Forecasting and Mapping.

Planned changes for 2017:

The Washington Street monitoring results may no longer be representative of the worst particulate concentrations in the city. Traffic pattern changes in Bangor have reduced traffic flow in the area and alternative locations for the monitoring equipment are being considered.

Town – Site: Bar Harbor – Cadillac Mountain, Acadia National Park

County: Hancock Latitude: 44.3517
Address: Top of Cadillac Mountain Longitude: -68.2272

AQS Site ID: 23-009-0102 Elevation: 463 M (1519 ft)

Spatial Scale: Regional Year Established: 1995

Statistical None

Area:





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	7-25-1995	
PM10 FRM			NOx	4-1-2004	9-30-2007
PM2.5 BAM			NOy	1-1-2008	9-30-2014
PM10 Colo			VOCs (PAMS)	5-1-1996	9-30-2014
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	5-6-1996	
Cont. OC/EC			Outdoor Temperature	4-19-1996	6-30-2013
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity	4-19-1996	11-30-2015
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO	4-1-2002	10-1-2003	Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Located on the top of Cadillac Mountain in Acadia National Park. It is a seasonal ozone site operating during the months of April to October.

Monitoring Objectives:

Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: Bar Harbor – McFarland Hill, Acadia National Park

Hancock Latitude: 44.3771 County: Longitude: Address: Route 233 -68.2609 Elevation: AQS Site ID: 23-009-0103 156 Meters Spatial Scale: Regional Year Established: 1998

Statistical Area: None







Pollutant and Meteorological Parameters:

I oliutulli ullu 1110	corological r arain	CCCI D.			
Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	1-1-1999		SO ₂	2-1-2004	
PM2.5 Colo			SO ₄	10-1-2004	
PM2.5 TEOM	10-1-2003	10-30-2013	Ozone	2-1-1998	
PM2.5 BAM	11-12-2013		NOx		
PM10 FRM	1-1-2010		NOy	2-1-2004	
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	1998	
PM Coarse	1-1-2010		Wet Dep Precip Chem.	1998	
IMPROVE	3-2-1988		Wind Direction/Speed	2-1-1998	
Cont. OC/EC	6-29-2004		Outdoor Temperature	2-1-1998	
Cont. Sulfate	6-26-2004		Bar. Pressure		
Black Carbon			Relative Humidity	2-1-1998	
Cont. PAH			Dew point		
Lead			Precipitation Amount	2-1-1998	
CO	2-1-2004		Solar Radiation	2-1-1998	
CO ₂			UV-b Radiation		

Site Description:

Site is located in a field on the side of McFarland Hill in Bar Harbor. Site slopes to the south/southeast with the hill rising to the north. The site was established by the National Park Service but has since grown to include a variety of monitors for EPA programs, special studies such as the Rural Aerosol Intensive Network and most recently has received approval as the NCore site for Maine. Monitoring at this site is a joint effort between the NPS and the Maine DEP.

Monitoring Objectives:


Background. NCore Site. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Maine DEP and the National Park Service are working cooperatively to replace the two overcrowded and aging shelters at the location with a single structure constructed to meet all current requirements with some extra capacity for future efforts.

Town − Site: Bethel - Smith Farm Road

Smith Farm Road Longitude: -70.854697 203 Meters 23-017-3002 Elevation:







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO ₄		
PM2.5 TEOM			Ozone	5-12-2016	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

The site is located approximately 3.5 miles southwest of Bethel, Maine on Smith Farm Road. The shelter is situated in a field along the power line right of way.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Western Mountain Location

Planned changes for 2017:

Town – Site: **Bridgton**

County: Cumberland Latitude: 44.1074

Address: Upper Ridge Road Longitude: -70.7290

AQS Site ID: 23-005-0002 Elevation: 223 meters

Spatial Scale: Regional Year Established: 1980

Statistical Area: Portland-South Portland-Biddeford, ME





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	6-3-1997	
PM Coarse			Wet Dep Precip Chem.	1-1-1980	
IMPROVE	3-14-2001	1/1/2016	Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is located on a ridge in an open field area just off the Upper Ridge Road.

Monitoring Objectives:

Long-term tracking of deposition. Western Mountain Location

Planned changes for 2017:

IMPROVE monitoring was discontinued at the end of 2015. The BAQ is seeking alternative funding to re-establish IMPROVE monitoring in the future.

Town – Site: Cape Elizabeth


County:CumberlandLatitude:43.5610Address:Two Lights State ParkLongitude:-70.2073AQS Site ID:23-005-2003Elevation:24 meters

Spatial Scale: Regional Year Established: 1981

Statistical Area: Portland-South Portland-Biddeford, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	1-1-1999	12-17-2002	SO ₂		
PM2.5 Colo			SO ₄		
PM2.5 TEOM			Ozone	1-1-1981	
PM2.5 BAM			NOx	6-9-1993	10-31-1995
PM10 FRM			NOy	6-26-1995	
PM10 Colo			VOCs (PAMS)	6-1-1993	
PM10 TEOM			HAPs	12-6-2013	
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	6-25-1985	
Cont. OC/EC			Outdoor Temperature	6-7-1994	
Cont. Sulfate			Bar. Pressure	6-7-1994	
Black Carbon			Relative Humidity	6-7-1994	
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO	5-1-2001	10-1-2007	Solar Radiation	6-7-1994	
CO ₂			UV-b Radiation	6-1-1995	

Site Description:

Site is located in an open elevated area in the Two Lights State Park in Cape Elizabeth. With the exception of the ozone and meteorological parameters, this site is normally operated during the ozone season only.

Monitoring Objectives:

Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: Caribou – Caribou Airport

County:AroostookLatitude:46.8683Address:Caribou AirportLongitude:-67.9931AQS Site ID:23-003-1002Elevation:191 meters

Spatial Scale: Regional Year Established: 1982

Statistical Area: None





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.	1-1-1982	
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount	1-1-1982	
СО			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is located in a grassy area inside the fence and off the south end of the runway.

Monitoring Objectives:

Long-term monitoring of wet deposition chemistry and precipitation amount in northern Maine

Planned changes for 2017:


Town − Site: Carrabassett Valley - Town Office

County: Franklin Latitude: 45.080200 Address: 1001 Carriage Rd Longitude: -70.211817

Carrabassett Valley

23-007-2002 AQS Site ID: Elevation: 264 Meters

Spatial Scale: **Western Mountains** Year Established: 2015





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO ₄		
PM2.5 TEOM			Ozone		
PM2.5 BAM	11-5-2015		NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	2002	
PM Coarse			Wet Dep Precip Chem.	2002	
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

The site is located behind the Carrabassett Valley Town Office, Pool and Recreation Area in a grassy area at the south end of the runway. The shelter is situated adjacent to samplers for the ME04 NADP site operated by the Penobscot Nation.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Western Mountain Location.

Planned changes for 2017:

Town – Site: **Durham – Fire Station**

Latitude: 43.9745 County: Androscoggin Longitude: Address: Route 9 -70.1249 AQS Site ID: 23-001-0014 Elevation: 50 meters Spatial Scale: Regional Year Established: 2004

Statistical Area: Lewiston-Auburn, ME





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO ₄		
PM2.5 TEOM			Ozone	04/01/2004	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

The site is located on the grounds of the Durham Fire Station, 9 ½ miles SE of Lewiston. An ozone monitor is located within an 8'x8'x8' environmentally controlled shelter. The shelter was installed in 2006. During the summers of 2004 and 2005, an ozone monitor was set up temporarily in a corner of the fire station with a probe attached to the roof edge to determine if the location warranted continued monitoring.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment.

Planned changes for 2017:

Town – Site: Freeport – Wolfes Neck Farm

County: Cumberland Latitude: 43.8325 Longitude: Address: Wolfe's Neck Road -70.0644 AQS Site ID: 23-005-9002 Elevation: 27 Meters Spatial Scale: Year Established: 1998 Regional/Neighborhood

Statistical Area: Portland-South Portland-Biddeford, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	1-7-1998	
PM Coarse			Wet Dep Precip Chem.	1-7-1998	
IMPROVE	3/14/2001		Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount	1-7-1998	
СО			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is located within a fenced in area in the middle of a large open field used as a pasture by the Wolfe's Neck farm.

Monitoring Objectives:

Long-term monitoring of wet deposition chemistry and precipitation amount in northern Maine. IMPROVE Site

Planned changes for 2017:

Enclosure of IMPROVE Instrumentation and modernization of electrical distribution is planned for Summer/Fall 2016

Town – Site: Gardiner – Pray Street, Schoolyard

County: Kennebec Latitude: 44.2306 Address: **Pray Street** Longitude: -69.7850 AQS Site ID: 23-011-2005 Elevation: 55 Meters Year Established: Spatial Scale: Regional 1991

Statistical Area: Augusta-Waterville, ME





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂	03/07/2012	
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	04/01/1991	
PM2.5 BAM			NOx	03/07/2012	
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

The site is located on the north edge of the Gardiner Area High School grounds. The Pray Street Elementary School next door at 14 Pray Street has closed and is now housing a Boys and Girls Club. Monitors are housed in an 8'x8'x8' environmentally controlled shelter, situated outside the fence line of the playing fields. The shelter was replaced in 2006.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: **Greenville**

County:PiscataquisLatitude:45.4893Address:Squaw BrookLongitude:-69.6637AQS Site ID:23-021-0001Elevation:339 Meters

Spatial Scale: Regional Year Established: 1980

Statistical Area: None







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	1997	
PM Coarse			Wet Dep Precip Chem.	1980	
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount	1980	
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Site is located in a small clearing on private property to the northwest of Greenville Junction. This is one of the oldest deposition monitoring sites in the country.

Monitoring Objectives:

Long-term monitoring of wet deposition chemistry and precipitation amount in western Maine

Planned changes for 2017:


Town – Site: **Holden**

County: Penobscot Latitude: 44.7365 Address: Longitude: **Summit of Rider's Bluff** -68.6711 AQS Site ID: 23-019-4008 Elevation: 250 Meters Spatial Scale: Regional Year Established: 1993

Statistical Area: Bangor, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO ₄		
PM2.5 TEOM			Ozone	5-19-1993	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is a transmission tower location for a local TV station at the top of a hill in Holden with good exposure in all directions.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: Hollis/West Buxton – Fire Department

County:YorkLatitude:43.6568Address:Plains RoadLongitude:-70.6291AQS Site ID:23-031-0038Elevation:84 Meters

Spatial Scale: Regional Year Established: 1999

Statistical Area: Portland-South Portland-Biddeford, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	4-1-1999	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Monitor is located in an 8x8x8 shelter in an open area around the West Buxton Fire Department building.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Western Mountain Location. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: **Jonesport – Public Landing**

County:WashingtonLatitude:44.5319Address:Public LandingLongitude:-67.5959AQS Site ID:23-029-0019Elevation:16 Meters

Spatial Scale: Regional Year Established: 1989

Statistical Area: None







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	5-19-1989	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Monitor is located in a town building at the Public Landing in Jonesport.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment.

Planned changes for 2017:

Town – Site: **Kennebunkport – Parson's Way**

County: York Latitude: 43.3431
Address: Ocean Avenue Longitude: -70.4714
AQS Site ID: 23-031-2002 Elevation: 6 Meters
Spatial Scale: Regional Year Established: 1983

Statistical Area: Portland-South Portland-Biddeford, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	1-1-1983	
PM2.5 BAM			NOx	6-1-1990	9-1-1990
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is located on a rocky beach area just off Ocean Avenue. Site has good exposure and has recorded some of the highest ozone concentrations in the state. The shelter, including the power and phone line, has to be removed each fall and reinstalled each spring to avoid winter storm damage.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Replacement of the shelter is expected in the Fall of 2016 and a permit has been issued to keep the shelter on-site year round.

Town – Site: Lewiston – Country Kitchen Parking Lot

County: Androscoggin Latitude: 44.0894 Address: **Canal Street** Longitude: -70.2141 AQS Site ID: 23-001-0011 Elevation: 50 meters Year Established: Spatial Scale: Neighborhood 1981

Statistical Area: Lewiston-Auburn ME







Pollutant and Meteorological Parameters:

2 0114144111 41144 1:10	eor orogreum r ur um				
Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	01/01/1999		SO_2	07/13/1998	12/30/2002
PM2.5 Colo			SO_4		
PM2.5 TEOM	01/01/2000	09/12/2013	Ozone		
PM2.5 BAM	09/12/2013		NOx		
PM10 FRM	04/01/2004		NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs	06/14/2004	
PM10 BAM			Mercury Deposition		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead	06/01/1989	12/31/1993	Precipitation Amount		
СО			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

The site is located in downtown Lewiston in the parking lot of the Country Kitchen Bakery. An 8'x8'x8' shelter houses electronic monitoring equipment, data acquisition system and modem, in a climate controlled environment, with PM monitors and intakes situated on the roof.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. High Population Exposure

Planned changes for 2017:

Town – Site: Madawaska – Public Safety Bldg.

County:AroostookLatitude:47.3553Address:East Maine St.Longitude:-68.3211AQS Site ID:23-003-0014Elevation:177 meters

Spatial Scale: Neighborhood Year Established: 2009

Statistical Area: None





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	8-1-2009		SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM	1-17-2014		NOx		
PM10 FRM	8-1-2009		NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Mercury Deposition		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

New site established in 2009 to replace the Tang's Palace site, which was no longer available for use after June, 2009.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment.

Planned changes for 2017:

Town – Site: **Port Clyde – Marshall Point Lighthouse**

County: Knox Latitude: 43.9180 Address: Longitude: **Marshall Point Road** -69.2608 AQS Site ID: 23-013-0004 Elevation: 9 Meters Spatial Scale: Regional Year Established: 1987

Statistical Area: Rockland, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	05/01/1987	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

The site is located at Marshall Point on the grounds of the Marshall Point Lighthouse Museum about 14.8 miles southwest of downtown Rockland. An 8'x8'x'8 environmentally controlled shelter houses the monitor, data acquisition equipment and modem.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

Town – Site: **Portland – Deering Oaks Park**

County: Cumberland Latitude: 43.6602 Address: 356 State St. Longitude: -70.2690 AQS Site ID: 23-005-0029 Elevation: 4 meters 2008 Spatial Scale: Neighborhood Year Established:

Statistical Area: Portland-South Portland-Biddeford, ME







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	1-22-2008		SO_2	1-24-2008	
PM2.5 Colo	1-31-2008		SO_4		
PM2.5 TEOM	1-18-2008	6-30-2015	Ozone	1-18-2008	
PM2.5 BAM	5-7-2013		NOx	2-5-2008	
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs	3-14-2009	
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO	5-1-2008		Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

The Deering Oaks site was established in 2008 to replace the Marginal Way site, which had to be removed to make way for development activity. The site is located in a grassy area of the park near the intersection of Forest Avenue and State Street, and close to an off ramp from I-295. To the west of the site is a wooded area of the park as well as numerous athletic fields. The site does not meet strict EPA siting criteria so sample results are not used for regulatory purposes. The location was chosen in cooperation with the Maine and American Lung Association for use in their health statistics. Annual Average Daily Traffic volume on Forest Avenue is around 46,000. EPA also uses the site for a monitor in their radiation network, RadNet.

Monitoring Objectives:

High Population Exposure Neighborhood scale monitoring. The ozone monitor is a special purpose, non-regulatory monitor installed at the request of the Maine Bureau of Health.

Planned changes for 2017:

Town – Site: **Portland – Tukey's Bridge**

Latitude: County: Cumberland 43.6780 Address: Longitude: -70.2562 Tukey's Bridge (Route 295) AQS Site ID: 23-005-0015 Elevation: 6 meters Spatial Scale: Middle/Micro Year Established: 1981

Statistical Area: Portland-South Portland-Biddeford, ME





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	1-1-1999		SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM	2-8-1991		NOy		
PM10 Colo	1-9-2003		VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Monitors are located on a platform next to I-295/Washington Street. This section of road has some of the highest annual average daily traffic volume in the state.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. High Traffic Volume.

Planned changes for 2017:

Replacement of the monitoring platform was completed December 2015. No changes anticipated in 2017

Town – Site: **Presque Isle – DEP Regional Office**

County:AroostookLatitude:46.6984Address:528 Central DriveLongitude:-68.0389AQS Site ID:23-003-1008Elevation:158 meters

Spatial Scale: Neighborhood Year Established: 1983





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	9-27-2007		SO_2	8-1-1988	9-21-1989
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	8-1-1988	9-21-1989
PM2.5 BAM			NOx		
PM10 FRM	7-1-1989	9-27-2007	NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	2-13-1983	
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Suburban background site for monitoring PM and wind. Monitors are located in a field next to the regional office in Presque Isle.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Background Site. Modeling

Planned changes for 2017:

PM2.5 Sequential Sampler to be replaced by a Single Event PM2.5 sampler when one becomes available for more reliable Winter operations.

Town – Site: **Presque Isle – Riverside Shelter**

County: Aroostook Latitude: 46.6823 Address: Longitude: **Riverside Street** -68.0156 AQS Site ID: Elevation: 23-003-1011 131 meters 1993 Spatial Scale: Neighborhood Year Established:

Statistical Area: None







Pollutant and Meteorological Parameters:

I ollutulli ullu 1110	corological r aram	CCCIBC			
Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	10-1-1997		SO ₂	9-19-1994	7-2-1996
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM	7-18-2014		NOx		
PM10 FRM	9-10-1993	11-2-1998	NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM	9-15-1995		HAPs	12-14-03	
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

Monitors are located in a parking lot off Main Street in the downtown area of Presque Isle. The site is relatively open, next to the railroad tracks and the Presque Isle Stream.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment.

Planned changes for 2017:

Town – Site: Rumford - Rumford Ave. Parking Lot

County: Oxford Latitude: 44.5514 Address: Rumford Ave. Parking Lot Longitude: -70.5463 AQS Site ID: Elevation: 23-017-2011 135 Meters

Spatial Scale: Year Established: 1998 Neighborhood

Statistical Area:





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM	12/01/1998		SO ₂		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM	10/1/2014		NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs	07/01/1998	
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	7/2016	
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

The site is located in a paper mill employees' parking lot off of Rumford Avenue in Rumford, Maine across the street from the Eagles Club and Bingo Parlor. An 8'x8'x8' environmentally controlled shelter houses HAPs sampling equipment, data acquisition system, and a BAM 1020 for continuous PM_{2.5} sampling. A Thermo 2025 PM _{2.5} sampler is located on the roof of the shelter.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. High Population Exposure. Western Mountain Location.

Planned changes for 2017:

Wind speed and direction sensors were installed June 2016.

Town – Site: Shapleigh -- Shapleigh Ball Park

County:YorkLatitude:43.5889Address:Route 11Longitude:-70.8773AQS Site ID:23-031-0040Elevation:171 Meters

Spatial Scale: Regional Year Established: 2008

Statistical Area: Portland-South Portland-Biddeford, ME





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	6-13-2008	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Site is located in an open area surrounding a baseball field just off Route 11.

Monitoring Objectives:

SLAMS Attainment/Non-Attainment. Monitoring long-range transport of pollutants on a regional scale.

Planned changes for 2017:

TRIBAL MONITORING SITES FOR 2017

Tribe - Site Name: Micmac Tribe -- Littleton

County: Aroostook Latitude: 46.228730 Address: 198 West Ridge Road Longitude: -67.82566 23-003-1101 AQS Site ID: Elevation: 188 meters Year Established: Spatial Scale: Neighborhood 2014



Statistical Area: None





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO ₄		
PM2.5 TEOM	05-01-2014		Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	05-01-2014	
Cont. OC/EC			Outdoor Temperature	05-01-2014	
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount		
СО			Solar Radiation		
CO ₂			UV-b Radiation		

Site Description:

The Aroostook Band of Micmacs ambient air monitor site continuously monitors $PM_{2.5}$ and meteorological parameters in Littleton, ME. The PM2.5 TEOM equipment is audited by Maine DEP.

Monitoring Objectives:

Population - Orientated Surveillance

Planned changes for 2017:

None


Tribe – Site Name: Micmac Tribe -- Presque Isle Shelter

46.6964 County: Aroostook Latitude: Address: Longitude: 8 Northern Road -68.0330 AQS Site ID: 23-003-1100 Elevation: 165 meters

Year Established: Spatial Scale: Neighborhood 2004

Statistical Area: None





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO ₂	1-1-2006	
PM2.5 Colo			SO ₄		
PM2.5 TEOM	1-1-2006		Ozone	1-1-2006	
PM2.5 BAM			NOx	1-1-2006	
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury	3-1-2014	
PM Coarse			Wet Dep Precip Chem.		
IMPROVE	1-1-2004		Wind Direction/Speed	1-1-2006	
Cont. OC/EC			Outdoor Temperature	1-1-2006	
Cont. Sulfate			Bar. Pressure	1-1-2006	
Black Carbon			Relative Humidity	1-1-2006	
Cont. PAH			Dew point	1-1-2006	
Lead			Precipitation Amount		
CO	1-1-2006		Solar Radiation	1-1-2006	
CO ₂	1-1-2006		UV-b Radiation		

Site Description:

The Aroostook Band of Micmacs ambient air monitor site continuously monitors ozone, PM_{2.5}, carbon monoxide, sulfur dioxide, nitrogen dioxide, carbon dioxide, mercury, and meteorological parameters in Presque Isle, ME. The equipment is audited by Maine DEP.

Monitoring Objectives:

Not available

Planned changes for 2017:

Not available

Tribe – Site Name: Passamaquoddy Tribe -- Indian Township

County: Washington Latitude: 45.2436

Address: Indian Township Longitude: -67.6308


AQS Site ID: None Elevation: 101 meters

Spatial Scale: N/A Year Established: 2013

Statistical Area: None







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone		
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.	10-3-2013	
IMPROVE			Wind Direction/Speed		
Cont. OC/EC			Outdoor Temperature		
Cont. Sulfate			Bar. Pressure		
Black Carbon			Relative Humidity		
Cont. PAH			Dew point		
Lead			Precipitation Amount	10-3-2013	
CO			Solar Radiation		
CO_2			UV-b Radiation		

Site Description:

Not available

Monitoring Objectives:

Not available

Planned changes for 2017:

As more information about this NADP/NDN site in Maine becomes available, this page will be updated.


Tribe – Site Name: Passamaquoddy Tribe–Perry, Pleasant Point/Sipiyak

County: Washington

Address: 184 County Road Longitude: 44.9630 AQS Site ID: 23-029-0032 Elevation: -67.0592 Spatial Scale: Regional Year Established: 4 meters Statistical Area: None Year Established: 2006







Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM	12-18-2008		Ozone	3-31-2006	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE			Wind Direction/Speed	4-20-2005	
Cont. OC/EC			Outdoor Temperature	4-22-2005	
Cont. Sulfate			Bar. Pressure	4-25-2005	
Black Carbon			Relative Humidity	4-22-2005	
Cont. PAH			Dew point		
Lead			Precipitation Amount	4-27-2008	
CO			Solar Radiation	6-16-2005	
CO_2			UV-b Radiation	6-16-2005	

Site Description: The site was needed because area monitoring was going to be shut down on the Canadian and American side. Pleasant Point decided to handle the criteria pollutants and running a MET station. Indian Township was going to take on the acid and mercury deposition studies. The Passamaquoddy Tribe wanted to start contributing to the monitoring. The data are polled and used by ME DEP BAQ. The ozone and PM_{2.5} instruments are audited by ME DEP on a quarterly basis. Only the ozone hourly data is uploaded into AQS. The met data is shared with the TREX network and posted on their website.

Monitoring Objectives: The site is to provide pollutant data for modeling and forecasting needs. The site fills a void in the region. Otherwise, there would be a data gap in the area.

Planned changes for 2017: The tribal air program is open to monitoring for other pollutants if resources are available. The air program would like to eventually use newer equipment if available.

Tribe – Site Name: **Penobscot Nation -- Indian Island**

County: Penobscot Latitude: 44.95204 Address: 27 Wabanaki Way Longitude: -68.64768 AQS Site ID: 23-019-1100 Elevation: 41 meters Spatial Scale: Year Established: 2006 Regional



Statistical Area: None





Pollutant and Meteorological Parameters:

Parameter	Date Began	Date Ended	Parameter	Date Began	Date Ended
PM2.5 FRM			SO_2		
PM2.5 Colo			SO_4		
PM2.5 TEOM			Ozone	1-1-2006	
PM2.5 BAM			NOx		
PM10 FRM			NOy		
PM10 Colo			VOCs (PAMS)		
PM10 TEOM			HAPs		
PM10 BAM			Wet Deposition - Mercury		
PM Coarse			Wet Dep Precip Chem.		
IMPROVE	1-14-2006		Wind Direction/Speed	7-2002	
Cont. OC/EC			Outdoor Temperature	7-2002	
Cont. Sulfate			Bar. Pressure	7-2002	
Black Carbon			Relative Humidity	7-2002	
Cont. PAH			Dew point		
Lead			Precipitation Amount	7-2002	
CO			Solar Radiation	7-2002	
CO_2			UV-b Radiation		

Site Description: The original IMPROVE Site location, established on 6/27/2001, was located near the Marsh Island Apartments. That location was shut down on 5/29/2006 having been made redundant after 1/14/2006 when the current IMPROVE site was established on Indian Island.

Monitoring Objectives:

Not available

Planned changes for 2017:

Not available