

## NOTICE for PUBLIC COMMENT

### PRPBA La Gloria Ward School Trujillo Alto, Puerto Rico

**SUMMARY**

The Puerto Rico Public Building Authority (PRPBA) has applied for renewal of its National Pollutant Discharge Elimination System (NPDES) permit for the La Gloria Ward School in Trujillo Alto.

La Gloria Ward School is a public educational school with a wastewater treatment plant (WWTP). The plant treats sanitary wastewater through secondary treatment. Wastewater from the treatment plant is discharged to the Limones Creek.


The NPDES permit ensures that the amount of discharge and the amount of contaminants in the discharge remains below levels that are safe for the environment and public health consumption.

**How to Access the Draft Permit Documents**

Copies of the draft permit documents can be found on EPA’s website at:  
[www.epa.gov/region02/water/permits.html](http://www.epa.gov/region02/water/permits.html)

Hard copies are located at:

**Casa Alcaldía,  
 End of Muñoz Rivera Street  
 Trujillo Alto, PR 00977**



**PRASA LA GLORIA WARD FLOW SCHEMATIC**

This diagram summarizes the WWTP process. This is based on a scenario where there is maximum water flowing in the treatment plant. The actual amounts of water may be less.

**DRAFT PERMIT CONDITIONS**

The permit establishes numeric water quality effluent limitations for several pollutants, including pH, dissolved oxygen, temperature, taste and odor, color, turbidity sulfates, flow, suspended solids, and metals.

The permit limits the WWTP’s numeric flow effluent pursuant to Puerto Rico Environmental Quality Board (PREQB) and other conditions.

Under NPDES the permit specifies requirements for recording and reporting monitoring results of the numeric effluent limitations described above.

## La Gloria Ward School Facility Location

### How to Submit Public Comments

Any interested parties can submit written comments on the draft permit during the public comment period, which is between Thursday August 4<sup>th</sup>, 2016 and Tuesday September 6<sup>th</sup>, 2016.

During this time, a public hearing can also be requested on these documents.

#### The request must:

1. Be in writing
2. State the issues that you want to be raised in the hearing
3. Be submitted to the Director of the Caribbean Environmental Protection Division Office

The submission of written comments and/or requests for a public hearing can be sent to:

**EPA Region 2 Caribbean Environmental  
Protection Division Office  
City View Plaza II  
Suite 70000, #48 RD. 165 Km, 1.2  
Guaynabo, PR 00968**

If you would like to request additional information or have questions about the permit, please contact:

**Sergio Bosques  
EPA Region 2, CEPD  
787-977-5838  
Bosques.Sergio@epa.gov**

