Pulp and Paper Manufacturing Monitoring Checklist



Final Rule: Mandatory Reporting of Greenhouse Gases

What Must Be Monitored?

Measure these parameters...

Chemical recovery furnace located at kraft or soda facility:

- ☐ Mass of fossil fuels consumed (short tons for solid fuel; standard cubic feet [scf] for gaseous fuel; gallons for liquid fuel)
 - Annual mass of spent liquor solids combusted (short tons)
- ☐ High heat value of spent liquor solids (mmBtu per kg)

Chemical recovery combustion unit located at sulfite or stand-alone semichemical facility:

П

- ☐ Mass of fossil fuels consumed (short tons for solid fuel; scf for gaseous fuel; gallons for liquid fuel)
- Annual carbon content of spent liquor solids (percent by weight)

Annual makeup quantity of Na₂CO₃

Annual production of pulp and/or

paper products (metric tons)

used (metric tons)

Annual mass of spent liquor solids combusted (short tons)

Pulp mill lime kiln located at kraft or soda facility:

Mass of fossil fuels consumed (short tons for solid fuel; scf for gaseous fuel; gallons for liquid fuel)

Makeup chemicals:

Annual makeup quantity of CaCO₃ used (metric tons)

Other:

П

- Annual steam purchases (pounds of steam per year)
- Pulp and Paper Manufacturing Monitoring Checklist Greenhouse Gas Reporting Program

40 CFR 98, subpart AA November 2010 See also the information sheet for Pulp and Paper Manufacturing at: www.epa.gov/ghgreporting/documents/pdf/infosheets/pulpandpapermanufacturing.pdf.

This document is provided solely for informational purposes. It does not provide legal advice, have legally binding effect, or expressly or implicitly create, expand, or limit any legal rights, obligations, responsibilities, expectations, or benefits in regard to any person. This information is intended to assist reporting facilities/owners in understanding key provisions of the final rule.