

TSCA New Chemicals Notices Received March, 2021

Case No.	Version	Received Date	Manufacturer	Use	Chemical
SN-19-0004A	4	06/04/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
SN-19-0005A	2	05/28/2019	Molecular Rebar Design	(G) Conductive ink	(S) Functionalized multiwall carbon nanotubes
P-16-0442A	4	06/26/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated alkanediol, substituted alkylpropyl, substituted isocyanatocycloalkane
P-16-0443A	4	06/26/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated disubstituted amine, alkanediol, alkanedioic acid and substituted alkylamine
P-16-0444A	4	06/26/2019	CBI	(G) Polymer for coatings	(G) Amine salted polyurethane
P-16-0445A	4	06/26/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated substituted alkanediamine, alkanedioic acid and substituted alkylamine
P-17-0007A	5	06/13/2019	CBI	(S) Intermediate	(G) Dialkyl 7,10-dioxane, dithiane
P-17-0239A	6	06/11/2019	CBI	(G) Adhesive for open non-descriptive use	(G) Substituted carboxylic acid, 1-methylbenzene, hexanedioic acid, hydroxypoly[oxy(methyl-1,2-ethoxyisocyanatobenzene)], 2,2'-oxybis[1,2-propanediol]
P-17-0299A	3	06/06/2019	CBI	(G) Paint additive	(G) 2-Propenoic acid, alkyl-, polyethylene glycol methacrylate
P-17-0345A	2	06/07/2019	CBI	(G) Resin intermediate	(G) Polyurethane, methacrylate
P-17-0389A	6	06/24/2019	CBI	(G) Polymer precursor	(G) Alkyl oil, polymer with 1,4-Alkyl oil, hydrogenated rosin, trimethylolpropane
P-18-0009A	5	06/24/2019	CBI	(G) Lubricant additive	(G) Phosphonic acid, dimethyl ester
P-18-0044A	3	06/24/2019	CBI	(G) Intermediate species	(G) Fatty acids
P-18-0045A	3	06/24/2019	CBI	(G) Application coating	(G) Fatty acids, alkyl esters
P-18-0050	1	11/16/2017	CBI	(G) Raw material in industrial coatings	(G) Alkane, diisocyanato-, homo- and polyalkylene glycol mono-amine
P-18-0061A	3	06/24/2019	CBI	(G) Industrial coating hardeners	(G) Alkyl methacrylates, polymers, hydroxyalkyl acrylates, novalac with organic amines
P-18-0078A	4	06/26/2019	CBI	(G) Paint	(G) 2-Alkenoic acid, 2-alkyl-, 2-2-alkenoate, 2-substitutedalkyl 2-2-alkyl-2-alkenoate, tert alkylphenol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0122A	6	06/04/2019	Polymer Ventures, Inc.	(G) Paper additive	(G) Alkylamide, polymer with a polycyanamide, alkyl acid salt.
P-18-0125A	2	06/18/2019	NOLTEX L.L.C.	(G) Reagent in coating material	(G) Oxoalkylcarboxylic acid, so
P-18-0197A	2	06/21/2019	CBI	(G) Polymer composite additive	(G) Metal, alkylcarboxylate oxo
P-18-0207A	3	06/21/2019	CBI	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate
P-18-0239A	3	06/26/2019	CBI	(G) Reactant in coating	(G) N-alkyl propanamide
P-18-0240A	3	06/26/2019	CBI	(G) Reactant in coating	(G) N-alkyl acetamide
P-18-0260A	4	06/04/2019	Allnex USA Inc.	(S) Binder for wood stains	(G) Fatty acids, polymers with a carbomonocycle, peroxide-initia esters and substituted carbomon
P-18-0263A	2	06/17/2019	CBI	(G) Solution additive	(G) Mixed alkyl esters-, polyme ethanediamine, aziridine, N-acet
P-18-0263A	3	06/26/2019	CBI	(G) Solution additive	(G) Mixed alkyl esters-, polyme ethanediamine, aziridine, N-acet
P-18-0274A	6	06/19/2019	CBI	(S) Chemical Intermediate	(G) Heterocycle fluoroalkyl sulf
P-18-0274A	6	06/19/2019	CBI	(G) Additive	(G) Heterocycle fluoroalkyl sulf
P-18-0295	1	08/30/2018	CBI	(S) Use as an ingredient in the manufacture of consumer cleaning products. In these products, the notified chemical is not destroyed nor further reacted.	(S) 1,3-Butanediol, (3R)-
P-18-0295	1	08/30/2018	CBI	(S) Use as monomer in the manufacture of resins for use in paint and coating products. Notified substance will not be present in the cured coating.	(S) 1,3-Butanediol, (3R)-
P-18-0295	1	08/30/2018	CBI	(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make	(S) 1,3-Butanediol, (3R)-

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	
P-18-0323A	3	06/18/2019	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-,
P-18-0372A	4	06/11/2019	Hexion Inc	(G) Polyol.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0372A	4	06/11/2019	Hexion Inc	(S) Reactive modifier for Carbon, Fiber bonding, Friction, Coated abrasives, Glass Inserts, Refractory, and Bonded abrasives.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0372A	4	06/11/2019	Hexion Inc	(S) Reactive polyol for Sealants, Adhesives, 1 part coatings, 2 part coatings, and composites.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0372A	3	05/31/2019	Hexion Inc	(G) Polyol.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0372A	3	05/31/2019	Hexion Inc	(S) Reactive modifier for Carbon, Fiber bonding, Friction, Coated abrasives, Glass Inserts, Refractory, and Bonded abrasives.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0372A	3	05/31/2019	Hexion Inc	(S) Reactive polyol for Sealants, Adhesives, 1 part coatings, 2 part coatings, and composites.	(G) Formaldehyde, polymer with heteromonocycle, reaction product 4-methyl-1,3-dioxolan-2-one
P-18-0373A	4	06/11/2019	Hexion Inc	(G) Polyol	(G) Formaldehyde, polymer with and heteroatom-substituted heteroatom
P-18-0373A	3	05/31/2019	Hexion Inc	(G) Polyol	(G) Formaldehyde, polymer with and heteroatom-substituted heteroatom
P-19-0021A	3	06/26/2019	CBI	(G) Pigment ink	(G) Hydroxyalkyl carboxylic acid carbonate, alkanediol, isocyanate
P-19-0022A	3	06/26/2019	CBI	(G) Pigment ink	(G) Hydroxyalkyl carboxylic acid carbonate, alkanediol, isocyanate
P-19-0024A	4	06/12/2019	Sales and Distribution Services, Inc.	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt	(S) 1-Octadecanaminium, N,N-c N-[3-(trimethoxysilyl)propyl]-, water, Trimethoxy(propyl) silane Tetraethyl orthosilicate and etha

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water.	
P-19-0024A	4	06/12/2019	Sales and Distribution Services, Inc.	(S) Waterproofing Application: The PMN substance is expected to be used in waterproofing of building materials, including cementitious material, masonry, concrete, plaster, bricks, etc. It is initially intended to be used at a maximum of 5 sites by trained commercial applicators. The PMN substance is modification of a quaternary silane compound by a hydrolysis reaction with other silanes to make it an oligomeric compound. These quaternary silane products have been manufactured and marketed for waterproofing uses for over 35 years. The solution of PMN substance in water is applied as a waterproofing sealer for building materials by spray application.,(S) Asphalt Emulsion	(S) 1-Octadecanaminium, N,N-c N-[3-(trimethoxysilyl)propyl]-, water, Trimethoxy(propyl) silane Tetraethyl orthosilicate and etha

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment.	
P-19-0031A	8	06/19/2019	CBI	(S) Curing agent for epoxy coating systems	(G) Phenol, 4,4'-(1-methylethyl) formaldehyde, 2-(chloromethyl) hydroxypoly(oxy-1,2-ethanediyl
P-19-0051A	5	06/21/2019	CBI	(G) UV curable inks	(G) 1,3-Propanediamine, N1,N1 glycol ether with alkyltriol (3:1) alkylene glycol monoacrylate et
P-19-0053A	5	06/25/2019	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates. Formulations containing the cross-linker provide release and anti-graffiti properties, water repellency, weather proofing, and improved bonding in adhesive/sealant applications. The new substance is a moisture curing cross-linking agent which binds/joins polymers together when cured. Ethanol is released during cure, and once the cure reaction is complete, the product will remain bound in the cured polymer matrix.	(S) 1-Butanamine, N-butyl-N-[(1
P-19-0071A	3	06/11/2019	CBI	(G) Physical property modifier for polymers	(G) Trimethylolpropane, alkenoi

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0075A	3	05/30/2019	Allnex USA Inc.	(S) The PMN substance is an intermediate incorporated as a component in VIACRYL SC 6841.	(G) Alkenoic acid, alkyl-, (alkyl substituted carbomonocycle, substituted formates
P-19-0082A	3	06/20/2019	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc., Fragrance uses per TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P-19-0086A	3	05/31/2019	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P-19-0087A	3	05/31/2019	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P-19-0089A	5	06/04/2019	CBI	(G) Well performance tracer	(G) Halogenated sodium alkylbenzoate
P-19-0090A	3	06/04/2019	CBI	(G) Well performance tracer	(G) Halogenated sodium benzoate
P-19-0091A	3	06/04/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P-19-0092A	2	06/04/2019	CBI	(G) Tracer of well performance	(G) Halogenated alkylbenzoic acid
P-19-0093A	3	06/04/2019	CBI	(G) Tracer for well performance	(G) Halogenated benzoic acid
P-19-0095	3	06/04/2019	CBI	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanedioate
P-19-0096	1	05/31/2019	CBI	(G) Additive for plastics industry	(G) Benzofuranone, bis(branched alkyl)-alkyl-dibenzo-substituted
P-19-0097	3	06/10/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0098	1	06/04/2019	Clariant Corporation	(S) Flame retardant additive for intumescent coatings.	(G) Phosphoric acid, polymer with alkanediol
P-19-0100	5	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0101	4	06/14/2019	CBI	(G) Monitor well performance	(G) Halogenated alkylbenzoic acid
P-19-0102	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0103	2	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkyl benzoic a
P-19-0104	4	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic a
P-19-0105	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, e
P-19-0106	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic a
P-19-0107	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic a
P-19-0108	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic a
P-19-0109	1	06/07/2019	Arch Chemicals, Inc.	(S) Chemical is used as a component of a hoof cleaning formulation to improve the wettability of the overall cleaning solution on the hoof	(S) Copper ethanolamine compl
P-19-0110	3	06/14/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, e
P-19-0112	1	06/12/2019	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted heterocyclic oni 1-(difluorosulfomethyl)-2,2,2-tri 2-propen-1-yl)oxy]tricyclo[3.3.1 polymer with 3-etheylphenol, 1-2-propenoate and 1-(7-oxabicyc 2-methyl-2-propenoate, di-Me 2 methylpropenoate]-initiated
P-19-0113	2	06/13/2019	CBI	(G) Flow cell additive	(G) Metal oxide-chloro
P-19-0114	1	06/17/2019	Shin-ETSU Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, triflu (triheterosubstitutedalkyl)alkanc
P-19-0115	1	06/17/2019	Tokyo Ohka Kogyo America, Inc.	(G) An ingredient used in the manufacture of photoresist	(G) Sulfonium, bis(dihalocarbor substituted carbomonocyclic est
P-19-0117	2	06/21/2019	CBI	(G) Additive	(G) Polycyclic amine, reaction p polymers
P-19-0118	1	06/21/2019	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepol polymer
P-19-0119	1	06/24/2019	Zschimmer&	(S) Foaming additive used in building/construction, exposure would only occur during loading of finished product. Product	(S) Poly(oxy-1,2-ethanediyl), al branched alkyl ethers, sodium se

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				application is used in a closed system with very low possibility for exposure. To be used on construction sites.	
P-19-0119	1	06/24/2019	Schwarz	(S) Foaming additive used in building/construction, exposure would only occur during loading of finished product. Product application is used in a closed system with very low possibility for exposure. To be used on construction sites.	(S) Poly(oxy-1,2-ethanediyl), al branched alkyl ethers, sodium se
P-19-0120	1	06/25/2019	CBI	(G) Component of ink	(G) Alkenoic acid, polymer with bis heteromonocycle, substituted carbomonocycle, alkali metal sa
J-19-0024	1	06/28/2019	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable.
J-19-0025	1	06/28/2019	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable.
P-16-0354A	4	07/08/2019	CBI	(G) Intermediate	(G) Esteramine.
P-16-0354A	5	07/09/2019	CBI	(G) Intermediate	(G) Esteramine.
P-16-0355A	4	07/08/2019	CBI	(G) Intermediate	(G) Esteramine.
P-16-0355A	5	07/09/2019	CBI	(G) Intermediate	(G) Esteramine.
P-17-0003A	9	06/25/2019	CBI	(G) Printing ink applications	(G) Styrene(ated) copolymer wi (meth)acrylic acid.
P-17-0346A	6	07/02/2019	CBI	(G) Destructive use	(G) triarylalkyl phosphonium ha
P-17-0346A	7	07/08/2019	CBI	(G) Destructive use	(G) triarylalkyl phosphonium ha
P-17-0375A	5	06/30/2019	CBI	(G) Paint additive	(G) 2-Oxepanone, polymer with ((hydroxyalkyl)-alkanediol and i trialkylcyclohexane, di-alkyl ma Me ether-blocked, reaction prod
P-17-0383A	2	07/17/2019	Toagosei America, Inc.	(G) Binder	(G) Alkenoic acid, polymer will polyalkylenediol diacrylate.
P-17-0387A	5	07/08/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymer susbtituted-alkylalkanoic acid, s alkanedioic acid and alkanediol, alkanolamine.
P-17-0388A	5	07/08/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymer susbtituted-alkylalkanoic acid, s alkanedioic acid and alkanediol, alkanolamine.

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0398A	12	06/28/2019	Nexus Fuels	(G) Component of complex formulations for blending	(G) Branched Cyclic and Linear Depolymerization.
P-17-0399A	12	06/28/2019	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic Co Depolymerization.
P-17-0400A	6	07/08/2019	CBI	(G) Rubber products	(G) Terpolymer of Vinylidene fluoride, 2,3,3,3-Tetrafluoropropene.
P-17-0404A	2	07/17/2019	Arlanxco	(G) Intermediate completely used on site	(G) Nitrile-butadiene-acrylate-terpolymer
P-17-0405A	4	07/03/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester
P-17-0406A	4	07/03/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid ethyl ester
P-17-0407A	3	07/03/2019	CBI	(G) Well performance	(G) halogenated benzoic acid ethyl ester
P-17-0408A	2	07/03/2019	CBI	(G) Well performance	(G) halogenated benzoic acid ethyl ester
P-17-0409A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P-17-0409A	2	06/27/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P-17-0410A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P-17-0411A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P-17-0412A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester
P-17-0414A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0415A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0416A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0417A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0418A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0420A	4	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0421A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0422A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid.
P-17-0423A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid ethyl ester

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0441A	2	06/28/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0442A	2	07/02/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0443A	3	07/02/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0444A	2	07/02/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0445A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0446A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0447A	2	06/27/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0447A	3	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0448A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0449A	2	07/03/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0450A	2	07/03/2019	CBI	(G) Monitor well performance	(G) Halogenated benzoic acid.
P-18-0001A	11	06/27/2019	Nexus Fuels	(G) Additive	(G) Carbon compound derived f
P-18-0003A	5	06/27/2019	ETNA Products, Inc	(S) Lubricant for metal working applications	(G) fatty acids, diesters with dihydroxyalkane.
P-18-0009A	6	07/22/2019	CBI	(G) Lubricant additive	(G) Phosphonic acid, dimethyl e
P-18-0012A	4	07/12/2019	CBI	(G) Adhesives	(G) Polyester polyol.
P-18-0028A	6	06/28/2019	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear h depolymerization.
P-18-0028A	7	07/02/2019	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear h depolymerization.
P-18-0121A	2	07/29/2019	Kyodo Yushi USA, Inc.	(G) Additive for Lubricating Grease	(S) Benzene, 1,1'-oxybis-, branc
P-18-0150A	4	07/18/2019	CBI	(G) Component of an industrial coating	(G) Tertiary amine, compounds aliphatic isocyanate homopolym
P-18-0165	5	07/17/2019	Cabot Corporation	(S) Chemical intermediate	(G) 2,5-Furandione, polymer wi substituted butyl amide, sodium
P-18-0166	5	07/17/2019	Cabot Corporation	(S) Chemical Intermediate	(G) 2,5-Furandione, polymer wi substituted butyl [3-[2-[1- [(2-1 2-oxopropyl]diazenyl]phenyl]su
P-18-0167A	3	07/17/2019	Cabot Corporation	(S) Chemical intermediate	(G) Butanamide, 2-[2-[(substitut methoxyphenyl)-3-oxo-.

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0175A	7	07/29/2019	Hexion, Inc	(S) Food can coating and Non-food contact can coating	(S) Formaldehyde, polymer with phenol, Bu ether.
P-18-0190	2	07/17/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl amide, polymer with trimethylolpropane, sodium salt:
P-18-0191	2	07/17/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl [3-[2-[1-[(substituted 2-oxopropyl]diazenyl]phenyl]methoxy]epichlorohydrin and trimethylolpropane
P-18-0214A	3	07/22/2019	CBI	(G) Curing agent	(G) Polycyclic substituted alkanamine epoxide, and polycyclic epoxide with dialkylamine substituted alkyl amine
P-18-0215A	3	07/22/2019	CBI	(G) Curing agent	(G) Polycyclic alkane, polymer with epoxide ether, reaction products
P-18-0216A	3	07/22/2019	CBI	(G) Curing agent	(G) Polycyclic substituted alkanamine products with cyclicalkylamine substituted amine.
P-18-0223A	2	07/12/2019	Clariant Corporation	(S) Selectivity improver for catalysts used in the production of polyolefins	(G) Alkane, bis(alkoxymethyl)-cyclohexane
P-18-0241A	4	06/27/2019	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-5-ethenylbenzene, ethyl 2-propenoate and 1,2-propanediol reaction products with diethanolamine alkyl acrylate, formates (salts).
P-18-0242A	4	06/27/2019	CBI	(S) Withdrawn	(S) Substance withdrawn.
P-18-0243A	4	06/27/2019	CBI	(S) Withdrawn	(S) Substance withdrawn.
P-18-0244A	4	06/27/2019	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-5-ethenylbenzene, ethyl 2-propenoate and 1,2-propanediol reaction products with diethanolamine alkyl methacrylate, formates (salts)
P-18-0245A	4	06/27/2019	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-5-ethenylbenzene, ethyl 2-propenoate, and 1,2-propanediol reaction products with diethanolamine monoacrylate, formates (salts).
P-18-0246A	4	06/27/2019	CBI	(S) Withdrawn	(S) Substance withdrawn.
P-18-0257A	3	07/01/2019	Everris NA, Inc	(S) Inorganic fertilizer	(S) Phosphoric acid, potassium salt
P-18-0267A	3	07/22/2019	CBI	(G) Curing agent	(G) Branched alkanamine acid, epoxide monocyclic dialkylamine and polyamine
P-18-0268A	3	07/22/2019	CBI	(G) Curing agent	(G) Branched alkanamine acid, epoxide monocyclicdialkanamine and polyamine

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0269A	3	07/22/2019	CBI	(G) Curing agent	(G) Branched alkanedioic acid, epoxide, monocyclic alkanamine, polycyclic alcohol epoxy polymer
P-18-0292A	4	07/21/2019	CBI	(G) Use in print resins	(G) alkanediol, polymer with 5-iodo-1,3,3-trimethylcyclohexane, alkyl
P-18-0300A	2	02/08/2019	CBI	(S) Additive for automatic dishwashing detergent	(G) Heteromonocycle, alkenedioic methyl-1-oxo-2-propen-1-yl- and methyl-alkenedioic acid.
P-18-0334A	2	07/12/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 1,3-dihex
P-18-0335A	2	07/12/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 1,3-dicyc
P-18-0336A	2	06/26/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h
P-18-0336A	3	07/01/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h
P-18-0337A	2	06/26/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h ester.
P-18-0337A	3	07/01/2019	Sirrus, Inc	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h ester.
P-18-0341A	4	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polyalkyl polyglycol, alkyl dialcohol
P-18-0341A	5	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polyalkyl polyglycol, alkyl dialcohol
P-18-0341A	6	07/30/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polyalkyl polyglycol, alkyl dialcohol
P-18-0342A	4	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, and functionalized car
P-18-0342A	5	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, and functionalized car
P-18-0342A	6	07/30/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, and functionalized car
P-18-0343A	4	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, (hydroxy al
P-18-0343A	5	07/02/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, (hydroxy al
P-18-0343A	6	07/30/2019	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, polydialcohol, (hydroxy al
P-18-0344A	4	07/02/2019	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, acid, alkoxylated polyalcohol, a
P-18-0344A	5	07/02/2019	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, acid, alkoxylated polyalcohol, a
P-18-0344A	6	07/30/2019	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, acid, alkoxylated polyalcohol, a
P-18-0394A	3	07/30/2019	CBI	(G) Chemical intermediate	(G) substituted benzylic ether polyderivative.

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0403A	2	07/15/2019	Clariant Plastics & Coatings USA, Inc	(S) Dispersing agent for pigments, paints, and coatings	(S) 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl 2-methyl-2-propenoate.
P-19-0009A	5	07/08/2019	Allnex USA, Inc	(S) The PMN substance is used as a coating resin additive for corrosion protection	(G) Carbonmonocycles, polymers, heteromonocycle and hydro-hydroxydialkyl-alkanediamine-terminated
P-19-0011	2	07/17/2019	Shin Etsu Silicones of America	(G) Additive to the EPDM rubber compounds	(G) Polysulfides, bis[3-(trialkoxysilyl)propyl]-
P-19-0012A	11	06/13/2019	CBI	(S) Resin component for the polyisocyanurate, and resin component in specialty polyurethane kits and systems for aerospace and military applications	(G) Benzenedicarboxylic acid, n-butyl 4-isobenzofurandione and diethyl 4-isobenzofurandione
P-19-0024A	5	07/02/2019	Sales and Distribution Services, Inc	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water. Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride, water, Trimethoxy(propyl) silane, Tetraethyl orthosilicate and ethyl

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment	
P-19-0024A	6	07/03/2019	Sales and Distribution Services	<p>(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water;</p> <p>Waterproofing Application: The PMN substance is expected to be used in waterproofing of building materials, including cementitious material, masonry, concrete, plaster, bricks, etc. It is initially intended to be used at a maximum of 5 sites by trained commercial applicators. The PMN substance is modification of a quaternary silane compound by a hydrolysis reaction with other silanes to make it an oligomeric compound. These quaternary silane products have been</p>	(S) 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride, water, Trimethoxy(propyl) silane, Tetraethyl orthosilicate and etha

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				manufactured and marketed for waterproofing uses for over 35 years. The solution of PMN substance in water is applied as a waterproofing sealer for building materials by spray application; Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment	
P-19-0034A	5	07/26/2019	CBI	(G) Contained use as a component of tires	(G) Metal, bis(2,4-pentanedione)
P-19-0037A	2	07/11/2019	CBI	(G) Chemical intermediate	(G) D-Glucaric acid, mixed alkali
P-19-0051A	6	07/29/2019	CBI	(G) UV curable inks	(G) 1,3-Propanediamine, N1,N1 glycol ether with alkyltriol (3:1) alkylene glycol monoacrylate et
P-19-0058	2	07/08/2019	Essential Industries, Inc	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-1-yl)oxy]ethyl ester, polymer with ethenylbenzene, methyl 2-methyl-2-propenoic acid, ammonium salt
P-19-0059	3	07/30/2019	Essential Industries, Inc	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-1-yl)oxy]ethyl ester, polymer with ethenylbenzene, 1,1'-[(1-methyl-ethanediyl)] di-2-propenoate, or 2-methyl-2-propenoic acid, ammonium salt
P-19-0064A	3	07/11/2019	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl-2-(chloromethyl)oxirane, 1,4-bis(butyl 2-methyl 2-propenoate, ethyl 2-propenoate, reaction products
P-19-0077A	3	07/10/2019	CBI	(G) Agricultural	(G) alkenylamide.
P-19-0077A	4	07/11/2019	CBI	(G) Agricultural	(G) alkenylamide.
P-19-0088A	2	07/17/2019	CBI	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxy(1:?)

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0095A	4	06/28/2019	CBI	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanoate.
P-19-0099A	3	07/10/2019	Essential Industries, Inc	(S) Clear coat for wood	(S) Propanoic acid, 3-hydroxy-2 with dimethyl carbonate, 1,2-eth 2-(hydroxymethyl)-1,3-propanediol methylenebis[4-isocyanatocyclo diethylethanamine.
P-19-0101A	5	07/16/2019	CBI	(G) Monitor well performance	(G) Halogenated alkylbenzoic acid
P-19-0111	2	07/01/2019	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Dibenzothienophenium, aryl (triheterosubstitutedalkyl)alkoxide
P-19-0117A	4	07/18/2019	CBI	(G) Additive	(G) Polycyclic amine, reaction product of polymers.
P-19-0118A	2	07/02/2019	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepolymer.
P-19-0121	2	07/11/2019	H.B. Fuller Company	(S) Industrial adhesives	(G) Plant based oils, polymer with isocyanatobenzene], pentaerythritol glycol and polypropylene glycol
P-19-0122	1	06/28/2019	CBI	(G) Reactant monomer in a polymer for industrial use	(G) Alkylamidoethyl acrylate.
P-19-0123	1	06/28/2019	CBI	(G) Reactant monomer in a polymer for industrial use	(G) Alkylamidoethyl acrylate.
P-19-0124	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester
P-19-0124A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester
P-19-0125	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester
P-19-0125A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0126	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of N-(alkenyldialkylsilyl)-1,1-dialkylhydrazine
P-19-0126A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of N-(alkenyldialkylsilyl)-1,1-dialkylhydrazine
P-19-0127	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester (trialkoxysilyl)carbomonocycle.
P-19-0127A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester (trialkoxysilyl)carbomonocycle.
P-19-0128	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester N-(trialkylsilyl)silanamine.
P-19-0128A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester N-(trialkylsilyl)silanamine.
P-19-0129	1	06/28/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester
P-19-0129A	2	07/11/2019	SEFA Group, Inc	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants	(G) Ashes (residues), reaction product of silicic acid (H4SiO4) tetra-Et ester
P-19-0130	2	07/08/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalene: diazotized[(aminophenyl)sulfonate] diazotized amino[[(sulfoxy)ethyl] salts.
P-19-0130A	3	07/11/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalene: diazotized[(aminophenyl)sulfonate] diazotized amino[[(sulfoxy)ethyl] salts.
P-19-0131	2	07/17/2019	CBI	(G) Additive for horizontal oil drilling	(G) Isoalkylaminium, N-isoalkyl
P-19-0132	1	07/15/2019	Allnex USA, Inc.	(S) Adhesion-enhancing resin for wood applications	(G) Fatty acid, polymer with alkyl acid, oxo alkyl ester, substituted alkanediol, and alkylol substituted

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0133	1	07/18/2019	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Heterotrisubstituted-bile acid trifluoroethyl ester, ion(1-), (5)-,
P-19-0136	1	07/23/2019	CBI	(S) Intermediate	(G) iso-alkylamine, N-isoalkyl-1
P-19-0138	2	07/25/2019	CBI	(G) Intermediate	(G) Perfluorodioxalkanoyle fluo
P-19-0139	1	07/26/2019	CBI	(G) Intermediate	(G) Perfluoro-2-methyl-trioxaall
P-19-0140	1	07/29/2019	CBI	(G) Intermediate	(G) Perfluorodioxalkyl vinyl et
SN-19-0004A	5	06/07/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke.
P-16-0207A	2	07/25/2019	CBI	(G) Additive for electrolyte solution	(G) Spiro Tetrafluoroborate
P-16-0225A	4	08/06/2019	CBI	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(G) Alkylene-substituted propox
P-16-0442A	5	07/31/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated alkanediol, substituted alkylprop substituted isocyanatocycloalkar
P-16-0443A	5	07/31/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated disubstituted amine, alkanediol, alkanedioic acid and substituted alkylamine
P-16-0444A	5	07/31/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated alkanediamine, alkanediol, substituted alkanedioic acid and substituted alkylamine
P-16-0445A	5	07/31/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated substituted alkanediamine, alkanedioic acid and substituted alkylamine
P-16-0570A	5	08/02/2019	Emery Oleochemicals	(S) Aromatic polyester polyol for rigid foam	(G) Aromatic Polyester Polyol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0115A	3	08/07/2019	CBI	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P-17-0295A	2	08/08/2019	CBI	(S) Refrigerant used in closed systems for (i) chillers (commercial comfort air conditioners); and (ii) industrial process refrigeration.	(G) Hydrochlorofluoroolefin
P-17-0395A	5	08/01/2019	CBI	(G) Water treatment additive	(G) Alkyl tri dithiocarbamate tri s
P-17-0405A	5	08/15/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid et
P-17-0406A	5	08/15/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid etl
P-17-0407A	4	08/15/2019	CBI	(G) Well performance	(G) halogenated benzoic acid etl
P-17-0408A	3	08/15/2019	CBI	(G) Well performance	(G) halogenated benzoic acid etl
P-17-0409A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0410A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0411A	3	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid etl
P-17-0412A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0415A	4	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0416A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0417A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0418A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0420A	5	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0421A	4	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0422A	4	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0423A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0441A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0442A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0443A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0444A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0445A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0446A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0447A	4	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0448A	3	08/15/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0449A	3	08/15/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoat
P-17-0450A	3	08/15/2019	CBI	(G) Monitor well performance	(G) Halogenated benzoic acid
P-18-0068A	3	08/14/2019	CBI	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate
P-18-0075A	2	08/21/2019	CBI	(S) Precursor component to make an optical convertor in the next step of manufacturing	(G) Saturated fatty acid, reactor sulfide, alkylamine and polymer
P-18-0084A	6	08/07/2019	ShayoNano USA, Inc.	(S) Additive for paints and coatings	(S) silicon zinc oxide
P-18-0190A	3	08/07/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl amide, polymer trimethylolpropane, sodium salt
P-18-0190A	4	08/14/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl amide, polymer trimethylolpropane, sodium salt
P-18-0191A	3	08/07/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl [3-[2-[1-[(substituted 2-oxopropyl)diazanyl]phenyl]methyl]epichlorohydrin and trimethylolpropane
P-18-0191A	4	08/14/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl [3-[2-[1-[(substituted 2-oxopropyl)diazanyl]phenyl]methyl]epichlorohydrin and trimethylolpropane
P-18-0273	1	08/07/2018	CBI	(G) Plasticizer/softener in PVC manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid
P-18-0281A	2	08/22/2019	CBI	(G) Electrolyte additive.	(G) Cyclic sulfate
P-18-0292A	5	08/23/2019	CBI	(G) Use in print resins	(G) alkanediol, polymer with 5-iodo-1,3,3-trimethylcyclohexane, alkyl

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0295A	4	08/09/2019	CBI	(G) Ingredient in the manufacture of consumer cleaning products,(G) Use as monomer in the manufacture of resins for use in paint and coating products.,(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.	(S) 1,3-Butanediol, (3R)-
P-18-0310A	2	08/07/2019	Chitec Technology Co., Ltd.	(G) Polymer additive	(S) Benzenepropanoic acid, 3-(2-dimethylethyl)-4-hydroxy-, 2,2-
P-18-0318A	2	08/20/2019	Gelest	(S) Surface treatment for added lubricity and anti-static properties and research	(S) 1-Octadecanaminium, N,N-c chloride
P-18-0351A	2	08/11/2019	CBI	(G) UV curable inks	(G) Acrylic acid, tricyclo alkyl e
P-18-0384A	3	08/06/2019	Sigma-Aldrich CO LLC	(S) Starting material for manufacture of 6Lithium chloride scintillation crystals for use in radiation detection.	(S) Lithium 6
P-18-0403A	3	08/15/2019	Clarion Plastics & Coatings USA Inc.	(S) Dispersing agent for pigments, paints, and coatings.	(S) 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl 2-methyl-2-propenoate
P-19-0047A	2	07/31/2019	CBI	(S) Binder for Thermoplastic Coatings and Ink/Adhesive	(S) Propanoic acid, 3-hydroxy-2 with 5-amino-1,3,3-trimethylcyc w-hydroxypoly(oxy-1,4-butanec w-hydroxypoly[oxy(methyl-1,2-1-(isocyanatomethyl)-1,3,3-trimethylenebis[4-isocyanatobenz and w = omega

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0047A	3	08/20/2019	CBI	(S) Binder for Thermoplastic Coatings and Ink/Adhesive	(S) Propanoic acid, 3-hydroxy-2 with 5-amino-1,3,3-trimethylcyclohexylw-hydroxypoly(oxy-1,4-butanediol)w-hydroxypoly[oxy(methyl-1,2-1-(isocyanatomethyl)-1,3,3-trimethylenebis[4-isocyanatobenzene]oxy)] and w = omega
P-19-0055A	2	08/13/2019	Rahn USA Corp.	(S) The PMN is solely used as a photo initiator within UV curable coating/ink formulations. This photo initiator is starting the polymerization process during the UV curing process of the formulation. The curing is achieved by UV light only, no heat is applied. After curing, the PMN substance is no longer available for exposure or release.	(S) 1,3-propanediol, 2-ethyl-2-(1-oxirane, 4-(dimethylamino)benzyl
P-19-0059A	4	08/06/2019	Essential Industries Inc.	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-1-yl)oxy]ethyl ester, polymer with ethenylbenzene, 1,1'-[(1-methylethanediyloxy)] di-2-propenoate, or 2-methyl-2-propenoic acid, amine
P-19-0077A	5	08/07/2019	CBI	(G) Agricultural	(G) alkenylamide
P-19-0077A	6	08/08/2019	CBI	(G) Agricultural	(G) alkenylamide
P-19-0078A	3	08/19/2019	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) Substitutedheterocyclic onium trifluoro-1-(sulfomethyl)-1-(trifluoro-2-propen-1-yl)oxy]tricyclo[3.3.1] polymer with acenaphthylene, 1-ethylcyclopentyl]oxy]benzene and diazenediyl]bis[2-methylpropan
P-19-0079A	2	08/19/2019	SHIN-ETSU MICROSI	(G) Contained use for microlithography for electronic device manufacturing	(G) substituted heterocyclic onium trifluoro-1-(sulfomethyl)-1-(trifluoro-2-propen-1-yl)oxy]tricyclo[3.3.1] polymer with acenaphthylene, 1-methylethyl)cyclopentyl]oxy]benzene and 2,2'-(1,2-diazenediyl]bis[2-meth
P-19-0085A	2	08/05/2019	Neste oil US, Inc.	(G) The PMN substance will be used as a functional fluid in electrical equipment.	(G) Aliphatic hydrocarbons, C10

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0086A	4	08/14/2019	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium alkylbenzoate
P-19-0087A	4	08/14/2019	CBI	(G) Monitor oil-and-gas well performance	(G) Halogenated Sodium alkylbenzoate
P-19-0089A	6	08/14/2019	CBI	(G) Well performance tracer	(G) Halogenated sodium alkylbenzoate
P-19-0090A	4	08/14/2019	CBI	(G) Well performance tracer	(G) Halogenated sodium benzoate
P-19-0091A	4	08/14/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P-19-0092A	3	08/14/2019	CBI	(G) Tracer of well performance	(G) Halogenated alkylbenzoic acid
P-19-0093A	4	08/14/2019	CBI	(G) Tracer for well performance	(G) Halogenated benzoic acid
P-19-0095A	5	08/16/2019	CBI	(G) Consumer Disposables, Polymer Sheet, and Durable Goods	(G) Poly hydroxy alkanoate
P-19-0097A	5	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0100A	6	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0101A	6	08/14/2019	CBI	(G) Monitor well performance.	(G) Halogenated alkylbenzoic acid
P-19-0102A	4	08/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0103A	3	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkyl benzoic acid
P-19-0104A	5	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0105A	4	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, ester
P-19-0106A	4	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0107A	4	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0108A	4	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0110A	4	08/14/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, ester
P-19-0113A	4	08/23/2019	CBI	(G) Flow cell additive	(G) metal oxide-chloro
P-19-0119A	2	07/25/2019	ZSCHIMMER & SCHWARZ	(S) Foaming additive used in building/construction,	(S) Poly(oxy-1,2-ethanediyl), alkyl branched alkyl ethers, sodium salt

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				exposure would only occur during loading of finished product. Product application is used in closed system with very low possibility for exposure. To be used on construction sites.	
P-19-0137	2	08/08/2019	CBI	(G) Component in lubricants	(G) Alkyl oligomeric reaction pr
P-19-0137A	3	08/19/2019	CBI	(G) Component in lubricants	(G) Alkyl oligomeric reaction pr
P-19-0142	1	07/31/2019	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Heteropolycycle, aromatic-, carbopolycycle carboxylate (1:1
P-19-0143	1	08/02/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mix alkanediylbis(oxyalkylene)] bis[4,4'-(1-alkylidene)bis[phenol], 2 alkyleneoxyalkylene)]bis[oxiran acetate (salt)
P-19-0143A	2	08/08/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mix alkanediylbis(oxyalkylene)] bis[4,4'-(1-alkylidene)bis[phenol], 2 alkyleneoxyalkylene)]bis[oxiran acetate (salt)
P-19-0144	1	08/05/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. arylalcohol disubstituted alkane-disubstituted alkane -epichlorohy alkylidene)bis[4,1-aryleneoxy(al alkanediyl)oxyalkylene)]bis[oxi [2-[(2-aminoalkyl)amino]alkyl]ε products
P-19-0144A	2	08/08/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. arylalcohol disubstituted alkane-disubstituted alkane -epichlorohy alkylidene)bis[4,1-aryleneoxy(al alkanediyl)oxyalkylene)]bis[oxi [2-[(2-aminoalkyl)amino]alkyl]ε products
P-19-0145	2	08/15/2019	ARC Products, Inc.	(S) Oil Field Drilling fluid additive.	(G) 1,2-Ethanediamine, N1-(2-aminoethyl)amino]ethyl]-polymr compd. with haloalkane

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0146	2	08/13/2019	CBI	(G) Reagent used to introduce deuterium to the substrate chemical.	(G) Modified dimethyl sulfoxide
P-19-0147	1	08/16/2019	CRODA INC.	(G) Cleaning additive	(G) alkoxyated butyl alkyl ester
P-19-0148	1	08/22/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid-2-oxoacetic acid rea
P-19-0149	1	08/22/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid potassium salt (1:1)-products, potassium salts
P-19-0150	1	08/22/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid-2-oxoacetic acid rea
P-19-0151	1	08/22/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid sodium salt (1:1)-so products, sodium salts
P-19-0152	2	08/27/2019	UBE AMERICA INC.	(G) Pre-polymer for polyurethane roll covers	(G) alkaneic acid, dialkyl ester p [(isocyanatocarbomonocycle)alk
P-19-0153	2	07/25/2019	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabro
SN-19-0004A	6	08/12/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
SN-19-0004A	7	08/14/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) Pitch coke
J-19-0026	1	09/18/2019	CBI	(G) Production of Biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
J-19-0027	1	09/18/2019	CBI	(G) Production of Biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
P-16-0053A	2	09/03/2019	CBI	(G) Printing ink applications	(G) Acrylated polycarbonate pol
P-16-0225A	5	09/16/2019	International Flavors & Fragrances Inc	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar	(S) isomer mixture of Cyclohexa 1631145-48-6) (35-45%) and Cy (CAS 1631145-49-7) (45-55%)

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				industrial, household and consumer products.	
P-16-0225A	6	09/16/2019	International Flavors & Fragrances Inc.	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners, air fresheners, candles and other similar industrial, household and consumer products.	(S) isomer mixture of Cyclohexyl (CAS 1631145-48-6) (35-45%) and Cyclohexyl (CAS 1631145-49-7) (45-55%)
P-16-0410A	5	09/18/2019	CBI	(G) Automotive engine fluid additive	(G) Silicophosphonate - sodium
P-16-0438A	14	05/27/2019	CBI	(S) Intermediate for pesticide inert	(S) 3-Butenenitrile, 2-(acetyloxy
P-16-0442A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated alkanediol, substituted alkylpropyl substituted isocyanatocycloalkane
P-16-0443A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated disubstituted amine, alkanediol, alkanedioic acid and substituted alkylamine
P-16-0444A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated alkanediamine, alkanediol, substituted alkanedioic acid and substituted alkylamine
P-16-0445A	6	09/04/2019	CBI	(G) Polymer for coatings	(G) Carboxylic acids, unsaturated substituted alkanediamine, alkanedioic acid and substituted alkylamine
P-16-0509A	11	03/26/2019	CBI	(G) For packaging application, and Resin or film/sheet for the industrial use	(G) Modified ethylene-vinyl alcohol
P-16-0541A	5	08/21/2019	Specialty Organics, Inc.	(S) Adhesive for wood particle/chip/fiberboard.	(S) Soybean meal, reaction product
P-17-0003A	10	09/03/2019	CBI	(G) Printing ink applications	(G) Styrene(meth)acrylate copolymer with (meth)acrylic acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0016A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k peroxide initiated
P-17-0017A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k peroxide initiated
P-17-0018A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k Azobis[aliphatic nitrile] initiatec
P-17-0019A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k peroxide initiated
P-17-0020A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k peroxide initiated
P-17-0021A	6	09/03/2019	CBI	(G) Polymer for coatings	(G) hydroxyl alkyl acrylate ester vinyl monomer, cycloaliphatic k Azobis[aliphatic nitrile] initiatec
P-17-0026A	4	09/03/2019	CBI	(G) Industrial Ink printing applications	(G) Cycloaliphatic diamine, polyhydroxypoly(oxy-alkanediyl), .a alkanediyl), and cycloaliphatic d
P-17-0086A	3	09/10/2019	CBI	(G) Perfume	(G) Cycloalkyl, bis(ethoxyalkyl), Cycloalkyl, bis(ethoxyalkyl)-, ci
P-17-0121A	5	09/04/2019	CBI	(S) Polyurethane used in an adhesive	(G) Methylene Diphenyl Diisoc
P-17-0152A	4	08/29/2019	CBI	(G) Additive in home care products	(G) Poly-(2-methyl-1-oxo-2-pro N,N,N-trialkyl, chloride and me
P-17-0160A	3	09/03/2019	CBI	(G) Binder	(G) 2-Propenoic acid, alkyl-, alk 2-propenoate, dialkyloxoalkyl-2
P-17-0161A	3	09/03/2019	CBI	(G) Binder	(G) 2-Propenoic acid, alkyl-, alk 2-propenoate, dialkyloxoalkyl-2 alkyl 2-propenoate
P-17-0184A	5	09/12/2019	Colonial Chemical, Inc.	(S) Firefighting foams, Personal Care Products, Shampoos, Conditioners, Facial Washes, Transportation Washes, and Industrial All-Purpose Cleaners	(S) 1-Propanaminium, 2-hydrox amino]propyl]-3-sulfo-, inner sa
P-17-0200A	5	09/16/2019	CBI	(S) Monomer for use to manufacture of a high performance polymer.	(G) 1,3-bis(substitutedbenzoyl)t

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0204A	5	09/16/2019	CBI	(S) Monomer for high performance polymer.	(G) 1,4-bis(substitutedbenzoyl)benzene
P-17-0205A	6	09/16/2019	CBI	(S) Monomer for high performance polymer and, (G) A-n process reagent.	(G) bis(fluorobenzoyl)benzene
P-17-0207A	5	09/03/2019	CBI	(G) Paint	(G) 2-alkenoic acid, 2 alkyl, 2 alkenoate, carbomonocycle, alkyl peroxide initiated
P-17-0233A	3	09/23/2019	Solenis LLC	(S) Creping Aid for Yankee Dryers to manufacture tissue and towel paper	(G) Oxyalkylene modified poly(2-(chloromethyl)oxirane
P-17-0298A	3	09/06/2019	GE Water & Process Technologies	(S) The notified substance is described as a hydrogen sulfide scavenger used in controlling hydrogen sulfide in the vapor space of fuel storage, shipping vessels and pipelines. It is designed to reduce the health, safety and environmental hazards of handling fuels containing H2S. The substance reacts selectively with (neutralizes) and removes H2S to help meet product and process specifications.	(S) Formaldehyde, homopolymer 1-propanamine
P-17-0329A	10	09/05/2019	CBI	(G) Intermediate used in synthesis	(G) Substituted haloaromatic triol
P-17-0346A	10	09/12/2019	CBI	(G) Destructive use	(G) Propyl Phosphonium Salt
P-17-0347A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer ether
P-17-0348A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer ether
P-17-0349A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer ether
P-17-0350A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer decyltetradecyl) ether

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0351A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer dodecylhexadecyl ether
P-17-0352A	4	09/12/2019	Sasol Chemicals (USA) LLC	(G) Oilfield Surfactant	(S) Oxirane, 2-methyl-, polymer tetradecyloctadecyl ether
P-17-0387A	6	09/03/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymer substituted-alkylalkanoic acid, s alkanedioic acid and alkanediol, alkanolamine
P-17-0388A	6	09/03/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymer substituted-alkylalkanoic acid, s alkanedioic acid and alkanediol, alkanolamine
P-17-0398A	11	03/21/2019	Nexus Fuels	(G) Wax- Component of complex formulations for blending	(G) Branched Cyclic and Linear Depolymerization
P-17-0398A	13	08/22/2019	Nexus Fuels	(G) Component of complex formulations for blending	(G) Branched Cyclic and Linear Depolymerization
P-17-0399A	11	03/21/2019	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic C Depolymerization
P-17-0399A	13	08/22/2019	Nexus Fuels	(G) Stock use	(G) Alkane, Alkene, Styrenic C Depolymerization
P-18-0001A	10	03/21/2019	Nexus Fuels	(G) Additive	(G) Carbon compound derived f
P-18-0001A	12	08/23/2019	Nexus Fuels	(G) Additive	(G) Carbon compound derived f
P-18-0012A	5	09/18/2019	CBI	(G) Adhesives	(G) Polyester polyol
P-18-0018A	5	09/03/2019	Kyodo Yushi USA, Inc.	(G) Lubricant	(G) Fluorinated acrylate, polymonoether with alkanediol mono 2-ethylhexaneperoxoate-initiate
P-18-0021A	3	09/03/2019	CBI	(G) Paint	(G) Dicarboxylic acids, polymer alkendiyl), 3-hydroxy-2-(hydrox 5-substituted-1-(substituted alkyl alkanediol, alkane-triol, alcohol aminoalcohol
P-18-0028A	8	08/23/2019	Nexus Fuels	(G) Feedstock, blending	(G) Branched cyclic and linear h depolymerization
P-18-0049A	7	09/20/2019	CBI	(G) Coating component/processing aid	(G) Mixed metal halide
P-18-0056A	8	09/26/2019	CBI	(S) Rubber Adhesion promoter. Use in the manufacturing process of tires. The PMN chemical improves the bonding of	(S) Cobalt Neodecanoate Propio

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				rubber to metal; acts as an oxygen scavenger in various applications.	
P-18-0061A	4	08/29/2019	CBI	(G) Industrial coating hardners	(G) Alkyl methacrylates, polym hydroxyalkyl acrylates, novalac with organic amines
P-18-0063A	2	09/17/2019	Ethox Chemicals, LLC	(G) This material is used as a lubricant additive for applications such as stamping, forming, cutting, drilling, or otherwise working metals.	(G) alcohol alkoxylate phosphat
P-18-0074A	3	08/21/2019	CBI	(S) A precursor used in the synthesis of quantum dots that are used as a component to make an optical down converter, and, Component in an optical down converter	(G) Saturated fatty acid, reactor sulfide and polymeric amine
P-18-0076A	2	09/03/2019	CBI	(G) Plastic additive	(G) 1,3,5-Triazine-2,4-Diamine
P-18-0084A	7	08/14/2019	ShayoNano USA, Inc.	(S) Additive for paints and coatings	(S) silicon zinc oxide
P-18-0105A	2	09/19/2019	Reagens USA Inc.	(S) This product is used in rigid and flexible PVC processing as a booster of PVC stabilisers. It improves long term stability, initial colour and the weathering performance of end products.	(S) Phosphorous acid, triisotride
P-18-0109A	3	08/30/2019	CBI	(G) Additive, open, non-dispersive use	(G) 2-Alkenoic acid, 2-alkyl-, al 2-(dialkylamino)alkyl 2-alkyl-2- and ζ-(2-alkyl-1-oxo-2-alken-1-yl) [(1-alkoxy-2-alkyl-1-alken-1-yl)]
P-18-0144A	4	09/05/2019	CBI	(G) Curing agent	(G) Formaldehyde, polymer with
P-18-0144A	5	09/18/2019	CBI	(G) Anti-corrosive primer for outdoor industrial applications	(G) Formaldehyde, polymer with
P-18-0152A	3	07/05/2018	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized
P-18-0154A	7	09/03/2019	CBI	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylene alkanol and 1-alkoxy alkanol an
P-18-0155A	4	05/03/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl alkyl acrylamide sulfonate salt

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0155A	5	05/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamide sulfonate salt
P-18-0155A	6	08/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamide sulfonate salt
P-18-0156A	4	05/03/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamide sulfonic acid
P-18-0156A	5	05/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamide sulfonic acid
P-18-0156A	6	08/06/2019	CBI	(G) Component in cement	(G) Crosslinked polymer of alkyl acrylamide sulfonic acid
P-18-0160A	3	02/20/2019	CBI	(G) Coating component	(G) Heteropolycyclic, halo substituted carbomonoaromatic heteropolycyclic, tetraaromatic
P-18-0170A	6	05/23/2018	CBI	(G) Textile treatment	(S) 1-Propanaminium, N,N'-(oxymethylene)-2-hydroxy-N,N-dimethyl-, dihydrochloride
P-18-0172A	10	04/04/2019	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate complex
P-18-0172A	11	06/25/2019	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate complex
P-18-0172A	12	08/21/2019	CBI	(S) Category of use: by function and application i.e. a dispersive dye for finishing polyester fibers)	(S) Calcium, carbonate 2-ethylhexanoate complex
P-18-0192A	3	09/12/2019	Archroma U.S., Inc.	(S) Optical brightener for use in paper applications.	(G) Benzenesulfonic acid, (alkyl(phenylamino)-triazin-2-yl)aminium salts, with polyalkyl-substituted
P-18-0197A	3	09/04/2019	CBI	(G) Polymer composite additive	(G) Metal, alkylcarboxylate oxo
P-18-0202A	5	06/21/2018	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with
P-18-0202A	6	05/23/2019	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with
P-18-0203A	5	06/21/2018	Hexion Inc	(G) Tackifier additives and Rubber additive	(G) Trialkyl alkanal, polymer with
P-18-0203A	6	05/23/2019	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer with
P-18-0204A	5	06/21/2018	Hexion Inc	(G) Tackifier additive and Rubber additive	(G) Alkyl alkanal, polymer with
P-18-0204A	6	05/23/2019	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Alkyl alkanal, polymer with

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0205A	5	06/21/2018	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkyl alkanal, polymer with
P-18-0205A	6	05/23/2019	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkyl alkanal, polymer with
P-18-0206A	5	06/21/2018	Hexion Inc	(G) Rubber additive and Tackifier	(G) Alkanal, polymer with phen
P-18-0206A	6	05/23/2019	Hexion Inc	(G) Rubber additive and Tackifier additive	(G) Alkanal, polymer with phen
P-18-0207A	4	09/04/2019	CBI	(G) Polymer composite additive	(G) Metal, oxo alkylcarboxylate
P-18-0223A	3	09/14/2019	Clariant Corporation	(S) Selectivity improver for catalysts used in the production of polyolefins.	(G) Alkane, bis(alkoxymethyl)-c
P-18-0234A	5	05/31/2019	CBI	(G) Coating component	(G) Alkenoic acid, reaction prod ether polyol
P-18-0237A	8	07/13/2019	CBI	(G) Use in print resins	(G) Alkanediol, polymer with 5-1,3,3-trimethylcyclohexane, alky dialkylheteromonocycle-blockec
P-18-0256A	3	09/19/2019	CBI	(G) Solvent and Chemical intermediate	(S) Undecanol, branched
P-18-0262A	5	09/16/2019	Seppic	(S) Function: Stabilizer of suspensions Applications: Detergency	(S) 2-Propenoic acid, 2-methyl-, ammonium 2-methyl-2-[(1-oxo-1-propanesulfonate (1:1), N,N-d (2-methyl-1-oxo-2-propen-1-yl)-ethanediyl)
P-18-0287A	6	02/11/2019	CBI	(G) Company plans to produce “tires, wastes, pyrolyzed, condensate oil fraction” (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0287A	7	02/28/2019	CBI	(G) Company plans to produce “tires, wastes, pyrolyzed, condensate oil fraction” (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires
P-18-0287A	8	05/22/2019	CBI	(G) Company plans to produce “tires, wastes, pyrolyzed, condensate oil fraction” (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials. The synthetic oil fraction from tire waste pyrolysis can be used in a variety of industries. Some examples of use of synthetic oil include use as a fuel, upgraded for use as a higher quality fuel, as an additive for asphalt or other complex mixtures, used to manufacture other chemicals, etc.	(G) Synthetic oil from tires
P-18-0289A	3	02/15/2019	CBI	(G) Gas scrubbing, landfill deodorizing, and wastewater deodorizing	(G) 2-(2(methylcaboxymonocyc
P-18-0290A	3	02/15/2019	CBI	(G) Gas scrubbing, Landfill odor neutralizing, and wastewater deodorizing	(G) Carbomonocyclic-oxazolidin

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0293A	4	08/02/2019	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0293A	5	08/06/2019	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0294A	4	08/02/2019	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, and formulated industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0294A	5	08/06/2019	CBI	(S) Monomer for use in emulsion polymers,(S) Monomer for use in formulated industrial coatings,(S) Monomer for use in formulated industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0295A	5	08/22/2019	CBI	<p>(G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins for use in paint and coating products.</p> <p>(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.</p>	(S) 1,3-Butanediol, (3R)-

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0295A	6	09/25/2019	CBI	<p>(G) Ingredient in the manufacture of consumer cleaning products and use as monomer in the manufacture of resins for use in paint and coating products.</p> <p>(S) Use as a monomer in the manufacture of plastic products. In this process the notified substance is reacted with one or more other compounds to become part of a polymer. Depending on the reactants involved, the final polymer can be a resin used to make molded plastic products or the final polymer can be a shorter polymer used as a plasticizer.</p>	(S) 1,3-Butanediol, (3R)-
P-18-0323A	4	09/20/2019	KURARAY America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-,
P-18-0327A	5	09/18/2019	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P-18-0336A	4	07/12/2019	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hy
P-18-0337A	4	07/12/2019	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(hy
P-18-0358A	2	10/18/2018	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process during the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitr
P-18-0358A	3	10/18/2018	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to	(S) 1H-Imidazole-1-propanenitr

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				expedite the hardening process during the final thermosetting operation and as a curing agent in industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation	
P-18-0374A	4	09/05/2019	Evonik Corporation	(S) Additive in a water-borne coating formulation, Glass fiber sizing, and Fillers, pigments and glass bead treatment	(G) Cationic aminommodified alk
P-18-0378A	4	08/29/2019	CBI	(G) Industrial coatings additive	(G) Acrylic and Methacrylic acialkenylimidazole, alkyl polyalkylalkylbenzeneperoxoic acid esterDialkylaminoalkanol
P-18-0392A	2	08/22/2019	CBI	(G) Intermediate chemical	(G) Heteromonocycle, alkenyl a
P-18-0392A	3	09/13/2019	CBI	(G) Intermediate chemical	(G) Heteromonocycle, alkenyl a
P-18-0399A	6	09/12/2019	CBI	(G) Open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer ethanolamine
P-18-0400A	6	08/30/2019	CBI	(G) Open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer
P-18-0404A	7	09/25/2019	CBI	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy formulation. The intended use is the manufacture of wind turbine blades. During manufacture of the blades this substance forms part of the in mold coating system which is applied to the blade mold and further laminated with glass (or carbon) reinforced fibres (GRP). The manufactured structure is then “cured’	(G) alkylmultiheteroatom,2-func polymer with alkylheteroatom-n carbomonocycleheteroatom and r polyalkylene glycol.

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				using heat and a chemical reaction occurs forming a solid composite structure. The PMN substance is reacted during the cure process into the solid plastic matrix and therefore not present in the finished cured part. Use of this product will enhance the life of renewable energy source provided by wind turbines therefore contributing to the reduction in fossil fuel usage.	
P-18-0414A	2	09/06/2019	CBI	(G) Lubricant additive	(G) 2-alkenoic acid ester, polym oxirane di-alkenoate, alkyloxirane alkenoate, -(2-alkyl-1-oxo-2-alk 1-yl)oxy]poly(oxyalkanediyl), fl siloxanylalkanoate, alkylperoxo:
P-19-0024A	7	07/25/2019	Sales and Distribution Services, Inc.	(S) Hot Mix Asphalt Application: The PMN compound will be used as asphalt additive for hot mix (HMA) as well as cold mix (CMA) asphalt applications. The PMN substance chemically reacts with the surface of the aggregate and changes surface characteristics of aggregate from hydrophilic to hydrophobic. This change provides stronger bonding between asphalt and aggregates and reduces the potential for stripping away asphalt binder from an aggregate due to water. Asphalt Emulsion Application: The PMN substance is water soluble and can be used as an asphalt	(S) 1-Octadecanaminium, N,N-d N-[3-(trimethoxysilyl)propyl]-, i water, Trimethoxy(propyl) silane Tetraethyl orthosilicate and etha

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				emulsion in road construction. This additive provides better bonding with ground surface, quick drying and reduced tire pickup of the asphalt emulsion by application equipment.	
P-19-0028A	8	05/14/2019	CBI	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts
P-19-0028A	9	08/23/2019	CBI	(G) Lubricating oil additive	(G) Alkyl salicylate, metal salts
P-19-0041A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with bis(halogenated alkyl) ether
P-19-0042A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with bis(halogenated alkyl) ether
P-19-0043A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl dicarboxylic acid, poly and bis(halogenated alkyl) ether
P-19-0044A	2	09/23/2019	CBI	(G) Oil water separation	(G) Alkyl bis(dialkylamino alkyl) ether
P-19-0048A	3	09/16/2019	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), al C12-14-alkyl ethers, phosphates
P-19-0052A	3	05/01/2019	Evonik Corporation	(S) Hard Surface Cleaner and Component of Laundry Detergent	(S) Poly(oxy-1,2-ethanediyl), al and linear
P-19-0058A	3	09/24/2019	ESSENTIAL INDUSTRIES INC	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-1-yl)oxy]ethyl ester, polymer with ethenylbenzene, methyl 2-methyl 2-popenoic acid, ammonium salt
P-19-0065A	5	04/24/2019	eScientia Technologies, LLC	(S) Fire retardant for thermal plastics: Application: This product is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame	(S) 2lambda5, 4lambda5, 6lambda5, 2,2,4,4,6,6 - hexaphenoxy -

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				retardancy can reach UL-94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass cloth laminate, if the HPCTP is 10%, the grade of burning could reach V-0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30-33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3-26.7. If the added amount is 12% in PC/ABS, it could pass the UL-94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	
P-19-0065A	6	06/11/2019	eScientia Technologies, LLC	(S) Fire retardant for thermal plastics: Application: This product is the environmental protection Phosphazene flame retardant. It does not produce pollutants after burning. It is mainly used in PC and ABS resins. It has good flame retardancy on epoxy resin, it can be used to make EMC for IC Packaging, its flame retardancy is much better than Brominated flame retardant. The flame retardancy can reach UL-94V0 grade. Oxygen index could reach 33.1%. When it is used in Benzoxazine Resin glass	(S) 2lambda5, 4lambda5, 6lambda5, 2,2,4,4,6,6 - hexaphenoxy -

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				cloth laminate, if the HPCTP is 10%, the grade of burning could reach V-0 grade, the parallel breakdown voltage is 47KV. When it is used in Polyethylene, the LOI of final flame retardancy polyethylene could reach 30-33. After used in viscose spinning solution, we could get the flame retardant viscose fiber with oxygen index 25.3-26.7. If the added amount is 12% in PC/ABS, it could pass the UL-94 V0 test. It also can be used in LED, powder coating, potting material and polymers.	
P-19-0066A	5	04/24/2019	eScientia Technologies, LLC	(S) Fire retardant	(S) 2lambda5, 4lambda5,- 1,3,5, 2,2,4,4,6,6,-hexaphenoxy
P-19-0066A	6	06/11/2019	eScientia Technologies, LLC	(S) Fire retardant for industry use only	(S) 2lambda5, 4lambda5,- 1,3,5, 2,2,4,4,6,6,-hexaphenoxy
P-19-0071A	4	09/23/2019	CBI	(G) Physical property modifier for polymers	(G) Trimethylolpropane, alkenoi
P-19-0077A	7	09/23/2019	CBI	(G) Agricultural	(G) alkenylamide
P-19-0099A	4	08/29/2019	Essential Industries Inc	(S) Clear coat for wood	(S) Propanoic acid, 3-hydroxy-2 with dimethyl carbonate, 1,2-eth 2-(hydroxymethyl)-1,3-propanec methylenebis[4-isocyanatocyclo diethylethanamine
P-19-0117A	5	09/18/2019	CBI	(G) Additive	(G) Polycyclic amine, reaction p polymers
P-19-0118A	3	08/30/2019	CBI	(G) Component of lubricant	(G) Substituted polyalkylenepol polymer
P-19-0120A	2	08/30/2019	CBI	(G) Component of ink	(G) Alkenoic acid, polymer with bis heteromonocycle, substitutec carbomonocycle, alkali metal sa
P-19-0121A	3	09/24/2019	H.B. Fuller Company	(S) Industrial Adhesives	(G) PLANT BASED OILS, POI METHYLENEBIS[4-ISOCYAN PENTAERYTHRITOL, PHTHA GLYCOL AND POLYPROPYL

Case No.	Version	Received Date	Manufacturer	Use	Chemical
					GLYCEROL (3:1)
P-19-0130A	4	09/16/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalene: diazotized[(aminophenyl)sulfon; diazotized amino[[(sulfooxy)eth salts
P-19-0130A	5	09/20/2019	CBI	(G) Dye	(G) Aminohydroxy naphthalene: diazotized[(aminophenyl)sulfon; diazotized amino[[(sulfooxy)eth salts
P-19-0130A	6	09/20/2019	CBI	(G) dye	(G) Aminohydroxy naphthalene: diazotized[(aminophenyl)sulfon; diazotized amino[[(sulfooxy)eth salts
P-19-0135	3	08/26/2019	CBI	(G) Lubricant Additive	(G) Alkyl polyoxyethylene ether
P-19-0140A	2	09/25/2019	CBI	(G) Intermediate	(G) Perfluorodioxalkyl vinyl et
P-19-0141	3	09/19/2019	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese manganese(2+) salt (4:5)
P-19-0143A	3	09/10/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mix alkanediylbis(oxyalkylene)] bis[4,4'-(1-alkylidene)bis[phenol], 2 alkyleneoxyalkylene)]bis[oxiran acetate (salt)
P-19-0144A	3	09/11/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. arylalcohol disubstituted alkane-disubstituted alkane -epichloroh alkylidene)bis[4,1-aryleneoxy(al alkanediyl)oxyalkylene)]bis[oxi [2-[(2-aminoalkyl)amino]alkyl]; products
P-19-0147A	3	09/09/2019	CRODA INC.	(G) cleaning additive	(G) alkoxyated butyl alkyl ester
P-19-0153A	3	09/24/2019	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabro
P-19-0155	3	09/18/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C1 diethylenetriamine, ethoxylated
P-19-0156	3	09/18/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriam
P-19-0157	3	09/18/2019	Huntsman International	(S) Adjuvant in agrochemical	(S) Amides, from coconut oil an

Case No.	Version	Received Date	Manufacturer	Use	Chemical
			LLC	formulations	
P-19-0158	2	09/16/2019	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with alkyl diol, 1,1'-methylenebis(4-is 3-methyl-1,5-aklydiol
P-19-0158A	3	09/25/2019	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with alkyl diol, 1,1'-methylenebis(4-is 3-methyl-1,5-aklydiol
P-19-0159	2	09/03/2019	CBI	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alky
P-19-0159A	4	09/17/2019	CBI	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alky
P-19-0160	1	09/06/2019	CBI	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-a sodium salt (1:1), polymer with omega-methoxypoly(oxy-1,2-ethyl isocyanatocyclohexane], acrylic products- and polypropylene gly triacrylate-blocked
P-19-0161	1	09/07/2019	CBI	(S) Organic amine salt mixture used as a foaming agent in the production of urethanes.	(G) Alkanol amine salt mixture
P-19-0162	1	09/11/2019	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialk salts
P-19-0163	1	09/19/2019	CBI	(G) Well performance tracer	(G) halogenated sodium benzoat
P-19-0163A	2	09/25/2019	CBI	(G) Well performance tracer	(G) halogenated sodium benzoat
P-19-0164	1	09/20/2019	Allnex USA Inc.	(S) Site limited intermediate for coating resin manufacture.	(G) Bis-alkoxy substituted alkan
P-19-0165	1	09/23/2019	Arboris, LLC	(G) Plasticizer in rubber and Coating in minerals.	(G) Tall oil pitch, fraction, sterol
P-19-0166	1	09/25/2019	Fujifilm Electronic Materials USA Inc.	(G) Photoacid generator (PAG)	(G) Triarylsulfonium alkylesters
P-19-0167	1	09/25/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), al hexanoate
P-19-0168	2	09/26/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic ac
P-19-0169	2	09/26/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0170	1	09/25/2019	CBI	(S) Coupling agent in elastomer-based formulations that will be used in molding operations to manufacture different types of rubber articles including but not limited to rubber tires.	(G) Heteroatom-substituted alkyl with methylated formaldehyde-r
P-19-0175	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0176	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0177	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0178	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0179	1	09/25/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
SN-18-0009A	5	02/11/2019	CBI	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires
SN-18-0009A	6	02/28/2019	CBI	(G) XX plans to produce carbon char from tires pyrolysis using scrap tire materials.	(G) Carbon char from tires
SN-19-0002A	3	04/10/2019	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
SN-19-0002A	4	04/12/2019	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
SN-19-0004A	8	09/13/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(G) pitch coke
SN-19-0004A	9	09/19/2019	CBI	(S) A lubricating agent used in the production of automotive disc brakes	(S) Coke (coal), secondary pitch
J-20-0001	2	10/22/2019	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable.
P-17-0299A	4	10/15/2019	CBI	(G) Paint additive	(G) 2-Propenoic acid, alkyl -, po polyethylene glycol methacrylat
P-17-0360A	2	10/28/2019	Sasol Chemicals (USA) LLC	(G) Surfactant for oil and gas recovery	(S) 2-propanol, 1-amino, compd 1,2-ethanediyl (1:1);(S) 2-propa w-(octyloxy)poly(oxy-1,2-ethan

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0362A	2	10/04/2019	CBI	(G) Industrial flame retardant	(G) Aliphatic phosphoric amide
P-18-0019A	2	10/28/2019	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2-nitrophenyl)amino]carbonyl]-1-yl (1:1)
P-18-0034A	2	09/30/2019	CBI	(S) Polyetheramine carboxylate salt used as a dispersing agent for pigments in industrial paints and coatings	(G) Polyetheramine carboxylate
P-18-0093A	3	10/15/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 1,3,5,7,9,11,13,15-octakis (polyfl
P-18-0094A	3	10/15/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 3,5,7,9,11,13,15-heptakis(polyfl
P-18-0095A	3	10/15/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 3,5,7,9,11,13,15-heptakis(polyfl
P-18-0135A	4	10/03/2019	CBI	(G) Ingredient for household products	(S) 1,2-Decanediol
P-18-0143A	6	10/01/2019	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Fatty acids, tall-oil polymers; diamine, polyalkylene polyamin tris-[(alkylamino) alkyl] phenol
P-18-0151A	6	10/23/2019	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction product and p-tert-butylphenol
P-18-0175A	8	10/10/2019	Hexion Inc	(S) Food can coating, and Non-food contact can coating	(S) Formaldehyde, polymer with phenol, Bu ether
P-18-0177A	3	10/17/2019	Clariant Plastics & Coatings LLC	(S) Lubricant and surface protection agent.	(S) Waxes and Waxy substances
P-18-0256A	4	10/01/2019	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P-18-0299A	3	10/01/2019	CBI	(G) Ink additive	(G) Alkenoic acid, alkyl-, polymeric cycloalkyl methacrylate, alkylene glycol hydrogen sulfate [(branch ethers ammonium salts, metal salts
P-18-0302A	4	09/27/2019	CBI	(G) Chemical intermediate	(S) D-glucaric acid, ammonium
P-18-0378A	5	09/27/2019	CBI	(G) Industrial coatings additive	(G) Acrylic and Methacrylic acid alkenylimidazole, alkyl polyalkylalkylbenzeneperoxoic acid ester Dialkylaminoalkanol
P-19-0058A	4	10/15/2019	Essential Industries Inc.	(S) Wood Coating	(S) Butanoic acid, 3-oxo-, 2-[(2-1-yl)oxy]ethyl ester, polymer with ethenylbenzene, methyl 2-methyl 2-popenoic acid, ammonium salt

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0064A	4	10/10/2019	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl-2-(chloromethyl)oxirane, 1,4-bis(2-methyl-2-propenoate), ethyl 2-propenoate, reaction products
P-19-0086A	5	10/01/2019	CBI	(G) Monitor oil and gas well performance	(G) Halogenated sodium benzenesulfonate
P-19-0087A	5	10/01/2019	CBI	(G) Monitor oil-and-gas well performance	(G) Halogenated sodium benzenesulfonate
P-19-0088A	3	10/03/2019	CBI	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hydroxyethylamine
P-19-0089A	7	10/01/2019	CBI	(G) Well performance tracer	(G) Halogenated sodium benzenesulfonate
P-19-0091A	5	10/01/2019	CBI	(G) Well performance tracer	(G) Halogenated benzene alkylsulfonate
P-19-0092A	4	10/01/2019	CBI	(G) Tracer of well performance	(G) Halogenated benzene alkylsulfonate
P-19-0103A	4	10/14/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, ethyl ester
P-19-0109A	3	09/30/2019	ARCH CHEMICALS, INC.	(S) Chemical is used as a component of a hoof cleaning formulation to improve the wettability of the overall cleaning solution on the hoof	(S) Copper, [2,2',2''-(nitrilo-kappa C)-tris[2-(amino-kappa N)-ethyl-1,3-bis(2-hydroxyethyl)butanediyloxy]propane]
P-19-0134	5	10/23/2019	Conklin Co., Inc.	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanato-1,2-ethanediyloxy)polymer with 1,6-diisocyanatoheptanediyloxy], .alpha.-hydro-omega-hydroxy-1,3-bis(2-hydroxyethyl)butanediyloxy adduct, reduced], and [1,3-Propylenebis(2-hydroxyethyl)butanediyloxy]
P-19-0137A	4	10/04/2019	CBI	(G) Component in lubricants	(G) Alkyl oligomeric reaction products
P-19-0141A	4	09/27/2019	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection	(S) Phosphoric Acid, manganese(2+) salt (4:5);
P-19-0141A	5	10/03/2019	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection	(S) Phosphoric Acid, manganese(2+) salt (4:5);
P-19-0147A	4	09/30/2019	Croda Inc.	(G) Cleaning additive	(G) alkoxyated butyl alkyl ester
P-19-0158A	4	10/24/2019	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with alkyldiol, 1,1'-methylenebis(4-isobutyl-3-methyl-1,5-aklydiol
P-19-0163A	3	09/27/2019	CBI	(G) Well performance tracer	(G) halogenated sodium benzoate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0165A	2	10/16/2019	Arboris, LLC	(G) Plasticizer in rubber and coating in minerals.	(G) Tall oil pitch, fraction, sterol
P-19-0167A	2	10/22/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), al hexanoate
P-19-0168A	3	10/01/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic ac
P-19-0169A	3	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0171	2	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0171A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0171A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0172	2	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0172A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0172A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0173	2	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0173A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0173A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid
P-19-0175A	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0175A	3	10/02/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0175A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0176A	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0176A	3	10/02/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0176A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0177A	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac
P-19-0177A	3	10/02/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic ac

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0177A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0178A	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0178A	3	10/02/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0178A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0179A	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0179A	3	10/02/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0179A	4	10/29/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0180	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0180A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0180A	4	10/22/2019	CBI	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P-19-0181	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0181A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0181A	4	10/22/2019	CBI	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P-19-0182	2	10/01/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0182A	3	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0182A	4	10/22/2019	CBI	(G) Well performance monitor	(G) halogenated alkyl sodium benzoate
P-19-0183	1	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0183A	2	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0184	1	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0184A	2	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate
P-19-0185	1	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbenzoate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0185A	2	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-19-0186	1	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-19-0186A	2	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-19-0187	1	09/27/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-19-0187A	2	10/04/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-19-0188	1	09/30/2019	Archroma U.S., Inc	(S) Wetting agent and lubricant during textile processing.	(G) Octadecanamide, N,N-dialk
P-19-0189	1	09/30/2019	CBI	(S) Reactive polymer for use in adhesives and sealants.	(G) Fatty acids, polymers with a isocyanatobenzene]
P-20-0001	1	10/02/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), al nonanoate
P-20-0002	1	10/02/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., di alpha-hydro-omega-hydroxypol acid
P-20-0004	1	10/02/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., di hexanoic acid and alpha-hydro-v
P-20-0005	2	10/21/2019	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P-20-0006	1	10/07/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-20-0007	1	10/07/2019	CBI	(G) Well performance monitor	(G) Halogenated sodium alkylbe
P-20-0008	1	10/08/2019	Archroma U.S., Inc	(S) Dye for use with paper, paper products, and nonwoven products produced from paper.	(G) 7-Heteropolycyclicsulfonic : 5-methyl-4-sulfophenyl]amino][c 2-oxopropyl]diazenyl]phenyl]-6 (alkylamino)alkanol and (hydro
P-20-0009	2	10/21/2019	Resinate Materials Group Inc.	(S) Intermediate for use in the manufacture of polymers.	(G) Waste plastics, poly(ethylen polyol, polymers with alkanedio
P-20-0010	2	10/18/2019	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, metal salt, :

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0011	3	10/28/2019	Chitec Technology Co., Ltd.	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-3-(3,4-dimethoxyphenyl)acrylate
P-20-0012	4	10/31/2019	CBI	(G) Ink Additive	(G) Polyol, polymer with alkyl c heterocycle blocked
P-20-0013	1	10/17/2019	Arkema Inc.	(G) UV curable inks	(S) 2-Propenoic acid, 2-methyl-, ester
P-20-0014	1	10/21/2019	McTron Technologies	(G) Water resistant resin additive and Heat resistant binder additive	(G) Sugars, polymer with alkane
SN-19-0006	1	09/30/2019	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morph
SN-19-0006A	2	10/09/2019	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morph
J-19-0024A	2	09/10/2019	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo genetically stable
J-19-0025A	2	09/10/2019	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo genetically stable
J-19-0026A	2	11/13/2019	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
J-19-0026A	3	11/15/2019	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
J-19-0027A	2	11/13/2019	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
J-19-0027A	3	11/15/2019	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modificat
P-16-0486A	4	11/01/2019	CBI	(G) Site-limited intermediate in the production of a refrigerant precursor.	(G) Polychloropropane
P-17-0007A	6	11/15/2019	CBI	(S) Intermediate	(G) dialkyl 7,10-dioxa, dithiahex
P-17-0260A	3	11/21/2019	Shin Etsu Silicones of America	(G) Resin modifier	(G) Alkoxy silane modified buta
P-18-0019A	3	10/29/2019	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2 nitrophenyl]amino]carbonyl]-1-1 (1:1)
P-18-0029A	2	10/30/2019	CBI	(G) Industrial use in Oilfield	(G) Fatty acids and fatty acid un ethyleneamines and maleic anhy
P-18-0031A	6	10/30/2019	CBI	(G) Ingredient for industrial coating	(G) Substituted dicarboxylic aci
P-18-0160A	4	11/11/2019	CBI	(G) Coating component	(G) Heteropolycyclic, halo subst amino substituted carbomonocyc heteropolycyclic, tetraaromatic 1

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0165A	6	11/01/2019	Cabot Corporation	(S) Chemical intermediate	(G) 2,5-Furandione, polymer with substituted butyl amide, sodium salt
P-18-0166A	6	11/01/2019	Cabot Corporation	(S) Chemical Intermediate	(G) 2,5-Furandione, polymer with substituted butyl [3-[2-[1-[(2-n-2-oxopropyl)diazenyl]phenyl]sulfonyl]oxy]propyl methacrylate
P-18-0167A	4	11/06/2019	Cabot Corporation	(S) Chemical intermediate	(G) Butanamide, 2-[2-[(substituted methoxyphenyl)-3-oxo-2-oxopropyl]diazenyl]phenyl]methoxypropyl methacrylate
P-18-0190A	5	11/06/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl amide, polymer with trimethylolpropane, sodium salt
P-18-0191A	5	11/06/2019	Cabot Corporation	(S) Pigment Dispersing Aid	(G) 2,5-Furandione, polymer with substituted butyl [3-[2-[1-[(substituted 2-oxopropyl)diazenyl]phenyl]methoxypropyl]methoxypropyl methacrylate and trimethylolpropane
P-18-0213A	3	11/08/2019	CBI	(S) polyester or polyamide modifier incorporated into backbone of polymer	(S) 1,3-Benzenedicarboxylic acid
P-18-0214A	4	11/21/2019	CBI	(G) Curing agent.	(G) Polycyclic substituted alkanepoxide, and polycyclic epoxide dialkylamine substituted alkyl amine
P-18-0215A	4	11/21/2019	CBI	(G) Curing agent.	(G) Polycyclic alkane, polymer with epoxide ether, reaction products
P-18-0216A	4	11/21/2019	CBI	(G) Curing agent.	(G) Polycyclic substituted alkanepoxide products with cyclicalkylamine : amine
P-18-0236A	3	11/14/2019	The Sherwin Williams Company	(G) Paint additive	(G) Metal, alkenoic acid-alkyl alcohol polymer carbopolycycle complex
P-18-0274A	7	11/05/2019	CBI	(S) Chemical intermediate and (G) Additive	(G) Heterocycle fluoroalkyl sulfonate
P-18-0275A	6	11/05/2019	CBI	(G) Polymer additive	(G) Methanone phenylene fluoropolymer
P-18-0363A	3	10/31/2019	CBI	(G) Adhesive	(G) Phenol, polymer with formaldehyde salts
P-18-0367	2	11/11/2019	Afcon Chemicals USA Inc.	(S) Acid-modified polyether used as a wetting and dispersing additive for pigments in industrial paints and coatings.	(G) Acid-modified polyether
P-18-0376A	2	11/05/2019	Sumitomo Chemical Advanced Technologies	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkylamine

Case No.	Version	Received Date	Manufacturer	Use	Chemical
			LLC		
P-18-0387A	4	11/11/2019	CBI	(G) Plastic Additive	(G) Alkanal, reaction products w heterocycle)-1,3,5-triazine-2,4,6
P-18-0388A	4	11/11/2019	CBI	(G) Plastic additive	(G) 1,3,5-triazine-2,4,6-triamine heterocycle)-, allyl derivs., oxid
P-18-0399A	7	11/18/2019	CBI	(G) Open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer ethanolamine
P-18-0400A	7	11/18/2019	CBI	(G) Open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer
P-19-0064A	5	10/30/2019	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimet 2-(chloromethyl)oxirane, 1,4-be butyl 2-methyl 2-propenoate, etl 2-propenoate, reaction products
P-19-0077A	8	11/12/2019	CBI	(G) Agricultural	(G) alkenylamide
P-19-0143A	4	10/29/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and civil applications in commercial and consumer usages.	(G) Aldehyde, polymer with mi alkanediylbis(oxyalkylene)] bis[4,4'-(1-alkylidene)bis[phenol], 2 alkyleneoxyalkylene)]bis[oxiran acetate (salt)
P-19-0144A	4	10/29/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. arylalcohol disubstituted alkane-disubstituted alkane -epichloroh alkylidene)bis[4,1-aryleneoxy(al alkanediyl)oxyalkylene)]bis[oxi [2-[(2-aminoalkyl)amino]alkyl] products
P-19-0145A	5	11/07/2019	ARC Products, INC	(S) Oil Field Drilling Fluid Additive	(G) Polyazaalkane with oxirane
P-19-0145A	6	11/14/2019	ARC Products, INC	(S) Oil Field Drilling Fluid Additive	(G) Polyazaalkane with oxirane
P-19-0153A	4	11/06/2019	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabro
P-19-0155A	4	10/30/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C1 diethylenetriamine, ethoxylated
P-19-0156A	4	10/30/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriam

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0157A	4	10/30/2019	Huntsman International LLC	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and
P-19-0158A	5	10/29/2019	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with alkyl diol, 1,1'-methylenebis(4-isobutyl-1,5-aklydiol
P-19-0165A	3	11/11/2019	ARBORIS, LLC	(G) Plasticizer in rubber and Coating in minerals.	(G) Tall oil pitch, fraction, sterol
P-19-0167A	3	10/31/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alkyl hexanoate
P-19-0167A	4	11/18/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alkyl hexanoate
P-19-0168A	4	11/01/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P-19-0169A	4	11/01/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-19-0180A	5	11/01/2019	CBI	(G) Well performance monitor	(G) halogenated sodium benzoate
P-19-0181A	5	11/01/2019	CBI	(G) Well performance monitor	(G) halogenated sodium benzoate
P-19-0182A	5	11/01/2019	CBI	(G) Well performance monitor	(G) halogenated sodium benzoate
P-20-0001A	3	10/29/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alkyl nonanoate
P-20-0001A	4	10/31/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Poly(oxy-1,4-butanediyl), alkyl nonanoate
P-20-0002A	2	10/29/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihydroxy-alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) acid
P-20-0002A	4	10/29/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihydroxy-alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) acid
P-20-0002A	5	10/31/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihydroxy-alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) acid
P-20-0004A	2	10/29/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihydroxy-alpha-hydro-omega-hydroxypoly(oxy-1,4-butanediyl) acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0004A	3	10/29/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihexanoic acid and alpha-hydroxy
P-20-0004A	4	10/30/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihexanoic acid and alpha-hydroxybutanediyl)
P-20-0004A	5	10/30/2019	Santolubes Manufacturing LLC	(S) Synthetic engine, gear & lubricating oils & greases	(S) Fatty Acids, C18-unsatd., dihexanoic acid and alpha-hydroxybutanediyl)
P-20-0005A	3	11/11/2019	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins	(G) modified graphene
P-20-0023	1	11/18/2019	CBI	(G) The notified substance will be used as a fragrance ingredient. It will be blended (mixed) with other fragrance ingredients to make fragrance oils. The fragrance oils containing the notified substance will then be incorporated into soaps, detergents, cleaners, air fresheners, candles and other similar commercial and consumer products.	(G) heteropolycycle, 2,6-dimeth
P-20-0025	1	11/19/2019	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 and formulation #2	(S) Octadecanoic acid, 12-(aceto
SN-18-0002A	4	11/04/2019	CBI	(G) Flame retardant for textile.	(G) Phosphoramidic acid, carbon number 261553).
J-20-0002	1	11/25/2019	CBI	(G) Production of a chemical	(G) Microorganism with chromo for the production of a chemical
P-16-0486A	5	11/22/2019	CBI	(G) Site-limited intermediate in the production of a refrigerant precursor.	(G) Polychloropropane
P-16-0539A	5	12/3/2019	CBI	(G) photolithography	(G) Organic sulfonate compound
P-17-0239A	7	12/11/2019	CBI	(G) Adhesive for open non-descriptive use	(G) Substituted carboxylic acid, 1-methylbenzene, hexanedioic acid, hydroxypoly[oxy(methyl-1,2-ethyl isocyanatobenzene)], 2,2'-oxybis[1,2-propanediol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0245A	7	12/12/2019	CBI	(G) Adhesive for open, non-dispersive use	(G) Unsaturated polyfluoro ester
P-17-0282A	11	12/11/2019	Elantas PDG, Inc.	(S) This is a component of a mixture that is used as an impregnating varnish for stators and motors.	(S) Isocyanic acid, polymethyle and phenol-blocked
P-17-0405A	8	12/06/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid et
P-17-0406A	7	12/06/2019	CBI	(G) Oil and gas well performance	(G) halogenated benzoic acid etl
P-17-0407	6	12/06/2019	CBI	(G) Well performance	(G) halogenated benzoic acid etl
P-17-0408	5	12/06/2019	CBI	(G) Well performance	(G) halogenated benzoic acid etl
P-17-0409	6	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0410	5	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0411	5	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid etl
P-17-0412	5	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0414	5	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0415	6	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0416	6	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0417	6	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0418A	6	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid
P-17-0420A	7	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0421A	6	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0422A	6	12/06/2019	CBI	(G) Monitor well performance	(G) halogenated benzoic acid
P-17-0423	5	12/06/2019	CBI	(G) Monitor well performance.	(G) halogenated benzoic acid etl
P-17-0441	5	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat
P-17-0442	5	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoat

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0443A	6	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0444	4	02/11/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0445A	7	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0446A	6	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0447	6	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0448	5	12/09/2019	CBI	(G) Monitor well performance.	(G) halogenated sodium benzoate
P-17-0449	5	12/09/2019	CBI	(G) Monitor well performance	(G) halogenated sodium benzoate
P-17-0450	5	12/09/2019	CBI	(G) Monitor well performance	(G) Halogenated benzoic acid
P-18-0133A	3	12/02/2019	CBI	(G) component in hydraulic fracturing fluids	(G) Polyol adduct of bisaldehyde
P-18-0253A	3	11/22/2019	UBE America Inc.	(G) Extrusion and Injection Molding Polymer	(S) Dodecanoic acid, 12-amino-
P-18-0254A	3	11/22/2019	UBE America Inc.	(G) Extrusion and Injection Molding Polymer	(G) Hexanedioic acid, polymer with polyetheramine
P-18-0255A	3	11/22/2019	UBE America Inc.	(G) Recreational equipment	(S) Dodecanoic acid, 12-amino-azepin-2-one
P-18-0267A	4	11/21/2019	CBI	(G) curing agent	(G) Branched alkanoic acid, epoxymonocyclic dialkylamine and polyetheramine
P-18-0268A	4	11/21/2019	CBI	(G) curing agent	(G) Branched alkanoic acid, epoxymonocyclicdialkanamine and polyetheramine
P-18-0269A	4	11/21/2019	CBI	(G) curing agent	(G) Branched alkanoic acid, epoxymonocyclicalkylamine, polycyclic polycyclic alcohol epoxy polymer
P-18-0273A	2	02/11/2019	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid
P-18-0287A	9	12/04/2019	CBI	(G) Company plans to produce “tires, wastes, pyrolyzed, condensate oil fraction” (hereafter referred to as syn oil) (CASRN: 1312024-02-4) from scrap tire materials.	(G) Synthetic oil from tires

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0300A	3	12/04/2019	CBI	(S) Additive for automatic dishwashing detergent	(G) Heteromonocycle, alkenoic methyl-1-oxo-2-propen-1-yl-on and methyl-alkenoic acid
P-18-0345A	2	12/10/2019	Chitec Technology Co., Ltd.	(S) R-gen 990 is a liquid aminoketone-based photoinitiator (PI) intended for use as an ultraviolet (UV) curing agent in highly pigmented inks, photo-resists, and masks.	(S) 1-Butanone, 2-(dimethylamino-3-oxazolidinyl)phenyl]-2-(phenyl)
P-18-0350A	2	12/04/2019	Evonik Corporation	(S) Additive in water-borne UV-curable coatings,(S) Filler & pigment treatment,(S) Glass fiber treatment	(G) Aqueous methacrylamido m
P-18-0359A	3	12/10/2019	CBI	(G) Molded or extruded items	(G) Methoxy Vinyl Ether- Vinyl
P-18-0367A	3	12/09/2019	CBI	(S) Acid-modified polyether used as a wetting and dispersing additive for pigments in industrial paints and coatings.	(G) Acid-modified polyether;
P-19-0052A	5	02/11/2019	Evonik Corporation	(S) Hard Surface Cleaner,(S) Component of Laundry Detergent	(S) Poly(oxy-1,2-ethanediyl), al and linear
P-19-0055A	3	12/09/2019	Rahn USA Corp.	(S) The PMN is solely used as a photo initiator within UV curable coating/ink formulations.	(S) 1,3-propanediol, 2-ethyl-2-(1-oxirane, 4-(dimethylamino)benz
P-19-0083A	2	12/03/2019	KX Technologies LLC	(G) Activated carbon for water purification.	(G) Charcoal, coconut shell, re
P-19-0135A	4	12/10/2019	CBI	(G) Lubricant Additive	(G)Alkyl polyoxyethylene ether:
P-19-0146A	3	11/25/2019	CBI	(G) Reagent used to introduce deuterium to the substrate chemical.	(G) Modified dimethyl sulfoxide
P-19-0148A	2	12/13/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid-2-oxoacetic acid rea
P-19-0149A	2	12/13/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid potassium salt (1:1)-products, potassium salts
P-19-0150A	2	12/13/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethyle hetero-acid-2-oxoacetic acid rea

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0151A	2	12/13/2019	CBI	(G) Fertilizer ingredient	(G) Iron, complexes with ethylene hetero-acid sodium salt (1:1)-so products, sodium salts
P-19-0152A	3	11/21/2019	UBE America Inc.	(G) Pre-polymer for polyurethane roll covers	(G) alkaneic acid, dialkyl ester p [(isocyanatocarbomonocycle)alk
P-19-0159A	5	12/06/2019	CBI	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alky
P-19-0159A	6	12/13/2019	CBI	(G) As Catalyst in Industrial sector	(G) Titanium (4+) hydroxy-alky
P-19-0174	3	02/11/2019	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylph
P-20-0009A	3	02/11/2019	Resinate Materials Group, Inc.	(S) Intermediate for use in the manufacture of polymers.	(G) Waste plastics, poly(ethylene polyol, polymers with alkanedio
P-20-0011A	4	12/02/2019	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-3-(3,4-dimethoxyphenyl)acrylat
P-20-0012A	5	12/12/2019	CBI	(G) Ink Additive	(G) Polyol, polymer with alkyl c heterocycle blocked
P-20-0018	2	11/26/2019	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0019	2	11/26/2019	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0020	2	11/26/2019	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0021	2	11/26/2019	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0022	2	12/09/2019	CBI	(G) Fuel additive for combustion improver	(G) Polyalkoxycarbopolycycle h
P-20-0024	3	12/04/2019	CBI	(G) Dispersant polymer for coatings	(G) Phenol-formaldehyde polym nitrobenzoates
P-20-0026	2	02/20/2019	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic d
P-20-0029	2	12/18/2019	KURARAY America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P-20-0030	1	12/16/2019	CBI	(S) Plasticizer for Plastics, and Plasticizer in caulks and sealants	(G) Hexanedioic acid, alkyl este
P-20-0032	1	12/18/2019	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer	(G) Polyethylene terephthalate p

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				in the production of urethane foam or coating.	
P-20-0035	1	12/19/2019	CBI	(G) Colorant	(G) Substituted aromatic, 3,3'-[1,2,4-triazine-2,4-diyl]bis[imino[2-(substituted phenylene)-2,1-diazenediyl]]bis
P-20-0038	1	12/23/2019	Nissan Chemical Houston Corporation	(S) PMN substance will be used as resist compound for semiconductor manufacture	(S) 1,3,5-Triazine-2,4,6(1H,3H,4H)-triazine-2,4,6-tris(oxiranyl)propyl]-
J-19-0026A	4	01/14/2020	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modification
J-19-0027A	4	01/14/2020	CBI	(G) Production of biofuel	(G) Biofuel-producing modified chromosomally-borne modification
P-16-0425A	4	01/14/2020	CBI	(G) a chemical reactant used in manufacturing a polymer	(G) amino-silane
P-17-0117A	4	01/29/2020	CBI	(G) Use as a polyol for polyurethane manufacture. Reaction of the new substance with a diisocyanate or polyisocyanate in a blend with other polyols will produce a higher MW polymer.,(S) Used as a feedstock for hydrogenation to produce a saturated diol for use in urethane chemistry or as an additive in coatings, adhesives or sealants.	(S) 1,6,10-Dodecatriene, 7,11-dihomopolymer, 2-hydroxypropyl-
P-17-0118A	4	01/29/2020	CBI	(G) Use as a polyol for polyurethane manufacture. Reaction of the new substance with a diisocyanate or polyisocyanate and other polyols will produce a higher MW polymer.,(S) Used as a feedstock for hydrogenation to produce a saturated diol for use in urethane chemistry or as an additive in coatings, adhesives or sealants.	(S) 1,6,10-Dodecatriene, 7,11-dihomopolymer, 2-hydroxyethyl-

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0230A	4	01/21/2020	CBI	(G) Additive, open, non-dispersive use	(G) Oxirane, 2-alkyl-, polymer v [3-(carboxyamino)-4(or 6)-alkyl with 2,2',2"-nitrilotris-[alkanol]
P-17-0235A	6	12/19/2019	CBI	(G) Anti-agglomerate	(G) Amidoamino quaternary am
P-17-0333A	6	01/16/2019	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed est heterocyclic methanol
P-17-0395A	6	01/24/2020	CBI	(G) Water treatment additive	(G) Alkyl tri dithiocarbamate tri s
P-18-0007A	3	02/20/2019	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, soya mono- and
P-18-0007A	4	12/17/2019	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, soya mono- and
P-18-0008A	3	02/20/2019	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, C16-18 and C18 acetates
P-18-0008A	4	12/17/2019	Nexoleum USA Corp	(S) Used as a plasticizer/stabilizer for flexible PVC.	(S) Glycerides, C16-18 and C18 acetates
P-18-0012A	6	12/19/2019	CBI	(G) Adhesives	(G) Polyester polyol
P-18-0031A	7	01/09/2020	CBI	(G) Ingredient for industrial coating	(G) Substituted dicarboxylic aci
P-18-0058A	3	01/29/2020	CBI	(S) Component of electroconductive low-noise grease for long-term lubrication of capped or sealed ball bearings.	(S) Phosphonium, trihexyltetrad N-[(trifluoromethyl)sulfonyl]me
P-18-0063A	3	01/16/2019	Ethox Chemicals, LLC	(G) This material is used as a lubricant additive for applications such as stamping, forming, cutting, drilling, or otherwise working metals.	(G) alcohol alkoxylate phosphat
P-18-0067A	4	01/12/2020	CBI	(G) Adjuvant agent	(S) Fatty acids, C14-18 and C16 and triethanolamine, di-Me sulf
P-18-0070A	10	02/20/2019	Arrowstar, LLC	(G) Chemical intermediate for polyurethane industry	(G) Waste plastics, polyester, de dicarboxylic acids
P-18-0093A	4	12/19/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 1,3,5,7,9,11,13,15-octakis (polyl
P-18-0094A	4	12/19/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 3,5,7,9,11,13,15-heptakis(polyfl

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0095A	4	12/19/2019	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9.15,15 3,5,7,9,11,13,15-heptakis(polyfl
P-18-0104A	7	01/28/2020	CBI	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction produ
P-18-0108A	2	01/20/2020	CBI	(G) Ionic salt of a polyamic acid for coatings, open, non-dispersive use	(G) Aromatic anhydride polymeric compound with alkylaminoalkyl
P-18-0151A	7	12/17/2019	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction product and p-tert-butylphenol
P-18-0151A	8	01/28/2020	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction product and p-tert-butylphenol
P-18-0173A	3	01/13/2020	CBI	(S) Thickener for paint and coatings	(G) Poly (oxy-1,2-alkyldiyl) hydr butylalcohol
P-18-0187A	4	01/09/2020	CBI	(G) Emulsifier	(G) Carboxylic acid-polyamine
P-18-0226A	6	12/19/2019	CBI	(G) Anti-agglomerate	(G) Tri alkyl, mono alkoxy, fatty
P-18-0307A	3	01/16/2019	CBI	(G) Binder resin in coatings	(G) Alkyl Alkenoic acid, alkyl substituted alkyl alkyl alkenoate carbomonocycle, hydroxyalkyl alkenoate
P-18-0328A	2	01/06/2020	CBI	(G) Chemical intermediate for the manufacture of plasticizer	(G) Plant oil fatty acids, alkyl esters
P-18-0329A	2	12/19/2019	CBI	(G) Component of lenses used in electronic applications	(G) Substituted carbopolycyclic polymer with alkanediol and carbopolycycle) bisalkanol
P-19-0002A	5	12/17/2019	CBI	(S) Chemical Intermediate	(G) Polyaromatic symmetrical tetra
P-19-0003A	4	12/17/2019	CBI	(S) Chemical Intermediate	(G) Polyaromatic ether symmetrical
P-19-0004A	4	12/17/2019	CBI	(G) molded parts and components	(G) Aromatic dianhydride, polyheteroatom bridged aromatic dianhydride
P-19-0048A	4	12/18/2019	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), al C12-14-alkyl ethers, phosphates
P-19-0048A	5	12/19/2019	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), al C12-14-alkyl ethers, phosphates
P-19-0053A	6	02/20/2019	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal	(S) 1-Butanamine, N-butyl-N-[(1

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				and other substrates. Formulations containing the cross-linker provide release and anti-graffiti properties, water repellency, weather proofing, and improved bonding in adhesive/sealant applications. The new substance is a moisture curing cross-linking agent which binds/joins polymers together when cured. Ethanol is released during cure, and once the cure reaction is complete, the product will remain bound in the cured polymer matrix.	
P-19-0095A	6	01/23/2020	CBI	(G) Consumer Disposables,(G) Polymer Sheet,(G) Durable Goods	(G) Poly hydroxy alkanoate
P-19-0103A	5	01/06/2020	CBI	(G) Well performance monitor	(G) Halogenated benzoic acid, e
P-19-0109A	5	01/09/2020	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2''-(nitrilo-.ka (2-))];(S) Copper, bis[2-(amino-
P-19-0109A	6	01/14/2020	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2''-(nitrilo-.ka (2-))];(S) Copper, bis[2-(amino-
P-19-0109A	7	01/23/2020	Arch Chemicals, Inc.	(S) Chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2''-(nitrilo-.ka (2-))];(S) Copper, bis[2-(amino-
P-19-0143A	5	12/23/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent for use in epoxy resin for water-based coating for a variety of substrates and	(G) Aldehyde, polymer with mix alkanediylbis(oxyalkylene)] bis[4,4'-(1-alkylidene)bis[phenol], 2 alkyleneoxyalkylene)]bis[oxiran

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				civil applications in commercial and consumer usages.	acetate (salt)
P-19-0144A	5	12/23/2019	Aditya Birla Chemicals (USA) LLC	(S) A crosslinking agent in epoxy based self-leveling floor coatings.	(G) Alkanedioic Acid, compds. arylalcohol disubstituted alkane-disubstituted alkane -epichlorohydrin alkylidene)bis[4,1-aryleneoxy(alkylidene)oxyalkylene]]bis[oxi-2-[(2-aminoalkyl)amino]alkyl]ε products
P-19-0155A	5	12/17/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from C8-18 and C1 diethylenetriamine, ethoxylated
P-19-0156A	5	12/17/2019	Huntsman International LLC	(S) Adjuvant for agrochemical formulations	(S) Amides, from diethylenetriamine
P-19-0157A	5	12/17/2019	Huntsman International LLC	(S) Adjuvant in agrochemical formulations	(S) Amides, from coconut oil and
P-19-0158A	6	01/06/2020	Ashland Inc.	(G) Adhesive	(G) Alkenoic acid polymer with alkyldiol, 1,1'-methylenebis(4-isopropyl-3-methyl-1,5-aklydiol
P-19-0164A	2	01/03/2020	Allnex USA Inc.	(S) Site limited intermediate for coating resin manufacture.	(G) Bis-alkoxy substituted alkanes
P-19-0166A	2	01/30/2020	Fujifilm Electronic Materials USA Inc.	(G) Photoacid generator (PAG)	(G) Triarylsulfonium alkylesters
P-19-0168A	5	12/19/2019	CBI	(G) Well performance tracer	(G) Halogenated alkylbenzoic acid
P-19-0169A	5	12/19/2019	CBI	(G) Well performance monitor	(G) Halogenated alkylbenzoic acid
P-20-0010A	3	01/07/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0015	4	01/13/2020	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) Zwitterionic polysulfone polymer with bisphenol A diphenolamide, polymer with bisphenol A sulfone, compd. with cyclic sulfone terminated
P-20-0025A	2	12/17/2019	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others),(S) Motor oil lubricant, formulation #2 (prepared at a processor which is	(S) Octadecanoic acid, 12-(acetate salt)

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				controlled by others)	
P-20-0025A	3	01/07/2020	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others),(S) Motor oil lubricant, formulation #2 (prepared at a processor which is controlled by others)	(S) Octadecanoic acid, 12-(acet
P-20-0026A	3	01/13/2020	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic d
P-20-0027	5	01/10/20	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, c2-(dodecanedioic acid, hydracrylic methylenebis[4-isocyanatobenz
P-20-0028	5	01/10/2020	H.B. Fuller Company	(S) Industrial Adhesives	(G) glycols, alpha, omega-, c2-6 polyester, dodecanedioic acid, h acid, 1,1'-methylenebis[4-isocya terephthalic acid
P-20-0029A	3	01/14/2020	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P-20-0031	3	01/06/2020	CBI	(G) Intermediate	(G) Perfluorinated substituted 1,
P-20-0032A	2	01/15/2020	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating. This is intended to replace lauan (also spelled luan) paneling which is used in manufacturing prefabricated buildings.	(G) Polyethylene terephthalate p
P-20-0032A	3	01/24/2020	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating. This is intended to replace lauan (also spelled luan) paneling which is used in manufacturing	(G) Polyethylene terephthalate p

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				prefabricated buildings.	
P-20-0033	2	01/06/2020	CBI	(G) Intermediate	(G) Perfluorinated vinyl haloalk
P-20-0034	2	01/06/2020	CBI	(G) Intermediate	(G) Perfluorinated vinyl haloalk
P-20-0035A	2	01/21/2020	CBI	(G) Colorant	(G) Substituted aromatic, 3,3'-[1,3,5-triazine-2,4-diyl]bis[imino[2-(substituted phenylene)-2,1-diazenediyl]]bis
P-20-0039	2	01/12/2020	Miwon North America, Inc.	(S) Resins for Industrial coating	(G) Hexanedioic acid, polymer with alkanediol and 1,3-isobenzofura
P-20-0040	4	01/06/2020	CBI	(G) Additive for use in inks, coatings, adhesives and sealants	(G) 2-Propenoic acid, cycloalkyl
P-20-0041	2	01/07/2020	Kuraray America, Inc.	(G) Chemical Intermediate for Coatings	(S) 1,3-Benzenedicarboxylic acid, pentanediol
P-20-0042	2	01/08/2020	CBI	(G) Photoresist use at customer	(G) Sulfonium, trisaryl-, 7,7-dialkylalkanesulfonate (1:1)
P-20-0042A	3	01/14/2020	CBI	(G) Photoacid generator use at customer	(G) Sulfonium, trisaryl-, 7,7-dialkylalkanesulfonate (1:1)
P-20-0044	1	01/23/2020	Angus Chemical Company	(G) curing additive: automotive paint,(G) neutralization, stability and pigment dispersancy in industrial latex paints,(G) neutralization, solubilization and stability in commercial waterborne and solvent borne coatings and varnishes used for wood, metal, composites and other substrates,(G) solubilizer for high acid value styrene acrylic polymers for use in ink applications,(G) additive for industrial polyurethane dispersions	(S) 1-Propanamine, 3-methoxy-1
P-20-0046	1	01/28/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium [[(pentaalkylphenyl)-(pentaalkylphenyl)amino]alkyl]; metal coordination compound
P-20-0051	1	01/14/2020	CBI	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(amin
SN-17-0011A	3	01/16/2019	CBI	(G) Foam additive,(G) Specialty gas and transfer fluid	(G) Polyfluorohydrocarbon

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-16-0424A	4	02/18/2020	Sachem Inc	(G) Directing agent	(G) Tetraalkylpiperidinium hydr
P-16-0425A	5	02/05/2020	CBI	(G) a chemical reactant used in manufacturing a polymer	(G) amino-silane
P-17-0178A	5	02/26/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt w benzoate
P-17-0355A	7	02/05/2020	CBI	(G) Site intermediate	(G) Benzoic acid, 2-hydroxy-, -ε
P-18-0013A	3	02/26/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Substituted-triphenylsulfoni
P-18-0014A	3	02/26/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt w compound (1:1)
P-18-0037A	2	02/26/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt w benzenesulfonate (1:1)
P-18-0151A	9	02/04/2020	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction prod and p-tert-butylphenol
P-18-0154A	8	02/19/2020	CBI	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylene alkanol and 1-alkoxy alkanol an
P-18-0211A	2	02/17/2020	Patcham USA LLC	(S) Wetting and dispersing agent for pigment formulations, paints, and coatings.	(G) Alkanamine, (aminoalkyl)-diisocyanatohexane, polyethyler polyethylene-polypropylene gly alkenyl benzenated polyethylene
P-18-0273A	5	02/05/2020	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxyli
P-18-0283A	6	02/21/2020	CBI	(G) Open, non-dispersive use	(G) Hydroxy alkanoic acid, com polymer-alkanolamine reaction j
P-18-0289A	4	02/13/2020	CBI	(G) Gas scrubbing,(G) landfill deoderizing,(G) wastewater deoderizing	(G) 2-(2(methylcaboxymonocyc
P-18-0290A	4	02/13/2020	CBI	(G) wastewater deoderizing,(G) Gas scrubbing,(G) Landfill odor neutralizing	(G) Carbomonocyclic-oxazolidin
P-18-0302A	5	02/15/2020	CBI	(G) Chemical intermediate	(S) D-glucaric acid, ammonium
P-18-0323A	5	02/25/2020	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-,
P-18-0323A	6	02/28/2020	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-,
P-18-0326A	6	02/24/2020	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, n residues

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0379A	2	02/11/2020	CBI	(G) Hardener for waterborne epoxy system	(G) Cashew nutshell liquid polyformaldehyde, phenol, amines and
P-18-0387A	2	02/06/2020	CBI	(G) Plastic Additive	(G) Alkanal, reaction products with heterocycle)-1,3,5-triazine-2,4,6
P-18-0388A	2	02/06/2020	CBI	(G) Plastic additive	(G) 1,3,5-triazine-2,4,6-triamine heterocycle)-, allyl derivs., oxidiz
P-19-0053A	7	02/28/2020	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N-[(1
P-19-0064A	6	02/21/2020	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl-2-(chloromethyl)oxirane, 1,4-bisbutyl 2-methyl 2-propenoate, ethyl 2-propenoate, reaction products
P-19-0077A	10	02/19/2020	CBI	(G) agricultural	(G) alkenylamide
P-19-0085A	3	02/18/2020	Neste oil US, Inc.	(G) The PMN substance will be used as a functional fluid in electrical equipment.	(G) Aliphatic hydrocarbons, C10
P-19-0088A	4	02/26/2020	CBI	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hyd
P-19-0109A	8	02/20/2020	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2''-(nitrido-kappa(2-))- (S) Copper, bis[2-(amino-kappa
P-19-0170A	2	02/06/2020	CBI	(S) Coupling agent in elastomer-based formulations that will be used in molding operations to manufacture different types of rubber articles including but not limited to rubber tires.	(G) Heteroatom-substituted alkyl with methylated formaldehyde-r
P-20-0008A	2	02/13/2020	Archroma U.S., Inc	(S) Dye for use with paper, paper products, and nonwoven products produced from paper.	(G) 7-Heteropolycyclicsulfonic acid 5-methyl-4-sulfophenylamino]carbazole 2-oxopropyl]diazenyl]phenyl]-6-(alkylamino)alkanol and (hydrox
P-20-0010A	4	02/21/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products with inorganic dioxide and metal

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0012A	6	02/07/2020	CBI	(G) Ink Additive	(G) Polyol, polymer with alkyl c heterocycle blocked
P-20-0013A	2	02/17/2020	Arkema Inc.	(G) UV curable inks	(S) 2-Propenoic acid, 2-methyl-, ester
P-20-0015A	5	02/05/2020	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) N-alkyl heteromonocyclic d A, haloaryl-substituted sulfone, polyaryl alcohol terminated
P-20-0024A	4	02/21/2020	CBI	(G) Dispersant polymer for coatings	(G) Phenol-formaldehyde polym nitrobenzoates
P-20-0026A	4	02/04/2020	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic d
P-20-0026A	5	02/05/2020	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic d
P-20-0026A	6	02/06/2020	GE Healthcare	(S) The new monomer is isolated and used for subsequent polymerization.	(G) N-alkyl heteromonocyclic d
P-20-0036	2	02/06/2020	Sigma-Aldrich Co LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6L Chloride.
P-20-0037	3	02/12/2020	Sigma-Aldrich Co LLC	(G) The material is used in manufacturing devices for gamma and neutron radiation detection.	(S) Lithium Chloride (6LiCl)
P-20-0043	4	02/23/2020	Saproterra	(S) Soil and Plant amendment	(S) Acetic acid, 2-[[3-(4-pyridir compd. with 2-aminoethanol (1:
P-20-0044A	2	02/21/2020	Angus Chemical Company	(G) curing additive: automotive paint, (G) neutralization, stability and pigment dispersancy in industrial latex paints, (G) neutralization, solubilization and stability in commercial waterborne and solvent borne coatings and varnishes used for wood, metal, composites and other substrates, (G) solubilizer for high acid value styrene acrylic polymers for use in ink	(S) 1-Propanamine, 3-methoxy-]

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				applications, (G) additive for industrial polyurethane dispersions	
P-20-0045	2	02/27/2020	Torrecid USA LLC	(G) Raw material in ceramic tiles production	(S) Iron oxide (Fe ₂ O ₃), mixed v
P-20-0050	2	02/05/2020	CBI	(G) Additive in consumer products	(S) Benzenepentanol, alpha, gan
P-20-0050A	3	02/20/2020	CBI	(G) Additive in consumer products	(S) Benzenepentanol, alpha, gan
P-20-0051A	2	02/07/2020	CBI	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(amin
P-20-0052	1	02/05/2020	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer trimethylhexanoate)
P-20-0054	1	02/07/2020	CBI	(G) Catalyst is used in a closed process.	(S) Nitrile hydratase
P-20-0056	2	02/12/2020	CBI	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(al esters, polymers with acrylic aci hydroxyalkyl methacrylate and c diazenediyl)bis[2,4-dialkylalkan
P-20-0057	1	02/11/2020	Nusil Technology LLC	(G) Silane coupling agent used in silicone formulations.	(G) Arene, trimethoxysilyl-, hyd
P-20-0058	2	02/19/2020	CBI	(G) Additive for automatic dishwashing,(G) Additive for hard surface cleaner	(G) Polysaccharide, polymer wit methacryloxyethyltrimethyl amr initiated
P-20-0059	3	02/28/2020	CBI	(S) Colorant for thermoplastic resins	(G) Propanedinitrile, 2-[[4-[ethy butyl)phenoxy]ethyl]amino]-2-n
SN-20-0001	1	02/05/2020	CBI	(G) Carrier Fluids,(G) Precision and General Cleaning,(G) Aerosol solvent	(S) 2-Butene, 1,1,1,4,4,4-hexaflu
P-17-0110A	4	03/12/2020	DIC International (USA) LLC	(G) Masking Photopolymer	(G) Phenol formaldehyde glycid
P-17-0233A	4	03/09/2020	CBI	(S) Creping Aid for Yankee Dryers to manufacture tissue and towel paper	(G) Oxyalkylene modified polyac 2-(chloromethyl)oxirane
P-17-0414A	6	03/05/2020	CBI	(G) Monitor well performance	(G) halogenated benzoic acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0059A	2	03/10/2020	Eastman Chemical Company, Inc	(S) Chemical intermediate	(S) Butanoic acid, 4-(dimethylamino)
P-18-0060A	5	03/10/2020	Eastman Chemical Company, Inc	(S) Surfactant for Liquid Dish, Liquid Laundry, and Industrial Hand Wash; Export only volume of the TSCA manufactured NCS; and FDA related uses.	(S) 1-Butanaminium, 4-amino-N,N-dimethyl-4-oxo-, N-coco alkyl
P-18-0069A	3	03/09/2020	Sasol Chemicals (USA) LLC	(G) Polymer performance additive	(G) Surface modified boehmite
P-18-0143A	7	03/03/2020	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Fatty acids, tall-oil polymers; diamine, polyalkylene polyamine tris-[(alkylamino) alkyl] phenol
P-18-0144A	6	03/03/2020	CBI	(G) Anti-corrosive primer for outdoor industrial applications.	(G) Formaldehyde, polymer with
P-18-0152A	6	03/06/2020	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized
P-18-0152A	7	03/06/2020	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized
P-18-0152A	8	03/11/2020	CBI	(G) Intermediate for use in manufacturing	(G) Hydrolyzed Functionalized
P-18-0237A	9	02/28/2020	CBI	(G) Use in print resins	(G) Alkanediol, polymer with 5-1,3,3-trimethylcyclohexane, alkyl dialkylheteromonocycle-blocked
P-18-0292A	6	02/28/2020	CBI	(G) Use in print resins	(G) alkanediol, polymer with 5-1,3,3-trimethylcyclohexane, alkyl
P-18-0323A	7	03/02/2020	Kuraray America, Inc.	(G) Raw material for polymer manufacturing	(S) 2-Propenoic acid, 2-methyl-,
P-18-0326A	7	03/04/2020	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, n residues
P-18-0330A	2	03/04/2020	CBI	(G) Initiator	(G) Formaldehyde, polymer with
P-18-0376A	4	03/11/2020	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkyl
P-18-0405A	4	03/05/2020	CBI	(G) Adhesive	(S) Phenol, 4,4'-(1-methylethylidene) tetraoxatetradeca-1,13-diene, gly
P-19-0036A	3	03/11/2020	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas	(S) 1,4-Benzenedicarboxylic acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				barrier performance.	
P-19-0036A	4	03/16/2020	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid
P-19-0077A	11	03/13/2020	CBI	(G) Agricultural	(G) Alkenylamide
P-19-0116	4	03/24/2020	CBI	(S) Silk protein for production of fiber, and Skincare use as additive in dermal moisturizing lotions	(G) sr-(Wasp Spider Polypeptide
P-19-0138A	3	03/13/2020	CBI	(G) Intermediate	(G) Perfluorodioxalkanoyle fluo
P-19-0139A	2	03/13/2020	CBI	(G) Intermediate	(G) Perfluoro-2-methyl-trioxaall
P-19-0140A	3	03/13/2020	CBI	(G) Intermediate	(G) Perfluorodioxalkyl vinyl et
P-19-0160A	2	03/04/2020	CBI	(S) Component of a UV curable printing ink	(G) Alkanesulfonic acid, 2-[(2-a sodium salt (1:1), polymer with omega-methoxypoly(oxy-1,2-ethyl isocyanatocyclohexane], acrylic products- and polypropylene gly triacrylate-blocked
P-19-0161A	2	03/12/2020	CBI	(S) Organic amine salt mixture used as a foaming agent in the production of urethanes.	(G) Alkanol amine salt mixture
P-19-0174A	4	03/11/2020	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylph
P-20-0005A	4	03/05/2020	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P-20-0010A	5	03/10/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0011A	5	03/04/2020	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-3-(3,4-dimethoxyphenyl)acrylate
P-20-0022A	3	03/05/2020	CBI	(G) Fuel additive for combustion improver	(G) Polyalkoxycarbopolycycle h
P-20-0030A	2	03/13/2020	CBI	(S) Plasticizer for plastisols, and in caulks and sealants	(G) Hexanedioic acid, alkyl ester
P-20-0051A	3	03/11/2020	CBI	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(amin
P-20-0061	1	03/03/2020	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0062	1	03/05/2020	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, and as a heat generation material.	(S) Multi-walled carbon nanotube bundle length 10.6 - 211.1 um; Grade: Jenotube
P-20-0063	1	03/05/2020	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material.	(S) Multi-walled carbon nanotube bundle length 1.9 - 552.0 um; Grade: Jenotube
P-20-0064	1	03/05/2020	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material	(S) Multi-walled carbon nanotube bundle length 9.4 - 106.4 um; Grade: Jenotube
P-20-0065	1	03/05/2020	Inabata America Corporation	(S) Use as an electrically conductive material, as an additive in field emission applications, as an additive in batteries, energy storage, and electrode applications, as	(S) Multi-walled carbon nanotube globular shape; Grade: Jenotube

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				an additive to improve physical or mechanical properties, as an additive for weight reduction, as a heat generation material, and as a heat dissipation material.	
P-20-0066	1	03/09/2020	CBI	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxy dialkyl hydrogen heterosubstituted phosphonate
P-20-0067	1	03/11/2020	Shepherd Chemical	(G) Catalyst and Additive	(S) Neodecanoic acid, zinc salt,
P-20-0068	1	03/11/2020	CBI	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-
P-20-0069	2	03/21/2020	CBI	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-2-methyl-2-propenoate phosphoric peroxydisulfuric acid ([(HO)S(C sodium (disulfite) (2:1)-initiated
P-20-0070	1	03/16/2020	Clariant Corporation	(S) Solvent for use in formulated pesticide products, and in agrochemical adjuvant formulations.	(S) Nonanamide, N,N-dimethyl-
P-20-0072	1	03/18/2020	CBI	(G) Additive used to impart specific physicochemical properties to finished articles	(G) Multi-walled carbon nanotubes
P-20-0074	1	03/23/2020	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer branched and linear
P-20-0075	1	03/24/2020	CBI	(G) Pigment dispersant	(G) Phenol, 4,4'-(1-alkylalkylidene aminoalkoxy)alcohol, 2-(chloroalkanediamine and .alpha-hydroxyalkanedyl)], branched 4-alkylph
P-20-0076	1	03/25/2020	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with carbonodithioate, sodium salts
SN-19-0006A	3	03/05/2020	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morph
P-16-0206A	3	04/21/2020	Evonik Corporation	(S) Pigment Dispersing additive for pigment dispersions for industrial coatings	(G) Formaldehyde ketone condensation
P-16-0509A	12	04/24/2020	CBI	(G) For packaging application	(G) Modified ethylene-vinyl alcohol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0086A	7	03/20/2020	CBI	(G) Fragrance Chemical	(G) Cycloalkyl, bis(ethoxyalkyl), bis(ethoxyalkyl)-, cis-
P-17-0294A	2	04/22/2020	CBI	(S) The PMN substance will be used as an organic peroxide polymerization initiator for unsaturated acrylic, unsaturated polyester and vinyl ester resins.	(S) 2-butanone, 3-methyl-, peroxy
P-17-0333A	7	04/20/2020	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed ester heterocyclic methanol
P-17-0389A	7	04/28/2020	CBI	(G) Polymer precursor	(G) Alkyl oil, polymer with 1,4-Alkyl oil, hydrogenated rosin, p trimethylolpropane
P-18-0019A	4	03/26/2020	Cabot Corporation	(S) Dispersive pigment	(G) Substituted Benzene, 4-[2-[2-nitrophenyl)amino]carbonyl]-1- (1:1)
P-18-0056A	9	04/17/2020	CBI	(S) Rubber Adhesion promoter. Use in the manufacturing process of tires.	(S) Cobalt Neodecanoate Propionate
P-18-0098A	2	04/02/2020	Allnex USA Inc.	(S) Dispersing additive for pigments	(G) Polyphosphoric acids, polyn substituted heteromonocycle
P-18-0104A	8	03/18/2020	CBI	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction products
P-18-0150A	5	03/24/2020	CBI	(G) Component of an industrial coating	(G) Tertiary amine, compounds aliphatic isocyanate homopolymer
P-18-0154A	9	04/23/2020	CBI	(G) Crosslinking agent for coatings	(G) Isocyanic acid, polyalkylene alkanol and 1-alkoxy alkanol and
P-18-0258A	4	04/14/2020	CBI	(G) Copolyamide for Packaging Films, Molding Parts, and Monofilament	(G) Dioic acids, polymers with c
P-18-0259A	4	04/14/2020	CBI	(G) Copolyamide for Packaging Films, Molding Parts, and Monofilament	(G) Fatty acids, dimers, hydrogen alkyl diamine
P-18-0262A	7	04/24/2020	Seppic	(S) Function: Stabilizer of suspensions Applications: Detergency	(S) 2-Propenoic acid, 2-methyl-, ammonium 2-methyl-2-[(1-oxo-1-propanesulfonate (1:1), N,N-d (2-methyl-1-oxo-2-propen-1-yl)-ethanediyl)
P-18-0270A	5	04/27/2020	Specialty Elements,	(S) Active co-solvent for solvent-based coatings,	(G) Ethanol, 2-butoxy-, 1,1'-este

Case No.	Version	Received Date	Manufacturer	Use	Chemical
			LLC	coalescent for industrial water-based coatings, coupling agent and solvent in industrial cleaners, rust removers, hard surface cleaners, and disinfectants, primary solvent-based silk screen printing, coupling agent for resins and dyes in water-based printing inks, and co-solvent for agricultural pesticides.	
P-18-0271A	5	04/27/2020	Specialty Elements, LLC	(S) Active co-solvent for solvent-based coatings, coalescent for industrial water-based coatings, coupling agent and solvent in industrial cleaners, rust removers, hard surface cleaners, and disinfectants, primary solvent-based silk screen printing, coupling agent for resins and dyes in water-based printing inks, and co-solvent for agricultural pesticides.	(G) 2-Propanol, 1-butoxy-, 2,2'-di-
P-18-0326A	8	04/27/2020	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, n
P-18-0327A	6	04/20/2020	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P-18-0329A	3	03/20/2020	CBI	(G) Component of lenses used in electronic applications	(G) Substituted carbopolycyclic polymer with alkanediol and carbopolycycle) bisalkanol
P-18-0376A	5	03/30/2020	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) Thiosulfuric acid, aminoalkyl
P-18-0380A	6	04/07/2020	CBI	(G) Automotive brake parts (contained use)	(G) Butanoic acid ethyl amine
P-18-0381A	3	03/30/2020	The Shepherd Color company	(G) For use in exterior paints and plastics	(S) Indium manganese yttrium o

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0382A	2	04/08/2020	CBI	(G) Dye for printing ink	(G) Xanthylum, bis[dicarboxycyclohexane-1,4-diyl]disulfo-sulfocyclic-, inner salt, n
P-19-0019A	4	04/17/2020	CBI	(G) Intermediate	(G) Haloalkane
P-19-0048A	6	03/18/2020	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .al C12-14-alkyl ethers, phosphates
P-19-0053A	8	03/23/2020	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N-[(1
P-19-0077A	12	03/31/2020	CBI	(G) agricultural	(G) alkenylamide
P-19-0088A	5	04/13/2020	CBI	(G) Feedstock for amine recovery	(S) Ethanamine, N-ethyl-, 2-hyd
P-19-0109A	9	04/07/2020	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, bis[2-(amino-.kappa
P-19-0122A	2	03/31/2020	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydrog substituted) ethyl ester
P-19-0134A	6	04/02/2020	Conklin Co., Inc.	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanato [Poly[oxy(methyl-1,2-ethanediyl polymer with 1,6-diisocyanatohe butanediyl), .alpha.-hydro-.omeg adduct, reduced], and [1,3-Propa
P-19-0134A	7	04/15/2020	CBI	(S) Binder for moisture cure coatings	(G) [5-isocyanato-1-(isocyanato [Poly[oxy(methyl-1,2-ethanediyl polymer with 1,6-diisocyanatohe butanediyl), .alpha.-hydro-.omeg adduct, reduced], and [1,3-Propa
P-19-0145A	7	03/30/2020	ARC Products, INC	(S) Oil Field Drilling Fluid Additive, Oil Field Petroleum Production Fluid Additive, and Oilfield Fracturing Fluid Additive	(G) Polyazaalkane with oxirane
P-19-0153A	5	03/18/2020	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabro

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0174A	5	03/18/2020	International Lubricants Inc.	(G) Phosphorus antiwear compound	(G) Octadecanoic acid, (alkylph
P-19-0189A	2	03/24/2020	CBI	(S) Reactive polymer for use in adhesives and sealants.	(G) Fatty acids, polymers with a isocyanatobenzene]
P-20-0010A	6	03/20/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction pr inorganic dioxide and metal
P-20-0011A	6	04/22/2020	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]alkyl-3,9-3-(3,4-dimethoxyphenyl)acrylat
P-20-0027A	6	04/03/2020	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, C2-dodecanedioic acid, hydracrylic methylenebis[4-isocyanatobenze acid
P-20-0028A	6	04/03/2020	H.B. Fuller Company	(S) Industrial Adhesives	(G) Glycols, alpha, omega-, C2-polyester, dodecanedioic acid, h acid, 1,1'-methylenebis[4-isocya terephthalic acid
P-20-0029A	4	03/20/2020	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P-20-0032A	4	03/26/2020	Engineered Bonded Structures and Composites	(S) Talathol PO3, the material for which this notice is filed, is intended to be used as a copolymer in the production of urethane foam or coating.	(G) Polyethylene terephthalate p
P-20-0039A	3	04/16/2020	Miwon North America, Inc.	(S) Resins for Industrial coating	(G) Hexanedioic acid, polymer v alkanediol and 1,3-isobenzofura
P-20-0041A	3	03/25/2020	Kuraray America, Inc.	(G) Chemical Intermediate for Coatings	(S) 1,3-Benzenedicarboxylic aci pentanediol
P-20-0046A	2	04/09/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-t {[pentaalkylphenyl-(pentaalkylphenyl)amino]alkyl}; metal coordination compound
P-20-0046A	3	04/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-t {[pentaalkylphenyl-(pentaalkylphenyl)amino]alkyl}; metal coordination compound
P-20-0048	2	04/09/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-t dihalogeno(alkylcyclopentadien (tetraalkylcyclopentadienyl)tran
P-20-0048A	3	04/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-t dihalogeno(alkylcyclopentadien (tetraalkylcyclopentadienyl)tran

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0049	2	04/09/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-a bis(alkylcycloalkylene)dihalog
P-20-0049A	3	04/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-a bis(alkylcycloalkylene)dihalog
P-20-0052A	2	04/15/2020	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer trimethylhexanoate)
P-20-0052A	3	04/17/2020	Evonik Corporation	(S) Liquid shrinkage reducing admixture for concrete	(S) Oxirane, 2-methyl-, polymer trimethylhexanoate)
P-20-0054A	3	04/06/2020	CBI	(G) Catalyst is used in a closed process.	(S) Nitrile hydratase
P-20-0056A	3	04/13/2020	CBI	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(al esters, polymers with acrylic aci hydroxyalkyl methacrylate and c diazenediyl)bis[2,4-dialkylalkan
P-20-0066A	2	03/22/2020	CBI	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxy dialkyl hydrogen heterosubstitut phosphonate
P-20-0073	2	03/26/2020	CBI	(G) Oil and gas production chemistry	(G) Dialkylamino-alkylamino-al
P-20-0074A	2	04/17/2020	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer branched and linear
P-20-0075A	2	03/26/2020	CBI	(G) Pigment dispersant	(G) Phenol, 4,4'-(1-alkylalkylide aminoalkoxy)alcohol,2-(chloroa alkanediamine and .alpha-hydro alkanediy)], branched 4-alkylph
P-20-0078	1	03/30/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. v alkylidioate alkylidioate (1:2:1:1)
P-20-0079	1	03/30/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compd. v
P-20-0080	4	04/07/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0081	4	04/07/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. wit
P-20-0082	4	04/07/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0083	1	03/31/2020	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-s
P-20-0084	2	04/02/2020	CBI	(G) paper treatment additive	(G) 2-propenoic acid, 2-methyl, polymers with 2-(C16-18-acylar acrylate, acetates (salts)
P-20-0086	2	04/22/2020	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer heteromonocyclic (3:1)
P-20-0087	2	04/24/2020	Evonik Corporation	(S) Component in Hard Surface Cleaners, and Laundry Detergent	(S) Alcohols, C8-10-iso-, C9-ric
P-20-0090	2	04/23/2020	Clariant Corporation	(S) Surfactant for use in dishwashing detergents.	(G) Poly(oxy-1,2-ethanediyl), .a hydroxy-, .omega.-alkyl ethers
SN-16-0013A	3	03/16/2020	CBI	(G) Surfactant	(G) Polyfluorinated alkyl quater
SN-20-0002	2	04/02/2020	Dover Chemical Corporation	(S) Lubricant in metal-working fluids, grease, oil and engine oils; Plasticizer/flame retardant in textiles, polymers, and paints, and Flame retardant in rubber compounds	(S) Alkanes, C24-28, chloro
SN-20-0003	4	04/13/2020	Dynax Corporation	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam), and for very minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-m [(3,3,4,4,5,5,6,6,7,7,8,8,8-trideca sodium salt (1:1)
SN-20-0003A	5	04/15/2020	Dynax Corporation	(S) An anionic fluorosurfactant for main use(>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam), and for very	(S) 1-Propanesulfonic acid, 2-m [(3,3,4,4,5,5,6,6,7,7,8,8,8-trideca sodium salt (1:1)

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				minor use (<2%) in coatings and ink applications.	
SN-20-0004	2	04/15/2020	Molecular Rebar Design	(S) For use as an additive in batteries and energy storage devices.	(S) single-walled carbon nanotube
SN-20-0004A	3	04/20/2020	Molecular Rebar Design	(S) For use as an additive for enhanced electrical conductivity and mechanical strength in both the cathode and anode of batteries and energy storage devices.	(S) single-walled carbon nanotube
P-16-0417A	3	05/11/2020	CBI	(G) Adhesive for open, non-descriptive use	(G) Isocyanate terminated polyurethane
P-17-0002A	5	04/30/2020	CBI	(G) Printing ink applications.	(G) Styrene(ated) copolymer with (meth)acrylic acid.
P-17-0003A	11	04/30/2020	CBI	(G) Printing ink applications	(G) Styrene(ated) copolymer with (meth)acrylic acid
P-17-0026A	5	04/30/2020	CBI	(G) Industrial Ink printing applications	(G) Cycloaliphatic diamine, poly(hydroxypoly(oxy-alkanediyl), and alkanediyl), and cycloaliphatic diisocyanate
P-17-0195A	8	05/13/2020	CBI	(G) For manufacturing modified Ethylene vinyl alcohol copolymer	(G) 1,3-Propanediol,2-methylenebis(2-hydroxyethyl) ether
P-17-0324A	2	05/07/2020	Vertellus Specialties Inc.	(S) Chemical intermediate, destructive use	(S) 2,4-Hexadiene-1-ol, 1-acetate
P-17-0333A	8	05/15/2020	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed ester with heterocyclic methanol
P-17-0376A	7	05/18/2020	Innovative Chemical Technologies, Inc.	(S) Textile additive	(G) 2-Propenoic acid, 2-methylhexadecyl 2-propenoate, octadecyl 2-propenoate, and 3,3,4,4,5,5,6,6,7,7,8,8,8-tetradecyl 2-propenoate
P-17-0377A	7	05/18/2020	Innovative Chemical Technologies, Inc.	(S) Textile Additive	(G) 2-Propenoic acid, 2-methylhexadecyl 2-propenoate, octadecyl 2-propenoate, and 3,3,4,4,5,5,6,6,7,7,8,8,8-tetradecyl 2-propenoate
P-17-0378A	7	05/18/2020	Innovative Chemical Technologies, Inc.	(S) Textile additive	(G) 2-Propenoic acid, 2-methyl-2-hydroxyethyl 2-methyl-2-propenoate and 3,3,4,4,5,5,6,6-tetradecyl 2-propenoate
P-17-0379A	7	05/18/2020	Innovative Chemical Technologies, Inc.	(S) Textile Additive	(G) 2-Propenoic acid, 2-methyl-2-hydroxyethyl 2-methyl-2-propenoate and 3,3,4,4,5,5,6,6-tetradecyl 2-propenoate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
			Inc.		2-methyl-2-propenoate
P-18-0146A	3	05/19/2020	Arakawa Chemical (USA) Inc.	(G) Primer paint binders for open non-dispersive uses	(G) Modified fat amines, polymers, epichlorohydrin, alkylamine and [isocyanatoalkylcarbomonocycle]
P-18-0151A	10	05/21/2020	Struers Inc.	(S) A curing agent for curing epoxy systems	(S) Formaldehyde, reaction product and p-tert-butylphenol
P-18-0153A	3	05/20/2020	CBI	(G) Mixed metal oxide for batteries	(G) Lithium mixed metal oxide
P-18-0170A	5	05/23/2018	CBI	(G) Textile treatment	(S) 1-Propanaminium, N,N'-(oxy-2-hydroxy-N,N-dimethyl-, dichloro-
P-18-0178A	3	05/20/2020	CBI	(S) Stabilizer for PVC	(G) Dialkyltin dialkylcarboxylate
P-18-0217A	4	05/20/2020	Galata Chemicals LLC	(S) Stabilizer for PVC compound	(G) Alkyltin dodecylthioester
P-18-0218A	4	05/20/2020	Galata Chemicals LLC	(S) Stabilizer for PVC compound	(G) Alkyltin tetradecylthioester
P-18-0235A	3	12/28/2018	CBI	(S) Component in automotive gasoline/transportation fuel for consumer use.	(G) Naphtha Oils
P-18-0289A	5	05/22/2020	CBI	(G) Gas scrubbing, landfill deodorizing, and wastewater deodorizing	(G) 2-(2(methylcarboxymonocyclohexyl)-2-oxoethyl)-2-oxoethyl
P-18-0290A	5	05/22/2020	CBI	(G) Gas scrubbing, wastewater deodorizing, and landfill odor neutralizing	(G) Carbomonocyclic-oxazolidinone
P-18-0320A	2	05/01/2020	CBI	(G) Hardner	(G) Alkane, diisocyanato-(isocyanato-)
P-18-0330A	3	05/20/2020	CBI	(G) initiator	(G) Formaldehyde, polymer with
P-18-0332A	2	05/21/2020	Cargill, Inc	(G) a component in building materials	(S) Canola Meal
P-18-0333A	2	05/21/2020	Cargill, Inc	(G) a component in building materials	(S) Flaxseed Meal
P-18-0340A	3	05/18/2020	Lanxess Solutions US Inc	(S) One component thermoset elastomer manufacture.	(S) Poly(oxy-1,4-butanediyl), alcohol with 1,1'-methylenebis[4-isocyanato-
P-18-0348A	2	05/18/2020	Lanxess Solutions US Inc	(S) Thermoplastic elastomer manufacture / Injection Moulding	(S) Ethanol, 2,2'-[1,4-phenylene diisocyanato]hexane and -hydro-
P-18-0349A	4	05/18/2020	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc	(S) Oxirane, 2-methyl-, polymer propanetriol (3:1), polymer with branched 4-nonylphenol-blocker

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0350A	3	05/14/2020	Evonik Corporation	(S) Additive in water-borne UV-curable coatings, Filler pigment treatment, and Glass fiber treatment	(G) Aqueous methacrylamido m
P-18-0360A	2	05/18/2020	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc.	(S) Oxirane, 2-methyl-, polymer 1-methylbenzene, 2-methyloxira 1,2,3-propanetriol (3:1), and oxi-blocked.
P-18-0361A	4	05/18/2020	Lanxess Solutions US Inc	(S) Electrophoretic paint	(S) Propanoic acid, 3-hydroxy-2 with 1,3,5-tris(6-isocyanatohexy trione, 3,5-dimethyl- 1H-pyrazo
P-18-0362A	2	05/18/2020	Lanxess Solutions US Inc	(S) Corrosion protection coatings	(S) 1,3-Propanediol, 2-ethyl-2-(l diisocyanato-1-methyl-benzene, ethanediyl)] and -1,2,3-propanet ethanediyl)]], Me Et ketone oxir
P-18-0380A	7	05/07/2020	CBI	(G) Automotive brake parts (contained use)	(G) Butanoic acid ethyl amine
P-18-0403A	4	05/22/2020	Clariant Plastics & Coatings USA Inc	(S) Dispersing agent for pigments, paints, and coatings.	(S) 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl 2-methy 2-methyl-2-propenoate
P-18-0405A	5	05/20/2020	CBI	(G) adhesive	(S) Phenol, 4,4'-(1-methylethylic tetraoxatetradeca-1,13-diene, gly
P-19-0041A	3	05/01/2020	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with bis(halogenated alkyl) ether
P-19-0042A	3	05/01/2020	CBI	(G) Oil water separation	(G) Alkyl diester, polymer with bis(halogenated alkyl) ether
P-19-0043A	3	05/01/2020	CBI	(G) Oil water separation	(G) Alkyl dicarboxylic acid, pol and bis(halogenated alkyl) ether
P-19-0044A	3	05/01/2020	CBI	(G) Oil water separation	(G) Alkyl bis(dialkylamino alkyl alkyl) ether
P-19-0053A	9	05/19/2020	Wacker Chemical Corporation	(S) Used as a surface treatment, sealant, caulk, and coating for mineral building materials such as concrete, brick, limestone, and plaster, as well as on wood, metal and other substrates.	(S) 1-Butanamine, N-butyl-N-[(1
P-19-0064A	7	03/27/2020	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimet 2-(chloromethyl)oxirane, 1,4-be butyl 2-methyl 2-propenoate, etl 2-propenoate, reaction products

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0064A	8	05/15/2020	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl-2-(chloromethyl)oxirane, 1,4-bis(2-methyl-2-propenoate), ethyl 2-propenoate, reaction products
P-19-0084A	3	05/13/2020	CBI	(S) Flame retardant	(S) Diphosphoric acid, compd. v
P-19-0109A	10	05/06/2020	Arch Chemicals, Inc.	(G) The chemical is used as a component of a cleaning formulation to improve the wettability of the overall cleaning solution on the substrate	(S) Copper, [[2,2',2''-(nitrilo-ka(2-))];(S) Copper, bis[2-(amino-
P-19-0116A	5	05/26/2018	CBI	(S) Silk protein for production of fiber, Skincare use as additive in dermal moisturizing lotions	(G) sr-(Wasp Spider Polypeptide
P-19-0153A	6	04/30/2020	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabrom
P-19-0153A	7	05/05/2020	Wego Chemical Group	(S) Raw material in Flame Retardant product	(G) Dibromoalkyl ether Tetrabrom
P-20-0005A	5	05/08/2020	RMC Advanced Technologies Inc.	(G) Additive for plastics and resins.	(G) modified graphene
P-20-0010A	7	05/08/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product, inorganic dioxide and metal
P-20-0015A	6	05/21/2020	GE Healthcare	(S) The polymer is used in the manufacture of hollow fiber products.	(G) N-alkyl heteromonocyclic diamine, haloaryl-substituted sulfone, polyaryl alcohol terminated
P-20-0036A	3	05/21/2020	Sigma-Aldrich co LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6Li) Chloride.
P-20-0037A	4	05/21/2020	Sigma-Aldrich co LLC	(G) The material is used in manufacturing devices for gamma and neutron radiation detection.	(S) Lithium Chloride (6LiCl)
P-20-0047	6	05/14/2020	Nanosystems Inc	(S) Hydrophilic polyurethane prepolymer used to manufacture flexible foams.	(G) Oxirane, 2-methyl-, polymer (3:1), polymer with poly(oxy-1,4-bis(methylenebis[isocyanatobenzene
P-20-0062A	2	05/11/2020	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive	(S) Multi-walled carbon nanotube bundle length 10.6 - 211.1 um; C

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and dissipation material	
P-20-0063A	2	05/11/2020	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and heat dissipation material.	(S) Multi-walled carbon nanotube bundle length 1.9 - 552.0 um; Grade: Jenotube
P-20-0064A	2	05/11/2020	Inabata America Corporation	(S) Use as an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and dissipation material, and electrically conductive material and an additive in field emission applications.	(S) Multi-walled carbon nanotube bundle length 9.4 - 106.4 um; Grade: Jenotube
P-20-0065A	2	05/11/2020	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, batteries, energy storage, and electrode applications. Use as an additive to improve physical or mechanical properties, an additive for weight reduction, a heat generation and heat	(S) Multi-walled carbon nanotube globular shape; Grade: Jenotube

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				dissipation material.	
P-20-0069A	3	05/15/2020	CBI	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-2-methyl-2-propenoate phosphat peroxydisulfuric acid ([(HO)S(C sodium (disulfite) (2:1)-initiated
P-20-0069A	4	05/16/2020	CBI	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-2-methyl-2-propenoate phosphat peroxydisulfuric acid ([(HO)S(C sodium (disulfite) (2:1)-initiated
P-20-0076A	2	05/21/2020	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products w sodium salts
P-20-0085	5	05/07/2020	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carl
P-20-0085A	6	05/14/2020	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carl
P-20-0086A	3	05/11/2020	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer heteromonocyclic (3:1)
P-20-0092	5	05/22/2020	CBI	(G) Coloration of fabric	(G) Napthalenesulfonic acid, am [(sulfooxy)ethyl]sulfonyl]pheny
P-20-0093	2	05/04/2020	Ashland Inc.	(G) Coating	(G) Alkanoic acid, 3-hetero-ator substituted alkyl)-2-alkyl-, poly hydro-omega-heteroatom-substi 5-hetero-atom substituted- 1- (h trialkylcycloalkane
P-20-0093A	3	05/21/2020	Ashland Inc.	(G) Coating	(G) Alkanoic acid, 3-hetero-ator substituted alkyl)-2-alkyl-, poly hydro-omega-heteroatom-substi 5-hetero-atom substituted- 1- (h trialkylcycloalkane
P-20-0094	1	04/29/2020	CBI	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography /additive and Formulation component in UV/EB adhesive manufacturing	(G) Alkanedioic acid, polymer v isocyanatocarbomonocycle, dial dihydroxypropyl alkyl ester, 2-h
P-20-0095	1	05/04/2020	Evonik Corporation	(S) Additive to improve melt flow, scratch resistance, demoulding and lower COF of thermoplastic compounds.	(S) Siloxanes and Silicones, di-1 3-(2-hydroxyethoxy)propyl grou 2-oxepanone homopolymer

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0096	2	05/19/2020	CBI	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid, 2-(dialkylamino)alkyl-alkyl-alkyl-2-propenamide and salt of alkyl-
P-20-0097	1	05/07/2020	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopoly dihydroxyalkyl and hydroxyalkyl-
P-20-0102	1	05/22/2020	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index
P-20-0104	2	05/26/2020	CBI	(G) Additive	(G) Alkenoic acid, polymer with
SN-19-0006A	4	05/13/2020	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morph
SN-19-0006A	5	05/15/2020	CBI	(G) Component for 3D Printing formulations	(S) 2-Propen-1-one, 1-(4-morph
J-20-0007	1	06/03/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
J-20-0008	1	06/03/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
J-20-0009	1	06/10/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
J-20-0010	1	06/10/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
J-20-0011	1	06/10/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
J-20-0012	1	06/12/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
P-16-0313A	3	06/10/2020	Honeyol, Inc.	(S) Use in production of resins (raw material used in the production of resins)	(S) Tar acids (shale oil), C6â9 fr
P-16-0345A	4	06/15/2020	CBI	(G) Processing aid	(G) Acrylamide, polymer with n
P-16-0449A	3	06/19/2020	CBI	(S) Use per FFDC: cosmetics, Use per TSCA: Fragrance uses; scented papers, detergents, candles etc.	(S) 2,7-Decadienal, (2E,7Z)-
P-17-0333A	9	06/09/2020	Miwon North America, Inc.	(S) Reactive diluent for optical film coating	(G) 2-Propenoic acid, mixed est heterocyclic methanol
P-18-0049A	3	06/09/2020	CBI	(G) Coating component/processing aid	(G) Mixed metal halide

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0084A	8	06/18/2020	Shayonano USA, Inc.	(S) Additive for water based paints and coatings	(S) silicon zinc oxide
P-18-0256A	5	06/10/2020	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P-18-0281A	3	05/13/2020	CBI	(G) Electrolyte additive.	(G) Cyclic sulfate
P-18-0298A	2	06/23/2020	Hexion Inc	(G) Epoxy curing agent	(G) 1,3-Propanediol, 2-ethyl-2-(ethyleneamine, 2-(chloromethyl dimethylethyl)phenoxy)methyl, hexanediylbis(oxymethylene)]bis(methylethylidene)bis[phenol], al methylphenoxy methyl]oxirane
P-18-0308A	3	06/18/2020	CBI	(G) Additive for engineering plastics	(G) Bis[(hydroxyalkoxy)aryl]car
P-18-0318A	3	06/12/2020	GELEST	(S) Surface treatment for added lubricity and anti-static properties and Research	(S) 1-Octadecanaminium, N,N-chloride
P-18-0320A	3	06/17/2020	CBI	(G) Hardner	(G) Alkane, diisocyanato-(isocy
P-18-0325A	4	06/19/2020	Allnex USA Inc.	(S) Industrial crosslinking catalyst.	(G) Benzenesulfonic acid, alkyl diisopropanolamine
P-18-0330A	4	05/27/2020	CBI	(G) initiator	(G) Formaldehyde, polymer witl
P-18-0341A	8	06/9/2020	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, p alkyl polyglycol, alkyl dialcohol
P-18-0342A	8	06/9/2020	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, p dialcohol, and functionalized car
P-18-0343A	8	06/9/2020	CBI	(G) Component in coatings	(G) Alkane dicarboxylic acid, p and alkyl dialcohol, (hydroxy al
P-18-0344A	8	06/9/2020	CBI	(G) Component in coatings	(G) Aromatic dicarboxylic acid, acid, alkoxylated polyalcohol, a
P-18-0363A	4	06/19/2020	CBI	(G) Adhesive	(G) Phenol, polymer with forma salts
P-18-0396A	4	06/11/2020	CBI	(G) Paint	(G) Alkenoic acid, alkyl, polym propenoate and substituted alkyl alkanoate, tert-butyl substituted
P-18-0398A	3	06/11/2020	CBI	(S) Intermediate	(G) Polyalkylpolyalkylenepolya
P-18-0398A	4	06/17/2020	CBI	(S) Intermediate	(G) Polyalkylpolyalkylenepolya
P-18-0407A	3	06/11/2020	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dir N-[2-[methyl(1-methylethyl)am
P-19-0036A	5	06/17/2020	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic aci

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-19-0036A	6	06/18/2020	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid
P-19-0036A	7	06/18/2020	Ethox Chemicals, LLC	(S) As an additive to polymers for improvement in gas barrier performance.	(S) 1,4-Benzenedicarboxylic acid
P-19-0038A	4	06/24/2020	Allan Chemical Corporation	(S) Ink carrier for the ceramic industries.	(S) Fatty acids, coco, iso-Bu esters
P-19-0048A	7	05/29/2020	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), al C12-14-alkyl ethers, phosphates
P-19-0064A	11	06/24/2020	The Sherwin Williams Company	(G) Polymeric film former for coatings	(G) 4,4'-methylenebis[2,6-dimethyl-2-(chloromethyl)oxirane, 1,4-bis(2-methyl-2-propenoate), ethyl 2-propenoate, reaction products
P-19-0131A	3	05/27/2020	CBI	(G) Additive for horizontal oil drilling	(G) Isoalkylaminium, N-isoalkyl
P-19-0145A	8	05/28/2020	ARC Products, Inc.	(S) Oil Field Drilling Fluid Additive, Petroleum Production Fluid Additive and Fracturing Fluid Additive	(G) Polyazaalkane with oxirane
P-19-0162A	2	06/22/2020	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialkyl salts
P-20-0010A	8	05/27/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction products, inorganic dioxide and metal
P-20-0018A	3	06/26/2020	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0019A	3	06/26/2020	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0020A	3	06/26/2020	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0021A	3	06/26/2020	CBI	(G) Component in candles	(G) Fatty acid dimers, polymers
P-20-0023A	3	06/11/2020	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) heteropolycycle, 2,6-dimethyl
P-20-0029A	5	06/19/2020	Kuraray America, Inc.	(G) Oil soluble additive	(S) Octanal, 7(or 8)-formyl-
P-20-0035A	3	06/02/2020	CBI	(G) Colorant	(G) Substituted aromatic, 3,3'-[1,2,4-triazine-2,4-diyl]bis[imino[2-(substituted phenylene)-2,1-diazenediyl]]bis

Case No.	Version	Received Date	Manufacturer	Use	Chemical Name
P-20-0038A	2	06/04/2020	Nissan Chemical Houston Corporation	(S) PMN substance will be used as resist compound for semiconductor manufacture	(S) 1,3,5-Triazine-2,4,6-(1H,3H,4H)-2,4-dihydro-2,4-dioxiranylpropyl]-
P-20-0043A	5	06/04/2020	Saproterra	(S) Soil and Plant amendment. Soil Amendment is any substance which is intended to change the chemical or physical characteristics of soil. Plant amendment is any substance applied to plants or seeds which are intended to improve germination, growth, yield, quality, reproduction, flavor or other desirable characteristics.	(S) Acetic acid, 2-[[3-(4-pyridinyl)propanoate]ethyl]aminoethanol (1:1)
P-20-0051A	4	05/28/2020	CBI	(S) Curing agent for Industrial epoxy coating systems	(S) 1,8-Octanediamine, 4-(aminophenyl)-
P-20-0056A	4	06/04/2020	CBI	(G) Pigment dispersant	(G) Polyphosphoric acids, 2-[(alkoxyalkyl)phenoxy]ethyl methacrylate and (alkoxyalkyl)hydroxyalkyl methacrylate and (alkoxyalkyl)diazenediylbis[2,4-dialkylalkanediols]
P-20-0057A	2	06/15/2020	Nusil Technology LLC	(G) Silane coupling agent used in silicone formulations.	(G) Arene, trimethoxysilyl-, hydroxy-
P-20-0059A	4	05/27/2020	CBI	(S) Colorant for thermoplastic resins	(G) Propanedinitrile, 2-[[4-[ethoxyphenyl]phenoxy]ethyl]amino]-2-naphthalenesulfonamide
P-20-0068A	2	06/12/2020	CBI	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-2-propenoate
P-20-0069A	5	06/27/2020	CBI	(G) Surface-active chemical	(G) 2-Propenoic acid, 2-methyl-2-methyl-2-propenoate phosphatidyl ester, peroxydisulfuric acid ([HO)S(CO)Na] sodium (disulfite) (2:1)-initiated
P-20-0071A	6	06/22/2020	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid, 4-sulfophenyl diazenyl]
P-20-0072A	2	06/18/2020	CBI	(G) Additive used to impart specific physicochemical properties to finished articles	(G) Multi-walled carbon nanotubes

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0074A	3	05/29/2020	Clariant Corporation	(S) Surfactant for use in the formulation of pesticide products.	(S) Oxirane, 2-methyl-, polymer branched and linear
P-20-0077A	2	05/28/2020	Aalborz Chemical LLC	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkyl) 1-alkylketone
P-20-0086A	4	06/24/2020	Daicel Chemtech, Inc.	(G) Component of polymers	(G) 2-Oxepanone, homopolymer heteromonocyclic (3:1)
P-20-0091A	3	06/08/2020	AOC	(S) The material in question will be use to make unsaturated polyester resins to service the composite industry.	(S) 2,5-Furandione, polymer with oxybis[ethanol], 2-ethylhexyl 3a 1H-indenyl ester
P-20-0092A	6	06/22/2020	CBI	(G) Coloration of fabric	(G) Napthalenesulfonic acid, am [(sulfooxy)ethyl]sulfonyl]phenyl
P-20-0092A	7	06/25/2020	CBI	(G) Coloration of fabric	(G) Napthalenesulfonic acid, am [(sulfooxy)ethyl]sulfonyl]phenyl
P-20-0097A	2	06/08/2020	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopoly dihydroxyalkyl and hydroxyalkyl
P-20-0098	2	06/28/2020	CBI	(S) property modifier for polymers	(G) Calcium cycloalkylcarboxyl
P-20-0099	5	06/11/2020	Materion Advanced Chemicals	(S) A material used for the production of Li ion conductive separators for rechargeable batteries. For example and including, electric automobile batteries.	(G) Mixed Metal Oxide
P-20-0099A	6	06/25/2020	Materion Advanced Chemicals	(S) A material used for the production of Li ion conductive separators for rechargeable batteries. For example and including, electric automobile batteries.	(G) Mixed Metal Oxide
P-20-0100	2	06/16/2020	Evonik Corporation	(S) Manual Dish Detergent, Hard Surface Cleaner, and Laundry Detergent	(S) Glycolipids, rhamnase-contg from D-glucose, potassium salts
P-20-0101	4	05/28/2020	CBI	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hydroxyalkyl)alkyl]-om (haloalkyl)oxiane polymer (alkyl carbomonocycle] alkenoate and

Case No.	Version	Received Date	Manufacturer	Use	Chemical
					hydroxyalkyl acrylate-blocked
P-20-0103	3	06/05/2020	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloaliphatic amine format
P-20-0103A	4	06/24/2020	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloaliphatic amine format
P-20-0103A	5	06/24/2020	Sachem Inc	(G) On site intermediate for the production of finished goods	(G) Cycloaliphatic amine format
P-20-0104A	3	06/03/2020	CBI	(G) Additive	(G) Alkenoic acid, polymer with
P-20-0104A	4	06/12/2020	CBI	(G) Additive	(G) Alkenoic acid, polymer with
P-20-0105	1	05/28/2020	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dihydro-2-methyl-
P-20-0106	1	06/03/2020	CBI	(G) Polymer reactant	(G) Aminoalkanoic acid, N,N-bi
P-20-0106A	2	06/22/2020	CBI	(G) Polymer reactant	(G) 3-(2-Alkoxyalkyl)-2-heteroc
P-20-0107	2	06/28/2020	CBI	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepolyalkanediol, 2-alkoxyalkyl methacrylate-2-heterocycle-blocked
P-20-0108	1	06/08/2020	CBI	(G) Film-forming polymer	(G) Alkanoic acid, compds. with dialkyl-1,3-alkanediamine-epichlorohydrin with dialkylene glycol (2:1) poly
P-20-0108A	2	06/12/2020	CBI	(G) Film-forming polymer	(G) Alkanoic acid, compds. with dialkyl-1,3-alkanediamine-epichlorohydrin with dialkylene glycol (2:1) poly
P-20-0108A	3	06/26/2020	CBI	(G) Film-forming polymer	(G) Alkanoic acid, compds. with dialkyl-1,3-alkanediamine-epichlorohydrin with dialkylene glycol (2:1) poly
P-20-0110	1	06/09/2020	Clariant Corporation	(S) Base oil additive for lubricants and greases.	(G) Alkanoic acid, compds. with dialkyl-1,3-alkanediamine-epichlorohydrin with dialkylene glycol (2:1) poly
P-20-0111	1	06/09/2020	Westlake Chemical Corporation	(G) Component in flexible automotive interior parts	(S) 1,2,4-Benzenetricarboxylic acid
P-20-0112	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions product of silicic acid (H4SiO4) tetra-Et ester and [3-(trialkoxysilyl)alkoxy]methyl

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0113	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions p acid (H4SiO4) tetra-Et ester and [3-(trialkoxysilyl)alkoxy]methyl
P-20-0114	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions p acid (H4SiO4) tetra-Et ester and [3-(trialkoxysilyl)alkoxy]methyl
P-20-0115	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions p acid, silicic acid (H4SiO4) tetra-[3-(trialkoxysilyl)alkoxy]methyl
P-20-0116	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions p acid (H4SiO4) tetra-Et ester and (trialkoxysilyl)alkoxy]methyl]o
P-20-0117	1	06/10/2020	Sefa Group Inc.	(S) Additive for polymers: e.g., rubber, plastics, adhesives, coatings and sealants.	(G) Ashes (residues), reactions p acid (H4SiO4) tetra-Et ester and [3-(trialkoxysilyl)alkoxy]methyl
P-20-0118	2	06/22/2020	CBI	(G) Additive in household consumer products	(S) Pyridine, 4-methyl-2-pentyl-
P-20-0119	1	06/12/2020	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Carbopolycyclicoxoalkoxy(dicarbomonocyclic sulfonium, s substitutedalkyl carboxylate
P-20-0120	1	06/12/2020	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Carbomonocyclic sulfonium hydroxycarbopolycyclic carboxy
P-20-0121	1	06/17/2020	CBI	(S) Chemical intermediate	(G) Imidic acid, alkyl ester, sulfi
P-20-0122	3	06/23/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Heterocyclic onium compou trisubstitutedalkyl 2-methyl-2-pi acenaphthylene, 4-ethenyl-a,a-di 4-ethenylphenyl acetate, hydroly
P-20-0123	1	06/18/2020	CBI	(S) Binder	(G) Nitrogen-substituted heteroc substituted alkyl) derivs., sulfate
P-20-0124	1	06/19/2020	CBI	(G) Additive in Household consumer products	(S) 5-octen-4-ol, 3,5-dimethyl-,
P-20-0125	1	06/19/2020	CBI	(G) Additive in Household consumer products	(S) 4-Penten-1-one, 1-(5-ethyl-5
P-20-0126	1	06/24/2020	CBI	(G) Additive in Household consumer	(S) 4-Decenal, 5,9-dimethyl-

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				products	
SN-20-0006	2	06/03/2020	CBI	(G) Color Developer	(S) Phenol, 4,4'-[1-[4-[1-(4-hydroxy-1-methylethyl)phenyl]ethylidene]
P-16-0345A	5	07/13/2020	CBI	(G) Processing aid	(G) Acrylamide, polymer with n
P-16-0460A	5	08/21/2018	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilica
P-16-0461A	5	08/21/2018	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilica
P-16-0462A	5	08/21/2018	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilica
P-16-0463A	5	08/21/2018	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilica
P-16-0464A	5	08/21/2018	SEFA Group Inc.	(S) Process aid for vulcanized rubber	(G) Silane-treated aluminosilica
P-16-0512A	4	06/30/2020	CBI	(S) Component of a UV curable printing inks	(G) Fatty acid dimers, polymer v reaction products.
P-17-0115A	4	07/24/2020	CBI	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P-17-0267A	7	08/22/2018	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluor
P-17-0267A	9	09/14/2018	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluor
P-17-0267A	10	09/25/2018	Honeywell International (123312)	(G) solvent for dispersive use	(S) (1) (Z)-1-chloro-3,3,3-trifluor
P-17-0288A	8	11/05/2018	SK Chemicals America, Inc.	(G) All-purpose packaging	(G) Carbomonocyclicdicarboxyl cycloalkane(C=5~8) alkanol, alk 4-(hydroxymethyl)cyclohexyl]n 4-(hydroxymethyl)cyclohexanec substitutedalkanol(C=1~5) and 4,4'-[oxybis(methylene)]bis[cyc
P-17-0329A	5	06/22/2018	CBI	(G) Intermediate used in synthesis	(G) Substituted haloaromatic tri
P-17-0329A	7	07/12/2018	CBI	(G) Intermediate used in synthesis	(G) Substituted haloaromatic tri
P-17-0398A	9	11/02/2018	Nexus Fuels	(G) Wax- Component of complex formulations for blending.	(G) Branched Cyclic and Linear Depolymerization
P-17-0399A	9	11/02/2018	Nexus Fuels	(G) stock use	(G) Alkane, Alkene, Styrenic Co Depolymerization
P-18-0001A	9	11/02/2018	Nexus Fuels	(G) Additive	(G) Carbon compound derived f

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0013A	4	07/01/2020	Shin-Etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Substituted-triphenylsulfoni
P-18-0042A	10	08/20/2018	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer wit propanediol, 3a,4,5,6,7,7a-hexal yl ester, ester with 2,3-dihydroxyl 5-isocyanato-1-(isocyanatometh 2-hydroxyethyl acrylate- and 2-l
P-18-0042A	11	09/17/2018	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer wit propanediol, 3a,4,5,6,7,7a-hexal yl ester, ester with 2,3-dihydroxyl 5-isocyanato-1-(isocyanatometh 2-hydroxyethyl acrylate- and 2-l
P-18-0042A	12	09/24/2018	Myriant Corporation	(G) Industrial Coating	(S) 2,5-Furandione, polymer wit propanediol, 3a,4,5,6,7,7a-hexal yl ester, ester with 2,3-dihydroxyl 5-isocyanato-1-(isocyanatometh 2-hydroxyethyl acrylate- and 2-l
P-18-0104A	9	07/20/2020	CBI	(S) Halogen free flame retardant in thermoplastic polymers	(G) Acrylic acid, reaction produ
P-18-0110A	8	09/10/2018	CBI	(G) Open dispersive use. Component in liquid paint coating.	(G) Formaldehyde, polymer witl oxirane and phenol
P-18-0111A	8	09/10/2018	CBI	(G) Component in liquid paint coating	(G) Phenol, polymer with forma arylpolyamine
P-18-0143A	8	07/10/2020	Huntsman international LLC	(G) Anti-corrosive primer for outdoor industrial applications	(G) Fatty acids, tall-oil polymers; diamine, polyalkylene polyamin tris-[(alkylamino) alkyl] phenol
P-18-0144A	7	07/10/2020	CBI	(G) Anti-corrosive primer for outdoor industrial applications	(G) Formaldehyde, polymer witl
P-18-0202A	2	06/14/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer wi
P-18-0202A	6	11/30/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer wi
P-18-0203A	2	06/14/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer wi
P-18-0203A	6	11/30/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Trialkyl alkanal, polymer wi
P-18-0204A	2	06/14/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with
P-18-0204A	6	11/30/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0205A	2	06/14/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with
P-18-0205A	6	11/30/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkyl alkanal, polymer with
P-18-0206A	2	06/14/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkanal, polymer with phen
P-18-0206A	6	11/30/2018	Hexion Inc	(G) Tackifier, Rubber additive	(G) Alkanal, polymer with phen
P-18-0221A	2	07/22/2020	Georgia-Pacific Chemicals LLC	(S) binder for wood panels	(G) Polyglycerol reaction produ
P-18-0236A	2	09/26/2018	The Sherwin Williams Company	(G) Paint additive	(G) Metal, alkenoic acid-alkyl al polymer carbopolycycle comple
P-18-0239A	4	07/06/2020	CBI	(G) Reactant in coating.	(G) N-alkyl propanamide
P-18-0240A	4	07/06/2020	CBI	(G) Reactant in coating.	(G) N-alkyl acetamide
P-18-0281A	4	07/09/2020	CBI	(G) Electrolyte additive.	(G) Cyclic sulfate
P-18-0282A	10	01/25/2019	Ashland Inc.	(G) Adhesive	(G) fatty acid ester, polyether, di
P-18-0303A	4	07/22/2020	CBI	(G) UV curable oligomer	(G) 2-Propenoic acid, polymer v
P-18-0309A	8	11/01/2018	HighLand Logistics LLC	(G) Latex applied to textiles for anti-odor and anti-microbial applications	(G) alkanedioic acid, 2-alkylene arylate, sodium salt, hydroxyalk hydroxypoly(oxy-1,2-ethandiyl 1,2-ethandiyl
P-18-0327A	7	07/09/2020	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P-18-0327A	8	07/09/2020	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P-18-0327A	9	07/16/2020	CBI	(G) Filler for non-dispersive resins.	(G) Mixed Metal Oxide
P-18-0355A	3	07/29/2020	CBI	(G) paint	(G) Alkanediol, substituted alky alkanedioate substituted carbom alkanoate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0358A	2	10/18/2018	Shikoku International Corporation	(S) Used as a curing agent within carbon fiber reinforced plastics (CFRP) prepreg to expedite the hardening process during the final thermosetting operation. Industrial adhesives for electronics to expedite the hardening process during the final thermosetting operation.	(S) 1H-Imidazole-1-propanenitrile
P-18-0379A	3	07/08/2020	CBI	(G) Hardener for waterborne epoxy system	(G) Cashew nutshell liquid polyurethane, formaldehyde, phenol, amines and
P-18-0398A	5	07/17/2020	Evonik Corporation	(S) Intermediate	(G) Polyalkylpolyalkylenepolyurethane
P-18-0400A	8	07/28/2020	CBI	(G) open, non-dispersive use, additive for textile industry	(G) Rosin adduct ester, polymer
P-19-0038A	5	06/30/2020	Allan Chemical Corporation	(S) Ink carrier for the ceramic industries.	(S) Fatty acids, coco, iso-Bu ester
P-19-0141A	6	07/08/2020	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese(II) salt (4:5);
P-19-0188A	2	07/24/2020	Archroma U.S., Inc	(S) Wetting agent and lubricant during textile processing.	(G) Octadecanamide, N,N-dialkyl
P-20-0011A	7	07/16/2020	CBI	(G) Light stabilizer	(G) Tetraoxaspiro[5.5]undec-3,9-diene-3,4-bis(3,4-dimethoxyphenyl)acrylate
P-20-0058A	3	07/23/2020	CBI	(G) Additive for automatic dishwashing, hard surface cleaner	(G) Polysaccharide, polymer with methacryloxyethyltrimethyl ammonium initiated
P-20-0061A	2	07/07/2020	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with
P-20-0062A	3	07/09/2020	Inabata America Corporation	(S) Use as an electrically conductive material, additive in field emission applications, batteries, energy storage, and electrode applications to improve physical or mechanical properties, weight reduction, heat generation material, heat	(S) Multi-walled carbon nanotube bundle length 10.6 - 211.1 um; C

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				dissipation material.	
P-20-0063A	3	07/09/2020	Inabata America Corporation	(S) Use as an electrically conductive, in field emission applications, in batteries, energy storage, and electrode applications, to improve physical or mechanical properties, for weight reduction, a heat generation material, heat dissipation material.	(S) Multi-walled carbon nanotube bundle length 9.4 - 106.4 um; Grade: Jenotube
P-20-0064A	3	07/09/2020	Inabata America Corporation	(S) Use as an electrically conductive, in field emission applications, in batteries, energy storage, and electrode applications, to improve physical or mechanical properties, for weight reduction, a heat generation material, heat dissipation material.	(S) Multi-walled carbon nanotube bundle length 9.4 - 106.4 um; Grade: Jenotube
P-20-0065A	3	07/09/2020	Inabata America Corporation	(S) Use as an electrically conductive material, an additive in field emission applications, an additive in batteries, energy storage, and electrode applications, an additive to improve physical or mechanical properties, an additive for weight reduction, heat generation and dissipation material.	(S) Multi-walled carbon nanotube globular shape; Grade: Jenotube
P-20-0068A	3	07/02/2020	CBI	(G) Perfume	(S) 1,3-Propanediol, 2,2-dimethyl-
P-20-0071A	7	06/29/2020	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonate 4-sulfophenyl] diazenyl]
P-20-0077A	3	06/29/2020	Aalborz Chemical LLC	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkyl)-1-alkylketone
P-20-0090A	3	07/27/2020	CLARIANT Corporation	(S) Surfactant for use in dishwashing detergents.	(G) Poly(oxy-1,2-ethanediyl), .alpha. hydroxy-, .omega.-alkyl ethers
P-20-0094A	2	07/23/2020	CBI	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography /additive, adhesive	(G) Alkanedioic acid, polymer v isocyanatocarbomonomer, dial dihydroxypropyl alkyl ester, 2-h

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				manufacturing	
P-20-0096A	3	07/15/2020	Solenis LLC	(G) Use in papermaking process	(G) Unsaturated dicarboxylic acid, 2-(dialkylamino)alkyl-alkyl-alkyl-2-propenamide and salt of alkyl-
P-20-0102A	2	07/24/2020	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index
P-20-0103A	6	07/24/2020	Sachem Inc.	(G) On site intermediate for the production of finished goods	(G) Cycloaliphatic amine formate
P-20-0104A	5	07/13/2020	CBI	(G) Additive	(G) Alkenoic acid, polymer with
P-20-0106A	3	06/29/2020	CBI	(G) Polymer reactant	(G) 3-(2-Alkoxyalkyl)-2-heterocycle
P-20-0107A	3	07/23/2020	CBI	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepolyalkanediol, 2-alkoxyalkyl methacrylate, 2-heterocycle-blocked
P-20-0122	4	07/01/2020	Shin-etsu Microsi	(G) Microlithography for electronic device manufacturing	(G) Heterocyclic onium compound, trisubstitutedalkyl 2-methyl-2-propenyl, 4-ethenyl-a,a-dimethyl-4-ethenylphenyl acetate, hydrolyzable
P-20-0127	3	07/09/2020	Kuraray America, Inc.	(S) Industrial Solvent	(S) 2H-Pyran, tetrahydro-4-methyl
P-20-0128	1	06/29/2020	CBI	(G) Additive in Household consumer products	(S) 2-Oxiraneacetic acid, 3-ethyl ester
P-20-0129	3	07/09/2020	CBI	(G) Surfactant	(G) Alkyl dibetaine
P-20-0130	2	07/09/2020	CBI	(G) component of industrial coating	(G) Organic acid ester, polymer methylenebis[4-isocyanatobenzene]
P-20-0131	1	07/02/2020	Ashland Inc.	(S) Laminating adhesive to make flexible packaging	(G) Alkanedioic acid, polymer with alkoxy poly(oxy[alkyl-1,2-alkanediyl]alkylenebis[isocyanatobenzene]alkanedyl)bis(oxy)]bis[alkanol]
P-20-0132	1	07/02/2020	Designer Molecules, Inc.	(G) Adhesive component	(S) 1H-Pyrrole-2,5-dione, 3-methyl
P-20-0133	4	07/14/2020	Huntsman International LLC	(G) component of foam	(G) Fatty acid oil polymer with poly
P-20-0134	4	07/14/2020	Huntsman International LLC	(G) component of foam	(G) Aromatic acid, polymer with poly
P-20-0135	4	07/14/2020	Huntsman International LLC	(G) component of foam	(G) Fatty acid polymer with polydiacid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0136	1	07/09/2020	Clariant Corporation	(S) Surface treatment compound for textiles.	(G) Arylcarboxylic acid, alkyl ester with methyloxirane polymer with
P-20-0137	2	07/17/2020	Agrimetis	(S) Intermediate	(S) Butanoic acid, 2-amino-4-(hydroxyammonium salt (1:1)
P-20-0139	1	07/27/2020	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, triphenyl-, 1,2-sulfoni-1-carboxylate (1:1)
P-20-0140	1	07/27/2020	Shin-etsu Microsi	(S) Photoacid generator for chemically amplified photoresist	(G) N-Substituted-beta-alanine, triphenylsulfonium (1:1)
P-20-0141	1	07/28/2020	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, [4-(1,1-dimethylheterosubstituted-alkyl tricycloa
P-20-0142	1	07/28/2020	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Dibenzothiophenium, 5-phenyl-2-sulfoethyl substituted-heterotr
P-20-0143	1	07/28/2020	CBI	(S) Binder for Thermoplastic Coatings, Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5-alpha-hydro-omega-hydroxypoly(1-(isocyanatomethyl)-1,3,3-trimethylenebis[4-isocyanatobenzene
P-20-0145	1	07/29/2020	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted heterocyclic onium heteropolysubstitutedalkyl substituted polymer with disubstitutedaromatic 1-methylcyclopentyl 2-methyl-2-diazenediyl)bis[2-methylpropan
P-20-0147	1	07/30/2020	Shin-etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Substituted-2H-thiopyrylium tricycloalkane-carboxylate (1:1)
SN-18-0001A	8	05/30/2018	CBI	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and	(G) Alkyl-dihydroxy-methyl pyridine complex

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				bathtubs, etc.). (G) SNUN chemical will be used as catalysts in composite matrix.	
SN-18-0001A	15	07/24/2018	CBI	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.). (G) SNUN chemical will be used as catalysts in composite matrix.	(G) Alkyl-dihydroxy-methyl pyridine complex
SN-18-0001A	17	08/02/2018	CBI	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and bathtubs, etc. (G) SNUN chemical will be used as a catalyst in composite matrix.	(S) Iron(1+), chloro[rel-1,5-dimethyl-3-methyl-2,4-di(2-pyridinyl-.kappa.N)methyl]-3,7-dicarboxylate-.kappa.N3,.kappa.
SN-18-0001A	18	08/23/2018	CBI	(S) Solution based (<1% concentration) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation,	(S) Iron(1+), chloro[rel-1,5-dimethyl-3-methyl-2,4-di(2-pyridinyl-.kappa.N)methyl]-3,7-dicarboxylate-.kappa.N3,.kappa.

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				Filtration media, Reinforcements, Optical Fibers), wood stain (Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.).	
SN-18-0001A	20	10/16/2018	CBI	(S) Proposed New Generic Use name: Oxidation Catalyst for Composites New Proposed Use Description: (Solution) Oxidation Catalyst for the Composite Market (Fiber glass: Insulation, Filtration media, Reinforcements, Optical Fibers), (Oxidation Catalyst for Composite industry (e.g., for application to gelcoat-type finished goods such as boats, bowling balls, shower stalls and bathtubs, etc.).	(S) Iron(1+), chloro[rel-1,5-dimethyl-3-methyl-2,4-di(2-pyridinyl-.kappa.N)methyl]-3,7-dicarboxylate-.kappa.N3,.kappa.
SN-20-0003A	7	07/01/2020	CBI	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-AFFF (Alcohol Resistant Aqueous Film Forming Foam), minor use (<2%) in coatings and ink applications.	(S) 1-Propanesulfonic acid, 2-methyl-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-1-oxooctyl)oxy] sodium salt (1:1)
SN-20-0003A	8	07/07/2020	CBI	(S) An anionic fluorosurfactant for main use (>98%) in firefighting foam concentrates such as AFFF (Aqueous Film Forming Foam) and AR-	(S) 1-Propanesulfonic acid, 2-methyl-[(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-1-oxooctyl)oxy] sodium salt (1:1)

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				AFFF (Alcohol Resistant Aqueous Film Forming Foam), for very minor use (<2%) in coatings and ink applications.	
SN-20-0005	2	07/14/2020	Dover Chemical Corporation	(S) Lubricant in metal-working fluids, Drilling mud additive, Plasticizer/flame retardant in textiles, Flame retardant in rubber compounds, Lubricants in grease and engine oils, in polymers	(S) Alkanes, C21-34-branched a
SN-20-0007	1	07/21/2020	CBI	(S) A component of UV Curable Coatings and Printing Inks	(S) 2-Propenoic acid, 1,1'-(3-me
P-16-0345A	6	08/09/2020	CBI	(G) Processing aid	(G) Acrylamide, polymer with n
P-16-0420A	6	08/09/2020	CBI	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners and other similar household and consumer products.	(G) Dimethyl cyclohexenyl prop
P-16-0420A	3	07/31/2020	CBI	(S) The notified substance will be used as a fragrance ingredient, being blended (mixed) with other fragrance ingredients to make fragrance oils that will be sold to industrial and commercial customers for their incorporation into soaps, detergents, cleaners and other similar household and consumer products.	(G) Dimethyl cyclohexenyl prop

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-17-0115A	5	08/25/2020	CBI	(S) An adhesion promoter for coating formulations	(G) Aminoalkyl alkoxysilane
P-17-0281A	7	08/05/2020	CBI	(G) Water reducible resin	(G) Polysiloxane-polyester poly
P-18-0065A	2	08/17/2020	Evonik Corporation	(S) Absorption agent and lab reagent	(S) 1,3-Propanediamine, N1,N1-4-piperidinyl)-
P-18-0202A	7	08/06/2020	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer wi
P-18-0203A	7	08/06/2020	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Trialkyl alkanal, polymer wi
P-18-0204A	7	08/06/2020	Hexion Inc	(G) Rubber additive and Tackifier additives	(G) Alkyl alkanal, polymer with
P-18-0205A	7	08/06/2020	Hexion Inc	(G) Tackifier additive	(G) Alkyl alkanal, polymer with
P-18-0206A	7	08/06/2020	Hexion Inc	(G) Tackifier additive	(G) Alkyl alkanal, polymer with
P-18-0241A	5	07/31/2020	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-ethenylbenzene, ethyl 2-propenc 2-propenoate and 1,2-propanedi reaction products with diethanol alkyl acrylate, formates (salts)
P-18-0244A	5	07/31/2020	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl, ethenylbenzene, ethyl 2-propenc 2-propenoate and 1,2-propanedi reaction products with diethanol alkyl methacrylate, formates (sa
P-18-0245A	5	07/31/2020	CBI	(G) Additive for automotive coating	(G) 2-Propenoic acid, 2-methyl-ethenylbenzene, ethyl 2-propenc 2-propenoate, and 1,2-propanedi reaction products with diethanol monoacrylate, formates (salts)
P-18-0256A	6	08/18/2020	CBI	(G) Chemical intermediate	(S) Undecanol, branched
P-18-0273A	6	08/14/2020	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxyli
P-18-0351A	3	08/19/2020	CBI	(G) UV curable inks	(G) Acrylic acid, tricyclo alkyl e
P-18-0355A	4	08/03/2020	CBI	(G) Paint	(G) Alkanediol, Substituted alky alkanedioate substituted carbom alkanate
P-18-0359A	4	08/18/2020	CBI	(G) Molded or extruded items	(G) Methoxy Vinyl Ether- Vinyl
P-18-0396A	5	08/17/2020	CBI	(G) Paint	(G) Alkenoic acid, alkyl, polym propenoate and substituted alkyl alkanate, tert-butyl substituted
P-18-0398A	6	07/31/2020	Evonik Corporation	(S) Intermediate	(G) Polyalkylpolyalkylenepolya

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0399A	8	08/14/2020	CBI	(G) (c) open, non-dispersive use additive for industrial use only	(G) Rosin adduct ester, polymer ethanolamine
P-18-0407A	4	08/14/2020	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dimethyl-N-[2-[methyl(1-methylethyl)amino]ethyl]carbamate
P-19-0084A	4	07/30/2020	CBI	(S) Flame retardant	(S) Diphosphoric acid, compound
P-19-0141A	7	08/24/2020	CBI	(S) For use in metal treatment coatings for lubrication and corrosion protection.	(S) Phosphoric Acid, manganese salt
P-19-0147A	5	08/17/2020	Croda Inc.	(G) cleaning additive	(G) alkoxyated butyl alkyl ester
P-20-0010A	9	08/26/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0025A	4	08/05/2020	Biosynthetic Technologies	(S) Motor oil lubricant, formulation #1 (prepared at a processor which is controlled by others) and Motor oil lubricant, formulation #2 (prepared at a processor which is controlled by others)	(S) Octadecanoic acid, 12-(acetoxymethyl) ester
P-20-0046A	4	08/19/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium tetrachloride and [(pentaalkylphenyl-(pentaalkylphenyl)amino)alkyl]metal coordination compound
P-20-0048A	4	08/20/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium tetrachloride and dihalogeno(alkylcyclopentadienyl)metal coordination compound (tetraalkylcyclopentadienyl)transition metal coordination compound
P-20-0049A	4	08/20/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium tetrachloride and bis(alkylcyclopentadienyl)dihalogeno(alkylcyclopentadienyl)transition metal coordination compound
P-20-0076A	3	08/06/2020	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium salts
P-20-0097A	3	08/24/2020	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopoly dihydroxyalkyl and hydroxyalkyl esters
P-20-0100A	3	08/19/2020	Evonik Corporation	(S) Manual Dish Detergent, Hard Surface Cleaner, and Laundry Detergent	(S) Glycolipids, rhamnase-containing from D-glucose, potassium salts
P-20-0105A	2	07/30/2020	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in	(S) 4H-Pyran-4-one, 3-[(2,5-dihydroxy-2-methyl-1,3-dioxol-5-yl)methyl]-

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	
P-20-0109	2	08/05/2020	Huntsman Corporation	(S) Exhaust dyeing of cotton and cotton blends.	(G) Acetamide, N-[3-[alkyl(carbonyl substituted)]carbomonomocycle]-, 3-halo-5-nitrobenzonitrile
P-20-0133A	5	08/03/2020	Huntsman Corporation	(G) component of foam	(G) Fatty acid oil polymer with a
P-20-0133A	6	08/05/2020	Huntsman Corporation	(G) component of foam	(G) Fatty acid oil polymer with a
P-20-0133A	5	08/03/2020	Huntsman Corporation	(G) component in foam insulation	(G) Fatty acid polymer with polydiacid
P-20-0133A	5	08/03/2020	Huntsman Corporation	(G) component in foam insulation	(G) Fatty acid polymer with polydiacid
P-20-0143A	2	08/05/2020	CBI	(S) Binder for Thermoplastic Coatings, and Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5-oxa-hydro-w-hydroxypoly(oxy-1,4-bis[1-(isocyanatomethyl)-1,3,3-trimethyl-2-methylenebis[4-isocyanatobenzene]
P-20-0146	1	07/30/2020	CBI	(G) Insulating material for electrical parts	(G) Alkanoic acid, alkyl, carbonyl
P-20-0152	2	08/03/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing.	(G) Sulfonium, triphenyl-, salt with substituted -heterotricycloalkane
P-20-0153	2	08/04/2020	CBI	(G) lubricant additive – dispersant	(G) Polyamines, reaction products of polyalkenyl derivs., borates
P-20-0154	2	08/04/2020	CBI	(G) lubricant additive – dispersant	(G) Polyamines, reaction products of polyalkenyl derivs., borates
P-20-0155	4	08/13/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with substituted tri-carbomonomocycle,
P-20-0155A	5	08/20/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, salt with substituted tri-carbomonomocycle,
P-20-0156	1	08/03/2020	CBI	(G) Photolithography	(G) Substituted, triaryl-, tricyclo
P-20-0157	1	08/05/2020	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) bis(cycloalkyl-alkyl)ether
P-20-0158	1	08/06/2020	AkzoNobel	(S) External coating for food and beverage cans	(G) Carbomonomocyclic diacid, polypropanediol, alkanetriol, hexane compound with 2-(dimethylamino),

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0159	2	08/11/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl tri-carbomonocycle, hetero-acid
P-20-0159A	3	08/20/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Phenoxathiinium, 10-phenyl tri-carbomonocycle, hetero-acid
P-20-0160	2	08/11/2020	Designer Molecules, Inc.	(G) Dielectric film forming material for use in microelectronic assembly applications	(S) Amines, C-36-alkylenedi-, p bicyclo[2.2.1]heptanedimethana tetrone and 3a,4,4a,7a,,8,8a-hexa: c:4,5-c']difuran-1,3,5,7-tetrone, :
P-20-0161	1	08/18/2020	Sirrus, Inc.	(S) Film former or crosslinker additive used in coatings and adhesives, and Crosslinker additive used in waterborne emulsions	(S) Propanedioic acid, 2-methyl, 1,4-butanediol
P-20-0163	1	08/21/2020	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methyle
P-20-0164	1	08/21/2020	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methyle
P-20-0165	1	08/21/2020	Innovative Chemical Technologies, Inc.	(G) Contained chemical processing	(S) Butanedioic acid, 2-methyle
P-16-0345A	7	08/31/2020	CBI	(G) Processing aid	(G) Acrylamide, polymer with n
P-16-0370A	5	09/14/2020	CBI	(G) Crosslinker for adhesives and coatings.	(G) Methoxy-terminated polysil
P-16-0404A	4	09/22/2020	CBI	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2-({4-[2-(trisub: 2-substitutedphenyl]} (substitute
P-16-0589A	5	09/25/2020	Chemtura Corporation	(G) Synthetic aircraft engine lubricant for contained use Industrial lubricant	(G) Pentaerythritol Ester of Mix Acids
P-17-0193A	3	09/25/2020	Chemtura Corporation	(G) Synthetic lubricant for contained use Industrial lubricant	(G) Dipentaerythritol Ester of M Acids;(G) Pentaerythritol Ester of Carboxylic Acids;
P-18-0128A	4	09/02/2020	CBI	(G) Surface modifier	(S) Inulin, 2-hydroxy-3-(trimeth

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0143A	9	08/29/2020	Huntsman International LLC	(G) Anti-corrosive primer for outdoor industrial applications	(G) Fatty acids, tall-oil polymer; diamine, polyalkylene polyamin tris-[(alkylamino) alkyl] phenol
P-18-0289A	6	09/09/2020	CBI	(G) Gas scrubbing, landfill deodorizing, wastewater deodorizing	(G) 2-(2(methylcaboxymonocyc
P-18-0289A	7	09/23/2020	CBI	(G) Gas scrubbing, landfill deodorizing, wastewater deodorizing	(G) 2-(2(methylcaboxymonocyc
P-18-0290A	6	09/09/2020	CBI	(G) wastewater deodorizing, Gas scrubbing, Landfill odor neutralizing	(G) Carbomonocyclic-oxazolidin
P-18-0290A	7	09/23/2020	CBI	(G) Gas scrubbing, Landfill odor neutralizing, wastewater deodorizing	(G) Carbomonocyclic-oxazolidin
P-18-0330A	5	09/21/2020	CBI	(G) initiator	(G) Formaldehyde, polymer witl
P-18-0334A	3	09/22/2020	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 1,3-dihex
P-18-0335A	3	09/22/2020	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 1,3-dicyc
P-18-0336A	5	09/22/2020	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h
P-18-0337A	5	09/22/2020	Sirrus, Inc.	(S) Intermediate use	(S) Propanedioic acid, 2,2-bis(h
P-18-0387A	5	09/01/2020	CBI	(G) Plastic Additive	(G) Alkanal, reaction products w heterocycle)-1,3,5-triazine-2,4,6
P-18-0388A	5	09/01/2020	CBI	(G) Plastic Additive	(G) 1,3,5-triazine-2,4,6-triamine heterocycle)-, allyl derivs., oxid
P-18-0407A	5	09/08/2020	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dir N-[2-[methyl(1-methylethyl)am
P-18-0407A	6	09/15/2020	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dir N-[2-[methyl(1-methylethyl)am
P-18-0407A	7	09/21/2020	CBI	(S) Polyurethane catalyst	(S) 1,2-Ethanediamine, N,N-dir N-[2-[methyl(1-methylethyl)am
P-19-0048A	8	09/23/2020	CBI	(G) Coating additive	(S) Poly(oxy-1,2-ethanediyl), .al C12-14-alkyl ethers, phosphates
P-19-0162A	3	09/18/2020	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialk salts
P-19-0162A	4	09/29/2020	CBI	(G) Component in Oil Production	(G) fatty acid alkyl amide, (dialk salts
P-20-0030A	3	09/10/2020	CBI	(S) Plasticizer for Plastics, in caulks and sealants	(G) Hexanedioic acid, carbomor
P-20-0066A	3	09/14/2020	CBI	(G) Antiwear additive for lubricants	(G) 2-Propenoic acid, 2-hydroxy dialkyl hydrogen heterosubstitut phosphonate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0073A	5	09/25/2020	CBI	(G) Oil and gas production chemistry	(G) 2,5-Furandione, reaction product with polyethylene glycol alkoxy-ether
P-20-0099A	7	09/15/2020	Materion Advanced Chemicals	(S) A material used for the production of Li ion conductive separators for rechargeable batteries.	(G) Mixed Metal Oxide
P-20-0100A	5	09/02/2020	Evonik Corporation	(S) Manual dish detergent, hard Surface cleaner, laundry detergent	(S) Refer to attachment "Chemical Information"
P-20-0100A	6	09/11/2020	Evonik Corporation	(S) Manual dish detergent, hard Surface cleaner, laundry detergent	(G) Rhamnolipids, modified polysorbates
P-20-0108A	4	09/11/2020	CBI	(G) Film-forming polymer	(G) Alkanolic acid, compounds with dialkyl-1,3-alkanediamine-epichlorohydrin with dialkylene glycol (2:1) polycondensation
P-20-0111A	2	09/25/2020	CBI	(G) Component in flexible automotive interior parts	(S) 1,2,4-Benzenetricarboxylic acid
P-20-0144	2	09/16/2020	CBI	(G) Asphalt emulsion applications	(S) Fatty acids, soya, reaction product with epichlorohydrin
P-20-0162	2	08/31/2020	CBI	(G) Photolithography	(G) Sulfonium, triaryl-, 3,3,3-trimethyl-1-carboxylate (1:1)
P-20-0166	1	08/21/2020	Sun Chemical	(G) Component of ink	(G) Formaldehyde, polymer with ethylene glycol ether, acrylate hydrogen 1,2-carbonate
P-20-0167	2	08/31/2020	W. R. Grace & Co. - Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarboxylic acid dicarboxylate
P-20-0168	2	09/14/2020	CBI	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succinate
P-20-0168A	3	09/22/2020	CBI	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succinate
P-20-0170	3	09/09/2020	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxyated alkyl : 1,2,3-tris(2-alkoxyethyl) glycerol
P-20-0171	3	09/09/2020	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxyated alkyl : 1,2,3-tris(2-alkoxyethyl) glycerol
P-20-0172	3	09/09/2020	Tetramer Technologies, LLC	(G) Component in Lubricants	(G) Glycerin, alkoxyated alkyl : 1,2,3-tris(2-alkoxyethyl) glycerol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0173	1	09/01/2020	ICM Products Inc.	(G) Use as a Coating Additive	(G) Silsesquioxanes, alkyl, alko
P-20-0174	3	09/17/2020	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-20-0175	2	09/21/2020	Materia Inc.	(G) Resin formulation additive.	(G) acid N-[4-(4-diarylalkyl)-, c
P-20-0176	2	09/21/2020	Materia Inc.	(G) Resin formulation additive.	(G) acid N-(diarylalkyl)-, carbo
P-20-0177	2	09/21/2020	Materia Inc.	(G) Resin formulation additive.	(G) carbopolycyclic alkenyl, 2-c
P-20-0178	2	09/21/2020	Materia Inc.	(G) Resin formulation additive.	(G) carbopolycyclic alkenyl, 2-c
P-20-0179	1	09/08/2020	CBI	(S) Reactive polymer for use in surface pre-treatment.	(G) 1,3-Benzenedicarboxylic aci
P-20-0179A	2	09/14/2020	CBI	(S) Reactive polymer for use in surface pre-treatment.	(G) 1,3-Benzenedicarboxylic aci
P-20-0180	1	09/08/2020	Evonik Degussa Corporation	(S) Curing agent for Industrial epoxy Composite	(S) Cyclohexanemethanamine,5-
P-20-0181	1	09/11/2020	Guardian Industries Corp	(S) Additive to influence melting temperature of raw material and physical characteristics of the final product during the manufacture of flat glass, Animal bedding additive used as a dessicant	(S) flue dust, glass-manugf. dest
P-20-0182	1	09/15/2020	Eastman Chemical Company, Inc	(G) Plasticizer for PVC formulations	(S) 1,4-Benzenedicarboxylic aci
P-20-0183	1	09/16/2020	CBI	(G) Intermediate	(G) Aryl ether epoxide, homopo
P-20-0184	1	09/24/2020	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-17-0301A	5	10/06/2020	CBI	(G) Used as a surface drier in clear and pigmented coatings systems to replace other primary driers, particularly cobalt.	(G) Manganese heterocyclic-am

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0175A	9	10/01/2020	Hexion Inc	(S) Food can coating, Non-food contact can coating	(S) Formaldehyde, polymer with phenol, Bu ether
P-18-0301A	2	10/01/2020	CBI	(G) Coating component	(G) Alkanedioic acid, polymer with cycloalkyl diisocyanates, dimethyl methylenebis[isocyanatocyclohexane] polyalkyl glycol monoalkyl ether
P-18-0349A	5	10/05/2020	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc. The urethane prepolymer is designed to react with epoxy materials to create a flexible coating or adhesive.	(S) Oxirane, 2-methyl-, polymer with propanetriol (3:1), polymer with branched 4-nonylphenol-blocker
P-18-0383A	4	10/01/2020	CBI	(G) Coatings and inks for commercial use	(G) Dialkyl-alkanediamine, poly(alkanediyl)ether with bis(hydroxy)
P-19-0011A	7	10/16/2020	Shin etsu Silicones of America	(G) Additive to the EPDM rubber compounds	(G) Polysulfides, bis[3-(trialkoxymethyl)phenyl] ether
P-19-0082A	4	10/06/2020	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc, Fragrance uses per TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P-19-0167A	5	10/09/2020	Santolubes Manufacturing LLC	(S) synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alkyl hexanoate
P-20-0001A	5	10/09/2020	Santolubes Manufacturing LLC	(S) synthetic engine, gear and lubricating oils and greases	(S) Poly(oxy-1,4-butanediyl), alkyl hexanoate
P-20-0010A	10	10/14/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0014A	2	10/06/2020	McTron Technologies	(G) Water resistant resin additive, Heat resistant binder additive	(G) Sugars, polymer with alkane
P-20-0046A	5	10/07/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium [[pentaalkylphenyl-(pentaalkylphenyl)amino]alkyl] ether metal coordination compound
P-20-0046A	6	10/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-titanium [[pentaalkylphenyl-(pentaalkylphenyl)amino]alkyl] ether

Case No.	Version	Received Date	Manufacturer	Use	Chemical
					metal coordination compound
P-20-0048A	5	10/07/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-tetrahalogeno(alkylcyclopentadienyl)(tetraalkylcyclopentadienyl)tran
P-20-0048A	6	10/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-tetrahalogeno(alkylcyclopentadienyl)(tetraalkylcyclopentadienyl)tran
P-20-0049A	5	10/07/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-bis(alkylcycloalkylene)dihalogeno
P-20-0049A	6	10/27/2020	CBI	(G) Catalyst	(G) Reaction products of alkyl-bis(alkylcycloalkylene)dihalogeno
P-20-0061A	4	10/13/2020	Allnex USA Inc.	(S) Coating resin crosslinking agent.	(G) Formaldehyde, polymer with
P-20-0085A	7	09/30/2020	Luna Innovations Incorporated	(S) Fluid resistant coatings	(G) Bis(triethoxysilylpropyl carb
P-20-0098A	4	10/21/2020	CBI	(S) property modifier for polymers	(G) Calcium cycloalkylcarboxyl
P-20-0102A	3	10/01/2020	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index
P-20-0102A	4	10/08/2020	Novihum Technologies, Inc.	(S) Fertilizer/Soil amendment	(S) Chemical Abstract (CA) index
P-20-0118A	3	10/26/2020	CBI	(G) Additive in household consumer products	(S) Pyridine, 4-methyl-2-pentyl-
P-20-0138	3	10/14/2020	Gurit (USA) Inc	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy adhesive formulation. The new substance will be used within an adhesive formulation for use within an industrial setting primarily but not limited to industries such as marine, automotive and wind energy. The adhesive is "cured" at either ambient conditions or using heat and a chemical reaction occurs forming a solid	(G) Alkane diglycidyl ether, poly

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				composite structure.	
P-20-0143A	3	10/22/2020	CBI	(S) Binder for Thermoplastic Coatings, Binder or Ink/Adhesive	(S) Cyclohexanemethanamine, 5a-hydro-w-hydroxypoly(oxy-1,4 1-(isocyanatomethyl)-1,3,3-trimethylenebis[4-isocyanatobenzene
P-20-0167A	3	10/22/2020	W. R. Grace & CO. - Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarboxylate
P-20-0174A	4	10/16/2020	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-20-0184A	2	10/16/2020	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-20-0185	3	10/08/2020	Designer Molecules, Inc.	(G) Dielectric film forming material for use in microelectronic assembly applications	(S) Amines, C36-alkylenedi-, polycyclo[2.2.1]heptanedimethanetetraone and 3a,4,5,7a-tetrahydro-3-furanyl)-1,3-isobenzofurandione
P-21-0001	1	10/01/2020	CBI	(G) Flame retardant	(S) Phosphinic acid, aluminum salt
P-21-0002	2	10/08/2020	CBI	(G) Polymer in coatings and ink	(G) Octadecanoic acid, 12-hydroxy-2-oxepanone and tetrahydro-2H-pyran-2-one disubstituted heteropolycycle,
P-21-0006	6	10/21/2020	CBI	(G) The PMN Substance is used in froth flotation to treat rare earth minerals and to remove deleterious substances.	(G) Naphthalene derivative
SN-19-0002A	6	10/14/2020	CBI	(G) Friction and wear stabilizer in certain solid composite articles.	(G) Potassium Titanate
J-20-0005	2	10/16/2020	CBI	(G) Ethanol production	(G) Saccharomyces cerevisiae n
J-20-0013	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli
J-20-0014	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escherichia coli

Case No.	Version	Received Date	Manufacturer	Use	Chemical
J-20-0015	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escheric
J-20-0016	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escheric
J-20-0017	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escheric
J-20-0018	3	10/27/2020	Greenlight Biociences, Inc	(G) Production of enzymes for use in internal manufacturing	(G) Modified strains of Escheric
J-20-0025	3	11/03/2020	CBI	(G) Ethanol production	(G) Biofuel producing Saccharo stable
P-18-0057A	12	11/12/2020	CBI	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P-18-0057A	13	11/18/2020	CBI	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P-18-0057A	14	11/23/2020	CBI	(S) a drier accelerator that is used for superior drying performance in solvent-borne and waterborne air-dried paints, inks and coatings.	(G) Vanadium Carboxylate
P-18-0084A	9	11/23/2020	ShayoNano USA, Inc.	(S) Additive for water-based paints and coatings	(S) silicon zinc oxide
P-18-0256A	7	11/11/2020	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P-18-0293A	6	11/17/2020	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0293A	7	11/20/2020	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methyl

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0294A	6	11/17/2020	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0294A	7	11/20/2020	CBI	(S) Monomer for use in emulsion polymers, formulated industrial coatings, industrial adhesives	(S) Propanedioic acid, 2-methyl
P-18-0345A	3	11/24/2020	Chitec Technology Co., Ltd.	(S) R-gen 990 is a liquid aminoketone-based photoinitiator (PI) intended for use as an ultraviolet (UV) curing agent in highly pigmented inks, photoresists, and masks.	(S) 1-Butanone, 2-(dimethylamino)-3-oxazolidinylphenyl]-2-(phenyl
P-19-0082A	5	11/12/2020	Bedoukian Research Inc.	(S) Fragrance uses per FFDCA: fine fragrance, creams, lotions, etc., TSCA: scented papers, candles, detergents, cleaners, etc.	(S) Heptanal, 6-hydroxy-2,6-dimethyl-
P-20-0010A	11	11/04/2020	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0031A	5	11/02/2020	CBI	(G) Intermediate	(G) Perfluorinated substituted 1,1,1-trifluoro-2,2,2-trifluoroethyl-
P-20-0070A	2	11/07/2020	Clariant Corporation	(S) Solvent for use in formulated pesticide products.	(S) Nonanamide, N,N-dimethyl-
P-20-0076A	4	11/04/2020	Cytec Industries Inc.	(G) Mining chemical	(S) Glycine, reaction products with sodium salts
P-20-0077A	6	11/23/2020	CBI	(S) UV Curing Agent for use in Inks and Coatings	(G) 1-(dialkyl-diphenylene alkyl)-1-alkylketone;
P-20-0078A	2	11/11/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with alkylendioate alkylendioate (1:2:1:1)
P-20-0079A	2	11/11/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with
P-20-0080A	5	11/11/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0081A	5	11/11/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compd. wit
P-20-0082A	5	11/11/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0094A	3	11/12/2020	CBI	(S) Formulation component in UV/EB coatings, inks and 3D printing/stereolithography /additive and adhesive manufacturing	(G) Alkanedioic acid, polymer v isocyanatocarbomonocycle, dial dihydroxypropyl alkyl ester, 2-h
P-20-0105A	3	11/25/2020	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dih 2-methyl-
P-20-0127A	4	11/12/2020	Kuraray America, Inc.	(S) Industrial Solvent	(S) 2H-Pyran, tetrahydro-4-metl
P-20-0138A	4	11/20/2020	Gurit (USA) Inc	(S) The substance is part of a mixture with other amines to act as a curative for a 2-part epoxy adhesive formulation. The new substance will be used within an adhesive formulation for use within an industrial setting primarily but not limited to industries such as marine, automotive and wind energy.	(G) Alkane diglycidyl ether, poly
P-20-0146A	2	11/06/2020	CBI	(G) Insulating material for electrical parts	(G) Alkanoic acid, alkyl, carbop
P-20-0148	2	11/12/2020	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149	2	11/12/2020	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0150	2	11/12/2020	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151	2	11/12/2020	Solugen Inc.	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0153A	4	11/04/2020	CBI	(G) lubricant additive - dispersant	(G) Polyamines, reaction products polyalkenyl derivs., borates
P-20-0154A	4	11/04/2020	CBI	(G) lubricant additive - dispersant	(G) Polyamines, reaction products polyalkenyl derivs., borates
P-20-0161A	2	11/04/2020	Sirrus, Inc.	(S) Film former or crosslinker additive used in coatings, waterborne emulsions, adhesives	(S) Propanedioic acid, 2-methyl-1,4-butanediol
P-20-0169	3	11/23/2020	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P-20-0183A	2	11/16/2020	CBI	(G) Intermediate	(G) Aryl ether epoxide, homopolymer
P-21-0003	3	11/04/2020	CBI	(G) Polymeric film former for coatings	(G) 4, 4 methylenebis (2, 6 dimethyl (chloromethyl) oxirane, 1,4-benzodioxane, mixed alkyl substituted 2-methyl-2-propenoate, reaction products
P-21-0004	3	11/11/2020	CBI	(G) Surfactant	(G) Poly alkyl glycol alkyl ether
P-21-0011	2	11/04/2020	CBI	(S) Crosslinking agent for inks and coatings	(G) Hexane, 1,6-diisocyanato-, 1,6-hexanediol, polyethylene glycol mono-Me ether, propylenimine
P-21-0012	1	10/28/2020	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl sulfonates
P-21-0013	2	11/24/2020	Takasago	(S) Fragrance in fine fragrance, deodorants and cosmetics, household products such as laundry detergents and air fresheners, Shampoos and Body Washes	(G) methyl phenylethyl cyclopropylamine
P-21-0014	2	11/06/2020	CBI	(G) oil and gas extraction	(G) Aliphatic alcohol, bis-tetra-ethylamine
P-21-0015	1	10/30/2020	Designer Molecules, Inc.	(S) As a raw material in a Temporary Bonding Adhesive formulation.	(S) Amines, C36-alkylenedi-, poly(methylethylidene)bis(4,1-phenylene) and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)aminophenyl]

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0016	1	11/02/2020	CBI	(G) Paint additive, Additive in coating formulations, Component in cleaning agents	(G) Alkanoic acid, dialkyl ester
P-21-0017	1	11/12/2020	Sumitomo Chemical Advanced Technologies LLC	(S) Substance used to improve physical properties in rubber products.	(G) [(Substituted-carbomonocyclic inorganic salt
P-21-0018	1	11/12/2020	Shin-Etsu Microsi	(G) Contained use for microlithography for electronic device manufacturing	(G) Sulfonium, triphenyl-, hetero
P-21-0019	2	11/17/2020	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Ethyl 4-alkyl-2-oxocycloalk
P-21-0022	1	11/20/2020	CBI	(S) Flexographic water-based Ink & coating vehicle	(G) Rosin acid esters
P-21-0023	1	11/23/2020	CBI	(G) Photolithography	(G) Sulfonium, carbocyclic-, salt 2-carbomonocyclic-5-(polyfluor benzodioxol-2-yl]carbomonocyc
P-21-0027	1	11/23/2020	CBI	(G) An ingredient used in the manufacture of photoresist	(G) Heteropolycyclic, trihaloalk carbomonocyclic salt
SN-17-0006A	5	10/29/2020	CBI	(G) Physical characteristics modifier for industrial use in certain solid composite articles	(G) Potassium Titanate
J-21-0002	2	12/02/2020	CBI	(G) Ethanol production	(G) Saccharomyces cerevisiae n
J-21-0003	2	12/02/2020	CBI	(G) Ethanol production	(G) Saccharomyces cerevisiae n
P-17-0263A	5	12/09/2020	CBI	(G) Most paint formulators will add less than 5% of Borch Gel NA that contains 50% of the PMN substance to make their formulated product volume. (i.e. 10 gallon batch would contain 0.5 gallon of our product (0.25gal of PMN substance).	(G) Zirconium carboxylates sodi
P-18-0057A	15	12/08/2020	CBI	(S) a drier accelerator that is used for superior drying performance in	(G) Vanadium Carboxylate

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				solvent-borne and waterborne air dried paints, inks and coatings.	
P-19-0165A	4	12/16/2020	Arboris, LLC	(G) Plasticizer in rubber, Additive for asphalt	(G) Tall oil pitch, fraction, sterol
P-20-0058A	4	12/01/2020	CBI	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with methacryloxyethyltrimethyl amine initiated
P-20-0058A	5	12/08/2020	CBI	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with methacryloxyethyltrimethyl amine initiated
P-20-0078A	3	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v alkyldioate alkyldioate (1:2:1:1)
P-20-0078A	4	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v alkyldioate alkyldioate (1:2:1:1)
P-20-0078A	5	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v alkyldioate alkyldioate (1:2:1:1)
P-20-0079A	3	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v
P-20-0079A	4	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v
P-20-0079A	5	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Dicarboxylic acid, compound. v
P-20-0080A	6	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Alkyldiamine, aminoalkyl-,
P-20-0080A	7	12/28/2020	Ascend Performance Materials	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Alkyldiamine, aminoalkyl-,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0081A	6	12/28/2020	Ascend Performance Materials	(G) A stabilizer for industrial applications	(G) Carboxylic acid, compd. wit
P-20-0081A	7	12/28/2020	Ascend Performance Materials	(G) A stabilizer for industrial applications	(G) Carboxylic acid, compd. wit
P-20-0082A	6	12/28/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0082A	7	12/28/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0128A	2	12/16/2020	CBI	(G) Additive in Household consumer products	(S) 2-Oxiraneacetic acid, 3-ethyl ester
P-20-0169A	4	11/30/2020	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P-20-0173A	2	12/07/2020	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P-20-0180A	2	12/09/2020	Evonik Degussa Corporation	(S) Curing agent for Industrial epoxy Composite	(S) Cyclohexanemethanamine,5-dervis.
P-21-0010	3	12/16/2020	Evonik Degussa Corporation	(S) 3D Printing	(S) 1,3-Benzenedicarboxylic acid propanediol, 1,2-ethanediol, 2-ethylpropanediol, hexanedioic acid, 1-isobenzofurandione, N-[[1,3,3-trimethyl-1-yl)oxy]ethoxy]carbonyl]amino]N-[3,3,5-trimethyl-5-[[[2-[(1-oxy)oxy]ethoxy]carbonyl]amino]r
P-21-0021	4	12/16/2020	J6 Polymers	(S) Raw material to be blending into R-side components of the polyurethane and polyisocyanurate industry. Specifically used in slabstock/bunstock processing of foam	(S) Soybean oil, mixed esters with terephthalic acid
P-21-0024	2	12/07/2020	CBI	(G) lamination catalyst	(G) Sulfur acid, compd. with bis
P-21-0025	2	12/07/2020	CBI	(G) lamination catalyst	(G) Sulfur acid, compd. with bis

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0026	2	12/07/2020	CBI	(G) lamination catalyst	(G) Sulfur acid, compd. with bis
P-21-0031	2	12/10/2020	Omnium International	(S) Used as a component in a mineral oil based anticorrosion oil. Two applications for the anticorrosion oil are for use in cavities, interiors and closed systems and for protection of large metal parts against corrosion.	(S) Isooctadecanoic acid, compd (1:1)
P-21-0037	1	12/11/2020	Sinova Specialties Inc.	(S) Used as a viscosity modifier in commercial and consumer engine oil	(S) [1,1'-Biphenyl]-3,3',4,4'-tetra
P-21-0038	1	12/11/2020	Sinova Specialties Inc.	(S) Used as a viscosity modifier in commercial and consumer engine oil	(S) [1,1'-Biphenyl]-3,3',4,4'-tetra
P-21-0039	1	12/11/2020	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0040	1	12/11/2020	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0041	1	12/11/2020	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0042	1	12/15/2020	CBI	(G) Photolithography	(G) Sulfonium, tricarboxylic-, 2,4-(alkyl)carbomonocyclic carbo
P-21-0043	1	12/16/2020	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde
P-21-0044	1	12/17/2020	CBI	(G) Monomer	(G) Alkenoic acid, polyhaloalky
P-21-0045	1	12/17/2020	CBI	(G) Monomer	(G) Alkenoic acid, alkyl-substitu
P-21-0046	1	12/17/2020	CBI	(G) Monomer	(G) Alkenoic acid, polyhalo-, ha
P-21-0047	1	12/17/2020	CBI	(G) Monomer	(G) Alkenoic acid, halo-substitu
P-21-0049	1	12/18/2020	CBI	(G) Monomer	(G) Alkenoic acid, polyhalo-(ha
P-21-0050	1	12/18/2020	CBI	(G) Monomer	(G) Alkenoic acid, halo-polyhal

Case No.	Version	Received Date	Manufacturer	Use	Chemical
SN-20-0006A	3	12/18/2020	CBI	(G) Color Developer	(S) Phenol, 4,4'-[1-[4-[1-(4-hydroxy-1-methylethyl)phenyl]ethylidene]
SN-21-0001	1	12/07/2020	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(S) Glycine, N-(carboxymethyl) sodium salt (1:3)
SN-21-0001A	2	12/14/2020	CBI	(G) Ethanol production	(S) Glycine, N-(carboxymethyl) sodium salt (1:3)
J-21-0007	1	12/21/2020	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(G) Biofuel producing <i>Saccharo</i> stable
J-21-0008	1	12/21/2020	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(G) Biofuel producing <i>Saccharo</i> stable
J-21-0009	1	12/21/2020	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), Chelating agent for use in laundry detergent.	(G) Biofuel producing <i>Saccharo</i> stable
P-16-0592A	6	01/08/2021	Santolubes Manufacturing LLC	(S) This low viscosity diester will be blended with a higher viscosity ester to make a high efficiency gear lubricant primarily for worm gear applications.	(S) Fatty acids, C8-C10, diesters w-hydroxypoly(oxy-1,4-butanediol)
P-16-0592A	7	01/13/2021	Santolubes Manufacturing LLC	(S) This low viscosity diester will be blended with a higher viscosity ester to make a high efficiency gear lubricant primarily for worm gear applications.	(S) Fatty acids, C8-C10, diesters w-hydroxypoly(oxy-1,4-butanediol)
P-18-0153A	4	01/27/2021	CBI	(G) Mixed metal oxide for batteries	(G) Lithium mixed metal oxide
P-18-0273A	3	01/04/2021	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0326A	9	01/14/2021	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, or residues
P-18-0349A	6	12/31/2020	Lanxess Solutions US Inc	(S) Two component adhesives and protective coatings for marine, infrastructure, etc. The urethane prepolymer is designed to react with epoxy materials to create a flexible coating or adhesive.	(S) Oxirane, 2-methyl-, polymer propanetriol (3:1), polymer with branched 4-nonylphenol-blocker
P-19-0098A	3	01/07/2021	Clariant Corporation	(S) Flame retardant additive for intumescent coatings.	(G) Phosphoric acid, polymer with alkanediol
P-19-0122A	3	01/27/2021	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydroxy substituted) ethyl ester
P-20-0010A	12	01/21/2021	CBI	(G) Polymerization auxiliary	(G) Carboxylic acid, reaction product of inorganic dioxide and metal
P-20-0030A	4	01/26/2021	CBI	(S) Plasticizer for Plastics, Plasticizer in caulks and sealants	(G) Hexanedioic acid, carbomorph
P-20-0036A	4	01/12/2021	Sigma-Aldrich Co. LLC	(G) Used in the manufacture of Lithium-6 Chloride.	(S) Carbonic acid, di(lithium-6) chloride
P-20-0071A	8	01/13/2021	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonic acid 4-sulfonylphenyl diazenyl]
P-20-0078A	6	01/07/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with alkyldioate alkyldioate (1:2:1:1)
P-20-0079A	6	01/07/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with
P-20-0080A	8	12/28/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0080A	9	01/07/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0081A	8	12/28/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compound with
P-20-0081A	9	01/07/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compound with

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0082A	8	12/28/2020	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0082A	9	01/07/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0083A	2	01/27/2021	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-s
P-20-0096A	4	01/28/2021	Solenis LLC	(G) Use in papermaking process	(G) Unsaturated dicarboxylic ac 2-(dialkylamino)alkyl-alkyl-alka 2-propenamide and salt of alkyl-
P-20-0097A	4	01/06/2021	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopoly dihydroxyalkyl and hydroxyalko
P-20-0101A	5	01/15/2021	Allnex USA Inc.	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hyc alpha-[(hydroxyalkyl)alkyl]-om (haloalkyl)oxiane polymer (alky carbomonocycle] alkenoate and hydroxyalkyl acrylate-blocked
P-20-0105A	4	01/13/2021	Sound Agriculture Company	(S) Maltol lactone is a compound that promotes microbial activity in the soil, resulting in increased availability of phosphorus for crops. This substance will be used on commercial farming operations.	(S) 4H-Pyran-4-one, 3-[(2,5-dih 2-methyl-
P-20-0107A	4	01/13/2021	CBI	(G) Crosslinking polymer	(G) Carbimide, polyalkylenepol alkanediol, 2-alkoxyalkyl metha 2-heterocycle-blocked
P-20-0121A	2	01/25/2021	CBI	(S) Chemical intermediate	(G) Imidic acid, alkyl ester, sulfi
P-20-0123A	2	01/25/2021	CBI	(S) Binder	(G) Nitrogen-substituted heteroc substituted alkyl) derivs., sulfate
P-20-0136A	2	01/18/2021	Clariant Corporation	(S) Surface treatment compound for textiles.	(G) Arylcarboxylic acid, alkyl e with methyloxirane polymer wit
P-20-0169A	5	01/22/2021	CBI	(G) Battery Plastics and coatings applications, conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0173A	3	01/15/2021	ICM Products Inc.	(G) Use as a Coating Additive	(G) Silsesquioxanes, alkyl, alko-
P-21-0005	4	01/22/2021	Evonik Corporation	(S) Polymeric additive in gear oils	(G) Carbonmonocyclic alkene p alkenoate, alkyl alkenoate and p
P-21-0006A	3	01/19/2021	CBI	(G) Froth flotation to treat rare earth minerals and to remove deleterious substances.	(G) Naphthalene derivative
P-21-0010A	4	01/07/2021	Evonik Degussa Corporation	(S) 3D Printing	(S) 1,3-Benzenedicarboxylic aci propanediol, 1,2-ethanediol, 2-e propanediol, hexanedioic acid, 1 isobenzofurandione, N-[[1,3,3-t 1-yl)oxy]ethoxy]carbonyl]amino N-[3,3,5-trimethyl-5-[[[2-[(1-o yl)oxy]ethoxy]carbonyl]amino]r
P-21-0012A	2	01/12/2021	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl su
P-21-0012A	3	01/21/2021	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl su
P-21-0020	3	01/22/2021	Allnex USA Inc.	(S) Modifier for hardness development in paint formulations for metal applications.	(G) Alkanedioic acid, dialkyl est alkyl(substituted alkyl)-alkanedi
P-21-0021A	5	01/11/2021	J6 Polymers	(S) Raw material to be blending into R-side components of the polyurethane and polyisocyanurate industry. Specifically used in slabstock/bunstock processing of foam	(S) Soybean oil, mixed esters wi terephthalic acid
P-21-0034	3	01/06/2021	Evonik Degussa Corporation	(S) crosslinker for automotive coatings, wood and plastic coatings	(G) Carbamic acid, N-[3-(trialke trimethyl-1,6-hexanediyl)] ester
P-21-0035	3	01/06/2021	Evonik Degussa Corporation	(S) crosslinker for automotive coatings, wood and plastic coatings	(G) Carbamic acid, N-[3-(trialke trimethyl-1,6-hexanediyl)] ester
P-21-0043A	2	01/05/2021	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formalde

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0043A	3	01/08/2021	Advanced Polymer Coatings	(S) Component in protective coatings that provides chemical resistance	(G) Glycidyl ether of (formaldehyde)
P-21-0051	2	01/12/2021	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) Fatty Acids, C18-unsaturated, dihydroxyethyl-terminated hydroxy dihydro-2,5-dioxo-1H-pyrrole-1
P-21-0052	2	01/04/2021	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) alkoxy-alkyl-octadiene; alkoxy
P-21-0053	2	01/04/2021	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) (multialkyl substituted-cycloalkyl) (multialkyl substituted-cycloalkyl)
P-21-0054	3	01/08/2021	CBI	(G) carpet treatment additive	(G) 2-Propenoic acid, 2-methyl-hydroxyalkyl alkenoate and octa
P-21-0056	2	01/15/2021	CBI	(G) Component of coatings	(G) Isocyanic acid, polyalkylene hydroxyalkyl-alkanediol, alkoxy blocked
P-21-0057	2	01/21/2021	CBI	(G) Component of coatings	(G) Sulfur based acid, compound aminoalkylalkoxy-polyoxyalkyl epoxide and alkylalkylidene-cyc
P-21-0058	2	01/21/2021	CBI	(G) Component of coatings	(G) Substituted alkanolic acid, compound aminoalkylalkoxy-polyoxyalkyl epoxide and alkylalkylidene-cyc
P-21-0060	2	01/21/2021	CBI	(G) Isolated intermediate	(G) Bisphenol A epichlorohydrin polyarylene-hydroxypolyoxyalkyl alkylalkylidene-alkylalkylidene-alkylaminoalkanol
P-21-0061	2	01/21/2021	CBI	(G) Component in coatings	(G) Sulfur based acid, compounds A-epichlorohydrin-polyalkylene polymer-N-dialkylalkylidene-N-alkanepolyamine-alkylaminoalk
P-21-0062	2	01/21/2021	CBI	(G) Component in coatings	(G) Substituted-alkanoic acid, compound A-epichlorohydrin-polyalkylene polymer-N-dialkylalkylidene-N-alkanepolyamine-alkylaminoalk
P-21-0063	1	01/05/2021	CBI	(G) Component in herbicides	(G) Heterocyclic-polycarboxylic polyalkyl ester
P-21-0064	2	01/12/2021	CBI	(G) Photolithography	(G) Sulfonium, triphenyl-, polyfunctional carbopolycyclic-9,2'-[4,7]metha alkenesulfonic acid (1:1)
P-21-0065	2	01/26/2021	Allnex USA Inc.	(S) Improve the reactivity of ink formulation when cured under UV light	(G) Alkenoic acid, reaction product diacrylate polymer and [oxybis(

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0067	1	01/14/2021	Zymergen Inc	(G) Polymer used in the manufacture of films	(G) Aryl furandione, [bis(trihaloalkyl)alkanediamine
P-21-0068	1	01/18/2021	CBI	(G) Polymerization catalyst	(G) Metalloxanes, alkyl, alkyl glycol with dihalo-dialkylalkylaryl-alkyl dialkylalkylaryl-alkylalkyl-polymer nonmetallic oxide
P-21-0069	2	01/28/2021	AltAir Paramount LLC	(S) Fuel	(S) Alkanes, C9-14-branched, cyclo
P-21-0070	2	01/28/2021	AltAir Paramount LLC	(S) Fuel	(S) Alkanes, C4-8-branched and
P-21-0073	1	01/21/2021	Evonik Corporation	(S) plasticizer in PVC articles like roofing membranes, flooring or coated fabrics	(S) 1,4-Cyclohexanedicarboxylic acid linear (DINCD)
P-21-0074	1	01/21/2021	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) 1,3-Butadiene, homopolymer terminated
P-21-0075	1	01/29/2021	Allnex USA Inc.	(S) Coating Resin	(G) Alkanedioic acid, hydroxy-(hydroxy-alpha-[(hydroxyalkyl)alkyl]-omega-dialkyl carbonate, alkanediol, alkanediol and [oxybis(alkylene)]bis[alkyl-dialkylalkanamine
SN-21-0001A	3	12/29/2020	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl) sodium salt (1:3)
SN-21-0001A	4	01/07/2021	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl) sodium salt (1:3)
SN-21-0001A	5	01/18/2021	CBI	(S) Chelating agent for use in hard surface cleaning (and disinfection), in laundry detergent.	(S) Glycine, N-(carboxymethyl) sodium salt (1:3)
SN-21-0002	1	01/27/2021	CBI	(G) Raw Material	(G) Aryl polyolefin
J-21-0005	3	01/14/2021	CBI	(G) Chemical production	(G) Modified Saccharomyces cerevisiae
J-21-0006	3	01/14/2021	CBI	(G) Chemical production	(G) Modified Saccharomyces cerevisiae
P-18-0128A	5	02/22/2021	CBI	(G) Surface modifier	(S) Inulin, 2-hydroxy-3-(trimethylammonio)propyl-beta-D-glucopyranoside
P-18-0135A	5	02/03/2021	CBI	(G) Ingredient for household products	(S) 1,2-Decanediol

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-18-0256A	5	02/10/2021	CBI	(G) Chemical Intermediate	(S) Undecanol, branched
P-18-0273A	7	02/25/2021	CBI	(G) Used in polymer manufacturing.	(S) 1,4-Cyclohexanedicarboxylic acid
P-18-0289A	9	02/15/2021	CBI	(G) Gas scrubbing, landfill deoderizing	(G) 2-(2(methylcaboxymonocyclohexyl)ethyl)propanoic acid
P-18-0289A	10	02/15/2021	CBI	(G) Gas scrubbing, landfill deoderizing	(G) 2-(2(methylcaboxymonocyclohexyl)ethyl)propanoic acid
P-18-0290A	9	02/15/2021	CBI	(G) Gas scrubbing, wastewater deoderizing	(G) Carbomonocyclic-oxazolidinone
P-18-0290A	10	02/15/2021	CBI	(G) Gas scrubbing, wastewater deoderizing	(G) Carbomonocyclic-oxazolidinone
P-18-0293A	8	02/02/2021	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers, Adhesives: Monomer used in the manufacture (formulation) of adhesives, Coatings: Monomer used in the manufacture of industrial coatings	(S) Propanedioic acid, 2-methyl-5-oxo-3-phenyl-1,3-dioxane-1-carboxylic acid
P-18-0294A	9	02/02/2021	Sirrus, Inc.	(S) Intermediate: Monomer used as a chemical, in the manufacture of polymers, Adhesives: Monomer used in the manufacture (formulation) of adhesives, Coatings: Monomer used in the manufacture of industrial coatings	(S) Propanedioic acid, 2-methyl-5-oxo-3-phenyl-1,3-dioxane-1-carboxylic acid
P-18-0301A	3	02/02/2021	CBI	(G) Coating component	(G) Alkanedioic acid, polymer with cycloalkyl diisocyanates, dimethylmethylenebis[isocyanatocyclohexyl]polyalkyl glycol monoalkyl ether
P-18-0383A	5	02/02/2021	CBI	(G) Coatings and inks for commercial use	(G) Dialkyl-alkanediamine, poly(alkanediyl)ether with bis(hydroxyalkyl)amine
P-19-0122A	4	02/10/2021	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, 2-(hydroxy-substituted) ethyl ester
P-20-0071A	9	02/18/2021	CBI	(G) Colorant	(G) Salt of 2-Naphthalenesulfonate 4-sulfophenyl]diazenyl]

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0083A	3	02/10/2021	CBI	(G) Reactant monomer in a polymer for industrial use	(G) 2-propenoic acid, nitrogen-s
P-20-0097A	5	02/19/2021	Nelson Brothers, LLC	(S) The PMN substance will be used as an emulsifier for applications in explosives.	(G) Butanedioic acid, monopoly dihydroxyalkyl and hydroxyalko
P-20-0110A	2	02/02/2021	Clariant Corporation	(S) Base oil additive for lubricants and greases.	(G) Oxirane, 2-methyl-, polymer alkyl ether
P-20-0124A	2	02/05/2021	CBI	(G) Additive in Household consumer products	(S) 5-octen-4-ol, 3,5-dimethyl-,
P-20-0126A	2	02/05/2021	CBI	(G) Additive in household consumer products	(S) 4-Decenal, 5,9-dimethyl-
P-20-0132A	2	02/08/2021	Designer Molecules, Inc.	(G) Adhesive component	(S) 1H-Pyrrole-2,5-dione, 3-met
P-20-0148A	3	01/29/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0148A	4	02/08/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0148A	5	02/10/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149A	3	01/29/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149A	4	02/08/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149A	5	02/10/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0150A	3	01/29/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0150A	4	02/08/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0150A	5	02/10/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151A	3	01/29/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151A	4	02/08/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151A	5	02/10/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0167A	4	02/11/2021	W. R. Grace & Co. - Conn.	(G) Catalyst	(G) Phenylene, alkyl and polycarboxylate
P-20-0168A	6	02/10/2021	CBI	(S) Lubricating additives for engine oils, transmission and hydraulic fluid and gear oil applications	(G) Polyolefin polyamine succin
P-20-0183A	3	02/10/2021	CBI	(G) Intermediate	(G) Aryl ether epoxide, homopo
P-21-0015A	2	01/28/2021	Designer Molecules, Inc.	(S) As a raw material in a Temporary Bonding Adhesive formulation.	(S) Amines, C36-alkylenedi-, p-methylethylidene)bis(4,1-phenyl) and 4,4'-[2,2,2-trifluoro-1-(trifluoroaminophenol)]
P-21-0036	2	02/04/2021	CBI	(G) Additive in Household consumer products	(S) 5-Hexen-2-one, 1-bicyclo[2.
P-21-0039A	2	02/03/2021	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0040A	2	02/03/2021	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0041A	2	02/03/2021	Sinova Specialties Inc.	(S) Part of a series of chemicals used as viscosity modifiers in commercial and consumer engine oil	(S) 1,2,4,5-Benzenetetracarboxa
P-21-0051A	3	02/15/2021	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) Fatty Acids, C18-unsatd., dihydroxyethyl-terminated hydroxy dihydro-2,5-dioxo-1H-pyrrole-1

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0055	2	02/01/2021	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction product and fatty acid
P-21-0055A	3	02/04/2021	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction product and fatty acid
P-21-0055A	4	02/23/2021	Hexion Inc	(G) adhesive used for coating formulation	(G) fatty acids, reaction product and fatty acid
P-21-0059	2	02/17/2021	CBI	(G) Stabilizer	(S) Methanesulfonic acid,1,1,1-t
P-21-0060A	3	02/03/2021	CBI	(G) Isolated intermediate	(G) Bisphenol A epichlorohydrin polyarylene-hydroxypolyoxyalkylalkylidene-alkylalkylidene-alkylaminoalkanol
P-21-0061A	3	02/03/2021	CBI	(G) Component in coatings	(G) Sulfur based acid, compds. v A-epichlorohydrin-polyalkylene polymer-N-dialkylalkylidene-N-alkanepolyamine-alkylaminoalk
P-21-0062A	3	02/03/2021	CBI	(G) Component in coatings	(G) Substituted-alkanoic acid, c A-epichlorohydrin-polyalkylene polymer-N-dialkylalkylidene-N-alkanepolyamine-alkylaminoalk
P-21-0066	4	02/08/2021	L & L Products	(S) Blended or stand alone, epoxy curative (hardener) and foaming agent when blended with certain ingredients	(G) 1,2-alcandiol, 3-aryloxy, mo
P-21-0074A	2	02/15/2021	Designer Molecules, Inc.	(G) Resin component of an adhesive formulation	(S) 1,3-Butadiene, homopolyme terminated
P-21-0075A	2	02/04/2021	Allnex USA Inc.	(S) Coating Resin	(G) Alkanoic acid, hydroxy-(hyc alpha-[(hydroxyalkyl)alkyl]-om dialkyl carbonate, alkanediol, all and [oxybis(alkylene)]bis[alkyl-dialkyalkanamine
P-21-0076	2	02/09/2021	CBI.	(S) Additive for fluids used in oil drilling operations	(G) Alcohols, C16-18 and C18-t subsstituted alkyloxirane and alk
P-21-0077	1	02/02/2021	Rahn USA Corp.	(G) battery additive	(S) Tinci_PMN3
P-21-0078	1	02/02/2021	Pinova, Inc.	(S) Tackifying additive used in tire manufacture; Tackifying additive used in hot melt adhesive applications	(G) Phenol, polymer with alkyl-dialkylcyclohexadienes, mixed ε and 3,7,7-trimethylbicyclo[4.1.0
P-21-0078A	2	02/23/2021	Pinova, Inc.	(S) Tackifying additive used in tire manufacture; Tackifying additive used	(G) Phenol, polymer with alkyl-dialkylcyclohexadienes, mixed ε and 3,7,7-trimethylbicyclo[4.1.0

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				in hot melt adhesive applications	
P-21-0079	1	02/04/2021	CBI	(G) Additive in Household consumer products	(S) 13-Oxabicyclo[10.1.0]tridec
P-21-0080	2	02/10/2021	Allnex USA Inc.	(S) Binder for UV Curable Coating Resin	(G) Alkanedioic acid, polymers reaction products, alkanedioc ac (hydroxyalkyl)-alkylalkanoic ac substituted carbomonocycle, dia glycol(hydroxyalkyl)alkyl alkyl
P-21-0081	2	02/11/2021	CBI	(G) Additive in Household consumer products	(S) 4-Pentenal, 5-cyclohexyl-2,4
P-21-0082	1	02/05/2021	CBI	(G) Additive in household consumer products	(S) 1-Decen-4-yne
P-21-0083	2	02/10/2021	Allnex USA Inc.	(S) UV Curable resin	(G) Alkenoic acid, reaction prod with diisocyanatoalkane and het with alkanolic acid-pentaerythrit
P-21-0084	1	02/08/2021	CBI	(G) Chemical intermediate	(G) Carbopolycycle octa-alkene.
P-21-0085	1	02/08/2021	CBI	(G) Used as an additive in the manufacture of tires to improve performance.	(S) 1-Propanethiol, 3-(triethoxys polybutadiene
P-21-0085A	2	02/25/2021	CBI	(G) Used as an additive in the manufacture of tires to improve performance.	(S) 1-Propanethiol, 3-(triethoxys polybutadiene
P-21-0089	2	02/25/2021	CBI	(G) Emulsifier	(G) Lignin, modified, reaction p hydrochlorides
P-21-0093	2	02/19/2021	CBI	(G) Antiwear additive for lubricants	(G) Phosphonic acid, dimethyl e alkyl-alkanediol and alkanediol
J-21-0004	3	01/25/2021	Danisco US, Inc.	(G) Production of a chemical substance	(G) Genetically modified micro chemical substance
J-21-0005A	4	03/05/2021	CBI	(G) Chemical production	(G) Modified Saccharomyces ce
J-21-0006A	4	03/05/2021	CBI	(G) Chemical production	(G) Modified Saccharomyces ce
P-16-0404A	6	03/01/2021	CBI	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2-(4-[2-(trisubstitutedphenyl)] (substituted
P-18-0281A	5	03/26/2021	CBI	(G) Electrolyte additive.	(G) Cyclic sulfate
P-18-0301A	4	03/31/2021	CBI	(G) Coating component	(G) Alkanedioic acid, polymer v cycloalkyl diisocyanates, dimethyl methylenebis[isocyanatocyclohe

Case No.	Version	Received Date	Manufacturer	Use	Chemical
					polyalkyl glycol monoalkyl ether
P-18-0326A	10	03/29/2021	CBI	(G) Chemical Intermediate	(G) Alkanoic acid, alkyl ester, and residues
P-18-0378A	6	03/18/2021	CBI	(G) Industrial coatings additive.	(G) Acrylic and Methacrylic acid alkenylimidazole, alkyl polyalkylalkylbenzeneperoxoic acid ester Dialkylaminoalkanol
P-20-0058A	6	03/18/2021	CBI	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with methacryloxyethyltrimethyl ammonium initiated
P-20-0058A	7	03/19/2021	CBI	(G) Additive for automatic dishwashing, Additive for hard surface cleaner	(G) Polysaccharide, polymer with methacryloxyethyltrimethyl ammonium initiated
P-20-0078A	7	03/24/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with alkyldioate alkyldioate (1:2:1:1)
P-20-0079A	7	03/24/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Dicarboxylic acid, compound with
P-20-0080A	10	03/24/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0081A	10	03/24/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Carboxylic acid, compound with
P-20-0082A	10	03/24/2021	Ascend Performance Materials	(G) Stabilizer for industrial applications	(G) Alkyldiamine, aminoalkyl-,
P-20-0144A	5	03/01/2021	CBI	(G) Asphalt emulsion applications	(S) Fatty acids, soya, reaction product
P-20-0148A	6	03/15/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0148A	7	03/22/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149A	6	03/15/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0149A	7	03/22/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-20-0150A	6	03/15/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0150A	7	03/22/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151A	6	03/15/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0151A	7	03/22/2021	Solugen Inc	(G) Additive for consumer, industrial, and commercial uses.	(G) Hydroxyalkanoic acid, salt,
P-20-0169A	6	03/15/2021	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P-20-0169A	7	03/26/2021	CBI	(G) Battery Plastics and coatings applications, Conductive agent for conductive plastic and paint	(S) multiwalled carbon nanotube
P-20-0174A	5	03/16/2021	P2 Science, Inc	(S) For use in consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-20-0184A	3	03/16/2021	P2 Science, Inc	(S) For use in fragrances for consumer products, as well as direct addition to consumer products. Specific functions would be as solubilizer, rheology modifier and fragrance oil.	(S) 6-Octen-1-ol, 3,7-dimethyl-,
P-21-0012A	4	03/24/2021	CBI	(G) The notified substance will be used as a fragrance ingredient.	(G) Multialkylbicycloalkenyl su
P-21-0028	2	03/01/2021	CBI	(G) Hardener for composite applications	(G) Phenol, methylethylidene, p methylethylidene bis-oxy, bis-ar
P-21-0029	2	03/01/2021	CBI	(G) Bulk formulated mixture for research and development purposes	(G) Amine, methylethylidenebis

Case No.	Version	Received Date	Manufacturer	Use	Chemical
				only.	
P-21-0066A	5	03/02/2021	L & L Products	(S) Blended or stand alone, epoxy curative (hardener) and foaming agent when blended with certain ingredients	(G) 1,2-alkanediol, 3 aryloxy, m
P-21-0086	3	03/18/2021	Croda Inc.	(G) Marine engine oil additive, polymer additive, Greases, Refrigeration oil, Metal working fluid, Industrial drilling oil, Industrial Rolling oil, Compressor Oil, hydraulic oil, Industrial turbine oil, Industrial gear oil, Automotive engine oil additive, Automotive gear oil	(S) Isooctadecanamide, N,N-bis
P-21-0086A	4	03/26/2021	Croda Inc.	(G) Automotive engine oil additive, polymer additive Greases, Refrigeration oil, Metal working fluid, Industrial drilling oil, Industrial Rolling oil, Compressor Oil, hydraulic oil, Industrial turbine oil, Industrial gear oil, Automotive gear oil, Marine engine oil additive	(S) Isooctadecanamide, N,N-bis
P-21-0090	3	03/02/2021	CBI	(G) Component in paving formulations.	(G) Lignin, modified, reaction p
P-21-0091	3	03/12/2021	CBI	(G) Laundry detergent additive/emulsifier., emulsifier - water treatment, Emulsifier, Industrial fluid, Coatings and Plastics	(G) Fatty acid esters polymer wi
P-21-0092	3	03/09/2021	Miwon North America, Inc.	(S) thermoset composites, industrial coatings, 3D printing	(G) 2-Propenoic acid, (polyhydr ester
P-21-0094	1	03/01/2021	CBI	(S) Deposition precursor for the manufacture of electronic components	(G) Silane, halogenated

Case No.	Version	Received Date	Manufacturer	Use	Chemical
P-21-0095	4	03/16/2021	CBI	(S) Crankcase Motor Oil applications, formulated transmission oils. Industrial applications (especially compressor and gear fluids)	(G) Alkene Homopolymer Hydr
P-21-0095A	5	03/30/2021	CBI	(S) Crankcase Motor Oil applications, formulated transmission oils. Industrial applications (especially compressor and gear fluids)	(G) Alkene Homopolymer Hydr
P-21-0097	1	03/05/2021	CBI	(S) Plasticizer for use in dryblend applications (ie - injection molding, slush molding, extrusion, calendering), Component in lubricants and industrial oils, Plastisol in spread-coating applications	(S) 1,2,4-Benzenetricarboxylic a
P-21-0098	3	03/18/2021	Hubergroup	(S) Co-initiator for the curing of UV printing inks	(G) Poly(oxy-1,2-ethanediyl), al 3)-[[substituted benzoyl]oxy]hy -ether with 2-ethyl-2-(hydroxym
P-21-0100	1	03/24/2021	ENI Trading & Shipping Inc	(G) Used as a lubricant and lubricant additive, Lubricant and lubricant additive	(G) Raffinates (petroleum), vacu dewaxed, hydrotreated
P-21-0101	1	03/24/2021	ENI Trading & Shipping Inc	(G) Used as a lubricant and lubricant additive, Lubricant and lubricant additive	(G) Benzenesulfonic acid, polya
SN-20-0007A	2	03/08/2021	CBI	(S) A component of UV Curable Coatings and Printing Inks	(S) 2-Propenoic acid, 1,1'-(3-me
SN-21-0003	1	03/02/2021	Norquay Technology Inc	(G) Intermediate	(S) 1,1'-Biphenyl, 4,4'-dibromo-