

Manufacturer: Bway Corporation
Model: Screw Top
ASTM Type: IM

Description:

The package consists of a plastic open head pail and a plastic continuously threaded pail lid (Figure 1).



Figure 1

The package is opened by pressing in a tab with the words "PRESS IN" (Figure 2) on the side of the lid while unscrewing the lid counterclockwise and lifting it off the open head pail. When the lid is closed the tab fits behind the triangle on the outside circumference of the pail neck so that the pail cannot be unscrewed (see arrow pointing to triangular piece in Figure 2).



Figure 2

There are two different sets of instructions on the pail lid dependent on its size (Figures 3 and 4).




Figure 3

The manufacturer's instructions on the smaller pail lid/cover are (Figure 3):

OPEN (arrow pointing counterclockwise)

TO OPEN:

- 1) PRESS IN TAB ON SIDE OF COVER FIRMLY
- 2) ROTATE COVER COUNTERCLOCKWISE WHILE PRESSING IN TAB
- 3) REMOVE COVER (there are two pictures next to this set of instructions showing a hand pressing in tab on lid side and turning counterclockwise to open pail then lifting lid off pail)

CHECK
HERE FOR
TAB
ON
SIDE OF
COVER (arrow pointing to tab)

TO CLOSE:

- 1) FIRMLY ROTATE COVER CLOCKWISE UNTIL YOU HEAR TAB CLICK
- 2) CHECK TO SEE IF TAB IS BEHIND TRIANGLE ON PAIL (there are two pictures next to this set of instructions showing a hand pushing down on the lid and turning it clockwise to close pail while listening for a click)

CLOSE (arrow pointing clockwise)

The manufacturer's instructions on the larger pail lid are (Figure 4):

OPEN (arrow pointing counterclockwise and below it two pictures showing a hand pressing in tab on lid side and turning counterclockwise then lifting lid off pail)

TAB (written inside an arrow and a triangle with an exclamation point in it to the left of the word TAB)

(two pictures showing a hand pushing down on the lid and turning it clockwise to close the pail)

CLOSE (arrow pointing clockwise)



Figure 4