

FINAL Template Letter

1. Suspected Ground Water Contamination – Table 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water at properties in your area. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system. While this notification does not necessarily mean that pollutants are on your property, residences and

Notification Letter

<Date>

Page Two


businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

2. Confirmed Ground Water Contamination: – Table 1
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water at your property. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The table also includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.


Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

3. Suspected Soil Contamination: – Table 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>
<City, State Zip>
<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the soil at properties in your area. It does not necessarily mean that pollutants are at your property. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or guardians of children attending the school must be updated annually while contamination remains on school property.

Notification Letter

<Date>

Page Two


Although the soil at your property has not been sampled to confirm the presence of pollutants, you can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

4. Confirmed Soil Contamination: – Table 1
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>
<City, State Zip>
<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the soil at your property. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The table also includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

5. Suspected Ground Water and Soil Contamination: – Table 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water and in the soil at properties in your area. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system. While this notification does not necessarily mean that pollutants are on your property, residences and

Notification Letter

<Date>

Page Two

businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


Although the soil at your property has not been sampled to confirm the presence of pollutants, you can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

6. Confirmed Ground Water and Soil Contamination: – Table 1
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water and the soil at your property. The enclosed table lists the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The table also includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.

Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

7. Suspected Ground Water and Confirmed Soil Contamination: – Tables 1 and 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>
<City, State Zip>
<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water in your area and in the soil at your property. The enclosed tables list the pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

One table lists the specific pollutants identified on properties in your area, but does not necessarily mean that these pollutants are at your property. The other table lists the specific pollutants identified on your property, their location and the levels found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.

Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

8. Confirmed Ground Water and Suspected Soil Contamination: – Tables 1 and 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend upon a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that pollutants were found in the ground water on your property and the soil at properties in your area. The enclosed tables list the pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

One table lists the specific pollutants identified on properties in your area, but does not necessarily mean that these pollutants are at your property. The other table lists the specific pollutants identified on your property, their location and the levels found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.

Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


Although the soil at your property has not been sampled to confirm the presence of pollutants, you can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,



Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

9. Confirmed and Suspected Ground Water Contamination: – Tables 1 & 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that certain pollutants were found in the ground water at your property and other pollutants were found in the groundwater in your area. The enclosed tables list the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The first table represents samples taken on your property and includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water. The second table lists other pollutants found in the area but not in samples taken from your property.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.


Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

10. Confirmed Ground Water and Soil Contamination and Suspected Ground Water
Contamination: – Tables 1 & 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>
<City, State Zip>
<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that certain pollutants were found in the ground water and soil at your property and other pollutants were found in the groundwater in your area. The enclosed tables list the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The first table represents samples taken on your property and includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water. The second table lists other pollutants found in the area but not in samples taken from your property.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.

Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

11. Confirmed and Suspected Soil Contamination: – Tables 1 & 2
SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that certain pollutants were found in the soil at your property and other pollutants were found in the soil in your area. The enclosed tables list the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The first table represents samples taken on your property and includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water. The second table lists other pollutants found in the area but not in samples taken from your property.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

FINAL Template Letter

12. Confirmed Ground Water and Soil Contamination and Suspected Soil Contamination: – Tables
1 & 2

SCHOOL PROPERTY

<Date>

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

<Name>

<Company>

<Address>

<City, State Zip>

Re: <Property Address>

<City, State Zip>

<Site Number>

Dear <Name>:

The health of Florida's communities and livability of our neighborhoods depend on a clean environment. Safeguarding the health of Florida's residents and the environment is a priority for the Florida Department of Environmental Protection (DEP).

To protect public health, the DEP notifies property owners of pollution found on their property or in their neighborhood. This letter is to inform you that the DEP has received information that certain pollutants were found in the ground water and soil at your property and other pollutants were found in the soil in your area. The enclosed tables list the specific pollutants found during an assessment of the following site:

<PAWSRWIPTTC – Including Site ID#>

The first table represents samples taken on your property and includes the location and the levels of the specific pollutants found. Applicable cleanup target levels, which the DEP uses as a guide for cleaning up chemicals at waste sites, are also listed for each detected pollutant. These levels are based on health risks or taste and odor concerns in the water. The second table lists other pollutants found in the area but not in samples taken from your property.

Because your property is the site of a school as defined in section 1003.01, Florida Statutes (F.S.), you are required to forward the enclosed information to the teachers and parents or guardians of children attending the school (see section 376.30702(3), F.S.) within 30 days of receipt of this notice. A copy of the notice that you provide to the parties specified above must also be sent to the Division of Waste Management at the letterhead address. This notice to the teachers and parents or

Notification Letter

<Date>

Page Two

guardians of children attending the school must be updated annually while contamination remains on school property.

Florida's water quality standards are among the most protective in the nation. There is little or no risk of exposure for residences and businesses connected to a public water supply system.

Residences and businesses using a private drinking water well that has not been tested within the past three years, should have the water sampled by your County Health Department or a private laboratory. Irrigation wells should not be used for drinking water.


You can reduce the risk of exposure to soil pollutants by thoroughly washing your hands after gardening, playing or working in the yard. Covering an impacted area with clean soil or a layer of mulch such as pine straw or leaves provides an additional safeguard.

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

If this letter has reached you in error, please notify us at the DEP toll-free number above so that we may contact the correct owner. If tenants are residing at this property, please share this information with them.

This notification process is one of many steps that DEP is taking to address pollution, protect natural systems and safeguard public health. If you have any questions about this notice, the pollutants detected or your health, please contact us at one of the above exclusive information lines.

Sincerely,

A handwritten signature in red ink, appearing to read "Mary Jean Yon". The signature is fluid and cursive, with a large initial "M" and "J".

Mary Jean Yon, Director
Division of Waste Management

MJY/dd

Enclosures

Table 1: Contaminants Identified at:

<Property Address>
 <City, FL Zip>
 <Site Number>

Contaminant	Location (Medium)	Level Detected	Applicable Cleanup Target Level	Reason for Cleanup Target Level
	<ground water> or <soil>			<health> or <taste/odor> or <N/A>

*[**Note to STB:** If Location (Medium) is <ground water> the last column will be <health> or <taste/odor>. If Location (Medium) is <soil> the last column will be <N/A>.]*

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

For more information on DOH’s environmental health program, visit www.myfloridaeh.com/.

For more information on DEP’s waste cleanup programs, visit www.floridadep.org/waste.

Table 2: Contaminants Identified in the Vicinity of:

<Property Address>
<City, FL Zip>
<Site Number>

Contaminant	Location (Medium)
	<ground water> or <soil>

To assist you in understanding this information and to answer any questions, the DEP and DOH have established two toll-free information lines where you may leave a recorded message and receive a call back within one business day. To post your health-related questions, please call the DOH toll-free number at **1-877-798-2772**. If you have questions concerning the cleanup of this site, please call the DEP toll-free number at **1-866-282-0787**. **Please refer to this letter and the above site information in your recorded message.**

For more information on DOH's environmental health program, visit www.myfloridaeh.com/.

For more information on DEP's waste cleanup programs, visit www.floridadep.org/waste.