

Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8		Desig	Classifications	NUMERIC STANDARDS					TEMPORARY MODIFICATIONS AND QUALIFIERS	
BASIN: Rio Grande				PHYSICAL and BIOLOGICAL	INORGANIC		METALS			
Stream Segment Description				mg/l		ug/l				
1.	All tributaries to the Rio Grande, including all wetlands, lakes and reservoirs, which are within the Weminuche Wilderness Area.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2.	Mainstem of the Rio Grande, including all wetlands, tributaries, lakes and reservoirs, from the source to a point immediately above the confluence with Willow Creek except for the specific listings in segments 1 and 3.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3.	Rio Grande Reservoir; Santa Maria Reservoir; mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir; North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
4.	Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to the Rio Grande/Alamosa County line.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5.	All tributaries to the Rio Grande, including all wetlands, lakes and reservoirs, from immediately above the confluence with Willow Creek to State Highway 112 bridge in Del Norte, except for specific listings in segments 6 through 10.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6.	Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump.		Aq Life Cold 1 Recreation 1a	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
7.	Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek; mainstem of East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek, mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks to the confluence with the Rio Grande.	UP	Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml						Temporary modification: Existing quality Expiration Date of 12/31/07.

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8		Desig	Classifications	NUMERIC STANDARDS					TEMPORARY MODIFICATIONS AND QUALIFIERS	
BASIN: Rio Grande				PHYSICAL and BIOLOGICAL	INORGANIC		METALS			
Stream Segment Description					mg/l		ug/l			
8.	Mainstem of Goose Creek, including all tributaries, and wetlands from the source to the confluence with the Rio Grande except segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9.	Mainstem of the South Fork of Rio Grande, including all tributaries, wetlands, lakes and reservoirs, from source to confluence with Rio Grande except segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
10.	Mainstem of Pinos Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with Rio Grande.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11.	Mainstem of San Francisco Creek (Rio Grande County), including all tributaries, wetlands, lakes and reservoirs, from the source to the confluence with Spring Branch.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12.	Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).		Aq Life Warm 1 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.50	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
13.	Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.		Aq Life Cold 1 Recreation 1a Agriculture	D.O.= 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14.	All tributaries to the Rio Grande including wetlands, lakes and reservoirs, which are within the Rio Grande National Forest, from the State Highway 112 bridge in Del Norte to immediately below the confluence of Rock Creek with the Rio Grande, except for specific listings in segments 11, 19 and 20.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15.	All tributaries to the Rio Grande from State Highway 112 bridge in Del Norte to the Colorado-New Mexico Stateline except for specific listings in segments 16 through 30.	UP	Recreation 2 Agriculture	D.O.=5.0mg/l pH=6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	CN=0.2 NO ₂ =100 NO ₃ =10	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec)	CrIII(ch)=100(Trec) CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	
16.	All waters within the Alamosa National Wildlife Refuge, except segment 12.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli= 200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8		Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: Rio Grande				PHYSICAL and BIOLOGICAL	INORGANIC			METALS		
Stream Segment Description				mg/l			ug/l			
17.	All waters within the Monte Vista National Wildlife Refuge.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
18.	All wetlands tributary to the Rio Grande, including lakes and reservoirs, from State Highway 112 bridge in Del Norte to the Colorado/New Mexico border, except for specific listings in segments 17, 21, 22 through 31.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	Fish Ingestion
19.	Mainstem of Rock Creek, including all tributaries, wetlands, lakes and reservoirs from source to Monte Vista Canal.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20.	Mainstem of Cat Creek from the source to the Terrace Main Canal.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	CN=0.2 NO ₂ =100 NO ₃ =10	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec)	CrIII(ch)=100(Trec) CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec)	Ni(ch)=200(Trec) Cr(ch)=100(Trec) Zn(ch)=2000(Trec)	
21.	Mainstem of Ute Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to U.S. Hwy 160.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
22.	Mainstem of Ute Creek from U.S. Hwy 160 to the confluence with Sangre de Cristo Creek.	UP	Aq Life Cold 2 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
23.	Mainstem of Sangre de Cristo Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to State Hwy 159.		Aq Life Cold 1 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
24.	Mainstem of Sangre de Cristo Creek from State Highway 159 to inlet of Smith Reservoir.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)/TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
25.	Mainstem of Trinchera Creek including all tributaries, wetlands, lakes and reservoirs, from source to the outlet of Mountain Home Reservoir.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8		Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: Rio Grande	Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l		
26.	Mainstem of Trinchera Creek from the outlet of Mountain Home Reservoir to the Rio Grande with the exception of segment 27.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011	CN=0.005 S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=50 CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
27.	Smith Reservoir.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
28.	Mainstem of Rito Seco, including all tributaries, wetlands, lakes and reservoirs, from the source to the outlet of Salzar Reservoir.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
29.	Mainstem of Rito Seco from the outlet of Salzar Reservoir to the confluence with Culebra Creek.	UP	Aq Life Cold 2 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
30.	Mainstem of Culebra Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to State Highway 159 except segments 28 and 29, mainstem of East Fork Costilla Creek and West Fork Costilla Creek from 7 Road to the Colorado/New Mexico border.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8 BASIN: Alamosa River/La Jara Creek/Conejos River Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS	
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l			
1. All tributaries to the Rio Grande, including all wetlands, lakes and reservoirs which are within the South San Juan Wilderness area.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac)/ch)=TVS Cu(ac)/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac)/ch)=TVS Mn(ch)=WS(dis) Mn(ac)/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac)/ch)=TVS Se(ac)/ch)=TVS Ag(ch)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS		
2. Mainstem of the Alamosa River, including all tributaries, wetlands, lakes and reservoirs from source to immediately above the confluence with Alum Creek, except for specific listings in segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac)/ch)=TVS Cu(ac)/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac)/ch)=TVS Mn(ch)=WS(dis) Mn(ac)/ch)=TVS	Hg(ch)=0.01(Trec) Ni(ac)/ch)=TVS Se(ac)/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS		
3a. Mainstem of Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l F.Coli=200/100ml E.Coli=126/100ml Seasonal Stds. 12/1-2/28 pH=3.52-9.0 3/1-5/31: pH=4.0-9.0 6/1-8/31 pH=4.73-9.0 9/1-11/31: pH= 3.94-9.0	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	Al(ac)=750 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac)/ch)=TVS	Cu(ac)=TVS Fe(ch)=12000(Trec) Pb(ac)/ch)=TVS Mn(ac)/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac)/ch)=TVS	Se(ac)/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS		
3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.	UP	Aq Life Cold 1 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	Al(ac)=750 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac)/ch)=TVS	Cu(ac)=TVS Cu(ch)=30 Fe(ch)=12000(Trec) Pb(ac)/ch)=TVS Mn(ac)/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac)/ch)=TVS Se(ac)/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS Seasonal Stds: 5/1-9/30 Al(ch)=87		
3c. Mainstem of the Alamosa River from immediately below the confluence with Fern Creek to the confluence with Ranger Creek.	UP	Aq Life Cold 1 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	Al(ac)=750 Al(ch)=87 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec)	CrVI(ac)/ch)=TVS Cu(ac)/ch)=TVS Fe(ch)=12000(Trec) Pb(ac)/ch)=TVS Mn(ac)/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac)/ch)=TVS Se(ac)/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS		
3d. Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir		Aq Life Cold 1 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	Al(ac)=750 Al(ch)=87 As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec)	CrVI(ac)/ch)=TVS Cu(ac)/ch)=TVS Fe(ch)=12000(Trec) Pb(ac)/ch)=TVS Mn(ac)/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac)/ch)=TVS Se(ac)/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac)/ch)=TVS		
4a. Mainstem of Alum Creek, Bitter Creek, Burnt Creek and Iron Creek from their sources to their confluences with the Alamosa River with the exception of 4b.	UP	Recreation 1a Agriculture	pH = 2.5-9.0 F.Coli=200/100ml E.Coli=126/100ml							

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

Stream Segment Description			PHYSICAL and BIOLOGICAL	INORGANIC		METALS			
				mg/l		ug/l			
13. Mainstem Hot Creek from source to confluence with La Jara Creek.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. Mainstem of Conejos River including all tributaries, wetlands, lakes and reservoirs, from source to immediately above the confluence with Fox Creek except for specific listing in segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
15. Mainstem of Conejos River from a point immediately above the confluence with Fox Creek to the confluence with the San Antonio River.	UP	Aq Life Cold 2 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
16. Mainstem of the Conejos River from the confluence with the San Antonio River to the confluence with the Rio Grande.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=1000 Hg(ch)=TVS(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
17. Mainstem of Rio de Los Pinos, including all tributaries, wetlands, lakes and reservoirs, from the source to the New Mexico border, except for specific listings in segment 1. Mainstem of the Rio San Antonio from the New Mexico border to Highway 285.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
18. Mainstem of the Rio San Antonio from Highway 285 to the confluence with the Conejos River.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O.= 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=630/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=1000 Hg(ch)=TVS(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Fish Ingestion
19. Mainstem of Rio Chama, including all tributaries, wetlands, lakes and reservoirs, from the source to the Colorado New Mexico border except for the specific listing in segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.0 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
20. All tributaries to the Rio Grande, including wetlands, lakes and reservoirs, which are within the Rio Grande National Forest, except for specific listings in segments 1 through 7, 11, 13, 14, 17, and 19.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
21. All tributaries to the Alamosa River, La Jara Creek, and the Conejos River from the confluence with Fox Creek to the Rio Grande except for the specific listings in segment 22.	UP	Recreation 2 Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=2000/100ml E.Coli=630/100ml	CN=0.2 NO ₂ =100 NO ₃ =10	B=0.75	As(ch)=100(Trec) Be(ch)=100(Trec) Cd(ch)=10(Trec) CrIII(ch)=100(Trec)	CrVI(ch)=100(Trec) Cu(ch)=200(Trec) Pb(ch)=100(Trec) Mn(ch)=200(Trec)	Ni(ch)=200(Trec) Se(ch)=20(Trec) Zn(ch)=2000(Trec)	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
BASIN: Alamosa River/La Jara Creek/Conejos River			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
Stream Segment Description									
22. All wetlands, lakes, and reservoirs tributary to the Rio Grande except for specific listings in segments 1 through 20.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8 BASIN: Closed Basin-San Luis Valley Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l		METALS ug/l			
1. All tributaries to the Closed Basin, including all wetlands, lakes and reservoirs, which are within the La Garita Wilderness Area.	OW	Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
2. Mainstem of La Garita Creek, including all tributaries, wetlands, lakes, and reservoirs, from the source to 38 Road; mainstem of Camero Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to 42 Road.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
3. All tributaries to the Closed Basin except for segment 2, segments 4 to 13.	UP	Aq Life Warm 2 Recreation 1a Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005 S=0.002	B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac/ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Pb(ac/ch)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
4. Mainstem of San Luis Creek, including all tributaries, wetlands, lakes and reservoirs, from the source to a point immediately below the confluence with Piney Creek except for segments 8, 9a and 9b.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
5. Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
6. San Luis Lake.		Aq Life Cold 1 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	
7. Head Lake.	UP	Aq Life Cold 2 Recreation 1a Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac)=TVS	Cu(ac/ch)=TVS Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8 BASIN: Closed Basin-San Luis Valley Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l	METALS ug/l				
8. Mainstem of Kerber Creek, including all wetlands, tributaries, lakes and reservoirs, from the source to immediately above the Cocomongo Mill site. Mainstem of Squirrel Creek from the source to immediately above Bear Creek, Brewery Creek from source to Kerber Creek, and the mainstem of Elkhorn Gulch.		Aq Life Cold 1 Recreation 1a Agriculture	D.O.=6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
9a. Mainstem, tributaries and wetlands of Kerber Creek, except for specific listings in segment 8, from the source to immediately above the confluence of Brewery Creek.	UP	Recreation 1a Water Supply* Agriculture*	pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml		S=0.002 B=0.75 NO ₂ =1.0 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50 Cd(ac)=5 CrIII(ac)=50 CrVI(ac)=50 Cu(ch)=1000	Fe(ch)=WS(dis) Pb(ac)=50 Mn(ch)=WS(dis) Hg(ch)=2.0(tot)	Se(ch)=20 Ag(ch)=50 Zn(ch)=5000	Temp Mod Existing Quality to 12/31/07 *Goal Qualifier: All metals are Trec unless otherwise noted.
9b. Mainstem of Kerber Creek from the confluence with Brewery Creek to the confluence with San Luis Creek.	UP	Aq Life Cold 1 Recreation 1a Water Supply* Agriculture*	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS Cd(ac)=e(0.7852ln[hard]-1.545) Cd(ch)=e(0.7852ln[hard]-2.906) Cu(ac)=e(0.8889ln[hard]+0.53) Cu(ch)=e(0.8889ln[hard]-1.519) Zn(ac)=e(0.8179ln[hard]+3.757) Zn(ch)=e(0.8179ln[hard]+2.907)	Fe(ch)=1000(Trec) Fe(ch)=300(dis) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	Temp Mod Cd(ac)=11; Cu(ac)=40; Mn(ac)=2900 Zn(ac)=2650, no chronic standards for Cd, Cu, and Zn expires 12/31/07 *Goal Qualifier: All metals are Trec unless otherwise noted.
10. Sand Creek, mainstem and all tributaries and wetlands, from the source to the mouth. Medano Creek mainstem and all tributaries and wetlands, from the source to the mouth.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH=6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
11. All tributaries to the Closed Basin within the Rio Grande National Forest boundaries except segments 1, 2, 4, 9, 10, and 12.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O.(sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
12. Mainstem of Saguache Creek from the boundary of the La Garita Wilderness Area to Hwy 285; all tributaries to Saguache Creek, including all wetlands, lakes and reservoirs, from the source to a point immediately below the confluence with Ford Creek, except for the specific listing in segment 1.		Aq Life Cold 1 Recreation 1a Water Supply Agriculture	D.O. = 6.0 mg/l D.O. (sp)=7.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.02 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS

REGION: 8 BASIN: Closed Basin-San Luis Valley Stream Segment Description	Desig	Classifications	NUMERIC STANDARDS						TEMPORARY MODIFICATIONS AND QUALIFIERS
			PHYSICAL and BIOLOGICAL	INORGANIC mg/l			METALS ug/l		
13. Mainstem of Saguache Creek from U.S. Hwy 285 to the confluence with San Luis Creek; mainstem of Russel Creek and mainstem of Cottonwood Creek downstream of the National Forest Boundary.	UP	Aq Life Warm 2 Recreation 1a Water Supply Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.1 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.50 NO ₃ =10 Cl=250 SO ₄ =WS	As(ac)=50(Trec) Cd(ac)=TVS(tr) Cd(ch)=TVS CrIII(ac)=50(Trec) CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=WS(dis) Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ch)=WS(dis) Mn(ac/ch)=TVS Hg(ch)=0.01(Trec)	Ni(ac/ch)=TVS Se(ac/ch)=TVS Ag(ac)=TVS Ag(ch)=TVS(tr) Zn(ac/ch)=TVS	
14. All wetlands tributary to the Closed Basin except for specific listings in segments 1 through 13.	UP	Aq Life Warm 2 Recreation 1a Agriculture	D.O. = 5.0 mg/l pH = 6.5-9.0 F.Coli=200/100ml E.Coli=126/100ml	NH ₃ (ac)=TVS NH ₃ (ch)=0.06 Cl ₂ (ac)=0.019 Cl ₂ (ch)=0.011 CN=0.005	S=0.002 B=0.75 NO ₂ =0.05	As(ch)=100(Trec) Cd(ac/ch)=TVS CrIII(ac/ch)=TVS CrVI(ac/ch)=TVS Cu(ac/ch)=TVS	Fe(ch)=1000(Trec) Pb(ac/ch)=TVS Mn(ac/ch)=TVS Hg(ch)=0.01(Trec) Ni(ac/ch)=TVS	Se(ac/ch)=TVS Ag(ac/ch)=TVS Zn(ac/ch)=TVS	