

Multi-Agency Radiological Laboratory Analytical Protocols Manual (MARLAP)

**Part II: Chapters 18 – 20
Appendix G
(Volume III)**

United States Environmental Protection Agency
United States Department of Defense
United States Department of Energy
United States Department of Homeland Security
United States Nuclear Regulatory Commission
United States Food and Drug Administration
United States Geological Survey
National Institute of Standards and Technology

Disclaimer

References within this manual to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily imply its endorsement or recommendation by the United States Government. Neither the United States Government nor any agency or branch thereof, nor any of their employees, makes any warranty, expressed or implied, nor assumes any legal liability of responsibility for any third party's use, or the results of such use, of any information, apparatus, product, or process disclosed in this manual, nor represents that its use by such third party would not infringe on privately owned rights.

FOREWORD

MARLAP is organized into two parts. Part I, consisting of Chapters 1 through 9, is intended primarily for project planners and managers. Part I introduces the directed planning process central to MARLAP and provides guidance on project planning with emphasis on radioanalytical planning issues and radioanalytical data requirements. Part II, consisting of Chapters 10 through 20, is intended primarily for laboratory personnel and provides guidance in the relevant areas of radioanalytical laboratory work. In addition, MARLAP contains seven appendices—labeled A through G—that provide complementary information, detail background information, or concepts pertinent to more than one chapter. Six chapters and one appendix are immediately followed by one or more attachments that the authors believe will provide additional or more detailed explanations of concepts discussed within the chapter. Attachments to chapters have letter designators (e.g., Attachment “6A” or “3B”), while attachments to appendices are numbered (e.g., “B1”). Thus, “Section B.1.1” refers to section 1.1 of appendix B, while “Section B1.1” refers to section 1 of attachment 1 to appendix B. Cross-references within the text are explicit in order to avoid confusion.

Because of its length, the printed version of MARLAP is bound in three volumes. Volume I (Chapters 1 through 9 and Appendices A through E) contains Part I. Because of its length, Part II is split between Volumes II and III. Volume II (Chapters 10 through 17 and Appendix F) covers most of the activities performed at radioanalytical laboratories, from field and sampling issues that affect laboratory measurements through waste management. Volume III (Chapters 18 through 20 and Appendix G) covers laboratory quality control, measurement uncertainty and detection and quantification capability. Each volume includes a table of contents, list of acronyms and abbreviations, and a complete glossary of terms.

MARLAP and its periodic revisions are available online at www.epa.gov/radiation/marlap and www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1576/. The online version is updated periodically and may differ from the last printed version. Although references to material found on a web site bear the date the material was accessed, the material available on the date cited may subsequently be removed from the site. Printed and CD-ROM versions of MARLAP are available through the National Technical Information Service (NTIS). NTIS may be accessed online at www.ntis.gov. The NTIS Sales Desk can be reached between 8:30 a.m. and 6:00 p.m. Eastern Time, Monday through Friday at 1-800-553-6847; TDD (hearing impaired only) at 703-487-4639 between 8:30 a.m. and 5:00 p.m. Eastern Time, Monday through Friday; or fax at 703-605-6900.

MARLAP is a living document, and future editions are already under consideration. Users are urged to provide feedback on how MARLAP can be improved. While suggestions may not always be acknowledged or adopted, commentors may be assured that they will be considered carefully. Comments may be submitted electronically through a link on EPA’s MARLAP web site (www.epa.gov/radiation/marlap).

CONTENTS (VOLUME III)

	<u>Page</u>
List of Figures	XI
List of Tables	XII
Acronyms and Abbreviations	XIII
Unit Conversion Factors	XXI
18 Laboratory Quality Control	18-1
18.1 Introduction	18-1
18.1.1 Organization of Chapter	18-2
18.1.2 Format	18-2
18.2 Quality Control	18-3
18.3 Evaluation of Performance Indicators	18-3
18.3.1 Importance of Evaluating Performance Indicators	18-3
18.3.2 Statistical Means of Evaluating Performance Indicators — Control Charts ..	18-5
18.3.3 Tolerance Limits	18-7
18.3.4 Measurement Uncertainty	18-8
18.4 Radiochemistry Performance Indicators	18-9
18.4.1 Method and Reagent Blank	18-9
18.4.2 Laboratory Replicates	18-13
18.4.3 Laboratory Control Samples, Matrix Spikes, and Matrix Spike Duplicates ..	18-16
18.4.4 Certified Reference Materials	18-18
18.4.5 Chemical/Tracer Yield	18-21
18.5 Instrumentation Performance Indicators	18-24
18.5.1 Instrument Background Measurements	18-24
18.5.2 Efficiency Calibrations	18-26
18.5.3 Spectrometry Systems	18-29
18.5.3.1 Energy Calibrations	18-29
18.5.3.2 Peak Resolution and Tailing	18-32
18.5.4 Gas Proportional Systems	18-36
18.5.4.1 Voltage Plateaus	18-36
18.5.4.2 Self-Absorption, Backscatter, and Crosstalk	18-37
18.5.5 Liquid Scintillation	18-38
18.5.6 Summary Guidance on Instrument Calibration, Background, and Quality Control	18-40
18.5.6.1 Gas Proportional Counting Systems	18-42
18.5.6.2 Gamma-Ray Detectors and Spectrometry Systems	18-45
18.5.6.3 Alpha Detector and Spectrometry Systems	18-49

Contents

	<u>Page</u>
18.5.6.4 Liquid Scintillation Systems	18-51
18.5.7 Non-Nuclear Instrumentation	18-53
18.6 Related Concerns	18-54
18.6.1 Detection Capability	18-54
18.6.2 Radioactive Equilibrium	18-54
18.6.3 Half-Life	18-57
18.6.4 Interferences	18-58
18.6.5 Negative Results	18-60
18.6.6 Blind Samples	18-61
18.6.7 Calibration of Apparatus Used for Mass and Volume Measurements	18-63
18.7 References	18-65
18.7.1 Cited Sources	18-65
18.7.2 Other Sources	18-67
Attachment 18A: Control Charts	18-69
18A.1 Introduction	18-69
18A.2 <i>X</i> Charts	18-69
18A.3 \bar{X} Charts	18-72
18A.4 <i>R</i> Charts	18-74
18A.5 Control Charts for Instrument Response	18-75
18A.6 References	18-79
Attachment 18B: Statistical Tests for QC Results	18-81
18B.1 Introduction	18-81
18B.2 Tests for Excess Variance in the Instrument Response	18-81
18B.3 Instrument Background Measurements	18-88
18B.3.1 Detection of Background Variability	18-88
18B.3.2 Comparing a Single Observation to Preset Limits	18-90
18B.3.3 Comparing the Results of Consecutive Measurements	18-93
18B.4 Negative Activities	18-96
18B.5 References	18-96
19 Measurement Uncertainty	19-1
19.1 Overview	19-1
19.2 The Need for Uncertainty Evaluation	19-1
19.3 Evaluating and Expressing Measurement Uncertainty	19-3
19.3.1 Measurement, Error, and Uncertainty	19-3
19.3.2 The Measurement Process	19-4
19.3.3 Analysis of Measurement Uncertainty	19-6
19.3.4 Corrections for Systematic Effects	19-7
19.3.5 Counting Uncertainty	19-7

	<u>Page</u>
19.3.6 Expanded Uncertainty	19-7
19.3.7 Significant Figures	19-8
19.3.8 Reporting the Measurement Uncertainty	19-9
19.3.9 Recommendations	19-10
19.4 Procedures for Evaluating Uncertainty	19-11
19.4.1 Identifying Sources of Uncertainty	19-12
19.4.2 Evaluation of Standard Uncertainties	19-13
19.4.2.1 Type A Evaluations	19-13
19.4.2.2 Type B Evaluations	19-16
19.4.3 Combined Standard Uncertainty	19-20
19.4.3.1 Uncertainty Propagation Formula	19-20
19.4.3.2 Components of Uncertainty	19-24
19.4.3.3 Special Forms of the Uncertainty Propagation Formula	19-25
19.4.4 The Estimated Covariance of Two Output Estimates	19-26
19.4.5 Special Considerations for Nonlinear Models	19-29
19.4.5.1 Uncertainty Propagation for Nonlinear Models	19-29
19.4.5.2 Bias due to Nonlinearity	19-31
19.4.6 Monte Carlo Methods	19-34
19.5 Radiation Measurement Uncertainty	19-34
19.5.1 Radioactive Decay	19-34
19.5.2 Radiation Counting	19-35
19.5.2.1 Binomial Model	19-35
19.5.2.2 Poisson Approximation	19-36
19.5.3 Count Time and Count Rate	19-38
19.5.3.1 Dead Time	19-39
19.5.3.2 A Confidence Interval for the Count Rate	19-40
19.5.4 Instrument Background	19-41
19.5.5 Radiochemical Blanks	19-42
19.5.6 Counting Efficiency	19-43
19.5.7 Radionuclide Half-Life	19-47
19.5.8 Gamma-Ray Spectrometry	19-48
19.5.9 Balances	19-48
19.5.10 Pipets and Other Volumetric Apparatus	19-52
19.5.11 Digital Displays and Rounding	19-54
19.5.12 Subsampling	19-55
19.5.13 The Standard Uncertainty for a Hypothetical Measurement	19-56
19.6 References	19-58
19.6.1 Cited Sources	19-58
19.6.2 Other Sources	19-61
Attachment 19A: Statistical Concepts and Terms	19-63

Contents

	<u>Page</u>
19A.1 Basic Concepts	19-63
19A.2 Probability Distributions	19-66
19A.2.1 Normal Distributions	19-67
19A.2.2 Log-normal Distributions	19-68
19A.2.3 Chi-squared Distributions	19-69
19A.2.4 <i>T</i> -Distributions	19-70
19A.2.5 Rectangular Distributions	19-71
19A.2.6 Trapezoidal and Triangular Distributions	19-72
19A.2.7 Exponential Distributions	19-73
19A.2.8 Binomial Distributions	19-73
19A.2.9 Poisson Distributions	19-74
19A.3 References	19-76
Attachment 19B: Example Calculations	19-77
19B.1 Overview	19-77
19B.2 Sample Collection and Analysis	19-77
19B.3 The Measurement Model	19-78
19B.4 The Combined Standard Uncertainty	19-80
Attachment 19C: Multicomponent Measurement Models	19-83
19C.1 Introduction	19-83
19C.2 The Covariance Matrix	19-83
19C.3 Least-Squares Regression	19-83
19C.4 References	19-84
Attachment 19D: Estimation of Coverage Factors	19-85
19D.1 Introduction	19-85
19D.2 Procedure	19-85
19D.2.1 Basis of Procedure	19-85
19D.2.2 Assumptions	19-85
19D.2.3 Effective Degrees of Freedom	19-86
19D.2.4 Coverage Factor	19-87
19D.3 Poisson Counting Uncertainty	19-88
19D.4 References	19-91
Attachment 19E: Uncertainties of Mass and Volume Measurements	19-93
19E.1 Purpose	19-93
19E.2 Mass Measurements	19-93
19E.2.1 Considerations	19-93
19E.2.2 Repeatability	19-94
19E.2.3 Environmental Factors	19-95
19E.2.4 Calibration	19-97
19E.2.5 Linearity	19-98
19E.2.6 Gain or Loss of Mass	19-98

	<u>Page</u>
19E.2.7 Air-Buoyancy Corrections	19-99
19E.2.8 Combining the Components	19-103
19E.3 Volume Measurements	19-105
19E.3.1 First Approach	19-105
19E.3.2 Second Approach	19-108
19E.3.3 Third Approach	19-111
19E.4 References	19-111
 20 Detection and Quantification Capabilities	20-1
20.1 Overview	20-1
20.2 Concepts and Definitions	20-1
20.2.1 Analyte Detection Decisions	20-1
20.2.2 The Critical Value	20-3
20.2.3 The Blank	20-5
20.2.4 The Minimum Detectable Concentration	20-5
20.2.6 Other Detection Terminologies	20-9
20.2.7 The Minimum Quantifiable Concentration	20-10
20.3 Recommendations	20-11
20.4 Calculation of Detection and Quantification Limits	20-12
20.4.1 Calculation of the Critical Value	20-12
20.4.1.1 Normally Distributed Signals	20-13
20.4.1.2 Poisson Counting	20-13
20.4.1.3 Batch Blanks	20-17
20.4.2 Calculation of the Minimum Detectable Concentration	20-18
20.4.2.1 The Minimum Detectable Net Instrument Signal	20-19
20.4.2.2 Normally Distributed Signals	20-20
20.4.2.3 Poisson Counting	20-24
20.4.2.4 More Conservative Approaches	20-28
20.4.2.5 Experimental Verification of the MDC	20-28
20.4.3 Calculation of the Minimum Quantifiable Concentration	20-29
20.5 References	20-33
20.5.1 Cited Sources	20-33
20.5.2 Other Sources	20-35
Attachment 20A: Low-Background Detection Issues	20-37
20A.1 Overview	20-37
20A.2 Calculation of the Critical Value	20-37
20A.2.1 Normally Distributed Signals	20-37
20A.2.2 Poisson Counting	20-39
20A.3 Calculation of the Minimum Detectable Concentration	20-53
20A.3.1 Normally Distributed Signals	20-54
20A.3.2 Poisson Counting	20-58

Contents

	<u>Page</u>
20A.4 References	20-62

Contents

	<u>Page</u>
Appendix (Volume III)	
G Statistical Tables	G-1
Glossary	<i>End of volume</i>

List of Figures (Volume III)

Figure 18.1 Problems leading to loss of analytical control	18-4
Figure 18.2 Control chart for daily counting of a standard reference source, with limits corrected for decay	18-7
Figure 18.3 Three general categories of blank changes	18-12
Figure 18.4 Failed performance indicator: replicates	18-15
Figure 18.5 Failed performance indicator: chemical yield	18-23
Figure 19.1 Addition of uncertainty components	19-25
Figure 19.2 Expected fraction of atoms remaining at time t	19-35
Figure 19.3 A symmetric distribution	19-64
Figure 19.4 An asymmetric distribution	19-65
Figure 19.5 A normal distribution	19-67
Figure 19.6 A log-normal distribution	19-68
Figure 19.7 Chi-squared distributions	19-69
Figure 19.8 The t -distribution with 3 degrees of freedom	19-70
Figure 19.9 A rectangular distribution	19-72
Figure 19.10 A trapezoidal distribution	19-72
Figure 19.11 An exponential distribution	19-73
Figure 19.12a Poisson distribution vs. normal distribution, $\mu = 3$	19-75
Figure 19.12b Poisson distribution vs. normal distribution, $\mu = 100$	19-76
Figure 19.13 Nonlinear balance response curve	19-98
Figure 20.1 The critical net signal, S_C , and minimum detectable net signal, S_D	20-6
Figure 20.2 Type I error rates for Table 20.1	20-41
Figure 20.3 Type I error rate for the Poisson-normal approximation ($t_B = t_S$)	20-42
Figure 20.4 Type I error rates for Formula A	20-44
Figure 20.5 Type I error rates for Formula B	20-45
Figure 20.6 Type I error rates for Formula C	20-46
Figure 20.7 Type I error rates for the Stapleton approximation	20-48
Figure 20.8 Type I error rates for the nonrandomized exact test	20-49

List of Tables (Volume III)

	<u>Page</u>
Table 18.1a Certified Massic activities for natural radionuclides with a normal distribution of measurement results	18-20
Table 18.1b Certified Massic activities for anthropogenic radionuclides with a Weibull distribution of measurement results	18-20
Table 18.1c Uncertified Massic activities	18-20
Table 18.2 Instrument background evaluation	18-26
Table 18.3 Root-cause analysis of performance check results for spectrometry systems	18-35
Table 18.4 Some causes of excursions in liquid scintillation analysis	18-40
Table 18.5 Example gas proportional instrument calibration, background frequency, and performance criteria	18-44
Table 18.6 Example gamma spectrometry instrument calibration, background frequency, and performance criteria	18-48
Table 18.7 Example alpha spectrometry instrument calibration, background frequency, and performance criteria	18-50
Table 18.8 Example liquid scintillation counting systems calibration, background frequency, and performance criteria	18-53
Table 18A.1 Bias-correction factor for the experimental standard deviation	18-70
Table 19.1 Differentiation rules	19-21
Table 19.2 Applications of the first-order uncertainty propagation formula	19-21
Table 19.3 95 % confidence interval for a Poisson mean	19-75
Table 19.4 Input estimates and standard uncertainties	19-81
Table 19.5 Coefficients of cubical expansion	19-107
Table 19.6 Density of air-free water	19-109
Table 20.1 Critical gross count (well-known blank)	20-40
Table 20.2 Bias factor for the experimental standard deviation	20-55
Table 20.3 Estimated and true values of S_D ($t_B = t_S$)	20-62
Table G.1 Quantiles of the standard normal distribution	G-1
Table G.2 Quantiles of Student's t distribution	G-3
Table G.3 Quantiles of chi-square	G-5
Table G.4 Critical values for the nonrandomized exact test	G-7
Table G.5 Summary of probability distributions	G-11

ACRONYMS AND ABBREVIATIONS

AC	alternating current
ADC	analog to digital convertor
AEA	Atomic Energy Act
AL	action level
AMS	accelerator mass spectrometry
ANSI	American National Standards Institute
AOAC	Association of Official Analytical Chemists
APHA	American Public Health Association
APS	analytical protocol specification
ARAR	applicable or relevant and appropriate requirement (CERCLA/Superfund)
ASL	analytical support laboratory
ASQC	American Society for Quality Control
ASTM	American Society for Testing and Materials
ATD	alpha track detector
BGO	bismuth germanate [detector]
BNL	Brookhaven National Laboratory (DOE)
BOA	basic ordering agreement
CAA	Clean Air Act
CC	charcoal canisters
CEDE	committed effective dose equivalent
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (“Superfund”)
c.f.	carrier free [tracer]
cfm	cubic feet per minute
CFR	<i>Code of Federal Regulations</i>
CL	central line (of a control chart)
CMPO	[octyl(phenyl)]-N,N-diisobutylcarbonylmethylphosphine oxide
CMST	Characterization, Monitoring, and Sensor Technology Program (DOE)
CO	contracting officer
COC	chain of custody
COR	contracting officer’s representative
cpm	counts per minute
cps	counts per second
CRM	(1) continuous radon monitor; (2) certified reference material
CSU	combined standard uncertainty
CV	coefficient of variation
CWA	Clean Water Act
CWLM	continuous working level monitor

Acronyms and Abbreviations

d	day[s]
D	homogeneous distribution coefficient
DAAP	diamylamylphosphonate
DC	direct current
DCGL	derived concentration guideline level
DHS	U.S. Department of Homeland Security
DIN	di-isopropylnaphthalene
DL	discrimination limit
DoD	U.S. Department of Defense
DOE	U.S. Department of Energy
DOELAP	DOE Laboratory Accreditation Program
DOT	U.S. Department of Transportation
DOP	dispersed oil particulate
dpm	disintegrations per minute
DPPP	dipentylpentylphosphonate
DQA	data quality assessment
DQI	data quality indicator
DQO	data quality objective
DTPA	diethylene triamine pentaacetic acid
DVB	divinylbenzene
E _e	emission probability per decay event
E _{βmax}	maximum beta-particle energy
EDD	electronic data deliverable
EDTA	ethylene diamine tetraacetic acid
EGTA	ethyleneglycol bis(2-aminoethyl ether)-tetraacetate
EMEDD	environmental management electronic data deliverable (DOE)
EPA	U.S. Environmental Protection Agency
ERPRIMS ...	Environmental Resources Program Management System (U.S. Air Force)
ESC	expedited site characterization; expedited site conversion
eV	electron volts
FAR	<i>Federal Acquisition Regulations</i> , CFR Title 48
FBO	<i>Federal Business Opportunities</i> [formerly <i>Commerce Business Daily</i>]
FDA	U.S. Food and Drug Administration
FEP	full energy peak
fg	femtogram
FOM	figure of merit
FWHM	full width of a peak at half maximum
FWTM	full width of a peak at tenth maximum

GC	gas chromatography
GLPC	gas-liquid phase chromatography
GM	Geiger-Mueller [detector]
GP	gas proportional [counter]
GUM	<i>Guide to the Expression of Uncertainty in Measurement</i> (ISO)
Gy	gray[s]
h	hour[s]
H ₀	null hypothesis
H _A , H ₁	alternative hypothesis
HDBP	dibutylphosphoric acid
HDEHP	bis(2-ethylhexyl) phosphoric acid
HDPE	high-density polyethylene
HLW	high-level [radioactive] waste
HPGe	high-purity germanium
HPLC	high-pressure liquid chromatography; high-performance liquid chromatography
HTRW	hazardous, toxic, and radioactive waste
IAEA	International Atomic Energy Agency
ICRU	International Commission on Radiation Units and Measurements
ICP-MS	inductively coupled plasma-mass spectroscopy
IPPD	integrated product and process development
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
k	coverage factor
keV	kilo electron volts
KPA	kinetic phosphorimeter analysis
LAN	local area network
LANL	Los Alamos National Laboratory (DOE)
LBGR	lower bound of the gray region
LCL	lower control limit
LCS	laboratory control samples
LDPE	low-density polyethylene
LEGe	low-energy germanium
LIMS	laboratory information management system
LLD	lower limit of detection
LLNL	Lawrence Livermore National Laboratory (DOE)
LLRW	low-level radioactive waste
LLRWPA	Low Level Radioactive Waste Policy Act

Acronyms and Abbreviations

LOMI	low oxidation-state transition-metal ion
LPC	liquid-partition chromatography; liquid-phase chromatography
LS	liquid scintillation
LSC	liquid scintillation counter
LWL	lower warning limit
MAPEP	Mixed Analyte Performance Evaluation Program (DOE)
MARSSIM . . .	<i>Multi-Agency Radiation Survey and Site Investigation Manual</i>
MCA	multichannel analyzer
MCL	maximum contaminant limit
MDA	minimum detectable amount; minimum detectable activity
MDC	minimum detectable concentration
MDL	method detection limit
MeV	mega electron volts
MIBK	methyl isobutyl ketone
min	minute[s]
MPa	megapascals
MQC	minimum quantifiable concentration
MQO	measurement quality objective
MS	matrix spike; mass spectrometer
MSD	matrix spike duplicate
MVRM	method validation reference material
NAA	neutron activation analysis
NaI(Tl)	thallium-activated sodium iodide [detector]
NCP	National Oil and Hazardous Substances Pollution Contingency Plan
NCRP	National Council on Radiation Protection and Measurement
NELAC	National Environmental Laboratory Accreditation Conference
NESHAP	National Emission Standards for Hazardous Air Pollutants (EPA)
NIM	nuclear instrumentation module
NIST	National Institute of Standards and Technology
NPL	National Physics Laboratory (United Kingdom); National Priorities List (United States)
NRC	U.S. Nuclear Regulatory Commission
NRIP	NIST Radiochemistry Intercomparison Program
NTA (NTTA) .	nitrilotriacetate
NTU	nephelometric turbidity units
NVLAP	National Voluntary Laboratory Accreditation Program (NIST)
OA	observational approach
OFHC	oxygen-free high-conductivity

OFPP Office of Federal Procurement Policy

Φ_{MR}	required relative method uncertainty
Pa	pascals
PARCC	precision, accuracy, representativeness, completeness, and comparability
PBBO	2-(4'-biphenyl) 6-phenylbenzoxazole
PCB	polychlorinated biphenyl
pCi	picocurie
pdf	probability density function
PE	performance evaluation
PERALS	Photon Electron Rejecting Alpha Liquid Scintillation®
PFA	perfluoroalcoholix™
PIC	pressurized ionization chamber
PIPS	planar implanted passivated silicon [detector]
PM	project manager
PMT	photomultiplier tube
PT	performance testing
PTB	Physikalisch-Technische bundesanstalt (Germany)
PTFE	polytetrafluoroethylene
PUREX	plutonium uranium reduction extraction
PVC	polyvinyl chloride
QA	quality assurance
QAP	Quality Assessment Program (DOE)
QAPP	quality assurance project plan
QC	quality control
rad	radiation absorbed dose
RCRA	Resource Conservation and Recovery Act
REE	rare earth elements
REGe	reverse-electrode germanium
rem	roentgen equivalent: man
RFP	request for proposals
RFQ	request for quotations
RI/FS	remedial investigation/feasibility study
RMDC	required minimum detectable concentration
ROI	region of interest
RPD	relative percent difference
RPM	remedial project manager
RSD	relative standard deviation
RSO	radiation safety officer

Acronyms and Abbreviations

s	second[s]
SA	spike activity
S _C	critical value
SAFER	Streamlined Approach for Environmental Restoration Program (DOE)
SAM	site assessment manager
SAP	sampling and analysis plan
SEDD	staged electronic data deliverable
SI	international system of units
SMO	sample management office[r]
SOP	standard operating procedure
SOW	statement of work
SQC	statistical quality control
SPE	solid-phase extraction
SR	unspiked sample result
SRM	standard reference material
SSB	silicon surface barrier [alpha detector]
SSR	spiked sample result
Sv	sievert[s]
 t _½	half-life
TAT	turnaround time
TBP	tributylphosphate
TC	to contain
TCLP	toxicity characteristic leaching procedure
TD	to deliver
TEC	technical evaluation committee
TEDE	total effective dose equivalent
TEC	technical evaluation committee (USGS)
TES	technical evaluation sheet (USGS)
TFM	tetrafluorometoxil™
TIMS	thermal ionization mass spectrometry
TIOA	triisooctylamine
TLD	thermoluminescent dosimeter
TnOA	tri-n-octylamine
TOPO	trioctylphosphinic oxide
TPO	technical project officer
TPP	technical project planning
TPU	total propagated uncertainty
TQM	Total Quality Management
TRUEX	trans-uranium extraction
TSCA	Toxic Substances Control Act

TSDF	treatment, storage, or disposal facility
tSIE	transformed spectral index of the external standard
TTA	thenoyltrifluoroacetone
<i>U</i>	expanded uncertainty
u_{MR}	required absolute method uncertainty
$u_c(y)$	combined standard uncertainty
UBGR	upper bound of the gray region
UCL	upper control limit
USACE	United States Army Corps of Engineers
USGS	United States Geological Survey
UV	ultraviolet
UWL	upper warning limit
V	volt[s]
WCP	waste certification plan
XML	extensible mark-up language
XtGe®	extended-range germanium
y	year[s]
Y	response variable
ZnS(Ag)	silver-activated zinc sulfide [detector]

UNIT CONVERSION FACTORS

To Convert	To	Multiply by	To Convert	To	Multiply by
Years (y)	Seconds (s) Minutes (min) Hours (h)	3.16×10^7 5.26×10^5 8.77×10^3	s min h	y	3.17×10^{-8} 1.90×10^{-6} 1.14×10^{-4}
Disintegrations per second (dps)	Becquerels (Bq)	1.0	Bq	dps	1.0
Bq Bq/kg Bq/m ³ Bq/m ³	Picocuries (pCi) pCi/g pCi/L Bq/L	27.03 2.7×10^{-2} 2.7×10^{-2} 10^3	pCi pCi/g pCi/L Bq/L	Bq Bq/kg Bq/m ³ Bq/m ³	3.7×10^{-2} 37 37 10^{-3}
Microcuries per milliliter (μ Ci/mL)	pCi/L	10^9	pCi/L	μ Ci/mL	10^{-9}
Disintegrations per minute (dpm)	μ Ci pCi	4.5×10^{-7} 4.5×10^{-1}	pCi	dpm	2.22
Gallons (gal)	Liters (L)	3.78	Liters	Gallons	0.265
Gray (Gy)	rad	100	rad	Gy	10^{-2}
Roentgen Equivalent Man (rem)	Sievert (Sv)	10^{-2}	Sv	rem	10^2