

# Table of Contents

<b>Abbreviations and Acronyms</b>	<b>i</b>
<b>Glossary of Terms</b>	<b>ii</b>
<b>Executive Summary</b>	<b>ES-1</b>
<b>Chapter 1. Introduction to Visibility Issues</b>	<b>1-1</b>
A. Description of Visibility Impairment	1-1
B. Relevant Pollutants and Their Sources	1-3
C. Visibility Measurements	1-5
D. National Programs to Improve Visibility	1-7
E. IMPROVE Monitoring Systems in and near the Mandatory Federal Class I Areas	1-8
<b>Chapter 2. Visibility in Individual Mandatory Federal Class I Areas</b>	<b>2-1</b>
A. Introduction	2-1
B. Methodology	2-1
C. General Findings	2-3
D. Visibility Discussions by State	2-5
1. Alabama	2-5
2. Alaska	2-9
3. Arizona	2-13
4. Arkansas	2-32
5. California	2-36
6. Colorado	2-60
7. Florida	2-76
8. Georgia	2-80
9. Kentucky	2-84
10. Maine	2-88
11. Minnesota	2-92
12. Montana	2-96
13. Nevada	2-100
14. New Jersey	2-104
15. New Mexico	2-108
16. Oregon	2-112

17.	South Dakota	2–120
18.	Tennessee	2–124
19.	Texas	2–128
20.	Utah	2–136
21.	Vermont	2–144
22.	Virginia	2–148
23.	Washington	2–152
24.	West Virginia	2–160
25.	Wyoming	2–164
<b>Chapter 3. National and Regional Discussions of Visibility</b>		<b>3–1</b>
A.	Introduction	3–1
B.	National Visibility	3–2
	Trends for Least-Impaired Days	3–2
	Trends for Mid-Range Days	3–4
	Trends for Most-Impaired Days	3–6
C.	Contributors to Visibility Impairment	3–8
D.	Regional Pollutants	3–30
<b>Chapter 4. References</b>		<b>4–1</b>
<b>Appendix A.</b>	<b>List of 156 Mandatory Federal Class I Areas Where Visibility is an Important Value</b>	<b>A–1</b>
<b>Appendix B.</b>	<b>Explanation of Method for Creating Summary Data from Raw IMPROVE Data</b>	<b>B–1</b>
<b>Appendix C.</b>	<b>Methodology for Calculating Light Extinction from Monitored Aerosol Mass Data</b>	<b>C–1</b>
<b>Appendix D.</b>	<b>Their Method to Determine Statistically Significant Trends</b>	<b>D–1</b>

---

## LIST OF TABLES

Table ES-1.	Annual Average Light Extinction (1994-1998)	ES-2
Table ES-2.	Visibility Trends at IMPROVE Monitoring Locations	ES-5
Table 1-1.	Atmospheric Fine Particles (< 2.5 $\mu$ m) and Their Major Emission Sources	1-4
Table 1-2.	IMPROVE and IMPROVE Protocol Sites Collecting Data from 1994 through 1998	1-9
Table AZ-1.	Arizona Calculated Total Extinction Coefficients from 1994-1998	2-31
Table CA-1.	California Calculated Total Extinction Coefficients from 1994-1998	2-59
Table CO-1.	Colorado Calculated Total Extinction Coefficients from 1994-1998	2-75
Table OR-1.	Oregon Calculated Total Extinction Coefficients from 1994-1998	2-119
Table TX-1.	Texas Calculated Total Extinction Coefficients from 1994-1998	2-135
Table UT-1.	Utah Calculated Total Extinction Coefficients from 1994-1998	2-143
Table WA-1.	Washington Calculated Total Extinction Coefficients from 1994-1998	2-159
Table WY-1.	Wyoming Calculated Total Extinction Coefficients from 1994-1998	2-171
Table 3-1.	Average Calculated Total Light Extinction Coefficients from 1994-1998	3-31

## LIST OF FIGURES

ES–1.	Locations of IMPROVE Particulate Matter Samplers Operating Continuously from 1994–1998	ES–2
ES–2.	Relationship Between the Light Extinction, Deciview, and Visual Range Scales	ES–4
1–1.	Visibility Impairment (Haze) in Glacier National Park, Montana	1–2
1–2.	Visibility Impairment (Haze) in Shenandoah National Park, Virginia	1–2
1–3.	Relationship Between the Light Extinction, Deciview, and Visual Range Scales	1–6
1–4.	Locations of IMPROVE Particulate Matter Samplers Operating Continuously from 1994–1998	1–8
AL–1.	Mandatory Federal Class I Area and IMPROVE Monitoring Site in Alabama	2–5
AL–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Sipsey IMPROVE Particulate Sampler	2–6
AL–3.	Seasonal Deciview Averages from 1992–1998 for the Sipsey IMPROVE Particulate Sampler	2–6
AL–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Sipsey IMPROVE Particulate Sampler	2–7
AL–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Sipsey IMPROVE Particulate Sampler	2–7
AL–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Sipsey IMPROVE Particulate Sampler	2–8
AK–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Alaska	2–9
AK–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Denali IMPROVE Particulate Sampler	2–10
AK–3.	Seasonal Deciview Averages from 1988–1998 for the Denali IMPROVE Particulate Sampler	2–10
AK–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Denali IMPROVE Particulate Sampler	2–11
AK–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Denali IMPROVE Particulate Sampler	2–11
AK–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Denali IMPROVE Particulate Sampler	2–12
AZ–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Arizona	2–13
AZ–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Chiricahua IMPROVE Particulate Sampler	2–14
AZ–3.	Seasonal Deciview Averages from 1988–1998 for the Chiricahua IMPROVE Particulate Sampler	2–15
AZ–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Chiricahua IMPROVE Particulate Sampler	2–15

---

AZ-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Chiricahua IMPROVE Particulate Sampler	2–16
AZ-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Chiricahua IMPROVE Particulate Sampler	2–17
AZ-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1989–1997 for the Grand Canyon IMPROVE Particulate Sampler	2–18
AZ-8.	Seasonal Deciview Averages from 1989–1998 for the Grand Canyon IMPROVE Particulate Sampler	2–19
AZ-9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Grand Canyon IMPROVE Particulate Sampler	2–19
AZ-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Grand Canyon IMPROVE Particulate Sampler	2–20
AZ-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1989–1997 for the Grand Canyon IMPROVE Particulate Sampler	2–21
AZ-12.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1990–1998 for the Indian Garden IMPROVE Particulate Sampler	2–22
AZ-13.	Seasonal Deciview Averages from 1990–1998 for the Indian Garden IMPROVE Particulate Sampler	2–22
AZ-14.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Indian Garden IMPROVE Particulate Sampler	2–23
AZ-15.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Indian Garden IMPROVE Particulate Sampler	2–23
AZ-16.	Contributions to Calculated Annual Aerosol Light Extinction from 1990–1998 for the Indian Garden IMPROVE Particulate Sampler	2–24
AZ-17.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Petrified Forest IMPROVE Particulate Sampler	2–25
AZ-18.	Seasonal Deciview Averages from 1988–1998 for the Petrified Forest IMPROVE Particulate Sampler	2–25
AZ-19.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Petrified Forest IMPROVE Particulate Sampler	2–26
AZ-20.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Petrified Forest IMPROVE Particulate Sampler	2–26
AZ-21.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for Petrified Forest IMPROVE Particulate Sampler	2–27
AZ-22.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Tonto IMPROVE Particulate Sampler	2–28
AZ-23.	Seasonal Deciview Averages from 1988–1998 for the Tonto IMPROVE Particulate Sampler	2–29
AZ-24.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Tonto IMPROVE Particulate Sampler	2–29

AZ–25.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Tonto IMPROVE Particulate Sampler	2–30
AZ–26.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Tonto IMPROVE Particulate Sampler	2–31
AR–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Arkansas	2–32
AR–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Upper Buffalo IMPROVE Particulate Sampler	2–33
AR–3.	Seasonal Deciview Averages from 1992–1998 for the Upper Buffalo IMPROVE Particulate Sampler	2–33
AR–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Upper Buffalo IMPROVE Particulate Sampler	2–34
AR–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Upper Buffalo IMPROVE Particulate Sampler	2–34
AR–6.	Contribution to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Upper Buffalo IMPROVE Particulate Sampler	2–35
CA–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in California	2–37
CA–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Lassen Volcanic IMPROVE Particulate Sampler	2–38
CA–3.	Seasonal Deciview Averages from 1988–1998 for the Lassen Volcanic IMPROVE Particulate Sampler	2–39
CA–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Lassen Volcanic IMPROVE Particulate Sampler	2–39
CA–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Lassen Volcanic IMPROVE Particulate Sampler	2–40
CA–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Lassen Volcanic IMPROVE Particulate Sampler	2–41
CA–7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Pinnacles IMPROVE Particulate Sampler	2–42
CA–8.	Seasonal Deciview Averages from 1988–1998 for the Pinnacles IMPROVE Particulate Sampler	2–42
CA–9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Pinnacles IMPROVE Particulate Sampler	2–43
CA–10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Pinnacles IMPROVE Particulate Sampler	2–43
CA–11.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Pinnacles IMPROVE Particulate Sampler	2–44
CA–12.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Point Reyes IMPROVE Particulate Sampler	2–45
CA–13.	Seasonal Deciview Averages from 1988–1998 for the Point Reyes IMPROVE Particulate Sampler	2–46

---

CA-14.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Point Reyes IMPROVE Particulate Sampler	2–46
CA-15.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Point Reyes IMPROVE Particulate Sampler	2–47
CA-16.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Point Reyes IMPROVE Particulate Sampler	2–48
CA-17.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Redwood IMPROVE Particulate Sampler	2–49
CA-18.	Seasonal Deciview Averages from 1988–1998 for the Redwood IMPROVE Particulate Sampler	2–49
CA-19.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Redwood IMPROVE Particulate Sampler	2–50
CA-20.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Redwood IMPROVE Particulate Sampler	2–50
CA-21.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Redwood IMPROVE Particulate Sampler	2–51
CA-22.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the San Gorgonio IMPROVE Particulate Sampler	2–52
CA-23.	Seasonal Deciview Averages from 1988–1998 for the San Gorgonio IMPROVE Particulate Sampler	2–53
CA-24.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the San Gorgonio IMPROVE Particulate Sampler	2–53
CA-25.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the San Gorgonio IMPROVE Particulate Sampler	2–54
CA-26.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the San Gorgonio IMPROVE Particulate Sampler	2–55
CA-27.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Yosemite IMPROVE Particulate Sampler	2–56
CA-28.	Seasonal Deciview Averages from 1988–1998 for the Yosemite IMPROVE Particulate Sampler	2–56
CA-29.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Yosemite IMPROVE Particulate Sampler	2–57
CA-30.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Yosemite IMPROVE Particulate Sampler	2–57
CA-31.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Yosemite IMPROVE Particulate Sampler	2–58
CO-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Colorado	2–60
CO-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Great Sand Dunes IMPROVE Particulate Sampler	2–61

CO-3.	Seasonal Deciview Averages from 1988–1998 for the Great Sand Dunes IMPROVE Particulate Sampler	2–62
CO-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Great Sand Dunes IMPROVE Particulate Sampler	2–62
CO-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Great Sand Dunes IMPROVE Particulate Sampler	2–63
CO-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Great Sand Dunes IMPROVE Particulate Sampler	2–64
CO-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Mesa Verde IMPROVE Particulate Sampler	2–65
CO-8.	Seasonal Deciview Averages from 1988–1998 for the Mesa Verde IMPROVE Particulate Sampler	2–65
CO-9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Mesa Verde IMPROVE Particulate Sampler	2–66
CO-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Mesa Verde IMPROVE Particulate Sampler	2–66
CO-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Mesa Verde IMPROVE Particulate Sampler	2–67
CO-12.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Rocky Mountain IMPROVE Particulate Sampler	2–68
CO-13.	Seasonal Deciview Averages from 1988–1998 for the Rocky Mountain IMPROVE Particulate Sampler	2–69
CO-14.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Rocky Mountain IMPROVE Particulate Sampler	2–69
CO-15.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Rocky Mountain IMPROVE Particulate Sampler	2–70
CO-16.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Rocky Mountain IMPROVE Particulate Sampler	2–71
CO-17.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Weminuche IMPROVE Particulate Sampler	2–72
CO-18.	Seasonal Deciview Averages from 1988–1998 for the Weminuche IMPROVE Particulate Sampler	2–72
CO-19.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Weminuche IMPROVE Particulate Sampler	2–73
CO-20.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Weminuche IMPROVE Particulate Sampler	2–73
CO-21.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Weminuche IMPROVE Particulate Sampler	2–74
FL-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Florida	2–76

---

FL-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1993–1998 for the Chassahowitzka IMPROVE Particulate Sampler	2–77
FL-3.	Seasonal Deciview Averages from 1993–1998 for the Chassahowitzka IMPROVE Particulate Sampler	2–77
FL-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Chassahowitzka IMPROVE Particulate Sampler	2–78
FL-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Chassahowitzka IMPROVE Particulate Sampler	2–78
FL-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1993–1998 for the Chassahowitzka IMPROVE Particulate Sampler	2–79
GA-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Georgia	2–80
GA-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Okefenokee IMPROVE Particulate Sampler	2–81
GA-3.	Seasonal Deciview Averages from 1992–1998 for the Okefenokee IMPROVE Particulate Sampler	2–81
GA-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Okefenokee IMPROVE Particulate Sampler	2–82
GA-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Okefenokee IMPROVE Particulate Sampler	2–82
GA-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Okefenokee IMPROVE Particulate Sampler	2–83
KY-1.	Mandatory Federal Class I Area and IMPROVE Monitoring Site in Kentucky	2–84
KY-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Mammoth Cave IMPROVE Particulate Sampler	2–85
KY-3.	Seasonal Deciview Averages from 1992–1998 for the Mammoth Cave IMPROVE Particulate Sampler	2–85
KY-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Mammoth Cave IMPROVE Particulate Sampler	2–86
KY-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Mammoth Cave IMPROVE Particulate Sampler	2–86
KY-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Mammoth Cave IMPROVE Particulate Sampler	2–87
ME-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Maine	2–88
ME-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Acadia IMPROVE Particulate Sampler	2–89
ME-3.	Seasonal Deciview Averages from 1988–1998 for the Acadia IMPROVE Particulate Sampler	2–89
ME-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Acadia IMPROVE Particulate Sampler	2–90

ME–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Acadia IMPROVE Particulate Sampler	2–90
ME–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Acadia IMPROVE Particulate Sampler	2–91
MN–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Minnesota	2–92
MN–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Boundary Waters IMPROVE Particulate Sampler	2–93
MN–3.	Seasonal Deciview Averages from 1992–1998 for the Boundary Waters IMPROVE Particulate Sampler	2–93
MN–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Boundary Waters IMPROVE Particulate Sampler	2–94
MN–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Boundary Waters IMPROVE Particulate Sampler	2–94
MN–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Boundary Waters IMPROVE Particulate Sampler	2–95
MT–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Montana	2–96
MT–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Glacier IMPROVE Particulate Sampler	2–97
MT–3.	Seasonal Deciview Averages from 1988–1998 for the Glacier IMPROVE Particulate Sampler	2–97
MT–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Glacier IMPROVE Particulate Sampler	2–98
MT–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Glacier IMPROVE Particulate Sampler	2–98
MT–6.	Contributions to Calculated Annual Aerosol Light Extinction From 1988–1998 for Glacier IMPROVE Particulate Sampler	2–99
NV–1.	Mandatory Federal Class I Area and IMPROVE Monitoring Sites in Nevada	2–100
NV–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Jarbidge IMPROVE Particulate Sampler	2–101
NV–3.	Seasonal Deciview Averages from 1988–1998 for the Jarbidge IMPROVE Particulate Sampler	2–101
NV–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Jarbidge IMPROVE Particulate Sampler	2–102
NV–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Jarbidge IMPROVE Particulate Sampler	2–102
NV–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Jarbidge IMPROVE Particulate Sampler	2–103
NJ–1.	Mandatory Federal Class I Area and IMPROVE Monitoring Site in New Jersey	2–104

---

NJ-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Brigantine IMPROVE Particulate Sampler	2–105
NJ-3.	Seasonal Deciview Averages from 1992–1998 for the Brigantine IMPROVE Particulate Sampler	2–105
NJ-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the the Brigantine IMPROVE Particulate Sampler	2–106
NJ-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Brigantine IMPROVE Particulate Sampler	2–106
NJ-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Brigantine IMPROVE Particulate Sampler	2–107
NM-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in New Mexico	2–108
NM-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Bandelier IMPROVE Particulate Sampler	2–109
NM-3.	Seasonal Deciview Averages from 1988–1998 for the Bandelier IMPROVE Particulate Sampler	2–109
NM-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Bandelier IMPROVE Particulate Sampler	2–110
NM-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Bandelier IMPROVE Particulate Sampler	2–110
NM-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Bandelier IMPROVE Particulate Sampler	2–111
OR-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Oregon	2–112
OR-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Crater Lake IMPROVE Particulate Sampler	2–113
OR-3.	Seasonal Deciview Averages from 1988–1998 for the Crater Lake IMPROVE Particulate Sampler	2–113
OR-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Crater Lake IMPROVE Particulate Sampler	2–114
OR-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Crater Lake IMPROVE Particulate Sampler	2–114
OR-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Crater Lake IMPROVE Particulate Sampler	2–115
OR-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1994–1998 for the Three Sisters IMPROVE Particulate Sampler	2–116
OR-8.	Seasonal Deciview Averages from 1994–1998 for the Three Sisters IMPROVE Particulate Sampler	2–116
OR-9.	Contribution to Calculated Annual Light Extinction from 1994–1998 for the Three Sisters IMPROVE Particulate Sampler	2–117
OR-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Three Sisters IMPROVE Particulate Sampler	2–117

---

OR-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Three Sisters IMPROVE Particulate Sampler	2–118
SD-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in South Dakota	2–120
SD-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Badlands IMPROVE Particulate Sampler	2–121
SD-3.	Seasonal Deciview Averages from 1988–1998 for the Badlands IMPROVE Particulate Sampler	2–121
SD-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Badlands IMPROVE Particulate Sampler	2–122
SD-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Badlands IMPROVE Particulate Sampler	2–122
SD-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Badlands IMPROVE Particulate Sampler	2–123
TN-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Tennessee	2–124
TN-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Great Smoky Mountains IMPROVE Particulate Sampler	2–125
TN-3.	Seasonal Deciview Averages from 1988–1998 for the Great Smoky Mountains IMPROVE Particulate Sampler	2–125
TN-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Great Smoky Mountains IMPROVE Particulate Sampler	2–126
TN-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Great Smoky Mountains IMPROVE Particulate Sampler	2–126
TN-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Great Smoky Mountains IMPROVE Particulate Sampler	2–127
TX-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Texas	2–128
TX-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Big Bend IMPROVE Particulate Sampler	2–129
TX-3.	Seasonal Deciview Averages from 1988–1998 for the Big Bend IMPROVE Particulate Sampler	2–129
TX-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Big Bend IMPROVE Particulate Sampler	2–130
TX-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Big Bend IMPROVE Particulate Sampler	2–130
TX-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Big Bend IMPROVE Particulate Sampler	2–131
TX-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Guadalupe Mountains IMPROVE Particulate Sampler	2–132
TX-8.	Seasonal Deciview Averages from 1988–1998 for the Guadalupe Mountains IMPROVE Particulate Sampler	2–132

---

TX-9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Guadalupe Mountains IMPROVE Particulate Sampler	2–133
TX-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Guadalupe Mountains IMPROVE Particulate Sampler	2–133
TX-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Guadalupe Mountains IMPROVE Particulate Sampler	2–134
UT-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Utah	2–136
UT-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Bryce Canyon IMPROVE Particulate Sampler	2–137
UT-3.	Seasonal Deciview Averages from 1988–1998 for the Bryce Canyon IMPROVE Particulate Sampler	2–137
UT-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Bryce Canyon IMPROVE Particulate Sampler	2–138
UT-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Bryce Canyon IMPROVE Particulate Sampler	2–138
UT-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Bryce Canyon IMPROVE Particulate Sampler	2–139
UT-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Canyonlands IMPROVE Particulate Sampler	2–140
UT-8.	Seasonal Deciview Averages from 1988–1998 for the Canyonlands IMPROVE Particulate Sampler	2–141
UT-9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Canyonlands IMPROVE Particulate Sampler	2–141
UT-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Canyonlands IMPROVE Particulate Sampler	2–142
UT-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Canyonlands IMPROVE Particulate Sampler	2–143
VT-1.	Mandatory Federal Class I Area and IMPROVE Monitoring Site in Vermont	2–144
VT-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Lye Brook IMPROVE Particulate Sampler	2–145
VT-3.	Seasonal Deciview Averages from 1992–1998 for the Lye Brook IMPROVE Particulate Sampler	2–145
VT-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Lye Brook IMPROVE Particulate Sampler	2–146
VT-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Lye Brook IMPROVE Particulate Sampler	2–146
VT-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992–1998 for the Lye Brook IMPROVE Particulate Sampler	2–147
VA-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in Virginia	2–148

VA–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Shenandoah IMPROVE Particulate Sampler	2–149
VA–3.	Seasonal Deciview Averages from 1988–1998 for the Shenandoah IMPROVE Particulate Sampler	2–149
VA–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Shenandoah IMPROVE Particulate Sampler	2–150
VA–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Shenandoah IMPROVE Particulate Sampler	2–150
VA–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Shenandoah IMPROVE Particulate Sampler	2–151
WA–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Washington	2–152
WA–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988–1998 for the Mount Rainier IMPROVE Particulate Sampler	2–153
WA–3.	Seasonal Deciview Averages from 1988–1998 for the Mount Rainier IMPROVE Particulate Sampler	2–153
WA–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Mount Rainier IMPROVE Particulate Sampler	2–154
WA–5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Mount Rainier IMPROVE Particulate Sampler	2–154
WA–6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988–1998 for the Mount Rainier IMPROVE Particulate Sampler	2–155
WA–7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1994–1998 for the Snoqualmie Pass IMPROVE Particulate Sampler	2–156
WA–8.	Seasonal Deciview Averages from 1994–1998 for the Snoqualmie Pass IMPROVE Particulate Sampler	2–156
WA–9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Snoqualmie Pass IMPROVE Particulate Sampler	2–157
WA–10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994–1998 for the Snoqualmie Pass IMPROVE Particulate Sampler	2–157
WA–11.	Contributions to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Snoqualmie Pass IMPROVE Particulate Sampler	2–158
WV–1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Site in West Virginia	2–160
WV–2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1992–1998 for the Dolly Sods IMPROVE Particulate Sampler	2–161
WV–3.	Seasonal Deciview Averages from 1992–1998 for the Dolly Sods IMPROVE Particulate Sampler	2–161
WV–4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994–1998 for the Dolly Sods IMPROVE Particulate Sampler	2–162

---

WV-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994-1998 for the Dolly Sods IMPROVE Particulate Sampler	2-162
WV-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1992-1998 for the Dolly Sods IMPROVE Particulate Sampler	2-163
WY-1.	Mandatory Federal Class I Areas and IMPROVE Monitoring Sites in Wyoming	2-164
WY-2.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988-1998 for the Bridger IMPROVE Particulate Sampler	2-165
WY-3.	Seasonal Deciview Averages from 1988-1998 for the Bridger IMPROVE Particulate Sampler	2-165
WY-4.	Contribution to Calculated Annual Aerosol Light Extinction from 1994-1998 for the Bridger IMPROVE Particulate Sampler	2-166
WY-5.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994-1998 for the Bridger IMPROVE Particulate Sampler	2-166
WY-6.	Contributions to Calculated Annual Aerosol Light Extinction from 1988-1998 for the Bridger IMPROVE Particulate Sampler	2-167
WY-7.	Yearly Deciview Averages for Most-Impaired, Mid-Range, and Least-Impaired Days from 1988-1998 for the Yellowstone IMPROVE Particulate Sampler	2-168
WY-8.	Seasonal Deciview Averages from 1988-1998 for the Yellowstone IMPROVE Particulate Sampler	2-168
WY-9.	Contribution to Calculated Annual Aerosol Light Extinction from 1994-1998 for the Yellowstone IMPROVE Particulate Sampler	2-169
WY-10.	Contribution to Calculated Seasonal Aerosol Light Extinction from 1994-1998 for the Yellowstone IMPROVE Particulate Sampler	2-169
WY-11.	Contributions to Calculated Annual Aerosol Light Extinction from 1988-1998 for the Yellowstone IMPROVE Particulate Sampler	2-170
3-1.	Annual Average Visibility Indices for Least-Impaired Days from 1994-1998	3-2
3-2.	IMPROVE Sites Showing Statistically Significant Trends in Visibility on Least-Impaired Days	3-3
3-3.	Annual Average Visibility Indices for Mid-Range Days from 1994-1998	3-4
3-4.	IMPROVE Sites Showing Statistically Significant Trends in Visibility on Mid-Range Days	3-5
3-5.	Annual Average Visibility Indices for Most-Impaired Days from 1994-1998	3-6
3-6.	IMPROVE Sites Showing Statistically Significant Trends in Visibility on Most-Impaired Days	3-7
3-7.	Average Annual Sulfate PM Concentrations at IMPROVE Monitoring from 1994-1998	3-8
3-8.	Average Annual Contributions of Sulfate PM to Total PM <sub>2.5</sub> Levels at IMPROVE Monitoring Sites from 1994-1998	3-9

3–9.	Average Annual Sulfate Extinction Coefficients at IMPROVE Monitoring Sites from 1994–1998	3–10
3–10.	Average Annual Contributions of Sulfate PM to Calculated Aerosol Light Extinction at IMPROVE Monitoring Sites from 1994–1998	3–11
3–11.	Average Annual Nitrate PM Concentrations at IMPROVE Monitoring Sites from 1994–1998	3–12
3–12.	Average Annual Contributions of Nitrate PM to Total PM <sub>2.5</sub> Levels at IMPROVE Monitoring Sites from 1994–1998	3–13
3–13.	Average Annual Nitrate Extinction Coefficients at IMPROVE Monitoring Sites from 1994–1998	3–14
3–14.	Average Annual Contributions of Nitrate PM to Calculated Aerosol Light Extinction at IMPROVE Monitoring Sites from 1994–1998	3–15
3–15.	Level of Photosynthetic Activity in Vegetation during July 1988	3–17
3–16.	Average Annual Organic Carbon PM Concentrations at IMPROVE Monitoring Sites from 1994–1998	3–18
3–17.	Average Annual Contributions of Organic Carbon PM to Total PM <sub>2.5</sub> Levels at IMPROVE Monitoring Sites from 1994–1998	3–19
3–18.	Average Annual Organic Carbon Extinction Coefficients at IMPROVE Monitoring Sites from 1994–1998	3–20
3–19.	Average Annual Contributions of Organic Carbon PM to Calculated Aerosol Light Extinction at IMPROVE Monitoring Sites from 1994–1998	3–21
3–20.	Average Annual Elemental Carbon PM Concentrations at IMPROVE Monitoring Sites from 1994–1998	3–22
3–21.	Average Annual Contributions of Elemental Carbon PM to Total PM <sub>2.5</sub> Levels at IMPROVE Monitoring Sites from 1994–1998	3–23
3–22.	Average Annual Elemental Carbon Extinction Coefficients at IMPROVE Monitoring Sites from 1994–1998	3–24
3–23.	Average Annual Contributions of Elemental Carbon PM to Calculated Aerosol Light Extinction at IMPROVE Monitoring Sites from 1994–1998	3–25
3–24.	Average Annual Fine Soil PM Concentrations at IMPROVE Monitoring Sites from 1994–1998	3–27
3–25.	Average Annual Contributions of Fine Soil PM to Total PM <sub>2.5</sub> levels at IMPROVE Monitoring Sites from 1994–1998	3–27
3–26.	Average Annual Crustal Material Extinction Coefficients at IMPROVE Monitoring Sites from 1994–1998	3–28
3–27.	Average Annual Contributions of Crustal Material PM to Calculated Aerosol Light Extinction at IMPROVE Monitoring Sites from 1994–1998	3–29
3–28.	Mandatory Federal Class I Areas and IMPROVE Particulate Matter Samplers Divided into Western and Eastern Regions	3–30