

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: June 7, 2011

Company : Pennsylvania Brine Treatment
 Address : 5148 US 322

 Franklin, Pennsylvania 16323
 Contact: Mr. Sparky DeLong
 Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001	Project: PABR00211
Sample ID: 277902001	Client ID: PABR001
Matrix: Water	
Collect Date: 09-MAY-11 16:00	
Receive Date: 11-MAY-11	
Collector: Client	

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Rad Gamma Spec Analysis												
Gammaspec, Gamma, Liquid (Standard List) "As Received"												
Radium-228	UI	0.00	+/-29.7	47.9		pCi/L		KXG3	06/01/11	1044	1102598	1
Rad Gas Flow Proportional Counting												
GFPC, Gross Alpha Liquid "As Received"												
Alpha		1070	+/-370	530	5.00	pCi/L		VXC2	06/01/11	1916	1104018	2
Rad Radium-226												
Lucas Cell, Ra226, liquid "As Received"												
Radium-226		212	+/-4.56	0.411	1.00	pCi/L		KSD1	05/18/11	1250	1101441	3

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 901.1	
2	EPA 900.0/SW846 9310	
3	EPA 903.1 Modified	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: June 7, 2011

Company : Pennsylvania Brine Treatment
Address : 5148 US 322

Franklin, Pennsylvania 16323
Contact: Mr. Sparky DeLong
Project: PA Brine Treatment - Franklin Facility

Client Sample ID:	Outfall 001	Project:	PABR00211
Sample ID:	277902001	Client ID:	PABR001
Matrix:	Water		
Collect Date:	09-MAY-11 16:00		
Receive Date:	11-MAY-11		
Collector:	Client		

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
SW846 3005A/6020A Liquid "As Received"											
Uranium	U	ND	1.68	5.00	ug/L	25	BAJ	06/06/11	1344	1101439	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3005A	ICP-MS 3005A PREP	LYH1	05/16/11	1000	1101437

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3005A/6020A	



Microbac Laboratories, Inc.
 Erie Division
 1962 Wager Road • Erie, PA 16509 • Phone: 814-825-8533 • Fax: 814-825-9254
 Cheri Estes, Managing Director • E-mail: erie@microbac.com • http://www.microbac.com

CERTIFICATE OF ANALYSIS

Work Order Number:
11E1652

Pennsylvania Brine Treatment
 Attn: Elton Delong, Jr. (Sparky)
 5148 Us 322
 Franklin, PA 16323

Date Reported 05/25/2011
 Date Received 05/10/2011
 Order Number 11E1652
 Account Number 00000016369



Purchase Order:
 Subject: Weekly Wastewater Sample

SMP	TEST	METHOD	RESULT	UNITS	ANALYSIS			
					DATE	TIME	TECH	
01	Composite Sample							
	Sample Date: 05/09/2011		Sample Time: 15:00					
	Chloride	ASTM D512-89A	82,000	mg/L	05/17/2011	12:00	CAP	
	Solids, Suspended	SM 2540 D	< 10	mg/L	05/10/2011	16:05	MAD	
	Sulfate	SM 4500-SO4 D	23	mg/L	05/11/2011	13:40	CMF	
02	Grab Sample							
	Sample Date: 05/09/2011		Sample Time: 12:30					
	Oil & Grease	EPA 1664A	<5.0	mg/L	05/17/2011	9:00	MAB	
03	Composite Sample							
	Sample Date: 05/10/2011		Sample Time: 14:25					
	Copper	EPA 200.7	< 0.100	mg/L	05/12/2011	15:54	MWR	
	Iron, Total	EPA 200.7	< 0.500	mg/L	05/12/2011	15:54	MWR	
	Silver	EPA 200.7	< 0.100	mg/L	05/12/2011	15:54	MWR	
04	Composite Sample							
	Sample Date: 05/09/2011		Sample Time: 15:00					
	Bromide	EPA 300.0	770	mg/L	05/12/2011	12:44	OST	

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research
 NELAP accredited by PA, NY. Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials, air & emissions analytes



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: June 17, 2011

Company : Pennsylvania Brine Treatment
 Address : 5148 US 322
 Franklin, Pennsylvania 16323
 Contact: Mr. Sparky DeLong
 Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001	Project: PABR00211
Sample ID: 278665001	Client ID: PABR001
Matrix: Water	
Collect Date: 23-MAY-11 16:00	
Receive Date: 24-MAY-11	
Collector: Client	

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Rad Gamma Spec Analysis												
Gammascpec, Gamma, Liquid (Standard List) "As Received"												
Radium-228	U	-1.07	+/-13.7	23.3		pCi/L		KXG3	06/15/11	1636	1109035	1
Rad Gas Flow Proportional Counting												
GFPC, Gross Alpha Liquid "As Received"												
Alpha	U	-52	+/-93.1	181	5.00	pCi/L		DXF3	06/15/11	1910	1111534	2
Rad Radium-226												
Lucas Cell, Ra226, liquid "As Received"												
Radium-226		6.41	+/-0.801	0.198	1.00	pCi/L		KSD1	06/07/11	1455	1106798	3

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 901.1	
2	EPA 900.0/SW846 9310	
3	EPA 903.1 Modified	

Microbac

® Microbac Laboratories, Inc.
Erie Division
1962 Wager Road • Erie, PA 16509 • Phone: 814-825-8533 • Fax: 814-825-9254
Cheri Estes, Managing Director • E-mail: eric@microbac.com • http://www.microbac.com

CERTIFICATE OF ANALYSIS

Work Order Number:
11E2911

Pennsylvania Brine Treatment
Attn: Elton Delong, Jr. (Sparky)
5148 Us 322
Franklin, PA 16323

Date Reported 06/30/2011
Date Received 05/24/2011
Order Number 11E2911
Account Number 000000016369



Purchase Order:

Subject: Weekly Wastewater Sample

							ANALYSIS		
SMP	TEST	METHOD	RESULT	UNITS	DATE	TIME	TECH	NOTES	
01 Composite Sample			Sample Time: 13:30						
Sample Date: 05/23/2011									
Acidity		SM 2310 B	<7.0	mg/L	06/07/11	10:20	CP3	O-04	
Alkalinity As CaCO3		SM 2320B	86	mg CaCO3/L	05/25/11	9:20	CP3		
Chloride		ASTM D512-89A	49,000	mg/L	05/31/11	11:00	CAP		
Solids, Dissolved		SM 2540C	110,000	mg/L	05/25/11	16:00	CMF		
Solids, Suspended		SM 2540 D	< 10	mg/L	05/24/11	16:25	MAD		
Sulfate		SM 4500-SO4 D	180	mg/L	05/25/11	14:45	CMF		
02 Grab Sample			Sample Time: 13:30						
Sample Date: 05/23/2011									
Oil & Grease		EPA 1664A	<5.0	mg/L	06/06/11	7:00	CAP		
03 Composite Sample			Sample Time: 13:30						
Sample Date: 05/23/2011									
Barium		EPA 200.7	19.1	mg/L	06/06/11	8:45	MWR		
Copper		EPA 200.7	< 0.100	mg/L	06/01/11	15:36	MWR		
Iron, Total		EPA 200.7	< 0.500	mg/L	06/01/11	15:36	MWR		
Silver		EPA 200.7	< 0.100	mg/L	06/01/11	15:36	MWR		
Strontium		EPA 200.7	1,100	mg/L	06/07/11	15:11	MWR		
04 Composite Sample			Sample Time: 13:30						
Sample Date: 05/23/2011									
Bromide		EPA 300.0	490	mg/L	05/26/11	0:00	OST		

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

NELAP accredited by PA, NY. Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials, air & emissions analytes



MEMBER
ACIL

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: June 17, 2011

Company : Pennsylvania Brine Treatment
Address : 5148 US 322

Franklin, Pennsylvania 16323
Contact: Mr. Sparky DeLong
Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001
Sample ID: 278665001
Matrix: Water
Collect Date: 23-MAY-11 16:00
Receive Date: 24-MAY-11
Collector: Client

Project: PABR00211
Client ID: PABR001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
SW846 3005A/6020A Liquid "As Received"											
Uranium	U	ND	0.670	2.00	ug/L	10	SKJ	06/17/11	0744	1105435	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3005A	ICP-MS 3005A PREP	BXA1	05/31/11	1755	1105434

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3005A/6020A	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: July 20, 2011

Company : Pennsylvania Brine Treatment
 Address : 5148 US 322

 Franklin, Pennsylvania 16323
 Contact: Mr. Sparky DeLong
 Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001	Project: PABR00211
Sample ID: 280539001	Client ID: PABR001
Matrix: Water	
Collect Date: 22-JUN-11 15:00	
Receive Date: 23-JUN-11	
Collector: Client	

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Rad Gamma Spec Analysis												
Gammascpec, Gamma, Liquid (Standard List) "As Received"												
Radium-228	U	1.21	+/-11.3	19.4		pCi/L		KXG3	07/10/11	0950	1118487	1
Rad Gas Flow Proportional Counting												
GFPC, Gross Alpha Liquid "As Received"												
Alpha	U	40.3	+/-133	251	5.00	pCi/L		DXF3	07/03/11	1945	1116813	2
Rad Radium-226												
Lucas Cell, Ra226, liquid "As Received"												
Radium-226		1.80	+/-0.394	0.205	1.00	pCi/L		KSD1	07/14/11	1150	1116202	3

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 901.1	
2	EPA 900.0/SW846 9310	
3	EPA 903.1 Modified	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: July 20, 2011

Company : Pennsylvania Brine Treatment
Address : 5148 US 322

Franklin, Pennsylvania 16323
Contact: Mr. Sparky DeLong
Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001
Sample ID: 280539001
Matrix: Water
Collect Date: 22-JUN-11 15:00
Receive Date: 23-JUN-11
Collector: Client

Project: PABR00211
Client ID: PABR001

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
SW846 3005A/6020A Liquid "As Received"											
Uranium	U	ND	0.670	2.00	ug/L	10	SKJ	06/28/11	1836	1115423	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3005A	ICP-MS 3005A PREP	LYH1	06/27/11	0900	1115422

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3005A/6020A	

CERTIFICATE OF ANALYSIS

Work Order Number:

11F2713

Pennsylvania Brine Treatment
 Attn: Elton Delong, Jr. (Sparky)
 5148 Us 322
 Franklin, PA 16323

Date Reported 07/13/2011
 Date Received 06/22/2011
 Order Number 11F2713
 Account Number 00000016369



Purchase Order:

Subject: Weekly Wastewater Sample

SMP	TEST	METHOD	RESULT	UNITS	ANALYSIS			NOTES
					DATE	TIME	TECH	
01 Composite Sample								
Sample Date: 06/22/2011			Sample Time: 15:00					
Chloride		ASTM D512-89A	55,000	mg/L	06/28/11	14:30	CMF	
Solids, Suspended		SM 2540 D	13	mg/L	06/23/11	10:55	CMF	
02 Grab Sample								
Sample Date: 06/22/2011			Sample Time: 15:00					
Oil & Grease		EPA 1664A	< 5	mg/L	07/11/11	7:00	CAP	
03 Composite Sample								
Sample Date: 06/22/2011			Sample Time: 15:00					
Iron, Total		EPA 200.7	<0.0500	mg/L	06/24/11	12:19	ICP	
04 Composite Sample								
Sample Date: 06/22/2011			Sample Time: 15:00					
Bromide		EPA 300.0	510	mg/L	06/24/11	16:52	OST	

Order Notes

The technician initials "OST" (Outside Testing) indicate that the Bromide analyses were sub-contracted to Microbac Laboratories, Inc./New York Division. PA DEP ID#68-01385. (W.O. 1106595)

All samples received in proper condition and results conform to ISO 17025 unless otherwise noted

Notes and Definitions

- MG/KG = Milligram per Kilogram (PPM)
- UG/L = Micrograms per Liter (PPB)
- UG/KG = Micrograms per Kilogram (PPB)
- MG/L = Milligrams per Liter (PPM)
- 10.00 UG = 1 MG
- Positive = Bacteria or target analyte detected
- E = Estimated, Bacteria count fell outside the method counting range
- Negative = Bacteria or target analyte not detected
- CFU = Colony Forming Unit
- ND = Not detected at or below the reporting limit
- TIC = Tentatively identified Compound
- "<" = less than (also see "ND")
- ">" = Greater than

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

NELAP accredited by PA, NY. Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials, air & emissions analytes



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 5, 2011

Company : Pennsylvania Brine Treatment
 Address : 5148 US 322
 Franklin, Pennsylvania 16323
 Contact: Mr. Sparky DeLong
 Project: PA Brine Treatment - Franklin Facility

Client Sample ID: Outfall 001	Project: PABR00211
Sample ID: 281632001	Client ID: PABR001
Matrix: Water	
Collect Date: 06-JUL-11 23:08	
Receive Date: 11-JUL-11	
Collector: Client	

Parameter	Qualifier	Result	Uncertainty	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Rad Gamma Spec Analysis												
Gammascpec, Gamma, Liquid (Standard List) "As Received"												
Radium-228	U	-2.43	+/-12.7	21.1		pCi/L		KXG3	07/22/11	1011	1122954	1
Rad Gas Flow Proportional Counting												
GFPC, Gross Alpha Liquid "As Received"												
Alpha	U	27.8	+/-51.9	94.9	5.00	pCi/L		CAS2	08/03/11	1226	1121309	2
Rad Radium-226												
Lucas Cell, Ra226, liquid "As Received"												
Radium-226		1.25	+/-0.337	0.257	1.00	pCi/L		KSD1	08/02/11	1200	1121118	3

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 901.1	
2	EPA 900.0/SW846 9310	
3	EPA 903.1 Modified	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 5, 2011

Company : Pennsylvania Brine Treatment
Address : 5148 US 322

Franklin, Pennsylvania 16323
Contact: Mr. Sparky DeLong
Project: PA Brine Treatment - Franklin Facility

Client Sample ID:	Outfall 001	Project:	PABR00211
Sample ID:	281632001	Client ID:	PABR001
Matrix:	Water		
Collect Date:	06-JUL-11 23:08		
Receive Date:	11-JUL-11		
Collector:	Client		

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
SW846 3005A/6020A Liquid "As Received"											
Uranium	U	ND	0.670	2.00	ug/L	10	SKJ	07/18/11	2145	1121184	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
SW846 3005A	ICP-MS 3005A PREP	LYHI	07/14/11	0930	1121183

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW846 3005A/6020A	



Microbac Laboratories, Inc.
 Erie Division
 1962 Wager Road • Erie, PA 16509 • Phone: 814-825-8533 • Fax: 814-825-9254
 Cheri Estes, Managing Director • E-mail: erie@microbac.com • http://www.microbac.com

CERTIFICATE OF ANALYSIS

Work Order Number:
 11G2497

Pennsylvania Brine Treatment
 Attn: Elton DeLong, Jr. (Sparky)
 5148 Us 322
 Franklin, PA 16323

Date Reported 07/31/2011
 Date Received 07/07/2011
 Order Number 11G2497
 Account Number 000000016369



Purchase Order:
 Subject: Monthly Wastewater Samples

SMP	TEST	METHOD	RESULT	UNITS	ANALYSIS		NOTES
					DATE	TIME TECH	
01 Grab Sample							
Sample Date: 07/06/2011		Sample Time: 7:00					
Oil & Grease		EPA 1664A	<5.0	mg/L	07/19/11	7:00	CAP
02 Grab Sample							
Sample Date: 07/06/2011		Sample Time: 7:00					
Barium		EPA 200.7	4.26	mg/L	07/11/11	19:37	ICP
Copper		EPA 200.7	<0.100	mg/L	07/11/11	19:35	ICP
Iron		EPA 200.7	<0.500	mg/L	07/11/11	19:35	ICP
Silver		EPA 200.7	<0.100	mg/L	07/11/11	19:35	ICP
Strontium		EPA 200.7	755	mg/L	07/19/11	14:57	MWR
03 Grab Sample							
Sample Date: 07/06/2011		Sample Time: 7:00					
Acidity		SM 2310 B	11	mg/L	07/20/11	13:10	CMF
Alkalinity As CaCO3		SM 2320B	94	mg CaCO3/L	07/20/11	9:00	CMF
Chloride		ASTM D512-89A	47000	mg/L	07/13/11	14:00	CMF
Solids, Dissolved		SM 2540C	110000	mg/L	07/12/11	13:45	CMF
Solids, Suspended		SM 2540 D	24	mg/L	07/07/11	16:30	CMF
Sulfate		SM 4500-SO4 D	850	mg/L	07/12/11	9:15	CMF
04 Grab Sample							
Sample Date: 07/06/2011		Sample Time: 7:00					
Bromide		EPA 300.0	430	mg/L	07/26/11	18:44	OST

Order Notes

The technician initials "OST" (Outside Testing) indicate that the Bromide analysis were sub-contracted to Microbac Laboratories, Inc./New York Division. PA DEP ID#68-01385. (W.O. 1107213)

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

NELAP accredited by PA, NY. Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials, air & emissions analytes

