

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Advanced Climate Technologies, LLC		CP 500	Pellets	0.03	532,000	532,000	88	NAC*	X
Advanced Climate Technologies, LLC		CP 850	Pellets	0.02	840,000	840,000	88	NAC	X
Advanced Climate Technologies, LLC		CP 1000	Pellets	0.03	1,030,000	1,030,000	87	NAC	X
Advanced Climate Technologies, LLC		CP 1700	Pellets	0.01	1,650,000	1,650,000	89	NAC	X
Alternate Heating Systems	Wood Gun	E155	cord wood	0.32	147,632		53	5.09	
Central Boiler	E-Classic	1450	cord wood	0.18	214,000	120,529	78	4.70	
Central Boiler	E-Classic	3250 IR	cord wood	0.18			69	3.80	
Central Boiler	Maxim M255 P	Maxim M255 PE	cord wood	0.32	165,215		82		
Central Boiler	Classic Edge	350	cord wood	0.18	177,802	67,702	79	3.60	
Central Boiler	Classic Edge	550	cord wood	0.31	162,170	81,168	70	5.20	
Central Boiler, Inc.	Classic Edge 750	Classic Edge 750	cord wood	0.17	186,669		73	4.60	

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
DECTRA	GARN	WHS-2000H	cord wood	0.07	200,000	105,050	74	1.69	
DECTRA	GARN	WHS-2000V	cord wood	0.07	200,000	105,050	74	1.69	
DECTRA	GARN	WHS-1500H	cord wood	0.14	177,000	87,179	65	2.88	
DECTRA	GARN	WHS-1500V	cord wood	0.14	177,000	87,179	65	2.88	
Earth Manufacturing, LLC	Klear Sky	400	cord wood	0.3	70,770	45,786	47	5.10	
Econoburn Boilers	EBW	200-170	cord wood	0.16	171,638		60	NAC	x
Effecta Energy Solutions		Komplett III Light 20 KW	pellets	0.02	68,000	68,000	85	NAC	X
Effecta Energy Solutions		Komplett III Light 25 kW	pellets	0.02	85,000	85,000	86	NAC	X
Effecta Energy Solutions		Komplett III Light 35 kW	pellets	0.02	120,000	120,000	85	NAC	X
ESIM	USV	100GS	cord wood	0.20	350,367		61	7.55	
Evoworld, Inc		HP 14	Pellets	0.01	47,800	47,800	88	NAC	X

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Evoworld, Inc		P 28	Pellets	0.02	94,200	94,200	85	NAC	X
Evoworld, Inc		P 50	Pellets	0.01	163,000	163,000	90	NAC	X
Evoworld, Inc		P 100	Pellets	0.02	360,000	360,000	88	NAC	X
Evoworld, Inc		P 200	Pellets	0.02	699,000	699,000	86	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 8	Pellets	0.04	35,800	35,800	88	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 15	Pellets	0.03	50,800	50,800	87	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 20	Pellets	0.03	68,200	68,200	87	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 25	Pellets	0.03	85,300	85,300	87	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 32	Pellets	0.03	109,000	109,000	87	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 38	Pellets	0.02	130,000	130,000	86	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 48	Pellets	0.03	164,000	164,000	86	NAC	X

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 60	Pellets	0.03	200,000	200,000	86	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 80	Pellets	0.03	273,000	273,000	87	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 100	Pellets	0.03	341,000	341,000	88	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		T4-130	Pellets	0.02	444,000	444,000	85	NAC	X
Fröling Heizkessel- und Behälterbau Ges.m.b.H		T4-150	Pellets	0.02	512,000	512,000	85	NAC	X
Greentech Manufacturing Inc.	Crown Royal	RS7400E	cord wood	0.24	296,192	116,597	61	8.00	
Greentech Manufacturing Inc.	Crown Royal	RS7300E	cord wood	0.29	189,599	60,612	54	6.20	
Hardy Manufacturing Co., Inc.	KB	125	cord wood	0.3	119,457	60,261	61	4.10	
Hardy Manufacturing Co., Inc.	KB	165	cord wood	0.31	150,000	73,573	57	3.90	
Hawken Energy	GX Series	GX 10	cord wood	0.14	144,870	76,887	64	2.20	
Hawken Energy	GX Series	GX15	cord wood	0.18	176,116	73,234	70	3.70	

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Hawken Energy	GX Series	GX30	cord wood	0.17	242,090	104,865	67	4.90	
Heatmor	400-4S	400-4S	cord wood	0.28	400,000	160,599	76	10.70	
Heatmor	X Series	200X	cord wood	0.3	184,459	54,019	62	8.10	
Heatmor		350X	cord wood	0.31	255,582	89,753	58	9.20	
Heatmor Manufacturing	200 SSP	200 SSP	cord wood	0.32	180,000	162,793	69	NAC	
Heizomat Canada, Inc.		RHK AK 30	Pellets	0.04	142,000	142,000	86	NAC	X
Hydronic Specialty Supply, Inc.	Drummer	Drummer 35	cord wood	0.32	115,000		60		x
Mahoning Outdoor Furnace	Mahoning Skye Series V	V	cord wood	0.18	110,000	82,594	54	2.40	
Maine Energy Systems, LLC		PE16	pellets	0.02	57,000	57,000	86	NAC	x
Maine Energy Systems, LLC		PE32	pellets	0.02	109,000	109,000	85	NAC	x
Maine Energy Systems, LLC		PE64	pellets	0.02	229,000	229,000	87	NAC	x

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Maine Energy Systems, LLC	PE/PES	12-20	pellets	0.07	67,694		75	0.70	
Maine Energy Systems, LLC	PES	25-32	pellets	0.06	99,797		81	0.80	
Maine Energy Systems, LLC	PE/PES	36-56	pellets	0.07	199,408		86	1.70	
Marway Welding	Phase	2-200	cord wood	0.26	139,576	65,336	39	3.75	
Nature's Comfort LLC	GT Series	GT-6000	cord wood	0.22	250,000	100,959	73	5.70	
NBE Production	Kedel	RTB54	pellets	0.08	60,000		70	0.68	
NBE Production	Kedel	RTB102	pellets	0.07	87,379		73	0.87	
NBE Production	Kedel	RTB170	pellets	0.08	162,000		79	1.76	
NBE Production	Kedel	RTB54	pellets	0.03	58,000	58,000	85	NAC	x
NBE Production	Kedel	RTB102	pellets	0.04	86,000	86,000	85	NAC	x
NBE Production	Kedel	RTB170	pellets	0.04	156,000	156,000	86	NAC	x

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Pellergy, LLC/Windhager Zentralheizung Technik GmbH		Alpha-60	pellets	0.02	51,900	51,900	86	NAC	x
Pellergy, LLC/Windhager Zentralheizung Technik GmbH		Alpha-100	pellets	0.01	88,400	88,400	86	NAC	x
Piney Manufacturing	Optimizer	350	cord wood	0.30	400,000	160,421	65	7.30	
Piney Manufacturing	Enviro Chip	500	cord wood	0.19	280,000		73	5.40	
Polar Furnace Manufacturing Inc.	G3	G3	cord wood	0.08	200,000	142,533	72	1.96	
Polar Furnace Manufacturing Inc.	G2	G2	cord wood	0.19	200,000	66,897	67	3.53	
Profab Industries	Empire Elite	200/XT200	cord wood	0.31	185,983	64,047	61	5.96	
Smokeless Heat, LLC/Värmebaronen AB		Pellmax UB	pellets	0.03	83,100	83,100	85	NAC	x
Steel Tech, Inc.	G Series	G200-2	cord wood	0.07	232,000	111,315	75	1.70	
Steel Tech, Inc.	G Series	G100	cord wood	0.07	125,000		68	1.00	
Steel Tech, Inc.	G Series	G400	cord wood	0.23	350,000	180,409	74	9.00	

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Tarm USA, Inc.	FHG	20/30	cord wood	0.18	70,000		69	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 8	pellets	0.04	35,800	35,800	88	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 15	pellets	0.03	50,800	50,800	87	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 20	pellets	0.03	68,200	68,200	87	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 25	pellets	0.03	85,300	85,300	87	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 32	pellets	0.03	109,000	109,000	87	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 38	pellets	0.02	130,000	130,000	86	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 48	pellets	0.03	164,000	164,000	86	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 60	pellets	0.03	200,000	200,000	86	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 80	pellets	0.03	273,000	273,000	87	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		P4 Unit 100	pellets	0.03	341,000	341,000	88	NAC	x

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		T4-130	pellets	0.02	444,000	444,000	85	NAC	x
Tarm USA, Inc./ Fröling Heizkessel- und Behälterbau Ges.m.b.H		T4-150	pellets	0.02	512,000	512,000	85	NAC	x
Varmebaronen AB/ Smokeless Heat, LLC	Pellmax	200 UB	Pellets	0.03	83,100	83,100	85	NAC	X
Viessmann Holzheiztechnik GmbH		Pyrot 150	Pellets	0.01	494,000	494,000	85	NAC	X
Viessmann Holzheiztechnik GmbH		Pyrot 540	Pellets	0.02	1,700,000	1,700,000	88	NAC	X
Viessmann Holzheiztechnik GmbH		Pyrotec 390	Pellets	0.04	1,430,000	1,430,000	86	NAC	X
Viessmann Holzheiztechnik GmbH		Pyrotec 530	Pellets	0.06	1,860,000	1,860,000	87	NAC	X
Viessmann Holzheiztechnik GmbH		Pyrotec 720	Pellets	0.06	2,470,000	2,470,000	85	NAC	X
WEbiomass, Inc.	Woodpecker		pellets	0.19	153,000		72	3.30	
Windhager Zentralheizung Technik GmbH		BioWin 152	pellets	0.02	55,000	55,000	87	NAC	X
Windhager Zentralheizung Technik GmbH		BioWin 102	Pellets	0.02	36,900	36,900	88	NAC	X

USEPA Certified Hydronic Heaters February 2016

Manufacturer	Model Name	Model Number	Recommended Fuel	Annual Avg. Emission Rate (lb/mmBtu)	Max Heat Output Rating (Btu/hr)	8-hour Output Rating (BTU/hr)	Annual Average Efficiency (%HHV)	Annual Avg. Emission Rate (gr/hr)*	Thermal Storage Required
Windhager Zentralheizung Technik GmbH America, LLC/Windhager Zentralheizung Technik GmbH		BioWin 262	Pellets	0.02	94,500	94,500	87	NAC	X
		BioWin 100	pellets	0.02	34,800	34,800	87	NAC	x
America, LLC/Windhager Zentralheizung Technik GmbH		BioWin 150	pellets	0.02	51,900	51,900	86	NAC	x
America, LLC/Windhager Zentralheizung Technik GmbH		BioWin 260	pellets	0.01	88,400	88,400	86	NAC	x
America, LLC/Windhager Zentralheizung Technik GmbH		BioWin 350	pellets	0.02	119,000	119,000	85	NAC	x
America, LLC/Windhager Zentralheizung Technik GmbH		BioWin 600	pellets	0.02	202,000	202,000	85	NAC	x
Wood Boiler USA		E4	cord wood	0.25	161,455	77,308	61	4.50	
Wood Boiler USA		Blaze HE	cord wood	0.27	166,109	60,000	58	5.30	
Wood Boiler USA									
Woodmaster		Ultra 30	pellets	0.09	102,716	102,716	59	1.60	
Woodmaster	Mini Boiler		pellets	0.11	101,577	101,577	65	1.40	