## U.S. EPA Office of Inspector General

## Observations at EPA Warehouse, Landover, MD

Presented to Agency on May 16, 2013 Updated on May 31, 2013, for Public Release


## How We Got Involved


On December 20, 2012, the Office of Inspector General of the U.S. Environmental Protection Agency initiated a review of Contract No. EP-W-07-053.

As part of review, we evaluated the contractor's performance related to the contract requirements, including the warehouse functions.



U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF INSPECTOR GENERAL













Photo facing front, bay doors are to the left other doors face the right open on to grass side.




The floor plan of the warehouse. Although the floor plan states the square footage is 69,000, the GSA bill state the square footage as approximately 70,000.







This is the view from the office area of the warehouse. Racks on right contain letterhead.




Surplus office furniture.




Surplus office furniture.




Surplus office furniture.




Paper supplies/copy paper.





Left hand side of open area.




Recently arrived surplus stacked in middle of bay lane.














This is one of two secure, limited access, locked areas for storage. The sign affixed to cage states "Authorized Personnel Only!!! No Exceptions!!!"




The spreadsheet, prepared by the contractor, represents items located in the cage area. The comment represents the actual items found in the cage by the OIG for the corresponding item.






Four microwaves located in cage.




Serial numbers on remaining microwaves do not match the numbers listed on the inventory. The serial number shown is listed as being assigned out. Of the three remaining microwaves, two of the serial numbers were wrong.



Serial numbers for Stryker evacuation chairs, worth approximately \$3,000 apiece. Agency ordered 56. The inventory records indicate 53 were shipped. Of the 3 remaining, only 2 were located.




Portable air conditioning units listed as being in cage found outside cage. Each unit worth approximately \$5,000.



Smaller unopened portable air conditioning units listed as being in cage but found outside cage. Records state they have been in the warehouse since February 2008.





Refrigerators received in 2007 in original wrapping.



Two other refrigerators in original wrapping.



Chairs ordered in 2008, 2009, and 2010 listed as surplus with no value assigned.




Chairs ordered in 2008, 2009, and 2010 listed as surplus with no value assigned.




Left : Carpet Tiles Right : Ceiling tiles




Racks of EPA letterhead.



Racks of EPA Folders.



Two upright pianos.



Another upright piano.



Band equipment found in cage.



Gold rimmed award mugs.




Archived records dated 1992.




(Clockwise from upper left) Plastic trash cans, more plastic trash cans, broken chairs, plastic plants, lamps, 3-inch binders stored since 2009.




9 ½-by-12 inch brown Kraft envelopes some stored since 1998.




Surplus cubicle parts.







Cubicle 1 found in cage area. It faces the front of the cage but has a wall in front to keep passersby from seeing inside. It has TV/VCR/DVD player, power provided by extension cord, clothing, chair, and file cabinet.




Cubicle 2 is behind cubicle 1 in the cage. It has a TV, refrigerator, power by extension cord, chairs, couch, carpet tiles, radio, lights, weights, and lamps. Cubicle partitions have been added to provide privacy.




Cubicle 3 was outside of cage but hidden from view with pallets of recyclable material placed in front of a surplus medical screen.




Another view of cubicle 3.




TV attached to a wireless receiver in cubicle 3.




Wall clock, refrigerator plugged in and in use, trash and food utensils found in cubicle 3.




Personal effects and articles cut out and posted in cubicle 3.





Cubicle 4 was located behind the second cage area. The cubicle was hidden from view behind a wall of gym lockers pushed up against it and located under a rack system. The cubicle contains a TV/VCR/DVD unit, a fan, power by extension cord, electric hair trimmer plugged in, and refrigerator.





This door is near cubicle 1 and 2 and opens to the grass area. Power for cubicle 1 and 2 comes from extension cords and present a potential fire hazard.
















Computer and other electrical equipment being used to provide music in gym area.




At the end of the gym is a huge open area.






EPA Passports found in shredding area.




Pallets are placed in potentially hazardous conditions. The pallets are hanging over the edge and may present potential safety issues.




Old computers.




Forklift driver's space with separate exit. Space not on floor plan.



Vehicles are parked in warehouse after work hours.







Old brown envelopes covered in rat feces and dirt.




Copy paper stored in various areas.



Additional copy paper opened and incorrectly stored.



Contents in cage. Contents include plastic trash cans, boxes of opened tape, archived files, and old cardboard.



Carpet tiles. The boxes appear to be collapsing. One of the boxes has been opened.