FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}			
<u>Remarks</u> : Facilities are FACILITY.ORIS_CODE	Program Facility basic identification information for a facility site, including the facility registry identifier, geographic address, and geopolitical descriptors. Remarks: Facilities are excluded if all units are in the planning stages or if all units have been cancelled. This excludes facilities where the ACILITY.ORIS CODE is null or the UNIT OP STATUS.OP STATUS in ('CAN', 'FUT') for all units. FACILITY is joined with UNIT using FAC_ID and UNIT is					
joined with UNIT_OP_S which is equivalent to "c Environmental	TATUS using UNIT_ID. Not all facility units have records in UNIT_OP_STATU perating". The abbreviated name that represents the name of an information	JS; if not, the A(20)	unit's operating status is considered null,			
Information System Abbreviated Name	management system for an environmental program.	A(20)	CAMDBS			
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	FACILITY.ORIS_CODE			
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	FACILITY.FACILITY_NAME			
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)				
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)				
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for United States Postal Service (USPS) mail delivery.	A(60)				

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	Format	TABLE.COLUMN {COMMENTS}
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	FACILITY.COUNTY_CD {convert first two characters (State USPS Code) to State FIPS Code}
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	COUNTY_CODE.COUNTY <i>where</i> COUNTY_CODE.COUNTY_CD = FACILITY.COUNTY_CD
State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	FACILITY.STATE
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	STATE.STATE_NAME <i>where</i> STATE.STATE = FACILITY.STATE
Country Name	The name that represents a primary geopolitical unit of the world. <i>Default</i> : USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the FederalGovernment.Allowable Values:ValueValueYYes, the facility is the property of the Federal Government.NNo, the facility is not the property of the Federal Government.	A(1)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Federal Agency Code	The Federal Agency/Bureau code. The five character code consists of a letter followed by four numbers. There are four possible letters that can occupy the first character position: 'C' for Civilian Federal Agency; 'D' for Department of Defense; 'E' for Department of Energy; 'X' for Unknown. The second and third characters represent the agency code, while the fourth and fifth characters represent the bureau code.	A(5)	
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.Allowable Values:ValueMeaningYYes, the facility is located on tribal land.NNo, the facility is not located on tribal land.	A(1)	
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Unit Code (HUC) 8-digit	The 8-digit hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	
Hydrologic Unit Code (HUC) 12-digit	The 12-digit hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(12)	
EPA Region Code	The code that represents an EPA region.	A(2)	FACILITY.EPA_REGION
Facility Site Type Name	The descriptive name for the type of site the facility occupies. <u>Allowable Values</u> : Stationary Contaminated Site Mobile Contamination Addressed Monitoring Station Potentially Contaminated Site Water System Values	A(40)	'STATIONARY'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Small Business Indicator	Code indicating whether or not a business is requesting relief under EPA's Small Business Policy, which applies to businesses having less than 100 employees.	A(1)	
Environmental Justice Code	The code that identifies the type of environmental justice concern affecting the facility or enforcement action.	A(3)	
Source of Data	The source of the associated facility site data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	FACILITY.UPDATE_DATE <i>if</i> FACILITY.UPDATE_DATE <i>is null,</i> <i>then</i> FACILITY.ADD_DATE <i>else</i> , null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	ΥY'
	n terest nits and regulatory programs that apply to the facility site. nd UNIT are joined using FAC_ID and UNIT and UNIT_OP_STATUS are joine	ed using UNI	Γ_ID.
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site.	A(60)	'AIR PROGRAM'
Active Status	The status of the environmental interest at the facility or site (e.g., Active, Inactive, Operating, Proposed for NPL, Deleted from Final NPL, Currently on Final NPL).	A(50)	'INACTIVE' {If END_DATE populated (see below)} <i>else</i> , 'ACTIVE'
Federal/State Source Indicator	A flag which indicates whether the environmental interest data was provided by a federal or state environmental information system. <u>Allowable Values</u> : 'F' for Federal, 'S' for State, 'T' for Tribal, and 'P' for Private	A(1)	'F'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	<i>min</i> (UNIT.COMM_OP_DATE) (<i>where</i> COMM_OP_DATE <i>is not null</i> , <i>grouped by</i> FAC_ID) <i>else</i> null {unit with the earliest commence operation date}
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date.Allowable Values:(examples)First Reporting YearEarliest Inspection DateFirst Report Received DateOperations Start DateFirst Report Postmark DateMonitoring Start DateOriginal Permit Issue Date	A(50)	'OPERATIONS START DATE'
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	<i>max</i> (UNIT_OP_STATUS.BEGIN_DATE) (<i>where</i> END_DATE is <i>null and</i> OP_STATUS = 'RET' { <u>for all units</u> } <i>else</i> null
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date.Allowable Values:(examples)Facility Inactive DateYear Reporting StoppedDe-registration Effective DatePermit Expiration DateOperations Retired DateFinal Cleanup Date	A(50)	If END_DATE populated, 'OPERATIONS RETIRED DATE'
Source of Data	The source of the associated environmental interest data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	<i>max</i> (UNIT.UPDATE_DATE) <i>if</i> UPDATE_DATE <i>is null,</i> <i>then</i> MAX(UNIT.ADD_DATE) <i>else</i> , null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	ʻN'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	Format	TABLE.COLUMN {COMMENTS}
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́Υ
Alternative Name)		
An alternative, historic o	or program-specific name for the facility site.		
Remarks: FACILITY ar	nd FACILITY_NAME_ALIAS are joined using FAC_ID.		
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	FACILITY_NAME_ALIAS.FACILITY_NAME {If different from previous alternative names}
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local).	A(25)	'HISTORICAL'
Source of Data	The source of the associated alternative name data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date	FACILITY_NAME_ALIAS.UPDATE_DATE <i>if</i> FACILITY_NAME_ALIAS.UPDATE_DATE <i>is null</i> , <i>then</i> FACILITY_NAME_ALIAS.ADD_DATE <i>else</i> , null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	ʻN'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́Υ
Alternative Ident	ification		
An alternative identifier	for the facility site, as maintained by an information management system for a	an environme	ntal program.
Alternative Identifier	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)	'CAMDBS FACILITY ID'
Туре			'AIRS ID'
			'STATE ID'
			'HISTORICAL ORIS CODE'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Alternative Identifier	An alternative identification number maintained by an information	A(30)	FACILITY.FAC_ID
	management system for an environmental program.		FACILITY.AIRSID
			FACILITY.STATEID
			FACILITY_ORIS_ALIAS.ORIS_CODE
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	FACILITY.COUNTY_CD {convert first two characters (State USPS Code) to State FIPS Code}
Source of Data	The source of the associated alternative identification data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	FACILITY.UPDATE_DATE <i>if</i> FACILITY.UPDATE_DATE <i>is null,</i> <i>then</i> FACILITY.ADD_DATE <i>else,</i> null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́
Geographic Cool	rdinates		
	et of points, defined by latitude and longitude coordinates used to locate a fac uracy, and description data.	ility site, usu	ally the front door or centroid, including the
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	N(9,6)	FACILITY.LATITUDE
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	(10,6)	FACILITY.LONGITUDE
Horizontal Collection Me	ethod (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.	N(10)	
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	N(6)	
Data Collection Date	The calendar data when data were collected.	Date	
Reference Point (Textua	al Data or Code Data acceptable)		
Code	The code that represents the place for which geographic coordinates were established.	A(3)	
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Horizontal Reference Da	atum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Coordinate Data Source	(Textual Data or Code Data acceptable)		
Code	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)	
Name	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)	
Geometric Type (Textua	I Data or Code Data acceptable)		
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	Format	TABLE.COLUMN {COMMENTS}
Location Comments Text	The text that provides additional information about the geographic coordinates.	A(150)	substr(FACILITY.DESCRIPTION,1,150)
Vertical Collection Meth	od (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)	
Text	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)	
Vertical Reference Datu	m (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)	
Name	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)	
Vertical Accuracy Measure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	N(7)	
Vertical Measure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	N(10)	
Sub-Entity Identification Number	The identification number for an operable unit or sub-unit of a facility site.	A(30)	
Sub-Entity Type Code	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)	
Sub-Entity Type Description	The text that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(200)	
Shape	Coordinates that define the geometry of the point feature.	SDO_GE OMETRY	
Conveyor of Record	The source of the associated geographic coordinate data.	A(25)	'CAMDBS'
Review Flag	A flag that indicated whether or not the associated record has been verified by EPA. 'Y' indicates the record has been verified.	A(1)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Reviewed By Name	Indicates the user or agency that verified the record.	A(30)	
Organization Affi	liate		
A company, governmen	t body, or other type of organization that has some responsibility or role at the	e facility site.	
	nd UNIT are joined using FAC_ID and UNIT and UNIT_OWNER are joined us IIT_OWNER and COMP_ID from COMPANY. DISTINCT OWN_IDs are selec		
Affiliation Type	The name that describes the capacity or function that an organization serves for a facility site. <u>Allowable Values</u> (examples): Owner/Operator Responsible Party Operator Parent Company Owner	A (40)	if UNIT_OWNER.END_DATE is null and (if UNIT_OWNER.ONT_TYPE_CD = 'BTH' then, 'OWNER/OPERATOR' else if UNIT_OWNER.ONT_TYPE_CD = 'OWN' then, 'OWNER' else if UNIT_OWNER.ONT_TYPE_CD = 'OPR' then, 'OPERATOR' else {UNIT_OWNER.END_DATE is not null (if UNIT_OWNER.ONT_TYPE_CD = 'BTH' then, 'PREVIOUS OWNER/OPERATOR' else if UNIT_OWNER.ONT_TYPE_CD = 'OWN' then, 'PREVIOUS OWNER' else if UNIT_OWNER.ONT_TYPE_CD = 'OWN' then, 'PREVIOUS OWNER' else if UNIT_OWNER.ONT_TYPE_CD = 'OPR' then, 'PREVIOUS OPERATOR' {where UNIT.UNIT_ID = UNIT_OWNER.UNIT_ID and UNIT.FAC_ID = FACILITY.FAC_ID}
Affiliation Start Date	The date on which the affiliation between the facility site and the organization began.	Date	<i>min</i> (UNIT_OWNER.BEGIN_DATE)
Affiliation End Date	The date on which the affiliation between the facility site and the organization ended.	Date	<pre>max(UNIT_OWNER.END_DATE) {if populated}</pre>
Ownership Percentage	Percent of the associated facility owned by the organization.	N(3)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	COMPANY.COMP_NAME

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	
Organization Type	The type of organization (e.g., federal, state, private).Allowable Values (examples):FederalIndianStatePublicCountyPrivateDistrictPublic PrivateMunicipalGovernment-Owned Contractor OperatedOtherValues (examples):	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> . United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated organization data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding organization data was reported to the Source of Data.	Date	UNIT_OWNER.UPDATE_DATE if UNIT_OWNER.UPDATE_DATE is null, then UNIT_OWNER.ADD_DATE else, null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́

FRS DATA ELEMENT				
NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}	
Individual Affilia	ndividual Affiliate			
An individual person whether	no has some responsibility or role at the facility site.			
Remarks: FACILITY is	s joined with FACILITY_PEOPLE using FAC_ID and FACILITY_PEOPLE is joined with FACILITY_PEOPLE with the people with the	ined with PEC	OPLE using PPL_ID. Only pull current records.	
Affiliation Type	The name that describes the capacity or function that an individual servesfor a facility site. <u>Allowable Values (examples):</u> Regulatory ContactCognizant OfficialPublic ContactResponsible PartyTechnical ContactEmergency Contact	A (40)	RESPONSIBILITY.RESPONSIBILITY where FACILITY_PEOPLE.RESPONSIBILITY_ID = RESPONSIBILITY.RESPONSIBILITY_ID	
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	<i>min</i> (FACILITY_PEOPLE.BEGIN_DATE)	
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date		
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname.	A(70)	PEOPLE.FIRST_NAME ' ' PEOPLE.MIDDLE_INITIAL ' ' PEOPLE.LAST_NAME ' ' PEOPLE.SUFFIX	
			{Do not place a space between name parts if one of the parts is missing (i.e., null or blank).}	
Individual Title Text	The title held by a person in an organization.	A(40)	PEOPLE.JOB_TITLE	
Company Division Name	The name of a division or a department of a company.	A(50)	PEOPLE.AFFILIATION	
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	PEOPLE.EMAIL_ADDRESS	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	Format	TABLE.COLUMN {COMMENTS}
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	<i>if</i> EXTENSION <i>is not null</i> , PEOPLE.PHONE_NUMBER ' X' PEOPLE.EXTENSION <i>else</i> , PEOPLE.PHONE_NUMBER
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	PEOPLE.FAX_NUMBER
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	PEOPLE.CELL_PHONE_NUMBER
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	PEOPLE.ADDRESS1
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	PEOPLE.ADDRESS2
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	PEOPLE.CITY
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	PEOPLE.STATE
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	<i>if</i> PEOPLE.PROVINCE is not null, <i>then</i> PEOPLE.PROVINCE <i>else</i> STATE.STATE_NAME <i>where</i> PEOPLE.STATE = STATE.STATE
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	<i>if</i> PEOPLE.COUNTRY <i>is null,</i> 'USA' <i>else</i> PEOPLE.COUNTRY

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	PEOPLE.ZIP_CODE	
Source of Data	The source of the associated individual data.	A(25)	'CAMDBS'	
Last Reported Date	The most recent date the corresponding individual (contact) data was reported to the Source of Data.	Date	<i>max</i> (PEOPLE.UPDATE_DATE) <i>if</i> PEOPLE.UPDATE_DATE <i>is null,</i> <i>then max</i> (PEOPLE.ADD_DATE) <i>else</i> , null	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	ΥY	
Mailing Address	(Related to Facility)			
The standard address u	The standard address used to send mail to a facility site.			
<u>Remarks</u>: No facility m	ailing address data.			
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A (40)		
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)		
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)		
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> . United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated mailing address data.	A(25)	
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́
Standard Industrial Classification			
The Standard Industrial Classification (SIC) or type of business activity, occurring at the facility site.			
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)	FACILITY.SIC_CODE

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)	'PRIMARY'
Source of Data	The source of the associated SIC data.	A(25)	'CAMDBS'
Last Reported Date	The most recent date the corresponding SIC data was reported to the Source of Data.	Date	FACILITY.UPDATE_DATE <i>if</i> FACILITY.UPDATE_DATE <i>is null,</i> <i>then</i> FACILITY.ADD_DATE <i>else,</i> null
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	·Υ'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TABLE.COLUMN {COMMENTS}		
North American	North American Industry Classification				
	The North American Industry Classification System (NAICS) code or type of industrial activity, occurring at the facility site.				
Remarks: Join FACILI	TY with UNIT using FAC_ID and create a NAICS record for each unique NAIC	S Code four	nd for the facility.		
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)	UNIT.NAICS_CD		
NAICS Primary Indicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The NAICS Code represents the primary activity occurring at the facility site. Secondary The NAICS Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	{If only one unique NAICS is found for the facility} <i>then</i> 'PRIMARY' <i>else</i> 'UNKNOWN'		
Source of Data	The source of the associated NAICS data.	A(25)	'CAMDBS'		
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date	<i>max</i> (UNIT.UPDATE_DATE) <i>if</i> UPDATE_DATE <i>is null,</i> <i>then max</i> (UNIT.ADD_DATE) <i>else</i> , null		
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	ʻN'		
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ϋ́		