FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)			
	Program Facility Basic identification information for a facility site, as reported by an information management system for an environmental program. Remarks: Select sites from CER_SITE where CER_SITE.RNPL_STATUS_CODE in ('A', 'F', 'P', 'N', 'R', 'W', 'D').					
Environmental Information System Abbreviated Name	The abbreviated name that represents the name of an information management system for an environmental program.	A(20)	'CERCLIS'			
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	CER_SITE.SITE_EPA_ID			
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	CER_SITE.SITE_NAME			
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	CER_SITE.SITE_STRT_ADRS1			
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)	CER_SITE.SITE_STRT_ADRS2			
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for USPS mail delivery.	A(60)	CER_SITE.SITE_CITY_NAME			
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	CER_SITE.RSTATE_CODE CER_SITE.SITE_CNTY_CODE {convert RSTATE_CODE to FIPS Code}			
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	CER_SITE.SITE_CNTY_NAME			
State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	CER_SITE.RSTATE_CODE			
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	CER_REF_STATE.RSTATE_NAME {where CER_SITE.RSTATE_CODE = CER_REF_STATE.RSTATE_CODE}			
Country Name	The name that represents a primary geopolitical unit of the world. Default: USA	A(44)	'USA'			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	CER_SITE.SITE_ZIP_CODE
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government. Allowable Values: Value Meaning Y Yes, the facility is the property of the Federal Government. No, the facility is not the property of the Federal Government	A(1)	If CER_SITE.RNPL_STATUS_CODE in ('P', 'F', 'D') {for NPL sites} and If RFED_FCLTY_CODE = 'Y' then 'Y' Else 'N'
Federal Agency Code	The Federal Agency/Bureau code. The five character code consists of a letter followed by four numbers. There are four possible letters that can occupy the first character position: 'C' for Civilian Federal Agency; 'D' for Department of Defense; 'E' for Department of Energy; 'X' for Unknown. The second and third characters represent the agency code, while the fourth and fifth characters represent the bureau code.	A(5)	
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.	A(1)	
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Unit Code (HUC) 8-digit	The 8-digit hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	
Hydrologic Unit Code (HUC) 12-digit	The 12-digit hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(12)	
EPA Region Code	The code that represents an EPA region.	A(2)	CER_SITE.RREGION_CODE

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)	
Facility Site Type Name	The descriptive name for the type of site the facility occupies. Allowable Values: Stationary Contaminated Site Mobile Contamination Addressed Monitoring Station Potentially Contaminated Site Water System	A(40)	'CONTAMINATED SITE' {If CER_SITE.RNPL_STATUS_CODE in ('A', 'F', 'P')} 'POTENTIALLY CONTAMINATED SITE' {If CER_SITE.RNPL_STATUS_CODE in ('N', 'R','W')} 'CONTAMINATION ADDRESSED' {If CER_SITE.RNPL_STATUS_CODE = 'D'}	
Small Business Indicator	Code indicating whether or not a business is requesting relief under EPA's Small Business Policy, which applies to businesses having less than 100 employees.	A(1)		
Environmental Justice Code	The code that identifies the type of environmental justice concern affecting the facility or enforcement action.	A(3)		
Source of Data	The source of the associated program facility data.	A(25)	'CERCLIS'	
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date		
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'	
Environmental Interest The environmental permits and regulatory programs that apply to the facility site.				
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site. Allowable Values: (examples) Value SUPERFUND NPL Superfund National Priority List (NPL) Site SUPERFUND (NON-NPL) Superfund Non-NPL Site	A(60)	'SUPERFUND NPL' {If CER_SITE.RNPL_STATUS_CODE in ('P', 'F', 'D')} Else, 'SUPERFUND (NON-NPL)'	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
Active Status	The status of the environmental interest at the facility or site (e.g., Active, Inactive, Operating, Proposed for NPL, Deleted from Final NPL, Currently on Final NPL).	A(50)	case when CER_SITE.RNPL_STATUS_CODE = 'A' then 'SITE IS PART OF NPL SITE' 'D' then 'DELETED FROM FINAL NPL' 'F' then 'CURRENTLY ON FINAL NPL' 'N' then 'NOT ON NPL' 'P' then 'PROPOSED FOR NPL' 'R' then 'REMOVED FROM PROPOSED NPL' 'W' then 'WITHDRAWN FROM NPL'
Federal/State Source Indicator	A flag which indicates whether the environmental interest data was provided by a federal, state, tribal, or private environmental information system. <u>Allowable Values</u> : 'F' for Federal, 'S' for State, 'T' for Tribal, and 'P' for Private	A(1)	'F'
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	{earliest} CER_ACTION. ACT_ACTL_CMPLTN_DATE where RAT_CODE = 'DS'
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. Allowable Values: (examples) First Reporting Year Earliest Inspection Date First Report Received Date Operations Start Date First Report Postmark Date Monitoring Start Date Original Permit Issue Date Discovery Date	A(50)	'DISCOVERY DATE'
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)			
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. Allowable Values: (examples) Facility Inactive Date Year Reporting Stopped Permit Expiration Date Reissued as General Permit Date Operations End Date De-registration Effective Date Final Cleanup Date	A(50)				
Source of Data	The source of the associated environmental interest data.	A(25)	'CERCLIS'			
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date				
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'			
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'			
Alternative Name						
An alternative, historic o	r program-specific name for the facility site.					
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	CER_SITE_ALIAS.SA_NAME			
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local).	A(25)	'ALIAS NAME'			
Source of Data	The source of the associated alternative name data.	A(25)	'CERCLIS'			
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date				
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'			
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ύ			
Alternative Ident	Alternative Identification					
An alternative identifier in Remarks: No alternative	for the facility site, as maintained by an information management system for ar re ID data.	n environmental	program.			
Alternative Identifier Type	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)				

FRS DATA ELEMENT		_	CERCLIS TABLE NAME.COLUMN
NAME	FRS DATA ELEMENT DEFINITION	FORMAT	NAME (COMMENTS)
Alternative Identifier	An alternative identification number maintained by an information management system for an environmental program.	A(30)	
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	
Source of Data	The source of the associated alternative identification data.	A(25)	
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
associated method, acc	et of points, defined by latitude and longitude coordinates used to locate a facili uracy, and description data.		
		N(9,6)	CER LOCATION.LATITUDE
	equator.	. , ,	
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	N(10,6)	CER_LOCATION.LONGITUDE
Horizontal Collection Me	ethod (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	CER_LOCATION. COLLECT_MTH_CODE
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.	N(10)	CER_LOCATION.SCALE
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	N(6)	CER_LOCATION.ACCURACY_VALUE
Data Collection Date	The calendar data when data were collected.	Date	CER_LOCATION.COLLECTION_DATE
Reference Point (Textua	al Data or Code Data acceptable)		
Code	The code that represents the place for which geographic coordinates were established.	A(3)	CER_LOCATION.REF_POINT_CODE

FRS DATA ELEMENT			CERCLIS TABLE NAME.COLUMN
NAME	FRS DATA ELEMENT DEFINITION	FORMAT	NAME (COMMENTS)
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Horizontal Reference D	atum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	CER_LOCATION.HDATUM_CODE
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Coordinate Data Source	e (Textual Data or Code Data acceptable)		
Code	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)	CER_LOCATION.SOURCE_CODE
Name	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)	
Geometric type (textual	data or Code Data acceptable)		
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	CER_LOCATION. GEOMETRIC_TYPE_CODE
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	
Location Comments Text	The text that provides additional information about the geographic coordinates.	A(150)	CER_LOCATION.COMMENT_TEXT
Vertical Collection Meth	od (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)	CER_LOCATION.VMETHOD_CODE
Text	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)	
Vertical Reference Datu	m (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)	CER_LOCATION.VDATUM_CODE
Name	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)	
Vertical Accuracy Measure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	N(7)	CER_LOCATION.VACCURACY

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
Vertical Measure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	N(10)	CER_LOCATION. VERTICAL_MEASURE
Sub-Entity Identification Number	The identification number for an operable unit or sub-unit of a facility site.	A(30)	CER_LOCATION.SUB_ID
Sub-Entity Type Code	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)	CER_LOCATION.SUB_TYPE_CODE
Sub-Entity Type Description	The text that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(200)	
Shape	Coordinates that define the geometry of the point feature.	SDO_GEOME TRY	
Conveyor	The source of the associated geographic coordinate data.	A(25)	'CERCLIS'
Review Flag	A flag that indicated whether or not the associated record has been verified by EPA. 'Y' indicates the record has been verified.	A(1)	
Reviewed By Name	Indicates the user or agency that verified the record.	A(30)	
Organization Affi A company, governmen <u>Remarks</u> : No Organizat	t body, or other type of organization that has some responsibility or role at the	facility site.	
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Owner/Operator Responsible Party Operator Parent Company Owner	A (40)	
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	
Ownership Percentage	Percent of the associated facility owned by the organization.	N(3)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
Organization Type	The type of organization (e.g., federal, state, private). Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated organization data.	A(25)	
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	
Individual Affiliat An individual person wh	o has some responsibility or role at the facility site. Multiple contacts may exist	t for a facility.	
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Regulatory Contact Public Contact Responsible Party Technical Contact Emergency Contact	A (40)	CER_CONTACT.RROLE_DESC
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname	A(70)	trim(nvl(CER_CONTACT.PERSON_ FIRST_NAME, ") ' ' nvl(CER_CONTACT.PERSON_LAST_ NAME, "))
Individual Title Text	The title held by a person in an organization.	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	CER_CONTACT.PERSON_PHONE_ NMBR1
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(5)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated individual data.	A(25)	'CERCLIS'
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	Ύ

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
	sed to send mail to a facility site.		
Remarks : No mailing a	ddress data.		
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A(40)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the U.S. Postal Service.	A(50)	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated mailing address data.	A(25)	
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)				
Standard Industrial Classification The Standard Industrial Classification (SIC) or type of business activity, occurring at the facility site. Remarks: No SIC data.							
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)					
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. Allowable Values: Value Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)					
Source of Data	The source of the associated SIC data.	A(25)					
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date					
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)					
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)					
The North American Ind Remarks: No NAICS d		,	te.				
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)					

FRS DATA ELEMENT NAME		FRS DATA ELEMENT DEFINITION	FORMAT	CERCLIS TABLE NAME.COLUMN NAME (COMMENTS)
NAICS Primary Indicator		t indicates whether the associated NAICS Code represents civity occurring at the facility site. Weaning The NAICS Code represents the primary activity occurring at the facility site. The NAICS Code represents a secondary activity occurring at the facility site. It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	
Source of Data	The source of	the associated NAICS data.	A(25)	
Last Reported Date	The most rece Source of Dat	,	Date	
Sensitive Indicator	Indicates whe	ther or not the associated data is enforcement sensitive.	A(1)	
Public Indicator	Indicates whe the internet.	ther or not the associated data is accessible by the public on	A(1)	