

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--|---|--------|--|
| <p>Program Facility</p> <p>Basic identification information for a facility site, including the facility registry identifier, geographic address, and geopolitical descriptors.</p> <p>Remarks: If more than one row exists for a HANDLER_ID, the row from RCR_HREPORT_UNIV where substr (HANDLER_ID, 1, 2) = ACTIVITY_LOCATION is selected. If a record does not meet that condition, the row with the latest HHANDLER_LAST_CHANGE is selected. If HHANDLER_LAST_CHANGE values are equal or null, the record where substr (HANDLER_ID, 1, 2) = LOCATION_STATE is selected.</p> | | | |
| Environmental Information System Abbreviated Name | The abbreviated name that represents the name of an information management system for an environmental program. | A(20) | 'RCRAINFO' |
| Environmental Information System Identification Number | The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System. | A(30) | RCR_HREPORT_UNIV.HANDLER_ID |
| Facility Site Name | The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous). | A(80) | RCR_HREPORT_UNIV.HANDLER_NAME |
| Location Address | The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address. | A(50) | RCR_HREPORT_UNIV. LOCATION_STREET_NO ' ' RCR_HREPORT_UNIV. LOCATION_STREET1 {Include ' ' only if both elements have values.} |
| Supplemental Location Text | The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available. | A(50) | RCR_HREPORT_UNIV. LOCATION_STREET2 |
| Locality Name | The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for United States Postal Service (USPS) mail delivery. | A(60) | RCR_HREPORT_UNIV.LOCATION_CITY |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|----------------------------|--|--------|--|
| County and State FIPS Code | The code that represents the county or county equivalent and the state or state equivalent of the United States. | A(5) | RCR_HREPORT_UNIV.COUNTY_CODE {Convert first two characters to FIPS State Code} |
| County Name | The name of the U.S. county or county equivalent in which the facility site is physically located. | A(35) | RCR_HREPORT_UNIV. LOCATION_COUNTY_NAME |
| State USPS Code | The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada. | A(2) | RCR_HREPORT_UNIV.LOCATION_STATE If LOCATION_STATE is <i>null</i> or blank, <i>substr</i> (RCR_HREPORT_UNIV. HANDLER_ID, 1,2) |
| State Name | The name of a principal administrative subdivision of the United States, Canada, or Mexico. | A(35) | |
| Country Name | The name that represents a primary geopolitical unit of the world. <i>Default: USA</i> | A(44) | If RCR_HREPORT_UNIV. LOCATION_COUNTRY is <i>null</i> or RCR_HREPORT_UNIV. LOCATION_COUNTRY = 'US' Then 'USA' Else RCR_LU_COUNTRY.COUNTRY_NAME where RCR_HREPORT_UNIV. LOCATION_COUNTRY = RCR_LU_COUNTRY.COUNTRY_CODE |
| Location ZIP Code | The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located. | A(14) | RCR_HREPORT_UNIV.LOCATION_ZIP |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|---------------------------------------|---|---------------|---|
| Location Description | A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site. | A(256) | |
| Federal Facility Indicator Code | Code indicating whether or not the facility is the property of the Federal Government. <i>Allowable Values:</i> <u>Value</u> <u>Meaning</u> Y Yes, the facility is the property of the Federal Government. N No, the facility is not the property of the Federal Government. | A(1) | 'Y' {If RCR_HREPORT_UNIV. LAND_TYPE = 'F'} Else, 'N' |
| Federal Agency Code | The Federal Agency/Bureau code. The five character code consists of a letter followed by four numbers. There are four possible letters that can occupy the first character position: 'C' for Civilian Federal Agency; 'D' for Department of Defense; 'E' for Department of Energy; 'X' for Unknown. The second and third characters represent the agency code, while the fourth and fifth characters represent the bureau code. | A(5) | |
| Tribal Land Indicator Code | Code indicating whether or not the facility site is located on tribal land. <i>Allowable Values:</i> <u>Value</u> <u>Meaning</u> Y Yes, the facility is located on tribal land. N No, the facility is not located on tribal land. | A(1) | 'Y' {If RCR_HREPORT_UNIV. LAND_TYPE = 'I'} Else, 'N' |
| Tribal Land Name | The name of an American Indian or Alaskan native area where the facility site is located. | A(200) | |
| Congressional District Number | The number that represents a Congressional District for a state within the United States. | A(2) | |
| Legislative District Number | The number that represents a Legislative District within a state. | A(2) | |
| Hydrologic Cataloging Unit (HUC) Code | The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature. | A(8) | |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--|---|--------|----------------------------------|
| Airshed Code | An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution. | A(5) | |
| Census Block Code | The smallest entity for which the Census Bureau collects and tabulates decennial census information; bounded on all sides by visible and nonvisible features shown on Census Bureau maps. | A(15) | |
| EPA Region Code | The code that represents an EPA region. | A(2) | RCR_HREPORT_UNIV.REGION |
| Facility Site Type Name | The descriptive name for the type of site the facility occupies. <i>Allowable Values:</i> Stationary Contaminated Site Mobile Contamination Addressed Monitoring Station Potentially Contaminated Site Water System | A(40) | 'STATIONARY' |
| Small Business Indicator | Code indicating whether or not a business is requesting relief under EPA's Small Business Policy, which applies to businesses having less than 100 employees. | A(1) | |
| Environmental Justice Code | The code that identifies the type of environmental justice concern affecting the facility or enforcement action. | A(3) | |
| Source of Data | The source of the associated facility site data. | A(25) | 'RCRAINFO' |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |
| <p>Environmental Interest</p> <p>The environmental permits and regulatory programs that apply to the facility site.</p> <p>Remarks: {Within the first 5 groups of "If" statements, more than one environmental interest may be created for each program facility: 'TSD', 'STATE REGULATED TSD', GENERATOR ('LQG', 'SQG', or 'CESQG'), 'TRANSPORTER', or 'TRANSFER FACILITY'. If any one of these conditions is satisfied, nothing more is checked. If none are satisfied, the next group of conditions is checked and if any of those are satisfied, then one environmental interest is created, with the interest type 'OTHER HAZARDOUS WASTE ACTIVITIES' and nothing more is checked. If none of those are satisfied, then one environmental interest is created with the interest type 'UNSPECIFIED UNIVERSE'.}</p> | | | |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} | |
|----------------------------------|---|---|--|--|
| Environmental Interest Type | The environmental permit or regulatory program that applies to the facility site. | A(60) | 'TSD' {If RCR_HREPORT_UNIV.AS_FEDERALLY_REGULATED_TSDF <> '-----'} | |
| | <i>Allowable Values: (examples)</i> | | 'LQG' {If RCR_HREPORT_UNIV.GENSTATUS = 'LQG'} 'SQG' {If RCR_HREPORT_UNIV.GENSTATUS = 'SQG'} 'CESQG' {If RCR_HREPORT_UNIV.GENSTATUS = 'CEG'} | |
| | <u>Value</u> | | | <u>Meaning</u> |
| | TSD | | | Hazardous Waste Handler - Treatment, Storage, Disposal (TSD) |
| | LQG | | | Hazardous Waste Handler - Large Quantity Generator (LQG) |
| | SQG | | | Hazardous Waste Handler - Small Quantity Generator (SQG) |
| | CESQG | | Hazardous Waste Handler - Conditionally Exempt Small Quantity Generator | |
| OTHER HAZARDOUS WASTE ACTIVITIES | Hazardous Waste Handler - Other Hazardous Waste Activities | 'TRANSPORTER' {If RCR_HREPORT_UNIV.TRANSPORTER = 'Y'} | | |
| | | 'TRANSFER FACILITY' {If RCR_HREPORT_UNIV.TRANSFER_FACILITY = 'Y'} | | |
| | | 'STATE REGULATED TSD' {If substr (RCR_HREPORT_UNIV.AS_STATE_REGULATED_TSD, 1, 5) <> '-----'} | | |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|----------------------------|--|--------|--|
| | | | <p>If none of the above, then 'OTHER HAZARDOUS WASTE ACTIVITIES' {If RCR_HREPORT_UNIV. AS_CONVERTER_TSDF <> '-----' or RCR_HREPORT_UNIV.CAWRKLD = 'Y' or RCR_HREPORT_UNIV.RECYCLER = 'Y' or RCR_HREPORT_UNIV.UNIVWASTE = 'Y' or <i>substr</i> (RCR_HREPORT_UNIV.AS_ STATE_REGULATED_TSDF, 6, 1) = 'Y' or <i>substr</i> (RCR_HREPORT_UNIV.AS_ STATE_REGULATED_TSDF, 8, 1) = 'Y' or RCR_HREPORT_UNIV.MIXED_ WASTE_GENERATOR = 'Y' or RCR_HREPORT_UNIV.IMPORTER = 'Y' or RCR_HREPORT_UNIV. ONSITE_BURNER_EXEMPT = 'Y' or RCR_HREPORT_UNIV. FURNACE_EXEMPTION = 'Y' or RCR_HREPORT_UNIV. UNDERGROUND_INJECTION = 'Y' or RCR_HREPORT_UNIV. SHORT_TERM_GENERATOR = 'Y' or RCR_HREPORT_UNIV. OFF_SITE_RECEIPT = 'Y'}</p> <p>If none of the above, then 'UNSPECIFIED UNIVERSE'</p> |
| Active Site Indicator Code | A flag which indicates whether the facility site is active with respect to a particular environmental interest. <i>Allowable Values:</i> 'Y', the site is active or 'N', the site is not active | A(1) | 'Y' {If RCR_HREPORT_UNIV.ACTIVE_SITE <> '-----'} Else, 'N' |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} | | | | | | | | |
|---|---|------------------------|--|--------------------------------|------------------------|----------------------------|-----------------------|----------------------------|--|-------|--|
| Federal/State Source Indicator | A flag which indicates whether the environmental interest data was provided by a federal or state environmental information system. <i>Allowable Values:</i> 'F' for Federal, 'S' for State, 'T' for Tribal, and 'P' for Private | A(1) | 'F' | | | | | | | | |
| Environmental Interest Start Date | Date the agency became interested in the facility site for a particular environmental interest type. | Date | {Earliest} RCR_HHANDLER.RECEIVE_DATE | | | | | | | | |
| Environmental Interest Start Date Qualifier | The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. <i>Allowable Values: (examples)</i> <table border="0" style="width: 100%;"> <tr> <td>First Reporting Year</td> <td>Earliest Inspection Date</td> </tr> <tr> <td>First Report Received Date</td> <td>Operations Start Date</td> </tr> <tr> <td>First Report Postmark Date</td> <td>Monitoring Start Date</td> </tr> <tr> <td>Original Permit Issue Date</td> <td></td> </tr> </table> | First Reporting Year | Earliest Inspection Date | First Report Received Date | Operations Start Date | First Report Postmark Date | Monitoring Start Date | Original Permit Issue Date | | A(50) | If RCR_HHANDLER.SOURCE_TYPE {associated with the earliest received date record} = 'N' 'FIRST NOTIFICATION DATE' 'A' 'FIRST PART A REPORT DATE' 'R' 'FIRST ANNUAL/BIENNIAL REPORT DATE' 'B' 'FIRST BIENNIAL/NOTIFICATION DATE' Else 'EARLIEST RCRAINFO DATE' <i>{includes 'E' (Emergency), 'I' (Implementer), 'T', (Temporary), and null or invalid values}</i> |
| First Reporting Year | Earliest Inspection Date | | | | | | | | | | |
| First Report Received Date | Operations Start Date | | | | | | | | | | |
| First Report Postmark Date | Monitoring Start Date | | | | | | | | | | |
| Original Permit Issue Date | | | | | | | | | | | |
| Environmental Interest End Date | Date the agency ceased to be interested in the facility site for a particular environmental interest type. | Date | | | | | | | | | |
| Environmental Interest End Date Qualifier | The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. <i>Allowable Values: (examples)</i> <table border="0" style="width: 100%;"> <tr> <td>Facility Inactive Date</td> <td>Year Reporting Stopped</td> </tr> <tr> <td>De-registration Effective Date</td> <td>Permit Expiration Date</td> </tr> <tr> <td>Operations End Date</td> <td>Final Cleanup Date</td> </tr> </table> | Facility Inactive Date | Year Reporting Stopped | De-registration Effective Date | Permit Expiration Date | Operations End Date | Final Cleanup Date | A(50) | | | |
| Facility Inactive Date | Year Reporting Stopped | | | | | | | | | | |
| De-registration Effective Date | Permit Expiration Date | | | | | | | | | | |
| Operations End Date | Final Cleanup Date | | | | | | | | | | |
| Source of Data | The source of the associated environmental interest data. | A(25) | 'RCRAINFO' | | | | | | | | |
| Last Reported Date | The most recent date the corresponding environmental interest data was reported to the Source of Data. | Date | RCR_HREPORT_UNIV. HHANDLER2_LAST_CHANGE | | | | | | | | |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' | | | | | | | | |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--|--|--------|--|
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |
| Alternative Name | | | |
| An alternative, historic or program-specific name for the facility site. | | | |
| Remarks: No alternative name data. | | | |
| Alternative Name | An alternative, historic or program-specific name for the facility site. | A(80) | |
| Alternative Name Type | The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local). | A(25) | |
| Source of Data | The source of the associated alternative name data. | A(25) | |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | |
| Alternative Identification | | | |
| An alternative identifier for the facility site, as maintained by an information management system for an environmental program. | | | |
| Remarks: Select rows <u>only</u> where OTHER_PERMIT_TYPE = 'N' for NPDES or 'K' for CERCLIS. | | | |
| Alternative Identifier Type | The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS). | A(30) | 'PCS' {where RCR_HOTHER_PERMIT. OTHER_PERMIT_TYPE = 'N'} 'CERCLIS' {where RCR_HOTHER_PERMIT. OTHER_PERMIT_TYPE = 'K'} |
| Alternative Identifier | An alternative identification number maintained by an information management system for an environmental program. | A(30) | RCR_OTHER_PERMIT. OTHER_PERMIT_NUMBER |
| Source of Data | The source of the associated alternative identification data. | A(25) | 'RCRAINFO' |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|---|--|--------|--|
| Geographic Coordinates | | | |
| A geographic point or set of points, defined by latitude and longitude coordinates used to locate a facility site, usually the front door or centroid, including the associated method, accuracy, and description data. | | | |
| Latitude Measure | The measure of the angular distance on a meridian north or south of the equator. | N(9,6) | RCR_GIS_LAT_LONG. LATITUDE_MEASURE |
| Longitude Measure | The measure of the angular distance on a meridian east or west of the prime meridian. | (10,6) | RCR_GIS_LAT_LONG. LONGITUDE_MEASURE |
| Horizontal Accuracy Measure | The measure of the accuracy (in meters) of the latitude and longitude coordinates. | N(5) | RCR_GIS.HORIZONTAL_ACC_MEASURE |
| Geometric Type (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points. | A(3) | RCR_GIS.GEOMETRIC_CODE |
| Name | The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points. | A(6) | |
| Horizontal Collection Method (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth. | A(3) | RCR_GIS.HORIZONTAL_COLL_CODE |
| Text | The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth. | A(60) | |
| Horizontal Reference Datum (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the reference datum used in determining latitude and longitude coordinates. | A(3) | RCR_GIS.HORIZONTAL_REF_CODE |
| Name | The name that describes the reference datum used in determining latitude and longitude coordinates. | A(7) | |
| Reference Point (Textual Data or Code Data acceptable) | | | |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|---|---|---------------|---|
| Code | The code that represents the place for which geographic coordinates were established. | A(3) | RCR_GIS.GEO_REF_POINT_CODE |
| Text | The text that identifies the place for which geographic coordinates were established. | A(60) | |
| Source Map Scale Number | The number that represents the proportional distance on the ground for one unit of measure on the map or photo. | N(9) | RCR_GIS.SOURCE_MAP_SCALE_NUMBER |
| Data Collection Date | The calendar data when data were collected. | Date | RCR_GIS.DATA_COLLECTION_DATE |
| Coordinate Data Source (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the party responsible for providing the latitude and longitude coordinates. | A(3) | RCR_GIS.COORD_DATA_CODE |
| Name | The name of the party responsible for providing the latitude and longitude coordinates. | A(35) | |
| Location Comments Text | The text that provides additional information about the geographic coordinates. | A(150) | |
| Vertical Measure | The measure of elevation (i.e., the altitude), in meters, above or below a reference datum. | N(10) | |
| Vertical Collection Method (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point. | A(3) | |
| Text | The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point. | A(60) | |
| Vertical Reference Datum (Textual Data or Code Data acceptable) | | | |
| Code | The code that represents the reference datum used to determine the vertical measure (i.e., the altitude). | A(3) | |
| Name | The name of the reference datum used to determine the vertical measure (i.e., the altitude). | A(17) | |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|---|--|--------|---|
| Vertical Accuracy Measure | The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point. | N(7) | |
| Sub-Entity Identification Number | The identification number for an operable unit or sub-unit of a facility site. | A(30) | |
| Sub-Entity Type Name | The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point). | A(4) | |
| Source of Data | The source of the associated geographic coordinate data. | A(25) | 'RCRAINFO' |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |
| Organization Affiliate | | | |
| A company, government body, or other type of organization that has some responsibility or role at the facility site. | | | |
| Remarks: More than one Organization Affiliate may occur for each HANDLER_ID. Select current owners and operators only (where OWNER_OPERATOR_INDICATOR in ('CO', 'CP') and DATE_ENDED_CURRENT is null). | | | |
| Affiliation Type | The name that describes the capacity or function that an individual serves for a facility site. <i>Allowable Values (examples):</i> Owner/Operator Responsible Party Operator Parent Company Owner | A (40) | If RCR_HOWNER_OPERATOR. OWNER_OPERATOR_INDICATOR = 'CO' 'OWNER' 'CP' 'OPERATOR' |
| Affiliation Start Date | The date on which the affiliation between the facility site and the individual person began. | Date | RCR_HOWNER_OPERATOR. DATE_BECAME_CURRENT |
| Affiliation End Date | The date on which the affiliation between the facility site and the individual person ended. | Date | |
| Organization Formal Name | The legal, formal name of an organization that is affiliated with the facility site. | A(80) | RCR_HOWNER_OPERATOR. OWNER_OPERATOR_NAME |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--------------------------------------|---|--------|---|
| Organization DUNS Number | The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments. | A(9) | |
| Organization Type | The type of organization (e.g., federal, state, private). <u>Allowable Values (examples):</u> Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other | A(40) | If RCR_HOWNER_OPERATOR.OWNER_OPERATOR_TYPE = 'F' 'FEDERAL' 'S' 'STATE' 'P' 'PRIVATE' 'I' 'INDIAN' 'C' 'COUNTY' 'M' 'MUNICIPAL' 'D' 'DISTRICT' 'O' 'OTHER' Else <i>Null</i> |
| Company Division Name | The name of a division or a department of a company. | A(50) | |
| E-mail Address | The text that describes an electronic mail address of an individual person affiliated with the facility site. | A(120) | |
| Telephone Number | The primary telephone number of an individual person affiliated with the facility site. | A(30) | RCR_HOWNER_OPERATOR.PHONE |
| FAX Number | The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site. | A(30) | |
| Alternate Telephone Number | An alternate telephone number of an individual person affiliated with the facility site. | A(30) | |
| Employer Identification Number | The unique tax identification number issued by the Internal Revenue Service to the employer. | A(14) | |
| State Business Identification Number | The uniform business number assigned to an official business by a state. | A(30) | |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|----------------------------------|---|---------------|--|
| Ultimate Parent Name | The legal, formal name of the ultimate parent company of the organization affiliated with the facility site. | A(50) | |
| Ultimate Parent DUNS Number | The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site | A(9) | |
| Mailing Address | The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box. | A(50) | RCR_HOWNER_OPERATOR.STREET_NO '' RCR_HOWNER_OPERATOR.STREET1 {Include ' ' only if both elements have values.} |
| Supplemental Address Text | The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS. | A(50) | RCR_HOWNER_OPERATOR.STREET2 |
| Mailing Address City Name | The name of the city, town, or village where the mail is delivered. | A(30) | RCR_HOWNER_OPERATOR.CITY |
| Mailing Address State USPS Code | The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada. | A(2) | RCR_HOWNER_OPERATOR.STATE |
| Mailing Address State Name | The name of the state where mail is delivered. | A(35) | |
| Mailing Address Country Name | The name of the country where the addressee is located. <i>Default: United States</i> | A(44) | <i>substr</i> (RCR_LU_COUNTRY.COUNTRY_NAME, 1, 44) where RCR_HOWNER_OPERATOR.COUNTRY = RCR_LU_COUNTRY.COUNTRY_CODE |
| Mailing Address ZIP Code | The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered. | A(14) | RCR_HOWNER_OPERATOR.ZIP |
| Source of Data | The source of the associated organization data. | A(25) | 'RCRAINFO' |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--|--|--------|--|
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |
| Individual Affiliate | | | |
| An individual person who has some responsibility or role at the facility site. | | | |
| Affiliation Type | The name that describes the capacity or function that an individual serves for a facility site. <i>Allowable Values (examples):</i> Regulatory Contact Cognizant Official Public Contact Responsible Party Technical Contact Emergency Contact | A (40) | 'REGULATORY CONTACT' |
| Affiliation Start Date | The date on which the affiliation between the facility site and the individual person began. | Date | |
| Affiliation End Date | The date on which the affiliation between the facility site and the individual person ended. | Date | |
| Individual Full Name | The complete name of a person, including first name, middle name or initial, and surname. | A(70) | RCR_HREPORT_UNIV.CONTACT_NAME |
| Individual Title Text | The title held by a person in an organization. | A(40) | RCR_HREPORT_UNIV.CONTACT_TITLE |
| Company Division Name | The name of a division or a department of a company. | A(50) | |
| E-mail Address | The text that describes an electronic mail address of an individual person affiliated with the facility site. | A(120) | RCR_HREPORT_UNIV. CONTACT_EMAIL_ADDRESS |
| Telephone Number | The primary telephone number of an individual person affiliated with the facility site. | A(30) | RCR_HREPORT_UNIV.CONTACT_PHONE 'x' RCR_HREPORT_UNIV. CONTACT_PHONE_EXT {Do not include 'x' if CONTACT_PHONE_EXT is null or blank} |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|---------------------------------|---|--------|--|
| FAX Number | The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site. | A(30) | RCR_HREPORT_UNIV.CONTACT_FAX |
| Alternate Telephone Number | An alternate telephone number of an individual person affiliated with the facility site. | A(30) | |
| Mailing Address | The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box. | A(50) | RCR_HREPORT_UNIV. CONTACT_STREET_NO ' ' RCR_HREPORT_UNIV.CONTACT_STREET1 {Include ' ' only if both elements have values.} |
| Supplemental Address Text | The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS. | A(50) | RCR_HREPORT_UNIV.CONTACT_STREET2 |
| Mailing Address City Name | The name of the city, town, or village where the mail is delivered. | A(30) | RCR_HREPORT_UNIV.CONTACT_CITY |
| Mailing Address State USPS Code | The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada. | A(2) | RCR_HREPORT_UNIV.CONTACT_STATE |
| Mailing Address State Name | The name of the state where mail is delivered. | A(35) | |
| Mailing Address Country Name | The name of the country where the addressee is located. <i>Default: United States</i> | A(44) | <i>substr</i> (RCR_LU_COUNTRY. COUNTRY_NAME, 1, 44) where RCR_HREPORT_UNIV. CONTACT_COUNTRY = RCR_LU_COUNTRY.COUNTRY_CODE |
| Mailing Address ZIP Code | The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered. | A(14) | RCR_HREPORT_UNIV.CONTACT_ZIP |
| Source of Data | The source of the associated individual data. | A(25) | 'RCRAINFO' |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} |
|--|---|--------|--|
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' |
| Mailing Address (Related to Facility) | | | |
| The standard address used to send mail to a facility site. | | | |
| Affiliation Type | The name that describes the type of mailing address affiliated with the facility site. | A (40) | 'FACILITY MAILING ADDRESS' |
| Mailing Address | The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box. | A(50) | RCR_HREPORT_UNIV.MAIL_STREET_NO '' RCR_HREPORT_UNIV.MAIL_STREET1 {Include ' ' only if both elements have values.} |
| Supplemental Address Text | The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS. | A(50) | RCR_HREPORT_UNIV.MAIL_STREET2 |
| Mailing Address City Name | The name of the city, town, or village where the mail is delivered. | A(30) | RCR_HREPORT_UNIV.MAIL_CITY |
| Mailing Address State USPS Code | The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada. | A(2) | RCR_HREPORT_UNIV.MAIL_STATE |
| Mailing Address State Name | The name of the state where mail is delivered. | A(35) | |
| Mailing Address Country Name | The name of the country where the addressee is located. <i>Default: United States</i> | A(44) | <i>substr</i> (RCR_LU_COUNTRY.COUNTRY_NAME, 1, 44) where RCR_HREPORT_UNIV.MAIL_COUNTRY = RCR_LU_COUNTRY.COUNTRY_CODE |
| Mailing Address ZIP Code | The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered. | A(14) | RCR_HREPORT_UNIV.MAIL_ZIP |
| Source of Data | The source of the associated mailing address data. | A(25) | 'RCRAINFO' |

**Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping**

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} | | | | | | | | |
|--|--|--------------|----------------------------------|---------|--|-----------|--|---------|---|-------|--|
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' | | | | | | | | |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' | | | | | | | | |
| Standard Industrial Classification | | | | | | | | | | | |
| The Standard Industrial Classification (SIC) or type of business activity, occurring at the facility site. | | | | | | | | | | | |
| Remarks: No SIC data. | | | | | | | | | | | |
| Standard Industrial Classification (SIC) Code | The code that represents the economic activity of a company (4-digits). | A(4) | | | | | | | | | |
| SIC Primary Indicator | The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. <i>Allowable Values:</i> <table border="0"> <tr> <td><u>Value</u></td> <td><u>Meaning</u></td> </tr> <tr> <td>Primary</td> <td>The SIC Code represents the primary activity occurring at the facility site.</td> </tr> <tr> <td>Secondary</td> <td>The SIC Code represents a secondary activity occurring at the facility site.</td> </tr> <tr> <td>Unknown</td> <td>It is not known whether the SIC Code represents the primary or secondary activity at the facility site.</td> </tr> </table> | <u>Value</u> | <u>Meaning</u> | Primary | The SIC Code represents the primary activity occurring at the facility site. | Secondary | The SIC Code represents a secondary activity occurring at the facility site. | Unknown | It is not known whether the SIC Code represents the primary or secondary activity at the facility site. | A(10) | |
| <u>Value</u> | <u>Meaning</u> | | | | | | | | | | |
| Primary | The SIC Code represents the primary activity occurring at the facility site. | | | | | | | | | | |
| Secondary | The SIC Code represents a secondary activity occurring at the facility site. | | | | | | | | | | |
| Unknown | It is not known whether the SIC Code represents the primary or secondary activity at the facility site. | | | | | | | | | | |
| Source of Data | The source of the associated SIC data. | A(25) | | | | | | | | | |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | | | | | | | | | |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | | | | | | | | | |
| North American Industry Classification | | | | | | | | | | | |
| The North American Industry Classification System (NAICS) code or type of industrial activity, occurring at the facility site. | | | | | | | | | | | |

Facility Registry System (FRS) / Resource Conservation and Recovery Act
Information System (RCRAInfo) Version 5 Data Element Mapping

August 16, 2010

| FRS DATA ELEMENT NAME | FRS DATA ELEMENT DEFINITION | FORMAT | RCRAINFO TABLE.COLUMN {COMMENTS} | | | | | | | | |
|--|--|--------------|---|---------|--|-----------|--|---------|---|-------|---|
| North American U.S. National Industry Classification System (NAICS) Code | The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits). | A(6) | RCR_HREPORT_UNIV.NAIC1 {If not <i>null</i> or blank} | | | | | | | | |
| | | | RCR_HREPORT_UNIV.NAIC2 {If not <i>null</i> or blank and different from NAIC1} | | | | | | | | |
| | | | RCR_HREPORT_UNIV.NAIC3 {If not <i>null</i> or blank and different from NAIC1 and NAIC2} | | | | | | | | |
| | | | RCR_HREPORT_UNIV.NAIC4 {If not <i>null</i> or blank and different from NAIC1 and NAIC2 and NAIC3} | | | | | | | | |
| NAICS Primary Indicator | The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site. <i>Allowable Values:</i> <table border="0"> <tr> <td><u>Value</u></td> <td><u>Meaning</u></td> </tr> <tr> <td>Primary</td> <td>The NAICS Code represents the primary activity occurring at the facility site.</td> </tr> <tr> <td>Secondary</td> <td>The NAICS Code represents a secondary activity occurring at the facility site.</td> </tr> <tr> <td>Unknown</td> <td>It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.</td> </tr> </table> | <u>Value</u> | <u>Meaning</u> | Primary | The NAICS Code represents the primary activity occurring at the facility site. | Secondary | The NAICS Code represents a secondary activity occurring at the facility site. | Unknown | It is not known whether the NAICS Code represents the primary or secondary activity at the facility site. | A(10) | 'PRIMARY' {for NAIC1} 'SECONDARY' {for NAIC2, NAIC3, NAIC4} {If NAIC1 is <i>null</i> , then NAIC2, NAIC3, and NAIC4, in that order, become 'PRIMARY'} |
| <u>Value</u> | <u>Meaning</u> | | | | | | | | | | |
| Primary | The NAICS Code represents the primary activity occurring at the facility site. | | | | | | | | | | |
| Secondary | The NAICS Code represents a secondary activity occurring at the facility site. | | | | | | | | | | |
| Unknown | It is not known whether the NAICS Code represents the primary or secondary activity at the facility site. | | | | | | | | | | |
| Source of Data | The source of the associated NAICS data. | A(25) | 'RCRAINFO' | | | | | | | | |
| Sensitive Indicator | Indicates whether or not the associated data is enforcement sensitive. | A(1) | 'N' | | | | | | | | |
| Public Indicator | Indicates whether or not the associated data is accessible by the public on the internet. | A(1) | 'Y' | | | | | | | | |