



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JAN 15 2013

THE INSPECTOR GENERAL

MEMORANDUM

SUBJECT: Close Out of OIG Report No. 12-P-0847, *EPA's Radiation and Indoor Environments National Laboratory Should Improve Its Computer Room Security Controls*

TO: Elizabeth A. Shaw
Senior Information Official

Thank you for your organization's response to the above audit report. We have closed the report's recommendations in our audit tracking system based on your December 20, 2012, response. We are encouraged by your organization's commitment to address our recommendations. Please update information in the Environmental Protection Agency's Management Audit Tracking System as you complete each planned corrective action or revise any corrective actions or milestone dates.

We have no objections to the further release of your response and our evaluation to the public. Your response and our close-out memo will be available at <http://www.epa.gov/oig>. Should you or your staff have any questions, please contact Melissa M. Heist at (202) 566-0899 or heist.melissa@epa.gov; or Rudolph M. Brevard at (202) 566-0893 or Brevard.rudy@epa.gov.

Arthur A. Elkins, Jr.

cc: Audit Follow-Up Coordinator, Office of Air and Radiation
Agency Follow-Up Official
Agency Audit Follow-Up Coordinator