

## COMPLIANCE TIMELINE<sup>1</sup> PRINTING, COATING, AND DYEING OF FABRICS AND OTHER TEXTILES (final rule 68 FR 32172)



## COMPLIANCE TIMELINE<sup>1</sup> PRINTING, COATING, AND DYEING OF FABRICS AND OTHER TEXTILES (final rule 68 FR 32172)



<sup>&</sup>lt;sup>1</sup> This timeline does not take into account special situations such as compliance extensions.

<sup>2</sup> New affected source: an affected source that the construction or reconstruction of which is begun after the July 11, 2002 (63.4282(e)).

<sup>&</sup>lt;sup>3</sup> A title V permit application may be used in lieu of the initial notification, provided that the information specified in 63.9(b) is included, the State has an approved part 70 operating permit program, and the State has received delegation of authority from EPA.

<sup>&</sup>lt;sup>4</sup> The initial compliance demonstration includes calculations and supporting documentation showing that during the initial compliance period the organic HAP content of each coating and printing material and the mass fraction of organic HAP in each slashing, dyeing and finishing material applied did not exceed the applicable limit in Table 1 and that only thinners and cleaners with no organic HAP were applied to coating and printing web operations (63,4320)

<sup>&</sup>lt;sup>5</sup> Applies to all compliance options: compliant coatings option, emission rate without add-on controls option, emission rate with add-on controls option, organic HAP overall control efficiency option, and oxidizer outlet organic HAP concentration options.

<sup>&</sup>lt;sup>6</sup> See footnote 4.

<sup>&</sup>lt;sup>7</sup> The initial compliance demonstration includes calculations and supporting documentation showing that during the initial compliance period the organic HAP emission rate for web coating/printing operations and the mass fraction organic HAP for dyeing/finishing operations was less than or equal to the applicable limit in Table 1 (63.4330).

<sup>&</sup>lt;sup>8</sup> See footnote 7.

<sup>&</sup>lt;sup>9</sup> The initial compliance demonstration includes results of the performance test or liquid/liquid material balance, if applicable; calculations and supporting documentation showing that during the initial compliance period the organic HAP emission rate was less than or equal to the applicable limit in Table 1; the operating limits established during the performance test and results of the continuous parameter monitoring; and documentation of whether a work practice plan was developed and implemented (63.4340(a)(3) and (b)(3)).

10 The initial compliance demonstration includes results of the performance test or liquid/liquid material balance, if applicable; calculations and supporting

<sup>&</sup>lt;sup>10</sup> The initial compliance demonstration includes results of the performance test or liquid/liquid material balance, if applicable; calculations and supporting documentation showing that during the initial compliance period the organic HAP overall control efficiency was greater than or equal to the applicable limit in Table 1 or the oxidizer outlet organic HAP concentration was no greater than 20 ppmw on a dry basis and the capture system efficiency was 100 percent; the operating limits established during the performance test and results of the continuous parameter monitoring; and documentation of whether a work practice plan was developed and implemented (63.4350(a)(3) and (b)(3)).

<sup>&</sup>lt;sup>11</sup> See footnote 10.

<sup>&</sup>lt;sup>12</sup> Applies to add-on controls option only.

<sup>&</sup>lt;sup>13</sup> Performance tests must be performed for each capture system and add-on control device, except for solvent recovery systems.

 <sup>14</sup> For solvent recovery systems, the first material balance must be initiated.
 15 The initial compliance period begins on the compliance date and ends on the last day of the first full month after the compliance date (63.4320 and

<sup>63.4350(</sup>a)(3) and (b)(3).

16 The initial compliance period begins on the compliance date and ends on the last day of the 12<sup>th</sup> full month after the compliance date (63.4330) or the later of the last day of the 12<sup>th</sup> full month after the compliance date, the date the performance test is conducted or the date the liquid/liquid material balance is initiated, whichever is later (63.4340(a)(3) and (b)(3)).

<sup>&</sup>lt;sup>17</sup> The initial semiannual report must cover the period beginning on the day after the end of the initial compliance period and ends on June 30 or December 31, whichever date is the first date 6 months following the end of the initial compliance period. **(63.4311(a)(1))**