

west virginia department of environmental protection

Division of Land Restoration 601 57th Street SE Charleston, WV 25304 P: 304-926-0455 Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

December 8, 2014

Certified Mail #91-7199-9991-7034-3218-2763

Union Carbide Corporation 437 MacCorkle Ave S.W. Charleston, WV 25303

Re: Former UCC Technology Park Land Use Covenants
Tracts A and B, West Virginia Higher Education Policy Commission Property
Tract D-1, United Disciples of Christ Church Property
Tract D-2, Union Carbide Corporation

Dear Mr. Cibrik:

Enclosed please find the signed and notarized Land Use Covenants for the subject parcels.

Please make arrangements to have the Land Use Covenants properly recorded with the Kanawha County Clerk, and request the clerk return a copy of each recorded instrument to my attention:

Ms. Patricia A. Hickman, Interim Director WVDEP Division of Land Restoration 601 57th Street SE Charleston, WV 25304

Once recorded, the Land Use Covenants will become a part of the Administrative Record for the subject site.

Thank you for your attention to this matter. Please contact me if you have any questions.

Sincerely,

Patricia A. Hickman Interim Director

Enclosure

cc: WVDEP File #WVD060682291

Charles Armstead, Program Manager, WVDEP/OER

ENVIRONMENTAL COVENANT

This is an environmental covenant executed pursuant to the Uniform Environmental Covenants Act, West Virginia Code Chapter 22, Article 22B, to restrict the activities on, and uses of, the following described property:

Tract A of the Union Carbide Corporation (UCC) Technology Park in South Charleston, West Virginia (herein after the "property") as described in the legal description in Attachment 1. A map of the property is provided as Figure 1 in Attachment 2.

Activities on and uses of the above described property that may result in excessive human exposure or in the release of a contaminant that was contained as part of the remedial action related to this covenant are prohibited. Those activities and uses include, but are not limited to:

- A. Extraction of groundwater from the property for any purpose other than monitoring or remediation approved by the West Virginia Department of Environmental Protection (WVDEP) is prohibited.
- B. Monitoring wells installed and operated under the Resource Conservation and Recovery Act (RCRA) Corrective Action Program shall not be removed, disturbed, or damaged without written approval from UCC and WVDEP. If the use of any of these monitoring wells is discontinued, the monitoring well shall be properly abandoned by the owner in accordance with Title 47 Series 60 of the West Virginia Code of State Rules or other applicable laws and regulations in effect at the time of the well abandonment.
- C. A vapor control system shall be installed in all new structures which are to be occupied in the areas of the property designated as having vapor intrusion restrictions as shown on Figures 2 and 3 in Attachment 2 by properly trained and appropriately licensed personnel in full compliance with all applicable federal, state, and local laws, rules, regulations, and ordinances. The design of the vapor control system must be approved by a West Virginia registered Professional Engineer. The legal descriptions for the vapor intrusion restriction areas are provided in Attachment 1.
- D. All subsurface and/or earth moving activities, including excavation, drilling and construction activities, in the areas of the property designated as having subsurface work restrictions as shown on Figures 2 rhrough 5 in Attachment 2 shall be prohibited unless such activity will not pose a threat to human health or the environment or adversely affect or interfere with the Final Remedy and all such activities are in compliance with all applicable federal, state, and local requirements. The legal descriptions for the subsurface work restriction areas are provided in Attachment 1.
- E. Residential or quasi-residential use of the areas designated as having industrial/commercial use restrictions as shown on Figures 5 and 6 in Attachment 2, or any portion thereof, is prohibited. The prohibited uses include but are not limited to the following uses and all other uses that are in any way connected with or similar to the following uses: single-family or multiple-family dwellings, dormitories, apartments, condominiums, and cooperatives, hotels/motels or comparable facilities, assisted living facilities, hospitals or other health care facilities that provide for overnight occupancy by patients or staff, convention centers that

provide facilities for overnight stays, day care facilities of any kind, etc. The legal descriptions for the industrial/commercial use restriction areas are provided in Attachment 1.

The current owner of record of the property, and its contact information is:

West Virginia Higher Education Policy Commission 1018 Kanawha Blvd, East Suite 700 Charleston, WV 25301

Any person, including a person that owns an interest in the real property, the state or federal agency determining or approving the environmental response project pursuant to which an environmental covenant is created, or a municipality or other unit of local government may be a holder of an environmental covenant. The following are all of the holders of this covenant:

West Virginia Higher Education Policy Commission 1018 Kanawha Blvd, East Suite 700 Charleston, WV 25301

The facts regarding the remediation response project at this property are:

UCC is the current or previous owner of the parcels that make up the UCC Technology Park (the "site"), comprising approximately 574 acres (of which 248 acres are in Tract A) in the city of South Charleston, West Virginia. UCC entered the site into a RCRA Facility Lead Agreement with the United States Environmental Protection Agency (USEPA) effective December 15, 1999.

As a result of site investigations, it was determined that shallow soil and shallow groundwater are impacted by constituents exceeding USEPA regional screening levels protective of human health in some portions of Tract A.

USEPA issued a Final Decision on December 15, 2010 identifying the approved corrective actions for the property. The corrective action for the property requires recording an Environmental Covenant to eliminate potentially complete exposure pathways.

WVDEP issued a Corrective Action Permit (USEPA ID# WVD060682291) to UCC for the site on February 2, 2012. The permit contains provisions requiring corrective action that fulfill the requirements for the approved corrective actions defined in the Final Decision issued by USEPA.

The owner of the property shall provide written notice to all holders, UCC, the Secretary of the WVDEP, and USEPA within 10 days following transfer of a specified interest in the property subject to this covenant, changes in use of the property, application for building permits regarding the property, or proposals for any site work affecting the contamination on the property.

UCC or their designated representatives shall conduct inspections of the property to monitor compliance with this Environmental Covenant at least once per year, and shall subnuit two (2) signed copies of the inspection monitoring report to the WVDEP, Division of Land Restoration headquarters in Charleston, within 30 days of the inspection.

This covenant shall not be amended, modified or terminated except by written instrument executed in accordance with W. VA. Code § 22-22B-10, by and between the owner at the time of the proposed amendment, modification or termination, the Secretary of the WVDEP, USEPA, the holders of this covenant, and UCC. Within 5 days of executing an amendment, modification or termination of this Environmental Covenant, the owner shall record such amendment, modification or termination with the Clerk of the County Commission, and within 5 days thereafter, the owner shall provide a true copy of the recorded amendment, modification or termination to the Secretary of the WVDEP.

The administrative record for the environmental response project reflected in this covenant is maintained at the WVDEP Division of Water and Waste Management (DWWM) address below and is titled, UCC Technology Park, South Charleston, ID# WVD060682291.

WVDEP DWWM 601 57th Street Charleston, WV, 25304

WVDEP is granted full right of access to the property for the purpose of implementation or enforcement of this covenant. In addition, UCC, its employees, representatives, and contractors are granted full right of access to the property for the purpose of monitoring compliance with the covenant.

All restrictions and other requirements described in this covenant shall run with the land and shall be binding upon all holders and their grantees, lessees, authorized agents, employees or persons acting under their direction or control.

IN WITNESS WHEREOF, the following have executed this covenant on the dates indicated.
SIGNED: Date:
Chancellor 11.05.14
West Virginia Higher Education Policy Commission
I, Kristie D. Brown, a Notary Public in and for the County of Kanawha State of Wu, do hereby certify that Hill the holder(s) whose (name is) (names are) signed above, as the authorized representative of the West Virginia Higher Education Policy Commission, signed above, this day executed this document in my presence or this day acknowledged same to be said holder(s) true act and deed.
Given under my hand this the of day of November, 2014.
My commission expires February 22, 2023
Lusto P. Bron
Notary Public STATE OF WEST VIRGINIA WOTARY PUBLIC Kristie D. Brown WV Regional Technology Park Corp 1740 Union Carbide Drive South Charleston, WV 25303 thy Commission Expires Feb. 22, 2828

SIGNED:	Date:		
Remediation Leader Union Carbide Corporation	11/10/14		
I, Particle Russell, a Notary Public in and for the County of Kangulan. State of WV, do hereby certify that Jerome Libral whose name is signed to the writing above, as the authorized representative of the Union Carbide Corporation, signed above, this day executed this document in my presence or this day acknowledged same to be the true act and deed.			
Given under my hand this the 10 day of Nov , 2014.			
My commission expires $\frac{Dec.31, 2022}{}$			
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA BARBARA A. RUSSELL CH2M HILL SOUTH CHARLESTON, WV 25303 My Commission Expires Dec. 31, 2022	Robacca Aussell Notary Public		

SIGNED:	Date:		
Patricia Q. Hickman	12-8-14		
Interim Director			
West Virginia Department of Environmental Protection			
I, Jessica A. Henson, a Notary Public in and for the County of Kanada State of WV, do hereby certify that Potacia A. Hickman, do certify that representatives of the agency, has this day executed this document in my presence or this day acknowledged same to be the true act and deed of said agency.			
Given under my hand this the 8th day of December, 2014.			
My commission expires April 7,2020			
Jessica	Notary Public		

The Clerk will return the recorded document to:

Ms. Patricia A. Hickman, Interim Director WVDEP, DLR 601 57th Street Charleston, West Virginia 25304



Attachment 1 Legal Descriptions



Description of 247.829 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District. Kanawha County, West Virginia, bounded and described as following.

Beginning at a 5/8" rebar w/cap found (Northing = 495042.81 Easting = 1766738.07), a corner to the Union Carbide Corp. (Deed Book 776 Page 240);

Thence with said Union Carbide Corp. the following forty (40) bearings and distances:

- 1) S 36°29'50" E 157.63' to a point;
- 2) S 49°33'00" E 196.80' to a point;
- 3) N 86°07'50" E 130.26' to a point;
- 4) S 45°32'00" E 327.36' to a point;
- 5) S 08°18'00" E 196.43' to a point;
- 6) S 14°27'20" W 113.30' to a point;
- 7) S 08°03'20" W 262.10' to a point;
- 8) S 14°32'00" E 853.14' to a 5/8" rebar w/cap found;
- 9) \$ 56°49'40" E 71.78' to a 5/8" rebar w/cap found;
- 10) S 25°20'40" E 1228.93' to a point;
- 11) S 37°13'30" W 306.87' to a point;
- 12) S 61°35'50" W 513.73' to a point;
- 13) S 55°04'10" W 48.88' to a point;
- 14) S 41°11'20" W 49.85' to a point;
- 15) S 18°21'00" W 40.42' to a point;
- 16) S 00°16'50" W 77.46' to a point;
- 17) S 10°28'30" E 182.05' to a point;
- 18) S 14°31'30" E 57.31' to a point;
- 19) S 32°05'10" E 56.16' to a point;
- 20) S 43°02'00" E 63.58' to a point;
- 21) S 45°08'40" E 101.01' to a point;
- 22) \$ 39°34'20" E 124.62' to a point;
- 23) S 34°53'30" E 89.85' to a point;
- 24) S 17°29'10" E 25.66' to a point;
- 25) S 02°53'10" E 25.87' to a point;
- 26) \$ 00°56'30" W 312.87' to a point;
- 27) S 08°24'20" E 103.46' to a point;
- 28) S 07°50'20" W 10.26' to a point;
- 29) S 62°07'00" W 17.00' to a point;
- 30) S 77°02'40" W 63.91' to a point;
- 31) S 72°52'00" W 104.35' to a point;
- 32) S 68°29'40" W 50.92' to a point;

```
33) $ 55°54'20" W 189.60' to a point;
```

- 34) S 51°03'10" W 82.83' to a point;
- 35) S 54°47'20" W 145.99' to a point;
- 36) S 86°27'20" W 23.56' to a point;
- 37) S 76°08'30" W 26.38' to a point;
- 38) S 62°22'40" W 16.45' to a point;
- 39) S 52°34'10" W 15.96' to a point;
- 40) S 38°58'20" W 188.07' to a point in the eastern right of way of West Virginia Route 601;

Thence with said right of way of West Virginia Route 601 the following five (5) bearings and distances:

- 1) N 32°20'50" W 230.11' to a point;
- 2) N 51°12′10" W 103.29' to a point;
- 3) N 33°27'20" W 41.82' to a point;
- 4) \$ 56°59'00" W 30.00' to a point;
- 5) N 33°01'00" W 55.71' to a point, a corner to Robert Curry (Deed Book 2260 Page 465);

Thence with said Robert Curry the following three (3) bearings and distances:

- 1) N 50°14'00" E 100.00' to a point;
- 2) N 49°31'00" W 152.00' to a point;
- 3) N 71°51'00" W 100.00' to a point in the said right of way of West Virginia Route 601;

Thence with said right of way of West Virginia Route 601 the following ten (10) bearings and distances:

- 1) N 38°45'30" W 26.02' to a point;
- 2) N 51°44'00" W 20.00' to a point;
- 3) N 22°46'20" W 81.20' to a point;
- 4) N 20°27'20" E 21.25' to a point;
- 5) N 71°43'00" W 38.00' to a point;
- 6) \$ 87°17'00" W 65.00' to a point;
- 7) N 68°47'50" W 89.91' to a point;
- 8) N 83°00'30" W 97.12' to a point;
- 9) N 88°11'00" W 111.34' to a point;
- 10) S 84°24'00" W 31.96' to a point, a corner to Michael Sullivan (Deed Book 2436 Page 212);

Thence with said Michael Sullivan the following three (3) bearings and distances:

- 1) N 05°04'30" E 134.55' to a point;
- 2) N 05°04'30" E 1020.47' to a point;
- 3) S 72°08'00" W 1472.38' to a point a corner to John Smallridge (Deed Book 2489 Page 155);

Thence with said John Smallridge N 05°20'00" E 732.92' to a point a corner to Everett Moore (Deed Book 2126 Page 239);

Thence with said Everett Moore the following five (5) bearings and distances:

1) N 69°56'00" E 112.35' to a point;

- 2) N 21°06'00" E 49.20' to a point;
- 3) N 55°39'00" E 50.12' to a point;
- 4) N 10°21'00" E 40.41' to a point;
- 5) N 78°26'00" W 157.89' to a point a corner to Old Oakes Estates (Deed Book 777 Page 475);

Thence with said Old Oakes Estates N 05°20'00" E 1094.85' to a point a corner to Martha Karnes (Deed Book 2431 Page 738);

Thence with said Martha Karnes the following three (3) bearings and distances:

- 1) N 05°45'00" E 203.31' to a concrete monument found;
- 2) N 36°10'30" W 169.99' to a concrete monument found;
- 3) N 85°49'10" W 209.26' to a concrete monument found a corner to Betty Haynes (Deed Book 740 Page 658);

Thence with said Betty Haynes the following two (2) bearings and distances:

- 1) N 15°13'00" W 164.88' to a point;
- 2) N 05°37'00" E 348.53' to a point in the southern right of way of the James & Kanawha Tumpike;

Thence with said James & Kanawha Turnpike the following ten (10) bearings and distances:

- 1) N69°10'10"E 430.06' to a concrete monument found;
- 2) N18°43'30"E 72.05' to a point being Sta. 8+06.09 28.55' Rt.:
- 3) N 64°51'10" E 182.71' to a point being Sta. 9+90.41 25.59' Rt.;
- 4) N 69°46'00" E 123.57' to a point being Sta. 1[+13.94 31.08' Rt.;
- 5) N 70°45'40" E 104.73' to a 1/2" rebar in concrete being Sta. 12+17.06 36.80' Rt.;
- 6) N 64°48'00" E 156.42' to a concrete monument found being Sta. 13+70.94 36.80' Rt.:
- 7) N 58°14'00" E 284.23' to a 5/8" rebar w/cap found being Sta. 16+55.08 28.42' Rt.;
- 8) N 62°32'10" E 268.76' to a point being Sta. 19+25.28 23.43' Rt.;
- 9) N 61°05'30" E 157.02' to a point being Sta. 20+79.79 23.97' Rt.;
- 10) N 54°53'10" E 276.76' to a point being Sta. 23+54.62 28.54' Rt.;
- 11) N 52°57'40" E 50.95' to a point being Sta. 24+06 28.35' Rt.:
- 12) N 57°20'00" E 64.34' being Sta. 24+72.30 30' Rt., a corner to said Union Carbide;

Thence with said Union Carbide the following two (2) bearings and distances:

- 1) S 31°49'30" E 29.95' to a point;
- 2) N 74°45'00" E 104.08' to a point:
- 3) \$49°02'40" 101.17' to the place of beginning.

Containing 247.829 acres and being shown as Tract A upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated April 28, 2014 is attached hereto and made a part of this description.



Description of 2.239 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District, Kanawha County, West Virginia, bounded and described as following.

Beginning at a 5/8" rebar w/brass cap set (Northing = 494431.99 Easting = 1765366.22), Sta. 11+34.94, 31.08' Rt., in the southern right of way of the Kanawha Turnpike;


Thence leaving said Tumpike and with new lines through the parent tract (West Virginia Education Policy Commission, Deed Book 2782 Page 636) for the following seven (7) bearings and distances:

- 1) S 29°31'50" E passing a 5/8" rebar w/cap found at 124.95', in all a total distance of 188.77' to a 5/8" rebar w/brass cap set,
- 2) S 60°03'50" W 218.73' to a point;
- 3) S 60°44'20" W 255.82' to a 5/8" rebar w/brass cap set:
- 4) S 61°43'40" W 10.21' to a point;
- 5) N 28°01'50" W 193.55' to a point;
- 6) N 69°10'10" E 123.21' to a concrete monument found;
- 7) N 18°43'30" E 72.05' to a point, in the southern right of way of said Kanawha Turnpike Sta. 8+06.09, 28.55' Rt.:

Thence with said Kanawha Turnpike for the following two (2) bearings and distances:

- 1) N 64°51'10" E 182.75' to point, Sta. 9+90.41, 25.59' Rt.;
- 2) N 69°46'00" E 123.53' to the place of beginning:

Containing 2.239 acres and being shown as Area 1 Subsurface Work and Vapor Intrusion Restrictions upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated October 21, 2014 is attached hereto and made a part of this description.





Description of 23,000 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District, Kanawha County, West Virginia, bounded and described as following.

Commencing at a concrete monument, a corner to Martha Karnes (Deed Book 2431 Page 738) S76°36'50"E 2627.11' to a 5/8" rebar w/cap found (Northing = 492961.06 Easting = 1767433.44), being the true point of beginning.

Thence through the parent tract the following thirty two (32) bearings and distances:

- 1) N 02°13'30" W 192.38' to a point;
- 2) N 14°32'30" W 853.22' to a point;
- 3) N 36°30'30" W 92.13' to a 5/8" rebar w/cap found;
- 4) N 68°09'00" W 30.43' to a 5/8" rebar w/cap found;
- 5) N 30°08'20" W 223.36' to a 5/8" rebar w/cap found;
- 6) N 14°33'20" E 56.23' to a 5/8" rebar w/cap found;
- 7) N 25°34'20" W 80.59' to a fence post;
- 8) S 68°13'40" W 49.12' to a fence post;
- 9) N 56°45'10" W 19.42' to a fence post;
- 10) S 85°24'10" W 21.78' to a fence post;
- 11) N 81°18'40" W 38.94' to a fence post;
- 12) \$ 60°34'40" W 209.69' to a fence post;
- 13) S 44°46'50" W 29.92' to a fence post;
- 14) S 64°26'20" W 56.82' to a point;
- 15) \$ 51°20'20" W 126.11' to a point;
- 16) S 03°34'40" W 205.28' to a point;
- 17) S 81°04'30" E 72.06' to a point;
- 18) S 03°26'00" W 39.64' to a fence post;
- 19) S 84°35'40" W 193.66' to a point;
- 20) S 63°04'20" W 94.30' to a fence post;
- 21) \$ 72°52'50" W 199.92' to a fence post;
- 22) \$ 70°51'20" W 54.58' to a 5/8" rebar w/cap found;
- 23) N 60°18'00" W 113.10' to a 5/8" rebar w/cap found;
- 24) N 33°14'50" W 131.81' to a 5/8" rebar w/cap found;
- 25) N 27°48'50" W 84.37' to a point;
- 26) N 29°23'20" W 60.77' to a 5/8" rebar w/cap found;
- 27) N 29°46'10" W 108.39' to a 5/8" rebar w/cap found;
- 28) N 08°40'20" W 30.28' to a 5/8" rebar w/cap found;
- 29) N 34°41'30" E 29.01' to a 5/8" rebar w/cap found:
- 30) N 59°28'50" E 973.17' to a point;
- 31) N 60°09'40" E 235.30' to a 5/8" rebar w/cap found;

32) N 59°32'20" E 92.26' to a point in a line of Union Carbide (Deed Book 776 Page 240);


Thence with said Union Carbide the following nine (9) bearings and distances:

- 1) S 49°33'00" E 110.81' to a point;
- 2) N 86°07'50" E 130.26' to a point;
- 3) S 45°32'00" E 327.36' to a point;
- 4) S 08°18'00" E 196.43' to a point;
- 5) S 14°27'20" W 113.30' to a point;
- 6) S 08°03'20" W 262.10' to a point;
- 7) S 14°32'00" E 853.14' to a 5/8" rebar w/cap found;
- 8) S 56°49'40" E 71.78' to a 5/8" rebar w/cap found;
- 9) S 25°20'50" E 233.64' to a 5/8" rebar w/cap found in a line of said Union Carbide;

Thence leaving said Union Carbide and through the parent tract the following two (2) bearings and distances:

- 1) S 74°32'50" W 242.39' to a 5/8" rebar w/cap found;
- 2) N 09°05'50" W 98.87' to the place of beginning;

Containing 23.000 acres, and being shown as Area 2 Subsurface Work and Vapor Intrusion Restrictions, upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated October 21, 2014 is attached hereto and made a part of this description.





Description of 101.607 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District, Kanawha County, West Virginia, bounded and described as following;

Beginning at a point (Northing = 495109.13 Easting = 1766661.66), a corner to Union Carbide (Deed Book 776 Page 240);

Thence with said Union Carbide the following twelve (12) bearings and distances:

- 1) S 49°02'50" E 101.18' to a 5/8" rebar w/cap found;
- 2) S 36°29'50" E 157.63' to a point;
- 3) S 49°33'00" E 196.80' to a point;
- 4) N 86°07'50" E 130.26' to a point;
- 5) S 45°32'00" E 327.36' to a point;
- 6) S 08°18'00" E 196.43' to a point;
- 7) S 14°27'20" W 113.30' to a point;
- 8) S 08°03'20" W 262.10' to a point;
- 9) S 14°32'00" E 853.14' to a 5/8" rebar w/cap found;
- 10) S 56°49'40" E 71.78' to a 5/8" rebar w/cap found;
- 11) S 25°20'50" E 233.64' to a 5/8" rebar w/cap found;
- 12) S 25°21'30" E 141.25' to a point in a line of said Union Carbide;

Thence leaving said Union Carbide and through the parent tract the following fifty one (51) bearings and distances

- 1) S 67°19'10" W 203.37' to a point;
- 2) N 88°04'00" W 125.44' to a point;
- 3) S 64°55'00" W 169.39' to a point;
- 4) \$51°41'20" W 86.75' to a point;
- 5) S 04°35'10" W 64.29' to a point;
- 6) S 62°32'20" E 83.58' to a point:
- 7) S 48°55'00" E 72.75' to a point;
- 8) S 37°36'20" E 68.51' to a point;
- 9) S 46°50'40" W 194.79' to a point;
- 10) S 66°13'00" W 168.75' to a point;
- 11) \$ 69°58'40" W 163.34' to a point;
- 12) \$ 79°52'20" W 93.74' to a point;
- 13) S 89°21'40" W 96.53' to a point;
- 14) N 77°26'30" W 134.93' to a point;
- 15) N 03°25'40" W 87.46' to a point;
- 16) N 09°16'30" E 82.47' to a point;
- 17) N 38°59'00" E 98.37' to a point;

```
18) N 02°05'00" E 211.38' to a fence post;
```

- 19) N 20°20'20" W 184.08' to a point;
- 20) N 59°02'10" W 78.22' to a point;
- 21) S 81°07'10" W 108.61' to a point;
- 22) S 75°39'00" W 148.84' to a point;
- 23) S 59°06'00" W 39.56' to a point;
- 24) N 34°09'40" W 631.59' to a point;
- 25) S 62°46'00" W 169.74' to a 5/8" rebar w/cap found;
- 26) S 60°09'30" W 264.43' to a fence post;
- 27) N 85°47'30" W 12.22' to a fence post;
- 28) S 84°31'40" W 10.11' to a fence post;
- 29) N 28°38'10" W 20.16' to a fence post:
- 30) S 77°34'50" W 8.85' to a fence post;
- 31) \$ 78°17'20" W 9.19' to a fence post;
- 32) N 08°09'30" W 35.24' to a 5/8" rebar w/cap found;
- 33) N 10°03'10" W 68.41' to a fence post;
- 34) N 76°27'40" E 47.63' to a 5/8' rebar w/cap found;
- 35) N 40°54'30" E 72.98' to a 5/8' rebar w/cap found;
- 36) N 55°15'50" E 248.62' to a 5/8' rebar w/cap found;
- 37) N 40°04'00" E 137.96' to a 5/8' rehar w/cap found;
- 38) N 13°41'50" E 95.56' to a 5/8' rebar w/cap found;
- 39) N 18°06'50" W 60.31' to a 5/8' rebar w/cap found;
- 40) S 63°07'20" W 308.01' to a 5/8' rebar w/cap found;
- 41) S 61°39'40" W 235.29' to a 5/8' rebar w/cap found;
- 42) S 83°02'50" W 30.47' to a fence post;
- 43) N 42°14'00" W 263.55' to a 5/8" rebar w/cap found;
- 44) N 17°20'50" W 62.86' to a 5/8" rebar w/cap found;
- 45) N 08°09'50" W 97.02' to a point;
- 46) N 15°02'10" W 85.69' to a point;
- 47) N 19°21'30" W 87.06' to a point;
- 48) N 19°01'20" W 135.79' to a point;
- 49) N 28°01'50" W 193.55' to a point;
- 50) N 69°10'10" E 123.21' to a concrete monument found;
- 51) N 18°43'30" E 72.05' to a point being Sta. 8+06.09 28.55' Rt. in the southern right of way of said Kanawha and James Turnpike;

Thence with said Turnpike the following ten (10) bearings and distances:

- 1) N 64°51'10" E 182.71' to a point being Sta. 9+90.41 25.59' Rt.;
- 2) N 69°46'00" E 123.57' to a point being Sta, 11+13.94 31.08' Rt;
- 3) N 70°45'40" E 104.73' to a 1/2" rebar in concrete being Sta. 12+17.06 36.80' Rt.;
- 4) N 64°48'00" E 156.42' to a concrete monument found being Sta. 13+70.94 36.80' Rt.;
- 5) N 58°14'00" E 284.23' to a 5/8" rebar w/cap found being Sta. 16+55.08 28.42' Rt.;
- 6) N 62°32'10" E 268.76' to a point being Sta. 19+25.28 23.43' Rt.;
- 7) N 61°05'30" E 157.02' to a point being Sta, 20+79.79 23.97' RL;
- 8) N 54°53'10" E 276.76' to a point being Sta. 23+54.62 28.54' Rt.;
- 9) N 52°57'40" E 50.95' to a point being Sta. 24+06 28.35' Rt.;
- 10) N 57°20'00" E 64.34' being Sta. 24+72.30 30' Rt., a corner to said Union Carbide;

Thence with said Union Carbide the following two (2) bearings and distances:

- 1) S 31°49'30" E 29.96' to a point;
- 2) N 74°45'00" E 104.08' to the place of beginning.

Containing 101.607 acres and being shown as Area 5 Industrial/Commercial Land Use Restriction Area upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated October 21, 2014 is attached hereto and made a part of this description.





Description of 2.237 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District, Kanawha County, West Virginia, bounded and described as following.

Commencing at a concrete monument, a corner to Martha Karnes (Deed Book 2431 Page 738) S55°10'30"E 2305.84' to a point (Northing = 492252.42 Easting = 1766770.54), being the true point of beginning.

Thence through the parent tract with the following fifteen (15) bearings and distances:

- 1) N 13°36'30" W 26.74' to a point;
- 2) N 01°47'50" W 46.46' to a point;
- 3) N 17°50'20" E 73.97' to a point;
- 4) N 01°31'50" W 19.63' to a point;
- 5) N 38°54'40" W 134.18' to a 5/8" rebar w/cap found;
- 6) N 01°59'20" E passing a 5/8" rebar w/cap found at 62.76' in all a total distance of 90.11'to a point;
- 7) N 82°43'50" E passing a fence post at 80.13', in all a total distance of 128.01' to a 5/8" rebar w/cap found;
- 8) S 21°33'40" E 68.65' to a 5/8" rebar w/cap found;
- 9) S 54°18'20" E 70.08' to a 5/8" rebar w/cap found;
- 10) S 65°40'30" E 134.29' to a 5/8" rebar w/cap found;
- 11) S 59°15'30" E 78.20' to a 5/8" rebar w/cap found;
- 12) \$ 13°27'10" E 59.08' to a 5/8" rebar w/cap found;
- 13) S 52°50'00" W 116.25' to a 5/8" rebar w/cap found;
- 14) S 60°51'10" W 233.46' to a 5/8" rebar w/cap found;
- 15) N 35°44'40" W 84.12' to the place of beginning.

Containing 2.237 acres and being shown as Area 3 Subsurface Work Restriction, upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated October 21, 2014 is attached hereto and made a part of this description.





Description of 1.225 acres

Property hereby described as being on the waters of the Davis Creek, South Charleston District, Kanawha County, West Virginia, bounded and described as following.

Commencing at a concrete monument, a corner to Martha Karnes (Deed Book 2431 Page 738) S50°27'30"E 1429.35" to a 5/8" rebar w/cap set, thence S33°54'10"E 28.74' to a point (Northing = 492635.39 Easting = 1765995.97) being the true point of beginning.

Thence through the parent tract the following eight (8) bearings and distances:

- 1) S 33°54'10" E 181.12' to a 5/8" rebar w/cap set;
- 2) S 32°39'50" W 75.96' to a point;
- 3) S 64°46'00" W 82.17' to a 5/8' rebar w/cap set;
- 4) S 84°10'10" W 131.78' to a 5/8' rebar w/cap set;
- 5) N 47°21'30" W 35.33' to a point;
- 6) N 15°29'10" W 127.79' to a 5/8" rebar w/cap set:
- 7) N 53°38'40" E 140.51' to a point;
- 8) N 70°42'40" E 97.84' to the place of beginning:

Containing 1.225 acres, and being shown as Area 4 Subsurface Work and Industrial/Commercial land Use Restriction, upon that certain plat made as a result of survey by Paramount Surveying. A copy of said plat, dated April 28, 2014 is attached hereto and made a part of this description.



Attachment 2 Figures

