



STATE OF MAINE
DEPARTMENT OF ENVIRONMENTAL PROTECTION



PAUL R. LEPAGE
GOVERNOR

PAUL MERCER
COMMISSIONER

June 2, 2016

Mr. Robert Burley
Portsmouth Naval Shipyard
Code 106.3, Building 44/2
Portsmouth, NH. 03804-5000
Robert.burley@navy.mil

*Sent via electronic mail
Delivery confirmation requested*

RE: *Maine Pollutant Discharge Elimination System (MEPDES) Permit #ME0000868
Maine Waste Discharge License (WDL) Application #W003445-5R-G-R
Proposed Draft MEPDES Permit - Renewal*

Dear Mr. Burley:

Attached is a proposed draft MEPDES permit and Maine WDL which the Department proposes to issue for your facility as a final document after opportunity for your review and comment. By transmittal of this letter, you are provided with an opportunity to comment on the proposed draft permit and its special and standard conditions. If it contains errors or does not accurately reflect present or proposed conditions, please respond to this Department so that changes can be considered.

By copy of this letter, the Department is requesting comments on the proposed draft permit from various state and federal agencies and from any other parties who have notified the Department of their interest in this matter.

The comment period begins on June 2, 2016 and ends on July 6, 2016. All comments on the proposed draft permit must be received in the Department of Environmental Protection office on or before the close of business Wednesday, July 6, 2016. Failure to submit comments in a timely fashion will result in the proposed draft/license permit document being issued as drafted.

AUGUSTA
17 STATE HOUSE STATION
AUGUSTA, MAINE 04333-0017
(207) 287-7688 FAX: (207) 287-7826

BANGOR
106 HOGAN ROAD, SUITE 6
BANGOR, MAINE 04401
(207) 941-4570 FAX: (207) 941-4584

PORTLAND
312 CANCO ROAD
PORTLAND, MAINE 04103
(207) 822-6300 FAX: (207) 822-6303

PRESQUE ISLE
1235 CENTRAL DRIVE, SKYWAY PARK
PRESQUE ISLE, MAINE 04769
(207) 764-0477 FAX: (207) 760-3143

Portsmouth Naval Shipyard
June 2, 2016
Page 2 of 2

Comments in writing should be submitted to my attention at the following address:

Maine Department of Environmental Protection
Bureau of Water Quality
Division of Water Quality Management
17 State House Station
Augusta, ME 04333-0017
Cindy.L.Dionne@maine.gov

If you have any questions regarding the matter, please feel free to contact me.

Sincerely,



Cindy L. Dionne
Division of Water Quality Management
Bureau of Water Quality
ph: 207-557-5950

Enc.

cc: Barry Mower, DEP
Pamela Parker, DEP
Matthew Hight, DEP
Lori Mitchell, DEP
Sean Mahoney, CLF
Kathleen Leyden, DACF
Environmental Review, DMR
David Webster, USEPA
David Pincumbe, USEPA
Alex Rosenberg, USEPA
Olga Vergara, USEPA
Marelyn Vega, USEPA
Richard Carvalho, USEPA



DEPARTMENT ORDER

IN THE MATTER OF

PORTSMOUTH NAVAL SHIPYARD)	MAINE POLLUTANT DISCHARGE
SHIP REPAIR FACILITY)	ELIMINATION SYSTEM PERMIT
KITTERY, YORK COUNTY, MAINE)	AND
ME0000868)	WASTE DISCHARGE LICENSE
W003445-5R-G-R)	RENEWAL
APPROVAL)	

In compliance with the applicable provisions of *Pollution Control*, 38 M.R.S. §§ 411 – 424-B, *Water Classification Program*, 38 M.R.S. §§ 464 – 470 and *Federal Water Pollution Control Act*, Title 33 U.S.C. § 1251, and applicable rules of the Department of Environmental Protection (Department), the Department has considered the application of the Portsmouth Naval Shipyard (PNSY or permittee), with its supportive data, agency review comments, and other related materials on file and FINDS THE FOLLOWING FACTS:

APPLICATION SUMMARY

On March 3, 2016, the Department accepted as complete for processing an application from PNSY for renewal of combination Waste Discharge License (WDL) #W003445-5R-F-R / Maine Pollutant Discharge Elimination System (MEPDES) permit #ME0000868, which was issued by the Department on June 13, 2011 for a five-year term. The 6/13/11 permit authorized an unspecified quantity of dry dock operations (non-process) wastewater from three outfall points and an unspecified quantity of dry dock dewatering (river) water from three dry docks to the Piscataqua River, Class SC, in Kittery, Maine.

This space intentionally left blank.

PERMIT SUMMARY

a. Terms and conditions

1. Inserted “storm water (co-mingled with dry dock wastewater)” to Special Condition A. 1., as it is not feasible for the permittee to separate storm water and normal dry dock wastewater in the dry dock area.

CONCLUSIONS

BASED on the findings in the attached and incorporated Fact Sheet dated June 2, 2016, and subject to the Conditions listed below, the Department makes the following CONCLUSIONS:

1. The discharge, either by itself or in combination with other discharges, will not lower the quality of any classified body of water below such classification.
2. The discharge, either by itself or in combination with other discharges, will not lower the quality of any unclassified body of water below the classification which the Department expects to adopt in accordance with State law.
3. The provisions of the State’s antidegradation policy, *Classification of Maine waters*, 38 M.R.S. § 464(4)(F), will be met, in that:
 - (a) Existing in-stream water uses and the level of water quality necessary to protect and maintain those existing uses will be maintained and protected;
 - (b) Where high quality waters of the State constitute an outstanding national resource, that water quality will be maintained and protected;
 - (c) Where the standards of classification of the receiving waterbody are not met, the discharge will not cause or contribute to the failure of the waterbody to meet the standards of classification;
 - (d) Where the actual quality of any classified receiving waterbody exceeds the minimum standards of the next highest classification that higher water quality will be maintained and protected; and
 - (e) Where a discharge will result in lowering the existing water quality of any waterbody, the Department has made the finding, following opportunity for public participation, that this action is necessary to achieve important economic or social benefits to the State.
4. The discharges will be subject to effluent limitations that require application of best practicable treatment as defined in *Conditions of licenses*, 38 M.R.S. § 414-A(1)(D).

ACTION

THEREFORE, the Department APPROVES the application of the PORTSMOUTH NAVAL SHIPYARD to discharge an unspecified quantity of normal dry dock operations (non-process) wastewater from three outfall points **and** an unspecified quantity of dry dock dewatering (river) water from three dry docks (Outfalls #001A, #002A, and #003A) to the Piscataqua River, Class SC, in Kittery, Maine, SUBJECT TO ALL APPLICABLE STANDARDS AND REGULATIONS AND THE FOLLOWING CONDITIONS:

1. *“Maine Pollutant Discharge Elimination System Permit Standard Conditions Applicable to All Permits,”* revised July 1, 2002, copy attached.
2. The attached Special Conditions, including any effluent limitations and monitoring requirements.
3. This permit becomes effective upon the date of signature below and expires at midnight five (5) years after that date. If a renewal application is timely submitted and accepted as complete for processing prior to the expiration of this permit, the terms and conditions of this permit and all subsequent modifications and minor revisions thereto remain in effect until a final Department decision on the renewal application becomes effective. *Maine Administrative Procedure Act*, 5 M.R.S. § 10002 and *Rules Concerning the Processing of Applications and Other Administrative Matters*, 06-096 CMR 2(21)(A) (amended October 19, 2015).

PLEASE NOTE ATTACHED SHEET FOR GUIDANCE ON APPEAL PROCEDURES

DONE AND DATED AT AUGUSTA, MAINE, THIS __ DAY OF ____ 2016.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY: _____
PAUL MERCER, Commissioner

Date of initial receipt of application February 29, 2016

Date of application acceptance March 3, 2016

Date filed with Board of Environmental Protection _____

This Order prepared by Cindy L. Dionne, Bureau of Water Quality

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

1. The permittee is authorized to discharge **dry dock normal wastewater (dry dock drainage pumps, river seepage, ground water infiltration, storm water (co-mingled with dry dock wastewater), submarine non-contact cooling water, steam condensate, fresh water freeze protection, salt water and fresh water used for ballast tank flushing, and initial dry dock wash down after dewatering dry dock) from Outfalls #001A, #002A, and #003A** to the Piscataqua River in Kittery, Maine. Such discharges must be limited and monitored by the permittee as specified below ⁽¹⁾:

Effluent Characteristic	Discharge Limitations		Minimum Monitoring Requirements	
	<u>Monthly Average</u>	<u>Daily Maximum</u>	<u>Measurement Frequency</u>	<u>Sample Type</u>
Flow <i>[50050]</i>	Report MGD <i>[03]</i>	Report MGD <i>[03]</i>	1/Month <i>[01/30]</i>	Estimate <i>[ES]</i>
TSS <i>[00530]</i>	50 mg/L <i>[19]</i>	100 mg/L <i>[19]</i>	1/Month <i>[01/30]</i>	Grab <i>[GR]</i>
Oil and Grease <i>[00552]</i>	---	15 mg/L <i>[19]</i>	1/Month <i>[01/30]</i>	Grab <i>[GR]</i>
pH <i>[00400]</i>	---	6.0 – 9.0 SU <i>[12]</i>	1/Month <i>[01/30]</i>	Grab <i>[GR]</i>

The italicized numeric values bracketed in the table and in subsequent text are code numbers that Department personnel utilize to code the monthly Discharge Monitoring Reports (DMRs).

2. The permittee is authorized to discharge an unspecified quantity of **dry dock dewatering water (Piscataqua River water)** from **three dry docks (Dry Docks #1, #2 and #3)** as described in Section 2.c., Table 2 of the Fact Sheet accompanying this permit to the Piscataqua River.

Footnotes: See Page 5 of this permit for applicable footnotes.

SPECIAL CONDITIONS

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS (cont'd)

Footnotes

1. **Sampling** – The permittee must conduct all effluent sampling and analysis in accordance with; a) methods approved by 40 Code of Federal Regulations (CFR) Part 136, b) alternative methods approved by the Department in accordance with the procedures in 40 CFR Part 136, or c) as otherwise specified by the Department. Samples that are sent out for analysis must be analyzed by a laboratory certified by the State of Maine's Department of Health and Human Services. Samples that are sent to another POTW licensed pursuant to *Waste discharge licenses*, 38 M.R.S. § 413 are subject to the provisions and restrictions of *Maine Comprehensive and Limited Environmental Laboratory Certification Rules*, 10-144 CMR 263 (last amended April 1, 2010). Laboratory facilities that analyze compliance samples in-house are subject to the provisions and restrictions of 10-144 CMR 263. If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR Part 136 or as specified in this permit, the results of this monitoring must be included in the calculation and reporting of the data submitted in the DMR.

B. NARRATIVE EFFLUENT LIMITATIONS

1. The permittee must not discharge effluent that contains a visible oil sheen, foam or floating solids at any time which would impair the uses designated for the classification of the receiving waters.
2. The permittee must not discharge effluent that contains materials in concentrations or combinations which are hazardous or toxic to aquatic life, or which would impair the uses designated for the classification of the receiving waters.
3. The permittee must not discharge effluent that causes visible discoloration or turbidity in the receiving waters or otherwise impairs the uses designated for the classification of the receiving waters.
4. The permittee must not discharge effluent that lowers the quality of any classified body of water below such classification, or lowers the existing quality of any body of water if the existing quality is higher than the classification.

SPECIAL CONDITIONS

C. NOTIFICATION REQUIREMENT

In accordance with Standard Condition D, the permittee must notify the Department of the following:

1. Any substantial change (increase or decrease) in the volume or character of pollutants being introduced into the wastewater collection and treatment system by a source introducing pollutants into the system at the time of permit issuance.
2. For the purposes of this section, adequate notice must include information on:
 - (a) The quality and quantity of wastewater introduced to the wastewater collection and treatment system; and
 - (b) Any anticipated impact of the change in the quantity or quality of the wastewater to be discharged from the treatment system.

D. MONITORING AND REPORTING

Monitoring results obtained during the previous month must be summarized for each month and reported on separate Discharge Monitoring Report (DMR) forms provided by the Department and **postmarked on or before the thirteenth (13th) day of the month or hand-delivered to the Department's Regional Office such that the DMRs are received by the Department on or before the fifteenth (15th) day of the month** following the completed reporting period. A signed copy of the DMR and all other reports required herein must be submitted to the Department-assigned inspector (unless otherwise specified by the Department) at the following address:

Department of Environmental Protection
Southern Maine Regional Office
Bureau of Water Quality
Division of Water Quality Management
312 Canco Road
Portland, Maine 04103

Alternatively, if the permittee submits an electronic DMR, the completed DMR must be electronically submitted to the Department by a facility authorized DMR Signatory not later than close of business on the **15th day of the month** following the completed reporting period. Hard copy documentation submitted in support of the DMR must be postmarked on or before the **thirteenth (13th) day of the month or hand-delivered** to the Department's Regional Office such that it is received by the Department on or before the fifteenth (15th) day of the month following the completed reporting period. Electronic documentation in support of the DMR must be submitted not later than close of business on the 15th day of the month following the completed reporting period.

SPECIAL CONDITIONS

E. DRY DOCK BEST MANAGEMENT PLAN

The permittee must develop, maintain and periodically update a Dry Dock Best Management Plan (BMP) for all work performed in all shipyard dry docks at the facility, including shipboard work, dry dock operations and maintenance, and dry dock refurbishment. The Plan must address, but need not be limited to, dry dock solid waste management and housekeeping, industrial wastewater control and disposition, hydroblast and high pressure water spray operations, abrasive blast and spray paint operations, ground/river water infiltration, spills within the dry dock, and dry dock inspections.

As the site or any operations conducted on it have changed or are expected to change materially or substantially, the permittee must modify its Dry Dock BMP Plan as necessary to include such changes. The permittee must maintain a copy of its Dry Dock BMP and any subsequent revisions at the shipyard and must make the plan available to any Department or USEPA representative upon request.

F. AUTHORIZED DISCHARGES

The permittee is authorized to discharge only in accordance with: 1) the permittee's General Application for Waste Discharge Permit, accepted for processing on March 3, 2016; 2) the terms and conditions of this permit; and 3) only from Outfalls #001A, #002A, #003A (normal dry dock wastewater) and dry dock dewatering water (river water) from Dry Docks #1, #2, and #3. Discharges of wastewater from any other point source are not authorized under this permit, and must be reported in accordance with Standard Condition D(1)(f), *Twenty-four hour reporting*, of this permit.

G. REOPENING OF PERMIT FOR MODIFICATIONS

In accordance with 38 M.R.S. § 414-A(5) and upon evaluation of the test results in the Special Conditions of this permitting action, new site specific information, or any other pertinent test results or information obtained during the term of this permit, the Department may, at any time and with notice to the permittee, modify this permit to: (1) include effluent limitations necessary to control specific pollutants or whole effluent toxicity where there is a reasonable potential that the effluent may cause water quality criteria to be exceeded; (2) require additional monitoring if results on file are inconclusive; or (3) change monitoring requirements or limitations based on new information.

H. SEVERABILITY

In the event that any provision or part thereof, of this permit is declared to be unlawful by a reviewing court, the remainder of the permit must remain in full force and effect, and must be construed and enforced in all aspects as if such unlawful provision, or part thereof, had been omitted, unless otherwise ordered by the court.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

CONTENTS

SECTION	TOPIC	PAGE
A	GENERAL PROVISIONS	
1	General compliance	2
2	Other materials	2
3	Duty to Comply	2
4	Duty to provide information	2
5	Permit actions	2
6	Reopener clause	2
7	Oil and hazardous substances	2
8	Property rights	3
9	Confidentiality	3
10	Duty to reapply	3
11	Other laws	3
12	Inspection and entry	3
B	OPERATION AND MAINTENANCE OF FACILITIES	
1	General facility requirements	3
2	Proper operation and maintenance	4
3	Need to halt reduce not a defense	4
4	Duty to mitigate	4
5	Bypasses	4
6	Upsets	5
C	MONITORING AND RECORDS	
1	General requirements	6
2	Representative sampling	6
3	Monitoring and records	6
D	REPORTING REQUIREMENTS	
1	Reporting requirements	7
2	Signatory requirement	8
3	Availability of reports	8
4	Existing manufacturing, commercial, mining, and silvicultural dischargers	8
5	Publicly owned treatment works	9
E	OTHER PROVISIONS	
1	Emergency action - power failure	9
2	Spill prevention	10
3	Removed substances	10
4	Connection to municipal sewer	10
F	DEFINITIONS	10

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

A. GENERAL PROVISIONS

1. **General compliance.** All discharges shall be consistent with the terms and conditions of this permit; any changes in production capacity or process modifications which result in changes in the quantity or the characteristics of the discharge must be authorized by an additional license or by modifications of this permit; it shall be a violation of the terms and conditions of this permit to discharge any pollutant not identified and authorized herein or to discharge in excess of the rates or quantities authorized herein or to violate any other conditions of this permit.

2. **Other materials.** Other materials ordinarily produced or used in the operation of this facility, which have been specifically identified in the application, may be discharged at the maximum frequency and maximum level identified in the application, provided:

- (a) They are not
 - (i) Designated as toxic or hazardous under the provisions of Sections 307 and 311, respectively, of the Federal Water Pollution Control Act; Title 38, Section 420, Maine Revised Statutes; or other applicable State Law; or
 - (ii) Known to be hazardous or toxic by the licensee.
- (b) The discharge of such materials will not violate applicable water quality standards.

3. **Duty to comply.** The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of State law and the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application.

- (a) The permittee shall comply with effluent standards or prohibitions established under section 307(a) of the Clean Water Act, and 38 MRSA, §420 or Chapter 530.5 for toxic pollutants within the time provided in the regulations that establish these standards or prohibitions, even if the permit has not yet been modified to incorporate the requirement.
- (b) Any person who violates any provision of the laws administered by the Department, including without limitation, a violation of the terms of any order, rule license, permit, approval or decision of the Board or Commissioner is subject to the penalties set forth in 38 MRSA, §349.

4. **Duty to provide information.** The permittee shall furnish to the Department, within a reasonable time, any information which the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish to the Department upon request, copies of records required to be kept by this permit.

5. **Permit actions.** This permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.

6. **Reopener clause.** The Department reserves the right to make appropriate revisions to this permit in order to establish any appropriate effluent limitations, schedule of compliance or other provisions which may be authorized under 38 MRSA, §414-A(5).

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

7. Oil and hazardous substances. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject under section 311 of the Federal Clean Water Act; section 106 of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980; or 38 MRSA §§ 1301, et. seq.

8. Property rights. This permit does not convey any property rights of any sort, or any exclusive privilege.

9. Confidentiality of records. 38 MRSA §414(6) reads as follows. "Any records, reports or information obtained under this subchapter is available to the public, except that upon a showing satisfactory to the department by any person that any records, reports or information, or particular part or any record, report or information, other than the names and addresses of applicants, license applications, licenses, and effluent data, to which the department has access under this subchapter would, if made public, divulge methods or processes that are entitled to protection as trade secrets, these records, reports or information must be confidential and not available for public inspection or examination. Any records, reports or information may be disclosed to employees or authorized representatives of the State or the United States concerned with carrying out this subchapter or any applicable federal law, and to any party to a hearing held under this section on terms the commissioner may prescribe in order to protect these confidential records, reports and information, as long as this disclosure is material and relevant to any issue under consideration by the department."

10. Duty to reapply. If the permittee wishes to continue an activity regulated by this permit after the expiration date of this permit, the permittee must apply for and obtain a new permit.

11. Other laws. The issuance of this permit does not authorize any injury to persons or property or invasion of other property rights, nor does it relieve the permittee of its obligation to comply with other applicable Federal, State or local laws and regulations.

12. Inspection and entry. The permittee shall allow the Department, or an authorized representative (including an authorized contractor acting as a representative of the EPA Administrator), upon presentation of credentials and other documents as may be required by law, to:

- (a) Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- (d) Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location.

B. OPERATION AND MAINTENANCE OF FACILITIES

1. General facility requirements.

- (a) The permittee shall collect all waste flows designated by the Department as requiring treatment and discharge them into an approved waste treatment facility in such a manner as to

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- maximize removal of pollutants unless authorization to the contrary is obtained from the Department.
- (b) The permittee shall at all times maintain in good working order and operate at maximum efficiency all waste water collection, treatment and/or control facilities.
 - (c) All necessary waste treatment facilities will be installed and operational prior to the discharge of any wastewaters.
 - (d) Final plans and specifications must be submitted to the Department for review prior to the construction or modification of any treatment facilities.
 - (e) The permittee shall install flow measuring facilities of a design approved by the Department.
 - (f) The permittee must provide an outfall of a design approved by the Department which is placed in the receiving waters in such a manner that the maximum mixing and dispersion of the wastewaters will be achieved as rapidly as possible.

2. Proper operation and maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems which are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit.

3. Need to halt or reduce activity not a defense. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

4. Duty to mitigate. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of this permit which has a reasonable likelihood of adversely affecting human health or the environment.

5. Bypasses.

- (a) Definitions.
 - (i) Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
 - (ii) Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- (b) Bypass not exceeding limitations. The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provisions of paragraphs (c) and (d) of this section.
- (c) Notice.
 - (i) Anticipated bypass. If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible at least ten days before the date of the bypass.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- (ii) Unanticipated bypass. The permittee shall submit notice of an unanticipated bypass as required in paragraph D(1)(f), below. (24-hour notice).
- (d) Prohibition of bypass.
 - (i) Bypass is prohibited, and the Department may take enforcement action against a permittee for bypass, unless:
 - (A) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (B) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - (C) The permittee submitted notices as required under paragraph (c) of this section.
 - (ii) The Department may approve an anticipated bypass, after considering its adverse effects, if the Department determines that it will meet the three conditions listed above in paragraph (d)(i) of this section.

6. Upsets.

- (a) Definition. Upset means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.
- (b) Effect of an upset. An upset constitutes an affirmative defense to an action brought for noncompliance with such technology based permit effluent limitations if the requirements of paragraph (c) of this section are met. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review.
- (c) Conditions necessary for a demonstration of upset. A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - (i) An upset occurred and that the permittee can identify the cause(s) of the upset;
 - (ii) The permitted facility was at the time being properly operated; and
 - (iii) The permittee submitted notice of the upset as required in paragraph D(1)(f) , below. (24 hour notice).
 - (iv) The permittee complied with any remedial measures required under paragraph B(4).
- (d) Burden of proof. In any enforcement proceeding the permittee seeking to establish the occurrence of an upset has the burden of proof.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

C. MONITORING AND RECORDS

1. General Requirements. This permit shall be subject to such monitoring requirements as may be reasonably required by the Department including the installation, use and maintenance of monitoring equipment or methods (including, where appropriate, biological monitoring methods). The permittee shall provide the Department with periodic reports on the proper Department reporting form of monitoring results obtained pursuant to the monitoring requirements contained herein.

2. Representative sampling. Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge. If effluent limitations are based wholly or partially on quantities of a product processed, the permittee shall ensure samples are representative of times when production is taking place. Where discharge monitoring is required when production is less than 50%, the resulting data shall be reported as a daily measurement but not included in computation of averages, unless specifically authorized by the Department.

3. Monitoring and records.

- (a) Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
- (b) Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, the permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the sample, measurement, report or application. This period may be extended by request of the Department at any time.
- (c) Records of monitoring information shall include:
 - (i) The date, exact place, and time of sampling or measurements;
 - (ii) The individual(s) who performed the sampling or measurements;
 - (iii) The date(s) analyses were performed;
 - (iv) The individual(s) who performed the analyses;
 - (v) The analytical techniques or methods used; and
 - (vi) The results of such analyses.
- (d) Monitoring results must be conducted according to test procedures approved under 40 CFR part 136, unless other test procedures have been specified in the permit.
- (e) State law provides that any person who tampers with or renders inaccurate any monitoring devices or method required by any provision of law, or any order, rule license, permit approval or decision is subject to the penalties set forth in 38 MRSA, §349.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

D. REPORTING REQUIREMENTS

1. Reporting requirements.

- (a) Planned changes. The permittee shall give notice to the Department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:
 - (i) The alteration or addition to a permitted facility may meet one of the criteria for determining whether a facility is a new source in 40 CFR 122.29(b); or
 - (ii) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements under Section D(4).
 - (iii) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan;
- (b) Anticipated noncompliance. The permittee shall give advance notice to the Department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (c) Transfers. This permit is not transferable to any person except upon application to and approval of the Department pursuant to 38 MRSA, § 344 and Chapters 2 and 522.
- (d) Monitoring reports. Monitoring results shall be reported at the intervals specified elsewhere in this permit.
 - (i) Monitoring results must be reported on a Discharge Monitoring Report (DMR) or forms provided or specified by the Department for reporting results of monitoring of sludge use or disposal practices.
 - (ii) If the permittee monitors any pollutant more frequently than required by the permit using test procedures approved under 40 CFR part 136 or as specified in the permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the Department.
 - (iii) Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Department in the permit.
- (e) Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 14 days following each schedule date.
- (f) Twenty-four hour reporting.
 - (i) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

(ii) The following shall be included as information which must be reported within 24 hours under this paragraph.

(A) Any unanticipated bypass which exceeds any effluent limitation in the permit.

(B) Any upset which exceeds any effluent limitation in the permit.

(C) Violation of a maximum daily discharge limitation for any of the pollutants listed by the Department in the permit to be reported within 24 hours.

(iii) The Department may waive the written report on a case-by-case basis for reports under paragraph (f)(ii) of this section if the oral report has been received within 24 hours.

(g) Other noncompliance. The permittee shall report all instances of noncompliance not reported under paragraphs (d), (e), and (f) of this section, at the time monitoring reports are submitted. The reports shall contain the information listed in paragraph (f) of this section.

(h) Other information. Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Department, it shall promptly submit such facts or information.

2. Signatory requirement. All applications, reports, or information submitted to the Department shall be signed and certified as required by Chapter 521, Section 5 of the Department's rules. State law provides that any person who knowingly makes any false statement, representation or certification in any application, record, report, plan or other document filed or required to be maintained by any order, rule, permit, approval or decision of the Board or Commissioner is subject to the penalties set forth in 38 MRSA, §349.

3. Availability of reports. Except for data determined to be confidential under A(9), above, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. As required by State law, effluent data shall not be considered confidential. Knowingly making any false statement on any such report may result in the imposition of criminal sanctions as provided by law.

4. Existing manufacturing, commercial, mining, and silvicultural dischargers. In addition to the reporting requirements under this Section, all existing manufacturing, commercial, mining, and silvicultural dischargers must notify the Department as soon as they know or have reason to believe:

(a) That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

(i) One hundred micrograms per liter (100 ug/l);

(ii) Two hundred micrograms per liter (200 ug/l) for acrolein and acrylonitrile; five hundred micrograms per liter (500 ug/l) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/l) for antimony;

(iii) Five (5) times the maximum concentration value reported for that pollutant in the permit application in accordance with Chapter 521 Section 4(g)(7); or

(iv) The level established by the Department in accordance with Chapter 523 Section 5(f).

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

- (b) That any activity has occurred or will occur which would result in any discharge, on a non-routine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
- (i) Five hundred micrograms per liter (500 ug/l);
 - (ii) One milligram per liter (1 mg/l) for antimony;
 - (iii) Ten (10) times the maximum concentration value reported for that pollutant in the permit application in accordance with Chapter 521 Section 4(g)(7); or
 - (iv) The level established by the Department in accordance with Chapter 523 Section 5(f).

5. Publicly owned treatment works.

- (a) All POTWs must provide adequate notice to the Department of the following:
- (i) Any new introduction of pollutants into the POTW from an indirect discharger which would be subject to section 301 or 306 of CWA or Chapter 528 if it were directly discharging those pollutants.
 - (ii) Any substantial change in the volume or character of pollutants being introduced into that POTW by a source introducing pollutants into the POTW at the time of issuance of the permit.
 - (iii) For purposes of this paragraph, adequate notice shall include information on (A) the quality and quantity of effluent introduced into the POTW, and (B) any anticipated impact of the change on the quantity or quality of effluent to be discharged from the POTW.
- (b) When the effluent discharged by a POTW for a period of three consecutive months exceeds 80 percent of the permitted flow, the permittee shall submit to the Department a projection of loadings up to the time when the design capacity of the treatment facility will be reached, and a program for maintaining satisfactory treatment levels consistent with approved water quality management plans.

E. OTHER REQUIREMENTS

1. Emergency action - power failure. Within thirty days after the effective date of this permit, the permittee shall notify the Department of facilities and plans to be used in the event the primary source of power to its wastewater pumping and treatment facilities fails as follows.

- (a) For municipal sources. During power failure, all wastewaters which are normally treated shall receive a minimum of primary treatment and disinfection. Unless otherwise approved, alternate power supplies shall be provided for pumping stations and treatment facilities. Alternate power supplies shall be on-site generating units or an outside power source which is separate and independent from sources used for normal operation of the wastewater facilities.
- (b) For industrial and commercial sources. The permittee shall either maintain an alternative power source sufficient to operate the wastewater pumping and treatment facilities or halt, reduce or otherwise control production and or all discharges upon reduction or loss of power to the wastewater pumping or treatment facilities.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

2. Spill prevention. (applicable only to industrial sources) Within six months of the effective date of this permit, the permittee shall submit to the Department for review and approval, with or without conditions, a spill prevention plan. The plan shall delineate methods and measures to be taken to prevent and or contain any spills of pulp, chemicals, oils or other contaminants and shall specify means of disposal and or treatment to be used.

3. Removed substances. Solids, sludges trash rack cleanings, filter backwash, or other pollutants removed from or resulting from the treatment or control of waste waters shall be disposed of in a manner approved by the Department.

4. Connection to municipal sewer. (applicable only to industrial and commercial sources) All wastewaters designated by the Department as treatable in a municipal treatment system will be cosigned to that system when it is available. This permit will expire 90 days after the municipal treatment facility becomes available, unless this time is extended by the Department in writing.

F. DEFINITIONS. For the purposes of this permit, the following definitions shall apply. Other definitions applicable to this permit may be found in Chapters 520 through 529 of the Department's rules

Average means the arithmetic mean of values taken at the frequency required for each parameter over the specified period. For bacteria, the average shall be the geometric mean.

Average monthly discharge limitation means the highest allowable average of daily discharges over a calendar month, calculated as the sum of all daily discharges measured during a calendar month divided by the number of daily discharges measured during that month. Except, however, bacteriological tests may be calculated as a geometric mean.

Average weekly discharge limitation means the highest allowable average of daily discharges over a calendar week, calculated as the sum of all daily discharges measured during a calendar week divided by the number of daily discharges measured during that week.

Best management practices ("BMPs") means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of waters of the State. BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

Composite sample means a sample consisting of a minimum of eight grab samples collected at equal intervals during a 24 hour period (or a lesser period as specified in the section on monitoring and reporting) and combined proportional to the flow over that same time period.

Continuous discharge means a discharge which occurs without interruption throughout the operating hours of the facility, except for infrequent shutdowns for maintenance, process changes, or other similar activities.

Daily discharge means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the daily discharge is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurement, the daily discharge is calculated as the average measurement of the pollutant over the day.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

Discharge Monitoring Report ("DMR") means the EPA uniform national form, including any subsequent additions, revisions, or modifications for the reporting of self-monitoring results by permittees. DMRs must be used by approved States as well as by EPA. EPA will supply DMRs to any approved State upon request. The EPA national forms may be modified to substitute the State Agency name, address, logo, and other similar information, as appropriate, in place of EPA's.

Flow weighted composite sample means a composite sample consisting of a mixture of aliquots collected at a constant time interval, where the volume of each aliquot is proportional to the flow rate of the discharge.

Grab sample means an individual sample collected in a period of less than 15 minutes.

Interference means a Discharge which, alone or in conjunction with a discharge or discharges from other sources, both:

- (1) Inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal; and
- (2) Therefore is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal in compliance with the following statutory provisions and regulations or permits issued thereunder (or more stringent State or local regulations): Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (including title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), and including State regulations contained in any State sludge management plan prepared pursuant to subtitle D of the SWDA), the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection, Research and Sanctuaries Act.

Maximum daily discharge limitation means the highest allowable daily discharge.

New source means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced:

- (a) After promulgation of standards of performance under section 306 of CWA which are applicable to such source, or
- (b) After proposal of standards of performance in accordance with section 306 of CWA which are applicable to such source, but only if the standards are promulgated in accordance with section 306 within 120 days of their proposal.

Pass through means a discharge which exits the POTW into waters of the State in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation).

Permit means an authorization, license, or equivalent control document issued by EPA or an approved State to implement the requirements of 40 CFR parts 122, 123 and 124. Permit includes an NPDES general permit (Chapter 529). Permit does not include any permit which has not yet been the subject of final agency action, such as a draft permit or a proposed permit.

Person means an individual, firm, corporation, municipality, quasi-municipal corporation, state agency, federal agency or other legal entity.

MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

STANDARD CONDITIONS APPLICABLE TO ALL PERMITS

Point source means any discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation or vessel or other floating craft, from which pollutants are or may be discharged.

Pollutant means dredged spoil, solid waste, junk, incinerator residue, sewage, refuse, effluent, garbage, sewage sludge, munitions, chemicals, biological or radiological materials, oil, petroleum products or byproducts, heat, wrecked or discarded equipment, rock, sand, dirt and industrial, municipal, domestic, commercial or agricultural wastes of any kind.

Process wastewater means any water which, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product.

Publicly owned treatment works ("POTW") means any facility for the treatment of pollutants owned by the State or any political subdivision thereof, any municipality, district, quasi-municipal corporation or other public entity.

Septage means, for the purposes of this permit, any waste, refuse, effluent sludge or other material removed from a septic tank, cesspool, vault privy or similar source which concentrates wastes or to which chemicals have been added. Septage does not include wastes from a holding tank.

Time weighted composite means a composite sample consisting of a mixture of equal volume aliquots collected over a constant time interval.

Toxic pollutant includes any pollutant listed as toxic under section 307(a)(1) or, in the case of sludge use or disposal practices, any pollutant identified in regulations implementing section 405(d) of the CWA. Toxic pollutant also includes those substances or combination of substances, including disease causing agents, which after discharge or upon exposure, ingestion, inhalation or assimilation into any organism, including humans either directly through the environment or indirectly through ingestion through food chains, will, on the basis of information available to the board either alone or in combination with other substances already in the receiving waters or the discharge, cause death, disease, abnormalities, cancer, genetic mutations, physiological malfunctions, including malfunctions in reproduction, or physical deformations in such organism or their offspring.

Wetlands means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Whole effluent toxicity means the aggregate toxic effect of an effluent measured directly by a toxicity test.

**MAINE POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT
AND
WASTE DISCHARGE LICENSE**

PROPOSED DRAFT FACT SHEET

Date: **JUNE 2, 2016**

MEPDES PERMIT: **ME0000868**
WASTE DISCHARGE LICENSE: **W003445-5R-G-R**

NAME AND ADDRESS OF APPLICANT:

**PORTSMOUTH NAVAL SHIPYARD
ENVIRONMENTAL DIVISION
CODE 106.3, BUILDING 44/2
PORTSMOUTH, NEW HAMPSHIRE 03804-5000**

COUNTY: **YORK**

NAME AND ADDRESS WHERE DISCHARGE OCCURS:

**PORTSMOUTH NAVAL SHIPYARD
SEAVEY ISLAND
KITTERY, MAINE 03904**

RECEIVING WATER / CLASSIFICATION: **PISCATAQUA RIVER/CLASS SC**

COGNIZANT OFFICIAL AND TELEPHONE NUMBER:

**MR. ROBERT BURLEY
(207) 438-1756
robert.burley@navy.mil**

1. APPLICATION SUMMARY

- a. Application: On March 3, 2016, the Department of Environmental Protection (Department) accepted as complete for processing an application from Portsmouth Naval Ship Yard (PNSY/permittee) for renewal of combination Waste Discharge License (WDL) #W003445-5R-F-R / Maine Pollutant Discharge Elimination System (MEPDES) permit #ME0000868, which was issued by the Department on June 13, 2011 for a five-year term. The 6/13/11 permit authorized an unspecified quantity of dry dock operations (non-process) wastewater from three outfall points and an unspecified quantity of dry dock dewatering (river) water from three dry docks to the Piscataqua River, Class SC, in Kittery, Maine.

2. PERMIT SUMMARY

- a. Terms and conditions
 1. Inserted “storm water (co-mingled with dry dock wastewater)” to Special Condition A. 1., as it is not feasible for the permittee to separate storm water and normal dry dock wastewater in the dry dock area.
- b. History: This section provides a summary of significant licensing/permitting actions and milestones that have been completed for the permittee’s facility.

September 29, 1992 – The USEPA issued NPDES permit #ME0000868 to the PNSY. On January 17, 1997, the USEPA issued a NPDES permit modification to PNSY. The permit modification and authorization to discharge under the NPDES permit expired on October 29, 1997.

January 12, 2001 – The Department received authorization from the USEPA to administer the NPDES permit program in Maine. From that date forward, the permit program has been referred to as the MEPDES permit program and ME0000868 (same as the NPDES permit) will be the primary reference number for the facility.

May 5, 2006 – The Department issued combination MEPDES permit / WDL #W003445-5R-E-R to the PNSY for a five-year term. The May 5, 2006 permit superseded WDL #W003445-5R-D-R issued on December 8, 2000, WDL #W003445-42-B-R issued on May 31, 1994, WDL #W003445-5R-A-R issued on December 4, 1986, and WDL #3445 issued on May 27, 1981 (earliest Order on file with the Department).

June 13, 2011 – The Department issued MEPDES permit #ME0000868 / WDL #W003445-5R-F-R for a five-year term.

February 29, 2016 – The PNSY submitted a timely and complete General Application to the Department for renewal of WDL #W003445-5R-F-R. The application was accepted for processing on March 3, 2016 and was assigned WDL #W003445-5R-G-R / MEPDES permit #ME0000868.

2. PERMIT SUMMARY (cont'd)

- c. Source Description: The PNSY is a United States Navy facility located on Seavey Island in Kittery, Maine. Major tasks performed at the PNSY include the repair, overhaul, refueling, and maintenance of U.S. Navy ships, including nuclear-powered submarines. The facility's three dry docks require a waste discharge license for activities involving the repair and maintenance of Navy ships, primarily submarines. The sources of wastewater generated by the facility are summarized in the following two tables.

Table 1. Normal Dry Dock Discharges

Outfall Number	Average Flow	Operation Contributing Flow
#001A Dry Dock #1	0.483 MGD	NORMAL DRY DOCK DRAINAGE: Dry dock drainage pumps discharge; Piscataqua River seepage; ground water infiltration; storm water runoff; submarine non-contact cooling water; steam condensate; fresh water freeze protection; salt and fresh water used for ballast tank flushing; and initial dry dock wash down after dewatering dry dock.
#002A Dry Dock #2	0.546 MGD	
#003A Dry Dock #3	0.356 MGD	

Table 2. Dry Dock Dewatering (Evacuation) Discharges

Outfall Number	Average Flow	Total Volume	Operation Contributing Flow	Days Per Month
Dry Dock #1	63,000 GPM	11.6 MG	Dry dock dewatering after being flooded. Dewatering typically completed in less than 24 hours following initial dry dock flooding.	Dewatering occurs approx. 2-3 times per year per dry dock depending upon boat docking schedule.
Dry Dock #2	104,000 GPM	18.9 MG		
Dry Dock #3	50,000 GPM	13.3 MG		

Sanitary wastewater and minor industrial wastewaters, such as boiler blowdown, generated at the PNSY facility are conveyed to the Kittery Wastewater Treatment Facility.

A map showing the location of the facility and the receiving water is included as Fact Sheet **Attachment A**.

2. PERMIT SUMMARY (cont'd)

- d. Wastewater Treatment: Wastewater treatment for dry dock normal operations and dewatering operations for dry dock discharges consist of best management practices (BMPs) to maintain a clean dry dock to prevent water that enters the dry dock from becoming contaminated. The PNSY has developed and implemented a BMP plan for wastewater discharges and operations associated with dry docks, and is required by Special Condition E of the permit to maintain the plan as current. BMPs include such provisions as full containment for all spray painting and sandblasting performed in the dry dock to capture any debris, routine inspections of the dry dock, and elevating materials off the floor.

3. CONDITIONS OF PERMIT

Conditions of licenses, 38 M.R.S. § 414-A, requires that the effluent limitations prescribed for discharges, including, but not limited to, effluent toxicity, require the application of Best Practicable Treatment (BPT), be consistent with the U.S. Clean Water Act, and ensure that the receiving waters attain the State water quality standards as described in Maine's Surface Water Classification System. In addition, *Certain deposits and discharges prohibited*, 38 M.R.S. § 420 and Department rule *Surface Water Toxics Control Program*, 06-096 CMR 530 (effective March 21, 2012), require the regulation of toxic substances not to exceed levels set forth in *Surface Water Quality Criteria for Toxic Pollutants*, 06-096 CMR 584 (effective July 29, 2012), and that ensure safe levels for the discharge of toxic pollutants such that existing and designated uses of surface waters are maintained and protected.

4. RECEIVING WATER QUALITY STANDARDS

Classification of major river basins, 38 M.R.S. § 469(8)(c)(1) classifies the Piscataqua River at the point of discharge (Tidal waters of the Piscataqua River and its tidal tributaries lying westerly of longitude 70°-42'-52" W., southerly of Route 103 and easterly of Interstate Route 95) as Class SC water. *Standards for classification of fresh surface waters*, 38 M.R.S. § 465-B(3) describes the standards for Class SC waters.

5. RECEIVING WATER QUALITY CONDITIONS

The *State of Maine 2012 Integrated Water Quality Monitoring and Assessment Report*, prepared by the Department pursuant to Sections 303(d) and 305(b) of the Federal Water Pollution Control Act lists the segment of the Piscataqua River Estuary in Kittery that contains the discharge from the PNSY as Category 4-A: Estuarine and Marine Waters with Impaired Use, TMDL Completed. The report lists the cause as "Elevated Fecals Only" and that a TMDL was completed in 2009. The Piscataqua River Estuary in Kittery is also listed under Category 5-A: Estuarine and Marine Waters Impaired by Pollutants Other Than Those Listed in 5-B Through 5-D (TMDL Required). The report states the cause is "Nutrient/Eutrophication Biological Indicators" with an unknown source for the impairment.

5. RECEIVING WATER QUALITY CONDITIONS (cont'd)

All estuarine and marine waters capable of supporting American lobster are listed in Category 5-D (Estuarine and Maine Waters Impaired by Legacy Pollutants) for shellfish consumption due to elevated levels of polychlorinated biphenyls (PCBs) and other persistent, bioaccumulating substances in lobster tomalley.

The Department has no information that the discharge from the permittee, as conditioned, causes or contributes to non-attainment of applicable Class SC water quality standards.

6. EFFLUENT LIMITATIONS & MONITORING REQUIREMENTS

- a. Dry Dock Dewatering Outfalls: The previous permitting action authorized the discharge of an unspecified quantity of dry dock dewatering water from three dry docks (PNSY Dry Dock Numbers 1, 2, and 3 via Outfalls #001A, #002A, and #003A, respectively) to the Piscataqua River. The dry docks are filled (flooded) using raw (untreated) Piscataqua River water. Once a ship has been secured in dry dock, the river water is drained to a wet well and pumped back into the river. The PNSY stated that the entire process is typically completed within 24 hours of initial dry dock flooding. The PNSY stated that they provide for the safe removal and return of fishes and other marine life that may enter the dry docks during filling. The PNS stated that no industrial activities occur within the dry dock area while it is filled and there are no discharges of wastewater to the dry dock waters. Additionally, the PNSY ensures the cleanliness of the dry docks prior to filling in accordance with their Dry Dock Best Management Practices plan. Special Condition E of the permit requires the PNSY to maintain a current Dry Dock BMP plan for the three dry docks.

In the best professional judgment of this Department and based on the flooding, dewatering, and best management practices described by the PNSY to Department staff, the evacuation (discharge) of river water from dry docks at the PNS facility is not anticipated to contain toxics compounds in toxic amounts or violate any water quality standards, and the Department concludes that existing water uses will be maintained and protected and the discharge will not cause or contribute to the failure of the Piscataqua River to meet standards for Class SC classification. Therefore, this permitting action is carrying forward authorization to discharge an unspecified quantity of dry dock dewatering (river) water to the Piscataquis River.

- b. Flow: The previous permitting action established and this permitting action is carrying forward, monthly average and daily maximum discharge flow reporting requirements for Outfalls #001A, #002A, and #003A. This permitting action is also carrying forward the minimum monitoring frequency requirement of once per month for Outfalls #001A, #002A, and #003A.

The Department has summarized the discharge flow data as reported on the monthly Discharge Monitoring Reports (DMRs) submitted to the Department for Outfalls #001A, #002A, and #003A for the period July 2011 through February, 2016 as follows:

6. EFFLUENT LIMITATIONS & MONITORING REQUIREMENTS (cont'd)

Outfall #	Discharge Flow	Minimum (MGD)	Maximum (MGD)	Arithmetic Mean (MGD)	# DMRs
001A	Daily Maximum	0.00	1.33	0.63	42
	Monthly Average	0.00	1.06	0.46	42
002A	Daily Maximum	0.46	1.03	0.67	55
	Monthly Average	0.38	0.83	0.56	55
003A	Daily Maximum	0.10	0.81	0.49	55
	Monthly Average	0.03	0.73	0.33	55

- c. Total Suspended Solids (TSS): The previous permitting action established, and this permitting action is carrying forward, monthly average and daily maximum TSS concentration limits of 50 mg/L and 100 mg/L, respectively, based on a Department best professional judgment (BPJ) determination of best practicable treatment (BPT). Neither the USEPA nor the Department has developed effluent guidelines for this category of discharge.

The Department has summarized the effluent TSS data as reported on the monthly DMRs submitted to the Department for Outfalls #001A, #002A, and #003A for the period July 2011 through February, 2016 as follows:

Outfall #	TSS	Minimum (mg/L)	Maximum (mg/L)	Arithmetic Mean (mg/L)	# DMRs
001A	Daily Maximum	1	75	8	42
	Monthly Average	1	39	7	42
002A	Daily Maximum	1	32	3	55
	Monthly Average	1	32	3	55
003A	Daily Maximum	<1	21	3	55
	Monthly Average	<1	21	3	55

Based on the compliance history with this parameter at this facility, this permitting action is carrying forward the minimum monitoring frequency requirement of once per month for TSS for all outfalls.

- d. Oil and Grease (O&G): The previous permitting action established, and this permitting action is carrying forward, a daily maximum O&G concentration limit of 15 mg/L based on a Department BPJ determination of BPT. Neither the USEPA nor the Department has developed effluent guidelines for this category of discharge.

6. EFFLUENT LIMITATIONS & MONITORING REQUIREMENTS (cont'd)

The Department has summarized the effluent O&G data as reported on the monthly DMRs submitted to the Department for Outfalls #001A, #002A, and #003A for the period July 2011 through February, 2016 as follows:

Outfall #	O&G	Minimum (mg/L)	Maximum (mg/L)	Arithmetic Mean (mg/L)	# DMRs
001A	Daily Maximum	<4	5	<5	42
002A	Daily Maximum	<4	5	<5	55
003A	Daily Maximum	<4	5	<5	55

Based on the compliance history with this parameter at this facility, this permitting action is carrying forward the minimum monitoring frequency requirement of once per month for O&G.

- e. **pH:** The previous permitting action established a pH range limit of 6.0 – 9.0 standard units (SU), considered by the Department as BPJ of BPT. Neither the USEPA nor the Department has developed effluent guidelines for this category of discharge. This permitting action is carrying forward the minimum monitoring frequency requirement of once per month for pH.

A summary of pH data as reported on the monthly DMRs for the period of July 2011 through February 2016 for all three outfalls, indicates that the PNSY has been in compliance with the effluent pH range 100% of the time.

7. DISCHARGE IMPACT ON RECEIVING WATER QUALITY

As permitted, the Department has determined the existing water uses will be maintained and protected and the discharge will not cause or contribute to the failure of the waterbody to meet standards for Class SC classification.

8. PUBLIC COMMENTS

Public notice of this application was made in the *Portsmouth Herald* newspapers on or about February 23, 2016. The Department receives public comments on an application until the date a final agency action is taken on the application. Those persons receiving copies of draft permits must have at least 30 days in which to submit comments on the draft or to request a public hearing, pursuant to *Application Processing Procedures for Waste Discharge Licenses*, 06-096 CMR 522 (effective January 12, 2001).

9. DEPARTMENT CONTACTS


Additional information concerning this permitting action may be obtained from, and written comments sent to:

Cindy L. Dionne
Division of Water Quality Management
Bureau of Water Quality
Department of Environmental Protection
17 State House Station
Augusta, Maine 04333-0017 Telephone: (207) 557-5950
e-mail: Cindy.L.Dionne@maine.gov

10. RESPONSE TO COMMENTS

Reserved until the end of the formal 30-day public comment period.

ATTACHMENT A



OUTFALL No. 3
 DRAINAGE DISCHARGE:
 12in DIA. PIPE WITH FLAPPER GATE
 INVERT = 74.0R AT 18.4R BELOW MLW
 DEWATERING DISCHARGE:
 60in x 60in RECTANGULAR WITH BAR RACK
 INVERT = 77.0R AT 15.4R BELOW MLW

OUTFALL No. 1
 DRAINAGE DISCHARGE:
 16in DIA. PIPE WITH FLAPPER GATE
 INVERT = 88.83R AT 2.74R BELOW MLW
 DEWATERING DISCHARGE:
 (2) 48in DIA. DUCK BELL OUTFALLS FROM 78in X 108in
 RECTANGULAR CONVEYANCE
 INVERT #1 = 85.0R AT 6.4R BELOW MLW
 INVERT #2 = 82.0R AT 10.4R BELOW MLW

OUTFALL No. 2
 DRAINAGE DISCHARGE:
 14in DIA. PIPE WITH FLAPPER GATE
 INVERT = 92.7R AT 0.3R ABOVE MLW
 DEWATERING DISCHARGE:
 (3) 48in DIA. PIPES WITH FLAPPER GATES
 INVERT = 92.7R AT 0.3R ABOVE MLW

LEGEND

- INDICATES TOP OF BANK
- SHORELINE AT ELEV. 100ft
- SHORELINE AT ELEV. 93ft
- CONTROLLED INDUSTRIAL AREA (CIA) FENCE

MEAN LOW WATER (MLW) ELEVATION = 92.4R

AREA INSIDE THE CIA = 62.73 ACRES
 AREA OUTSIDE THE CIA = 225.52 ACRES
 TOTAL AREA = 288.25 ACRES

PNS REFERENCE
 FLAG POLE BLDG 260
 NAD 87 ME WEST 1802
 9167.2774N
 346853.6977E
 LAT 43° 4' 55.38"
 LONG 70° 44' 22.27"



INDEX OF STRUCTURES		INDEX OF STRUCTURES			
NO.	LOC.	DESCRIPTION	NO.	LOC.	DESCRIPTION
1	A-1	PUBLIC QUARTERS	101	H-1	TRANSFORMER STATION
2	A-2	PUBLIC QUARTERS	102	H-2	TRANSFORMER STATION
3	A-3	PUBLIC QUARTERS	103	H-3	TRANSFORMER STATION
4	A-4	PUBLIC QUARTERS	104	H-4	TRANSFORMER STATION
5	A-5	PUBLIC QUARTERS	105	H-5	TRANSFORMER STATION
6	A-6	PUBLIC QUARTERS	106	H-6	TRANSFORMER STATION
7	A-7	PUBLIC QUARTERS	107	H-7	TRANSFORMER STATION
8	A-8	PUBLIC QUARTERS	108	H-8	TRANSFORMER STATION
9	A-9	PUBLIC QUARTERS	109	H-9	TRANSFORMER STATION
10	A-10	PUBLIC QUARTERS	110	H-10	TRANSFORMER STATION
11	A-11	PUBLIC QUARTERS	111	H-11	TRANSFORMER STATION
12	A-12	PUBLIC QUARTERS	112	H-12	TRANSFORMER STATION
13	A-13	PUBLIC QUARTERS	113	H-13	TRANSFORMER STATION
14	A-14	PUBLIC QUARTERS	114	H-14	TRANSFORMER STATION
15	A-15	PUBLIC QUARTERS	115	H-15	TRANSFORMER STATION
16	A-16	PUBLIC QUARTERS	116	H-16	TRANSFORMER STATION
17	A-17	PUBLIC QUARTERS	117	H-17	TRANSFORMER STATION
18	A-18	PUBLIC QUARTERS	118	H-18	TRANSFORMER STATION
19	A-19	PUBLIC QUARTERS	119	H-19	TRANSFORMER STATION
20	A-20	PUBLIC QUARTERS	120	H-20	TRANSFORMER STATION
21	A-21	PUBLIC QUARTERS	121	H-21	TRANSFORMER STATION
22	A-22	PUBLIC QUARTERS	122	H-22	TRANSFORMER STATION
23	A-23	PUBLIC QUARTERS	123	H-23	TRANSFORMER STATION
24	A-24	PUBLIC QUARTERS	124	H-24	TRANSFORMER STATION
25	A-25	PUBLIC QUARTERS	125	H-25	TRANSFORMER STATION
26	A-26	PUBLIC QUARTERS	126	H-26	TRANSFORMER STATION
27	A-27	PUBLIC QUARTERS	127	H-27	TRANSFORMER STATION
28	A-28	PUBLIC QUARTERS	128	H-28	TRANSFORMER STATION
29	A-29	PUBLIC QUARTERS	129	H-29	TRANSFORMER STATION
30	A-30	PUBLIC QUARTERS	130	H-30	TRANSFORMER STATION
31	A-31	PUBLIC QUARTERS	131	H-31	TRANSFORMER STATION
32	A-32	PUBLIC QUARTERS	132	H-32	TRANSFORMER STATION
33	A-33	PUBLIC QUARTERS	133	H-33	TRANSFORMER STATION
34	A-34	PUBLIC QUARTERS	134	H-34	TRANSFORMER STATION
35	A-35	PUBLIC QUARTERS	135	H-35	TRANSFORMER STATION
36	A-36	PUBLIC QUARTERS	136	H-36	TRANSFORMER STATION
37	A-37	PUBLIC QUARTERS	137	H-37	TRANSFORMER STATION
38	A-38	PUBLIC QUARTERS	138	H-38	TRANSFORMER STATION
39	A-39	PUBLIC QUARTERS	139	H-39	TRANSFORMER STATION
40	A-40	PUBLIC QUARTERS	140	H-40	TRANSFORMER STATION
41	A-41	PUBLIC QUARTERS	141	H-41	TRANSFORMER STATION
42	A-42	PUBLIC QUARTERS	142	H-42	TRANSFORMER STATION
43	A-43	PUBLIC QUARTERS	143	H-43	TRANSFORMER STATION
44	A-44	PUBLIC QUARTERS	144	H-44	TRANSFORMER STATION
45	A-45	PUBLIC QUARTERS	145	H-45	TRANSFORMER STATION
46	A-46	PUBLIC QUARTERS	146	H-46	TRANSFORMER STATION
47	A-47	PUBLIC QUARTERS	147	H-47	TRANSFORMER STATION
48	A-48	PUBLIC QUARTERS	148	H-48	TRANSFORMER STATION
49	A-49	PUBLIC QUARTERS	149	H-49	TRANSFORMER STATION
50	A-50	PUBLIC QUARTERS	150	H-50	TRANSFORMER STATION
51	A-51	PUBLIC QUARTERS	151	H-51	TRANSFORMER STATION
52	A-52	PUBLIC QUARTERS	152	H-52	TRANSFORMER STATION
53	A-53	PUBLIC QUARTERS	153	H-53	TRANSFORMER STATION
54	A-54	PUBLIC QUARTERS	154	H-54	TRANSFORMER STATION
55	A-55	PUBLIC QUARTERS	155	H-55	TRANSFORMER STATION
56	A-56	PUBLIC QUARTERS	156	H-56	TRANSFORMER STATION
57	A-57	PUBLIC QUARTERS	157	H-57	TRANSFORMER STATION
58	A-58	PUBLIC QUARTERS	158	H-58	TRANSFORMER STATION
59	A-59	PUBLIC QUARTERS	159	H-59	TRANSFORMER STATION
60	A-60	PUBLIC QUARTERS	160	H-60	TRANSFORMER STATION
61	A-61	PUBLIC QUARTERS	161	H-61	TRANSFORMER STATION
62	A-62	PUBLIC QUARTERS	162	H-62	TRANSFORMER STATION
63	A-63	PUBLIC QUARTERS	163	H-63	TRANSFORMER STATION
64	A-64	PUBLIC QUARTERS	164	H-64	TRANSFORMER STATION
65	A-65	PUBLIC QUARTERS	165	H-65	TRANSFORMER STATION
66	A-66	PUBLIC QUARTERS	166	H-66	TRANSFORMER STATION
67	A-67	PUBLIC QUARTERS	167	H-67	TRANSFORMER STATION
68	A-68	PUBLIC QUARTERS	168	H-68	TRANSFORMER STATION
69	A-69	PUBLIC QUARTERS	169	H-69	TRANSFORMER STATION
70	A-70	PUBLIC QUARTERS	170	H-70	TRANSFORMER STATION
71	A-71	PUBLIC QUARTERS	171	H-71	TRANSFORMER STATION
72	A-72	PUBLIC QUARTERS	172	H-72	TRANSFORMER STATION
73	A-73	PUBLIC QUARTERS	173	H-73	TRANSFORMER STATION
74	A-74	PUBLIC QUARTERS	174	H-74	TRANSFORMER STATION
75	A-75	PUBLIC QUARTERS	175	H-75	TRANSFORMER STATION
76	A-76	PUBLIC QUARTERS	176	H-76	TRANSFORMER STATION
77	A-77	PUBLIC QUARTERS	177	H-77	TRANSFORMER STATION
78	A-78	PUBLIC QUARTERS	178	H-78	TRANSFORMER STATION
79	A-79	PUBLIC QUARTERS	179	H-79	TRANSFORMER STATION
80	A-80	PUBLIC QUARTERS	180	H-80	TRANSFORMER STATION
81	A-81	PUBLIC QUARTERS	181	H-81	TRANSFORMER STATION
82	A-82	PUBLIC QUARTERS	182	H-82	TRANSFORMER STATION
83	A-83	PUBLIC QUARTERS	183	H-83	TRANSFORMER STATION
84	A-84	PUBLIC QUARTERS	184	H-84	TRANSFORMER STATION
85	A-85	PUBLIC QUARTERS	185	H-85	TRANSFORMER STATION
86	A-86	PUBLIC QUARTERS	186	H-86	TRANSFORMER STATION
87	A-87	PUBLIC QUARTERS	187	H-87	TRANSFORMER STATION
88	A-88	PUBLIC QUARTERS	188	H-88	TRANSFORMER STATION
89	A-89	PUBLIC QUARTERS	189	H-89	TRANSFORMER STATION
90	A-90	PUBLIC QUARTERS	190	H-90	TRANSFORMER STATION
91	A-91	PUBLIC QUARTERS	191	H-91	TRANSFORMER STATION
92	A-92	PUBLIC QUARTERS	192	H-92	TRANSFORMER STATION
93	A-93	PUBLIC QUARTERS	193	H-93	TRANSFORMER STATION
94	A-94	PUBLIC QUARTERS	194	H-94	TRANSFORMER STATION
95	A-95	PUBLIC QUARTERS	195	H-95	TRANSFORMER STATION
96	A-96	PUBLIC QUARTERS	196	H-96	TRANSFORMER STATION
97	A-97	PUBLIC QUARTERS	197	H-97	TRANSFORMER STATION
98	A-98	PUBLIC QUARTERS	198	H-98	TRANSFORMER STATION
99	A-99	PUBLIC QUARTERS	199	H-99	TRANSFORMER STATION
100	A-100	PUBLIC QUARTERS	200	H-100	TRANSFORMER STATION

REVISION	DATE	DESCRIPTION	BY
P.N. DRAWING NO.	DEPT OF THE NAVY	NAVAL FACILITIES ENGINEERING COMMAND	
DESIGNER	ARCHITECT	NAVAL SHIPYARD	PORTSMOUTH, N.H.
DRYER	MECHANICAL	U.S. NAVAL ACTIVITIES	
CHEF	CIVIL STRUCTURES	SEAVEY ISLAND, KITTERY, ME	
ELECTRICIAN	ELECTRICAL	WASTE WATER DISCHARGE	
BRANDI HEAD		PERMIT APPLICATION	
APPROVED		DATE	SIZE
NAVAL FACILITIES ENGINEERING DIVISION		80091	NAV FAC DRAWING NO.
SAFETY FACTORY TO		CONSTR. CONTR. NO.	SHEET
		80091	1
		DATE	SHEET
		DATE	SHEET