

# The Automotive Industry to 2025 and beyond.

Chris Atkinson, Sc.D. Program Director Advanced Research Projects Agency-Energy


EPA MSTRS Meeting October 18, 2016



#### **ARPA-E Mission**




Catalyze the development of transformational, high-impact energy technologies



Ensure the U.S. maintains a lead in the development and deployment of advanced technologies




## Evolution of ARPA-E – \$1.3B in funding 500 projects in 7 years






#### **Focused Program Portfolio**





#### **Energy Consumed by Transportation in the US**



Light-, medium and heavy-duty vehicles consume ~11 million barrels per day oil equivalent, totaling 81% of transportation sector energy consumption, or ~23% of the US primary energy usage.




<b>3 Significant Trends in Automotive</b>										
Transportation										
			0	0	0	•	•	•		



## **Trend 1 – Fuel Economy**

Future fuel economy of the light-duty vehicle fleet will be required to be significantly higher than today (54.5 mpg CAFE by 2025).






Heavy-duty fuel economy regulated by EPA/NHTSA Phase 2 GHG rules.

Fuel efficiency improvements will be achieved by vehicle light-weighting, reducing aerodynamic drag and tire rolling losses, engine downsizing, boosting, improved transmissions, increased electrification, hybridization, waste energy recovery, and reductions in friction and parasitic losses.




#### **Trend 2 – Vehicle Connectivity**

 Future vehicles will utilize greater levels of connectivity – V2V, V2I, V2X – this trend is driven primarily by road traffic safety considerations.





## Connected Vehicles – V2V, V2I, V2X.




#### **DENSO**, 2015




#### **Trend 3 – Vehicle Automation**

Future vehicles will display greater levels of automation – from L0 (no automation) to L1 & L2 advanced driver assistance systems (ADAS) to L3 automation (automated operation with a driver present) and L4 (full automation – no driver required).





#### **US Light-Duty Vehicle Miles Traveled – VMT**



### **Vehicle Ownership and Economics**


- Average vehicle purchase price \$34,428 (Dec. 2015) (NADA).
- Average loan term 67 months (30% of all loans are 74-84 months) at \$482/month with \$28,936 financed (Experian).
- Average vehicle miles traveled (VMT) per year is now 12,700 (per vehicle) and 9,500 (per capita) (NHTSA).
- Car total cost of ownership is on average around \$0.60/mile (vehicle cost, financing, insurance, fuel cost).
- Total VMT is 3.1T miles (NHTSA).

The road transportation industry is a **\$3.0T** per year business in the US alone!



Sources: NHTSA, NADA, Experian.

### Light-Duty Vehicles – Meeting CAFE in 2025



New Goals in Fuel Economy

- OEMs will meet 2025 standards through a combination of technology and fleet mix, adjusting sales of BEVs, PHEVs, HEVs, (FCVs), diesel and conventional cars and light trucks.
- They will also pursue 'extra credits' and ....

#### [Remember:


Monroney sticker fuel economy  $\neq$  CAFE  $\neq$  Real world fuel efficiency (calculated from fuel use and VMT)]

Source: National Highway Traffic Safety Administration

#### Light-Duty Vehicles – Meeting CAFE in 2025

#### New Goals in Fuel Economy

60 miles per gallon average fleetwide




'80 '85 '90 '95 '00 '05 '10 '15 '20 '25

- OEMs will meet 2025 standards through a combination of technology and fleet mix, adjusting sales of BEVs, PHEVs, HEVs, (FCVs), diesel and conventional cars and light trucks.
- Beyond 2025.....?
- And what about the effect of connectivity and automated vehicle operation? This is not reflected in regulations.

Source: National Highway Traffic Safety Administration

#### Fleet-Averaged Light-Duty Fuel Economy – Sales Weighted (UMTRI)



Month-Year



Sales figures and market share of EVs/PHEVs, Q3 2014 to Q2 2015

Country	Sales of EVs/PHEVs [items]	EV/PHEV share of total sales [%]	
	119,424	0.71	
	24,422	0.48	
*	92,471	0.39	
	21,537	1.16	
	17,108	0.55	
****	2,073	0.13	
	2,329	0.16	

Source: fka; Roland Berger



#### **Vehicle Safety**

- Road safety 32,675 fatalities in 2014 (1.07 per 100M VMT) with 2.31 million injuries in 6.06 million crashes (1.65 million with injuries, or 53 crashes with injury per 100M VMT).
- Has relied to date on passive safety expensive and costly in weight.
- New active safety mechanisms ACC and AEB through radar.
- Vehicle connectivity will allow for further advances in safety DSRC (dedicated short range communications) will broadcast the actions of all vehicles in a 150m radius.
- The effect of automated vehicles?



#### Advanced Driver Assistance Systems (L1-L2)

- ACC adaptive cruise control (accelerator, brake).
- LKA lane keeping assist (steering).
- AEB advanced emergency braking (brake) (standard by 2022).
- FCW forward collision warning.
- Parking assistance/pilot.
- Alerts blind spot assist, cross-traffic alerts, rear-view cameras.
- Semi-autonomous (MB, Volvo, Subaru, Infiniti, Nissan, Honda, ...) and now essentially autonomous (Tesla Autopilot [L3] and Google car [L4])




## L5 Vehicles will demonstrate far higher energy efficiency

- Intrinsically safe vehicles "won't crash".
- Significant reductions in vehicle mass possible due to reduction in safety equipment required.
- Large weight de-compounding effects, also allowing for the use of lighter materials – CF, plastics, light metals?
- Opportunity for xEVs? Reduced energy storage requirements for same vehicle range.
- Automated vehicles will have more/less opportunity for recharging?



#### **Future Potential with Vehicle Autonomy**

Figure 2.6 Range of Potential Fuel Economy Improvements for Conventional, Hybrid, and Autonomous Cars




SOURCES: Analysis using data from NRC, 2013a; Folsom, 2012.

RAND RR443-2.6



#### A few more comments on operations related impacts...



Brown, A.; Gonder, J.; Repac, B. (2014). "An Analysis of Possible Energy Impacts of Automated Vehicles." Springer Book Chapter.

### **Connectivity and Automation**

- Facilitates collaborative vehicle behavior (requires V2V communication)
  - Platooning, congestion mitigation, CACC
- Facilitates interaction with infrastructure (requires V2I communication)
  - SPaT signal phase and timing
  - Eco-approach and departure
- Facilitates congestion mitigation (requires V2X, cellular, satellite communication)
  - Eco-routing



## The 10 Rules of Driving

- 1. Keep right, keep to the road, avoid on-coming traffic and stay centered within the driving lane.
- 2. Travel at the minimum of {the speed limit; the prevailing traffic speed; an appropriately **safe speed** dictated by road conditions, traffic and environmental conditions}.
- 3. Stop when required by traffic signals, traffic signs, traffic officers, stationary traffic ahead or obstacles or debris in the road.
- 4. Maintain a **safe following distance** (and do not follow too closely or run into vehicles ahead).
- 5. Come to a **stop, stand or park** only when safe and appropriate to do so and in a manner that will not impede traffic.
- 6. Adjust speed and merge in turn into traffic with suitable clearance at ramps, stops and merges.
- 7. Take turns at unregulated stops or merges.
- 8. Avoid obstacles (stationary and moving) with sufficient clearance to allow for directional changes (pedestrians, other road users, animals, debris, road repairs etc.)
- 9. Pass only where safe and do not obstruct or impede other (oncoming) traffic.
- 10. Drive defensively and predictively, and not selfishly (use common sense, be alert, be predictive and not merely reactive).



## Fully Automated Driving – requires 100 million LOC?

Fully automated driving requires the following:

- Mapping ("refer") refer to pre-developed 3D maps of fixed features, together with overlays of temporary or moving obstacles for navigation.
- Machine vision ("see") inputs from multiple sensors including vision, radar, LIDAR, acoustics/ultrasonics to sense proximity, localization, displacement and velocity of vehicles, obstacles, roadway etc.
- Sensor and data fusion ("recognize") fuse inputs and data from machine vision and mapping (on and off-board) to create a comprehensive visual 'map'.
- Connectivity ("integrate") access additional information or data from offboard the vehicle and to coordinate with other vehicles (V2V, V2X).
- Decision making ("think") computational capability and advanced decisionmaking (not just rule-based).
- AI ("decide") artificial intelligence (of which 'deep learning' is a part) allows for learning and adaptation.
- Automation ("respond") control the vehicle in a safe and predictable fashion.

Requires the 99.9999<sup>th</sup> percentile safety solution (currently at the 99<sup>th</sup> percentile?



## **The Automotive Industry**

- Is a very mature, conservative industry dominated by
  - Regulation (safety),
  - Regulation (emissions [optional] and now fuel efficiency),
  - Customer preferences,
  - While meeting strict cost and price constraints.
- To date regulation, incumbency and cost has protected the industry from extreme disruption.
- Industry has always been alert to 'head-on' threats
- But now there are a new generation of disrupters cf. Tesla, Apple, Google, Uber, …

Will electrification, connectivity and automated operation, and new models of ownership and usage facilitate or accelerate the disruption of the industry?



### **The Disrupters**

- Have incredibly deep pockets
  - Apple has \$220B in cash, which dwarfs the market capitalization of Ford (\$54B), GM (\$50B), VW (\$63B), Tesla (\$31B) and is greater than Toyota (\$164B).
  - Uber (private) has a \$50B value greater than FedEx.
  - Bear in mind that the traditional automotive industry operates on very thin margins, and is the "world's greatest destroyer of capital".
- Traditional barriers to entry:
  - Regulation Silicon Valley has never acknowledged regulation as a barrier to doing business.
  - Capital Apple alone has 10x the capital required to succeed.
  - Engineering not an issue with less complex powertrains (although the battery? Hence Tesla's Gigafactory).
- SV operates on its own time scales (~1-2 years vs. 6-10 years of the automotive industry).
- Tremendous market pull for high technology products.



#### **Requirements for commercial success**

Any new powertrain technology should be comparable to or better than the baseline in:

Criterion	Explanation
Power	Power density (or energy density including the fuel/energy storage capacity) $\Rightarrow$ Customer acceptance
Efficiency	Fuel economy (over real-world dynamic driving) ⇒ Regulation Energy efficiency
Emissions	Regulated criteria pollutants (and now $CO_2$ ) $\Rightarrow$ Regulation
Cost	Total cost of ownership (including capex and energy cost)
Reliability	Mean time between failures, maintainability
Utility	Acceleration, driveability, NVH, cold or off-cycle operation, ease of use, transparency to the user, and acceptable range
Fuel acceptability	Use a readily available fuel or energy source.



## Huge Foundational Shifts in the Automotive Industry

#### Old Model

- Vehicle hardware as the differentiating factor
- Complex powertrain
- Long development cycles
- Human operator, stand-alone
- Single vehicle with a single user
- Owner is driver and user
- OEMs are foremost
- Tightly controlled supply chain
- "One sale, once"
- OEM profitability required or at least desired



#### **Huge Foundational Shifts in the Automotiv** Industry

#### Old Model

- Vehicle hardware as the differentiating factor
- Complex powertrain
- Long development cycles
- Human operator, stand-alone
- Single vehicle with a single user
- Owner is driver and user
- OEMs are foremost
- "One sale, once"
- OEM profitability required or at No requirement for immediate least desired

#### **New Paradigm**

- Software as the differentiating factor
- Simplified powertrain electric?
- Short development cycles
- Automated operation, connected
- New models of usage ridesharing
- New models of ownership
- Suppliers now hold the keys
- Tightly controlled supply chain Electronics, electrics & batteries
  - New models of monetization

profitability



## But be wary of non-linear thinking

- Vehicle ownership there is no clear threat to the traditional model. Millennials have merely delayed purchases for several reasons (city dwellers, high debt loads, disinterest) but as soon as they move to the suburbs....
- Vehicle purchase leasing and other new models will emerge.
- Vehicle usage ride-sharing versus car sharing.
- Disruption Uber has disrupted the taxi industry (at \$1.50 to \$2.00 per mile), but not the passenger car industry (with total cost of ownership at \$0.60 per mile).
- Economics vehicles are currently bought, sold, paid for and operated on a VMT basis. If total VMT does not decrease, it is not at all clear that sales will drop, or usage change significantly.
- Fuel consumption future vehicles will be significantly more fuel efficient than today, with no other changes in regulation or economics.



## **The Future Vehicle Industry Landscape**

- OEMs e.g. GM, Ford, BMW....
- Ride-sharing companies e.g. Uber, Lyft, GETT, Didi....
- Mobility as a Service" providers.
- New 'dark horses'.
- And so now we have
  - GM investing in Lyft (OEM+RS).
  - Uber looking to develop automated vehicles (RS=OEM).
  - Apple looking to develop an EV ('Project Titan') (new OEM).
  - Google developing automated vehicles (CAV OEM+mapping).
  - Ford Smart Mobility (OEM=RS).

Just for a start.....



#### The Future of the OEMs

BMW – Harald Krueger, CEO – March 16, 2016

"The iNext will cover all aspects relevant in the future: autonomous driving, digital connectivity, intelligent lightweight construction, a trendsetting interior and the next generation of electro-mobility."

- VW will become a "new mobility company"
- Ford will become a "new mobility company"
- Toyota Research Institute \$1B for robotics research
- New alliances
  - DeepDrive machine learning and AI Ford, Toyota, VW, Nvidia, Qualcomm, Panasonic at UC Berkeley

An enormous amount of activity.....



## The Probable Pathway to 2025 and Beyond

- Vehicle powertrain technology more electrification, hybridization, downsizing, waste energy recovery, 48V systems?
- Vehicle structures vehicle downsizing, weight reduction, more use of light-weight materials.
- Vehicle ownership how will the 84 month ownership cycle be reconciled with 1-2 year product cycles?
- **Ride-sharing**, **car-sharing** new ownership and usage models.
- OEMs the center of gravity of the high-technology components of the vehicle has shifted to suppliers both old (Bosch, DENSO, Continental, Delphi) and new (Mobileye, Cruise Automation).
- ADAS systems will proliferate, leading to L3 automation (such as the Tesla Autopilot) being essentially standard (L3 is a suite of technologies).
- L4-L5 automation requires or facilitates new vehicle architectures (electrification?) but will probably be slow in penetrating the full market.
- Regulations?
- The implication for energy usage energy usage in the LD fleet will almost certainly be reduced by 2025 and beyond (due to ongoing fleet turnover). After that timeframe, it is not clear.



## NEXTCAR

<u>NEXT</u>-Generation Energy Technologies for <u>Connected</u> and <u>Automated on-Road</u> vehicles

#### Mission

The ARPA-E NEXTCAR Program will fund the development of new and emerging vehicle dynamic and powertrain control technologies (VD&PT) that reduce the energy consumption of future Light-Duty (LD), Medium-Duty (MD) and Heavy-Duty (HD) on-road vehicles through the use of connectivity and vehicle automation.

Program Director	Dr. Chris Atkinson			
Total Investment	\$30 Million over 3 years			

#### Goals

• Energy Consumption: 20% reduction over a 2016 or 2017 baseline vehicle.

- **Emissions:** No degradation relative to baseline vehicle.
- **Utility:** Must meet current Federal vehicle safety, regulatory and customer performance requirements.
- **Customer Acceptability:** Technology should be transparent to the driver.
- Incremental System Cost: \$1,000 for LD vehicle, \$2,000 for MD vehicle and \$3,000 for HD vehicle.

#### **Potential Impact**


- Energy Consumption Reduction: 4.4 quads/year
- CO<sub>2</sub> Emissions: 0.3 GT/year

### **Collaborative Vehicle and Powertrain Solution**

#### **STATUS QUO**

Two separate and independent efforts for improving vehicle energy efficiency





Independent Vehicle Dynamic Control


Powertrain Optimization

#### NEXTCAR

Program vision is to maximize energy efficiency through a <u>cooperative effort from all communities</u> including Transportation, Vehicles and Powertrain



## Future Powertrain and Vehicle Control with NEXTCAR




#### NEXTCAR: Engaging the Powertrain, Vehicle and Transportation Communities



ARPA-E'S NEXTCAR Vision — improving the energy efficiency of our future vehicles through research, development and commercialization.

#### What if a vehicle had perfect information about

- Its route and topography
- Environmental conditions
- Traffic conditions
- Traffic behavior
- Condition of its powertrain and after treatment systems (if any)
- The quality of its fuel (if used)
- .....and everything else
- And it **cooperates** with all the vehicles around it in order to reduce its energy consumption,
- With **perfect control** and optimization?



Source: Daimler

ARPA-E strives for towards commercialization of the technologies that it supports – without commercial applications, we will not see the energy efficiency improvements that we seek.

#### Welcome to the Future.

Chris Atkinson, Sc.D. Program Director, ARPA-E

chris.atkinson@hq.doe.gov



Chris Atkinson, Program Director ARPA-E