Healthy Soils from Biosolids

Diane Gilbert Jones City of Los Angeles, Sanitation

California Bioresources Alliance 11th Annual Symposium November 1, 2016





Soils



Green Acres Farm



Soil Available & Natural Protections

- Cajon, Chino, Traver and Pond soil series.
 These soils are:
 - > loam, fine sandy loam soils
 - > moderately to heavy-textured
 - > generally alkaline
- Clay content and high pH soil
- Nitrate transport limited due to hard pan located two to four feet beneath surface

Field Selection Methodology

- Fields selected:17-1, 17-2, 18-2, 18-3
- Biosolids application started 2004
- Data from field soil analysis for agronomic loading
- Data from soil analysis done every 3 years per Kern Ordinance
- Baseline soil analysis done 1999 when farm was purchased



Field Soil pH

- Baseline pH over 9
- Preferred pH range 6.0 to 8.2
- Maintained for 11 years
- Allow for healthy crop production

Primary Nutrients in Soil

- Phosphorus (PO₄)
- Potassium (K)
- Nitrogen as Nitrate (NO₃N)

Present in Soils

- PO4 Average 29 ppm
- K Average 91 ppm
- NO3N Average 23 ppm

Crop Needs

- Minimum 15 ppm
- 150 800 ppm
- 4 30 ppm

Micronutrients in Soil

- Zinc (Zn)
- Iron (Fe)
- Copper (Cu)


Present in Soils

- In Average 50 ppm
- Fe Average 70 ppm
- Cu- Average 32 ppm

Crop Needs

- 1-200 ppm
- Minimum 4 ppm
- 0.6 70 ppm

Crop Production



Crops











Corn Crops - Green Acres Farm






Crop Uses

Los Angeles Police Mounted Unit



Los Angeles Zoo



Biosolids vs Fertilizer

Biosolids

- Average application rate: 25-40 tons/acre
- Every 2 years 2 tons of gypsum (\$125/ac) or 1000 lbs of sulfur (\$80/ac)
- Cost: \$0

Fertilizer

- Nitrogen: 300-200 lbs
- Phosphate: 100-50 lbs
- Potassium: 100-50 lbs
- Cost: $150 \frac{\$}{acre} \times 4688 acres = \$703,200$

Fields Soil Samples



Biosolids or Not?

