

U.S. ENVIRONMENTAL PROTECTION AGENCY

Superior Barrel and Drum - Removal Update



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region II

Subject: Removal Update
Commence Removal of Bulk Flammable Liquid Waste
Superior Barrel and Drum
Elk, NJ
Latitude: 39.6930670 Longitude: -75.1345550

From: Keith Glenn,
OSC/Environmental Scientist
Date: 3/3/2014
Reporting Period: February 24, 2014 through
March 2, 2014

FOR PREVIOUS REMOVAL UPDATES, PLEASE CONTACT: glenn.keith@epa.gov

Current Activities

Load-out operations continued during the operational period with the removal of corrosive wastes as well as chloroform and benzene contaminated wastes. Additionally, the removal of bulk flammable liquids commenced.

Site personnel continued with the collection of screening samples to be analyzed for the presence of heavy metals and volatile organic compounds. Also, the request for bids on the next subcontract for removal of materials was generated and sent to various vendors.

The EPA continued to work with numerous partners including the Gloucester County Fire Marshal's Office, HazMat Team, NJDEP, U.S. Fish and Wildlife Service, and local officials. NJDEP personnel continued weekly visitations and communication with Elk Township officials also continued. Security personnel continued to patrol the site during non-operational hours

Response Actions to Date

To view removal actions completed during other operational periods, please contact Keith Glenn at 732-321-4454 or email: glenn.keith@epa.gov.

Chemists and crew continued to collect samples of all materials in the designated "N" series of containers. During the operational period a total of 207 samples were sent to the PHILIS Laboratory located in Edison, NJ for screening analysis of volatile organic compounds. Additionally, 207 samples were sent to the EPA DESA Laboratory in Edison for

screening analysis of heavy metals. Results will aid in the generation of composite samples to better determine disposal options for this series of containers.

A request for quotes was generated for the removal of over 600 containers. Composite samples indicate materials are mostly flammable substances, some containing corrosive and inorganic constituents. Bids are due on March 5, 2014 following which a subcontract will be awarded for the transport and disposal of materials.

On February 27, 2014 a total of 20 containers representing chloroform and benzene contaminated wastes along with flammable and corrosive substances were removed from the facility. The removal of bulk flammable liquids commenced on February 28, 2014 with one tanker removing approximately 4,700 gallons of material from the site. This amount reflects the contents of 19 totes and five drums. Additional removals by tanker are scheduled for the next operational period.

RST continued to provide perimeter and spot air monitoring to ensure the safety of personnel and surrounding properties. Additionally, RST continued to manage the SCRIBE and Response Manager databases.

Progress Metrics

Waste Stream	Sub-Class	Composite Samples Collected	Amount of Containers in Composite
NEUTRAL			
	N1	1	35
	N2	0	-
	N3a	1	35
	N3b		-
	N4	0	-
	N5	0	-
	N6	0	-
	N7	0	-
FLAMMABLE			
	F1a	1	33
	F1b	1	12
	F1c	1	11
	F1d	1	9
	F1e	1	12
	F1f (Liquid Brown)	1	12
	F1g (Liquid Brown)	1	12
	F1h (Liquid Brown on Water)	1	12
	F1i (Liquid Amber)	1	10
	F1j (Liquid Brown)	1	12
	F1k (Misc. Liquid)	1	12
	F1 Grab	4	*
	F2a (Powder)	1	10
	F2b (Soil)	1	11
	F2c (Solid Chunks)	1	8
	F2d (Gel)	1	3
	F2e (Misc. Solid)	1	6
	F3a (Sludge Red)	1	12
	F3b (Sludge Browns)	1	12
	F3c (Sludge Browns)	1	12
	F3d (Sludge Browns)	1	10
	F3e (Sludge Browns)	1	11
	F3f (Misc. Sludge)	1	12
	F3 Grab	1	*
	F4a (Acid Dark)	1	13

	F4b (Acid Light)	1	5
	F4c (Acid Brown)	1	12
	F4d (Acid Tan)	1	7
	F4e (Acid Sludge)	1	4
	F5a (Base)	1	7
	F6a (Paint Red/Cream)	1	8
	F6b (Paint Blue)	1	12
	F7a (Resin Clear)	1	5
	F7b (Resin Gray Sludge)	1	4
	F7c (Resin Red Sludge)	1	6
	F7d (Resin Black Liquid)	1	4
	F7e (Resin (Gold)	1	3
	F7f (Resin Brown)	1	5
	F7g (Resin Tan)	1	4
	F7h (Resin Multicolor)	1	7
	F7i (Resin White)	1	3
	F7j (Resin Red)	1	2
	F8a (Adhesive Black)	1	3
	F8b (Adhesive Red Orange)	1	3
	F8c (Adhesive Brown)	1	5
	F8d (Adhesive Green Yellow)	1	5
	F8e (Adhesive Tan)	1	2
	F8f (Adhesive Gray Blue)	1	4
	F8g (Adhesive Red Orange)	1	6
	F8h (Adhesive (Green Gray)	1	9
ACID			
	A1a (pH=4; low viscosity)	1	12
	A1b (pH=4; high viscosity)	1	10
	A1c (pH=3)	1	11
	A1d (Acidic Solids)	1	5
	A1e (pH=1)	1	3
	A1f (pH=2)	1	7
	Grab (difference in properties prevent from bulking)	11	*
	A2a (pH=3-4)	1	11
	A2b (pH=3-4)	1	12
BASE			
	B1a (pH=14)	1	2
	B1b (pH=14)	1	2
	B1c (pH=13)	1	2
	B1d (pH=13)	1	8
	B1e (pH=12)	1	4
	B1f (pH=11)	1	7
	B1g (pH=10)	1	7
	B1h (pH=10)	1	5
	B1i (pH=10)	1	7
	B1j (pH=11)	1	4
	B1k (pH=11)	1	9
	B1l (pH=14)	1	3
	B1m (pH=13)	1	2
	B1n (pH=13)	1	3
	B1o (pH=12)	1	4
	B1p (pH=10)	1	2
	B1q (pH=10)	1	2

	B1 Grab (difference in properties prevent from bulking)	5	*
	B2a (Combustible Low Sludge)	1	11
	B2b (Combustible High Sludge)	1	10
	B2 Grab (Combustible)	3	*
COMBUSTIBLE			
	Composite 1 (Combustible Organic Liquid with Neutral Liquid, Black/Brown)	1	12
	Composite 2 (Combustible Organic Liquid with Neutral Liquid, Brown)	1	12
	Composite 3 (Combustible Liquid with Neutral Liquid, Brown/Tan/Red)	1	12
	Composite 4 (Combustible Liquid with Neutral Liquid, Black/Brown)	1	12
	Composite 5 (Combustible Organic Liquid with Neutral Liquid, Multicolor)	1	12
	Composite 6 (Combustible Solid, Brown/Multicolor)	1	12
	Composite 7 (Combustible Solid, Black/Brown)	1	12
	Composite 8 (Combustible Liquids and Sludges, Black/Brown/Multicolor)	1	12
	Composite 9 (Combustible Liquids, Black/Brown, Multicolor)	1	12
	Composite 10 (Combustible Liquids, Brown)	1	12
	Composite 11 (Combustible Organic Liquids, Brown/Multicolor)	1	12
	Composite 12 (Combustible Liquid Mixtures, Brown/Multicolor)	1	12
	Composite 13 (Combustible Organic Liquid Mixtures, Brown/Multicolor)	1	12
	Composite 14 (Combustible Solids, Black or Brown)	1	12
	Composite 15 (Combustible Solids, Brown/Multicolor)	1	11
	Composite 16 (Combustible Sludges, Brown/Multicolor)	1	12
	Composite 17 (Combustible Solids and Resins, Brown/Multicolor)	1	12
	Composite 18 (Combustible Liquids and Solids, Yellow/Multicolor)	1	12
	Composite 19 (Combustible	1	9

	Liquid/Solid Mixtures, Black/Brown)		
	Composite 20 (Combustible Organic Liquids and Sludges, Multicolor)	1	11

* Grab samples are collected from one container and are not bulked due to unique features.

Date Shipped	Waste Stream	Medium	Quantity	Manifest #	Treatment	Disposal
1/30/2014	Waste Inorganic Liquid	Liquid Wastes	4,500 gallons (37 containers)	012500207	Solidification (Proposed)	Cumberland County Landfill (Interstate Waste Services), 135 Vaughn Road, Shippensburg, PA 17257
2/6/2014	Waste Flammable Solid	Solid Wastes	982 gallons (7 containers)	012500266	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/6/2014	Waste Flammable Corrosive, Acidic Solid	Solid Wastes	55 gallons (1 container)	012500266	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/6/2014	Waste Corrosive, Inorganic, Acidic Liquid	Liquid Wastes	381 gallons (9 containers)	012500266	Aqueous Treatment (Proposed)	EQ of Detroit, Inc., 1923 Frederick Street, Detroit, MI 48211
2/6/2014	Waste Chromium and Lead Contaminated Solid	Solid Wastes	168 gallons (4 containers)	012500266	Stabilization/ Landfill (Proposed)	Envirosafe Services of Ohio, 876 Otter Creek Road, Oregon, OH 43616
2/6/2014	Waste Mercury Contaminated Corrosive, Inorganic, Acidic Liquid	Liquid Wastes	165 gallons (3 containers)	012500266	Aqueous Treatment (Proposed)	EQ of Detroit, Inc., 1923 Frederick Street, Detroit, MI 48211
2/6/2014	Waste Corrosive, Acidic Liquid Mixture	Mixed Wastes	92 gallons (2 containers)	012500266	Aqueous Treatment (Proposed)	EQ of Detroit, Inc., 1923 Frederick Street, Detroit, MI 48211
2/6/2014	Waste Corrosive, Organic, Acidic Liquid	Liquid Wastes	55 gallons (1 container)	012500266	Aqueous Treatment (Proposed)	EQ of Detroit, Inc., 1923 Frederick Street, Detroit, MI 48211
2/6/2014	Waste Flammable Liquid and Solid Mixture	Solid Wastes	475 gallons (9 containers)	012500266	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/6/2014	Waste Flammable Liquid and Solid Mixture	Mixed Wastes	1,362 gallons (11 containers)	012500266	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/20/2014	Waste Corrosive, Inorganic, Basic Liquid	Liquid Wastes	1,509 gallons (13 containers)	12500358	Deep Well Injection (Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464

2/20/2014	Waste Corrosive, Selenium Contaminated, Inorganic, Basic Liquid	Liquid Wastes	190 gallons(2 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/20/2014	Waste Corrosive, Lead Contaminated, Inorganic, Basic Liquid	Liquid Wastes	475 gallons(5 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/20/2014	Waste Corrosive, Lead Selenium Contaminated, Inorganic, Basic Liquid	Liquid Wastes	190 gallons(2 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/20/2014	Waste Corrosive, Chromium Selenium Contaminated, Inorganic, Basic Liquid	Liquid Wastes	1,285 gallons (7 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/20/2014	Selenium Contaminated Liquid	Liquid Wastes	1,285 gallons (7 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/20/2014	Waste Corrosive, Organic, Basic Liquid	Liquid Wastes	285 gallons(3 containers)	12500358	Deep Well Injection(Proposed)	Vickery Environmental, Inc, 3956 State Route 412, Vickery, OH 43464
2/27/2014	Waste Flammable, Chloroform Contaminated	Liquid Wastes	1270 gallons (10 containers)	12500457	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/27/2014	Benzene Contaminated Liquid	Liquid Wastes	1840 (9 Containers)	12500457	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/27/2014	Waste Corrosive, Organic, Basic Liquid	Liquid Wastes	95 gallons (1 Container)	12500457	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/27/2014	Lead Contaminated Liquid	Liquid Wastes	250 gallons (1 container)	12500457	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044
2/28/2014	Waste, Flammable Liquid	Liquid Wastes	4700 gallons(24 containers)	11519302	Incineration (Proposed)	Ross Incineration Services, Inc., 36790 Giles Road, Grafton, OH 44044

Planned Response Activities

Collaboration between the EPA, NJDEP, FWS, County, and local officials will continue throughout the removal activities of the Superior Barrel and Drum Site.

Load-out operations will continue in the next operational period with focus on the disposal of bulk flammable liquids. Additional screening samples will be collected and sent to the PHILIS and Region 2 DESA Laboratory for volatile

organic compounds and heavy metal analysis. Personnel will continue to prepare containers for disposal.

Additionally, site managers will review quotes received for the T&D of combustible materials. A decision will be made on the vendor and a subcontract will be awarded. The EPA will work with the subcontractor to ensure all sample information is adequate for the disposal or treatment of materials. EPA will conform to the Off-Site Disposal rule prior to release of constituents. T&D of combustibles is tentatively scheduled to commence the week of March 12th.

Collection of composite samples from the remaining waste groups will continue. Abbreviated HazCat field testing of the on-site oxidizers will continue to determine if the volume for this waste stream can be reduced.

Samples of "N" series waste will continue to be collected and sent to the laboratory for screening purposes. The OEM PHILIS Laboratory will analyze head-space for the presence of VOCs. The Region 2 DESA Laboratory will screen the samples for the presence of heavy metals. The results will enable onsite managers and chemists to develop a more efficient composite sample design for this material.

RST will continue to work with the EPA on the development of a Common Operational Picture (COP) utilizing FlexViewer. RST personnel will continue perimeter air monitoring.

Additional action items that will be addressed include the propane tanks, container destruction, inspection of potentially buried underground storage tanks and drums, and collection of additional multi-media samples.