


Mystic River Watershed Water Quality Grades and Compliance Rates - Calendar Year 2014


| Grade | Water Segment | Average Compliance Rate |
|-------|----------------------------|-------------------------|
| A+ | Upper Mystic Lake | 96% |
| A | Mystic River (Salt Water) | 90% |
| A- | Chelsea Creek | 87% |
| B+ | Mystic River (Fresh Water) | 85% |
| C+ | Aberjona River | 65% |
| C | Belle Isle Inlet | 64% |
| C- | Malden River | 59% |
| D | Meetinghouse Brook | 47% |
| D | Alewife Brook | 46% |
| D- | Mill Brook | 43% |
| D- | Little River | 40% |
| F | Winn's Brook | 33% |
| F | Island End River | 33% |
| F | Mill Creek | 32% |



Average Compliance Rates for Swimming and Boating Standards




Monitoring Points



2014 Mystic River Watershed Report Card

(based on 2012-2014 bacterial data)

Data Sources: Mystic River Watershed Association, U.S. EPA, Massachusetts Water Resources Authority, MassGIS. Basemap: Canvas/World Light Gray Base (c) ESRI and its data suppliers.



Map Tracker ID: 10438. Created by the US EPA Region 1 GIS Center on July 8, 2015.